

U.S. DEPARTMENT OF COMMERCE
U.S. COAST AND GEODETIC SURVEY
E. LESTER JONES, SUPERINTENDENT

GEODESY

TABLES FOR A POLYCONIC
PROJECTION OF MAPS

BASED UPON CLARKE'S REFERENCE
SPHEROID OF 1866

FOURTH EDITION

Special Publication No. 5



PRICE, 20 CENTS

Sold only by the Superintendent of Documents, Government Printing Office, Washington, D. C.

WASHINGTON
GOVERNMENT PRINTING OFFICE
1917

DEPARTMENT OF COMMERCE
COAST AND GEODETIC SURVEY
E. LESTER JONES, SUPERINTENDENT

GEODESY

TABLES FOR A POLYCONIC PROJECTION OF MAPS

BASED UPON CLARKE'S REFERENCE
SPHEROID OF 1866

FOURTH EDITION

Special Publication No. 5



PRICE, 20 CENTS

Sold only by the Superintendent of Documents, Government Printing Office, Washington, D. C.

WASHINGTON
GOVERNMENT PRINTING OFFICE

1917

TABLES FOR THE PROJECTION OF MAPS BASED UPON A POLYCONIC DEVELOPMENT OF CLARKE'S SPHEROID OF 1866, AND COMPUTED FROM THE EQUATOR TO THE POLE.

INTRODUCTION.

These tables were published as Appendix 6 to the Coast and Geodetic Survey Report for 1884, and as Special Publication No. 5 in 1900. The constant demand for the tables has necessitated the present edition, in which the tables remain the same as those in the other editions, while this introductory is only slightly different from that of the second edition.

The tables here given for the construction of maps on the polyconic projection depend upon the dimensions of the spheroid representative of the earth's figure and size as determined by Col. A. R. Clarke, R. E., in 1866 and as expressed by him in meters. Prior to February, 1880, the work of the Survey was developed on Bessel's representative spheroid of 1841, and for which projection tables had been published in the annual reports for 1853, 1856, 1859, and 1865. The first publication, by E. B. Hunt, U. S. A., Assistant in the Survey, is accompanied by an exposition of the method; the second publication, by J. E. Hilgard, Assistant, specially provides for the projecting of maps of large extent, and received some further extension in 1859 and for a special ease in 1865. These earlier publications were superseded in consequence of the change of the spheroid of development. The report of the Survey for 1880 contains a paper by C. A. Schott, Assistant, comparing the polyconic with other projections as to their relative practical values, and a special publication of the Survey in 1882, by T. Craig, Ph. D., develops the mathematical principles upon which the various forms of projections depend and exhibits their special properties. The projection tables of 1884 were edited by C. O. Boutelle, Assistant in charge of the Office, and are in a most complete form for use for maps of any scale.*

The two spheroids of reference referred to, with their dimensions expressed in meters, compare as follows:

	According to Bessel (1841).	According to Clarke (1866).
Equatorial radius a	6 377 397.2	6 378 206.4
Polar semi-axis b	6 356 079.0	6 356 583.8
b/a	298'15/299'15	293'98/294'98

Originally the dimensions of the Besselian spheroid were expressed in toises, those of Clarke's spheroid in English standard feet. Their metric equivalents as adopted at the time and here given could not now be considered as representing the best comparisons.† According to Clarke (1866):

The toise equals 76.734 402 inches = 1.949 036 32 meters.
The meter equals 39.370 432 inches = 3.280 869 33 feet.°

whereas we find now the more correct relation to the international meter somewhere between 39.369 87 and 39.370 08 inches;‡ the value 39.369 90 inches is the result by the Weights and Measures Bureau, presented in Appendix No.

* Projection tables for the use of the United States Navy were published by the Bureau of Navigation, Navy Department, Washington, 1869. They are adapted to areas of small and large extent, refer to Bessel's spheroid, and use the metric system. The latest publication of tables on polyconic projection is by the Smithsonian Institution, "Geographical Tables," prepared by R. S. Woodward, Smithsonian Miscellaneous Collections 854, Washington, the third edition of which was published in 1906. Clarke's spheroid of 1866, as expressed in feet, is employed. Coordinates for the projection of maps on several different scales are given in both inches and millimeters. The United States Geological Survey published in 1908 "Geographic Tables and Formulas," compiled by Samuel S. Gannett, Geographer, which contains Polyconic Projection Tables, most of which are extracts from "Geographic Tables" of the Smithsonian Institution and from Appendix 6, Coast and Geodetic Survey Report for 1884.

† Comparisons of standards of lengths, etc., made at the Ordnance Office at Southampton by Capt. A. R. Clarke, London, 1866, p. 287.

‡ Die Europäische Längengradmessung in 52° Breite. Berlin, 1893, pp. 225-230.

POLYCONIC PROJECTION TABLES.

LENGTHS OF DEGREES OF THE MERIDIAN.

Lat.	Meters.*	Yards.	Statute miles.	Nautical miles.	Lat.	Meters.*	Yards.	Statute miles.	Nautical miles.
0					0				
0-1	110 567.3	120 917.6	68.703	59.661	45-46	111 140.8	121 544.8	69.060	59.971
1-2	110 568.0	120 918.4	68.704	59.662	46-47	111 160.5	121 566.4	69.072	59.981
2-3	110 569.4	120 919.9	68.705	59.662	47-48	111 180.2	121 587.9	69.084	59.992
3-4	110 571.4	120 922.1	68.706	59.664	48-49	111 199.9	121 609.4	69.096	60.003
4-5	110 574.1	120 925.1	68.707	59.665	49-50	111 219.5	121 630.9	69.108	60.013
5-6	110 577.6	120 928.9	68.710	59.667	50-51	111 239.0	121 652.2	69.121	60.024
6-7	110 581.6	120 933.3	68.712	59.669	51-52	111 258.3	121 673.3	69.133	60.034
7-8	110 586.4	120 938.5	68.715	59.672	52-53	111 277.6	121 694.4	69.145	60.045
8-9	110 591.8	120 944.4	68.718	59.675	53-54	111 296.6	121 715.2	69.156	60.055
9-10	110 597.8	120 951.0	68.722	59.678	54-55	111 315.4	121 735.8	69.168	60.065
10-11	110 604.5	120 958.3	68.726	59.681	55-56	111 334.0	121 756.1	69.180	60.075
11-12	110 611.9	120 966.4	68.731	59.685	56-57	111 352.4	121 776.2	69.191	60.085
12-13	110 619.8	120 975.0	68.736	59.690	57-58	111 370.5	121 796.0	69.202	60.095
13-14	110 628.4	120 984.4	68.741	59.694	58-59	111 388.4	121 815.6	69.213	60.104
14-15	110 637.6	120 994.5	68.747	59.699	59-60	111 405.9	121 834.7	69.224	60.114
15-16	110 647.5	121 005.3	68.753	59.705	60-61	111 423.1	121 853.5	69.235	60.123
16-17	110 657.8	121 016.6	68.759	59.710	61-62	111 439.9	121 871.9	69.246	60.132
17-18	110 668.8	121 028.6	68.766	59.716	62-63	111 456.4	121 890.0	69.256	60.141
18-19	110 680.4	121 041.3	68.773	59.722	63-64	111 472.4	121 907.5	69.266	60.150
19-20	110 692.4	121 054.4	68.778	59.729	64-65	111 488.1	121 924.6	69.275	60.158
20-21	110 705.1	121 068.3	68.789	59.736	65-66	111 503.3	121 941.2	69.285	60.166
21-22	110 718.2	121 082.7	68.797	59.743	66-67	111 518.0	121 957.3	69.294	60.174
22-23	110 731.8	121 097.5	68.805	59.750	67-68	111 532.3	121 973.0	69.303	60.182
23-24	110 746.0	121 113.1	68.814	59.758	68-69	111 546.2	121 988.2	69.311	60.190
24-25	110 760.6	121 129.0	68.823	59.765	69-70	111 559.5	122 002.7	69.320	60.197
25-26	110 775.6	121 145.4	68.833	59.774	70-71	111 572.2	122 016.6	69.328	60.204
26-27	110 791.1	121 162.4	68.842	59.782	71-72	111 584.5	122 030.0	69.335	60.210
27-28	110 807.0	121 179.8	68.852	59.791	72-73	111 596.2	122 042.8	69.343	60.217
28-29	110 823.3	121 197.6	68.862	59.800	73-74	111 607.3	122 055.0	69.349	60.223
29-30	110 840.0	121 215.9	68.873	59.808	74-75	111 617.9	122 066.6	69.356	60.228
30-31	110 857.0	121 234.4	68.883	59.818	75-76	111 627.8	122 077.4	69.362	60.234
31-32	110 874.4	121 253.5	68.894	59.827	76-77	111 637.1	122 087.6	69.368	60.239
32-33	110 892.1	121 272.8	68.905	59.837	77-78	111 645.9	122 097.2	69.373	60.243
33-34	110 910.1	121 292.5	68.916	59.846	78-79	111 653.9	122 105.9	69.378	60.248
34-35	110 928.3	121 312.4	68.928	59.856	79-80	111 661.4	122 114.1	69.383	60.252
35-36	110 946.9	121 332.8	68.939	59.866	80-81	111 668.2	122 121.6	69.387	60.255
36-37	110 965.6	121 353.2	68.951	59.876	81-82	111 674.4	122 128.4	69.391	60.259
37-38	110 984.5	121 373.9	68.962	59.886	82-83	111 679.9	122 134.4	69.395	60.262
38-39	111 003.7	121 394.9	68.974	59.897	83-84	111 684.7	122 139.6	69.398	60.264
39-40	111 023.0	121 416.0	68.986	59.907	84-85	111 688.9	122 144.2	69.400	60.268
40-41	111 042.4	121 437.2	68.998	59.918	85-86	111 692.3	122 147.9	69.402	60.268
41-42	111 061.9	121 458.5	69.011	59.928	86-87	111 695.1	122 151.0	69.404	60.270
42-43	111 081.6	121 480.1	69.023	59.939	87-88	111 697.2	122 153.3	69.405	60.271
43-44	111 101.3	121 501.6	69.035	59.949	88-89	111 698.6	122 154.8	69.406	60.272
44-45	111 121.0	121 523.2	69.047	59.960	89-90	111 699.3	122 155.6	69.407	60.272

*The quantities in this column are identical with those on the odd-numbered pages in the body of the table at the bottom of the column headed 'Continuous sums of minutes.'

CONSTRUCTION OF POLYCONIC PROJECTIONS.

Having the location to be covered by a projection, determine the scale and the interval of the projection lines which will be most suitable for the work in hand.

SMALL SCALE PROJECTIONS (1-500,000 AND SMALLER).

Draw a straight line for a central meridian and a construction line (*a b* in the figure) perpendicular thereto, each to be as central to the sheet as the selected interval of latitude and longitude will permit.

On this central meridian and from its intersection with the construction line lay off the extreme intervals of latitude, north and south (mm_2 and mm_4) and subdivide the intervals for each parallel (m_1 and m_3) to be represented, all distances* being taken from the table (p. 7, "Lengths of degrees of the meridian").

Through each of the points (m_1, m_2, m_3, m_4) on the central meridian draw additional construction lines (*cd, ef, gh, if*) perpendicular to the central meridian, and mark off the ordinates ($x, x_1, x_2, x_3, x_4, x_5$) from the central meridian corresponding to the values* of "X" taken from the table under "Coordinates of curvature" (pp. 11 to 189), for every meridian to be represented.

At the points ($x, x_1, x_2, x_3, x_4, x_5$) lay off from each of the construction lines the corresponding values* of "Y" † from the table under "Coordinates of curvature" (pp. 11 to 189), in a direction parallel to the central meridian, above the construction lines if north of the equator, to determine points on the meridians and parallels.

Draw curved lines through the points thus determined for the meridians and parallels of the projection.

LARGE SCALE PROJECTIONS (1-10,000 AND LARGER).

The above method can be much simplified in constructing a projection on a large scale. Draw the central meridian and the construction line *a b*, as directed above. On the central meridian lay off the distances* mm_2 and mm_4 taken from the table under "Continuous sums of minutes" for the intervals in minutes between the middle parallel and the extreme parallels to be represented, and through the points m_2 and m_4 draw straight lines *c d* and *e f* parallel to the line *a b*. On the lines *a b, c d*, and *e f* lay off the distances* $m x_5, m_2 x_5$, and $m_4 x_5$ on both sides of the central meridian, taking the values from the table under "Arcs of the parallel in meters" corresponding to the latitude of the points m, m_2 , and m_4 , respectively. Draw straight lines through the points thus determined, x_5 , for the extreme meridians.

At the points x_5 on the line *a b* lay off the value* of *Y* corresponding to the intervals in minutes between the central and the extreme meridians, as given in the table under "Coordinates of curvature," in a direction parallel with the central meridian and above the line, if north of the equator, to determine points in the central parallel. Draw straight lines from these points to the point *m* for the middle parallel, and from the points of intersection with the extreme meridians lay off distances* on the extreme meridians, above and below, equal to the distances mm_2 and mm_4 to locate points in the extreme parallels.

Subdivide the three meridians and three parallels into parts corresponding to the projection interval and join the corresponding points of subdivision by straight lines to complete the projection.

To construct a projection on an intermediate scale, follow the method given for small projections to the extent required to give the desired accuracy.

* The lengths of the arcs of the meridians and parallels change when the latitude changes and *all distances* must be taken from the table opposite the latitude of the point in use.

† Approximate method of deriving the values of *y* intermediate between those shown in the table.

The ratio of any two successive ordinates of curvature, expressed in meters, equals the ratio of the squares of the corresponding abscissæ expressed in minutes or degrees.


Examples.—Latitude 60° to 61° . Given the value of *y* for longitude $50', 292.^m8$ (see table), to obtain the value of *y* for longitude $55'$.

$$\frac{(55)^2}{(50)^2} = \frac{y}{292.8}; \text{ hence } y = 354.^m3 \text{ (see table).}$$

Similarly, *y* for $3^\circ = 3795^m$.

$$\frac{4^2}{3^2} = \frac{y}{3795}; \text{ hence } y \text{ for } 4^\circ = 6747^m,$$

which differs 2^m from the tabular value, a negligible quantity for the intermediate values of *y* under most conditions.



Latitude 0° to 1°—Arcs of the parallel in meters.

Lat.	1''	2''	3''	4''	5''	6''	7''	8''	9''	1'	2'	3'	4'	5'
0 /														
0 00	30.922	61.84	92.77	123.69	154.61	185.53	216.46	247.38	278.30	1855.3	3710.7	5566.0	7421.4	9276.7
1	.922	.84	.77	.69	.61	.53	.46	.38	.30	5.3	0.7	6.0	1.4	6.7
2	.922	.84	.77	.69	.61	.53	.46	.38	.30	5.3	0.7	6.0	1.4	6.7
3	.922	.84	.77	.69	.61	.53	.46	.38	.30	5.3	0.7	6.0	1.4	6.7
4	.922	.84	.77	.69	.61	.53	.46	.38	.30	5.3	0.7	6.0	1.4	6.7
0 05	30.922	61.84	92.77	123.69	154.61	185.53	216.46	247.38	278.30	1855.3	3710.7	5566.0	7421.4	9276.7
6	.922	.84	.77	.69	.61	.53	.46	.38	.30	5.3	0.7	6.0	1.4	6.7
7	.922	.84	.77	.69	.61	.53	.46	.38	.30	5.3	0.7	6.0	1.4	6.7
8	.922	.84	.77	.69	.61	.53	.46	.38	.30	5.3	0.7	6.0	1.4	6.7
9	.922	.84	.77	.69	.61	.53	.46	.38	.30	5.3	0.7	6.0	1.4	6.7
0 10	30.922	61.84	92.77	123.69	154.61	185.53	216.46	247.38	278.30	1855.3	3710.7	5566.0	7421.3	9276.7
11	.922	.84	.77	.69	.61	.53	.46	.38	.30	5.3	0.7	6.0	1.3	6.7
12	.922	.84	.77	.69	.61	.53	.46	.38	.30	5.3	0.7	6.0	1.3	6.7
13	.922	.84	.77	.69	.61	.53	.46	.38	.30	5.3	0.7	6.0	1.3	6.7
14	.922	.84	.77	.69	.61	.53	.46	.38	.30	5.3	0.7	6.0	1.3	6.7
0 15	30.922	61.84	92.77	123.69	154.61	185.53	216.45	247.38	278.30	1855.3	3710.7	5566.0	7421.3	9276.6
16	.922	.84	.77	.69	.61	.53	.45	.38	.30	5.3	0.7	6.0	1.3	6.6
17	.922	.84	.77	.69	.61	.53	.45	.38	.30	5.3	0.6	6.0	1.3	6.6
18	.922	.84	.77	.69	.61	.53	.45	.38	.30	5.3	0.6	6.0	1.3	6.6
19	.922	.84	.77	.69	.61	.53	.45	.38	.30	5.3	0.6	6.0	1.3	6.6
0 20	30.922	61.84	92.77	123.69	154.61	185.53	216.45	247.38	278.30	1855.3	3710.6	5565.9	7421.2	9276.6
21	.922	.84	.77	.69	.61	.53	.45	.37	.30	5.3	0.6	5.9	1.2	6.6
22	.922	.84	.77	.69	.61	.53	.45	.37	.30	5.3	0.6	5.9	1.2	6.5
23	.922	.84	.77	.69	.61	.53	.45	.37	.30	5.3	0.6	5.9	1.2	6.5
24	.922	.84	.77	.69	.61	.53	.45	.37	.30	5.3	0.6	5.9	1.2	6.5
0 25	30.922	61.84	92.76	123.68	154.61	185.53	216.45	247.37	278.30	1855.3	3710.6	5565.9	7421.2	9276.5
26	.922	.84	.76	.68	.61	.53	.45	.37	.29	5.3	0.6	5.9	1.2	6.5
27	.921	.84	.76	.68	.61	.53	.45	.37	.29	5.3	0.6	5.9	1.1	6.4
28	.921	.84	.76	.68	.61	.53	.45	.37	.29	5.3	0.6	5.9	1.1	6.4
29	.921	.84	.76	.68	.61	.53	.45	.37	.29	5.3	0.6	5.8	1.1	6.4
0 30	30.921	61.84	92.76	123.68	154.61	185.53	216.45	247.37	278.29	1855.3	3710.5	5565.8	7421.1	9276.4
31	.921	.84	.76	.68	.61	.53	.45	.37	.29	5.3	0.5	5.8	1.1	6.4
32	.921	.84	.76	.68	.61	.53	.45	.37	.29	5.3	0.5	5.8	1.0	6.3
33	.921	.84	.76	.68	.61	.53	.45	.37	.29	5.3	0.5	5.8	1.0	6.3
34	.921	.84	.76	.68	.60	.53	.45	.37	.29	5.3	0.5	5.8	1.0	6.3
0 35	30.921	61.84	92.76	123.68	154.60	185.52	216.45	247.37	278.29	1855.2	3710.5	5565.7	7421.0	9276.3
36	.921	.84	.76	.68	.60	.52	.44	.37	.29	5.2	0.5	5.7	1.0	6.2
37	.921	.84	.76	.68	.60	.52	.44	.36	.29	5.2	0.5	5.7	1.0	6.2
38	.921	.84	.76	.68	.60	.52	.44	.36	.29	5.2	0.5	5.7	0.9	6.2
39	.920	.84	.76	.68	.60	.52	.44	.36	.28	5.2	0.5	5.7	0.9	6.1
0 40	30.920	61.84	92.76	123.68	154.60	185.52	216.44	247.36	278.28	1855.2	3710.4	5565.7	7420.9	9276.1
41	.920	.84	.76	.68	.60	.52	.44	.36	.28	5.2	0.4	5.6	0.9	6.1
42	.920	.84	.76	.68	.60	.52	.44	.36	.28	5.2	0.4	5.6	0.8	6.0
43	.920	.84	.76	.68	.60	.52	.44	.36	.28	5.2	0.4	5.6	0.8	6.0
44	.920	.84	.76	.68	.60	.52	.44	.36	.28	5.2	0.4	5.6	0.8	6.0
0 45	30.920	61.84	92.76	123.68	154.60	185.52	216.44	247.36	278.28	1855.2	3710.4	5565.6	7420.7	9275.9
46	.920	.84	.76	.68	.60	.52	.44	.36	.28	5.2	0.4	5.5	0.7	5.9
47	.920	.84	.76	.68	.60	.52	.44	.36	.28	5.2	0.3	5.5	0.7	5.9
48	.919	.84	.76	.68	.60	.52	.44	.36	.28	5.2	0.3	5.5	0.7	5.8
49	.919	.84	.76	.68	.60	.52	.44	.35	.27	5.2	0.3	5.5	0.6	5.8
0 50	30.919	61.84	92.76	123.68	154.60	185.51	216.43	247.35	278.27	1855.1	3710.3	5565.4	7420.6	9275.7
51	.919	.84	.76	.68	.60	.51	.43	.35	.27	5.1	0.3	5.4	0.6	5.7
52	.919	.84	.76	.68	.59	.51	.43	.35	.27	5.1	0.3	5.4	0.5	5.7
53	.919	.84	.76	.68	.59	.51	.43	.35	.27	5.1	0.3	5.4	0.5	5.6
54	.919	.84	.76	.67	.59	.51	.43	.35	.27	5.1	0.2	5.4	0.5	5.6
0 55	30.918	61.84	92.76	123.67	154.59	185.51	216.43	247.35	278.27	1855.1	3710.2	5565.3	7420.4	9275.5
56	.918	.84	.75	.67	.59	.51	.43	.35	.27	5.1	0.2	5.3	0.4	5.5
57	.918	.84	.75	.67	.59	.51	.43	.35	.26	5.1	0.2	5.3	0.4	5.5
58	.918	.84	.75	.67	.59	.51	.43	.34	.26	5.1	0.2	5.2	0.3	5.4
59	.918	.84	.75	.67	.59	.51	.43	.34	.26	5.1	0.1	5.2	0.3	5.4
0 60	30.918	61.84	92.75	123.67	154.59	185.51	216.42	247.34	278.26	1855.1	3710.1	5565.2	7420.3	9275.3

Lat.	Latitude 0° to 1°—Meridional arcs.					Latitude 0°—Co-ordinates of curvature.			
	Value of 1''	Sums of seconds for middle latitude 0° 30'		Value of 1'	Continuous sums of minutes from latitude 0° 00'		Longitude.	X	Y
° ' "	Meters.	''	Meters.	Meters.	'	Meters.	° ' "	Meters.	Meters.
0 00	30.713			1842.79	1	1 842.8	0 1	1 855.3	0.0
1	3	1	30.71	.79	2	3 685.6	2	3 710.7	
2	3	2	61.43	.79	3	5 528.4	3	5 566.0	
3	3	3	92.14	.79	4	7 371.1	4	7 421.4	
4	3	4	122.85	.79	5	9 213.9	5	9 276.7	0.0
0 05	30.713	5	153.56	1842.79	6	11 056.7	6	11 132.1	
6	3	6	184.28	.79	7	12 899.5	7	12 987.4	
7	3	7	214.99	.79	8	14 742.3	8	14 842.8	
8	3	8	245.70	.79	9	16 585.1	9	16 698.1	
9	3	9	276.42	.79	10	18 427.9	0 10	18 553.4	0.0
0 10	30.713	10	307.13	1842.79	11	20 270.7	15	27 830.2	
11	3	11	337.84	.79	12	22 113.4	20	37 106.9	
12	3	12	368.56	.79	13	23 956.2	25	46 383.6	
13	3	13	399.27	.79	14	25 799.0	30	55 660.3	
14	3	14	429.98	.79	15	27 641.8	0 35	64 937.1	0.0
0 15	30.713	15	460.69	1842.79	16	29 484.6	40	74 213.8	
16	3	16	491.41	.79	17	31 327.4	45	83 490.5	
17	3	17	522.12	.79	18	33 170.2	50	92 767.2	
18	3	18	552.83	.79	19	35 013.0	55	102 044.0	
19	3	19	583.55	.79	20	36 855.8	1 00	111 320.7	0.0
0 20	30.713	20	614.26	1842.79	21	38 698.5	05	120 597.4	
21	3	21	644.97	.79	22	40 541.3	10	129 874.1	
22	3	22	675.69	.79	23	42 384.1	15	139 150.9	
23	3	23	706.40	.79	24	44 226.9	20	148 427.6	
24	3	24	737.11	.79	25	46 069.7	1 25	157 704.3	0.0
0 25	30.713	25	767.82	1842.79	26	47 912.5	30	166 981.0	
26	3	26	798.54	.79	27	49 755.3	35	176 257.8	
27	3	27	829.25	.79	28	51 598.1	40	185 534.5	
28	3	28	859.96	.79	29	53 440.9	45	194 811.2	
29	3	29	890.68	.79	30	55 283.6	1 50	204 087.9	0.0
0 30	30.713	30	921.39	1842.79	31	57 126.4	55	213 364.7	
31	3	31	952.10	.79	32	58 969.2	2 00	222 641	
32	3	32	982.82	.79	33	60 812.0	3 00	333 962	
33	3	33	1 013.53	.79	34	62 654.8	4 00	445 283	
34	3	34	1 044.24	.79	35	64 497.6	5 00	556 603	0.0
0 35	30.713	35	1 074.95	1842.79	36	66 340.4	6 00	667 924	
36	3	36	1 105.67	.79	37	68 183.2	7 00	779 245	
37	3	37	1 136.38	.79	38	70 026.0	8 00	890 566	
38	3	38	1 167.09	.79	39	71 868.7	9 00	1 001 886	
39	3	39	1 197.81	.79	40	73 711.5	10 00	1 113 207	0.0
0 40	30.713	40	1 228.52	1842.79	41	75 554.3	11 00	1 224 528	
41	3	41	1 259.23	.79	42	77 397.1	12 00	1 335 848	
42	3	42	1 289.95	.79	43	79 239.9	13 00	1 447 169	
43	3	43	1 320.66	.79	44	81 082.7	14 00	1 558 490	
44	3	44	1 351.37	.79	45	82 925.5	15 00	1 669 810	0.0
0 45	30.713	45	1 382.08	1842.79	46	84 768.3	16 00	1 781 131	
46	3	46	1 412.80	.79	47	86 611.0	17 00	1 892 452	
47	3	47	1 443.51	.79	48	88 453.8	18 00	2 003 772	
48	3	48	1 474.22	.79	49	90 296.6	19 00	2 115 093	
49	3	49	1 504.94	.79	50	92 139.4	20 00	2 226 414	0.0
0 50	30.713	50	1 535.65	1842.79	51	93 982.2	21 00	2 337 735	
51	3	51	1 566.36	.79	52	95 825.0	22 00	2 449 055	
52	3	52	1 597.08	.79	53	97 667.8	23 00	2 560 376	
53	3	53	1 627.79	.79	54	99 510.6	24 00	2 671 697	
54	3	54	1 658.50	.79	55	101 353.4	25 00	2 783 017	0.0
0 55	30.713	55	1 689.21	1842.79	56	103 196.2	26 00	2 894 338	
56	3	56	1 719.93	.79	57	105 038.9	27 00	3 005 659	
57	3	57	1 750.64	.79	58	106 881.7	28 00	3 116 979	
58	3	58	1 781.35	.79	59	108 724.5	29 00	3 228 300	
59	3	59	1 812.07	.79	60	110 567.3	30 00	3 339 621	0.0
0 60	30.713	60	1 842.79	1842.79					

Latitude 1° to 2°—Arcs of the parallel in meters.

Lat.	1"	2"	3"	4"	5"	6"	7"	8"	9"	1'	2'	3'	4'	5'
1 00	30.918	61.84	92.75	123.67	154.59	185.51	216.42	247.34	278.26	1855.1	3710.1	5565.2	7420.3	9275.3
1 1	.918	.84	.75	.67	.59	.51	.42	.34	.26	5.1	0.1	5.2	0.2	5.3
2	.917	.83	.75	.67	.59	.50	.42	.34	.26	5.0	0.1	5.1	0.2	5.2
3	.917	.83	.75	.67	.59	.50	.42	.34	.26	5.0	0.1	5.1	0.1	5.2
4	.917	.83	.75	.67	.59	.50	.42	.34	.25	5.0	0.0	5.1	0.1	5.1
1 05	30.917	61.83	92.75	123.67	154.58	185.50	216.42	247.34	278.25	1855.0	3710.0	5565.0	7420.1	9275.1
6	.917	.83	.75	.67	.58	.50	.42	.33	.25	5.0	0.0	5.0	0.0	5.0
7	.917	.83	.75	.67	.58	.50	.42	.33	.25	5.0	0.0	5.0	0.0	5.0
8	.916	.83	.75	.67	.58	.50	.41	.33	.25	5.0	10.0	5.0	19.9	4.9
9	.916	.83	.75	.66	.58	.50	.41	.33	.24	5.0	9.9	4.9	9.9	4.9
1 10	30.916	61.83	92.75	123.66	154.58	185.50	216.41	247.33	278.24	1855.0	3709.9	5564.9	7419.9	9274.8
11	.916	.83	.75	.66	.58	.50	.41	.33	.24	5.0	9.9	4.9	9.8	4.8
12	.916	.83	.75	.66	.58	.49	.41	.33	.24	4.9	9.9	4.8	9.8	4.7
13	.915	.83	.75	.66	.58	.49	.41	.32	.24	4.9	9.8	4.8	9.7	4.6
14	.915	.83	.75	.66	.58	.49	.41	.32	.24	4.9	9.8	4.8	9.7	4.6
1 15	30.915	61.83	92.75	123.66	154.58	185.49	216.41	247.32	278.24	1854.9	3709.8	5564.7	7419.6	9274.5
16	.915	.83	.74	.66	.57	.49	.40	.32	.23	4.9	9.8	4.7	9.6	4.5
17	.915	.83	.74	.66	.57	.49	.40	.32	.23	4.9	9.8	4.6	9.5	4.4
18	.915	.83	.74	.66	.57	.49	.40	.32	.23	4.9	9.7	4.6	9.5	4.4
19	.914	.83	.74	.66	.57	.49	.40	.31	.23	4.9	9.7	4.6	9.4	4.3
1 20	30.914	61.83	92.74	123.66	154.57	185.48	216.40	247.31	278.23	1854.8	3709.7	5564.5	7419.4	9274.2
21	.914	.83	.74	.66	.57	.48	.40	.31	.23	4.8	9.7	4.5	9.3	4.2
22	.914	.83	.74	.65	.57	.48	.40	.31	.22	4.8	9.6	4.5	9.3	4.1
23	.913	.83	.74	.65	.57	.48	.39	.31	.22	4.8	9.6	4.4	9.2	4.0
24	.913	.83	.74	.65	.57	.48	.39	.31	.22	4.8	9.6	4.4	9.2	4.0
1 25	30.913	61.83	92.74	123.65	154.57	185.48	216.39	247.30	278.22	1854.8	3709.6	5564.3	7419.1	9273.9
26	.913	.83	.74	.65	.56	.48	.39	.30	.22	4.8	9.5	4.3	9.1	3.8
27	.913	.83	.74	.65	.56	.48	.39	.30	.21	4.8	9.5	4.3	9.0	3.8
28	.912	.82	.74	.65	.56	.47	.39	.30	.21	4.7	9.5	4.2	9.0	3.7
29	.912	.82	.74	.65	.56	.47	.38	.30	.21	4.7	9.5	4.2	8.9	3.6
1 30	30.912	61.82	92.74	123.65	154.56	185.47	216.38	247.30	278.21	1854.7	3709.4	5564.1	7418.9	9273.6
31	.912	.82	.73	.65	.56	.47	.38	.29	.20	4.7	9.4	4.1	8.8	3.5
32	.911	.82	.73	.65	.56	.47	.38	.29	.20	4.7	9.4	4.1	8.8	3.4
33	.911	.82	.73	.64	.56	.47	.38	.29	.20	4.7	9.3	4.0	8.7	3.4
34	.911	.82	.73	.64	.55	.47	.38	.29	.20	4.7	9.3	4.0	8.6	3.3
1 35	30.911	61.82	92.73	123.64	154.55	185.46	216.37	247.29	278.20	1854.6	3709.3	5563.9	7418.6	9273.2
36	.910	.82	.73	.64	.55	.46	.37	.28	.19	4.6	9.2	3.9	8.5	3.1
37	.910	.82	.73	.64	.55	.46	.37	.28	.19	4.6	9.2	3.8	8.4	3.1
38	.910	.82	.73	.64	.55	.46	.37	.28	.19	4.6	9.2	3.8	8.4	3.0
39	.910	.82	.73	.64	.55	.46	.37	.28	.19	4.6	9.2	3.7	8.3	2.9
1 40	30.909	61.82	92.73	123.64	154.55	185.46	216.37	247.28	278.18	1854.6	3709.1	5563.7	7418.3	9272.8
41	.909	.82	.73	.64	.55	.45	.36	.27	.18	4.5	9.1	3.6	8.2	2.7
42	.909	.82	.73	.64	.54	.45	.36	.27	.18	4.5	9.0	3.6	8.1	2.7
43	.909	.82	.73	.63	.54	.45	.36	.27	.18	4.5	9.0	3.6	8.1	2.6
44	.908	.82	.73	.63	.54	.45	.36	.27	.18	4.5	9.0	3.5	8.0	2.5
1 45	30.908	61.82	92.72	123.63	154.54	185.45	216.36	247.26	278.17	1854.5	3708.9	5563.5	7417.9	9272.4
46	.908	.82	.72	.63	.54	.45	.35	.26	.17	4.5	8.9	3.4	7.9	2.3
47	.908	.82	.72	.63	.54	.45	.35	.26	.17	4.5	8.9	3.4	7.8	2.3
48	.907	.81	.72	.63	.54	.44	.35	.26	.17	4.4	8.9	3.3	7.7	2.2
49	.907	.81	.72	.63	.53	.44	.35	.26	.16	4.4	8.8	3.3	7.7	2.1
1 50	30.907	61.81	92.72	123.63	154.53	185.44	216.35	247.25	278.16	1854.4	3708.8	5563.2	7417.6	9272.0
51	.906	.81	.72	.63	.53	.44	.34	.25	.16	4.4	8.8	3.1	7.5	1.9
52	.906	.81	.72	.62	.53	.44	.34	.25	.15	4.4	8.7	3.1	7.4	1.8
53	.906	.81	.72	.62	.53	.43	.34	.25	.15	4.3	8.7	3.0	7.4	1.7
54	.906	.81	.72	.62	.53	.43	.34	.24	.15	4.3	8.7	3.0	7.3	1.7
1 55	30.905	61.81	92.72	123.62	154.53	185.43	216.34	247.24	278.15	1854.3	3708.6	5562.9	7417.3	9271.6
56	.905	.81	.71	.62	.52	.43	.33	.24	.14	4.3	8.6	2.9	7.2	1.5
57	.905	.81	.71	.62	.52	.43	.33	.24	.14	4.3	8.5	2.8	7.1	1.4
58	.904	.81	.71	.62	.52	.43	.33	.23	.14	4.3	8.5	2.8	7.0	1.3
59	.904	.81	.71	.62	.52	.42	.33	.23	.14	4.2	8.5	2.7	7.0	1.2
1 60	30.904	61.81	92.71	123.61	154.52	185.42	216.33	247.23	278.13	1854.2	3708.4	5562.7	7416.9	9271.1

Lat.	Latitude 1° to 2°—Meridional arcs.					Latitude 1°—Co-ordinates of curvature.			
	Value of 1''	Sums of seconds for middle latitude 1° 30'		Value of 1'	Continuous sums of minutes from latitude 1° 00'	Longitude.	X	Y	
° /	Meters.	''	Meters.	Meters.	'	Meters.	° /	Meters.	Meters
0 00	30.713			1842.79			0 1	1 855.1	0.0
1	3	1	30.71	.79	1	1 842.8	0 2	3 710.1	0.0
2	3	2	61.43	.79	2	3 685.6	0 3	5 565.2	0.0
3	3	3	92.14	.79	3	5 528.4	0 4	7 420.3	0.1
4	3	4	122.85	.79	4	7 371.2	0 5	9 275.3	0.1
5	30.713	5	153.57	1842.79	5	9 214.0	0 6	11 130.4	0.2
6	3	6	184.28	.79	6	11 056.8	0 7	12 985.4	0.2
7	3	7	215.00	.79	7	12 899.6	0 8	14 840.5	0.3
8	3	8	245.71	.79	8	14 742.3	0 9	16 695.6	0.4
9	3	9	276.42	.79	9	16 585.1	0 10	18 550.6	0.5
10	30.713	10	307.14	1842.79	10	18 427.9	0 15	27 826.0	1.1
11	3	11	337.85	.79	11	20 270.7	0 20	37 101.3	1.9
12	3	12	368.56	.80	12	22 113.5	0 25	46 376.6	2.9
13	3	13	399.28	.80	13	23 956.3	0 30	55 651.9	4.2
14	3	14	429.99	.80	14	25 799.1	0 35	64 927.2	5.8
15	30.713	15	460.70	1842.80	15	27 641.9	0 40	74 202.5	7.5
16	3	16	491.42	.80	16	29 484.7	0 45	83 477.8	9.5
17	3	17	522.13	.80	17	31 327.5	0 50	92 753.2	11.7
18	3	18	552.84	.80	18	33 170.3	0 55	102 028.5	14.2
19	3	19	583.56	.80	19	35 013.1	1 00	111 303.7	16.9
20	30.713	20	614.27	1842.80	20	36 855.9	1 05	120 579.0	19.9
21	3	21	644.98	.80	21	38 698.7	1 10	129 854.3	23.0
22	3	22	675.70	.80	22	40 541.5	1 15	139 129.6	26.4
23	3	23	706.41	.80	23	42 384.3	1 20	148 404.9	30.1
24	3	24	737.12	.80	24	44 227.1	1 25	157 680.2	34.0
25	30.713	25	767.84	1842.80	25	46 069.9	1 30	166 955.5	38.1
26	3	26	798.55	.80	26	47 912.7	1 35	176 230.8	42.4
27	3	27	829.26	.80	27	49 755.5	1 40	185 506.1	47.0
28	3	28	859.98	.80	28	51 598.3	1 45	194 781.4	51.8
29	3	29	890.69	.80	29	53 441.1	1 50	204 056.7	56.9
30	30.713	30	921.40	1842.80	30	55 283.9	1 55	213 331.9	62.2
31	3	31	952.12	.80	31	57 126.7	2 00	222 607	68
32	3	32	982.83	.80	32	58 969.5	2 05	333 911	153
33	3	33	1 013.54	.80	33	60 812.3	2 10	445 214	271
34	3	34	1 044.26	.80	34	62 655.1	2 15	556 518	424
35	30.713	35	1 074.97	1842.80	35	64 497.9	2 20	667 822	610
36	3	36	1 105.68	.80	36	66 340.7	2 25	779 126	831
37	3	37	1 136.40	.80	37	68 183.5	2 30	890 429	1 085
38	3	38	1 167.11	.80	38	70 026.3	2 35	1 001 733	1 373
39	3	39	1 197.82	.80	39	71 869.1	2 40	1 113 037	1 695
40	30.713	40	1 228.54	1842.80	40	73 711.9	2 45	1 224 340	2 051
41	3	41	1 259.25	.80	41	75 554.7	2 50	1 335 643	2 441
42	3	42	1 289.96	.80	42	77 397.5	2 55	1 446 946	2 865
43	3	43	1 320.68	.80	43	79 240.3	3 00	1 558 249	3 323
44	3	44	1 351.39	.81	44	81 083.1	3 05	1 669 551	3 814
45	30.713	45	1 382.10	1842.81	45	82 925.9	3 10	1 780 854	4 340
46	3	46	1 412.82	.81	46	84 768.7	3 15	1 892 157	4 899
47	3	47	1 443.53	.81	47	86 611.5	3 20	2 003 459	5 492
48	3	48	1 474.24	.81	48	88 454.3	3 25	2 114 761	6 120
49	3	49	1 504.96	.81	49	90 297.1	3 30	2 226 063	6 781
50	30.713	50	1 535.67	1842.81	50	92 139.9	3 35	2 337 364	7 476
51	3	51	1 566.38	.81	51	93 982.7	3 40	2 448 666	8 205
52	3	52	1 597.10	.81	52	95 825.6	3 45	2 559 967	8 967
53	3	53	1 627.81	.81	53	97 668.4	3 50	2 671 268	9 764
54	3	54	1 658.52	.81	54	99 511.2	3 55	2 782 569	10 595
55	30.713	55	1 689.23	1842.81	55	101 354.0	3 60	2 893 869	11 459
56	3	56	1 719.95	.81	56	103 196.8	3 65	3 005 170	12 358
57	3	57	1 750.66	.81	57	105 039.6	3 70	3 116 470	13 290
58	3	58	1 781.37	.81	58	106 882.4	3 75	3 227 770	14 256
59	3	59	1 812.09	.81	59	108 725.2	3 80	3 339 070	15 256
60	30.713	60	1 842.80	1842.81	60	110 568.0			

Latitude 2° to 3°—Arcs of the parallel in meters.

Lat.	1"	2"	3"	4"	5"	6"	7"	8"	9"	1'	2'	3'	4'	5'
0 /														
2 00	30.904	61.81	92.71	123.61	154.52	185.42	216.33	247.23	278.13	1854.2	3708.4	5562.7	7416.9	9271.1
1	.903	.81	.71	.61	.52	.42	.33	.23	.13	4.2	8.4	2.6	6.8	1.0
2	.903	.81	.71	.61	.52	.42	.32	.22	.12	4.2	8.3	2.6	6.7	0.9
3	.903	.81	.71	.61	.51	.41	.32	.22	.12	4.1	8.3	2.5	6.7	0.8
4	.902	.81	.71	.61	.51	.41	.32	.22	.12	4.1	8.2	2.5	6.6	0.7
2 05	30.902	61.81	92.71	123.61	154.51	185.41	216.31	247.21	278.11	1854.1	3708.2	5562.4	7416.5	9270.6
6	.902	.80	.70	.60	.51	.41	.31	.21	.11	4.1	8.2	2.3	6.4	0.5
7	.901	.80	.70	.60	.51	.41	.31	.21	.11	4.1	8.2	2.3	6.3	0.4
8	.901	.80	.70	.60	.50	.40	.31	.21	.11	4.0	8.1	2.2	6.3	0.3
9	.901	.80	.70	.60	.50	.40	.30	.20	.10	4.0	8.1	2.2	6.2	0.2
2 10	30.900	61.80	92.70	123.60	154.50	185.40	216.30	247.20	278.10	1854.0	3708.1	5562.1	7416.1	9270.1
11	.900	.80	.70	.60	.50	.40	.30	.20	.10	4.0	8.0	2.0	6.0	70.0
12	.900	.80	.70	.60	.50	.40	.30	.20	.09	4.0	8.0	2.0	5.9	69.9
13	.899	.80	.70	.60	.50	.39	.29	.19	.09	3.9	7.9	1.9	5.9	9.8
14	.899	.80	.70	.60	.50	.39	.29	.19	.09	3.9	7.9	1.9	5.8	9.7
2 15	30.899	61.80	92.70	123.60	154.50	185.39	216.29	247.19	278.08	1853.9	3707.8	5561.8	7415.7	9269.6
16	.898	.79	.69	.59	.49	.39	.29	.19	.08	3.9	7.8	1.7	5.6	9.5
17	.898	.79	.69	.59	.49	.39	.29	.19	.08	3.9	7.7	1.7	5.5	9.4
18	.898	.79	.69	.59	.49	.38	.28	.18	.08	3.8	7.7	1.6	5.5	9.3
19	.897	.79	.69	.59	.49	.38	.28	.18	.07	3.8	7.6	1.6	5.4	9.2
2 20	30.897	61.79	92.69	123.59	154.49	185.38	216.28	247.18	278.07	1853.8	3707.6	5561.5	7415.3	9269.1
21	.897	.79	.69	.59	.49	.38	.28	.18	.07	3.8	7.6	1.4	5.2	9.0
22	.896	.79	.69	.59	.49	.38	.27	.17	.06	3.8	7.5	1.3	5.1	8.9
23	.896	.79	.69	.58	.48	.37	.27	.17	.06	3.7	7.5	1.3	5.0	8.7
24	.895	.79	.69	.58	.48	.37	.27	.17	.06	3.7	7.4	1.2	4.9	8.6
2 25	30.895	61.79	92.69	123.58	154.48	185.37	216.26	247.16	278.05	1853.7	3707.4	5561.1	7414.8	9268.5
26	.895	.79	.68	.58	.48	.37	.26	.16	.05	3.7	7.4	1.0	4.7	8.4
27	.894	.79	.68	.58	.48	.37	.26	.16	.05	3.7	7.3	1.0	4.6	8.3
28	.894	.79	.68	.57	.47	.36	.26	.16	.05	3.6	7.3	0.9	4.6	8.2
29	.894	.79	.68	.57	.47	.36	.25	.15	.04	3.6	7.2	0.9	4.5	8.1
2 30	30.893	61.79	92.68	123.57	154.47	185.36	216.25	247.15	278.04	1853.6	3707.2	5560.8	7414.4	9268.0
31	.893	.79	.68	.57	.47	.36	.25	.15	.04	3.6	7.1	0.7	4.3	7.9
32	.892	.79	.68	.57	.47	.35	.24	.14	.03	3.5	7.1	0.6	4.2	7.7
33	.892	.79	.68	.57	.46	.35	.24	.14	.03	3.5	7.0	0.6	4.0	7.6
34	.891	.79	.67	.57	.46	.35	.24	.13	.02	3.5	7.0	0.5	3.9	7.4
2 35	30.891	61.79	92.67	123.57	154.46	185.35	216.23	247.13	278.02	1853.5	3706.9	5560.4	7413.8	9267.3
36	.891	.78	.67	.56	.46	.34	.23	.13	.02	3.4	6.9	0.3	3.7	7.2
37	.890	.78	.67	.56	.46	.34	.23	.12	.01	3.4	6.8	0.2	3.6	7.1
38	.890	.78	.67	.56	.45	.34	.23	.12	.01	3.4	6.8	0.2	3.6	6.9
39	.889	.78	.67	.56	.45	.33	.22	.11	.00	3.3	6.7	0.1	3.5	6.8
2 40	30.889	61.78	92.67	123.56	154.45	185.33	216.22	247.11	278.00	1853.3	3706.7	5560.0	7413.4	9266.7
41	.889	.78	.67	.56	.45	.33	.22	.11	8.00	3.3	6.6	59.9	3.3	6.6
42	.888	.78	.67	.56	.44	.33	.21	.10	7.99	3.3	6.6	9.8	3.2	6.5
43	.888	.78	.66	.55	.44	.32	.21	.10	.99	3.2	6.5	9.8	3.0	6.3
44	.887	.78	.66	.55	.44	.32	.21	.10	.98	3.2	6.5	9.7	2.9	6.2
2 45	30.887	61.78	92.66	123.55	154.43	185.32	216.20	247.09	277.98	1853.2	3706.4	5559.6	7412.8	9266.1
46	.887	.77	.66	.55	.43	.32	.20	.09	.98	3.2	6.4	9.5	2.7	6.0
47	.886	.77	.66	.55	.43	.32	.20	.09	.97	3.2	6.3	9.5	2.6	5.9
48	.886	.77	.66	.54	.43	.31	.20	.09	.97	3.1	6.3	9.4	2.6	5.7
49	.885	.77	.66	.54	.42	.31	.19	.08	.96	3.1	6.2	9.4	2.5	5.6
2 50	30.885	61.77	92.65	123.54	154.42	185.31	216.19	247.08	277.96	1853.1	3706.2	5559.3	7412.4	9265.5
51	.884	.77	.65	.54	.42	.31	.19	.08	.96	3.1	6.1	9.2	2.3	5.3
52	.884	.77	.65	.54	.42	.31	.18	.07	.95	3.0	6.1	9.1	2.2	5.2
53	.883	.77	.65	.53	.41	.30	.18	.07	.95	3.0	6.0	9.1	2.0	5.0
54	.883	.77	.65	.53	.41	.30	.18	.06	.94	3.0	6.0	9.0	1.9	4.9
2 55	30.882	61.77	92.65	123.53	154.41	185.29	216.17	247.06	277.94	1852.9	3705.9	5558.9	7411.8	9264.7
56	.882	.76	.65	.53	.41	.29	.17	.06	.94	2.9	5.8	8.8	1.7	4.6
57	.882	.76	.64	.53	.41	.29	.17	.05	.93	2.9	5.8	8.7	1.6	4.5
58	.881	.76	.64	.52	.40	.29	.17	.05	.93	2.9	5.7	8.7	1.5	4.3
59	.881	.76	.64	.52	.40	.28	.16	.04	.92	2.8	5.7	8.6	1.4	4.2
2 60	30.880	61.76	92.64	123.52	154.40	185.28	216.16	247.04	277.92	1852.8	3705.6	5558.5	7411.3	9264.1

Lat.	Latitude 2° to 3°—Meridional arcs.					Latitude 2°—Co-ordinates of curvature.			
	Value of 1''	Sums of seconds for middle latitude 2° 30'		Value of 1'	Continuous sums of minutes from latitude 2° 00'		Longitude.	X	Y
° /	Meters.	''	Meters.	Meters.	'	Meters.	° /	Meters.	Meters.
2 00	30.714			1842.81			0 1	1 854.2	
1	4	1	30.71	.81	1	1 842.8	0 2	3 708.4	
2	4	2	61.43	.81	2	3 685.6	3	5 562.7	0.1
3	4	3	92.14	.81	3	5 528.4	4	7 416.9	0.2
4	4	4	122.86	.81	4	7 371.2	5	9 271.1	0.2
2 5	30.714	5	153.57	1842.81	5	9 214.1	6	11 125.3	0.3
6	4	6	184.28	.81	6	11 056.9	7	12 979.6	0.5
7	4	7	215.00	.81	7	12 899.7	8	14 833.8	0.6
8	4	8	245.71	.81	8	14 742.5	9	16 688.0	0.8
9	4	9	276.43	.81	9	16 585.3			
2 10	30.714	10	307.14	1842.81	10	18 428.1	0 10	18 542.2	0.1
11	4	1	337.85	.81	1	20 270.9	15	27 813.3	2.9
12	4	2	368.57	.81	2	22 113.8	20	37 084.4	3.8
13	4	3	399.28	.81	3	23 956.6	25	46 355.6	5.9
14	4	4	430.00	.81	4	25 799.4	30	55 626.7	8.5
2 15	30.714	15	460.71	1842.82	15	27 642.2	0 35	64 897.8	11.5
16	4	6	491.42	.82	6	29 485.0	40	74 168.9	15.0
17	4	7	522.14	.82	7	31 327.8	45	83 440.0	19.0
18	4	8	552.85	.82	8	33 170.7	50	92 711.1	23.5
19	4	9	583.57	.82	9	35 013.5	55	101 982.2	28.4
2 20	30.714	20	614.28	1842.82	20	36 856.3	1 00	111 253.4	33.9
21	4	1	644.99	.82	1	38 699.1	05	120 524.5	39.8
22	4	2	675.71	.82	2	40 541.9	10	129 795.6	46.1
23	4	3	706.42	.82	3	42 384.8	15	139 066.7	52.9
24	4	4	737.14	.82	4	44 227.6	20	148 337.8	60.2
2 25	30.714	25	767.85	1842.82	25	46 070.4	1 25	157 608.9	68.0
26	4	6	798.56	.82	6	47 913.2	30	166 880.0	76.2
27	4	7	829.28	.82	7	49 756.0	35	176 151.1	84.9
28	4	8	859.99	.82	8	51 598.9	40	185 422.2	94.1
29	4	9	890.71	.82	9	53 441.7	45	194 693.3	103.8
2 30	30.714	30	921.41	1842.82	30	55 284.5	1 50	203 964.5	113.9
31	4	1	952.13	.82	1	57 127.3	55	213 235.6	124.5
32	4	2	982.85	.82	2	58 970.1	2 00	222 506	136
33	4	3	1 013.56	.82	3	60 813.0	3 00	333 759	305
34	4	4	1 044.28	.82	4	62 655.8	4 00	445 012	542
2 35	30.714	35	1 074.99	1842.83	35	64 498.6	5 00	556 266	847
36	4	6	1 105.70	.83	6	66 341.5	6 00	667 517	1 220
37	4	7	1 136.42	.83	7	68 184.3	7 00	778 770	1 660
38	4	8	1 167.13	.83	8	70 027.1	8 00	890 023	2 169
39	4	9	1 197.85	.83	9	71 869.9	9 00	1 001 275	2 745
2 40	30.714	40	1 228.56	1842.83	40	73 712.8	10 00	1 112 527	3 388
41	4	1	1 259.27	.83	1	75 555.6	11 00	1 223 778	4 100
42	4	2	1 289.99	.83	2	77 398.4	12 00	1 335 028	4 879
43	4	3	1 320.70	.83	3	79 241.3	13 00	1 446 278	5 726
44	4	4	1 351.42	.83	4	81 084.1	14 00	1 557 528	6 641
2 45	30.714	45	1 382.13	1842.83	45	82 926.9	15 00	1 668 778	7 624
46	4	6	1 412.84	.83	6	84 769.8	16 00	1 780 027	8 674
47	4	7	1 443.56	.83	7	86 612.6	17 00	1 891 275	9 792
48	4	8	1 474.27	.83	8	88 455.4	18 00	2 002 522	10 978
49	4	9	1 504.99	.83	9	90 298.2	19 00	2 113 768	12 232
2 50	30.714	50	1 535.70	1842.83	50	92 141.1	20 00	2 225 012	13 553
51	4	1	1 566.41	.83	1	93 983.9	21 00	2 336 257	14 942
52	4	2	1 597.13	.84	2	95 826.7	22 00	2 447 501	16 399
53	4	3	1 627.84	.84	3	97 669.5	23 00	2 558 744	17 923
54	4	4	1 658.56	.84	4	99 512.4	24 00	2 669 986	19 515
2 55	30.714	55	1 689.27	1842.84	55	101 355.2	25 00	2 781 227	21 176
56	4	6	1 719.98	.84	6	103 198.0	26 00	2 892 466	22 904
57	4	7	1 750.70	.84	7	105 041.9	27 00	3 003 705	24 700
58	4	8	1 781.41	.84	8	106 883.7	28 00	3 114 943	26 563
59	4	9	1 812.13	.84	9	108 726.5	29 00	3 226 179	28 494
2 60	30.714	60	1 842.82	1842.84	60	110 569.4	30 00	3 337 415	30 494

Latitude 3° to 4°—Arcs of the parallel in meters.

Lat.	1''	2''	3''	4''	5''	6''	7''	8''	9''	1'	2'	3'	4'	5'
3 00	30.880	61.76	92.64	123.52	154.40	185.28	216.16	247.04	277.92	1852.8	3705.6	5558.5	7411.3	9264.1
1	.880	.76	.64	.52	.40	.28	.16	.04	.92	2.8	5.5	8.4	1.2	4.0
2	.879	.76	.64	.52	.40	.28	.15	.03	.91	2.8	5.5	8.3	1.1	3.8
3	.879	.76	.64	.51	.39	.27	.15	.03	.91	2.7	5.4	8.2	0.9	3.7
4	.878	.76	.64	.51	.39	.27	.15	.02	.90	2.7	5.4	8.1	0.8	3.5
3 05	30.878	61.76	92.63	123.51	154.39	185.27	216.14	247.02	277.90	1852.7	3705.3	5558.0	7410.7	9263.4
6	.878	.75	.63	.51	.39	.27	.14	.02	.90	2.7	5.3	7.9	0.6	3.3
7	.877	.75	.63	.51	.39	.26	.14	.01	.89	2.6	5.2	7.8	0.5	3.1
8	.877	.75	.63	.50	.38	.26	.14	.01	.89	2.6	5.2	7.8	0.3	3.0
9	.876	.75	.63	.50	.38	.25	.13	.00	.88	2.5	5.1	7.7	0.2	2.8
3 10	30.876	61.75	92.63	123.50	154.38	185.25	216.13	247.00	277.88	1852.5	3705.1	5557.6	7410.1	9262.7
11	.875	.75	.63	.50	.38	.25	.13	7.00	.88	2.5	5.0	7.5	10.0	2.5
12	.875	.75	.62	.50	.37	.25	.12	6.99	.87	2.5	5.0	7.4	09.9	2.4
13	.874	.75	.62	.49	.37	.24	.12	.99	.87	2.4	4.9	7.4	9.7	2.2
14	.874	.75	.62	.49	.37	.24	.11	.98	.86	2.4	4.9	7.3	9.6	2.1
3 15	30.873	61.75	92.62	123.49	154.36	185.24	216.11	246.98	277.86	1852.4	3704.8	5557.2	7409.5	9261.9
16	.872	.74	.62	.49	.36	.23	.11	.98	.85	2.3	4.7	7.1	9.4	1.7
17	.872	.74	.62	.49	.36	.23	.10	.97	.85	2.3	4.7	7.0	9.3	1.6
18	.871	.74	.61	.48	.36	.23	.10	.97	.84	2.3	4.6	6.9	9.1	1.4
19	.871	.74	.61	.48	.35	.22	.09	.96	.84	2.2	4.6	6.8	9.0	1.3
3 20	30.870	61.74	92.61	123.48	154.35	185.22	216.09	246.96	277.83	1852.2	3704.5	5556.7	7408.9	9261.1
21	.870	.74	.61	.48	.35	.22	.09	.96	.83	2.2	4.4	6.6	8.8	1.0
22	.869	.74	.61	.48	.35	.22	.08	.95	.82	2.2	4.3	6.5	8.7	0.8
23	.869	.74	.61	.47	.34	.21	.08	.95	.82	2.1	4.3	6.4	8.5	0.7
24	.868	.74	.61	.47	.34	.21	.08	.94	.81	2.1	4.2	6.3	8.4	0.5
3 25	30.868	61.74	92.60	123.47	154.34	185.21	216.07	246.94	277.81	1852.1	3704.1	5556.2	7408.3	9260.4
26	.867	.73	.60	.47	.34	.20	.07	.94	.81	2.1	4.0	6.1	8.2	0.2
27	.867	.73	.60	.47	.34	.20	.07	.93	.80	2.0	4.0	6.0	8.0	60.0
28	.866	.73	.60	.46	.33	.20	.07	.93	.80	2.0	3.9	5.9	7.9	59.9
29	.866	.73	.60	.46	.33	.19	.06	.92	.79	1.9	3.9	5.8	7.7	9.7
3 30	30.865	61.73	92.60	123.46	154.33	185.19	216.06	246.92	277.79	1851.9	3703.8	5555.7	7407.6	9259.5
31	.864	.73	.59	.46	.33	.19	.06	.92	.79	1.9	3.7	5.6	7.5	9.3
32	.864	.73	.59	.46	.32	.18	.05	.91	.78	1.8	3.7	5.5	7.4	9.2
33	.863	.73	.59	.45	.32	.18	.05	.91	.78	1.8	3.6	5.4	7.2	9.0
34	.863	.73	.59	.45	.32	.18	.04	.90	.77	1.7	3.6	5.3	7.1	8.9
3 35	30.862	61.73	92.59	123.45	154.31	185.17	216.04	246.90	277.77	1851.7	3703.5	5555.2	7407.0	9258.7
36	.862	.72	.59	.45	.31	.17	.04	.90	.76	1.7	3.4	5.1	6.9	8.5
37	.861	.72	.58	.45	.31	.17	.03	.89	.76	1.7	3.3	5.0	6.7	8.4
38	.861	.72	.58	.44	.31	.17	.03	.89	.75	1.6	3.3	4.9	6.6	8.2
39	.860	.72	.58	.44	.30	.16	.02	.88	.75	1.6	3.2	4.8	6.4	8.1
3 40	30.860	61.72	92.58	123.44	154.30	185.16	216.02	246.88	277.74	1851.6	3703.1	5554.7	7406.3	9257.9
41	.859	.72	.58	.44	.30	.16	.02	.88	.73	1.6	3.0	4.6	6.2	7.7
42	.858	.72	.58	.43	.29	.15	.01	.87	.73	1.5	3.0	4.5	6.0	7.5
43	.858	.71	.57	.43	.29	.15	.01	.87	.72	1.5	2.9	4.4	5.9	7.4
44	.857	.71	.57	.43	.29	.14	.00	.86	.72	1.4	2.9	4.3	5.7	7.2
3 45	30.857	61.71	92.57	123.42	154.28	185.14	216.00	246.86	277.71	1851.4	3702.8	5554.2	7405.6	9257.0
46	.856	.71	.57	.42	.28	.14	6.00	.85	.70	1.4	2.7	4.1	5.5	6.8
47	.855	.71	.57	.42	.28	.13	5.99	.85	.70	1.3	2.6	4.0	5.3	6.6
48	.855	.70	.57	.42	.28	.13	.99	.84	.69	1.3	2.6	3.9	5.1	6.5
49	.854	.70	.56	.41	.27	.12	.98	.84	.69	1.2	2.5	3.8	5.0	6.3
3 50	30.854	61.70	92.56	123.41	154.27	185.12	215.98	246.83	277.68	1851.2	3702.4	5553.7	7404.9	9256.1
51	.853	.70	.56	.41	.27	.12	.98	.83	.68	1.2	2.3	3.6	4.8	5.9
52	.852	.70	.56	.41	.26	.11	.97	.82	.67	1.1	2.3	3.5	4.6	5.7
53	.852	.70	.56	.40	.26	.11	.97	.82	.67	1.1	2.2	3.3	4.5	5.6
54	.851	.70	.55	.40	.26	.11	.96	.81	.66	1.0	2.2	3.2	4.3	5.4
3 55	30.851	61.70	92.55	123.40	154.25	185.10	215.96	246.81	277.66	1851.0	3702.1	5553.1	7404.2	9255.2
56	.850	.70	.55	.40	.25	.10	.95	.80	.65	1.0	2.0	3.0	4.0	5.0
57	.849	.70	.55	.40	.25	.10	.95	.80	.65	1.0	1.9	2.9	3.9	4.8
58	.849	.70	.55	.39	.25	.10	.94	.79	.64	0.9	1.9	2.8	3.7	4.7
59	.848	.70	.54	.39	.24	.09	.94	.79	.64	0.9	1.8	2.7	3.6	4.5
3 60	30.848	61.70	92.54	123.39	154.24	185.09	215.93	246.78	277.63	1850.9	3701.7	5552.6	7403.4	9254.3

POLYCONIC PROJECTION TABLES.

Lat.	Latitude 3° to 4°—Meridional arcs.					Latitude 3°—Co-ordinates of curvature.			
	Value of 1''	Sums of seconds for middle latitude 3° 30'		Value of 1'	Continuous sums of minutes from latitude 3° 00'		Longitude.	X	Y
° /	Meters.	"	Meters.	Meters.	'	Meters.	° /	Meters.	Meters.
3 00	30.714			1842.84			0 1		
1	4	1	30.71	.84	1	1 842.8	0 1	1 852.8	
2	4	2	61.43	.84	2	3 685.7	0 2	3 705.6	0.1
3	4	3	92.14	.84	3	5 528.5	0 3	5 558.4	0.1
4	4	4	122.86	.84	4	7 371.4	0 4	7 411.3	0.2
3 05	30.714	5	153.57	1842.84	5	9 214.2	0 5	9 264.1	0.4
6	4	6	184.29	.84	6	11 057.0	0 6	11 116.9	0.5
7	4	7	215.00	.84	7	12 899.9	0 7	12 969.7	0.7
8	4	8	245.71	.84	8	14 742.7	0 8	14 822.5	0.9
9	4	9	276.43	.84	9	16 585.6	0 9	16 675.3	1.1
3 10	30.714	10	307.14	1842.84	10	18 428.4	0 10	18 528.1	1.4
11	4	11	337.86	.85	11	20 271.3	0 15	27 792.3	3.2
12	4	12	368.57	.85	12	22 114.1	0 20	37 056.4	5.6
13	4	13	399.29	.85	13	23 957.0	0 25	46 320.5	8.8
14	4	14	430.00	.85	14	25 799.8	0 30	55 584.6	12.7
3 15	30.714	15	460.71	1842.85	15	27 642.7	0 35	64 848.7	17.3
16	4	16	491.43	.85	16	29 485.5	0 40	74 112.8	22.6
17	4	17	522.14	.85	17	31 328.4	0 45	83 376.9	28.6
18	4	18	552.86	.85	18	33 171.2	0 50	92 641.1	35.3
19	4	19	583.57	.85	19	35 014.1	0 55	101 905.2	42.7
3 20	30.714	20	614.29	1842.85	20	36 856.9	1 00	111 169.3	50.8
21	4	21	645.00	.85	21	38 699.8	1 05	120 433.3	59.6
22	4	22	675.71	.85	22	40 542.6	1 10	129 697.4	69.1
23	4	23	706.43	.85	23	42 385.5	1 15	138 961.5	79.3
24	4	24	737.14	.85	24	44 228.3	1 20	148 225.7	90.3
3 25	30.714	25	767.86	1842.85	25	46 071.2	1 25	157 489.8	101.9
26	4	26	798.57	.85	26	47 914.0	1 30	166 753.9	114.2
27	4	27	829.29	.85	27	49 756.9	1 35	176 018.0	127.3
28	4	28	860.00	.86	28	51 599.7	1 40	185 282.0	141.0
29	4	29	890.71	.86	29	53 442.6	1 45	194 546.1	155.5
3 30	30.714	30	921.43	1842.86	30	55 285.5	1 50	203 810.1	170.7
31	4	31	952.14	.86	31	57 128.3	1 55	213 074.1	186.5
32	4	32	982.86	.86	32	58 971.2	2 00	222 338	203
33	4	33	1 013.57	.86	33	60 814.0	2 05	231 602.1	219.7
34	4	34	1 044.29	.86	34	62 656.9	2 10	240 866.2	236.9
3 35	30.714	35	1 075.00	1842.86	35	64 499.8	2 15	250 130.3	254.6
36	4	36	1 105.71	.86	36	66 342.6	2 20	259 394.4	272.8
37	4	37	1 136.43	.86	37	68 185.5	2 25	268 658.5	291.5
38	4	38	1 167.14	.86	38	70 028.3	2 30	277 922.6	310.7
39	4	39	1 197.86	.86	39	71 871.2	2 35	287 186.7	330.4
3 40	30.714	40	1 228.57	1842.86	40	73 714.1	2 40	296 450.8	350.6
41	4	41	1 259.29	.86	41	75 556.9	2 45	305 714.9	371.3
42	4	42	1 290.00	.86	42	77 399.8	2 50	314 979.0	392.5
43	4	43	1 320.71	.87	43	79 242.7	2 55	324 243.1	414.2
44	4	44	1 351.43	.87	44	81 085.5	3 00	333 507.2	436.4
3 45	30.714	45	1 382.14	1842.87	45	82 928.4	3 05	342 771.3	459.1
46	4	46	1 412.86	.87	46	84 771.3	3 10	352 035.4	482.3
47	4	47	1 443.57	.87	47	86 614.1	3 15	361 299.5	506.0
48	4	48	1 474.29	.87	48	88 457.0	3 20	370 563.6	530.2
49	4	49	1 505.00	.87	49	90 299.9	3 25	379 827.7	554.9
3 50	30.715	50	1 535.71	1842.87	50	92 142.7	3 30	389 091.8	580.1
51	5	51	1 566.43	.87	51	93 985.6	3 35	398 355.9	605.8
52	5	52	1 597.14	.87	52	95 828.4	3 40	407 620.0	631.9
53	5	53	1 627.86	.87	53	97 671.3	3 45	416 884.1	658.5
54	5	54	1 658.57	.87	54	99 514.2	3 50	426 148.2	685.6
3 55	30.715	55	1 689.29	1842.87	55	101 357.0	3 55	435 412.3	713.2
56	5	56	1 720.00	.87	56	103 200.0	4 00	444 676.4	741.3
57	5	57	1 750.71	.88	57	105 042.8	4 05	453 940.5	769.9
58	5	58	1 781.43	.88	58	106 885.7	4 10	463 204.6	799.0
59	5	59	1 812.14	.88	59	108 728.5	4 15	472 468.7	828.6
3 60	30.715	60	1 842.86	1842.88	60	110 571.4	4 20	481 732.8	858.7

Lat.	Latitude 4° to 5°—Meridional arcs.					Latitude 4°—Co-ordinates of curvature.			
	Value of 1''	Sums of seconds for middle latitude 4° 30'		Value of 1'	Continuous sums of minutes from latitude 4° 00'	Longitude.	X	Y	
° /	Meters.	''	Meters.	Meters.	'	Meters.	° /	Meters.	Meters.
4 00	30.715			1842.88			0 1	1 850.9	
1	5	1	30.72	.88	1	1 842.9	2	3 701.7	0.1
2	5	2	61.43	.88	2	3 685.8	3	5 552.6	0.2
3	5	3	92.15	.88	3	5 528.6	4	7 403.4	0.3
4	5	4	122.86	.88	4	7 371.5	5	9 254.3	0.5
4 05	30.715	5	153.58	1842.88	5	9 214.4	6	11 105.1	0.7
6	5	6	184.29	.88	6	11 057.3	7	12 956.0	0.9
7	5	7	215.01	.88	7	12 900.2	8	14 806.9	1.2
8	5	8	245.72	.89	8	14 743.1	9	16 657.7	1.5
9	5	9	276.44	.89	9	16 585.9	10	18 508.6	1.9
4 10	30.715	10	307.15	1842.89	10	18 428.8	15	27 762.8	4.2
11	5	1	337.87	.89	1	20 271.7	20	37 017.1	7.5
12	5	2	368.58	.89	2	22 114.6	25	46 271.4	11.7
13	5	3	399.30	.89	3	23 957.5	30	55 525.7	16.9
14	5	4	430.01	.89	4	25 800.4	35	64 780.0	23.0
4 15	30.715	15	460.73	1842.89	15	27 643.3	40	74 034.3	30.0
16	5	6	491.44	.89	6	29 486.2	45	83 288.5	38.0
17	5	7	522.16	.89	7	31 329.0	50	92 542.8	46.9
18	5	8	552.87	.89	8	33 171.9	55	101 797.1	56.8
19	5	9	583.59	.89	9	35 014.8	1 00	111 051.4	67.6
4 20	30.715	20	614.30	1842.89	20	36 857.7	05	120 305.7	79.3
21	5	1	645.02	.90	1	38 700.6	10	129 559.9	92.0
22	5	2	675.73	.90	2	40 543.5	15	138 814.2	105.6
23	5	3	706.45	.90	3	42 386.4	20	148 068.5	120.2
24	5	4	737.16	.90	4	44 229.3	25	157 322.7	135.7
4 25	30.715	25	767.88	1842.90	25	46 072.2	30	166 577.0	152.1
26	5	6	798.59	.90	6	47 915.1	35	175 831.3	169.5
27	5	7	829.31	.90	7	49 758.0	40	185 085.5	187.8
28	5	8	860.02	.90	8	51 600.9	45	194 339.8	207.0
29	5	9	890.74	.90	9	53 443.8	1 50	203 594.0	227.2
4 30	30.715	30	921.45	1842.90	30	55 286.7	55	212 848.3	248.3
31	5	1	952.17	.90	1	57 129.6	2 00	222 102	270
32	5	2	982.88	.90	2	58 972.5	3 00	333 153	608
33	5	3	1 013.60	.90	3	60 815.4	4 00	444 203	1 082
34	5	4	1 044.31	.90	4	62 658.3	5 00	555 253	1 691
4 35	30.715	35	1 075.03	1842.91	35	64 501.2	6 00	666 302	2 434
36	5	6	1 105.74	.91	6	66 344.1	7 00	777 350	3 312
37	5	7	1 136.46	.91	7	68 187.0	8 00	888 397	4 326
38	5	8	1 167.17	.91	8	70 029.9	9 00	999 442	5 476
39	5	9	1 197.89	.91	9	71 872.9	10 00	1 110 487	6 760
4 40	30.715	40	1 228.60	1842.91	40	73 715.8	11 00	1 221 529	8 180
41	5	1	1 259.32	.91	1	75 558.7	12 00	1 332 570	9 735
42	5	2	1 290.03	.91	2	77 401.6	13 00	1 443 608	11 425
43	5	3	1 320.75	.91	3	79 244.5	14 00	1 554 644	13 250
44	5	4	1 351.46	.91	4	81 087.4	15 00	1 665 678	15 210
4 45	30.715	45	1 382.18	1842.91	45	82 930.3	16 00	1 776 710	17 305
46	5	6	1 412.89	.92	6	84 773.2	17 00	1 887 739	19 536
47	5	7	1 443.61	.92	7	86 616.2	18 00	1 998 765	21 902
48	5	8	1 474.32	.92	8	88 459.1	19 00	2 109 789	24 403
49	5	9	1 505.04	.92	9	90 302.0	20 00	2 220 809	27 039
4 50	30.715	50	1 535.75	1842.92	50	92 144.9	21 00	2 331 825	29 810
51	5	1	1 566.47	.92	1	93 987.8	22 00	2 442 839	32 717
52	5	2	1 597.18	.92	2	95 830.8	23 00	2 553 848	35 758
53	5	3	1 627.90	.92	3	97 673.7	24 00	2 664 854	38 935
54	5	4	1 658.61	.92	4	99 516.6	25 00	2 775 856	42 248
4 55	30.715	55	1 689.33	1842.92	55	101 359.5	26 00	2 886 854	45 696
56	5	6	1 720.04	.93	6	103 202.4	27 00	2 997 848	49 278
57	5	7	1 750.76	.93	7	105 045.4	28 00	3 108 837	52 995
58	5	8	1 781.47	.93	8	106 888.3	29 00	3 219 821	56 848
59	5	9	1 812.19	.93	9	108 731.2	30 00	3 330 801	60 835
4 60	30.715	60	1 842.90	.93	60	110 574.1			

Lat.	Latitude 5° to 6°—Meridional arcs.					Latitude 5°—Co-ordinates of curvature.			
	Value of 1''	Sums of seconds for middle latitude 5° 30'		Value of 1'	Continuous sums of minutes from latitude 5° 00'	Longitude.	X	Y	
° /	Meters.	''	Meters.	Meters.	'	Meters.	° /	Meters.	Meters.
5 00	30.715			1842.93			0 1	1 848.3	
1	5	1	30.72	.93	1	1 842.9	0 2	3 696.7	0.1
2	6	2	61.43	.93	2	3 685.9	0 3	5 545.0	0.2
3	6	3	92.15	.93	3	5 528.8	0 4	7 393.3	0.4
4	6	4	122.86	.93	4	7 371.7	0 5	9 241.7	0.6
5 05	30.716	5	153.58	1842.93	5	9 214.7	0 6	11 090.0	0.8
6	6	6	184.30	.93	6	11 057.6	0 7	12 938.3	1.1
7	6	7	215.01	.94	7	12 900.5	0 8	14 786.7	1.5
8	6	8	245.73	.94	8	14 743.5	0 9	16 635.0	1.9
9	6	9	276.44	.94	9	16 586.4			
5 10	30.716	10	307.16	1842.94	10	18 429.3	0 10	18 483.3	2.3
11	6	1	337.88	.94	1	20 272.3	0 15	27 725.0	5.3
12	6	2	368.59	.94	2	22 115.2	0 20	36 966.6	9.4
13	6	3	399.31	.94	3	23 958.2	0 25	46 208.3	14.6
14	6	4	430.02	.94	4	25 801.1	0 30	55 449.9	21.1
5 15	30.716	15	460.74	1842.94	15	27 644.1	0 35	64 691.6	28.7
16	6	6	491.46	.94	6	29 487.0	0 40	73 933.3	37.5
17	6	7	522.17	.95	7	31 329.9	0 45	83 174.9	47.4
18	6	8	552.89	.95	8	33 172.9	0 50	92 416.6	58.6
19	6	9	583.60	.95	9	35 015.8	0 55	101 658.2	70.9
5 20	30.716	20	614.32	1842.85	20	36 858.8	1 00	110 899.9	84.4
21	6	1	645.04	.95	1	38 701.7	1 05	120 141.5	99.0
22	6	2	675.75	.95	2	40 544.7	1 10	129 383.2	114.8
23	6	3	706.47	.95	3	42 387.6	1 15	138 624.8	131.8
24	6	4	737.18	.95	4	44 230.6	1 20	147 866.4	150.0
5 25	30.716	25	767.90	1842.95	25	46 073.5	1 25	157 108.0	169.3
26	6	6	798.62	.95	6	47 916.5	1 30	166 349.7	189.8
27	6	7	829.33	.96	7	49 759.5	1 35	175 591.3	211.5
28	6	8	860.05	.96	8	51 602.4	1 40	184 832.9	234.3
29	6	9	890.76	.96	9	53 445.4	1 45	194 074.5	258.3
5 30	30.716	30	921.48	1842.96	30	55 288.3	1 50	203 316.2	283.5
31	6	1	952.20	.96	1	57 131.3	1 55	212 557.8	309.9
32	6	2	982.91	.96	2	58 974.3	2 00	221 799	337
33	6	3	1 013.63	.96	3	60 817.2	2 05	332 699	759
34	6	4	1 044.34	.96	4	62 660.2	2 10	443 597	1 349
5 35	30.716	35	1 075.06	1842.96	35	64 503.1	2 15	554 494	2 108
36	6	6	1 105.78	.97	6	66 346.1	2 20	665 390	3 036
37	6	7	1 136.49	.97	7	68 189.1	2 25	776 284	4 133
38	6	8	1 167.21	.97	8	70 032.0	2 30	887 177	5 398
39	6	9	1 197.92	.97	9	71 875.0	2 35	998 068	6 832
5 40	30.716	40	1 228.64	1842.97	40	73 718.0	2 40	1 108 956	8 435
41	6	1	1 259.36	.97	1	75 560.9	2 45	1 219 842	10 206
42	6	2	1 290.07	.97	2	77 403.9	2 50	1 330 725	12 146
43	6	3	1 320.79	.97	3	79 246.9	2 55	1 441 604	14 255
44	6	4	1 351.50	.97	4	81 089.9	3 00	1 552 481	16 532
5 45	30.716	45	1 382.22	1842.97	45	82 932.9	3 05	1 663 354	18 977
46	6	6	1 412.94	.98	6	84 775.8	3 10	1 774 223	21 592
47	6	7	1 443.65	.98	7	86 618.8	3 15	1 885 088	24 376
48	6	8	1 474.37	.98	8	88 461.8	3 20	1 995 948	27 328
49	6	9	1 505.08	.98	9	90 304.8	3 25	2 106 804	30 448
5 50	30.716	50	1 535.80	1842.98	50	92 147.7	3 30	2 217 655	33 737
51	6	1	1 566.52	.98	1	93 990.7	3 35	2 328 502	37 195
52	6	2	1 597.23	.98	2	95 833.7	3 40	2 439 342	40 821
53	6	3	1 627.95	.98	3	97 676.7	3 45	2 550 177	44 616
54	6	4	1 658.66	.98	4	99 519.7	3 50	2 661 006	48 579
5 55	30.716	55	1 689.38	1842.98	55	101 362.7	3 55	2 771 829	52 711
56	6	6	1 720.10	.99	6	103 205.6	4 00	2 882 645	57 013
57	6	7	1 750.81	.99	7	105 048.6	4 05	2 993 455	61 483
58	6	8	1 781.53	.99	8	106 891.6	4 10	3 104 259	66 120
59	6	9	1 812.24	.99	9	108 734.6	4 15	3 215 055	70 926
5 60	30.716	60	1 842.96	1842.99	60	110 577.6	4 20	3 325 844	75 900

Latitude 6° to 7°—Arcs of the parallel in meters.

Lat.	1''	2''	3''	4''	5''	6''	7''	8''	9''	1'	2'	3'	4'	5'
6 00	30.754	61.51	92.26	123.02	153.77	184.52	215.28	246.03	276.79	1845.2	3690.5	5535.7	7381.0	9226.2
1	.753	.51	.26	.02	.77	.52	.27	.02	.78	5.2	0.4	5.5	0.8	5.9
2	.752	.51	.26	.01	.76	.51	.27	.02	.77	5.1	0.3	5.4	0.6	5.6
3	.751	.50	.25	.01	.76	.51	.26	.01	.76	5.1	0.1	5.2	0.3	5.4
4	.750	.50	.25	.00	.75	.50	.25	6.00	.75	5.0	90.0	5.1	80.1	5.1
6 05	30.749	61.50	92.25	123.00	153.75	184.50	215.24	245.99	276.74	1845.0	3689.9	5534.9	7379.9	9224.8
6	.748	.50	.24	.00	.74	.49	.24	.99	.74	4.9	9.8	4.7	9.7	4.5
7	.747	.50	.24	3.00	.74	.49	.23	.98	.73	4.9	9.7	4.5	9.4	4.2
8	.747	.49	.24	2.99	.73	.48	.22	.97	.72	4.8	9.6	4.4	9.2	4.0
9	.746	.49	.24	.99	.73	.48	.22	.97	.71	4.8	9.5	4.2	8.9	3.7
6 10	30.745	61.49	92.23	122.98	153.72	184.47	215.21	245.96	276.70	1844.7	3689.4	5534.0	7378.7	9223.4
11	.744	.49	.23	.98	.72	.46	.20	.95	.69	4.6	9.3	3.8	8.5	3.1
12	.743	.49	.23	.97	.71	.46	.20	.94	.68	4.6	9.2	3.7	8.3	2.8
13	.742	.48	.22	.97	.71	.45	.19	.94	.67	4.5	9.0	3.5	8.0	2.5
14	.741	.48	.22	.96	.70	.45	.18	.93	.66	4.5	8.9	3.4	7.8	2.2
6 15	30.740	61.48	92.22	122.96	153.70	184.44	215.17	245.92	276.65	1844.4	3688.8	5533.2	7377.6	9221.9
16	.739	.48	.22	.96	.69	.43	.17	.91	.65	4.3	8.7	3.0	7.4	1.6
17	.738	.48	.21	.95	.69	.43	.16	.90	.64	4.3	8.6	2.8	7.1	1.3
18	.737	.47	.21	.95	.68	.42	.15	.90	.63	4.2	8.4	2.7	6.9	1.1
19	.736	.47	.21	.94	.68	.42	.15	.89	.62	4.2	8.3	2.5	6.6	0.8
6 20	30.735	61.47	92.20	122.94	153.67	184.41	215.14	245.88	276.61	1844.1	3688.2	5532.3	7376.4	9220.5
21	.734	.47	.20	.94	.67	.40	.13	.87	.60	4.0	8.1	2.1	6.2	20.2
22	.733	.47	.20	.93	.66	.40	.13	.86	.59	4.0	8.0	1.9	5.9	19.9
23	.732	.46	.20	.93	.66	.39	.12	.86	.58	3.9	7.8	1.8	5.7	9.6
24	.731	.46	.19	.92	.65	.39	.11	.85	.57	3.9	7.7	1.6	5.4	9.3
6 25	30.730	61.46	92.19	122.92	153.65	184.38	215.10	245.84	276.56	1843.8	3687.6	5531.4	7375.2	9219.0
26	.729	.46	.19	.92	.64	.37	.10	.83	.56	3.7	7.5	1.2	5.0	8.7
27	.728	.46	.18	.91	.64	.37	.09	.82	.55	3.7	7.4	1.0	4.7	8.4
28	.727	.45	.18	.91	.63	.36	.08	.82	.54	3.6	7.2	0.9	4.5	8.1
29	.726	.45	.18	.90	.63	.36	.08	.81	.53	3.6	7.1	0.7	4.2	7.8
6 30	30.725	61.45	92.17	122.90	153.62	184.35	215.07	245.80	276.52	1843.5	3687.0	5530.5	7374.0	9217.5
31	.724	.45	.17	.90	.62	.34	.06	.79	.51	3.4	6.9	0.3	3.8	7.2
32	.723	.45	.17	.89	.61	.34	.06	.78	.50	3.4	6.8	0.1	3.5	6.9
33	.722	.44	.16	.89	.61	.33	.05	.78	.49	3.3	6.6	30.0	3.3	6.5
34	.721	.44	.16	.88	.60	.33	.04	.77	.48	3.3	6.5	29.8	3.0	6.2
6 35	30.720	61.44	92.16	122.88	153.60	184.32	215.03	245.76	276.47	1843.2	3686.4	5529.6	7372.8	9215.9
36	.719	.44	.16	.88	.59	.31	.03	.75	.47	3.1	6.3	9.4	2.6	5.6
37	.718	.44	.15	.87	.59	.31	.02	.74	.46	3.1	6.2	9.2	2.3	5.3
38	.717	.43	.15	.87	.58	.30	.01	.74	.45	3.0	6.0	9.1	2.1	5.0
39	.716	.43	.15	.86	.58	.30	.01	.73	.44	3.0	5.9	8.9	1.8	4.7
6 40	30.715	61.43	92.14	122.86	153.57	184.29	215.00	245.72	276.43	1842.9	3685.8	5528.7	7371.6	9214.4
41	.714	.43	.14	.86	.57	.28	4.99	.71	.42	2.8	5.7	8.5	1.3	4.1
42	.713	.43	.14	.85	.56	.28	.99	.70	.41	2.8	5.5	8.3	1.1	3.8
43	.711	.42	.13	.85	.56	.27	.98	.69	.40	2.7	5.4	8.1	0.8	3.4
44	.710	.42	.13	.84	.55	.27	.97	.68	.39	2.7	5.2	7.9	0.6	3.1
6 45	30.709	61.42	92.13	122.84	153.55	184.26	214.96	245.67	276.38	1842.6	3685.1	5527.7	7370.3	9212.8
46	.708	.42	.12	.84	.54	.25	.96	.67	.38	2.5	5.0	7.5	70.0	2.5
47	.707	.42	.12	.83	.54	.25	.95	.66	.37	2.5	4.9	7.3	69.8	2.2
48	.706	.41	.12	.83	.53	.24	.94	.65	.36	2.4	4.7	7.2	9.5	1.9
49	.705	.41	.12	.82	.53	.24	.94	.64	.35	2.4	4.6	7.0	9.3	1.6
6 50	30.704	61.41	92.11	122.82	153.52	184.23	214.93	245.63	276.34	1842.3	3684.5	5526.8	7369.0	9211.3
51	.703	.41	.11	.82	.52	.22	.92	.62	.33	2.2	4.4	6.6	8.7	1.0
52	.702	.41	.11	.81	.51	.21	.91	.61	.32	2.1	4.3	6.4	8.5	0.6
53	.701	.40	.10	.81	.51	.21	.91	.61	.31	2.1	4.1	6.2	8.2	10.3
54	.700	.40	.10	.80	.50	.20	.90	.60	.30	2.0	4.0	6.0	8.0	09.9
6 55	30.699	61.40	92.10	122.80	153.50	184.19	214.89	245.59	276.29	1841.9	3683.9	5525.8	7367.7	9209.6
56	.698	.40	.09	.79	.49	.19	.88	.58	.28	1.9	3.8	5.6	7.4	9.3
57	.697	.40	.09	.79	.49	.18	.87	.57	.27	1.8	3.6	5.4	7.2	9.0
58	.695	.39	.09	.78	.48	.17	.87	.57	.26	1.7	3.5	5.2	6.9	8.6
59	.694	.39	.08	.78	.48	.17	.86	.56	.25	1.7	3.3	5.0	6.7	8.3
6 60	30.693	61.39	92.08	122.77	153.47	184.16	214.85	245.55	276.24	1841.6	3683.2	5524.8	7366.4	9208.0

Lat.	Latitude 6° to 7°—Meridional arcs.					Latitude 6°—Co-ordinates of curvature.			
	Value of 1''	Sums of seconds for middle latitude 6° 30'		Value of 1'	Continuous sums of minutes from latitude 6° 00'		Longitude.	X	Y
° /	Meters.	''	Meters.	Meters.	'	Meters.	° /	Meters.	Meters.
6 00	30.716			1842.99			0 1	1 845.3	
1	7	1	30.72	.99	1	1 843.0	0 2	3 690.5	0.1
2	7	2	61.43	.99	2	3 686.0	0 3	5 535.8	0.2
3	7	3	92.15	.99	3	5 529.0	0 4	7 381.0	0.4
4	7	4	122.87	.99	4	7 372.0	0 5	9 226.3	0.7
6 05	30.717	5	153.59	1843.00	5	9 215.0	0 6	11 071.5	1.0
6	7	6	184.30	.00	6	11 058.0	0 7	12 916.7	1.4
7	7	7	215.02	.00	7	12 901.0	0 8	14 762.0	1.8
8	7	8	245.74	.00	8	14 744.0	0 9	16 607.2	2.3
9	7	9	276.45	.00	9	16 587.0	0 10	18 452.5	2.8
6 10	30.717	10	307.17	1843.00	10	18 430.0	0 15	27 678.8	6.3
11	7	1	337.89	.00	1	20 273.0	0 20	36 905.0	11.2
12	7	2	368.61	.00	2	22 116.0	0 25	46 131.2	17.5
13	7	3	399.32	.00	3	23 959.0	0 30	55 357.5	25.3
14	7	4	430.04	.01	4	25 802.0	0 35	64 583.8	34.4
6 15	30.717	15	460.76	1843.01	15	27 645.0	0 40	73 810.0	44.9
16	7	6	491.47	.01	6	29 488.0	0 45	83 036.2	56.8
17	7	7	522.19	.01	7	31 331.0	0 50	92 262.5	70.1
18	7	8	552.91	.01	8	33 174.0	0 55	101 488.7	84.9
19	7	9	583.63	.01	9	35 017.0	1 00	110 714.9	101.0
6 20	30.717	20	614.34	1843.01	20	36 860.0	1 05	119 941.2	118.5
21	7	1	645.06	.01	1	38 703.1	1 10	129 167.4	137.5
22	7	2	675.78	.02	2	40 546.1	1 15	138 393.6	157.8
23	7	3	706.49	.02	3	42 389.1	1 20	147 619.9	179.5
24	7	4	737.21	.02	4	44 232.1	1 25	156 846.1	202.7
6 25	30.717	25	767.93	1843.02	25	46 075.1	1 30	166 072.3	227.2
26	7	6	798.65	.02	6	47 918.2	1 35	175 298.5	253.2
27	7	7	829.36	.02	7	49 761.2	1 40	184 524.7	280.5
28	7	8	860.08	.02	8	51 604.2	1 45	193 750.9	309.3
29	7	9	890.80	.02	9	53 447.2	1 50	202 977.1	339.4
6 30	30.717	30	921.51	1843.03	30	55 290.3	1 55	212 203.3	371.0
31	7	1	952.23	.03	1	57 133.3	2 00	221 429	404
32	7	2	982.95	.03	2	58 976.3	2 05	230 655	437
33	7	3	1 013.67	.03	3	60 819.4	2 10	239 881	470
34	7	4	1 044.38	.03	4	62 662.4	2 15	249 107	503
6 35	30.717	35	1 075.10	1843.03	35	64 505.4	2 20	258 333	536
36	7	6	1 105.82	.03	6	66 348.4	2 25	267 559	569
37	7	7	1 136.54	.03	7	68 191.5	2 30	276 785	602
38	7	8	1 167.25	.04	8	70 034.5	2 35	286 011	635
39	7	9	1 197.97	.04	9	71 877.6	2 40	295 237	668
6 40	30.717	40	1 228.69	1843.04	40	73 720.6	2 45	304 463	701
41	7	1	1 259.40	.04	1	75 563.6	2 50	313 689	734
42	7	2	1 290.12	.04	2	77 406.7	2 55	322 915	767
43	7	3	1 320.84	.04	3	79 249.7	3 00	332 141	800
44	7	4	1 351.56	.04	4	81 092.8	3 05	341 367	833
6 45	30.717	45	1 382.27	1843.04	45	82 935.8	3 10	350 593	866
46	7	6	1 412.97	.05	6	84 778.9	3 15	359 819	899
47	7	7	1 443.71	.05	7	86 621.9	3 20	369 045	932
48	7	8	1 474.42	.05	8	88 464.9	3 25	378 271	965
49	7	9	1 505.14	.05	9	90 308.0	3 30	387 497	998
6 50	30.718	50	1 535.86	1843.05	50	92 151.1	3 35	396 723	1031
51	8	1	1 566.57	.05	1	93 994.1	3 40	405 949	1064
52	8	2	1 597.29	.05	2	95 837.2	3 45	415 175	1097
53	8	3	1 628.01	.05	3	97 680.2	3 50	424 401	1130
54	8	4	1 658.72	.06	4	99 523.3	3 55	433 627	1163
6 55	30.718	55	1 689.44	1843.06	55	101 366.3	4 00	442 853	1196
56	8	6	1 720.16	.06	6	103 209.4	4 05	452 079	1229
57	8	7	1 750.88	.06	7	105 052.4	4 10	461 305	1262
58	8	8	1 781.59	.06	8	106 895.5	4 15	470 531	1295
59	8	9	1 812.31	.06	9	108 738.6	4 20	479 757	1328
6 60	30.718	60	1 843.03	1843.06	60	110 581.6	4 25	488 983	1361

Lat.	Latitude 7° to 8°—Meridional arcs.					Latitude 7°—Co-ordinates of curvature.			
	Value of 1''	Sums of seconds for middle latitude 7° 30'		Value of 1'	Continuous sums of minutes from latitude 7° 00'		Longitude.	X	Y
° /	Meters.	''	Meters.	Meters.	'	Meters.	° /	Meters.	Meters.
7 00	30.718			1843.06			0 1	1 841.6	
1	8	1	30.72	.07	1	1 843.1	2	3 683.2	0.1
2	8	2	61.44	.07	2	3 686.1	3	5 524.8	0.3
3	8	3	92.16	.07	3	5 529.2	4	7 366.4	0.5
4	8	4	122.87	.07	4	7 372.3	5	9 208.0	0.8
7 05	30.718	5	153.59	1843.07	5	9 215.3	6	11 049.7	1.2
6	8	6	184.31	.07	6	11 058.4	7	12 891.3	1.6
7	8	7	215.03	.07	7	12 901.5	8	14 732.9	2.1
8	8	8	245.75	.08	8	14 744.6	9	16 574.5	2.6
9	8	9	276.47	.08	9	16 587.6			
7 10	30.718	10	307.18	1843.08	10	18 430.7	0 10	18 416.1	3.3
11	8	1	337.90	.08	1	20 273.8	15	27 624.1	7.3
12	8	2	368.62	.08	2	22 116.9	20	36 832.1	13.1
13	8	3	399.34	.08	3	23 960.0	25	46 040.2	20.4
14	8	4	430.06	.08	4	25 803.0	30	55 248.2	29.4
7 15	30.718	15	460.78	1843.09	15	27 646.1	0 35	64 456.2	40.0
16	8	6	491.49	.09	6	29 489.2	40	73 664.3	52.2
17	8	7	522.21	.09	7	31 332.3	45	82 872.3	66.1
18	8	8	552.93	.09	8	33 175.4	50	92 080.3	81.6
19	8	9	583.65	.09	9	35 018.5	55	101 288.3	98.7
7 20	30.718	20	614.37	1843.09	20	36 861.6	1 00	110 496.4	117.5
21	8	1	645.09	.09	1	38 704.7	05	119 704.4	137.9
22	8	2	675.81	.10	2	40 547.8	10	128 912.4	160.0
23	8	3	706.52	.10	3	42 390.9	15	138 120.4	183.6
24	8	4	737.24	.10	4	44 234.0	20	147 328.4	208.9
7 25	30.718	25	767.96	1843.10	25	46 077.1	1 25	156 536.4	235.8
26	8	6	798.68	.10	6	47 920.2	30	165 744.4	264.4
27	8	7	829.40	.10	7	49 763.3	35	174 952.4	294.6
28	8	8	860.12	.10	8	51 606.4	40	184 160.4	326.4
29	8	9	890.83	.10	9	53 449.5	45	193 368.4	359.9
7 30	30.718	30	921.55	1843.11	30	55 292.6	1 50	202 576.3	395.0
31	8	1	952.27	.11	1	57 135.7	55	211 784.3	431.7
32	8	2	982.99	.11	2	58 978.8	2 00	220 992	470
33	8	3	1 013.71	.11	3	60 821.9	3 00	331 487	1 058
34	8	4	1 044.43	.11	4	62 665.0	4 00	441 981	1 880
7 35	30.719	35	1 075.15	1843.11	35	64 508.1	5 00	552 472	2 938
36	9	6	1 105.86	.11	6	66 351.2	6 00	662 961	4 231
37	9	7	1 136.58	.11	7	68 194.4	7 00	773 447	5 758
38	9	8	1 167.30	.11	8	70 037.5	8 00	883 929	7 521
39	9	9	1 198.02	.12	9	71 880.6	9 00	994 407	9 519
7 40	30.719	40	1 228.74	1843.12	40	73 723.7	10 00	1 104 881	11 751
41	9	1	1 259.46	.12	1	75 566.8	11 00	1 215 350	14 218
42	9	2	1 290.17	.12	2	77 409.9	12 00	1 325 813	16 921
43	9	3	1 320.89	.12	3	79 253.1	13 00	1 436 271	19 859
44	9	4	1 351.61	.12	4	81 096.2	14 00	1 546 722	23 031
7 45	30.719	45	1 382.33	1843.13	45	82 939.3	15 00	1 657 166	26 438
46	9	6	1 413.05	.13	6	84 782.4	16 00	1 767 602	30 080
47	9	7	1 443.77	.13	7	86 625.6	17 00	1 878 030	33 958
48	9	8	1 474.48	.13	8	88 468.7	18 00	1 988 450	38 070
49	9	9	1 505.20	.13	9	90 311.8	19 00	2 098 861	42 417
7 50	30.719	50	1 535.92	1843.13	50	92 155.0	20 00	2 209 263	46 999
51	9	1	1 566.64	.13	1	93 998.1	21 00	2 319 654	51 815
52	9	2	1 597.36	.14	2	95 841.2	22 00	2 430 035	56 866
53	9	3	1 628.08	.14	3	97 684.4	23 00	2 540 405	62 152
54	9	4	1 658.80	.14	4	99 527.5	24 00	2 650 764	67 673
7 55	30.719	55	1 689.51	1843.14	55	101 370.7	25 00	2 761 111	73 429
56	9	6	1 720.23	.14	6	103 213.8	26 00	2 871 444	79 420
57	9	7	1 750.95	.14	7	105 056.9	27 00	2 981 766	85 644
58	9	8	1 781.67	.15	8	106 900.1	28 00	3 092 073	92 103
59	9	9	1 812.39	.15	9	108 743.2	29 00	3 202 367	98 797
7 60	30.719	60	1 843.11	1843.15	60	110 586.4	30 00	3 312 646	105 727

Latitude 8° to 9°—Arcs of the parallel in meters.														
Lat.	1''	2''	3''	4''	5''	6''	7''	8''	9''	1'	2'	3'	4'	5'
8 00	30.623	61.25	91.87	122.49	153.12	183.74	214.36	244.99	275.61	1837.4	3674.8	5512.2	7349.6	9187.0
1	.622	.25	.87	.49	.11	.73	.35	.98	.60	7.3	4.7	2.0	9.3	6.6
2	.621	.24	.86	.48	.11	.72	.34	.97	.59	7.2	4.5	1.8	9.0	6.2
3	.620	.24	.86	.48	.10	.72	.34	.96	.58	7.2	4.4	1.5	8.7	5.9
4	.618	.24	.85	.47	.09	.71	.33	.95	.57	7.1	4.2	1.3	8.4	5.5
8 05	30.617	61.23	91.85	122.47	153.08	183.70	214.32	244.94	275.55	1837.0	3674.1	5511.1	7348.1	9185.1
6	.616	.23	.85	.46	.08	.69	.31	.93	.54	6.9	3.9	0.9	7.8	4.7
7	.615	.23	.84	.46	.07	.69	.30	.92	.53	6.9	3.8	0.7	7.5	4.4
8	.613	.23	.84	.45	.06	.68	.29	.91	.52	6.8	3.6	0.4	7.2	4.0
9	.612	.22	.84	.45	.06	.68	.29	.90	.51	6.8	3.5	0.2	6.9	3.7
8 10	30.611	61.22	91.83	122.44	153.05	183.67	214.28	244.89	275.50	1836.7	3673.3	5510.0	7346.6	9183.3
11	.610	.22	.83	.44	.04	.66	.27	.88	.49	6.6	3.1	0.9	6.3	2.9
12	.608	.22	.82	.43	.04	.65	.26	.87	.48	6.5	3.0	0.5	6.0	2.5
13	.607	.21	.82	.43	.03	.65	.25	.86	.46	6.5	2.8	0.3	5.7	2.1
14	.606	.21	.82	.42	.03	.64	.24	.85	.45	6.4	2.7	0.0	5.4	1.7
8 15	30.604	61.21	91.81	122.42	153.02	183.63	214.23	244.83	275.44	1836.3	3672.5	5508.8	7345.1	9181.3
16	.603	.21	.81	.41	.01	.62	.23	.82	.43	6.2	2.4	0.6	4.8	0.9
17	.602	.21	.80	.41	.01	.61	.22	.81	.42	6.1	2.2	0.4	4.5	0.5
18	.601	.20	.80	.40	.00	.61	.21	.80	.40	6.1	2.1	0.1	4.1	0.2
19	.599	.20	.80	.40	3.00	.60	.20	.79	.39	6.0	1.9	0.0	3.8	0.0
8 20	30.598	61.20	91.79	122.39	152.99	183.59	214.19	244.78	275.38	1835.9	3671.8	5507.7	7343.5	9179.4
21	.597	.20	.79	.39	.98	.58	.18	.77	.37	5.8	1.6	7.5	3.2	9.0
22	.595	.19	.79	.38	.98	.57	.17	.76	.36	5.7	1.5	7.2	2.9	8.6
23	.594	.19	.78	.38	.97	.57	.16	.75	.35	5.7	1.3	7.0	2.6	8.3
24	.593	.19	.78	.37	.97	.56	.15	.74	.34	5.6	1.2	6.7	2.3	7.9
8 25	30.592	61.18	91.77	122.37	152.96	183.55	214.14	244.73	275.32	1835.5	3671.0	5506.5	7342.0	9177.5
26	.590	.18	.77	.36	.95	.54	.14	.72	.31	5.4	0.8	6.3	1.7	7.1
27	.589	.18	.77	.36	.95	.53	.13	.71	.30	5.3	0.7	6.0	1.4	6.7
28	.588	.18	.76	.35	.94	.53	.12	.70	.29	5.3	0.5	5.8	1.0	6.3
29	.586	.17	.76	.35	.94	.52	.11	.69	.28	5.2	0.4	5.5	0.7	5.9
8 30	30.585	61.17	91.76	122.34	152.93	183.51	214.10	244.68	275.27	1835.1	3670.2	5505.3	7340.4	9175.5
31	.584	.17	.75	.34	.92	.50	.09	.67	.26	5.0	7.0	5.1	40.1	5.1
32	.582	.16	.75	.33	.92	.49	.08	.66	.25	4.9	69.9	4.8	39.8	4.7
33	.581	.16	.74	.33	.91	.49	.07	.65	.23	4.9	9.7	4.6	9.4	4.3
34	.580	.16	.74	.32	.90	.48	.06	.64	.22	4.8	9.6	4.3	9.1	3.9
8 35	30.578	61.15	91.74	122.32	152.89	183.47	214.05	244.62	275.21	1834.7	3669.4	5504.1	7338.8	9173.5
36	.577	.15	.73	.31	.89	.46	.04	.61	.20	4.6	9.2	3.9	8.5	3.1
37	.576	.15	.73	.31	.88	.45	.03	.60	.19	4.5	9.1	3.6	8.2	2.7
38	.574	.15	.72	.30	.87	.45	.02	.59	.17	4.5	8.9	3.4	7.8	2.3
39	.573	.14	.72	.30	.87	.44	.01	.58	.16	4.4	8.8	3.1	7.5	1.9
8 40	30.572	61.14	91.72	122.29	152.86	183.43	214.00	244.57	275.15	1834.3	3668.6	5502.9	7337.2	9171.5
41	.570	.14	.71	.28	.85	.42	3.99	.56	.14	4.2	8.4	2.7	6.9	1.1
42	.569	.14	.71	.28	.85	.41	.98	.55	.12	4.1	8.3	2.4	6.6	0.7
43	.568	.13	.70	.27	.84	.41	.97	.54	.11	4.1	8.1	2.2	6.2	70.3
44	.566	.13	.70	.27	.83	.40	.96	.53	.10	4.0	8.0	1.9	5.9	69.9
8 45	30.565	61.13	91.70	122.26	152.82	183.39	213.95	244.51	275.09	1833.9	3667.8	5501.7	7335.6	9169.5
46	.564	.13	.69	.25	.82	.38	.95	.50	.07	3.8	7.6	1.5	5.3	9.1
47	.562	.13	.69	.25	.81	.37	.94	.49	.06	3.7	7.5	1.2	4.9	8.7
48	.561	.12	.68	.24	.80	.36	.93	.48	.05	3.6	7.3	1.0	4.6	8.2
49	.559	.12	.68	.24	.80	.36	.92	.47	.03	3.6	7.2	0.7	4.2	7.8
8 50	30.558	61.12	91.67	122.23	152.79	183.35	213.91	244.46	275.02	1833.5	3667.0	5500.5	7333.9	9167.4
51	.557	.12	.67	.23	.78	.34	.90	.45	.01	3.4	6.8	0.2	3.6	7.0
52	.555	.11	.67	.22	.78	.33	.89	.44	5.00	3.3	6.6	5500.0	3.3	6.6
53	.554	.11	.66	.22	.77	.33	.88	.43	4.98	3.3	6.5	499.7	2.9	6.1
54	.552	.11	.66	.21	.76	.32	.87	.42	.97	3.2	6.3	9.5	2.6	5.7
8 55	30.551	61.10	91.65	122.21	152.75	183.31	213.86	244.40	274.96	1833.1	3666.1	5499.2	7332.3	9165.3
56	.550	.10	.65	.20	.75	.30	.85	.39	.95	3.0	5.9	0.0	2.0	4.9
57	.548	.10	.64	.20	.74	.29	.84	.38	.94	2.9	5.8	8.7	1.6	4.5
58	.547	.10	.64	.19	.73	.28	.83	.37	.92	2.8	5.6	8.5	1.3	4.1
59	.546	.09	.64	.19	.73	.28	.82	.36	.91	2.8	5.5	8.2	0.9	3.7
8 60	30.544	61.09	91.63	122.18	152.72	183.27	213.81	244.35	274.90	1832.7	3665.3	5498.0	7330.6	9163.3

POLYCONIC PROJECTION TABLES.

Lat.	Latitude 8° to 9°—Meridional arcs.					Latitude 8°—Co-ordinates of curvature.			
	Value of 1''	Sums of seconds for middle latitude 8° 30'		Value of 1'	Continuous sums of minutes from latitude 8° 00'	Longitude.	X	Y	
° /	Meters.	''	Meters.	Meters.	'	Meters.	° /	Meters.	Meters.
8 00	30.719			1843.15			0 1	1 837.4	
1	9	1	30.72	.15	1	1 843.2	0 2	3 674.8	0.1
2	9	2	61.44	.15	2	3 686.3	0 3	5 512.2	0.3
3	9	3	92.16	.16	3	5 529.5	0 4	7 349.6	0.6
4	9	4	122.88	.16	4	7 372.6	0 5	9 187.0	0.9
8 05	30.719	5	153.60	1843.16	5	9 215.8	0 6	11 024.4	1.3
6	9	6	184.32	.16	6	11 058.9	0 7	12 861.9	1.8
7	9	7	215.04	.16	7	12 902.1	0 8	14 699.3	2.4
8	9	8	245.76	.16	8	14 745.3	0 9	16 536.7	3.0
9	9	9	276.48	.16	9	16 588.4			
8 10	30.719	10	307.20	1843.17	10	18 431.6	0 10	18 374.1	3.7
11	9	1	337.92	.17	1	20 274.8	0 15	27 561.1	8.4
12	19	2	368.64	.17	2	22 117.9	0 20	36 748.2	14.9
13	20	3	399.36	.17	3	23 961.1	0 25	45 935.2	23.2
14	0	4	430.08	.17	4	25 804.3	0 30	55 122.3	33.5
8 15	30.720	15	460.80	1843.17	15	27 647.4	0 35	64 309.3	45.6
16	0	6	491.52	.17	6	29 490.6	0 40	73 496.4	59.5
17	0	7	522.24	.18	7	31 333.8	0 45	82 683.4	75.3
18	0	8	552.96	.18	8	33 177.0	0 50	91 870.4	93.0
19	0	9	583.68	.18	9	35 020.2	0 55	101 057.5	112.5
8 20	30.720	20	614.40	1843.18	20	36 863.3	1 00	110 244.5	133.9
21	0	1	645.12	.18	1	38 706.5	0 05	119 431.5	157.1
22	0	2	675.84	.18	2	40 549.7	0 10	128 618.5	182.2
23	0	3	706.56	.19	3	42 392.9	0 15	137 805.5	209.2
24	0	4	737.28	.19	4	44 236.1	0 20	146 992.5	238.0
8 25	30.720	25	768.00	1843.19	25	46 079.3	1 25	156 179.5	268.7
26	0	6	798.72	.19	6	47 922.5	0 30	165 366.5	301.3
27	0	7	829.44	.19	7	49 765.6	0 35	174 553.4	335.7
28	0	8	860.16	.19	8	51 608.8	0 40	183 740.4	371.9
29	0	9	890.88	.19	9	53 452.0	0 45	192 927.4	410.0
8 30	30.720	30	921.60	1843.20	30	55 295.2	1 50	202 114.3	450.0
31	0	1	952.32	.20	1	57 138.4	0 55	211 301.3	491.9
32	0	2	983.04	.20	2	58 981.6	2 00	220 488	536
33	0	3	1 013.76	.20	3	60 824.8	3 00	330 730	1 205
34	0	4	1 044.48	.20	4	62 668.0	4 00	440 971	2 142
8 35	30.720	35	1 075.20	1843.20	35	64 511.2	5 00	551 209	3 347
36	0	6	1 105.92	.20	6	66 354.4	6 00	661 444	4 820
37	0	7	1 136.64	.21	7	68 197.6	7 00	771 675	6 561
38	0	8	1 167.36	.21	8	70 040.8	8 00	881 901	8 569
39	0	9	1 198.08	.21	9	71 884.0	9 00	992 122	10 845
8 40	30.720	40	1 228.80	1843.21	40	73 727.2	10 00	1 102 337	13 389
41	0	1	1 259.52	.21	1	75 570.4	11 00	1 212 546	16 200
42	0	2	1 290.24	.21	2	77 413.6	12 00	1 322 747	19 279
43	0	3	1 320.96	.22	3	79 256.8	13 00	1 432 940	22 626
44	0	4	1 351.68	.22	4	81 100.1	14 00	1 543 126	26 240
8 45	30.720	45	1 382.40	1843.22	45	82 943.3	15 00	1 653 302	30 123
46	0	6	1 413.12	.22	6	84 786.5	16 00	1 763 469	34 274
47	0	7	1 443.84	.22	7	86 629.7	17 00	1 873 626	38 692
48	0	8	1 474.56	.22	8	88 472.9	18 00	1 983 771	43 378
49	0	9	1 505.28	.22	9	90 316.2	19 00	2 093 904	48 330
8 50	30.720	50	1 536.00	1843.23	50	92 159.4	20 00	2 204 024	53 548
51	0	1	1 566.72	.23	1	94 002.6	21 00	2 314 131	59 034
52	0	2	1 597.44	.23	2	95 845.9	22 00	2 424 225	64 789
53	1	3	1 628.16	.23	3	97 689.1	23 00	2 534 305	70 811
54	1	4	1 658.88	.23	4	99 532.3	24 00	2 644 370	77 101
8 55	30.721	55	1 689.60	1843.23	55	101 375.6	25 00	2 754 420	83 658
56	1	6	1 720.32	.24	6	103 218.8	26 00	2 864 454	90 482
57	1	7	1 751.04	.24	7	105 062.0	27 00	2 974 470	97 573
58	1	8	1 781.76	.24	8	106 905.3	28 00	3 084 468	104 932
59	1	9	1 812.48	.24	9	108 748.5	29 00	3 194 449	112 558
8 60	30.721	60	1 843.20	1843.24	60	110 591.8	30 00	3 304 411	120 451

Lat.	Latitude 9° to 10°—Meridional arcs.					Latitude 9°—Co-ordinates of curvature.			
	Value of 1''	Sums of seconds for middle latitude 9° 30'		Value of 1'	Continuous sums of minutes from latitude 9° 00'	Longitude.	X	Y	
° /	Meters.	"	Meters.	Meters.	'	Meters.	° /	Meters.	Meters.
9 00	30.721			1843.24			0 1		
1	1	1	30.72	.25	1	1 843.2	0 1	1 832.6	
2	1	2	61.44	.25	2	3 686.5	0 2	3 665.3	0.2
3	1	3	92.16	.25	3	5 529.7	0 3	5 498.0	0.4
4	1	4	122.89	.25	4	7 373.0	0 4	7 330.6	0.7
9 05	30.721	5	153.61	1843.25	5	9 216.2	0 5	9 163.3	1.0
6	1	6	184.33	.25	6	11 059.5	0 6	10 995.9	1.5
7	1	7	215.05	.26	7	12 902.8	0 7	12 828.6	2.0
8	1	8	245.77	.26	8	14 746.0	0 8	14 661.2	2.7
9	1	9	276.49	.26	9	16 589.3	0 9	16 493.9	3.4
9 10	30.721	10	307.22	1843.26	10	18 432.5	0 10	18 326.5	4.2
11	1	1	337.94	.26	1	20 275.8	0 15	27 489.8	9.4
12	1	2	368.66	.26	2	22 119.1	0 20	36 653.1	16.7
13	1	3	399.38	.27	3	23 962.3	0 25	45 816.4	26.1
14	1	4	430.10	.27	4	25 805.6	0 30	54 979.6	37.5
9 15	30.721	15	460.82	1843.27	15	27 648.9	0 35	64 142.9	51.1
16	1	6	491.55	.27	6	29 492.1	0 40	73 306.2	66.7
17	1	7	522.27	.27	7	31 335.4	0 45	82 469.4	84.4
18	1	8	552.99	.28	8	33 178.7	0 50	91 632.7	104.2
19	1	9	583.71	.28	9	35 022.0	0 55	100 795.9	126.1
9 20	30.721	20	614.43	1843.28	20	36 865.3	1 00	109 959.2	150.1
21	1	1	645.15	.28	1	38 708.5	1 05	119 122.4	176.2
22	1	2	675.88	.28	2	40 551.8	1 10	128 285.6	204.3
23	1	3	706.60	.28	3	42 395.1	1 15	137 448.9	234.6
24	1	4	737.32	.29	4	44 238.4	1 20	146 612.1	266.9
9 25	30.721	25	768.04	1843.29	25	46 081.7	1 25	155 775.3	301.3
26	1	6	798.76	.29	6	47 925.0	1 30	164 938.5	337.8
27	1	7	829.48	.29	7	49 768.3	1 35	174 101.7	376.3
28	2	8	860.21	.29	8	51 611.5	1 40	183 264.8	417.0
29	2	9	890.93	.29	9	53 454.8	1 45	192 428.0	459.7
9 30	30.722	30	921.65	1843.30	30	55 298.1	1 50	201 591.2	504.5
31	2	1	952.37	.30	1	57 141.4	1 55	210 754.3	551.4
32	2	2	983.09	.30	2	58 984.7	2 00	219 917	600
33	2	3	1 013.81	.30	3	60 828.0	2 05	329 874	1 351
34	2	4	1 044.53	.30	4	62 671.3	2 10	439 828	2 402
9 35	30.722	35	1 075.26	1843.31	35	64 514.6	2 15	549 779	3 753
36	2	6	1 105.98	.31	6	66 357.9	2 20	659 726	5 404
37	2	7	1 136.70	.31	7	68 201.2	2 25	769 668	7 355
38	2	8	1 167.42	.31	8	70 044.6	2 30	879 604	9 607
39	2	9	1 198.14	.31	9	71 887.9	2 35	989 534	12 158
9 40	30.722	40	1 228.86	1843.31	40	73 731.2	10 00	1 099 456	15 010
41	2	1	1 259.59	.32	1	75 574.5	11 00	1 209 370	18 162
42	2	2	1 290.31	.32	2	77 417.8	12 00	1 319 275	21 614
43	2	3	1 321.03	.32	3	79 261.1	13 00	1 429 171	25 367
44	2	4	1 351.75	.32	4	81 104.5	14 00	1 539 055	29 419
9 45	30.722	45	1 382.47	1843.32	45	82 947.8	15 00	1 648 928	33 770
46	2	6	1 413.19	.33	6	84 791.1	16 00	1 758 789	38 422
47	2	7	1 443.92	.33	7	86 634.4	17 00	1 868 637	43 374
48	2	8	1 474.64	.33	8	88 477.8	18 00	1 978 471	48 626
49	2	9	1 505.36	.33	9	90 321.1	19 00	2 088 289	54 178
9 50	30.722	50	1 536.08	1843.33	50	92 164.4	20 00	2 198 093	60 029
51	2	1	1 566.80	.33	1	94 007.7	21 00	2 307 880	66 180
52	2	2	1 597.52	.34	2	95 851.1	22 00	2 417 650	72 631
53	2	3	1 628.25	.34	3	97 694.4	23 00	2 527 402	79 382
54	2	4	1 658.97	.34	4	99 537.8	24 00	2 637 136	86 433
9 55	30.722	55	1 689.69	1843.34	55	101 381.1	25 00	2 746 848	93 783
56	2	6	1 720.41	.34	6	103 224.4	26 00	2 856 541	101 432
57	2	7	1 751.13	.35	7	105 067.8	27 00	2 966 213	109 381
58	2	8	1 781.85	.35	8	106 911.1	28 00	3 075 862	117 629
59	2	9	1 812.58	.35	9	108 754.4	29 00	3 185 488	126 177
9 60	30.723	60	1 843.30	1843.35	60	110 597.8	30 00	3 295 091	135 024

Latitude 10° to 11°—Arcs of the parallel in meters.														
Lat.	1"	2"	3"	4"	5"	6"	7"	8"	9"	1'	2'	3'	4'	5'
10 00	30.456	60.91	91.37	121.82	152.28	182.73	213.19	243.65	274.10	1827.3	3654.7	5482.0	7309.4	9136.7
1	.454	.91	.36	.81	.27	.72	.18	.64	.09	7.2	4.5	1.7	9.0	6.2
2	.453	.90	.36	.81	.26	.71	.17	.62	.07	7.1	4.3	1.4	8.6	5.8
3	.451	.90	.35	.80	.26	.71	.16	.61	.06	7.1	4.1	1.2	8.3	5.3
4	.450	.90	.35	.80	.25	.70	.15	.60	.04	7.0	3.9	0.9	7.9	4.9
10 05	30.448	60.89	91.34	121.79	152.24	182.69	213.13	243.58	274.03	1826.9	3653.7	5480.6	7307.5	9134.4
6	.446	.89	.34	.78	.23	.68	.12	.57	.02	6.8	3.5	0.3	7.1	3.9
7	.445	.89	.33	.78	.22	.67	.11	.56	4.00	6.7	3.3	80.0	6.7	3.4
8	.443	.89	.33	.77	.22	.66	.10	.55	3.99	6.6	3.2	79.8	6.4	3.0
9	.442	.88	.33	.77	.21	.65	.09	.53	.97	6.5	3.0	9.5	6.0	2.5
10 10	30.440	60.88	91.32	121.76	152.20	182.64	213.08	243.52	273.96	1826.4	3652.8	5479.2	7305.6	9132.0
11	.438	.88	.32	.75	.19	.63	.07	.51	.95	6.3	2.6	8.9	5.2	1.5
12	.437	.87	.31	.75	.18	.62	.06	.50	.93	6.2	2.4	8.6	4.8	1.0
13	.435	.87	.31	.74	.18	.61	.05	.48	.92	6.1	2.3	8.4	4.5	0.6
14	.434	.87	.30	.74	.17	.60	.04	.47	.90	6.0	2.1	8.1	4.1	30.1
10 15	30.432	60.86	91.30	121.73	152.16	182.59	213.02	243.46	273.89	1825.9	3651.9	5477.8	7303.7	9129.6
16	.430	.86	.29	.72	.15	.58	.01	.45	.88	5.8	1.7	7.5	3.3	9.1
17	.429	.86	.29	.72	.14	.57	3.00	.44	.86	5.7	1.5	7.2	2.9	8.7
18	.427	.86	.28	.71	.14	.57	2.99	.42	.85	5.7	1.3	7.0	2.6	8.2
19	.426	.85	.28	.71	.13	.56	.98	.41	.83	5.6	1.1	6.7	2.2	7.8
10 20	30.424	60.85	91.27	121.70	152.12	182.55	212.97	243.40	273.82	1825.5	3650.9	5476.4	7301.8	9127.3
21	.423	.85	.27	.69	.11	.54	.96	.39	.81	5.4	0.7	6.1	1.4	6.8
22	.421	.84	.26	.69	.10	.53	.95	.37	.79	5.3	0.5	5.8	1.0	6.3
23	.419	.84	.26	.68	.10	.52	.94	.36	.78	5.2	0.3	5.5	0.7	5.8
24	.418	.84	.25	.67	.09	.51	.93	.34	.76	5.1	50.1	5.2	300.3	5.3
10 25	30.416	60.83	91.25	121.67	152.08	182.50	212.91	243.33	273.75	1825.0	3649.9	5474.9	7299.9	9124.8
26	.414	.83	.24	.66	.07	.49	.90	.32	.73	4.9	9.7	4.6	9.5	4.3
27	.413	.83	.24	.65	.06	.48	.89	.30	.72	4.8	9.5	4.3	9.1	3.8
28	.411	.83	.23	.64	.06	.47	.88	.29	.70	4.7	9.4	4.0	8.7	3.4
29	.410	.82	.23	.64	.05	.46	.87	.27	.69	4.6	9.2	3.7	8.3	2.9
10 30	30.408	60.82	91.22	121.63	152.04	182.45	212.86	243.26	273.67	1824.5	3649.0	5473.4	7297.9	9122.4
31	.406	.82	.22	.62	.03	.44	.85	.25	.66	4.4	8.8	3.1	7.5	1.9
32	.405	.81	.21	.62	.02	.43	.84	.23	.64	4.3	8.6	2.8	7.1	1.4
33	.403	.81	.21	.61	.02	.42	.82	.22	.63	4.2	8.4	2.6	6.7	0.9
34	.401	.80	.20	.61	.01	.41	.81	.21	.61	4.1	8.2	2.3	6.3	20.4
10 35	30.400	60.80	91.20	121.60	152.00	182.40	212.80	243.20	273.60	1824.0	3648.0	5472.0	7295.9	9119.9
36	.398	.80	.19	.59	1.99	.39	.79	.18	.58	3.9	7.8	1.7	5.5	9.4
37	.396	.79	.19	.59	.98	.38	.78	.17	.57	3.8	7.6	1.4	5.1	8.9
38	.395	.79	.18	.58	.98	.37	.76	.16	.55	3.7	7.4	1.1	4.8	8.5
39	.393	.78	.18	.58	.97	.36	.75	.14	.54	3.6	7.2	0.8	4.4	8.0
10 40	30.392	60.78	91.17	121.57	151.96	182.35	212.74	243.13	273.52	1823.5	3647.0	5470.5	7294.0	9117.5
41	.390	.78	.17	.56	.95	.34	.73	.12	.51	3.4	6.8	70.2	3.6	7.0
42	.388	.77	.16	.56	.94	.33	.72	.10	.49	3.3	6.6	69.9	3.2	6.5
43	.387	.77	.16	.55	.93	.32	.70	.09	.48	3.2	6.4	9.6	2.8	6.0
44	.385	.77	.15	.54	.92	.31	.69	.08	.46	3.1	6.2	9.3	2.4	5.5
10 45	30.383	60.76	91.15	121.53	151.91	182.30	212.68	243.06	273.45	1823.0	3646.0	5469.0	7292.0	9115.0
46	.382	.76	.14	.53	.91	.29	.67	.05	.43	2.9	5.8	8.7	1.6	4.5
47	.380	.76	.14	.52	.90	.28	.66	.04	.42	2.8	5.6	8.4	1.2	4.0
48	.378	.76	.13	.51	.89	.27	.64	.03	.40	2.7	5.4	8.1	0.8	3.5
49	.377	.75	.13	.51	.88	.26	.63	.01	.39	2.6	5.2	7.8	0.4	3.0
10 50	30.375	60.75	91.12	121.50	151.87	182.25	212.62	243.00	273.37	1822.5	3645.0	5467.5	7290.0	9112.5
51	.373	.75	.12	.49	.86	.24	.61	2.99	.36	2.4	4.8	7.2	89.6	2.0
52	.372	.74	.11	.49	.85	.23	.60	.97	.34	2.3	4.6	6.9	9.2	1.5
53	.370	.74	.11	.48	.85	.22	.59	.96	.33	2.2	4.4	6.6	8.7	0.9
54	.368	.74	.10	.47	.84	.21	.58	.94	.31	2.1	4.2	6.3	8.3	10.4
10 55	30.366	60.73	91.10	121.47	151.83	182.20	212.56	242.93	273.30	1822.0	3644.0	5466.0	7287.9	9109.9
56	.365	.73	.09	.46	.82	.19	.55	.92	.28	1.9	3.8	5.7	7.5	9.4
57	.363	.73	.09	.45	.81	.18	.54	.90	.27	1.8	3.6	5.4	7.1	8.9
58	.361	.73	.08	.44	.81	.17	.53	.89	.25	1.7	3.4	5.0	6.7	8.4
59	.360	.72	.08	.44	.80	.16	.52	.87	.24	1.6	3.2	4.7	6.3	7.9
10 60	30.358	60.72	91.07	121.43	151.79	182.15	212.51	242.86	273.22	1821.5	3643.0	5464.4	7285.9	9107.4

Lat.	Latitude 10° to 11°—Meridional arcs.					Latitude 10°—Co-ordinates of curvature.			
	Value of 1''	Sums of seconds for middle latitude 10° 30'		Value of 1'	Continuous sums of minutes from latitude 10° 00'		Longitude.	X	Y
° /	Meters.	''	Meters.	Meters.	'	Meters.	° /	Meters.	Meters.
10 00	30.723			1843.35			0 1	1 827.3	
1	3	1	30.72	.35	1	1 843.4	0 2	3 654.7	0.2
2	3	2	61.45	.35	2	3 686.7	0 3	5 482.0	0.4
3	3	3	92.17	.36	3	5 530.1	0 4	7 309.4	0.7
4	3	4	122.89	.36	4	7 373.4	0 5	9 136.7	1.2
10 05	30.723	5	153.62	1843.36	5	9 216.8	0 6	10 964.1	1.7
6	3	6	184.34	.36	6	11 060.1	0 7	12 791.4	2.3
7	3	7	215.06	.36	7	12 903.5	0 8	14 618.7	3.0
8	3	8	245.79	.37	8	14 746.9	0 9	16 446.1	3.7
9	3	9	276.51	.37	9	16 590.2	0 10	18 273.4	4.6
10 10	30.723	10	307.23	1843.37	10	18 433.6	0 15	27 410.2	10.4
1	3	1	337.96	.37	1	20 277.0	0 20	36 546.9	18.5
2	3	2	368.68	.37	2	22 120.4	0 25	45 683.6	28.8
3	3	3	399.41	.38	3	23 963.7	0 30	54 820.3	41.5
4	3	4	430.13	.38	4	25 807.1	0 35	63 957.0	56.5
10 15	30.723	15	460.85	1843.38	15	27 650.5	0 40	73 093.7	73.8
6	3	6	491.58	.38	6	29 493.9	0 45	82 230.4	93.5
7	3	7	522.30	.38	7	31 337.3	0 50	91 367.1	115.4
8	3	8	553.02	.39	8	33 180.7	0 55	100 503.8	139.6
9	3	9	583.75	.39	9	35 024.0	1 00	109 640.5	166.1
10 20	30.723	20	614.47	1843.39	20	36 867.4	0 05	118 777.2	195.0
1	3	1	645.19	.39	1	38 710.8	0 10	127 913.9	226.1
2	3	2	675.92	.39	2	40 554.2	0 15	137 050.5	259.6
3	3	3	706.64	.40	3	42 397.6	0 20	146 187.2	295.4
4	3	4	737.36	.40	4	44 241.0	1 25	155 323.8	333.4
10 25	30.723	25	768.09	1843.40	25	46 084.4	0 30	164 460.5	373.8
6	3	6	798.81	.40	6	47 927.8	0 35	173 597.1	416.5
7	3	7	829.53	.40	7	49 771.2	0 40	182 733.7	461.5
8	3	8	860.26	.41	8	51 614.6	0 45	191 870.3	508.8
9	3	9	890.98	.41	9	53 458.0	1 50	201 006.9	558.4
10 30	30.723	30	921.70	1843.41	30	55 301.4	0 55	210 143.5	610.3
1	3	1	952.43	.41	1	57 144.8	2 00	219 280	665
2	4	2	983.15	.41	2	58 988.2	3 00	328 917	1 495
3	4	3	1 013.87	.41	3	60 831.6	4 00	438 552	2 658
4	4	4	1 044.60	.42	4	62 675.0	5 00	548 182	4 154
10 35	30.724	35	1 075.32	1843.42	35	64 518.5	6 00	657 808	5 981
6	4	6	1 106.05	.42	6	66 361.9	7 00	767 427	8 140
7	4	7	1 136.77	.42	7	68 205.3	8 00	877 040	10 632
8	4	8	1 167.49	.42	8	70 048.7	9 00	986 644	13 457
9	4	9	1 198.22	.43	9	71 892.2	10 00	1 096 239	16 614
10 40	30.724	40	1 228.94	1843.43	40	73 735.6	11 00	1 205 824	20 102
1	4	1	1 259.66	.43	1	75 579.0	12 00	1 315 398	23 922
2	4	2	1 290.39	.43	2	77 422.4	13 00	1 424 960	28 075
3	4	3	1 321.11	.43	3	79 265.9	14 00	1 534 509	32 560
4	4	4	1 351.83	.44	4	81 109.3	15 00	1 644 044	37 375
10 45	30.724	45	1 382.56	1843.44	45	82 952.7	16 00	1 753 564	42 522
6	4	6	1 413.28	.44	6	84 796.2	17 00	1 863 067	48 002
7	4	7	1 444.00	.44	7	86 639.6	18 00	1 972 554	53 815
8	4	8	1 474.73	.44	8	88 483.1	19 00	2 082 022	59 962
9	4	9	1 505.45	.45	9	90 326.5	20 00	2 191 471	66 440
10 50	30.724	50	1 536.17	1843.45	50	92 170.0	21 00	2 300 900	73 246
1	4	1	1 566.90	.45	1	94 013.4	22 00	2 410 308	80 385
2	4	2	1 597.62	.45	2	95 856.9	23 00	2 519 694	87 855
3	4	3	1 628.34	.45	3	97 700.3	24 00	2 629 057	95 658
4	4	4	1 659.07	.46	4	99 543.8	25 00	2 738 395	103 792
10 55	30.724	55	1 689.79	1843.46	55	101 387.2	26 00	2 847 709	112 256
6	4	6	1 720.51	.46	6	103 230.7	27 00	2 956 996	121 053
7	4	7	1 751.24	.46	7	105 074.1	28 00	3 066 256	130 180
8	4	8	1 781.96	.46	8	106 917.6	29 00	3 175 488	139 639
9	4	9	1 812.69	.47	9	108 761.1	30 00	3 284 690	149 428
10 60	30.724	60	1 843.41	1843.47	60	110 604.5			

Lat.	Latitude 11° to 12°—Meridional arcs.					Latitude 11°—Co-ordinates of curvature.			
	Value of 1''	Sums of seconds for middle latitude 11° 30'		Value of 1'	Continuous sums of minutes from latitude 11° 00'		Longitude.	X	Y
° /	Meters.	''	Meters.	Meters.	'	Meters.	° /	Meters.	Meters.
11 00	30.724			1843.47			0 1	1 821.5	0.1
1	4	1	30.73	.47	1	1 843.5	2	3 643.0	0.2
2	5	2	61.45	.47	2	3 686.9	3	5 464.4	0.5
3	5	3	92.18	.47	3	5 530.4	4	7 285.9	0.8
4	5	4	122.90	.48	4	7 373.9	5	9 107.4	1.3
11 05	30.725	5	153.63	1843.48	5	9 217.4	6	10 928.9	1.8
6	5	6	184.35	.48	6	11 060.8	7	12 750.4	2.5
7	5	7	215.08	.48	7	12 904.3	8	14 571.8	3.2
8	5	8	245.80	.49	8	14 747.8	9	16 393.3	4.1
9	5	9	276.53	.49	9	16 591.3	10	18 214.8	5.1
11 10	30.725	10	307.26	1843.49	10	18 434.8	15	27 322.2	11.4
11	5	1	337.98	.49	1	20 278.3	20	36 429.6	20.2
12	5	2	368.71	.49	2	22 121.8	25	45 537.0	31.6
13	5	3	399.43	.50	3	23 965.3	30	54 644.4	45.5
14	5	4	430.16	.50	4	25 808.8	35	63 751.8	61.9
11 15	30.725	15	460.88	1843.50	15	27 652.3	40	72 859.2	80.9
16	5	6	491.61	.50	6	29 495.8	45	81 966.5	102.4
17	5	7	522.33	.50	7	31 339.3	50	91 073.9	126.4
18	5	8	553.06	.51	8	33 182.8	55	100 181.3	152.9
19	5	9	583.78	.51	9	35 026.3	1 00	109 288.7	182.0
11 20	30.725	20	614.51	1843.51	20	36 869.8	05	118 396.0	213.6
21	5	1	645.24	.51	1	38 713.3	10	127 503.4	247.7
22	5	2	675.96	.51	2	40 556.8	15	136 610.7	284.3
23	5	3	706.69	.52	3	42 400.3	20	145 718.0	323.5
24	5	4	737.41	.52	4	44 243.8	25	154 825.3	365.2
11 25	30.725	25	768.14	1843.52	25	46 087.3	30	163 932.7	409.4
26	5	6	798.86	.52	6	47 930.9	35	173 039.9	456.2
27	5	7	829.59	.52	7	49 774.4	40	182 147.2	505.5
28	5	8	860.31	.53	8	51 617.9	45	191 254.5	557.3
29	5	9	891.04	.53	9	53 461.4	1 50	200 361.7	611.6
11 30	30.726	30	921.77	1843.53	30	55 305.0	55	209 469.0	668.5
31	6	1	952.49	.53	1	57 148.5	00	218 576	728
32	6	2	983.22	.54	2	58 992.0	05	327 861	1 638
33	6	3	1 013.94	.54	3	60 835.6	10	437 143	2 911
34	6	4	1 044.67	.54	4	62 679.1	15	546 419	4 549
11 35	30.726	35	1 075.39	1843.54	35	64 522.7	20	655 690	6 551
36	6	6	1 106.12	.54	6	66 366.2	25	764 953	8 916
37	6	7	1 136.84	.55	7	68 209.8	30	874 208	11 646
38	6	8	1 167.57	.55	8	70 053.3	35	983 453	14 739
39	6	9	1 198.30	.55	9	71 896.9	40	1 092 687	18 196
11 40	30.726	40	1 229.02	1843.55	40	73 740.4	45	1 201 909	22 016
41	6	1	1 259.75	.55	1	75 584.0	50	1 311 117	26 201
42	6	2	1 290.47	.56	2	77 427.5	55	1 420 311	30 749
43	6	3	1 321.20	.56	3	79 271.1	00	1 529 490	35 663
44	6	4	1 351.92	.56	4	81 114.6	05	1 638 652	40 937
11 45	30.726	45	1 382.65	1843.56	45	82 958.2	10	1 747 795	46 577
46	6	6	1 413.37	.57	6	84 801.8	15	1 856 919	52 579
47	6	7	1 444.10	.57	7	86 645.3	20	1 966 022	58 944
48	6	8	1 474.82	.57	8	88 488.9	25	2 075 104	65 674
49	6	9	1 505.55	.57	9	90 332.5	30	2 184 162	72 764
11 50	30.726	50	1 536.28	1843.57	50	92 176.1	35	2 293 196	80 221
51	6	1	1 567.00	.58	1	94 019.6	40	2 402 205	88 039
52	6	2	1 597.73	.58	2	95 863.2	45	2 511 187	96 221
53	6	3	1 628.45	.58	3	97 706.8	50	2 620 142	104 765
54	6	4	1 659.18	.58	4	99 550.4	55	2 729 067	113 671
11 55	30.726	55	1 689.90	1843.58	55	101 394.0	00	2 837 962	122 940
56	6	6	1 720.63	.59	6	103 237.6	05	2 946 825	132 573
57	6	7	1 751.35	.59	7	105 081.1	10	3 055 656	142 569
58	7	8	1 782.08	.59	8	106 924.7	15	3 164 453	152 926
59	7	9	1 812.81	.59	9	108 768.3	20	3 273 215	163 645
11 60	30.727	60	1 843.53	1843.60	60	110 611.9	25		

Latitude 12° to 13°—Arcs of the parallel in meters.

Lat.	1"	2"	3"	4"	5"	6"	7"	8"	9"	1'	2'	3'	4'	5'	
0 /															
12 00	30.251	60.50	90.75	121.00	151.26	181.51	211.76	242.01	272.26	1815.1	3630.1	5445.2	7260.3	9075.3	
1	.249	.50	.75	120.99	.25	.50	.75	2.00	.24	5.0	29.9	4.9	59.8	4.7	
2	.247	.49	.74	.99	.24	.49	.73	1.98	.23	4.9	9.7	4.5	9.4	4.2	
3	.245	.49	.74	.98	.23	.47	.72	.97	.21	4.7	9.4	4.2	8.9	3.6	
4	.244	.48	.73	.97	.22	.46	.71	.95	.19	4.6	9.2	3.8	8.5	3.1	
12 05	30.242	60.48	90.73	120.96	151.21	181.45	211.69	241.93	272.17	1814.5	3629.0	5443.5	7258.0	9072.5	
6	.240	.48	.72	.96	.20	.44	.68	.92	.16	4.4	8.8	3.2	7.6	1.9	
7	.238	.47	.71	.95	.19	.43	.67	.90	.14	4.3	8.6	2.8	7.1	1.4	
8	.236	.47	.71	.94	.18	.41	.66	.89	.12	4.1	8.3	2.5	6.7	0.8	
9	.234	.46	.70	.94	.17	.40	.64	.87	.11	4.0	8.1	2.1	6.2	70.3	
12 10	30.232	60.46	90.70	120.93	151.16	181.39	211.63	241.86	272.09	1813.9	3627.9	5441.8	7255.8	9069.7	
11	.230	.46	.69	.92	.15	.38	.62	.85	.07	3.8	7.7	1.5	5.3	9.1	
12	.229	.45	.69	.91	.14	.37	.60	.83	.06	3.7	7.4	1.1	4.9	8.6	
13	.227	.45	.68	.91	.13	.36	.59	.82	.04	3.6	7.2	0.7	4.4	8.0	
14	.225	.45	.68	.90	.12	.35	.57	.80	.02	3.5	6.9	0.3	4.0	7.5	
12 15	30.223	60.44	90.67	120.89	151.12	181.34	211.56	241.78	272.00	1813.4	3626.7	5440.1	7253.5	9066.9	
16	.221	.44	.66	.88	.11	.33	.55	.77	1.99	3.3	6.5	39.8	3.0	6.3	
17	.219	.44	.66	.87	.10	.32	.53	.75	.97	3.2	6.3	9.4	2.6	5.7	
18	.217	.44	.65	.87	.09	.30	.52	.74	.95	3.0	6.0	9.1	2.1	5.2	
19	.215	.43	.65	.86	.08	.29	.50	.72	.94	2.9	5.8	8.7	1.7	4.6	
12 20	30.213	60.43	90.64	120.85	151.07	181.28	211.49	241.71	271.92	1812.8	3625.6	5438.4	7251.2	9064.0	
21	.211	.43	.63	.84	.06	.27	.48	.69	.90	2.7	5.4	8.1	0.7	3.4	
22	.209	.42	.63	.84	.05	.26	.46	.68	.89	2.6	5.2	7.4	50.3	2.8	
23	.208	.42	.62	.83	.04	.24	.45	.66	.87	2.4	4.9	7.7	49.8	2.3	
24	.206	.41	.62	.82	.03	.23	.44	.65	.85	2.3	4.7	7.0	9.4	1.7	
12 25	30.204	60.41	90.61	120.81	151.02	181.22	211.42	241.63	271.83	1812.2	3624.5	5436.7	7248.9	9061.1	
26	.202	.41	.60	.81	.01	.21	.41	.61	.82	2.1	4.3	6.4	8.4	0.5	
27	.200	.40	.60	.80	1.00	.20	.40	.60	.80	2.0	4.0	6.0	8.0	60.0	
28	.198	.40	.59	.79	0.99	.19	.39	.58	.78	1.9	3.8	5.7	7.5	59.4	
29	.196	.39	.59	.79	0.98	.18	.37	.57	.77	1.8	3.5	5.3	7.1	8.9	
12 30	30.194	60.39	90.58	120.78	150.97	181.17	211.36	241.55	271.75	1811.7	3623.3	5435.0	7246.6	9058.3	
31	.192	.39	.58	.77	.96	.16	.35	.54	.73	1.6	3.1	4.6	6.1	7.7	
32	.190	.38	.57	.76	.95	.15	.33	.52	.71	1.5	2.8	4.3	5.7	7.1	
33	.188	.38	.56	.76	.94	.13	.32	.51	.70	1.3	2.6	3.9	5.2	6.5	
34	.186	.37	.56	.75	.93	.12	.30	.49	.68	1.2	2.3	3.6	4.8	5.9	
12 35	30.184	60.37	90.55	120.74	150.92	181.11	211.29	241.47	271.66	1811.1	3622.1	5433.2	7244.3	9055.3	
36	.182	.37	.55	.73	.91	.10	.28	.46	.64	1.0	1.9	2.9	3.8	4.7	
37	.180	.36	.54	.72	.90	.09	.26	.44	.62	0.9	1.7	2.5	3.3	4.1	
38	.179	.36	.54	.72	.89	.07	.25	.43	.61	0.7	1.4	2.2	2.9	3.6	
39	.177	.35	.53	.71	.88	.06	.23	.41	.59	0.6	1.2	1.8	2.4	3.0	
12 40	30.175	60.35	90.52	120.70	150.87	181.05	211.22	241.40	271.57	1810.5	3621.0	5431.5	7241.9	9052.4	
41	.173	.35	.52	.69	.86	.04	.21	.38	.55	0.4	0.8	1.1	1.4	1.8	
42	.171	.34	.51	.68	.85	.03	.19	.37	.54	0.3	0.5	0.8	1.0	1.2	
43	.169	.34	.51	.68	.84	.01	.18	.35	.52	0.1	0.3	0.4	0.5	0.7	
44	.167	.33	.50	.67	.83	1.00	.17	.34	.50	10.0	20.0	30.1	40.1	50.1	
12 45	30.165	60.33	90.50	120.66	150.83	180.99	211.15	241.32	271.48	1809.9	3619.8	5429.7	7239.6	9049.5	
46	.163	.33	.49	.65	.82	.98	.14	.30	.47	9.8	9.6	9.3	9.1	8.9	
47	.161	.32	.48	.64	.81	.97	.13	.29	.45	9.7	9.3	9.0	8.6	8.3	
48	.159	.32	.48	.64	.80	.95	.12	.27	.43	9.5	9.1	8.6	8.2	7.7	
49	.157	.31	.47	.63	.79	.94	.10	.26	.42	9.4	8.8	8.3	7.7	7.1	
12 50	30.155	60.31	90.47	120.62	150.78	180.93	211.09	241.24	271.40	1809.3	3618.6	5427.9	7237.2	9046.5	
51	.153	.31	.46	.61	.77	.92	.08	.22	.38	9.2	8.4	7.5	6.7	5.9	
52	.151	.30	.45	.60	.76	.91	.06	.21	.36	9.1	8.1	7.2	6.2	5.3	
53	.149	.30	.45	.60	.75	.89	.05	.19	.35	8.9	7.9	6.8	5.8	4.7	
54	.147	.29	.44	.59	.74	.88	.03	.18	.33	8.8	7.6	6.5	5.3	4.1	
12 55	30.145	60.29	90.44	120.58	150.73	180.87	211.02	241.16	271.31	1808.7	3617.4	5426.1	7234.8	9043.5	
56	.143	.29	.43	.57	.72	.86	1.01	.14	.29	8.6	7.2	5.7	4.3	2.9	
57	.141	.28	.42	.56	.71	.85	0.99	.13	.27	8.5	6.9	5.4	3.8	2.3	
58	.139	.28	.42	.56	.70	.83	.98	.11	.26	8.3	6.7	5.0	3.4	1.7	
59	.137	.27	.41	.55	.69	.82	.96	.10	.24	8.2	6.4	4.7	2.9	1.1	
12 60	30.135	60.27	90.41	120.54	150.68	180.81	210.95	241.08	271.22	1808.1	3616.2	5424.3	7232.4	9040.5	

Lat.	Latitude 12° to 13°—Meridional arcs.						Latitude 12°—Co-ordinates of curvature.			
	Value of 1''		Sums of seconds for middle latitude 12° 30'		Value of 1'		Longitude.		X	Y
	Meters.	"	Meters.	Meters.	'	Meters.	° /	Meters.	Meters.	
12 00	30.727			1843.60			0 1	1 815.1	0.1	
1	7	1	30.73	.60	1	1 843.6	0 2	3 630.1	0.2	
2	7	2	61.46	.60	2	3 687.2	0 3	5 445.2	0.5	
3	7	3	92.18	.60	3	5 530.8	0 4	7 260.3	0.9	
4	7	4	122.91	.60	4	7 374.4	0 5	9 075.3	1.4	
12 05	30.727	5	153.64	1843.61	5	9 218.0	0 6	10 890.4	2.0	
6	7	6	184.37	.61	6	11 061.6	0 7	12 705.5	2.7	
7	7	7	215.09	.61	7	12 905.2	0 8	14 520.5	3.5	
8	7	8	245.82	.61	8	14 748.8	0 9	16 335.6	4.5	
9	7	9	276.55	.62	9	16 592.5				
12 10	30.727	10	307.28	1843.62	10	18 436.1	0 10	18 150.7	5.5	
11	7	1	338.01	.62	1	20 279.7	0 15	27 226.0	12.4	
12	7	2	368.73	.62	2	22 123.3	0 20	36 301.3	22.0	
13	7	3	399.46	.62	3	23 966.9	0 25	45 376.7	34.3	
14	7	4	430.19	.63	4	25 810.6	0 30	54 452.0	49.4	
12 15	30.727	15	460.92	1843.63	15	27 654.2	0 35	63 527.3	67.2	
16	7	6	491.64	.63	6	29 497.8	0 40	72 602.6	87.8	
17	7	7	522.37	.63	7	31 341.5	0 45	81 677.9	111.1	
18	7	8	553.10	.64	8	33 185.1	0 50	90 753.2	137.2	
19	7	9	583.83	.64	9	35 028.7	0 55	99 828.5	166.0	
12 20	30.727	20	614.55	1843.64	20	36 872.4	1 00	108 903.8	197.6	
21	7	1	645.28	.64	1	38 716.0	1 05	117 979.0	231.9	
22	7	2	676.01	.65	2	40 559.7	1 10	127 054.3	268.9	
23	7	3	706.74	.65	3	42 403.3	1 15	136 129.6	308.7	
24	7	4	737.47	.65	4	44 247.0	1 20	145 204.8	351.3	
12 25	30.728	25	768.19	1843.65	25	46 090.6	1 25	154 280.0	396.6	
26	8	6	798.92	.65	6	47 934.3	1 30	163 355.2	444.6	
27	8	7	829.65	.66	7	49 777.9	1 35	172 430.4	495.4	
28	8	8	860.38	.66	8	51 621.6	1 40	181 505.6	548.9	
29	8	9	891.10	.66	9	53 465.3	1 45	190 580.7	605.1	
12 30	30.728	30	921.83	1843.66	30	55 308.9	1 50	199 655.9	664.1	
31	8	1	952.56	.67	1	57 152.6	1 55	208 731.0	725.9	
32	8	2	983.29	.67	2	58 996.3	2 00	217 806.3	790	
33	8	3	1 014.02	.67	3	60 839.9	2 05	326 706	1 778	
34	8	4	1 044.74	.67	4	62 683.6	2 10	435 601	3 161	
12 35	30.728	35	1 075.47	1843.67	35	64 527.2	2 15	544 490	4 940	
36	8	6	1 106.20	.68	6	66 370.9	2 20	653 372	7 113	
37	8	7	1 136.93	.68	7	68 214.6	2 25	762 246	9 682	
38	8	8	1 167.65	.68	8	70 058.3	2 30	871 110	12 646	
39	8	9	1 198.38	.68	9	71 902.0	2 35	979 962	16 004	
12 40	30.728	40	1 229.11	1843.69	40	73 745.6	2 40	1 088 801	19 757	
41	8	1	1 259.84	.69	1	75 589.3	2 45	1 197 626	23 905	
42	8	2	1 290.56	.69	2	77 433.0	2 50	1 306 435	28 449	
43	8	3	1 321.29	.69	3	79 276.7	2 55	1 415 227	33 387	
44	8	4	1 352.02	.70	4	81 120.4	3 00	1 524 000	38 719	
12 45	30.728	45	1 382.75	1843.70	45	82 964.1	3 05	1 632 753	44 447	
46	8	6	1 413.48	.70	6	84 807.8	3 10	1 741 485	50 569	
47	8	7	1 444.20	.70	7	86 651.5	3 15	1 850 194	57 085	
48	8	8	1 474.93	.70	8	88 495.2	3 20	1 958 879	63 997	
49	8	9	1 505.66	.71	9	90 338.9	3 25	2 067 537	71 303	
12 50	30.728	50	1 536.39	1843.71	50	92 182.6	3 30	2 176 168	79 003	
51	9	1	1 567.11	.71	1	94 026.3	3 35	2 284 771	87 006	
52	9	2	1 597.84	.71	2	95 870.1	3 40	2 393 344	95 584	
53	9	3	1 628.57	.72	3	97 713.8	3 45	2 501 885	104 466	
54	9	4	1 659.30	.72	4	99 557.5	3 50	2 610 394	113 741	
12 55	30.729	55	1 690.03	1843.72	55	101 401.2	3 55	2 718 867	123 410	
56	9	6	1 720.75	.72	6	103 244.9	4 00	2 827 305	133 473	
57	9	7	1 751.48	.73	7	105 088.7	4 05	2 935 706	143 930	
58	9	8	1 782.21	.73	8	106 932.4	4 10	3 044 068	154 780	
59	9	9	1 812.94	.73	9	108 776.1	4 15	3 152 390	166 023	
12 60	30.729	60	1 843.66	1843.73	60	110 619.8	4 20	3 260 671	177 658	

Latitude 13° to 14°—Arcs of the parallel in meters.

Lat.	1"	2"	3"	4"	5"	6"	7"	8"	9"	1'	2'	3'	4'	5'
13 00	30.135	60.27	90.41	120.54	150.68	180.81	210.95	241.08	271.22	1808.1	3616.2	5424.3	7232.4	9040.5
01	.133	.27	.40	.53	.67	.80	.94	.06	.20	8.0	6.0	3.9	1.9	39.9
02	.131	.26	.39	.52	.66	.79	.92	.05	.18	7.9	5.7	3.6	1.4	9.3
03	.129	.26	.39	.52	.65	.77	.91	.03	.16	7.7	5.5	3.2	1.0	8.7
04	.127	.25	.38	.51	.64	.76	.89	.02	.14	7.6	5.2	2.9	0.5	8.1
13 05	30.125	60.25	90.37	120.50	150.62	180.75	210.88	241.00	271.12	1807.5	3615.0	5422.5	7230.0	9037.5
06	.123	.25	.37	.49	.61	.74	.86	0.98	.11	7.4	4.8	2.1	29.5	6.9
07	.121	.24	.36	.48	.60	.73	.85	.97	.09	7.3	4.5	1.8	9.0	6.3
08	.119	.24	.36	.48	.59	.71	.83	.95	.07	7.1	4.3	1.4	8.6	5.6
09	.117	.23	.35	.47	.58	.70	.82	.94	.05	7.0	4.0	1.1	8.1	5.0
13 10	30.115	60.23	90.34	120.46	150.57	180.69	210.80	240.92	271.03	1806.9	3613.8	5420.7	7227.6	9034.4
11	.113	.23	.34	.45	.56	.68	.79	.90	1.01	6.8	3.5	20.3	7.1	3.8
12	.111	.22	.33	.44	.55	.67	.77	.89	0.99	6.7	3.3	19.9	6.6	3.2
13	.109	.22	.33	.44	.54	.65	.76	.87	.98	6.5	3.0	9.6	6.1	2.6
14	.107	.21	.32	.43	.53	.64	.74	.85	.96	6.4	2.8	9.2	5.6	2.0
13 15	30.105	60.21	90.31	120.42	150.52	180.63	210.73	240.84	270.94	1806.3	3612.5	5418.8	7225.1	9031.4
16	.103	.21	.31	.41	.51	.62	.72	.82	.92	6.2	2.3	8.4	4.6	0.8
17	.101	.20	.30	.40	.50	.61	.70	.80	.90	6.1	2.0	8.1	4.1	30.2
18	.098	.20	.29	.39	.49	.59	.69	.78	.89	5.9	1.8	7.7	3.6	29.5
19	.096	.19	.29	.38	.48	.58	.67	.77	.87	5.8	1.5	7.4	3.1	8.9
13 20	30.094	60.19	90.28	120.38	150.47	180.57	210.66	240.75	270.85	1805.7	3611.3	5417.0	7222.6	9028.3
21	.092	.19	.28	.37	.46	.56	.65	.73	.83	5.6	1.1	6.6	2.1	7.7
22	.090	.18	.27	.36	.45	.54	.63	.72	.81	5.4	0.8	6.2	1.6	7.1
23	.088	.18	.26	.35	.44	.53	.62	.70	.79	5.3	0.6	5.9	1.1	6.4
24	.086	.17	.26	.34	.43	.51	.60	.69	.77	5.1	0.3	5.5	0.6	5.8
13 25	30.084	60.17	90.25	120.33	150.42	180.50	210.59	240.67	270.76	1805.0	3610.1	5415.1	7220.1	9025.2
26	.082	.17	.25	.33	.41	.49	.58	.65	.74	4.9	09.8	4.7	19.6	4.6
27	.080	.16	.24	.32	.40	.48	.56	.64	.72	4.8	9.6	4.3	9.1	4.0
28	.078	.16	.23	.31	.39	.46	.55	.62	.70	4.6	9.3	4.0	8.7	3.3
29	.076	.15	.23	.30	.38	.45	.53	.61	.68	4.5	9.1	3.6	8.2	2.7
13 30	30.074	60.15	90.22	120.29	150.37	180.44	210.52	240.59	270.66	1804.4	3608.8	5413.2	7217.7	9022.1
31	.072	.15	.21	.28	.36	.43	.51	.57	.64	4.3	8.6	2.8	7.2	1.5
32	.069	.14	.21	.27	.35	.42	.49	.56	.62	4.2	8.3	2.5	6.7	0.8
33	.067	.14	.20	.27	.34	.40	.48	.54	.60	4.0	8.1	2.1	6.1	20.2
34	.065	.13	.20	.26	.33	.39	.46	.52	.58	3.9	7.8	1.8	5.6	19.5
13 35	30.063	60.13	90.19	120.25	150.31	180.38	210.45	240.51	270.57	1803.8	3607.6	5411.4	7215.1	9018.9
36	.061	.13	.19	.24	.30	.37	.43	.49	.55	3.7	7.3	1.0	4.6	8.3
37	.059	.12	.18	.23	.29	.36	.42	.47	.53	3.6	7.1	0.6	4.1	7.7
38	.057	.12	.17	.23	.28	.34	.40	.45	.51	3.4	6.8	10.3	3.6	7.0
39	.055	.11	.16	.22	.27	.33	.39	.44	.49	3.3	6.6	09.9	3.1	6.4
13 40	30.053	60.11	90.16	120.21	150.26	180.32	210.37	240.42	270.47	1803.2	3606.3	5409.5	7212.6	9015.8
41	.051	.11	.15	.20	.25	.31	.36	.40	.45	3.1	6.0	9.1	2.1	5.2
42	.048	.10	.15	.19	.24	.29	.34	.39	.43	2.9	5.8	8.7	1.6	4.5
43	.046	.10	.14	.18	.23	.28	.33	.37	.41	2.8	5.5	8.4	1.1	3.9
44	.044	.09	.13	.17	.22	.26	.31	.35	.39	2.6	5.3	8.0	0.6	3.2
13 45	30.042	60.09	90.13	120.16	150.21	180.25	210.30	240.33	270.38	1802.5	3605.0	5407.6	7210.1	9012.6
46	.040	.08	.12	.16	.20	.24	.28	.32	.36	2.4	4.8	7.2	09.6	2.0
47	.038	.08	.11	.15	.19	.23	.27	.30	.34	2.3	4.5	6.8	9.1	1.3
48	.036	.07	.11	.14	.18	.21	.25	.28	.32	2.1	4.3	6.4	8.6	0.7
49	.033	.07	.10	.13	.17	.20	.24	.27	.30	2.0	4.0	6.0	8.1	10.0
13 50	30.031	60.06	90.09	120.12	150.16	180.19	210.22	240.25	270.28	1801.9	3603.8	5405.6	7207.5	9009.4
51	.029	.06	.09	.11	.15	.18	.21	.23	.26	1.8	3.5	5.2	7.0	8.8
52	.027	.05	.08	.10	.14	.16	.19	.22	.24	1.6	3.3	4.8	6.5	8.1
53	.025	.05	.07	.10	.13	.15	.18	.20	.22	1.5	3.0	4.5	5.9	7.5
54	.023	.04	.07	.09	.12	.13	.16	.18	.20	1.3	2.8	4.1	5.4	6.8
13 55	30.021	60.04	90.06	120.08	150.10	180.12	210.15	240.16	270.19	1801.2	3602.5	5403.7	7204.9	9006.2
56	.019	.04	.06	.07	.09	.11	.13	.15	.17	1.1	2.2	3.3	4.4	5.6
57	.016	.03	.05	.06	.08	.10	.12	.13	.15	1.0	2.0	2.9	3.9	4.9
58	.014	.03	.04	.06	.07	.08	.10	.11	.13	0.8	1.7	2.6	3.4	4.3
59	.012	.02	.04	.05	.06	.07	.09	.10	.11	0.7	1.5	2.2	2.9	3.6
13 60	30.010	60.02	90.03	120.04	150.05	180.06	210.07	240.08	270.09	1800.6	3601.2	5401.8	7202.4	9003.0

Lat.	Latitude 13° to 14°—Meridional arcs.					Latitude 13°—Co-ordinates of curvature.			
	Value of 1''	Sums of seconds for middle latitude 13° 30'		Value of 1'	Continuous sums of minutes from latitude 13° 00'	Longitude.	X	Y	
° /	Meters.	"	Meters.	Meters.	'	Meters.	° /	Meters.	Meters.
13 00	30.729			1843.73			0 1	1 808.1	0.1
1	9	1	30.73	.73	1	1 843.7	0 2	3 616.2	0.2
2	9	2	61.46	.74	2	3 687.5	3	5 424.3	0.5
3	9	3	92.19	.74	3	5 531.2	4	7 232.4	0.9
4	9	4	122.92	.74	4	7 375.0	0 5	9 040.5	1.5
13 05	30.729	5	153.65	1843.74	5	9 218.7	0 6	10 848.6	2.1
6	9	6	184.38	.75	6	11 062.4	7	12 656.7	2.9
7	9	7	215.11	.75	7	12 906.2	8	14 464.8	3.8
8	9	8	245.84	.75	8	14 750.0	9	16 272.9	4.8
9	9	9	276.57	.75	9	16 593.7	0 10	18 081.0	5.9
13 10	30.729	10	307.30	1843.76	10	18 437.5	15	27 121.5	13.3
11	9	1	338.03	.76	1	20 281.2	20	36 162.0	23.7
12	9	2	368.76	.76	2	22 125.0	25	45 202.5	37.0
13	9	3	399.49	.76	3	23 968.8	30	54 243.0	53.2
14	9	4	430.22	.77	4	25 812.5	0 35	63 283.5	72.5
13 15	30.729	15	460.95	1843.77	15	27 656.3	40	72 324.0	94.7
16	30	6	491.68	.77	6	29 500.1	45	81 364.5	119.9
17	0	7	522.41	.77	7	31 343.8	50	90 405.0	148.0
18	0	8	553.14	.78	8	33 187.6	55	99 445.4	179.1
19	0	9	583.87	.78	9	35 031.4	1 00	108 485.9	213.0
13 20	30.730	20	614.60	1843.78	20	36 875.2	05	117 526.3	249.9
21	0	1	645.33	.78	1	38 719.0	10	126 566.7	289.8
22	0	2	676.06	.79	2	40 562.7	15	135 607.1	332.7
23	0	3	706.79	.79	3	42 406.5	20	144 647.5	378.6
24	0	4	737.52	.79	4	44 250.3	1 25	153 687.9	427.4
13 25	30.730	25	768.25	1843.79	25	46 094.1	30	162 728.3	479.1
26	0	6	798.98	.80	6	47 937.9	35	171 768.6	533.8
27	0	7	829.71	.80	7	49 781.7	40	180 809.0	591.6
28	0	8	860.44	.80	8	51 625.5	45	189 849.2	652.1
29	0	9	891.17	.80	9	53 469.3	1 50	198 889.5	715.7
13 30	30.730	30	921.90	1843.81	30	55 313.1	55	207 929.6	782.3
31	0	1	952.63	.81	1	57 156.9	2 00	216 970	852
32	0	2	983.36	.81	2	59 000.8	3 00	325 451	1 917
33	0	3	1 014.09	.81	3	60 844.6	4 00	433 927	3 407
34	0	4	1 044.82	.82	4	62 688.4	5 00	542 396	5 324
13 35	30.730	35	1 075.55	1843.82	35	64 532.2	6 00	650 857	7 666
36	0	6	1 106.28	.82	6	66 376.0	7 00	759 307	10 434
37	0	7	1 137.01	.82	7	68 219.8	8 00	867 746	13 628
38	0	8	1 167.74	.83	8	70 063.6	9 00	976 172	17 248
39	0	9	1 198.47	.83	9	71 907.5	10 00	1 084 583	21 294
13 40	30.731	40	1 229.21	1843.83	40	73 751.3	11 00	1 192 977	25 765
41	1	1	1 259.94	.83	1	75 595.1	12 00	1 301 352	30 661
42	1	2	1 290.67	.84	2	77 439.0	13 00	1 409 708	35 983
43	1	3	1 321.40	.84	3	79 282.8	14 00	1 518 042	41 730
44	1	4	1 352.13	.84	4	81 126.7	15 00	1 626 352	47 903
13 45	30.731	45	1 382.86	1843.84	45	82 970.5	16 00	1 734 637	54 501
46	1	6	1 413.59	.85	6	84 814.3	17 00	1 842 896	61 524
47	1	7	1 444.32	.85	7	86 658.2	18 00	1 951 126	68 972
48	1	8	1 475.05	.85	8	88 502.0	19 00	2 059 326	76 845
49	1	9	1 505.78	.85	9	90 345.9	20 00	2 167 494	85 143
13 50	30.731	50	1 536.51	1843.86	50	92 189.8	21 00	2 275 629	93 865
51	1	1	1 567.24	.86	1	94 033.6	22 00	2 383 729	103 012
52	1	2	1 597.97	.86	2	95 877.5	23 00	2 491 792	112 583
53	1	3	1 628.70	.86	3	97 721.3	24 00	2 599 817	122 578
54	1	4	1 659.43	.87	4	99 565.2	25 00	2 707 801	132 997
13 55	30.731	55	1 690.16	1843.87	55	101 409.1	26 00	2 815 744	143 840
56	1	6	1 720.89	.87	6	103 252.9	27 00	2 923 644	155 107
57	1	7	1 751.62	.87	7	105 096.8	28 00	3 031 498	166 798
58	1	8	1 782.35	.88	8	106 940.7	29 00	3 139 305	178 912
59	1	9	1 813.08	.88	9	108 784.6	30 00	3 247 065	191 448
13 60	30.731	60	1 843.81	1843.88	60	110 628.4			

Lat.	Latitude 14° to 15°—Meridional arcs.					Latitude 14°—Co-ordinates of curvature.			
	Value of 1''	Sums of seconds for middle latitude 14° 30'		Value of 1'	Continuous sums of minutes from latitude 14° 00'	Longitude.	X	Y	
° /	Meters.	"	Meters.	Meters.	'	Meters.	° /	Meters.	Meters.
14 00	30.731			1843.88			0 1	1 800.6	0.1
1	1	1	30.73	.88	1	1 843.9	0 2	3 601.2	0.3
2	1	2	61.47	.89	2	3 687.8	0 3	5 401.8	0.6
3	1	3	92.20	.89	3	5 531.7	0 4	7 202.4	1.0
4	2	4	122.93	.89	4	7 375.6	0 5	9 002.9	1.6
14 05	30.732	5	153.66	1843.89	5	9 219.4	0 6	10 803.5	2.3
6	2	6	184.40	.90	6	11 063.3	0 7	12 604.1	3.1
7	2	7	215.13	.90	7	12 907.2	0 8	14 404.7	4.1
8	2	8	245.86	.90	8	14 751.1	0 9	16 205.3	5.1
9	2	9	276.59	.91	9	16 595.0			
14 10	30.732	10	307.33	1843.91	10	18 438.9	0 10	18 005.9	6.3
11	2	1	338.06	.91	1	20 282.9	0 15	27 008.8	14.2
12	2	2	368.79	.91	2	22 126.8	0 20	36 011.8	25.3
13	2	3	399.52	.92	3	23 970.7	0 25	45 014.7	39.6
14	2	4	430.26	.92	4	25 814.6	0 30	54 017.7	57.0
14 15	30.732	15	460.99	1843.92	15	27 658.5	0 35	63 020.6	77.6
16	2	6	491.72	.92	6	29 502.5	0 40	72 023.5	101.4
17	2	7	522.46	.93	7	31 346.4	0 45	81 026.4	128.3
18	2	8	553.19	.93	8	33 190.3	0 50	90 029.3	158.4
19	2	9	583.92	.93	9	35 034.3	0 55	99 032.2	191.7
14 20	30.732	20	614.65	1843.93	20	36 878.2	1 00	108 035.1	228.1
21	2	1	645.39	.94	1	38 722.1	1 05	117 037.9	267.7
22	2	2	676.12	.94	2	40 566.1	1 10	126 040.8	310.4
23	2	3	706.85	.94	3	42 410.0	1 15	135 043.6	356.4
24	2	4	737.58	.94	4	44 254.0	1 20	144 046.4	405.5
14 25	30.732	25	768.32	1843.95	25	46 097.9	1 25	153 049.2	457.7
26	2	6	799.05	.95	6	47 941.9	1 30	162 052.0	513.2
27	3	7	829.78	.95	7	49 785.8	1 35	171 054.8	571.8
28	3	8	860.52	.96	8	51 629.8	1 40	180 057.5	633.6
29	3	9	891.25	.96	9	53 473.7	1 45	189 060.2	698.5
14 30	30.733	30	921.98	1843.96	30	55 317.7	1 50	198 062.9	766.6
31	3	1	952.71	.96	1	57 161.6	1 55	207 065.6	837.9
32	3	2	983.45	.97	2	59 005.6	2 00	216 068	912
33	3	3	1 014.18	.97	3	60 849.5	2 05	225 070.8	987.9
34	3	4	1 044.91	.97	4	62 693.5	2 10	234 073.6	1063.8
14 35	30.733	35	1 075.64	1843.97	35	64 537.5	2 15	243 076.4	1140.7
36	3	6	1 106.38	.98	6	66 381.5	2 20	252 079.2	1216.6
37	3	7	1 137.11	.98	7	68 225.4	2 25	261 082.0	1292.5
38	3	8	1 167.84	.98	8	70 069.4	2 30	270 084.8	1368.4
39	3	9	1 198.57	.98	9	71 913.4	2 35	279 087.6	1444.3
14 40	30.733	40	1 229.31	1843.99	40	73 757.4	2 40	288 090.4	1520.2
41	3	1	1 260.04	.99	1	75 601.4	2 45	297 093.2	1596.1
42	3	2	1 290.77	.99	2	77 445.4	2 50	306 096.0	1672.0
43	3	3	1 321.51	3.99	3	79 289.4	2 55	315 098.8	1747.9
44	3	4	1 352.24	.4.00	4	81 133.4	3 00	324 101.6	1823.8
14 45	30.733	45	1 382.97	1844.00	45	82 977.3	3 05	333 104.4	1900.7
46	3	6	1 413.70	.00	6	84 821.4	3 10	342 107.2	1976.6
47	3	7	1 444.44	.00	7	86 665.4	3 15	351 110.0	2052.5
48	3	8	1 475.17	.01	8	88 509.4	3 20	360 112.8	2128.4
49	3	9	1 505.90	.01	9	90 353.4	3 25	369 115.6	2204.3
14 50	30.734	50	1 536.63	1844.01	50	92 197.4	3 30	378 118.4	2280.2
51	4	1	1 567.37	.01	1	94 041.4	3 35	387 121.2	2356.1
52	4	2	1 598.10	.02	2	95 885.4	3 40	396 124.0	2432.0
53	4	3	1 628.83	.02	3	97 729.4	3 45	405 126.8	2507.9
54	4	4	1 659.57	.02	4	99 573.5	3 50	414 129.6	2583.8
14 55	30.734	55	1 690.30	1844.02	55	101 417.5	3 55	423 132.4	2659.7
56	4	6	1 721.03	.03	6	103 261.5	4 00	432 135.2	2735.6
57	4	7	1 751.76	.03	7	105 105.5	4 05	441 138.0	2811.5
58	4	8	1 782.50	.03	8	106 949.6	4 10	450 140.8	2887.4
59	4	9	1 813.23	.04	9	108 793.6	4 15	459 143.6	2963.3
14 60	30.734	60	1 843.96	1844.04	60	110 637.6	4 20	468 146.4	3039.2

Latitude 15° to 16°—Arcs of the parallel in meters.

Lat.	1''	2''	3''	4''	5''	6''	7''	8''	9''	1'	2'	3'	4'	5'
15 00	29.876	59.75	89.63	119.50	149.38	179.25	209.13	239.00	268.88	1792.5	3585.1	5377.6	7170.1	8962.7
01	.873	.75	.62	.49	.37	.24	.11	8.98	.86	2.4	4.8	7.2	69.6	2.0
02	.871	.74	.61	.48	.36	.22	.10	8.96	.84	2.2	4.5	6.8	9.0	1.3
03	.869	.74	.61	.47	.34	.21	.08	8.95	.82	2.1	4.3	6.3	8.4	60.6
04	.866	.73	.60	.46	.33	.19	.07	8.93	.80	1.9	4.0	5.9	7.9	59.9
15 05	29.864	59.73	89.59	119.45	149.32	179.18	209.05	238.91	268.77	1791.8	3583.7	5375.5	7167.3	8959.2
06	.862	.72	.59	.45	.31	.17	.03	8.89	.75	1.7	3.4	5.1	6.8	8.5
07	.859	.72	.58	.44	.30	.15	.02	8.87	.73	1.5	3.1	4.7	6.2	7.8
08	.857	.71	.57	.43	.28	.14	9.00	.86	.71	1.4	2.9	4.2	5.7	7.1
09	.855	.71	.56	.42	.27	.12	8.99	.84	.69	1.2	2.6	3.8	5.1	6.4
15 10	29.852	59.70	89.56	119.41	149.26	179.11	208.97	238.82	268.67	1791.1	3582.3	5373.4	7164.6	8955.7
11	.850	.70	.55	.40	.25	.10	.95	.80	.65	1.0	2.0	3.0	4.0	5.0
12	.848	.69	.54	.39	.24	.08	.94	.78	.63	0.8	1.7	2.6	3.4	4.3
13	.845	.69	.54	.38	.22	.07	.92	.76	.61	0.7	1.5	2.1	2.9	3.6
14	.843	.68	.53	.37	.21	.05	.90	.74	.59	0.5	1.2	1.7	2.3	2.9
15 15	29.841	59.68	89.52	119.36	149.20	179.04	208.89	238.72	268.56	1790.4	3580.9	5371.3	7161.7	8952.2
16	.838	.68	.52	.35	.19	.03	.87	.71	.54	0.3	0.6	0.9	1.1	1.5
17	.836	.67	.51	.34	.18	.01	.85	.69	.52	0.1	0.3	0.5	0.6	0.8
18	.833	.67	.50	.33	.16	9.00	.83	.67	.50	90.0	80.0	70.0	60.0	50.0
19	.831	.66	.49	.32	.15	8.98	.82	.65	.48	89.8	79.7	69.6	59.5	49.3
15 20	29.829	59.66	89.49	119.31	149.14	178.97	208.80	238.63	268.46	1789.7	3579.4	5369.2	7158.9	8948.6
21	.826	.66	.48	.30	.13	.96	.78	.61	.44	9.6	9.1	8.8	8.3	7.9
22	.824	.65	.47	.29	.12	.94	.77	.59	.42	9.4	8.8	8.3	7.7	7.2
23	.821	.65	.46	.28	.11	.93	.75	.57	.40	9.3	8.6	7.9	7.2	6.4
24	.819	.64	.46	.27	.10	.91	.74	.55	.38	9.1	8.3	7.4	6.6	5.7
15 25	29.817	59.64	89.45	119.26	149.08	178.90	208.72	238.54	268.35	1789.0	3578.0	5367.0	7156.0	8945.0
26	.814	.63	.44	.26	.07	.89	.70	.52	.33	8.9	7.7	6.6	5.4	4.3
27	.812	.63	.44	.25	.06	.87	.69	.50	.31	8.7	7.4	6.2	4.9	3.6
28	.810	.62	.43	.24	.05	.86	.67	.48	.29	8.6	7.2	5.7	4.3	2.9
29	.807	.62	.42	.23	.04	.84	.66	.46	.27	8.4	6.9	5.3	3.8	2.2
15 30	29.805	59.61	89.42	119.21	149.03	178.83	208.64	238.44	268.25	1788.3	3576.6	5364.9	7153.2	8941.5
31	.803	.61	.41	.21	.02	.82	.62	.42	.23	8.2	6.3	4.5	2.6	0.8
32	.800	.60	.40	.20	9.01	.80	.61	.40	.21	8.0	6.0	4.0	2.0	40.1
33	.798	.60	.39	.19	8.99	.79	.59	.38	.18	7.9	5.8	3.6	1.5	39.3
34	.795	.59	.39	.18	8.98	.77	.57	.36	.16	7.7	5.5	3.1	0.9	8.6
15 35	29.793	59.59	89.38	119.17	148.97	178.76	208.55	238.35	268.14	1787.6	3575.2	5362.7	7150.5	8937.9
36	.791	.58	.37	.16	.96	.75	.54	.33	.12	7.5	4.9	2.3	49.7	7.2
37	.788	.58	.36	.15	.95	.73	.52	.31	.10	7.3	4.6	1.9	9.1	6.5
38	.786	.57	.36	.14	.93	.72	.50	.29	.07	7.2	4.3	1.4	8.6	5.7
39	.783	.57	.35	.13	.92	.70	.49	.27	.05	7.0	4.0	1.0	8.0	5.0
15 40	29.781	59.56	89.34	119.12	148.91	178.69	208.47	238.25	268.03	1786.9	3573.7	5360.6	7147.4	8934.3
41	.779	.56	.34	.11	.90	.67	.45	.23	8.01	6.7	3.4	60.2	6.8	3.6
42	.776	.55	.33	.10	.88	.66	.44	.21	7.99	6.6	3.1	59.7	6.2	2.8
43	.774	.55	.32	.09	.87	.64	.42	.19	7.96	6.4	2.9	9.3	5.7	2.1
44	.771	.54	.31	.08	.86	.63	.40	.17	7.94	6.3	2.6	8.8	5.1	1.3
15 45	29.769	59.54	89.31	119.07	148.84	178.61	208.39	238.15	267.92	1786.1	3572.3	5358.4	7144.5	8930.6
46	.766	.53	.30	.07	.83	.60	.37	.13	.90	6.0	2.0	8.0	3.9	29.9
47	.764	.53	.29	.06	.82	.58	.35	.11	.88	5.8	1.7	7.5	3.3	9.2
48	.761	.52	.28	.05	.81	.57	.33	.09	.85	5.7	1.4	7.1	2.8	8.4
49	.759	.52	.28	.04	.79	.55	.32	.07	.83	5.5	1.1	6.6	2.2	7.7
15 50	29.757	59.51	89.27	119.03	148.78	178.54	208.30	238.05	267.81	1785.4	3570.8	5356.2	7141.6	8927.0
51	.754	.51	.26	.02	.77	.53	.28	.03	.79	5.3	0.5	5.8	1.0	6.3
52	.752	.50	.26	.01	.76	.51	.27	8.01	.77	5.1	70.2	5.3	40.4	5.5
53	.749	.50	.25	9.00	.74	.50	.25	7.99	.74	5.0	69.9	4.9	39.9	4.8
54	.747	.49	.24	8.99	.73	.48	.23	.97	.72	4.8	9.6	4.4	9.3	4.0
15 55	29.744	59.49	89.23	118.98	148.72	178.47	208.22	237.96	267.70	1784.7	3569.3	5354.0	7138.7	8923.3
56	.742	.48	.23	.97	.71	.45	.20	.94	.68	4.5	9.0	3.6	8.1	2.6
57	.740	.48	.22	9.96	.70	.44	.18	.92	.66	4.4	8.7	3.1	7.5	1.9
58	.737	.47	.21	9.95	.68	.42	.16	.90	.63	4.2	8.5	2.7	6.9	1.1
59	.735	.47	.20	9.94	.67	.41	.15	.88	.61	4.1	8.2	2.2	6.3	20.4
15 60	29.732	59.46	89.20	118.93	148.66	178.39	208.13	237.86	267.59	1783.9	3567.9	5351.8	7135.7	8919.7

Lat.	Latitude 15° to 16°—Meridional arcs.					Latitude 15°—Co-ordinates of curvature.			
	Value of 1''	Sums of seconds for middle latitude 15° 30'		Value of 1'	Continuous sums of minutes from latitude 15° 00'		Longitude.	X	Y
° /	Meters.	''	Meters.	Meters.	'	Meters.	° /	Meters.	Meters.
15 00	30.734			1844.04					
1	4	1	30.74	.04	1	1 844.0	0 1	1 792.5	0.1
2	4	2	61.47	.05	2	3 688.1	0 2	3 585.1	0.3
3	4	3	92.21	.05	3	5 532.1	0 3	5 377.6	0.6
4	4	4	122.94	.05	4	7 376.2	0 4	7 170.1	1.1
15 05	30.734	5	153.68	1844.05	5	9 220.2	0 5	8 962.7	1.7
6	4	6	184.41	.06	6	11 064.3	0 6	10 755.2	2.4
7	4	7	215.15	.06	7	12 908.4	0 7	12 547.7	3.3
8	4	8	245.88	.06	8	14 752.4	0 8	14 340.2	4.3
9	4	9	276.62	.06	9	16 596.5	0 9	16 132.8	5.5
15 10	30.734	10	307.35	1844.07	10	18 440.6	0 10	17 925.3	6.8
11	5	1	338.09	.07	1	20 284.6	0 15	26 887.9	15.2
12	5	2	368.82	.07	2	22 128.7	0 20	35 850.6	27.0
13	5	3	399.56	.08	3	23 972.8	0 25	44 813.2	42.2
14	5	4	430.30	.08	4	25 816.9	0 30	53 775.9	60.7
15 15	30.735	15	461.03	1844.08	15	27 660.9	0 35	62 738.5	82.7
16	5	6	491.77	.08	6	29 505.0	0 40	71 701.2	108.0
17	5	7	522.50	.09	7	31 349.1	0 45	80 663.8	136.7
18	5	8	553.24	.09	8	33 193.2	0 50	89 626.4	168.7
19	5	9	583.97	.09	9	35 037.3	0 55	98 589.0	204.1
15 20	30.735	20	614.71	1844.10	20	36 881.4	1 00	107 551.6	242.9
21	5	1	645.44	.10	1	38 725.5	1 05	116 514.1	285.1
22	5	2	676.18	.10	2	40 569.6	1 10	125 476.6	330.7
23	5	3	706.91	.10	3	42 413.7	1 15	134 439.2	379.6
24	5	4	737.65	.11	4	44 257.8	1 20	143 401.7	431.9
15 25	30.735	25	768.39	1844.11	25	46 101.9	1 25	152 364.2	487.5
26	5	6	799.12	.11	6	47 946.0	1 30	161 326.6	546.6
27	5	7	829.86	.12	7	49 790.1	1 35	170 289.1	609.0
28	5	8	860.59	.12	8	51 634.3	1 40	179 251.5	674.8
29	5	9	891.33	.12	9	53 478.4	1 45	188 213.9	743.9
15 30	30.735	30	922.06	1844.12	30	55 322.5	1 50	197 176.3	816.5
31	5	1	952.80	.13	1	57 166.6	1 55	206 138.6	892.4
32	5	2	983.53	.13	2	59 010.8	2 00	215 101	972
33	6	3	1 014.27	.13	3	60 854.9	2 05	322 646	2 186
34	6	4	1 045.00	.13	4	62 699.0	2 10	430 184	3 887
15 35	30.736	35	1 075.74	1844.14	35	64 543.2	2 15	537 713	6 072
36	6	6	1 106.47	.14	6	66 387.3	2 20	645 232	8 744
37	6	7	1 137.21	.14	7	68 231.4	2 25	752 738	11 901
38	6	8	1 167.95	.15	8	70 075.6	2 30	860 228	15 545
39	6	9	1 198.68	.15	9	71 919.7	2 35	967 701	19 674
15 40	30.736	40	1 229.42	1844.15	40	73 763.9	2 40	1 075 153	24 288
41	6	1	1 260.15	.15	1	75 608.0	2 45	1 182 584	29 387
42	6	2	1 290.89	.16	2	77 452.2	2 50	1 289 991	34 972
43	6	3	1 321.62	.16	3	79 296.3	2 55	1 397 371	41 042
44	6	4	1 352.36	.16	4	81 140.5	3 00	1 504 723	47 597
15 45	30.736	45	1 383.09	1844.17	45	82 984.6	3 05	1 612 046	54 636
46	6	6	1 413.83	.17	6	84 828.8	3 10	1 719 333	62 160
47	6	7	1 444.56	.17	7	86 673.0	3 15	1 826 586	70 169
48	6	8	1 475.30	.17	8	88 517.2	3 20	1 933 802	78 662
49	6	9	1 506.03	.18	9	90 361.3	3 25	2 040 978	87 639
15 50	30.736	50	1 536.77	1844.18	50	92 205.5	3 30	2 148 113	97 101
51	6	1	1 567.51	.18	1	94 049.7	3 35	2 255 204	107 047
52	6	2	1 598.24	.19	2	95 893.9	3 40	2 362 248	117 476
53	6	3	1 628.98	.19	3	97 738.1	3 45	2 469 245	128 388
54	7	4	1 659.71	.19	4	99 582.3	3 50	2 576 192	139 784
15 55	30.737	55	1 690.45	1844.19	55	101 426.5	3 55	2 683 086	151 663
56	7	6	1 721.18	.20	6	103 270.6	4 00	2 789 925	164 024
57	7	7	1 751.92	.20	7	105 114.8	4 05	2 896 768	176 868
58	7	8	1 782.65	.20	8	106 959.0	4 10	3 003 430	190 194
59	7	9	1 813.39	.20	9	108 803.3	4 15	3 110 091	204 003
15 60	30.737	60	1 844.12	1844.21	60	110 647.5	4 20	3 216 690	218 294

Latitude 16° to 17°—Arcs of the parallel in meters.														
Lat.	1"	2"	3"	4"	5"	6"	7"	8"	9"	1'	2'	3'	4'	5'
16 00	29.732	59.46	89.20	118.93	148.66	178.39	208.13	237.86	267.59	1783.9	3567.9	5351.8	7135.7	8919.7
1	.730	.46	.19	.92	.65	.38	.11	.84	.57	3.8	7.6	1.4	5.1	8.9
2	.727	.45	.18	.91	.64	.36	.09	.82	.55	3.6	7.3	0.9	4.5	8.2
3	.725	.45	.17	.90	.62	.35	.08	.80	.53	3.5	7.0	0.5	3.9	7.4
4	.722	.44	.17	.89	.61	.33	.06	.78	.51	3.3	6.7	50.0	3.3	6.7
16 05	29.720	59.44	89.16	118.88	148.60	178.32	208.04	237.76	267.48	1783.2	3566.4	5349.6	7132.7	8915.9
6	.717	.43	.15	.87	.59	.30	.02	.74	.46	3.0	6.1	9.1	2.1	5.2
7	.715	.43	.14	.86	.58	.29	8.00	.72	.44	2.9	5.8	8.7	1.5	4.4
8	.712	.42	.14	.85	.56	.27	7.99	.70	.41	2.7	5.5	8.2	1.0	3.7
9	.710	.42	.13	.84	.55	.26	.97	.68	.39	2.6	5.2	7.8	30.4	2.9
16 10	29.707	59.41	89.12	118.83	148.54	178.24	207.95	237.66	267.37	1782.4	3564.9	5347.3	7129.8	8912.2
11	.705	.41	.11	.82	.53	.23	.93	.64	.35	2.3	4.6	6.9	9.2	1.5
12	.702	.40	.11	.81	.51	.21	.92	.62	.32	2.1	4.3	6.4	8.6	0.7
13	.700	.40	.10	.80	.50	.20	.90	.60	.30	2.0	4.0	6.0	8.0	10.0
14	.697	.39	.09	.79	.49	.18	.88	.58	.28	1.8	3.7	5.5	7.4	09.2
16 15	29.695	59.39	89.08	118.78	148.47	178.17	207.87	237.56	267.26	1781.7	3563.4	5345.1	7126.8	8908.5
16	.692	.38	.08	.77	.46	.15	.85	.54	.23	1.5	3.1	4.6	6.2	7.7
17	.690	.38	.07	.76	.45	.14	.83	.52	.21	1.4	2.8	4.2	5.6	7.0
18	.687	.37	.06	.75	.44	.12	.81	.50	.19	1.2	2.5	3.7	5.0	6.2
19	.685	.37	.06	.74	.42	.11	.80	.48	.16	1.1	2.2	3.3	4.4	5.5
16 20	29.682	59.36	89.05	118.73	148.41	178.09	207.78	237.46	267.14	1780.9	3561.9	5342.8	7123.8	8904.7
21	.680	.36	.04	.72	.40	.08	.76	.44	.12	0.8	1.6	2.4	3.2	3.9
22	.677	.35	.03	.71	.39	.06	.74	.42	.09	0.6	1.3	1.9	2.6	3.1
23	.675	.35	.02	.70	.37	.05	.73	.40	.07	0.5	1.0	1.5	1.9	2.4
24	.672	.34	.02	.69	.36	.03	.71	.38	.05	0.3	0.7	1.0	1.3	1.6
16 25	29.669	59.34	89.01	118.68	148.35	178.02	207.69	237.36	267.02	1780.2	3560.4	5340.1	7120.7	8900.8
26	.667	.33	9.00	.67	.34	8.00	.67	.34	7.00	80.0	60.1	40.1	20.1	900.0
27	.664	.33	8.99	.66	.33	7.99	.65	.32	6.98	79.9	59.8	39.7	19.5	899.3
28	.662	.32	.99	.65	.31	.97	.64	.30	.96	9.7	9.5	9.2	8.9	8.6
29	.660	.32	.98	.64	.30	.96	.62	.28	.93	9.6	9.2	8.8	8.3	7.9
16 30	29.657	59.31	88.97	118.63	148.29	177.94	207.60	237.26	266.91	1779.4	3558.9	5338.3	7117.7	8897.1
31	.654	.31	.96	.62	.28	.93	.58	.24	.89	9.3	8.6	7.8	7.1	6.3
32	.652	.30	.96	.61	.26	.91	.56	.22	.86	9.1	8.3	7.4	6.5	5.6
33	.649	.30	.95	.60	.25	.90	.55	.20	.84	9.0	7.9	6.9	5.8	4.8
34	.647	.29	.94	.59	.24	.88	.53	.18	.82	8.8	7.6	6.5	5.2	4.1
16 35	29.644	59.29	88.93	118.58	148.22	177.87	207.51	237.15	266.79	1778.7	3557.3	5336.0	7114.6	8893.3
36	.642	.28	.92	.57	.21	.85	.49	.13	.77	8.5	7.0	5.5	4.0	2.5
37	.639	.28	.92	.56	.20	.84	.47	.11	.75	8.4	6.7	5.1	3.4	1.8
38	.637	.27	.91	.55	.19	.82	.46	.09	.73	8.2	6.4	4.6	2.8	1.0
39	.634	.27	.90	.54	.17	.81	.44	.07	.70	8.1	6.1	4.2	2.2	90.3
16 40	29.632	59.26	88.89	118.53	148.16	177.79	207.42	237.05	266.68	1777.9	3555.8	5333.7	7111.6	8889.5
41	.629	.26	.89	.52	.15	.77	.40	.03	.66	7.7	5.5	3.2	1.0	8.7
42	.626	.25	.88	.51	.13	.76	.38	7.01	.63	7.6	5.2	2.8	10.4	7.9
43	.624	.25	.87	.50	.12	.74	.37	6.99	.61	7.4	4.8	2.3	09.7	7.2
44	.621	.24	.86	.49	.11	.73	.35	.97	.59	7.3	4.5	1.9	9.1	6.4
16 45	29.619	59.24	88.86	118.47	148.09	177.71	207.33	236.95	266.56	1777.1	3554.2	5331.4	7108.5	8885.6
46	.616	.23	.85	.46	.08	.70	.31	.93	.54	7.0	3.9	0.9	7.9	4.8
47	.614	.23	.84	.45	.07	.68	.29	.91	.52	6.8	3.6	0.5	7.3	4.1
48	.611	.22	.83	.44	.06	.67	.28	.89	.50	6.7	3.3	30.0	6.6	3.3
49	.609	.22	.83	.43	.04	.65	.26	.87	.47	6.5	3.0	29.6	6.0	2.6
16 50	29.606	59.21	88.82	118.42	148.03	177.64	207.24	236.85	266.45	1776.4	3552.7	5329.1	7105.4	8881.8
51	.603	.21	.81	.41	.02	.62	.22	.83	.43	6.2	2.4	8.6	4.8	1.0
52	.601	.20	.80	.40	8.00	.61	.20	.81	.40	6.1	2.1	8.1	4.2	80.2
53	.598	.20	.79	.39	7.99	.59	.19	.79	.38	5.9	1.7	7.7	3.5	79.4
54	.595	.19	.79	.38	.98	.58	.17	.77	.36	5.8	1.4	7.2	2.9	8.6
16 55	29.593	59.19	88.78	118.37	147.96	177.56	207.15	236.74	266.33	1775.6	3551.1	5326.7	7102.3	8877.8
56	.590	.18	.77	.36	.95	.54	.13	.72	.31	5.4	0.8	6.2	1.7	7.0
57	.587	.18	.76	.35	.94	.53	.11	.70	.29	5.3	0.5	5.8	1.1	6.2
58	.585	.17	.76	.34	.93	.51	.10	.68	.27	5.1	50.2	5.3	100.4	5.5
59	.582	.17	.75	.33	.91	.50	.08	.66	.24	5.0	49.9	4.9	999.8	4.7
16 60	29.580	59.16	88.74	118.32	147.90	177.48	207.06	236.64	266.22	1774.8	3549.6	5324.4	7099.2	8873.9

Lat.	Latitude 16° to 17°—Meridional arcs.					Latitude 16°—Co-ordinates of curvature.		
	Value of 1''	Sums of seconds for middle latitude 16° 30'		Value of 1'	Continuous sums of minutes from latitude 16° 00'	Longitude.	X	Y
	Meters.	"	Meters.	Meters.	'	Meters.	Meters.	Meters.
16 00	30.737			1844.21				
1	7	1	30.74	.21	1	1 844.2	0 1	0.1
2	7	2	61.48	.21	2	3 688.4	0 2	0.3
3	7	3	92.21	.22	3	5 532.6	0 3	0.6
4	7	4	122.95	.22	4	7 376.9	0 4	1.1
16 05	30.737	5	153.69	1844.22	5	9 221.1	0 5	1.8
6	7	6	184.43	.23	6	11 065.3	0 6	2.6
7	7	7	215.17	.23	7	12 909.5	0 7	3.5
8	7	8	245.91	.23	8	14 753.7	0 8	4.6
9	7	9	276.64	.23	9	16 598.0	0 9	5.8
16 10	30.737	10	307.38	1844.24	10	18 442.2	0 10	7.2
11	7	1	338.12	.24	1	20 286.5	0 15	16.1
12	7	2	368.86	.24	2	22 130.7	0 20	28.6
13	7	3	399.60	.25	3	23 975.0	0 25	44.7
14	7	4	430.34	.25	4	25 819.2	0 30	64.4
16 15	30.738	15	461.07	1844.25	15	27 663.5	0 35	87.6
16	8	6	491.81	.26	6	29 507.7	0 40	114.4
17	8	7	522.55	.26	7	31 352.0	0 45	144.8
18	8	8	553.29	.26	8	33 196.3	0 50	178.8
19	8	9	584.03	.26	9	35 040.5	0 55	216.4
16 20	30.738	20	614.77	1844.27	20	36 884.8	1 00	257.5
21	8	1	645.50	.27	1	38 729.1	1 05	302.2
22	8	2	676.24	.27	2	40 573.3	1 10	350.4
23	8	3	706.98	.28	3	42 417.6	1 15	402.3
24	8	4	737.72	.28	4	44 261.9	1 20	457.7
16 25	30.738	25	768.46	1844.28	25	46 106.2	1 25	516.7
26	8	6	799.20	.28	6	47 950.5	1 30	579.3
27	8	7	829.93	.29	7	49 794.7	1 35	645.4
28	8	8	860.67	.29	8	51 639.0	1 40	715.2
29	8	9	891.41	.29	9	53 483.3	1 45	788.5
16 30	30.738	30	922.15	1844.30	30	55 327.6	1 50	865.4
31	8	1	952.89	.30	1	57 171.9	1 55	945.8
32	8	2	983.63	.30	2	59 016.2	2 00	1 030
33	8	3	1 014.36	.31	3	60 860.5	2 05	1 117
34	8	4	1 045.10	.31	4	62 704.8	2 10	1 207
16 35	30.739	35	1 075.84	1844.31	35	64 549.2	2 15	1 299
36	9	6	1 106.58	.31	6	66 393.5	2 20	1 394
37	9	7	1 137.32	.32	7	68 237.8	2 25	1 491
38	9	8	1 168.06	.32	8	70 082.1	2 30	1 589
39	9	9	1 198.79	.32	9	71 926.4	2 35	1 689
16 40	30.739	40	1 229.53	1844.33	40	73 770.8	2 40	1 790
41	9	1	1 260.27	.33	1	75 615.1	2 45	1 892
42	9	2	1 291.01	.33	2	77 459.4	2 50	1 996
43	9	3	1 321.75	.34	3	79 303.8	2 55	2 101
44	9	4	1 352.48	.34	4	81 148.1	3 00	2 208
16 45	30.739	45	1 383.22	1844.34	45	82 992.4	3 05	2 316
46	9	6	1 413.96	.34	6	84 836.8	3 10	2 426
47	9	7	1 444.70	.35	7	86 681.1	3 15	2 537
48	9	8	1 475.44	.35	8	88 525.5	3 20	2 649
49	9	9	1 506.18	.35	9	90 369.8	3 25	2 763
16 50	30.739	50	1 536.91	1844.36	50	92 214.2	3 30	2 878
51	9	1	1 567.65	.36	1	94 058.5	3 35	2 995
52	9	2	1 598.39	.36	2	95 902.9	3 40	3 113
53	9	3	1 629.13	.36	3	97 747.2	3 45	3 233
54	39	4	1 659.87	.37	4	99 591.6	3 50	3 354
16 55	30.740	55	1 690.61	1844.37	55	101 436.0	3 55	3 476
56	0	6	1 721.34	.37	6	103 280.3	4 00	3 600
57	0	7	1 752.08	.38	7	105 124.7	4 05	3 726
58	0	8	1 782.82	.38	8	106 969.1	4 10	3 853
59	0	9	1 813.56	.38	9	108 813.5	4 15	3 982
16 60	30.740	60	1 844.30	1844.39	60	110 657.8	4 20	4 113

Latitude 17° to 18°—Arcs of the parallel in meters.

Lat.	1"	2"	3"	4"	5"	6"	7"	8"	9"	1'	2'	3'	4'	5'
17 00	29.580	59.16	88.74	118.32	147.90	177.48	207.06	236.64	266.22	1774.8	3549.6	5324.4	7099.2	8873.9
1	.577	.16	.73	.31	.89	.46	.04	.62	.20	4.6	9.3	3.9	8.6	3.1
2	.574	.15	.72	.30	.87	.45	.02	.60	.17	4.5	9.0	3.4	7.9	2.3
3	.572	.15	.72	.29	.86	.43	7.01	.58	.15	4.3	8.6	3.0	7.3	1.6
4	.569	.14	.71	.28	.85	.42	6.99	.56	.12	4.2	8.3	2.5	6.6	0.8
17 05	29.567	59.14	88.70	118.26	147.83	177.40	206.97	236.53	266.10	1774.0	3548.0	5322.0	7096.0	8870.0
6	.564	.13	.69	.25	.82	.38	.95	.51	.08	3.8	7.7	1.5	5.4	69.2
7	.561	.13	.68	.24	.81	.37	.93	.49	.05	3.7	7.4	1.0	4.8	8.4
8	.559	.12	.68	.23	.80	.35	.92	.47	.03	3.5	7.0	0.6	4.1	7.7
9	.556	.12	.67	.22	.78	.34	.90	.45	6.00	3.4	6.7	20.1	3.5	6.9
17 10	29.554	59.11	88.66	118.21	147.77	177.32	206.88	236.43	5.98	1773.2	3546.4	5319.6	7092.9	8866.1
11	.551	.10	.65	.20	.76	.30	.86	.41	.96	3.0	6.1	9.1	2.3	5.3
12	.548	.10	.64	.19	.74	.29	.84	.39	.93	2.9	5.8	8.7	1.6	4.5
13	.546	.09	.64	.18	.73	.27	.82	.37	.91	2.7	5.4	8.2	1.0	3.7
14	.543	.09	.63	.17	.72	.26	.80	.35	.88	2.6	5.1	7.8	90.3	2.9
17 15	29.540	59.08	88.62	118.16	147.70	177.24	206.79	236.32	265.86	1772.4	3544.8	5317.3	7089.7	8862.1
16	.538	.07	.61	.15	.69	.22	.77	.30	.84	2.2	4.5	6.8	9.1	1.3
17	.535	.07	.60	.14	.68	.21	.75	.28	.81	2.1	4.2	6.3	8.4	60.5
18	.532	.06	.60	.13	.67	.19	.73	.26	.79	1.9	3.8	5.9	7.8	59.7
19	.530	.06	.59	.12	.65	.18	.71	.24	.77	1.8	3.5	5.4	7.1	8.9
17 20	29.527	59.05	88.58	118.11	147.64	177.16	206.69	236.22	265.74	1771.6	3543.2	5314.9	7086.5	8858.1
21	.524	.05	.57	.10	.63	.14	.67	.20	.72	1.4	2.9	4.4	5.9	7.3
22	.522	.04	.56	.09	.61	.13	.65	.18	.69	1.3	2.6	3.9	5.2	6.5
23	.519	.04	.56	.08	.60	.11	.63	.15	.67	1.1	2.2	3.5	4.6	5.7
24	.516	.03	.55	.07	.58	.10	.61	.13	.64	1.0	1.9	3.0	3.9	4.9
17 25	29.514	59.03	88.54	118.05	147.57	177.08	206.60	236.11	265.62	1770.8	3541.6	5312.5	7083.3	8854.1
26	.511	.02	.53	.04	.56	.06	.58	.09	.60	0.6	1.3	2.1	2.7	3.3
27	.508	.02	.52	.03	.54	.05	.56	.07	.57	0.5	1.0	1.6	2.0	2.5
28	.506	.01	.52	.02	.53	.03	.54	.04	.55	0.3	0.6	1.1	1.4	1.7
29	.503	.01	.51	.01	.51	.02	.52	.02	.52	0.2	0.3	0.6	0.7	0.9
17 30	29.500	59.00	88.50	118.00	147.50	177.00	206.50	236.00	265.50	1770.0	3540.0	5310.1	7080.1	8850.1
31	.498	9.00	.49	7.99	.49	6.98	.48	5.98	.48	69.8	39.7	09.6	79.4	49.3
32	.495	8.99	.48	7.98	.47	6.97	.46	5.96	.45	9.7	9.4	9.1	8.8	8.5
33	.492	.99	.48	7.97	.46	6.95	.44	5.94	.43	9.5	9.0	8.6	8.1	7.6
34	.489	.98	.47	7.96	.45	6.94	.42	5.92	.40	9.4	8.7	8.1	7.5	6.8
17 35	29.487	58.98	88.46	117.94	147.43	176.92	206.41	235.89	265.38	1769.2	3538.4	5307.6	7076.8	8846.0
36	.484	.97	.45	7.93	.42	6.90	.39	5.87	.36	9.0	8.1	7.1	6.2	5.2
37	.481	.97	.44	7.92	.41	6.89	.37	5.85	.33	8.9	7.8	6.6	5.5	4.4
38	.479	.96	.44	7.91	.40	6.87	.35	5.83	.31	8.7	7.4	6.2	4.9	3.6
39	.476	.96	.43	7.90	.38	6.86	.33	5.81	.28	8.6	7.1	5.7	4.2	2.8
17 40	29.473	58.95	88.42	117.89	147.37	176.84	206.31	235.79	265.26	1768.4	3536.8	5305.2	7073.6	8842.0
41	.471	.94	.41	7.88	.36	6.82	.29	5.77	.24	8.2	6.5	4.7	2.9	1.2
42	.468	.94	.40	7.87	.34	6.81	.27	5.75	.21	8.1	6.2	4.2	2.3	40.4
43	.465	.93	.40	7.86	.33	6.79	.25	5.72	.19	7.9	5.8	3.7	1.6	39.5
44	.462	.93	.39	7.85	.31	6.78	.23	5.70	.16	7.8	5.5	3.2	1.0	8.7
17 45	29.460	58.92	88.38	117.83	147.30	176.76	206.22	235.68	265.14	1767.6	3535.2	5302.7	7070.3	8837.9
46	.457	.91	.37	7.82	.29	6.74	.20	5.66	.11	7.4	4.9	2.2	69.6	7.1
47	.454	.91	.36	7.81	.27	6.73	.18	5.64	.09	7.3	4.5	1.7	9.0	6.3
48	.451	.90	.35	7.80	.26	6.71	.16	5.61	.06	7.1	4.2	1.3	8.3	5.4
49	.449	.90	.35	7.79	.24	6.70	.14	5.59	.03	7.0	3.8	0.8	7.7	4.6
17 50	29.446	58.89	88.34	117.78	147.23	176.68	206.12	235.57	265.01	1766.8	3533.5	5300.3	7067.0	8833.8
51	.443	.89	.33	7.77	.22	6.66	.10	5.55	4.99	6.6	3.2	299.8	6.3	3.0
52	.441	.88	.32	7.76	.20	6.64	.08	5.53	.96	6.4	2.9	9.3	5.7	2.2
53	.438	.88	.31	7.75	.19	6.63	.06	5.50	.94	6.3	2.5	8.8	5.0	1.3
54	.435	.87	.31	7.74	.17	6.61	.04	5.48	.91	6.1	2.2	8.3	4.4	30.5
17 55	29.432	58.87	88.30	117.72	147.16	176.59	206.03	235.46	264.89	1765.9	3531.9	5297.8	7063.7	8829.7
56	.430	.86	.29	7.71	.15	6.58	6.01	5.44	.87	5.8	1.6	7.3	3.0	8.9
57	.427	.86	.28	7.70	.13	6.56	5.99	5.42	.84	5.6	1.2	6.8	2.4	8.0
58	.424	.85	.27	7.69	.12	6.54	.97	5.39	.82	5.4	0.9	6.3	1.7	7.2
59	.421	.85	.26	7.68	.10	6.53	.95	5.37	.79	5.3	0.5	5.8	1.1	6.3
17 60	29.418	58.84	88.26	117.67	147.09	176.51	205.93	235.35	264.77	1765.1	3530.2	5295.3	7060.4	8825.5

Lat.	Latitude 17° to 18°—Meridional arcs.					Latitude 17°—Co-ordinates of curvature.			
	Value of 1''	Sums of seconds for middle latitude 17° 30'		Value of 1'	Continuous sums of minutes from latitude 17° 00'	Longitude.	X	Y	
• /	Meters.	''	Meters.	Meters.	'	Meters.	• /	Meters.	Meters.
17 00	30.740			1844.39			0 1	1 774.8	0.1
1	0	1	30.74	.39	1	1 844.4	0 2	3 549.6	0.3
2	0	2	61.48	.39	2	3 688.8	0 3	5 324.4	0.7
3	0	3	92.22	.39	3	5 533.2	0 4	7 099.2	1.2
4	0	4	122.97	.40	4	7 377.6	0 5	8 873.9	1.9
17 05	30.740	5	153.71	1844.40	5	9 222.0	0 6	10 648.7	2.7
6	0	6	184.45	.40	6	11 066.4	0 7	12 423.5	3.7
7	0	7	215.19	.41	7	12 910.8	0 8	14 198.3	4.8
8	0	8	245.93	.41	8	14 755.2	0 9	15 973.1	6.1
9	0	9	276.67	.41	9	16 599.6	0 10	17 747.9	7.5
17 10	30.740	10	307.41	1844.42	10	18 444.0	0 15	26 621.8	17.0
11	0	1	338.15	.42	11	20 288.5	0 20	35 495.8	30.2
12	0	2	368.90	.42	12	22 132.9	0 25	44 369.6	47.2
13	0	3	399.64	.43	13	23 977.3	0 30	53 243.6	67.9
14	0	4	430.38	.43	14	25 821.7	0 35	62 117.5	92.4
17 15	30.741	15	461.12	1844.43	15	27 666.2	0 40	70 991.4	120.7
16	1	6	491.86	.44	16	29 510.6	0 45	79 865.3	152.8
17	1	7	522.60	.44	17	31 355.0	0 50	88 739.1	188.7
18	1	8	553.34	.44	18	33 199.5	0 55	97 613.0	228.3
19	1	9	584.09	.44	19	35 043.9	1 00	106 486.9	271.7
17 20	30.741	20	614.83	1844.45	20	36 888.4	1 05	115 360.7	318.8
21	1	1	645.57	.45	21	38 732.8	1 10	124 234.5	369.8
22	1	2	676.31	.45	22	40 577.3	1 15	133 108.3	424.5
23	1	3	707.05	.46	23	42 421.7	1 20	141 982.0	483.0
24	1	4	737.79	.46	24	44 266.2	1 25	150 855.7	545.2
17 25	30.741	25	768.53	1844.46	25	46 110.7	1 30	159 729.4	611.3
26	1	6	799.27	.47	26	47 955.1	1 35	168 603.1	681.1
27	1	7	830.02	.47	27	49 799.6	1 40	177 476.8	754.7
28	1	8	860.76	.47	28	51 644.1	1 45	186 350.4	832.1
29	1	9	891.50	.48	29	53 488.6	1 50	195 223.9	913.2
17 30	30.741	30	922.24	1844.48	30	55 333.0	1 55	204 097.5	998.1
31	1	1	952.98	.48	31	57 177.5	2 00	212 971.1	1 087
32	1	2	983.72	.49	32	59 022.0	2 05	319 450	2 445
33	1	3	1 014.46	.49	33	60 866.5	2 10	425 920	4 347
34	1	4	1 045.21	.49	34	62 711.0	2 15	532 378	6 792
17 35	30.742	35	1 075.95	1844.50	35	64 555.5	2 20	638 824	9 779
36	2	6	1 106.69	.50	36	66 400.0	2 25	745 253	13 310
37	2	7	1 137.43	.50	37	68 244.5	2 30	851 662	17 386
38	2	8	1 168.17	.50	38	70 089.0	2 35	958 049	22 004
39	2	9	1 198.91	.51	39	71 933.5	2 40	1 064 411	27 164
17 40	30.742	40	1 229.65	1844.51	40	73 778.0	2 45	1 170 745	32 867
41	2	1	1 260.39	.51	41	75 622.5	2 50	1 277 049	39 112
42	2	2	1 291.14	.52	42	77 467.0	2 55	1 383 320	45 899
43	2	3	1 321.88	.52	43	79 311.6	3 00	1 489 555	53 229
44	2	4	1 352.62	.52	44	81 156.1	3 05	1 595 750	61 101
17 45	30.742	45	1 383.36	1844.53	45	83 000.6	3 10	1 701 905	69 515
46	2	6	1 414.10	.53	46	84 845.1	3 15	1 808 015	78 470
47	2	7	1 444.84	.53	47	86 689.7	3 20	1 914 078	87 967
48	2	8	1 475.58	.54	48	88 534.2	3 25	2 020 091	98 005
49	2	9	1 506.33	.54	49	90 378.7	3 30	2 126 051	108 583
17 50	30.742	50	1 537.07	1844.54	50	92 223.3	3 35	2 231 956	119 702
51	2	1	1 567.81	.55	51	94 067.8	3 40	2 337 803	131 362
52	2	2	1 598.55	.55	52	95 912.3	3 45	2 443 589	143 562
53	3	3	1 629.29	.55	53	97 756.9	3 50	2 549 312	156 301
54	3	4	1 660.03	.55	54	99 601.4	3 55	2 654 968	169 578
17 55	30.743	55	1 690.77	1844.56	55	101 446.0	3 60	2 760 554	183 395
56	3	6	1 721.51	.56	56	103 290.6	3 65	2 866 069	197 751
57	3	7	1 752.26	.56	57	105 135.1	3 70	2 971 510	212 646
58	3	8	1 783.00	.57	58	106 979.7	3 75	3 076 874	228 079
59	3	9	1 813.74	.57	59	108 824.3	3 80	3 182 157	244 048
17 60	30.743	60	1 844.48	1844.57	60	110 668.8			

Latitude 18° to 19°—Arcs of the parallel in meters.

Lat.	1"	2"	3"	4"	5"	6"	7"	8"	9"	1'	2'	3'	4'	5'
18 00	29.418	58.84	88.26	117.67	147.09	176.51	205.93	235.35	264.77	1765.1	3530.2	5295.3	7060.4	8825.5
1	.416	.83	.25	.66	.08	.49	.91	.33	.75	4.9	29.9	4.8	59.7	4.7
2	.413	.83	.24	.65	.06	.48	.89	.31	.72	4.8	9.5	4.3	9.1	3.9
3	.410	.82	.23	.64	.05	.46	.87	.28	.70	4.6	9.2	3.8	8.4	3.0
4	.407	.82	.22	.63	.03	.44	.85	.26	.67	4.4	8.8	3.3	7.8	2.2
18 05	29.405	58.81	88.21	117.61	147.02	176.43	205.84	235.24	264.65	1764.3	3528.5	5292.8	7057.1	8821.4
6	.402	.80	.21	.60	7.01	.41	.82	.22	.62	4.1	8.2	2.3	6.4	20.6
7	.399	.80	.20	.59	6.99	.39	.80	.20	.60	3.9	7.9	1.8	5.8	19.7
8	.396	.79	.19	.58	.98	.38	.78	.17	.57	3.8	7.5	1.3	5.1	8.9
9	.393	.79	.18	.57	.96	.36	.76	.15	.55	3.6	7.2	0.8	4.5	8.0
18 10	29.391	58.78	88.17	117.56	146.95	176.34	205.74	235.13	264.52	1763.4	3526.9	5290.3	7053.8	8817.2
11	.388	.78	.16	.55	.94	.32	.72	.11	.49	3.2	6.6	89.8	3.1	6.4
12	.385	.77	.15	.54	.92	.31	.70	.08	.47	3.1	6.2	9.3	2.4	5.5
13	.382	.77	.15	.53	.91	.29	.68	.06	.44	2.9	5.9	8.8	1.8	4.7
14	.379	.76	.14	.52	.89	.28	.66	.04	.42	2.8	5.5	8.3	1.1	3.8
18 15	29.377	58.76	88.13	117.50	146.88	176.26	205.64	235.01	264.39	1762.6	3525.2	5287.8	7050.4	8813.0
16	.374	.75	.12	.49	.87	.24	.62	4.99	.36	2.4	4.9	7.3	49.7	2.2
17	.371	.75	.11	.48	.85	.23	.60	.97	.34	2.3	4.5	6.8	9.1	1.3
18	.368	.74	.11	.47	.84	.21	.58	.95	.31	2.1	4.2	6.3	8.4	10.5
19	.365	.74	.10	.46	.82	.20	.56	.92	.29	2.0	3.8	5.8	7.8	09.6
18 20	29.363	58.73	88.09	117.45	146.81	176.18	205.54	234.90	264.26	1761.8	3523.5	5285.3	7047.1	8808.8
21	.360	.72	.08	.44	.80	.16	.52	.88	.24	1.6	3.2	4.8	6.4	8.0
22	.357	.72	.07	.43	.78	.14	.50	.86	.21	1.4	2.8	4.3	5.7	7.1
23	.354	.71	.06	.42	.77	.13	.48	.83	.19	1.3	2.5	3.7	5.1	6.3
24	.351	.71	.05	.41	.75	.11	.46	.81	.16	1.1	2.1	3.2	4.4	5.4
18 25	29.349	58.70	88.05	117.39	146.74	176.09	205.44	234.79	264.14	1760.9	3521.8	5282.7	7043.7	8804.6
26	.346	.69	.04	.38	.73	.07	.42	.77	.11	0.7	1.5	2.2	3.0	3.7
27	.343	.69	.03	.37	.71	.06	.40	.75	.09	0.6	1.1	1.7	2.3	2.9
28	.340	.68	.02	.36	.70	.04	.38	.72	.06	0.4	0.8	1.2	1.7	2.0
29	.337	.68	.01	.35	.68	.03	.36	.70	.04	0.3	0.4	0.7	1.0	1.2
18 30	29.334	58.67	88.00	117.34	146.67	176.01	205.34	234.68	264.01	1760.1	3520.1	5280.2	7040.3	8800.3
31	.332	.66	7.99	.33	.66	5.99	.32	.66	3.98	59.9	19.8	79.7	39.6	799.5
32	.329	.66	.99	.32	.64	.97	.30	.63	.96	9.7	9.4	9.2	8.9	8.6
33	.326	.65	.98	.30	.63	.96	.28	.61	.93	9.6	9.1	8.6	8.2	7.7
34	.323	.65	.97	.29	.61	.94	.26	.59	.91	9.4	8.7	8.1	7.5	6.9
18 35	29.320	58.64	87.96	117.28	146.60	175.92	205.24	234.56	263.88	1759.2	3518.4	5277.6	7036.8	8796.1
36	.317	.63	.95	.27	.59	.90	.22	.54	.85	9.0	8.1	7.1	6.1	5.2
37	.315	.63	.94	.26	.57	.89	.20	.52	.83	8.9	7.7	6.6	5.4	4.4
38	.312	.62	.94	.24	.56	.87	.18	.50	.80	8.7	7.4	6.1	4.8	3.5
39	.309	.62	.93	.23	.54	.86	.16	.47	.78	8.6	7.0	5.6	4.1	2.7
18 40	29.306	58.61	87.92	117.22	146.53	175.84	205.14	234.45	263.75	1758.4	3516.7	5275.1	7033.4	8791.8
41	.303	.60	.91	.21	.52	.82	.12	.43	.72	8.2	6.4	4.6	2.7	0.9
42	.300	.60	.90	.20	.50	.80	.10	.40	.70	8.0	6.0	4.1	2.0	90.1
43	.297	.59	.89	.19	.49	.79	.08	.38	.67	7.9	5.7	3.5	1.4	89.2
44	.295	.59	.88	.18	.47	.77	.06	.36	.65	7.7	5.3	3.0	0.7	8.4
18 45	29.292	58.58	87.87	117.16	146.46	175.75	205.04	234.33	263.62	1757.5	3515.0	5272.5	7030.0	8787.5
46	.289	.57	.87	.15	.45	.73	.02	.31	.59	7.3	4.7	2.0	29.3	6.6
47	.286	.57	.86	.14	.43	.71	5.00	.29	.57	7.1	4.3	1.5	8.6	5.8
48	.283	.56	.85	.13	.42	.70	4.98	.27	.54	7.0	4.0	0.9	7.9	4.9
49	.280	.56	.84	.12	.40	.68	.96	.24	.52	6.8	3.6	70.4	7.2	4.1
18 50	29.277	58.55	87.83	117.11	146.39	175.66	204.94	234.22	263.49	1756.6	3513.3	5269.9	7026.5	8783.2
51	.274	.55	.82	.10	.38	.64	.92	.20	.46	6.4	2.9	9.4	5.8	2.3
52	.271	.54	.81	.09	.36	.63	.90	.17	.44	6.3	2.6	8.9	5.1	1.4
53	.269	.54	.81	.07	.35	.61	.88	.15	.41	6.1	2.2	8.3	4.4	80.6
54	.266	.53	.80	.06	.33	.59	.86	.13	.39	5.9	1.9	7.8	3.7	79.7
18 55	29.263	58.53	87.79	117.05	146.32	175.58	204.84	234.10	263.37	1755.8	3511.5	5267.3	7023.0	8778.8
56	.260	.52	.78	.04	.30	.56	.82	.08	.35	5.6	1.2	6.8	2.3	7.9
57	.257	.52	.77	.03	.29	.54	.80	.06	.31	5.4	0.8	6.3	1.6	7.1
58	.254	.51	.76	.01	.27	.52	.78	.04	.28	5.2	0.5	5.7	1.0	6.2
59	.251	.51	.75	7.00	.26	.51	.76	4.01	.26	5.1	10.1	5.2	20.3	5.4
18 60	29.248	58.50	87.74	116.99	146.24	175.49	204.74	233.99	263.23	1754.9	3509.8	5264.7	7019.6	8774.5

Lat	Latitude 18° to 19°—Meridional arcs.					Latitude 18°—Co-ordinates of curvature.			
	Value of 1''	Sums of seconds for middle latitude 18° 30'		Value of 1'	Continuous sums of minutes from latitude 18° 00'	Longitude.	X	Y	
° /	Meters.	''	Meters.	Meters.	'	Meters.	° /	Meters.	Meters.
18 20	30.743			1844.57			0 1	1 765.1	0.1
1	3	1	30.74	.58	1	1 844.6	2	3 530.2	0.3
2	3	2	61.49	.58	2	3 689.2	3	5 295.3	0.7
3	3	3	92.23	.58	3	5 533.7	4	7 060.4	1.3
4	3	4	122.98	.59	4	7 378.3	5	8 825.5	2.0
18 05	30.743	5	153.72	1844.59	5	9 222.9	6	10 590.6	2.9
6	3	6	184.47	.59	6	11 067.5	7	12 355.7	3.9
7	3	7	215.21	.60	7	12 912.1	8	14 120.8	5.1
8	3	8	245.96	.60	8	14 756.7	9	15 886.0	6.4
9	3	9	276.70	.60	9	16 601.3	10	17 651.1	7.9
18 10	30.743	10	307.45	1844.61	10	18 445.9	15	26 476.6	17.8
11	3	1	338.19	.61	1	20 290.5	20	35 302.1	31.7
12	4	2	368.93	.61	2	22 135.1	25	44 127.7	49.6
13	4	3	399.68	.62	3	23 979.8	30	52 953.2	71.4
14	4	4	430.42	.62	4	25 824.4	35	61 778.7	97.2
18 15	30.744	15	461.17	1844.62	15	27 669.0	40	70 604.2	126.9
16	4	6	491.91	.62	6	29 513.6	45	79 429.7	160.6
17	4	7	522.66	.63	7	31 358.2	50	88 255.1	198.3
18	4	8	553.40	.63	8	33 202.9	55	97 080.6	240.0
19	4	9	584.15	.63	9	35 047.5	1 00	105 906.0	285.6
18 20	30.744	20	614.89	1844.64	20	36 892.2	05	114 731.4	335.2
21	4	1	645.64	.64	1	38 736.8	10	123 556.8	388.7
22	4	2	676.38	.64	2	40 581.4	15	132 382.1	446.2
23	4	3	707.12	.65	3	42 426.1	20	141 207.5	507.7
24	4	4	737.87	.65	4	44 270.7	25	150 032.8	573.2
18 25	30.744	25	768.61	1844.65	25	46 115.4	30	158 858.0	642.6
26	4	6	799.36	.66	6	47 960.0	35	167 683.3	716.0
27	4	7	830.10	.66	7	49 804.7	40	176 508.5	793.3
28	4	8	860.85	.66	8	51 649.4	45	185 333.6	874.6
29	4	9	891.59	.67	9	53 494.0	50	194 158.8	959.9
18 30	30.744	30	922.33	1844.67	30	55 338.7	55	202 983.8	1 049.2
31	5	1	953.08	.67	1	57 183.4	2 00	211 809	1 142
32	5	2	983.83	.68	2	59 028.1	3 00	317 706	2 570
33	5	3	1 014.57	.68	3	60 872.7	4 00	423 593	4 569
34	5	4	1 045.31	.68	4	62 717.4	5 00	529 468	7 139
18 35	30.745	35	1 076.06	1844.69	35	64 562.1	6 00	635 328	10 280
36	5	6	1 106.80	.69	6	66 406.8	7 00	741 169	13 992
37	5	7	1 137.55	.69	7	68 251.5	8 00	846 989	18 275
38	5	8	1 168.29	.70	8	70 096.2	9 00	952 784	23 129
39	5	9	1 199.04	.70	9	71 940.9	10 00	1 058 552	28 553
18 40	30.745	40	1 229.78	1844.70	40	73 785.6	11 00	1 164 289	34 547
41	5	1	1 260.53	.71	1	75 630.3	12 00	1 269 991	41 112
42	5	2	1 291.27	.71	2	77 475.0	13 00	1 375 657	48 246
43	5	3	1 322.02	.71	3	79 319.7	14 00	1 481 283	55 950
44	5	4	1 352.76	.72	4	81 164.4	15 00	1 586 865	64 224
18 45	30.745	45	1 383.50	1844.72	45	83 009.2	16 00	1 692 402	73 067
46	5	6	1 414.25	.72	6	84 853.9	17 00	1 797 890	82 479
47	5	7	1 444.99	.73	7	86 698.6	18 00	1 903 324	92 461
48	5	8	1 475.74	.73	8	88 543.3	19 00	2 008 704	103 011
49	6	9	1 506.48	.73	9	90 388.0	20 00	2 114 025	114 128
18 50	30.746	50	1 537.23	1844.74	50	92 232.8	21 00	2 219 285	125 813
51	6	1	1 567.97	.74	1	94 077.5	22 00	2 324 480	138 066
52	6	2	1 598.72	.74	2	95 922.3	23 00	2 429 607	150 887
53	6	3	1 629.46	.75	3	97 767.0	24 00	2 534 664	164 274
54	6	4	1 660.21	.75	4	99 611.8	25 00	2 639 647	178 227
18 55	30.746	55	1 690.95	1844.75	55	101 456.5	26 09	2 744 554	192 746
56	6	6	1 721.69	.76	6	103 301.3	27 00	2 849 381	207 831
57	6	7	1 752.44	.76	7	105 146.1	28 00	2 954 124	223 482
58	6	8	1 783.18	.76	8	106 990.8	29 00	3 058 782	239 697
59	6	9	1 813.93	.77	9	108 835.6	30 00	3 163 350	256 476
18 60	30.746	60	1 844.67	1844.77	60	110 680.4			

Latitude 19° to 20°—Arcs of the parallel in meters.														
Lat.	1"	2"	3"	4"	5"	6"	7"	8"	9"	1'	2'	3'	4'	5'
19 00	29.248	58.50	87.74	116.99	146.24	175.49	204.74	233.99	263.23	1754.9	3509.8	5264.7	7019.6	8774.5
1	.245	.49	.74	.98	.23	.47	.72	.97	.20	4.7	9.4	14.2	18.9	23.6
2	.242	.49	.73	.97	.21	.45	.70	.94	.18	4.5	9.1	13.6	18.2	22.7
3	.240	.48	.72	.96	.20	.44	.68	.92	.15	4.4	8.7	13.1	17.5	21.9
4	.237	.48	.71	.95	.18	.42	.66	.89	.13	4.2	8.4	12.5	16.8	21.0
19 05	29.234	58.47	87.70	116.93	146.17	175.40	204.63	233.87	263.10	1754.0	3508.0	5262.0	7016.1	8770.1
6	.231	.46	.69	.92	.16	.38	.61	.85	.07	3.8	7.7	11.5	15.4	19.2
7	.228	.46	.68	.91	.14	.36	.59	.82	.05	3.6	7.3	11.0	14.7	18.3
8	.225	.45	.68	.90	.13	.35	.57	.80	.02	3.5	7.0	10.4	14.0	17.5
9	.222	.45	.67	.89	.11	.33	.55	.77	.00	3.3	6.6	9.9	13.3	16.6
19 10	29.219	58.44	87.66	116.88	146.10	175.31	204.53	233.75	262.97	1753.1	3506.3	5259.4	7012.6	8765.7
11	.216	.43	.65	.87	.09	.29	.51	.73	.94	2.9	5.9	8.9	11.9	14.8
12	.213	.43	.64	.86	.07	.28	.49	.70	.92	2.8	5.6	8.4	11.2	13.9
13	.210	.42	.63	.84	.06	.26	.47	.68	.89	2.6	5.2	7.8	10.4	13.1
14	.207	.42	.62	.83	.04	.24	.45	.66	.87	2.4	4.9	7.3	9.7	12.2
19 15	29.204	58.41	87.61	116.82	146.03	175.23	204.43	233.63	262.84	1752.3	3504.5	5256.8	7009.0	8761.3
16	.201	.40	.60	.81	.01	.21	.41	.61	.81	2.1	4.1	6.3	8.3	10.4
17	.198	.40	.60	.80	6.00	.19	.39	.59	.79	1.9	3.8	5.7	7.6	9.5
18	.196	.39	.59	.78	5.98	.17	.37	.57	.76	1.7	3.4	5.2	6.9	8.7
19	.193	.39	.58	.77	.97	.16	.35	.54	.74	1.6	3.1	4.6	6.2	7.8
19 20	29.190	58.38	87.57	116.76	145.95	175.14	204.33	233.52	262.71	1751.4	3502.7	5254.1	7005.5	8756.9
21	.187	.37	.56	.75	.94	.12	.31	.50	.68	1.2	2.4	3.6	4.8	6.0
22	.184	.37	.55	.74	.92	.10	.29	.47	.66	1.0	2.0	3.0	4.1	5.1
23	.181	.36	.54	.72	.91	.09	.27	.45	.63	0.9	1.7	2.5	3.3	4.2
24	.178	.36	.53	.71	.89	.07	.25	.42	.60	0.7	1.3	1.9	2.6	3.3
19 25	29.175	58.35	87.52	116.70	145.88	175.05	204.22	233.40	262.57	1750.5	3501.0	5251.4	7001.9	8752.4
26	.172	.34	.52	.69	.86	.03	.20	.38	.55	0.3	0.6	0.9	1.2	1.5
27	.169	.34	.51	.68	.85	.01	.18	.35	.52	0.1	500.3	50.4	7000.5	50.6
28	.166	.33	.50	.66	.83	5.00	.16	.33	.49	50.0	499.9	49.8	6999.7	49.7
29	.163	.33	.49	.65	.82	4.98	.14	.30	.47	49.8	9.6	9.3	9.0	8.8
19 30	29.160	58.32	87.48	116.64	145.80	174.96	204.12	233.28	262.44	1749.6	3499.2	5248.8	6998.3	8747.9
31	.157	.31	.47	.63	.79	.94	.10	.26	.41	9.4	8.8	8.3	7.6	7.0
32	.154	.31	.46	.62	.77	.92	.08	.23	.39	9.2	8.5	7.7	6.9	6.1
33	.151	.30	.45	.60	.76	.91	.06	.21	.36	9.1	8.1	7.2	6.1	5.2
34	.148	.30	.44	.59	.74	.89	.04	.18	.33	8.9	7.8	6.6	5.4	4.3
19 35	29.145	58.29	87.43	116.58	145.73	174.87	204.01	233.16	262.30	1748.7	3497.4	5246.1	6994.7	8743.4
36	.142	.28	.43	.57	.71	.85	3.99	.14	.28	8.5	7.0	5.6	4.0	2.5
37	.139	.28	.42	.56	.70	.83	.97	.11	.25	8.3	6.7	5.0	3.3	1.6
38	.136	.27	.41	.54	.68	.82	.95	.09	.22	8.2	6.3	4.5	2.6	1.0
39	.133	.27	.40	.53	.67	.80	.93	.06	.20	8.0	6.0	3.9	1.9	0.8
19 40	29.130	58.26	87.39	116.52	145.65	174.78	203.91	233.04	262.17	1747.8	3495.6	5243.4	6991.2	8738.9
41	.127	.25	.38	.51	.64	.76	.89	3.02	.14	7.6	5.2	2.8	90.5	8.0
42	.124	.25	.37	.50	.62	.74	.87	2.99	.12	7.4	4.9	2.3	89.7	7.1
43	.121	.24	.36	.48	.61	.73	.85	.97	.09	7.3	4.5	1.7	9.0	6.2
44	.118	.24	.35	.47	.59	.71	.83	.94	.06	7.1	4.2	1.2	8.2	5.3
19 45	29.115	58.23	87.34	116.46	145.58	174.69	203.80	232.92	262.03	1746.9	3493.8	5240.6	6987.5	8734.4
46	.112	.22	.34	.45	.56	.67	.78	.90	2.01	6.7	3.4	40.1	6.8	3.5
47	.109	.22	.33	.44	.55	.65	.76	.87	1.98	6.5	3.0	39.5	6.1	2.6
48	.106	.21	.32	.42	.53	.64	.74	.85	.95	6.4	2.7	9.0	5.3	1.7
49	.103	.21	.31	.41	.52	.62	.72	.82	.93	6.2	2.3	8.4	4.6	30.8
19 50	29.100	58.20	87.30	116.40	145.50	174.60	203.70	232.80	261.90	1746.0	3491.9	5237.9	6983.9	8729.9
51	.097	.19	.29	.39	.49	.58	.68	.78	.87	5.8	1.5	7.4	3.2	9.0
52	.094	.19	.28	.38	.47	.56	.66	.75	.84	5.6	1.2	6.8	2.4	8.1
53	.090	.18	.27	.36	.46	.54	.63	.73	.82	5.4	0.8	6.3	1.7	7.1
54	.087	.18	.26	.35	.44	.52	.61	.70	.79	5.2	0.5	5.7	0.9	6.2
19 55	29.084	58.17	87.25	116.34	145.43	174.51	203.59	232.68	261.76	1745.1	3490.1	5235.2	6980.2	8725.3
56	.081	.16	.24	.33	.41	.49	.57	.65	.73	4.9	89.7	4.6	79.5	4.4
57	.078	.16	.24	.32	.40	.47	.55	.63	.70	4.7	9.4	4.1	8.8	3.5
58	.075	.15	.23	.30	.38	.45	.52	.60	.68	4.5	9.0	3.5	8.0	2.5
59	.072	.15	.22	.29	.37	.43	.50	.58	.65	4.3	8.7	3.0	7.3	1.6
19 60	29.069	58.14	87.21	116.28	145.35	174.41	203.48	232.55	261.62	1744.1	3488.3	5232.4	6976.6	8720.7

Lat.	Latitude 19° to 20°—Meridional arcs.					Latitude 19°—Co-ordinates of curvature.		
	Value of 1''	Sums of seconds for middle latitude 19° 30'		Value of 1'	Continuous sums of minutes from latitude 19° 00'	Longitude.	X	Y
° /	Meters.	''	Meters.	Meters.	° /	Meters.	Meters.	
19 00	30.746			1844.77				
1	6	1	30.75	.77	1	1 844.8	0 1	0.1
2	6	2	61.50	.78	2	3 689.5	2	0.3
3	6	3	92.24	.78	3	5 534.3	3	0.7
4	6	4	122.99	.78	4	7 379.1	4	1.3
19 05	30.746			1844.79				
5	6	5	153.74	.79	5	9 223.9	0 5	2.1
6	7	6	184.49	.79	6	11 068.7	6	3.0
7	7	7	215.24	.79	7	12 913.5	7	4.1
8	7	8	245.98	.80	8	14 758.3	8	5.3
9	7	9	276.73	.80	9	16 603.1	9	6.7
19 10	30.747			1844.80				
10	7	10	307.48	.81	10	18 447.9	0 10	8.3
11	7	1	338.23	.81	1	20 292.7	15	18.7
12	7	2	368.97	.81	2	22 137.5	20	33.2
13	7	3	399.72	.81	3	23 982.3	25	51.9
14	7	4	430.47	.82	4	25 827.1	30	74.8
19 15	30.747			1844.82				
15	7	15	461.22	.82	15	27 672.0	0 35	101.8
16	7	6	491.97	.82	6	29 516.8	40	133.0
17	7	7	522.71	.83	7	31 361.6	45	168.3
18	7	8	553.46	.83	8	33 206.4	50	207.7
19	7	9	584.21	.83	9	35 051.3	55	251.4
19 20	30.747			1844.84				
20	7	20	614.96	.84	20	36 896.1	1 00	299.2
21	7	1	645.71	.84	1	38 741.0	05	351.1
22	7	2	676.45	.84	2	40 585.8	10	407.2
23	7	3	707.20	.85	3	42 430.6	15	467.4
24	8	4	737.95	.85	4	44 275.5	20	531.8
19 25	30.748			1844.85				
25	8	25	768.70	.86	25	46 120.4	1 25	600.4
26	8	6	799.45	.86	6	47 965.2	30	673.1
27	8	7	830.19	.86	7	49 810.1	35	750.0
28	8	8	860.94	.86	8	51 654.9	40	831.0
29	8	9	891.69	.87	9	53 499.8	45	916.1
19 30	30.748			1844.87				
30	8	30	922.44	.87	30	55 344.7	1 50	1 005.5
31	8	1	953.18	.87	1	57 189.6	55	1 099.0
32	8	2	983.93	.88	2	59 034.4	2 00	1 197
33	8	3	1 014.68	.88	3	60 879.3	3 00	2 602
34	8	4	1 045.43	.89	4	62 724.2	4 00	4 786
19 35	30.748			1844.89				
35	8	35	1 076.18	.89	35	64 569.1	5 00	7 478
36	8	6	1 106.92	.89	6	66 414.0	6 00	10 768
37	8	7	1 137.67	.90	7	68 258.9	7 00	14 656
38	8	8	1 168.42	.90	8	70 103.8	8 00	19 142
39	8	9	1 199.17	.90	9	71 948.7	9 00	24 226
19 40	30.748			1844.91				
40	8	40	1 229.92	.91	40	73 793.6	10 00	29 907
41	9	1	1 260.66	.91	1	75 638.5	11 00	36 186
42	9	2	1 291.41	.91	2	77 483.4	12 00	43 061
43	9	3	1 322.16	.92	3	79 328.3	13 00	50 534
44	9	4	1 352.91	.92	4	81 173.3	14 00	58 603
19 45	30.749			1844.92				
45	9	45	1 383.66	.93	45	83 018.2	15 00	67 268
46	9	6	1 414.40	.93	6	84 863.1	16 00	76 530
47	9	7	1 445.15	.93	7	86 708.0	17 00	86 388
48	9	8	1 475.90	.93	8	88 553.0	18 00	96 841
49	9	9	1 506.65	.94	9	90 397.9	19 00	107 889
19 50	30.749			1844.94				
50	9	50	1 537.39	.94	50	92 242.8	20 00	119 532
51	9	1	1 568.14	.94	1	94 087.8	21 00	131 770
52	9	2	1 598.89	.95	2	95 932.7	22 00	144 601
53	9	3	1 629.64	.95	3	97 777.7	23 00	158 026
54	9	4	1 660.39	.95	4	99 622.6	24 00	172 044
19 55	30.749			1844.96				
55	9	55	1 691.13	.96	55	101 467.6	25 00	186 655
56	9	6	1 721.88	.96	6	103 312.6	26 00	201 859
57	9	7	1 752.63	.97	7	105 157.5	27 00	217 654
58	49	8	1 783.38	.97	8	107 002.5	28 00	234 040
59	50	9	1 814.13	.97	9	108 847.5	29 00	251 017
19 60	30.750			1844.98				
60	9	60	1 844.87	.98	60	110 692.4	30 00	268 585

Latitude 20° to 21°—Arcs of the parallel in meters.

Lat.	1''	2''	3''	4''	5''	6''	7''	8''	9''	1'	2'	3'	4'	5'
20 00	29.069	58.14	87.21	116.28	145.35	174.41	203.48	232.55	261.62	1744.1	3488.3	5232.4	6976.6	8720.7
1	.066	.13	.20	.27	.33	.39	.46	.53	.59	3.9	7.9	1.9	5.9	19.8
2	.063	.13	.19	.25	.32	.37	.44	.50	.57	3.7	7.5	1.3	5.1	8.9
3	.060	.12	.18	.24	.30	.36	.42	.48	.54	3.6	7.2	0.8	4.4	7.9
4	.057	.12	.17	.23	.29	.34	.40	.45	.51	3.4	6.8	30.2	3.6	7.0
20 05	29.054	58.11	87.16	116.21	145.27	174.32	203.37	232.43	261.48	1743.2	3486.4	5229.7	6972.9	8716.1
6	.051	.10	.15	.20	.25	.30	.35	.41	.46	3.0	6.0	9.1	2.2	5.2
7	.048	.10	.14	.19	.24	.28	.33	.38	.43	2.8	5.7	8.6	1.4	4.3
8	.044	.09	.13	.18	.22	.27	.31	.36	.40	2.7	5.3	8.0	70.7	3.3
9	.041	.09	.12	.16	.21	.25	.29	.33	.38	2.5	5.0	7.5	69.9	2.4
20 10	29.038	58.08	87.12	116.15	145.19	174.23	203.27	232.31	261.35	1742.3	3484.6	5226.9	6969.2	8711.5
11	.035	.07	.11	.14	.18	.21	.25	.29	.32	2.1	4.2	6.3	8.5	10.6
12	.032	.07	.10	.13	.16	.19	.23	.26	.29	1.9	3.8	5.8	7.7	9.7
13	.029	.06	.09	.11	.15	.17	.20	.24	.27	1.7	3.5	5.2	7.0	8.7
14	.026	.05	.08	.10	.13	.16	.18	.21	.24	1.6	3.1	4.7	6.2	7.8
20 15	29.023	58.04	87.07	116.09	145.12	174.14	203.16	232.19	261.21	1741.4	3482.7	5224.1	6965.5	8706.9
16	.020	.04	.06	.08	.10	.12	.14	.16	.18	1.2	2.3	3.5	4.8	6.0
17	.017	.03	.05	.07	.09	.10	.12	.14	.15	1.0	2.0	3.0	4.0	5.0
18	.014	.02	.04	.05	.07	.08	.09	.11	.13	0.8	1.7	2.4	3.3	4.1
19	.010	.02	.03	.04	.06	.06	.07	.09	.10	0.6	1.3	1.9	2.5	3.1
20 20	29.007	58.01	87.02	116.03	145.04	174.04	203.05	232.06	261.07	1740.4	3480.9	5221.3	6961.8	8702.2
21	.004	.00	.01	.02	.02	.02	.03	.04	.04	0.2	0.5	0.7	1.0	1.3
22	.001	8.00	7.00	6.00	5.01	4.00	3.01	2.01	1.01	40.0	80.1	20.2	60.3	700.3
23	8.998	7.99	6.99	5.99	4.99	3.99	2.98	1.99	0.99	39.9	79.8	19.6	59.5	699.4
24	.995	.99	.98	.98	.98	.97	.96	.96	.96	9.7	9.4	9.1	8.8	8.4
20 25	28.992	57.98	86.97	115.96	144.96	173.95	202.94	231.94	260.93	1739.5	3479.0	5218.5	6958.0	8697.5
26	.989	.97	.97	.95	.94	.93	.92	.91	.90	9.3	8.6	7.9	7.3	6.6
27	.986	.97	.96	.94	.93	.91	.90	.89	.87	9.1	8.2	7.4	6.5	5.7
28	.982	.96	.95	.93	.91	.90	.87	.86	.85	9.0	7.9	6.8	5.8	4.7
29	.979	.96	.94	.91	.90	.88	.85	.84	.82	8.8	7.5	6.3	5.0	3.8
20 30	28.976	57.95	86.93	115.90	144.88	173.86	202.83	231.81	260.79	1738.6	3477.1	5215.7	6954.3	8692.9
31	.973	.94	.92	.89	.86	.84	.81	.79	.76	8.4	6.7	5.1	3.5	1.9
32	.970	.94	.91	.88	.85	.82	.79	.76	.73	8.2	6.4	4.6	2.8	1.0
33	.967	.93	.90	.86	.83	.80	.76	.74	.70	8.0	6.0	4.0	2.0	90.0
34	.964	.93	.89	.85	.82	.78	.74	.71	.67	7.8	5.7	3.5	1.3	89.1
20 35	28.960	57.92	86.88	115.84	144.80	173.76	202.72	231.69	260.65	1737.6	3475.3	5212.9	6950.5	8688.1
36	.957	.91	.87	.83	.78	.74	.70	.66	.62	7.4	4.9	2.3	49.7	7.2
37	.954	.91	.86	.82	.77	.72	.68	.64	.59	7.2	4.5	1.8	9.0	6.2
38	.951	.90	.85	.80	.75	.71	.65	.61	.56	7.1	4.2	1.2	8.2	5.3
39	.948	.90	.84	.79	.74	.69	.63	.59	.53	6.9	3.8	0.7	7.5	4.3
20 40	28.945	57.89	86.83	115.78	144.72	173.67	202.61	231.56	260.50	1736.7	3473.4	5210.1	6946.7	8683.4
41	.942	.88	.82	.77	.71	.65	.59	.53	.47	6.5	3.0	09.5	5.9	2.5
42	.938	.88	.81	.75	.69	.63	.57	.51	.44	6.3	2.6	8.9	5.2	1.5
43	.935	.87	.81	.74	.68	.61	.54	.48	.42	6.1	2.3	8.4	4.4	80.6
44	.932	.87	.80	.73	.66	.59	.52	.46	.39	5.9	1.9	7.8	3.7	79.6
20 45	28.929	57.86	86.79	115.71	144.65	173.57	202.50	231.43	260.36	1735.7	3471.5	5207.2	6942.9	8678.7
46	.926	.85	.78	.70	.63	.55	.48	.40	.33	5.5	1.1	6.6	2.1	7.7
47	.923	.85	.77	.69	.62	.54	.46	.38	.30	5.4	0.7	6.1	1.4	6.8
48	.919	.84	.76	.68	.60	.52	.43	.35	.28	5.2	0.4	5.5	40.6	5.8
49	.916	.84	.75	.66	.59	.50	.41	.33	.25	5.0	70.0	5.0	39.9	4.9
20 50	28.913	57.83	86.74	115.65	144.57	173.48	202.39	231.30	260.22	1734.8	3469.6	5204.4	6939.1	8673.9
51	.910	.82	.73	.64	.55	.46	.37	.28	.19	4.6	9.2	3.8	8.3	2.9
52	.907	.82	.72	.62	.54	.44	.35	.25	.16	4.4	8.8	3.2	7.6	2.0
53	.903	.81	.71	.61	.52	.42	.32	.23	.13	4.2	8.5	2.7	6.8	1.0
54	.900	.80	.70	.60	.51	.40	.30	.20	.10	4.0	8.1	2.1	6.1	70.1
20 55	28.897	57.79	86.69	115.58	144.49	173.38	202.28	231.18	260.07	1733.8	3467.7	5201.5	6935.3	8669.1
56	.894	.79	.68	.57	.47	.36	.26	.15	.05	3.6	7.3	0.9	4.5	8.1
57	.891	.78	.67	.56	.46	.34	.24	.13	60.02	3.4	6.9	200.3	3.8	7.2
58	.887	.77	.66	.55	.44	.33	.21	.10	59.99	3.3	6.5	199.8	3.1	6.2
59	.884	.77	.65	.53	.43	.31	.19	.08	59.96	3.1	6.1	9.2	2.3	5.3
20 60	28.881	57.76	86.64	115.52	144.41	173.29	202.17	231.05	259.93	1732.9	3465.7	5198.6	6931.5	8664.3

Lat.	Latitude 20° to 21°—Meridional arcs.					Latitude 20°—Co-ordinates of curvature.			
	Value of 1''	Sums of seconds for middle latitude 20° 30'		Value of 1'	Continuous sums of minutes from latitude 20° 00'		Longitude.	X	Y
	Meters.	"	Meters.	Meters.	'	Meters.	° '	Meters.	Meters.
20 00	30.750			1844.98			0 1	1 744.1	0.1
1	0	1	30.75	.98	1	1 845.0	0 2	3 488.3	0.3
2	0	2	61.50	.98	2	3 690.0	0 3	5 232.4	0.8
3	0	3	92.25	.99	3	5 534.9	0 4	6 976.6	1.4
4	0	4	123.01	.99	4	7 379.9	0 5	8 720.7	2.2
20 05	30.750	5	153.76	1844.99	5	9 224.9	0 6	10 464.9	3.1
6	0	6	184.51	5.00	6	11 069.9	0 7	12 209.0	4.3
7	0	7	215.26	.00	7	12 914.9	0 8	13 953.1	5.6
8	0	8	246.01	.00	8	14 759.9	0 9	15 697.3	7.0
9	0	9	276.76	.01	9	16 604.9			
20 10	30.750	10	307.51	1845.01	10	18 450.0	0 10	17 441.4	8.7
11	0	1	338.27	.01	1	20 295.0	0 15	26 162.1	19.5
12	0	2	369.02	.02	2	22 140.0	0 20	34 882.8	34.7
13	0	3	399.77	.02	3	23 985.0	0 25	43 603.5	54.2
14	0	4	430.52	.02	4	25 830.0	0 30	52 324.2	78.1
20 15	30.750	15	461.27	1845.03	15	27 675.1	0 35	61 044.9	106.3
16	1	6	492.02	.03	9	29 520.1	0 40	69 765.6	138.8
17	1	7	522.77	.04	7	31 365.1	0 45	78 486.2	175.7
18	1	8	553.53	.04	8	33 210.2	0 50	87 206.9	216.9
19	1	9	584.28	.04	9	35 055.2	0 55	95 927.5	262.5
20 20	30.751	20	615.03	1845.05	20	36 900.3	1 00	104 648.0	312.3
21	1	1	645.78	.05	1	38 745.3	1 05	113 368.6	366.6
22	1	2	676.53	.05	2	40 590.4	1 10	122 089.1	425.1
23	1	3	707.28	.06	3	42 435.4	1 15	130 809.6	488.0
24	1	4	738.03	.06	4	44 280.5	1 20	139 530.1	555.3
20 25	30.751	25	768.79	1845.06	25	46 125.5	1 25	148 250.5	626.8
26	1	6	799.54	.07	6	47 970.6	1 30	156 970.9	702.8
27	1	7	830.29	.07	7	49 815.7	1 35	165 691.3	783.0
28	1	8	861.04	.07	8	51 660.8	1 40	174 411.6	867.6
29	1	9	891.79	.08	9	53 505.8	1 45	183 131.8	956.5
20 30	30.751	30	922.54	1845.08	30	55 350.9	1 50	191 852.1	1 049.8
31	1	1	953.29	.09	1	57 196.0	1 55	200 572.3	1 147.4
32	1	2	984.04	.09	2	59 041.1	2 00	209 292	1 249
33	2	3	1 014.80	.09	3	60 886.2	2 05	313 929	2 811
34	2	4	1 045.55	.10	4	62 731.3	2 10	418 555	4 997
20 35	30.752	35	1 076.30	1845.10	35	64 576.4	2 15	523 166	7 808
36	2	6	1 107.05	.10	6	66 421.5	2 20	627 758	11 243
37	2	7	1 137.80	.11	7	68 266.6	2 25	732 328	15 302
38	2	8	1 168.55	.11	8	70 111.7	2 30	836 871	19 986
39	2	9	1 199.30	.11	9	71 956.8	2 35	941 385	25 294
20 40	30.752	40	1 230.06	1845.12	40	73 801.9	2 40	1 045 865	31 225
41	2	1	1 260.81	.12	1	75 647.1	2 45	1 150 308	37 780
42	2	2	1 291.56	.12	2	77 492.2	2 50	1 254 710	44 958
43	2	3	1 322.31	.13	3	79 337.3	2 55	1 359 067	52 760
44	2	4	1 353.06	.13	4	81 182.4	3 00	1 463 376	61 184
20 45	30.752	45	1 383.81	1845.14	45	83 027.6	3 05	1 567 633	70 230
46	2	6	1 414.56	.14	6	84 872.7	3 10	1 671 834	79 899
47	2	7	1 445.32	.14	7	86 717.9	3 15	1 775 975	90 190
48	2	8	1 476.07	.15	8	88 563.0	3 20	1 880 054	101 102
49	2	9	1 506.82	.15	9	90 408.2	3 25	1 984 064	112 635
20 50	30.753	50	1 537.57	1845.15	50	92 253.3	3 30	2 088 005	124 789
51	3	1	1 568.32	.16	1	94 098.5	3 35	2 191 871	137 563
52	3	2	1 599.07	.16	2	95 943.6	3 40	2 295 659	150 957
53	3	3	1 629.82	.16	3	97 788.8	3 45	2 399 364	164 970
54	3	4	1 660.58	.17	4	99 634.0	3 50	2 502 985	179 602
20 55	30.753	55	1 691.33	1845.17	55	101 479.1	3 55	2 606 516	194 853
56	3	6	1 722.08	.18	6	103 324.3	4 00	2 709 955	210 721
57	3	7	1 752.83	.18	7	105 169.5	4 05	2 813 297	227 206
58	3	8	1 783.58	.18	8	107 014.7	4 10	2 916 538	244 308
59	3	9	1 814.33	.19	9	108 859.9	4 15	3 019 676	262 026
20 60	30.753	60	1 845.08	1845.19	60	110 705.1	4 20	3 122 706	280 359

Latitude 21° to 22°—Arcs of the parallel in meters.

Lat.	1"	2"	3"	4"	5"	6"	7"	8"	9"	1'	2'	3'	4'	5'
21 00	28.881	57.76	86.64	115.52	144.41	173.29	202.17	231.05	259.93	1732.9	3465.7	5198.6	6931.5	8664.3
1	.878	.75	.63	.51	.39	.27	.15	.02	.90	2.7	5.3	8.0	30.7	3.3
2	.875	.75	.62	.50	.38	.25	.12	1.00	.87	2.5	4.9	7.4	29.9	2.4
3	.871	.74	.61	.48	.36	.23	.10	0.97	.84	2.3	4.6	6.9	9.2	1.4
4	.868	.74	.60	.47	.34	.21	.08	.95	.81	2.1	4.2	6.3	8.4	60.5
21 05	28.865	57.73	86.59	115.46	144.32	173.19	202.05	230.92	259.79	1731.9	3463.8	5195.7	6927.6	8659.5
6	.862	.72	.59	.45	.31	.17	.03	.89	.76	1.7	3.4	5.1	6.8	8.5
7	.859	.72	.58	.44	.29	.15	2.01	.87	.73	1.5	3.0	4.5	6.0	7.6
8	.855	.71	.57	.42	.27	.13	1.99	.84	.70	1.3	2.7	4.0	5.3	6.6
9	.852	.71	.56	.41	.26	.11	.96	.82	.67	1.1	2.3	3.4	4.5	5.7
21 10	28.849	57.70	86.55	115.40	144.24	173.09	201.94	230.79	259.64	1730.9	3461.9	5192.8	6923.7	8654.7
11	.846	.69	.54	.39	.22	.07	.92	.76	.61	0.7	1.5	2.2	2.9	3.7
12	.842	.69	.53	.37	.21	.05	.90	.74	.58	0.5	1.1	1.6	2.1	2.7
13	.839	.68	.52	.36	.19	.04	.87	.71	.55	0.4	0.7	1.1	1.4	1.8
14	.836	.67	.51	.35	.18	.02	.85	.69	.52	0.2	60.3	90.5	20.6	50.8
21 15	28.833	57.66	86.50	115.34	144.16	173.00	201.83	230.66	259.50	1730.0	3459.8	5189.9	6919.8	8649.8
16	.829	.66	.49	.32	.14	2.98	.81	.63	.47	29.8	9.4	9.3	9.0	8.8
17	.826	.65	.48	.31	.13	.96	.79	.61	.44	9.6	9.1	8.7	8.3	7.9
18	.823	.64	.47	.30	.11	.94	.76	.58	.41	9.4	8.7	8.2	7.5	6.9
19	.820	.64	.46	.28	.10	.92	.74	.56	.38	9.2	8.4	7.6	6.8	6.0
21 20	28.817	57.63	86.45	115.27	144.08	172.90	201.72	230.53	259.35	1729.0	3458.0	5187.0	6916.0	8645.0
21	.813	.62	.44	.26	.06	.88	.70	.50	.32	8.8	7.6	6.4	5.2	4.0
22	.810	.62	.43	.24	.05	.86	.67	.48	.29	8.6	7.2	5.8	4.4	3.0
23	.807	.61	.42	.23	.03	.84	.65	.45	.26	8.4	6.8	5.2	3.6	2.1
24	.804	.61	.41	.22	.02	.82	.63	.43	.23	8.2	6.4	4.6	2.8	1.1
21 25	28.800	57.60	86.40	115.21	144.00	172.80	201.60	230.40	259.21	1728.0	3456.0	5184.0	6912.0	8640.1
26	.797	.59	.39	.19	3.98	.78	.58	.37	.18	7.8	5.6	3.4	1.2	39.1
27	.794	.59	.38	.18	.97	.76	.56	.35	.15	7.6	5.2	2.8	10.4	8.1
28	.791	.58	.37	.17	.95	.74	.54	.32	.12	7.4	4.9	2.3	09.7	7.2
29	.787	.58	.36	.15	.94	.72	.51	.30	.09	7.2	4.5	1.7	8.9	6.2
21 30	28.784	57.57	86.35	115.14	143.92	172.70	201.49	230.27	259.06	1727.0	3454.1	5181.1	6908.1	8635.2
31	.781	.56	.34	.13	.90	.68	.47	.24	.03	6.8	3.7	80.5	7.3	4.2
32	.777	.56	.33	.11	.89	.66	.44	.22	9.00	6.6	3.3	79.9	6.5	3.2
33	.774	.55	.32	.10	.87	.64	.42	.19	8.97	6.4	2.9	9.3	5.8	2.2
34	.771	.54	.31	.08	.85	.62	.40	.17	.94	6.2	2.5	8.7	5.0	1.2
21 35	28.767	57.53	86.30	115.07	143.83	172.60	201.37	230.14	258.91	1726.0	3452.1	5178.1	6904.2	8630.2
36	.764	.53	.29	.06	.82	.58	.35	.11	.88	5.8	1.7	7.5	3.4	29.2
37	.761	.52	.28	.04	.80	.56	.33	.09	.85	5.6	1.3	6.9	2.6	8.2
38	.758	.51	.27	.03	.78	.55	.31	.06	.82	5.5	0.9	6.4	1.8	7.3
39	.754	.51	.26	.01	.77	.53	.28	.04	.79	5.3	0.5	5.8	1.0	6.3
21 40	28.751	57.50	86.25	115.00	143.75	172.51	201.26	230.01	258.76	1725.1	3450.1	5175.2	6900.2	8625.3
41	.748	.49	.24	4.99	.73	.49	.24	29.98	.73	4.9	49.7	4.6	899.4	4.3
42	.744	.49	.23	.97	.71	.47	.21	.96	.70	4.7	9.3	4.0	8.6	3.3
43	.741	.48	.22	.96	.69	.45	.19	.93	.67	4.5	8.9	3.4	7.8	2.3
44	.738	.48	.21	.95	.67	.43	.16	.90	.64	4.3	8.5	2.8	7.0	1.3
21 45	28.734	57.47	86.20	114.94	143.66	172.41	201.14	229.87	258.61	1724.1	3448.1	5172.2	6896.2	8620.3
46	.731	.46	.19	.92	.65	.39	.12	.85	.58	3.9	7.7	1.6	5.4	19.3
47	.728	.46	.18	.91	.64	.37	.09	.83	.55	3.7	7.3	1.0	4.6	8.3
48	.724	.45	.17	.90	.62	.35	.07	.79	.52	3.5	6.9	70.4	3.9	7.3
49	.721	.45	.16	.88	.61	.33	.04	.77	.49	3.3	6.5	69.8	3.1	6.3
21 50	28.718	57.44	86.15	114.87	143.59	172.31	201.02	229.74	258.46	1723.1	3446.1	5169.2	6892.3	8615.3
51	.714	.43	.14	.86	.57	.29	1.00	.71	.43	2.9	5.7	8.6	1.5	4.3
52	.711	.43	.13	.84	.56	.27	0.97	.69	.40	2.7	5.3	8.0	90.7	3.3
53	.708	.42	.12	.83	.54	.25	.95	.66	.37	2.5	4.9	7.4	89.9	2.3
54	.704	.41	.11	.82	.52	.23	.93	.64	.34	2.3	4.5	6.8	9.1	1.3
21 55	28.701	57.40	86.10	114.80	143.50	172.21	200.90	229.61	258.31	1722.1	3444.1	5166.2	6888.3	8610.3
56	.698	.40	.09	.79	.49	.19	.88	.58	.28	1.9	3.7	5.6	7.5	09.3
57	.694	.39	.08	.78	.47	.17	.86	.56	.25	1.7	3.3	5.0	6.7	8.3
58	.691	.38	.07	.77	.45	.15	.84	.53	.22	1.5	2.9	4.4	5.9	7.3
59	.688	.38	.06	.75	.44	.13	.81	.51	.19	1.3	2.5	3.8	5.1	6.3
21 60	28.684	57.37	86.05	114.74	143.42	172.11	200.79	229.48	258.16	1721.1	3442.1	5163.2	6884.3	8605.3

Lat.	Latitude 21° to 22°—Meridional arcs.					Latitude 21°—Co-ordinates of curvature.			
	Value of 1''	Sums of seconds for middle latitude 21° 30'		Value of 1'	Continuous sums of minutes from latitude 21° 00'		Longitude.	X	Y
° /	Meters.	''	Meters.	Meters.	'	Meters.	° /	Meters.	Meters.
21 00	30.753			1845.19			0 1	1 732.9	0.1
1	3	1	30.76	.20	1	1 845.2	0 2	3 465.7	0.4
2	3	2	61.51	.20	2	3 690.4	0 3	5 198.6	0.8
3	3	3	92.27	.20	3	5 535.6	0 4	6 931.5	1.4
4	3	4	123.02	.21	4	7 380.8	0 5	8 664.3	2.2
21 05	30.753	5	153.78	1845.21	5	9 226.0	0 6	10 397.2	3.2
6	4	6	184.53	.21	6	11 071.2	0 7	12 130.0	4.4
7	4	7	215.29	.22	7	12 916.4	0 8	13 862.9	5.8
8	4	8	246.04	.22	8	14 761.7	0 9	15 595.8	7.3
9	4	9	276.80	.23	9	16 606.9	0 10	17 328.6	9.0
21 10	30.754	10	307.55	1845.23	10	18 452.1	0 15	25 993.0	20.3
11	4	1	338.31	.23	1	20 297.3	0 20	34 657.3	36.1
12	4	2	369.06	.24	2	22 142.6	0 25	43 321.6	56.4
13	4	3	399.82	.24	3	23 987.8	0 30	51 985.9	81.3
14	4	4	430.57	.24	4	25 833.1	0 35	60 650.2	110.7
21 15	30.754	15	461.33	1845.25	15	27 678.3	0 40	69 314.5	144.5
16	4	6	492.08	.25	6	29 523.6	0 45	77 978.7	182.9
17	4	7	522.84	.25	7	31 368.8	0 50	86 643.0	225.8
18	4	8	553.59	.26	8	33 214.1	0 55	95 307.2	273.2
19	4	9	584.35	.26	9	35 059.3	1 00	103 971.3	325.2
21 20	30.754	20	615.10	1845.27	20	36 904.6	1 05	112 635.5	381.6
21	4	1	645.86	.27	1	38 749.9	1 10	121 299.6	442.5
22	5	2	676.61	.27	2	40 595.1	1 15	129 963.7	508.0
23	5	3	707.37	.28	3	42 440.4	1 20	138 627.7	578.0
24	5	4	738.12	.28	4	44 285.7	1 25	147 291.8	652.5
21 25	30.755	25	768.88	1845.28	25	46 131.0	1 30	155 955.7	731.6
26	5	6	799.63	.29	6	47 976.3	1 35	164 619.7	815.1
27	5	7	830.39	.29	7	49 821.5	1 40	173 283.6	903.2
28	5	8	861.14	.30	8	51 666.8	1 45	181 947.4	995.8
29	5	9	891.90	.30	9	53 512.1	1 50	190 611.2	1 092.9
21 30	30.755	30	922.65	1845.30	30	55 357.4	1 55	199 274.9	1 194.5
31	5	1	953.41	.31	1	57 202.7	2 00	207 939	1 301
32	5	2	984.16	.31	2	59 048.0	2 05	311 898	2 926
33	5	3	1 014.92	.31	3	60 893.4	2 10	415 845	5 202
34	5	4	1 045.67	.32	4	62 738.7	2 15	519 775	8 128
21 35	30.755	35	1 076.43	1845.32	35	64 584.0	2 20	623 686	11 704
36	5	6	1 107.18	.33	6	66 429.3	2 25	727 572	15 930
37	5	7	1 137.94	.33	7	68 274.6	2 30	831 429	20 806
38	6	8	1 168.69	.33	8	70 120.0	2 35	935 254	26 331
39	6	9	1 199.45	.34	9	71 965.3	2 40	1 039 042	32 505
21 40	30.756	40	1 230.20	1845.34	40	73 810.6	2 45	1 142 790	39 328
41	6	1	1 260.96	.34	1	75 656.0	2 50	1 246 493	46 801
42	6	2	1 291.71	.35	2	77 501.3	2 55	1 350 147	54 922
43	6	3	1 322.47	.35	3	79 346.7	3 00	1 453 749	63 690
44	6	4	1 353.22	.36	4	81 192.0	3 05	1 557 294	73 107
21 45	30.756	45	1 383.98	1845.36	45	83 037.4	3 10	1 660 777	83 171
46	6	6	1 414.73	.36	6	84 882.8	3 15	1 764 195	93 882
47	6	7	1 445.49	.37	7	86 728.1	3 20	1 867 545	105 240
48	6	8	1 476.24	.37	8	88 573.5	3 25	1 970 822	117 244
49	6	9	1 507.00	.37	9	90 418.9	3 30	2 074 021	129 893
21 50	30.756	50	1 537.75	1845.38	50	92 264.2	3 35	2 177 139	143 188
51	6	1	1 568.51	.38	1	94 109.6	3 40	2 280 173	157 128
52	6	2	1 599.26	.39	2	95 955.0	3 45	2 383 117	171 712
53	6	3	1 630.02	.39	3	97 800.4	3 50	2 485 967	186 939
54	7	4	1 660.77	.39	4	99 645.8	3 55	2 588 720	202 809
21 55	30.757	55	1 691.53	1845.40	55	101 491.2	4 00	2 691 373	219 322
56	7	6	1 722.28	.40	6	103 336.6	4 05	2 793 920	236 476
57	7	7	1 753.04	.40	7	105 182.0	4 10	2 896 358	254 272
58	7	8	1 783.79	.41	8	107 027.4	4 15	2 998 682	272 708
59	7	9	1 814.55	.41	9	108 872.8	4 20	3 100 889	291 784
21 60	30.757	60	1 845.30	1845.42	60	110 718.2	4 25		

Lat.	Latitude 22° to 23°—Meridional arcs.					Latitude 22°—Co-ordinates of curvature.			
	Value of 1''	Sums of seconds for middle latitude 22° 30'		Value of 1'	Continuous sums of minutes from latitude 22° 00'	Longitude.	X	Y	
° /	Meters.	''	Meters.	Meters.	'	Meters.	° /	Meters.	Meters.
22 00	30.757			1845.42			0 1	1 721.1	0.1
1	7	1	30.76	.42	1	1 845.4	2	3 442.2	0.4
2	7	2	61.52	.42	2	3 690.8	3	5 163.2	0.8
3	7	3	92.28	.43	3	5 536.3	4	6 884.3	1.5
4	7	4	123.04	.43	4	7 381.7	5	8 605.4	2.3
22 05	30.757	5	153.79	1845.44	5	9 227.1	6	10 326.5	3.4
6	7	6	184.55	.44	6	11 072.6	7	12 047.5	4.6
7	7	7	215.31	.44	7	12 918.0	8	13 768.6	6.0
8	7	8	246.07	.45	8	14 763.4	9	15 489.7	7.6
9	7	9	276.83	.45	9	16 608.9			
22 10	30.758	10	307.59	1845.45	10	18 454.3	0 10	17 210.7	9.4
11	8	1	338.35	.46	1	20 299.8	15	25 816.0	21.1
12	8	2	369.11	.46	2	22 145.3	20	34 421.3	37.5
13	8	3	399.86	.47	3	23 990.7	25	43 026.6	58.6
14	8	4	430.62	.47	4	25 836.2	30	51 631.8	84.4
22 15	30.758	15	461.38	1845.47	15	27 681.7	0 35	60 237.1	114.9
16	8	6	492.14	.48	6	29 527.1	40	68 842.3	150.0
17	8	7	522.90	.48	7	31 372.6	45	77 447.6	189.9
18	8	8	553.66	.48	8	33 218.1	50	86 052.8	234.4
19	8	9	584.42	.49	9	35 063.6	55	94 057.9	283.7
22 20	30.758	20	615.18	1845.49	20	36 909.1	1 00	103 263.1	337.6
21	8	1	645.94	.50	1	38 754.6	05	111 868.2	396.2
22	8	2	676.69	.50	2	40 600.1	10	120 473.3	459.5
23	8	3	707.45	.50	3	42 445.6	15	129 078.3	527.5
24	8	4	738.21	.51	4	44 291.1	20	137 683.3	600.1
22 25	30.759	25	768.97	1845.51	25	46 136.6	1 25	146 288.3	677.5
26	9	6	799.73	.52	6	47 982.1	30	154 893.2	759.5
27	9	7	830.49	.52	7	49 827.6	35	163 498.1	846.3
28	9	8	861.25	.52	8	51 673.1	40	172 102.9	937.7
29	9	9	892.01	.53	9	53 518.7	45	180 707.7	1 033.8
22 30	30.759	30	922.77	1845.53	30	55 364.2	1 50	189 312.4	1 134.6
31	9	1	953.52	.53	1	57 209.7	55	197 917.1	1 240.1
32	9	2	984.28	.54	2	59 055.3	2 00	206 522	1 350
33	9	3	1 015.04	.54	3	60 900.8	3 00	309 772	3 037
34	9	4	1 045.80	.55	4	62 746.3	4 00	413 008	5 400
22 35	30.759	35	1 076.56	1845.55	35	64 591.9	5 00	516 227	8 438
36	9	6	1 107.32	.55	6	66 437.4	6 00	619 424	12 151
37	9	7	1 138.08	.56	7	68 283.0	7 00	722 595	16 538
38	9	8	1 168.84	.56	8	70 128.6	8 00	825 734	21 600
39	9	9	1 199.59	.57	9	71 974.1	9 00	928 838	27 336
22 40	30.759	40	1 230.35	1845.57	40	73 819.7	10 00	1 031 903	33 746
41	60	1	1 261.11	.57	1	75 665.3	11 00	1 134 923	40 829
42	0	2	1 291.87	.58	2	77 510.8	12 00	1 237 895	48 586
43	0	3	1 322.63	.58	3	79 356.4	13 00	1 340 814	57 016
44	0	4	1 353.39	.58	4	81 202.0	14 00	1 443 675	66 119
22 45	30.760	45	1 384.15	1845.59	45	83 047.6	15 00	1 546 475	75 894
46	0	6	1 414.91	.59	6	84 893.2	16 00	1 649 209	86 341
47	0	7	1 445.67	.60	7	86 738.8	17 00	1 751 873	97 459
48	0	8	1 476.42	.60	8	88 584.4	18 00	1 854 461	109 248
49	0	9	1 507.18	.60	9	90 430.0	19 00	1 956 970	121 708
22 50	30.760	50	1 537.94	1845.61	50	92 275.6	20 00	2 059 396	134 838
51	0	1	1 568.70	.61	1	94 121.2	21 00	2 161 733	148 637
52	0	2	1 599.46	.62	2	95 966.8	22 00	2 263 978	163 105
53	0	3	1 630.22	.62	3	97 812.4	23 00	2 366 126	178 241
54	0	4	1 660.98	.62	4	99 658.0	24 00	2 468 174	194 045
22 55	30.760	55	1 691.74	1845.63	55	101 503.7	25 00	2 570 116	210 515
56	1	6	1 722.50	.63	6	103 349.3	26 00	2 671 947	227 652
57	1	7	1 753.25	.64	7	105 194.9	27 00	2 773 664	245 454
58	1	8	1 784.01	.64	8	107 040.6	28 00	2 875 264	263 921
59	1	9	1 814.77	.64	9	108 886.2	29 00	2 976 740	283 051
22 60	30.761	60	1 845.53	1845.65	60	110 731.8	30 00	3 078 089	302 845

Lat.	Latitude 23° to 24°—Meridional arcs.					Latitude 23°—Co-ordinates of curvature.			
	Value of 1''	Sums of seconds for middle latitude 23° 30'		Value of 1'	Continuous sums of minutes from latitude 23° 00'	Longitude.	X	Y	
° /	Meters.	"	Meters.	Meters.	'	Meters.	° /	Meters.	Meters.
23 00	30.761			1845.65			0 1	1 708.7	0.1
1	1	1	30.76	.65	1	1 845.6	0 2	3 417.5	0.4
2	1	2	61.53	.66	2	3 691.3	0 3	5 126.2	0.9
3	1	3	92.29	.66	3	5 537.0	0 4	6 835.0	1.6
4	1	4	123.05	.66	4	7 382.6	0 5	8 543.7	2.4
23 05	30.761	5	153.81	1845.67	5	9 228.3	0 6	10 252.4	3.5
6	1	6	184.58	.67	6	11 073.9	0 7	11 961.2	4.8
7	1	7	215.34	.67	7	12 919.6	0 8	13 669.9	6.2
8	1	8	246.10	.68	8	14 765.3	0 9	15 378.6	7.9
9	1	9	276.86	.68	9	16 611.0	0 10	17 087.4	9.7
23 10	30.761	10	307.63	1845.69	10	18 456.7	0 15	25 631.0	21.8
11	2	1	338.39	.69	1	20 302.3	0 20	34 174.7	38.8
12	2	2	369.15	.69	2	22 148.0	0 25	42 718.4	60.7
13	2	3	399.92	.70	3	23 993.7	0 30	51 262.0	87.4
14	2	4	430.68	.70	4	25 839.4	0 35	59 805.7	118.9
23 15	30.762	15	461.44	1845.71	15	27 685.1	0 40	68 349.3	155.4
16	2	6	492.20	.71	6	29 530.8	0 45	76 892.8	196.6
17	2	7	522.97	.71	7	31 376.6	0 50	85 436.4	242.8
18	2	8	553.73	.72	8	33 222.3	0 55	93 979.9	293.7
19	2	9	584.49	.72	9	35 068.0	1 00	102 523.4	349.6
23 20	30.762	20	615.26	1845.73	20	36 913.7	1 05	111 066.9	410.3
21	2	1	646.02	.73	1	38 759.4	1 10	119 610.3	475.8
22	2	2	676.78	.73	2	40 605.2	1 15	128 153.7	546.2
23	2	3	707.54	.74	3	42 450.9	1 20	136 697.1	621.5
24	2	4	738.31	.74	4	44 296.7	1 25	145 240.4	701.6
23 25	30.762	25	769.07	1845.75	25	46 142.4	1 30	153 783.6	786.6
26	2	6	799.83	.75	6	47 988.1	1 35	162 326.8	876.4
27	3	7	830.59	.75	7	49 833.9	1 40	170 870.0	971.1
28	3	8	861.36	.76	8	51 679.7	1 45	179 413.1	1 070.6
29	3	9	892.12	.76	9	53 525.4	1 50	187 956.1	1 175.0
23 30	30.763	30	922.88	1845.77	30	55 371.2	1 55	196 499.1	1 284.2
31	3	1	953.65	.77	1	57 216.9	2 00	205 042	1 398
32	3	2	984.41	.77	2	59 062.7	2 05	307 551	3 146
33	3	3	1 015.17	.78	3	60 908.5	2 10	410 046	5 593
34	3	4	1 045.93	.78	4	62 754.3	2 15	512 522	8 739
23 35	30.763	35	1 076.70	1845.79	35	64 600.1	2 20	614 974	12 583
36	3	6	1 107.46	.79	6	66 445.8	2 25	717 397	17 126
37	3	7	1 138.22	.79	7	68 291.6	2 30	819 787	22 368
38	3	8	1 168.99	.80	8	70 137.4	2 35	922 139	28 307
39	3	9	1 199.75	.80	9	71 983.2	2 40	1 024 448	34 945
23 40	30.763	40	1 230.51	1845.81	40	73 829.0	2 45	1 126 709	42 280
41	3	1	1 261.27	.81	1	75 674.8	2 50	1 228 918	50 312
42	4	2	1 292.04	.81	2	77 520.7	2 55	1 331 070	59 041
43	4	3	1 322.80	.82	3	79 366.5	3 00	1 433 160	68 466
44	4	4	1 353.56	.82	4	81 212.3	3 05	1 535 183	78 588
23 45	30.764	45	1 384.32	1845.83	45	83 058.1	3 10	1 637 135	89 405
46	4	6	1 415.09	.83	6	84 903.9	3 15	1 739 011	100 917
47	4	7	1 445.85	.83	7	86 749.8	3 20	1 840 805	113 123
48	4	8	1 476.61	.84	8	88 595.6	3 25	1 942 514	126 023
49	4	9	1 507.38	.84	9	90 441.5	3 30	2 044 133	139 617
23 50	30.764	50	1 538.14	1845.85	50	92 287.3	3 35	2 145 657	153 903
51	4	1	1 568.90	.85	1	94 133.2	3 40	2 247 081	168 882
52	4	2	1 599.66	.85	2	95 979.0	3 45	2 348 400	184 552
53	4	3	1 630.43	.86	3	97 824.9	3 50	2 449 611	200 911
54	4	4	1 661.19	.86	4	99 670.7	3 55	2 550 707	217 960
23 55	30.764	55	1 691.95	1845.87	55	101 516.6	3 60	2 651 685	235 700
56	5	6	1 722.72	.87	6	103 362.4	3 65	2 752 540	254 127
57	5	7	1 753.48	.87	7	105 208.3	3 70	2 853 266	273 242
58	5	8	1 784.24	.88	8	107 054.2	3 75	2 953 859	293 043
59	5	9	1 815.00	.88	9	108 900.1	3 80	3 054 316	313 530
23 60	30.765	60	1 845.77	1845.89	60	110 746.0	3 85		

Latitude 24° to 25°—Arcs of the parallel in meters.

Lat.	1"	2"	3"	4"	5"	6"	7"	8"	9"	1'	2'	3'	4'	5'
24 00	28.265	56.53	84.79	113.06	141.32	169.59	197.85	226.12	254.38	1695.9	3391.8	5087.7	6783.6	8479.5
1	.261	.52	.78	.05	.30	.57	.83	.09	.35	5.7	1.4	7.0	2.7	8.4
2	.258	.52	.77	.03	.28	.55	.80	.06	.32	5.5	0.9	6.4	1.8	7.3
3	.254	.51	.76	.02	.27	.52	.78	.03	.28	5.2	0.5	5.7	1.0	6.2
4	.250	.50	.75	3.00	.25	.50	.75	6.00	.25	5.0	90.0	5.1	80.1	5.1
24 05	28.247	56.50	84.74	112.99	141.23	169.48	197.73	225.98	254.22	1694.8	3389.6	5084.4	6779.2	8474.0
6	.243	.49	.73	.97	.21	.46	.70	.95	.19	4.6	9.2	3.7	8.3	2.9
7	.239	.48	.72	.96	.19	.44	.68	.92	.16	4.4	8.7	3.1	7.4	1.8
8	.236	.47	.71	.94	.18	.41	.65	.89	.12	4.1	8.3	2.4	6.6	70.7
9	.232	.47	.70	.93	.16	.39	.63	.86	.09	3.9	7.8	1.8	5.7	69.6
24 10	28.228	56.46	84.69	112.91	141.14	169.37	197.60	225.83	254.06	1693.7	3387.4	5081.1	6774.8	8468.5
11	.225	.45	.67	.90	.12	.35	.57	.80	4.03	3.5	7.0	80.4	3.9	7.4
12	.221	.44	.66	.88	.10	.33	.55	.77	3.99	3.3	6.5	79.8	3.0	6.3
13	.217	.44	.65	.87	.09	.30	.52	.74	.96	3.0	6.1	9.1	2.2	5.2
14	.214	.43	.64	.85	.07	.28	.50	.71	.92	2.8	5.6	8.5	1.3	4.1
24 15	28.210	56.42	84.63	112.84	141.05	169.26	197.47	225.68	253.89	1692.6	3385.2	5077.8	6770.4	8463.0
16	.206	.41	.62	.83	.03	.24	.44	.65	.86	2.4	4.8	7.1	69.5	1.9
17	.203	.40	.61	.81	.01	.22	.42	.62	.82	2.2	4.3	6.5	8.6	60.8
18	.199	.40	.60	.80	1.00	.19	.39	.59	.79	1.9	3.9	5.8	7.8	59.7
19	.195	.39	.59	.78	0.98	.17	.37	.56	.75	1.7	3.4	5.2	6.9	8.6
24 20	28.192	56.38	84.57	112.77	140.96	169.15	197.34	225.53	253.72	1691.5	3383.0	5074.5	6766.0	8457.5
21	.188	.37	.56	.76	.94	.13	.31	.50	.69	1.3	2.6	3.7	5.1	6.4
22	.184	.37	.55	.74	.92	.11	.29	.47	.65	1.1	2.1	3.1	4.2	5.3
23	.180	.36	.54	.73	.90	.08	.26	.44	.62	0.8	1.7	2.5	3.3	4.1
24	.177	.35	.53	.71	.88	.06	.24	.41	.59	0.6	1.2	1.9	2.4	3.0
24 25	28.173	56.34	84.52	112.70	140.87	169.04	197.21	225.39	253.55	1690.4	3380.8	5071.2	6761.5	8451.9
26	.160	.34	.51	.68	.85	.02	.18	.36	.52	0.2	80.4	70.5	60.6	50.8
27	.166	.33	.50	.66	.83	9.00	.16	.33	.49	90.0	79.9	69.8	59.7	49.7
28	.162	.32	.49	.65	.81	8.97	.13	.30	.46	89.7	9.5	9.2	8.9	8.6
29	.158	.32	.47	.63	.79	.95	.11	.27	.42	9.5	9.0	8.5	8.0	7.5
24 30	28.155	56.31	84.46	112.62	140.77	168.93	197.08	225.24	253.39	1689.3	3378.6	5067.8	6757.1	8446.4
31	.151	.30	.45	.61	.75	.91	.05	.21	.36	9.1	8.1	7.1	6.2	5.3
32	.147	.29	.44	.59	.73	.88	.03	.18	.32	8.8	7.7	6.5	5.3	4.1
33	.143	.29	.43	.58	.72	.86	7.00	.15	.29	8.6	7.2	5.8	4.4	3.0
34	.140	.28	.42	.56	.70	.84	6.98	.12	.26	8.4	6.8	5.2	3.5	1.9
24 35	28.136	56.27	84.41	112.55	140.68	168.82	196.95	225.09	253.22	1688.2	3376.3	5064.5	6752.6	8440.8
36	.132	.26	.40	.53	.66	.79	.92	.06	.19	7.9	5.9	3.8	1.7	39.7
37	.129	.25	.39	.51	.64	.77	.90	.03	.16	7.7	5.4	3.1	0.8	8.6
38	.125	.25	.37	.50	.63	.75	.87	5.00	.13	7.5	5.0	2.5	50.0	7.4
39	.121	.24	.36	.48	.61	.72	.85	4.97	.09	7.2	4.5	1.8	49.1	6.3
24 40	28.117	56.23	84.35	112.47	140.59	168.70	196.82	224.94	253.06	1687.0	3374.1	5061.1	6748.2	8435.2
41	.114	.22	.34	.46	.57	.68	.79	.91	3.03	6.8	3.6	60.4	7.3	4.1
42	.110	.22	.33	.44	.55	.66	.77	.88	2.99	6.6	3.2	59.8	6.4	3.0
43	.106	.21	.32	.43	.53	.63	.74	.85	.96	6.3	2.7	9.1	5.5	1.8
44	.102	.20	.31	.41	.51	.61	.72	.82	.92	6.1	2.3	8.5	4.6	30.7
24 45	28.099	56.20	84.30	112.40	140.50	168.59	196.60	224.79	252.89	1685.9	3371.8	5057.8	6743.7	8429.6
46	.095	.19	.28	.38	.48	.57	.66	.76	.86	5.7	1.4	7.1	2.8	8.5
47	.091	.18	.27	.37	.46	.55	.64	.73	.82	5.5	0.9	6.4	1.9	7.3
48	.087	.17	.26	.35	.44	.52	.61	.70	.79	5.2	0.5	5.8	1.0	6.2
49	.084	.17	.25	.34	.42	.50	.59	.67	.75	5.0	70.0	5.1	40.1	5.1
24 50	28.080	56.16	84.24	112.32	140.40	168.48	196.56	224.64	252.72	1684.8	3369.6	5054.4	6739.2	8424.0
51	.076	.15	.23	.31	.38	.46	.53	.61	.69	4.6	9.1	3.7	8.3	2.8
52	.072	.14	.22	.29	.36	.43	.51	.58	.65	4.3	8.7	3.0	7.4	1.7
53	.069	.14	.21	.28	.34	.41	.48	.55	.62	4.1	8.2	2.4	6.4	20.6
54	.065	.13	.19	.26	.32	.39	.46	.52	.58	3.9	7.8	1.7	5.5	19.4
24 55	28.061	56.12	84.18	112.25	140.31	168.37	196.43	224.49	252.55	1683.7	3367.3	5051.0	6734.6	8418.3
56	.057	.11	.17	.23	.29	.34	.40	.46	.52	3.4	6.9	50.3	3.7	7.2
57	.053	.10	.16	.22	.27	.32	.38	.43	.48	3.2	6.4	49.6	2.8	6.0
58	.050	.10	.15	.20	.25	.30	.35	.40	.45	3.0	6.0	9.0	1.9	4.9
59	.046	.09	.14	.19	.23	.27	.33	.37	.41	2.7	5.5	8.3	1.0	3.8
24 60	28.042	56.08	84.13	112.17	140.21	168.25	196.30	224.34	252.38	1682.5	3365.1	5047.6	6730.1	8412.7

Lat.	Latitude 24° to 25°—Meridional arcs.					Latitude 24°—Co-ordinates of curvature.			
	Value of 1''	Sums of seconds for middle latitude 24° 30'		Value of 1'	Continuous sums of minutes from latitude 24° 00'	Longitude.	X	Y	
° /	Meters.	''	Meters.	Meters.	'	Meters.	° /	Meters.	Meters.
24 00	30.765			1845.89			0 1	1 695.9	0.1
1	5	1	30.77	.89	1	1 845.9	0 2	3 391.8	0.4
2	5	2	61.53	.89	2	3 691.8	0 3	5 087.7	0.9
3	5	3	92.30	.90	3	5 537.7	0 4	6 783.6	1.6
4	5	4	123.07	.90	4	7 383.6	0 5	8 479.5	2.5
24 05	30.765	5	153.83	1845.91	5	9 229.5	0 6	10 175.4	3.6
6	5	6	184.60	.91	6	11 075.4	0 7	11 871.2	4.9
7	5	7	215.37	.92	7	12 921.3	0 8	13 567.1	6.4
8	5	8	246.13	.92	8	14 767.2	0 9	15 263.0	8.1
9	5	9	276.90	.92	9	16 613.1	0 10	16 958.9	10.0
24 10	30.765	10	307.67	1845.93	10	18 459.1	0 15	25 438.4	22.6
11	6	1	338.44	.93	1	20 305.0	0 20	33 917.8	40.1
12	6	2	369.20	.94	2	22 150.9	0 25	42 397.2	62.7
13	6	3	399.97	.94	3	23 996.9	0 30	50 876.6	90.3
14	6	4	430.74	.94	4	25 842.8	0 35	59 356.0	122.9
24 15	30.766	15	461.50	1845.95	15	27 688.8	0 40	67 835.4	160.5
16	6	6	492.27	.95	6	29 534.7	0 45	76 314.8	203.2
17	6	7	523.04	.96	7	31 380.7	0 50	84 794.1	250.8
18	6	8	553.80	.96	8	33 226.6	0 55	93 273.4	303.5
19	6	9	584.57	.96	9	35 072.6	1 00	101 752.7	361.2
24 20	30.766	20	615.34	1845.97	20	36 918.6	1 05	110 231.9	423.9
21	6	1	646.10	.97	1	38 764.5	1 10	118 711.1	491.6
22	6	2	676.87	.98	2	40 610.5	1 15	127 190.2	564.3
23	6	3	707.64	.98	3	42 456.5	1 20	135 669.3	642.1
24	6	4	738.40	.98	4	44 302.5	1 25	144 148.3	724.8
24 25	30.766	25	769.17	1845.99	25	46 148.4	1 30	152 627.4	812.6
26	7	6	799.94	5.99	6	47 994.4	1 35	161 106.3	905.4
27	7	7	830.70	6.00	7	49 840.4	1 40	169 585.2	1 003.2
28	7	8	861.47	.00	8	51 686.4	1 45	178 064.0	1 106.1
29	7	9	892.24	.01	9	53 532.4	1 50	186 542.8	1 213.9
24 30	30.767	30	923.00	1846.01	30	55 378.4	1 55	195 021.5	1 326.8
31	7	1	953.77	.01	1	57 224.4	2 00	203 500	1 445
32	7	2	984.54	.02	2	59 070.5	2 05	305 237	3 250
33	7	3	1 015.31	.02	3	60 916.5	2 10	406 959	5 778
34	7	4	1 046.07	.03	4	62 762.5	2 15	508 660	9 028
24 35	30.767	35	1 076.84	1846.03	35	64 608.5	2 20	610 336	13 001
36	7	6	1 107.61	.03	6	66 454.6	2 25	711 981	17 695
37	7	7	1 138.37	.04	7	68 300.6	2 30	813 590	23 109
38	7	8	1 169.14	.04	8	70 146.6	2 35	915 159	29 245
39	7	9	1 199.91	.05	9	71 992.7	2 40	1 016 681	36 102
24 40	30.768	40	1 230.67	1846.05	40	73 838.7	2 45	1 118 152	43 679
41	8	1	1 261.44	.05	1	75 684.8	2 50	1 219 566	51 977
42	8	2	1 292.21	.06	2	77 530.8	2 55	1 320 919	60 994
43	8	3	1 322.97	.06	3	79 376.9	3 00	1 422 205	70 731
44	8	4	1 353.74	.07	4	81 223.0	3 05	1 523 420	81 186
24 45	30.768	45	1 384.51	1846.07	45	83 069.0	3 10	1 624 558	92 360
46	8	6	1 415.27	.08	6	84 915.1	3 15	1 725 614	104 251
47	8	7	1 446.04	.08	7	86 761.2	3 20	1 826 583	116 859
48	8	8	1 476.81	.08	8	88 607.3	3 25	1 927 460	130 184
49	8	9	1 507.57	.09	9	90 453.3	3 30	2 028 240	144 225
24 50	30.768	50	1 538.34	1846.09	50	92 299.4	3 35	2 128 918	158 981
51	8	1	1 569.11	.10	1	94 145.5	3 40	2 229 488	174 451
52	8	2	1 599.87	.10	2	95 991.6	3 45	2 329 946	190 634
53	8	3	1 630.64	.10	3	97 837.7	3 50	2 430 287	207 530
54	8	4	1 661.41	.11	4	99 683.8	3 55	2 530 505	225 138
24 55	30.769	55	1 692.17	1846.11	55	101 529.9	4 00	2 630 596	243 458
56	9	6	1 722.94	.12	6	103 376.1	4 05	2 730 554	262 487
57	9	7	1 753.71	.12	7	105 222.2	4 10	2 830 374	282 225
58	9	8	1 784.48	.13	8	107 068.3	4 15	2 930 059	302 671
59	9	9	1 815.24	.13	9	108 914.4	4 20	3 029 582	323 825
24 60	30.769	60	1 846.01	1846.13	60	110 760.6	4 25		

Latitude 25° to 26°—Arcs of the parallel in meters.

Lat.	1"	2"	3"	4"	5"	6"	7"	8"	9"	1'	2'	3'	4'	5'
25 00	28.042	56.08	84.13	112.17	140.21	168.25	196.30	224.34	252.38	1682.5	3365.1	5047.6	6730.1	8412.7
1	.038	.07	.12	.16	.19	.23	.27	.31	.35	2.3	4.6	6.9	29.2	1.5
2	.035	.07	.10	.14	.17	.21	.25	.28	.31	2.1	4.2	6.2	8.3	10.4
3	.031	.06	.09	.13	.15	.18	.22	.25	.28	1.8	3.7	5.6	7.4	9.2
4	.027	.05	.08	.11	.13	.16	.19	.22	.24	1.6	3.3	4.9	6.5	8.1
25 05	28.023	56.04	84.07	112.10	140.12	168.14	196.17	224.18	252.21	1681.4	3362.8	5044.2	6725.6	8407.0
6	.019	.04	.06	.08	.10	.12	.14	.15	.18	1.2	2.3	3.5	4.7	5.8
7	.016	.03	.05	.07	.08	.10	.11	.12	.14	1.0	1.9	2.8	3.8	4.7
8	.012	.02	.03	.05	.06	.07	.08	.09	.11	0.7	1.4	2.2	2.8	3.5
9	.008	.02	.02	.04	.04	.05	.06	.06	.07	0.5	1.0	1.5	1.9	2.4
25 10	28.004	56.01	84.01	112.02	140.02	168.03	196.03	224.03	252.04	1680.3	3360.5	5040.8	6721.0	8401.3
11	8.000	6.00	4.00	2.00	40.00	8.00	6.00	4.00	2.01	80.0	60.0	40.1	20.1	400.1
12	7.997	5.99	3.99	1.99	39.98	7.98	5.98	3.97	1.97	79.8	59.6	39.4	19.2	399.0
13	.993	.99	.98	.97	.96	.96	.95	.94	.94	9.6	9.1	8.7	8.2	7.8
14	.989	.98	.97	.96	.94	.93	.92	.91	.90	9.3	8.7	8.0	7.3	6.7
25 15	27.985	55.97	83.95	111.94	139.93	167.91	195.90	223.88	251.87	1679.1	3358.2	5037.3	6716.4	8395.5
16	.981	.96	.94	.92	.91	.89	.87	.85	.83	8.9	7.7	6.6	5.5	4.4
17	.977	.95	.93	.91	.89	.86	.84	.82	.80	8.6	7.3	5.9	4.6	3.2
18	.974	.95	.92	.89	.87	.84	.81	.79	.76	8.4	6.8	5.3	3.6	2.1
19	.970	.94	.91	.88	.85	.82	.79	.76	.73	8.2	6.4	4.6	2.7	91.0
25 20	27.966	55.93	83.90	111.86	139.83	167.80	195.76	223.73	251.69	1678.0	3355.9	5033.9	6711.8	8389.8
21	.962	.92	.89	.85	.81	.78	.73	.70	.66	7.8	5.4	3.2	0.9	8.7
22	.958	.92	.88	.83	.79	.75	.71	.67	.62	7.5	5.0	2.5	10.0	7.5
23	.954	.91	.86	.82	.77	.73	.68	.64	.59	7.3	4.5	1.8	99.0	6.3
24	.951	.90	.85	.80	.75	.70	.65	.61	.55	7.0	4.1	1.1	8.1	5.2
25 25	27.947	55.90	83.84	111.79	139.74	167.68	195.62	223.57	251.52	1676.8	3353.6	5030.4	6707.2	8384.0
26	.943	.89	.83	.77	.72	.66	.60	.54	.48	6.6	3.1	29.7	6.3	2.9
27	.939	.88	.82	.76	.70	.63	.57	.51	.45	6.3	2.7	9.0	5.4	1.7
28	.935	.87	.81	.74	.68	.61	.54	.48	.41	6.1	2.2	8.4	4.4	80.6
29	.931	.87	.79	.73	.66	.59	.52	.45	.38	5.9	1.8	7.7	3.5	79.4
25 30	27.928	55.86	83.78	111.71	139.64	167.57	195.49	223.42	251.34	1675.7	3351.3	5027.0	6702.6	8378.3
31	.924	.85	.77	.70	.62	.55	.46	.39	.31	5.5	0.8	6.3	1.7	7.1
32	.920	.84	.76	.68	.60	.52	.44	.36	.27	5.2	50.4	5.6	700.8	6.0
33	.916	.84	.75	.67	.58	.50	.41	.33	.24	5.0	49.9	4.9	699.8	4.8
34	.912	.83	.74	.65	.56	.47	.38	.30	.20	4.7	9.5	4.2	8.9	3.7
25 35	27.908	55.82	83.72	111.64	139.55	167.45	195.36	223.26	251.17	1674.5	3349.0	5023.5	6698.0	8372.5
36	.904	.81	.71	.62	.53	.43	.33	.23	.14	4.3	8.5	2.8	7.1	1.3
37	.901	.80	.70	.61	.51	.40	.30	.20	.10	4.0	8.1	2.1	6.2	70.2
38	.897	.80	.69	.59	.49	.38	.27	.17	.07	3.8	7.6	1.4	5.2	69.0
39	.893	.79	.68	.58	.47	.36	.25	.14	.03	3.6	7.2	0.7	4.3	7.9
25 40	27.889	55.78	83.67	111.56	139.45	167.33	195.22	223.11	251.00	1673.3	3346.7	5020.0	6693.4	8366.7
41	.885	.77	.66	.54	.43	.31	.19	.08	0.97	3.1	6.2	19.3	2.5	5.5
42	.881	.76	.64	.53	.41	.29	.17	.05	.93	2.9	5.7	8.6	1.5	4.4
43	.877	.76	.63	.51	.39	.26	.14	3.02	.90	2.6	5.3	7.9	90.6	3.2
44	.873	.75	.62	.50	.37	.24	.11	2.99	.86	2.4	4.8	7.2	89.6	2.0
25 45	27.869	55.74	83.61	111.48	139.35	167.22	195.09	222.95	250.82	1672.2	3344.3	5016.5	6688.7	8360.8
46	.866	.73	.60	.46	.33	.19	.06	.92	.79	1.9	3.8	5.8	7.8	59.7
47	.862	.72	.59	.45	.31	.17	.03	.89	.75	1.7	3.4	5.1	6.8	8.5
48	.858	.72	.57	.43	.29	.15	5.00	.86	.72	1.5	2.9	4.4	5.9	7.4
49	.854	.71	.56	.42	.27	.12	4.98	.83	.68	1.2	2.5	3.7	4.9	6.2
25 50	27.850	55.70	83.55	111.40	139.25	167.10	194.95	222.80	250.65	1671.0	3342.0	5013.0	6684.0	8355.0
51	.846	.69	.54	.38	.23	.08	.92	.77	.62	0.8	1.5	2.3	3.1	3.8
52	.842	.68	.53	.37	.21	.05	.90	.74	.58	0.5	1.1	1.6	2.1	2.7
53	.838	.68	.51	.35	.19	.03	.87	.71	.55	0.3	0.6	0.9	1.2	1.5
54	.834	.67	.50	.34	.17	7.01	.84	.68	.51	70.1	40.2	10.2	80.2	50.3
25 55	27.831	55.66	83.49	111.32	139.16	166.98	194.82	222.64	250.48	1669.8	3339.7	5009.5	6679.3	8349.2
56	.827	.65	.48	.30	.14	.96	.79	.61	.44	9.6	9.2	8.8	8.4	8.0
57	.823	.64	.47	.29	.12	.94	.76	.58	.41	9.4	8.7	8.1	7.4	6.8
58	.819	.64	.46	.27	.10	.91	.73	.55	.37	9.1	8.3	7.4	6.5	5.6
59	.815	.63	.44	.26	.08	.89	.71	.52	.34	8.9	7.8	6.7	5.5	4.5
25 60	27.811	55.62	83.43	111.24	139.06	166.87	194.68	222.49	250.30	1668.7	3337.3	5006.0	6674.6	8343.3

Lat.	Latitude 25° to 26°—Meridional arcs.					Latitude 25°—Co-ordinates of curvature.			
	Value of 1''	Sums of seconds for middle latitude 25° 30'		Value of 1'	Continuous sums of minutes from latitude 25° 00'		Longitude.	X	Y
° /	Meters.	''	Meters.	Meters.	'	Meters.	° /	Meters.	Meters.
25 00	30.769			1846.13			0 1	1 682.5	0.1
1	9	1	30.77	.14	1	1 846.1	0 2	3 365.1	0.4
2	9	2	61.54	.14	2	3 692.3	0 3	5 047.6	0.9
3	9	3	92.31	.15	3	5 538.4	0 4	6 730.1	1.7
4	9	4	123.08	.15	4	7 384.6	0 5	8 412.7	2.6
25 05	30.769	5	153.86	1846.15	5	9 230.7	0 6	10 095.2	3.7
6	9	6	184.63	.16	6	11 076.9	0 7	11 777.7	5.1
7	9	7	215.40	.16	7	12 923.0	0 8	13 460.3	6.6
8	69	8	246.17	.17	8	14 769.2	0 9	15 142.8	8.4
9	70	9	276.94	.17	9	16 615.4			
25 10	30.770	10	307.71	1846.18	10	18 461.5	0 10	16 825.3	10.3
11	0	1	338.48	.18	1	20 307.7	0 15	25 238.0	23.3
12	0	2	369.25	.18	2	22 153.9	0 20	33 650.6	41.4
13	0	3	400.02	.19	3	24 000.1	0 25	42 063.2	64.6
14	0	4	430.79	.19	4	25 846.3	0 30	50 475.8	93.1
25 15	30.770	15	461.57	1846.20	15	27 692.5	0 35	58 888.4	126.7
16	0	6	492.34	.20	6	29 538.7	0 40	67 301.0	165.5
17	0	7	523.11	.21	7	31 384.9	0 45	75 713.5	209.4
18	0	8	553.88	.21	8	33 231.1	0 50	84 126.0	258.5
19	0	9	584.65	.21	9	35 077.3	0 55	92 538.5	312.8
25 20	30.770	20	615.42	1846.22	20	36 923.5	1 00	100 950.9	372.3
21	0	1	646.19	.22	1	38 769.7	1 05	109 363.4	436.9
22	0	2	676.96	.23	2	40 615.9	1 10	117 775.7	506.8
23	1	3	707.73	.23	3	42 462.2	1 15	126 188.0	581.7
24	1	4	738.50	.23	4	44 308.4	1 20	134 600.3	661.9
25 25	30.771	25	769.28	1846.24	25	46 154.6	1 25	143 012.5	747.2
26	1	6	800.05	.24	6	48 000.9	1 30	151 424.7	837.7
27	1	7	830.82	.25	7	49 847.1	1 35	159 836.8	933.4
28	1	8	861.59	.25	8	51 693.4	1 40	168 248.9	1 034.2
29	1	9	892.36	.26	9	53 539.6	1 45	176 660.9	1 140.2
25 30	30.771	30	923.13	1846.26	30	55 385.9	1 50	185 072.8	1 251.4
31	1	1	953.90	.26	1	57 232.1	1 55	193 484.6	1 367.7
32	1	2	984.67	.27	2	59 078.4	2 00	201 896	1 489
33	1	3	1 015.44	.27	3	60 924.7	2 05	302 831	3 351
34	1	4	1 046.21	.28	4	62 771.0	2 10	403 749	5 957
25 35	30.771	35	1 076.99	1846.28	35	64 617.2	2 15	504 645	9 307
36	1	6	1 107.76	.29	6	66 463.5	2 20	605 514	13 401
37	1	7	1 138.53	.29	7	68 309.8	2 25	706 349	18 239
38	2	8	1 169.30	.29	8	70 156.1	2 30	807 146	23 821
39	2	9	1 200.07	.30	9	72 002.4	2 35	907 899	30 146
25 40	30.772	40	1 230.84	1846.30	40	73 848.7	2 40	1 008 603	37 215
41	2	1	1 261.61	.31	1	75 695.0	2 45	1 109 252	45 026
42	2	2	1 292.38	.31	2	77 541.3	2 50	1 209 841	53 578
43	2	3	1 323.15	.32	3	79 387.6	2 55	1 310 364	62 873
44	2	4	1 353.92	.32	4	81 233.9	3 00	1 410 815	72 909
25 45	30.772	45	1 384.70	1846.32	45	83 080.3	3 05	1 511 190	83 685
46	2	6	1 415.47	.33	6	84 926.6	3 10	1 611 483	95 202
47	2	7	1 446.24	.33	7	86 772.9	3 15	1 711 688	107 458
48	2	8	1 477.01	.34	8	88 619.3	3 20	1 811 800	120 453
49	2	9	1 507.78	.34	9	90 465.6	3 25	1 911 813	134 186
25 50	30.772	50	1 538.55	1846.35	50	92 311.9	3 30	2 011 722	148 656
51	2	1	1 569.32	.35	1	94 158.3	3 35	2 111 522	163 862
52	3	2	1 600.09	.35	2	96 004.6	3 40	2 211 207	179 805
53	3	3	1 630.86	.36	3	97 851.0	3 45	2 310 771	196 482
54	3	4	1 661.63	.36	4	99 697.4	3 50	2 410 210	213 894
25 55	30.773	55	1 692.41	1846.37	55	101 543.7	3 55	2 509 518	232 038
56	3	6	1 723.18	.37	6	103 390.1	4 00	2 608 689	250 914
57	3	7	1 753.95	.38	7	105 236.5	4 05	2 707 718	270 521
58	3	8	1 784.72	.38	8	107 082.8	4 10	2 806 600	290 859
59	3	9	1 815.49	.38	9	108 929.2	4 15	2 905 329	311 925
25 60	30.773	60	1 846.26	1846.39	60	110 775.6	4 20	3 003 900	333 718

UNITED STATES COAST AND GEODETIC SURVEY.

Latitude 26° to 27°—Arcs of the parallel in meters.

Lat.	1"	2"	3"	4"	5"	6"	7"	8"	9"	1'	2'	3'	4'	5'
26 00	27.811	55.62	83.43	111.24	139.06	166.87	194.68	222.49	250.30	1668.7	3337.3	5006.0	6674.6	8343.3
1	.807	.61	.42	.23	.04	.85	.65	.46	.26	8.5	6.8	5.3	3.7	2.1
2	.803	.60	.41	.21	.02	.82	.62	.43	.23	8.2	6.3	4.6	2.7	40.9
3	.799	.60	.40	.20	9.00	.80	.60	.39	.19	8.0	5.9	3.8	1.8	39.7
4	.795	.59	.39	.18	8.98	.77	.57	.36	.16	7.7	5.4	3.1	70.8	8.6
26 05	27.791	55.58	83.37	111.17	138.96	166.75	194.54	222.33	250.12	1667.5	3334.9	5002.4	6669.9	8337.4
6	.787	.57	.36	.15	.94	.73	.51	.30	.08	7.3	4.4	1.7	9.0	6.2
7	.783	.56	.35	.14	.92	.70	.48	.27	.05	7.0	4.0	1.0	8.0	5.0
8	.779	.56	.34	.12	.90	.68	.46	.23	50.01	6.8	3.5	5000.3	7.1	3.8
9	.776	.55	.33	.11	.88	.65	.43	.20	49.98	6.5	3.1	4999.6	6.1	2.7
26 10	27.772	55.54	83.31	111.09	138.86	166.63	194.40	222.17	249.94	1666.3	3332.6	4998.9	6665.2	8331.5
11	.768	.53	.30	.07	.84	.61	.37	.14	.91	6.1	2.1	8.2	4.2	30.3
12	.764	.52	.29	.06	.82	.58	.34	.11	.87	5.8	1.6	7.5	3.3	29.1
13	.760	.52	.28	.04	.80	.56	.32	.08	.84	5.6	1.2	6.7	2.3	7.9
14	.756	.51	.27	.03	.78	.53	.29	.05	.80	5.3	0.7	6.0	1.4	6.7
26 15	27.752	55.50	83.25	111.01	138.76	166.51	194.26	222.01	249.77	1665.1	3330.2	4995.3	6660.4	8325.5
16	.748	.49	.24	0.99	.74	.49	.23	1.98	.73	4.9	29.7	4.6	59.5	4.4
17	.744	.48	.23	.98	.72	.46	.20	.95	.70	4.6	9.2	3.9	8.5	3.2
18	.740	.48	.22	.96	.70	.44	.18	.92	.66	4.4	8.8	3.2	7.6	2.0
19	.736	.47	.21	.95	.68	.41	.15	.89	.63	4.1	8.3	2.5	6.6	20.8
26 20	27.732	55.46	83.20	110.93	138.66	166.39	194.12	221.86	249.59	1663.9	3327.8	4991.8	6655.7	8319.6
21	.728	.45	.18	.91	.64	.37	.09	.83	.55	3.7	7.3	1.1	4.7	8.4
22	.724	.44	.17	.90	.62	.34	.07	.80	.52	3.4	6.9	90.4	3.8	7.2
23	.720	.44	.16	.88	.60	.32	.04	.76	.48	3.2	6.4	89.6	2.8	6.0
24	.716	.43	.15	.87	.58	.29	4.01	.73	.45	2.9	6.0	8.9	1.9	4.8
26 25	27.712	55.42	83.14	110.85	138.56	166.27	193.98	221.70	249.41	1662.7	3325.5	4988.2	6650.9	8313.6
26	.708	.41	.12	.83	.54	.25	.96	.67	.37	2.5	5.0	7.5	49.9	2.4
27	.704	.40	.11	.82	.52	.22	.93	.64	.34	2.2	4.5	6.8	9.0	1.2
28	.700	.40	.10	.80	.50	.20	.90	.60	.30	2.0	4.1	6.0	8.0	10.0
29	.696	.39	.09	.79	.48	.17	.88	.57	.27	1.7	3.6	5.3	7.1	08.9
26 30	27.692	55.38	83.08	110.77	138.46	166.15	193.85	221.54	249.23	1661.5	3323.1	4984.6	6646.1	8307.7
31	.688	.37	.07	.75	.44	.13	.82	.51	.19	1.3	2.6	3.9	5.1	6.5
32	.684	.36	.05	.74	.42	.10	.79	.48	.16	1.0	2.1	3.2	4.2	5.3
33	.680	.36	.04	.72	.40	.08	.76	.44	.12	0.8	1.7	2.4	3.2	4.0
34	.676	.35	.03	.71	.38	.05	.73	.41	.09	0.5	1.2	1.7	2.3	2.8
26 35	27.672	55.34	83.02	110.69	138.36	166.03	193.71	221.38	249.05	1660.3	3320.7	4981.0	6641.3	8301.6
36	.668	.33	3.00	.67	.34	6.01	.68	.35	9.01	60.1	20.2	80.3	40.3	300.4
37	.664	.32	2.99	.66	.32	5.98	.65	.32	8.98	59.8	19.7	79.6	39.4	299.2
38	.660	.32	.98	.64	.30	.96	.62	.28	.94	9.6	9.3	8.8	8.4	8.0
39	.656	.31	.97	.63	.28	.93	.59	.25	.91	9.3	8.8	8.1	7.5	6.8
26 40	27.652	55.30	82.96	110.61	138.26	165.91	193.56	221.22	248.87	1659.1	3318.3	4977.4	6636.5	8295.6
41	.648	.29	.94	.59	.24	.89	.53	.19	.83	8.9	7.8	6.7	5.5	4.4
42	.644	.28	.93	.58	.22	.86	.50	.16	.80	8.6	7.3	6.0	4.6	3.2
43	.640	.28	.92	.56	.20	.84	.48	.12	.76	8.4	6.8	5.2	3.6	2.0
44	.636	.27	.91	.55	.18	.81	.45	.09	.73	8.1	6.3	4.5	2.7	90.8
26 45	27.632	55.26	82.90	110.53	138.16	165.79	193.42	221.06	248.69	1657.9	3315.8	4973.8	6631.7	8289.6
46	.628	.25	.88	.51	.14	.77	.39	.03	.65	7.7	5.3	3.1	30.7	8.4
47	.624	.24	.87	.50	.12	.74	.36	1.00	.62	7.4	4.8	2.3	29.7	7.2
48	.620	.24	.86	.48	.10	.72	.34	0.96	.58	7.2	4.4	1.6	8.8	6.0
49	.616	.23	.85	.47	.08	.69	.31	.93	.55	6.9	3.9	0.8	7.8	4.8
26 50	27.612	55.22	82.84	110.45	138.06	165.67	193.28	220.90	248.51	1656.7	3313.4	4970.1	6626.8	8283.6
51	.608	.21	.82	.43	.04	.65	.25	.87	.47	6.5	2.9	69.4	5.8	2.3
52	.604	.20	.81	.42	.02	.62	.22	.83	.44	6.2	2.4	8.7	4.9	81.1
53	.600	.20	.80	.40	8.00	.60	.20	.80	.40	6.0	2.0	7.9	3.9	79.9
54	.596	.19	.79	.39	7.98	.57	.17	.77	.36	5.7	1.5	7.2	3.0	8.7
26 55	27.592	55.18	82.78	110.37	137.96	165.55	193.14	220.73	248.32	1655.5	3311.0	4966.5	6622.0	8277.5
56	.588	.17	.76	.35	.94	.53	.11	.70	.29	5.3	0.5	5.8	1.0	6.3
57	.583	.16	.75	.34	.92	.50	.08	.67	.25	5.0	10.0	5.0	20.0	5.0
58	.579	.16	.74	.32	.90	.48	.06	.64	.21	4.8	09.6	4.3	19.1	3.8
59	.575	.15	.73	.31	.88	.45	.03	.60	.18	4.5	9.1	3.5	8.1	2.6
26 60	27.571	55.14	82.71	110.29	137.86	165.43	193.00	220.57	248.14	1654.3	3308.6	4962.8	6617.1	8271.4

Lat.	Latitude 26° to 27°—Meridional arcs.					Latitude 26°—Co-ordinates of curvature.			
	Value of 1''	Sums of seconds for middle latitude 26° 30'		Value of 1'	Continuous sums of minutes from latitude 26° 00'		Longitude.	X	Y
° /	Meters.	''	Meters.	Meters.	'	Meters.	° /	Meters.	Meters.
26 00	30.773			1846.39			0 1	1 668.7	0.1
1	3	1	30.78	.39	1	1 846.4	0 2	3 337.3	0.4
2	3	2	61.55	.40	2	3 692.8	0 3	5 006.0	1.0
3	3	3	92.33	.40	3	5 539.2	0 4	6 674.6	1.7
4	3	4	123.10	.41	4	7 385.6	0 5	8 343.3	2.7
26 05	30.773	5	153.88	1846.41	5	9 232.0	0 6	10 011.9	3.8
6	4	6	184.65	.41	6	11 078.4	0 7	11 680.6	5.2
7	4	7	215.43	.42	7	12 924.8	0 8	13 349.2	6.8
8	4	8	246.20	.42	8	14 771.2	0 9	15 017.9	8.6
9	4	9	276.98	.43	9	16 617.7	1 0	16 686.6	10.6
26 10	30.774	10	307.75	1846.43	10	18 464.1	1 1	25 029.8	23.9
11	4	1	338.53	.44	1	20 310.5	1 2	33 373.1	42.6
12	4	2	369.30	.44	2	22 157.0	1 3	41 716.4	66.5
13	4	3	400.08	.44	3	24 003.4	1 4	50 059.6	95.8
14	4	4	430.85	.45	4	25 849.9	1 5	58 402.9	130.3
26 15	30.774	15	461.63	1846.45	15	27 696.3	1 6	66 746.1	170.2
16	4	6	492.40	.46	6	29 542.8	1 7	75 089.2	215.4
17	4	7	523.18	.46	7	31 389.2	1 8	83 432.4	266.0
18	4	8	553.96	.47	8	33 235.7	1 9	91 775.5	321.8
19	5	9	584.73	.47	9	35 082.2	1 00	100 118.5	383.0
26 20	30.775	20	615.51	1846.47	20	36 928.6	1 01	108 461.5	449.5
21	5	1	646.28	.48	1	38 775.1	1 02	116 804.6	521.3
22	5	2	677.06	.48	2	40 621.6	1 03	125 147.5	598.4
23	5	3	707.83	.49	3	42 468.1	1 04	133 490.4	680.9
24	5	4	738.61	.49	4	44 314.6	1 05	141 833.2	768.7
26 25	30.775	25	769.38	1846.50	25	46 161.1	1 06	150 176.0	861.7
26	5	6	800.16	.50	6	48 007.6	1 07	158 518.7	960.2
27	5	7	830.93	.51	7	49 854.1	1 08	166 861.3	1 063.9
28	5	8	861.71	.51	8	51 700.6	1 09	175 203.9	1 172.9
29	5	9	892.48	.51	9	53 547.1	1 10	183 546.4	1 287.3
26 30	30.775	30	923.26	1846.52	30	55 393.6	1 11	191 888.9	1 407.0
31	5	1	954.03	.52	1	57 240.1	1 12	200 231	1 532
32	5	2	984.81	.53	2	59 086.7	1 13	300 332	3 447
33	6	3	1 015.59	.53	3	60 933.2	1 14	400 416	6 128
34	6	4	1 046.36	.54	4	62 779.7	1 15	500 476	9 574
26 35	30.776	35	1 077.14	1846.54	35	64 626.2	1 16	600 506	13 786
36	6	6	1 107.91	.54	6	66 472.8	1 17	700 501	18 763
37	6	7	1 138.69	.55	7	68 319.3	1 18	800 456	24 505
38	6	8	1 169.46	.55	8	70 165.9	1 19	900 364	31 011
39	6	9	1 200.24	.56	9	72 012.4	1 20	1 000 218	38 282
26 40	30.776	40	1 231.01	1846.56	40	73 859.0	1 21	1 100 015	46 316
41	6	1	1 261.79	.57	1	75 705.6	1 22	1 199 747	55 114
42	6	2	1 292.56	.57	2	77 552.1	1 23	1 299 499	64 675
43	6	3	1 323.34	.58	3	79 398.7	1 24	1 398 994	74 998
44	6	4	1 354.11	.58	4	81 245.3	1 25	1 498 498	86 082
26 45	30.776	45	1 384.89	1846.58	45	83 091.9	1 26	1 597 914	97 928
46	6	6	1 415.66	.59	6	84 938.4	1 27	1 697 237	110 534
47	7	7	1 446.44	.59	7	86 785.0	1 28	1 796 460	123 899
48	7	8	1 477.21	.60	8	88 631.6	1 29	1 895 578	138 023
49	7	9	1 507.99	.60	9	90 478.2	1 30	1 994 585	152 905
26 50	30.777	50	1 538.77	1846.61	50	92 324.8	1 31	2 093 475	168 544
51	7	1	1 569.54	.61	1	94 171.4	1 32	2 192 243	184 939
52	7	2	1 600.32	.61	2	96 018.1	1 33	2 290 882	202 089
53	7	3	1 631.09	.62	3	97 864.7	1 34	2 389 387	219 993
54	7	4	1 661.87	.62	4	99 711.3	1 35	2 487 753	238 650
26 55	30.777	55	1 692.64	1846.63	55	101 557.9	1 36	2 585 973	258 061
56	7	6	1 723.42	.63	6	103 404.6	1 37	2 684 042	278 222
57	7	7	1 754.19	.64	7	105 251.2	1 38	2 781 953	299 132
58	7	8	1 784.97	.64	8	107 097.8	1 39	2 879 702	320 788
59	7	9	1 815.74	.65	9	108 944.5	1 40	2 977 281	343 197
26 60	30.777	60	1 846.52	1846.65	60	110 791.1			

Latitude 27° to 28°—Arcs of the parallel in meters.

Lat.	1''	2''	3''	4''	5''	6''	7''	8''	9''	1'	2'	3'	4'	5'
27 00	27.571	55.14	82.71	110.29	137.86	165.43	193.00	220.57	248.14	1654.3	3308.6	4962.8	6617.1	8271.4
1	.567	.13	.70	.27	.84	.41	2.97	.54	.10	4.1	8.1	2.1	6.1	70.2
2	.563	.12	.69	.26	.82	.38	.94	.50	.07	3.8	7.6	1.4	5.1	68.9
3	.559	.12	.68	.24	.80	.35	.91	.47	8.03	3.5	7.1	60.6	4.2	7.7
4	.555	.11	.66	.22	.78	.33	.88	.44	7.99	3.3	6.6	59.9	3.2	6.5
27 05	27.551	55.10	82.65	110.21	137.76	165.31	192.86	220.40	247.96	1653.1	3306.1	4959.2	6612.2	8265.3
6	.547	.09	.64	.19	.73	.28	.83	.37	.92	2.8	5.6	8.5	1.2	4.1
7	.543	.08	.63	.17	.71	.26	.80	.34	.88	2.6	5.1	7.7	10.2	2.8
8	.539	.08	.62	.15	.69	.23	.77	.31	.84	2.3	4.7	6.9	09.3	1.6
9	.535	.07	.60	.14	.67	.21	.74	.27	.81	2.1	4.2	6.2	8.3	60.4
27 10	27.531	55.06	82.59	110.12	137.65	165.18	192.71	220.24	247.77	1651.8	3303.7	4955.5	6607.3	8259.2
11	.526	.05	.58	.10	.63	.16	.68	.21	.73	1.6	3.2	4.8	6.3	7.9
12	.522	.04	.57	.09	.61	.13	.65	.18	.70	1.3	2.7	4.0	5.3	6.7
13	.518	.04	.55	.08	.59	.11	.63	.14	.66	1.1	2.2	3.3	4.4	5.5
14	.514	.03	.54	.06	.57	.08	.60	.11	.63	0.8	1.7	2.5	3.4	4.2
27 15	27.510	55.02	82.53	110.04	137.55	165.06	192.57	220.08	247.59	1650.6	3301.2	4951.8	6602.4	8253.0
16	.506	.01	.52	.03	.53	.04	.54	.05	.55	0.4	0.7	1.1	1.4	1.8
17	.502	.00	.51	10.01	.51	5.01	.51	20.02	.52	50.1	300.2	50.3	600.4	50.6
18	.498	5.00	.49	09.99	.49	4.99	.49	19.98	.48	49.9	299.7	49.6	599.5	49.3
19	.494	4.99	.48	.98	.47	.96	.46	.95	.45	9.6	9.2	8.8	8.5	8.1
27 20	27.490	54.98	82.47	109.96	137.45	164.94	192.43	219.92	247.41	1649.4	3298.7	4948.1	6597.5	8246.9
21	.485	.97	.46	.94	.43	.91	.40	.89	.37	9.1	8.2	7.4	6.5	5.6
22	.481	.96	.44	.93	.41	.89	.37	.85	.33	8.9	7.7	6.6	5.5	4.4
23	.477	.96	.43	.91	.39	.86	.34	.82	.30	8.6	7.3	5.9	4.5	3.2
24	.473	.95	.42	.89	.37	.84	.31	.79	.26	8.4	6.8	5.1	3.5	1.9
27 25	27.469	54.94	82.41	109.88	137.34	164.81	192.29	219.75	247.22	1648.1	3296.3	4944.4	6592.5	8240.7
26	.465	.93	.39	.86	.32	.79	.26	.72	.18	7.9	5.8	3.7	1.5	39.4
27	.461	.92	.38	.84	.30	.76	.23	.69	.14	7.6	5.3	2.9	90.5	8.2
28	.457	.92	.37	.82	.28	.74	.20	.66	.11	7.4	4.8	2.2	89.6	7.0
29	.452	.91	.36	.81	.26	.71	.17	.62	.07	7.1	4.3	1.4	8.6	5.7
27 30	27.448	54.90	82.34	109.79	137.24	164.69	192.14	219.59	247.03	1646.9	3293.8	4940.7	6587.6	8234.5
31	.444	.89	.33	.77	.22	.67	.11	.56	6.99	6.7	3.3	40.0	6.6	3.3
32	.440	.88	.32	.76	.20	.64	.08	.52	.96	6.4	2.8	39.2	5.6	2.0
33	.436	.87	.31	.74	.18	.62	.05	.49	.92	6.2	2.3	8.5	4.6	30.8
34	.432	.86	.29	.73	.16	.59	.02	.46	.88	5.9	1.8	7.7	3.6	29.5
27 35	27.428	54.86	82.28	109.71	137.13	164.57	192.00	219.42	246.84	1645.7	3291.3	4937.0	6582.6	8228.3
36	.423	.85	.27	.69	.11	.54	1.97	.39	.81	5.4	0.8	6.2	1.6	7.0
37	.419	.84	.26	.68	.09	.52	.94	.36	.77	5.2	90.3	5.5	80.6	5.8
38	.415	.83	.24	.66	.07	.49	.91	.33	.73	4.9	89.8	4.7	79.6	4.5
39	.411	.82	.23	.65	.05	.47	.88	.29	.70	4.7	9.3	4.0	8.6	3.3
27 40	27.407	54.81	82.22	109.63	137.03	164.44	191.85	219.26	246.66	1644.4	3288.8	4933.2	6577.6	8222.1
41	.403	.80	.21	.61	7.01	.42	.82	.23	.62	4.2	8.3	2.5	6.6	20.8
42	.399	.79	.20	.60	6.99	.39	.79	.19	.59	3.9	7.8	1.7	5.6	19.6
43	.394	.79	.18	.58	.97	.37	.76	.16	.55	3.7	7.3	1.0	4.6	8.3
44	.390	.78	.17	.56	.95	.34	.73	.12	.51	3.4	6.8	30.2	3.6	7.1
27 45	27.386	54.77	82.16	109.55	136.93	164.32	191.71	219.09	246.48	1643.2	3286.3	4929.5	6572.6	8215.8
46	.382	.76	.15	.53	.91	.29	.68	.06	.44	2.9	5.8	8.7	1.6	4.6
47	.378	.75	.13	.51	.89	.27	.65	9.02	.40	2.7	5.3	8.0	70.6	3.3
48	.374	.75	.12	.49	.87	.24	.62	8.99	.36	2.4	4.8	7.2	69.6	2.1
49	.369	.74	.11	.48	.85	.22	.59	.95	.33	2.2	4.3	6.5	8.6	10.8
27 50	27.365	54.73	82.10	109.46	136.83	164.19	191.56	218.92	246.29	1641.9	3283.8	4925.7	6567.6	8209.6
51	.361	.72	.08	.44	.81	.17	.53	.89	.25	1.7	3.3	5.0	6.6	8.3
52	.357	.71	.07	.43	.79	.14	.50	.85	.21	1.4	2.8	4.2	5.6	7.0
53	.353	.71	.06	.41	.77	.12	.47	.82	.18	1.2	2.3	3.5	4.6	5.8
54	.348	.70	.05	.39	.75	.09	.44	.79	.14	0.9	1.8	2.7	3.6	4.5
27 55	27.344	54.69	82.03	109.38	136.72	164.07	191.41	218.75	246.10	1640.7	3281.3	4922.0	6562.6	8203.3
56	.340	.68	.02	.36	.70	.04	.38	.72	.06	0.4	0.8	1.2	1.6	2.0
57	.336	.67	.01	.34	.68	4.02	.35	.69	6.02	40.2	80.3	20.5	60.6	200.7
58	.332	.67	2.00	.32	.66	3.99	.32	.66	5.99	39.9	79.8	19.7	59.6	199.5
59	.327	.66	1.98	.31	.64	3.96	.29	.62	.95	9.6	9.3	8.9	8.6	8.2
27 60	27.323	54.65	81.97	109.29	136.62	163.94	191.26	218.59	245.91	1639.4	3278.8	4918.2	6557.6	8197.0

Lat.	Latitude 27° to 28°—Meridional arcs.					Latitude 27°—Co-ordinates of curvature.			
	Value of 1''	Sums of seconds for middle latitude 27° 30'		Value of 1'	Continuous sums of minutes from latitude 27° 00'	Longitude.	X	Y	
° /	Meters.	''	Meters.	Meters.	'	Meters.	° /	Meters.	Meters.
27 00	30.777			1846.65			0 1	1 654.3	0.1
1	8	1	30.78	.65	1	1 846.7	0 2	3 308.5	0.4
2	8	2	61.56	.66	2	3 693.3	0 3	4 962.8	1.0
3	8	3	92.34	.66	3	5 540.0	0 4	6 617.1	1.7
4	8	4	123.12	.67	4	7 386.6	0 5	8 271.4	2.7
27 05	30.778	5	153.90	1846.67	5	9 233.3	0 6	9 925.7	3.9
6	8	6	184.68	.68	6	11 080.0	0 7	11 579.9	5.4
7	8	7	215.46	.68	7	12 926.7	0 8	13 234.2	7.0
8	8	8	246.24	.69	8	14 773.3	0 9	14 888.5	8.8
9	8	9	277.02	.69	9	16 620.0	0 10	16 542.8	10.9
27 10	30.778	10	307.80	1846.69	10	18 466.7	0 15	24 814.1	24.6
11	8	1	338.58	.70	1	20 313.4	0 20	33 085.5	43.7
12	8	2	369.36	.70	2	22 160.1	0 25	41 356.9	68.3
13	8	3	400.14	.71	3	24 006.8	0 30	49 628.2	98.3
14	9	4	430.92	.71	4	25 853.5	0 35	57 899.5	133.8
27 15	30.779	15	461.70	1846.72	15	27 700.2	0 40	66 170.8	174.8
16	9	6	492.48	.72	6	29 547.0	0 45	74 442.1	221.2
17	9	7	523.26	.73	7	31 393.7	0 50	82 713.3	273.1
18	9	8	554.04	.73	8	33 240.4	0 55	90 984.5	330.4
19	9	9	584.81	.73	9	35 087.2	1 00	99 255.7	393.2
27 20	30.779	20	615.59	1846.74	20	36 933.9	1 05	107 526.8	461.5
21	9	1	646.37	.74	1	38 780.6	1 10	115 797.9	535.2
22	9	2	677.15	.75	2	40 627.4	1 15	124 068.9	614.4
23	9	3	707.93	.75	3	42 474.1	1 20	132 339.9	699.1
24	9	4	738.71	.76	4	44 320.9	1 25	140 610.8	789.2
27 25	30.779	25	769.49	1846.76	25	46 167.6	1 30	148 881.6	884.8
26	9	6	800.27	.77	6	48 014.4	1 35	157 152.3	985.8
27	9	7	831.05	.77	7	49 861.2	1 40	165 423.1	1 092.3
28	80'	8	861.83	.77	8	51 707.9	1 45	173 693.7	1 204.3
29	0	9	892.61	.78	9	53 554.7	1 50	181 964.3	1 321.7
27 30	30.780	30	923.39	1846.78	30	55 401.5	1 55	190 234.7	1 444.6
31	0	1	954.17	.79	1	57 248.3	2 00	198 505	1 573
32	0	2	984.95	.79	2	59 095.1	2 05	207 776	2 107
33	0	3	1 015.73	.80	3	60 941.9	2 10	217 047	2 241
34	0	4	1 046.51	.80	4	62 788.7	2 15	226 318	2 375
27 35	30.780	35	1 077.29	1846.81	35	64 635.5	2 20	235 589	2 509
36	0	6	1 108.07	.81	6	66 482.3	2 25	244 860	2 643
37	0	7	1 138.85	.81	7	68 329.1	2 30	254 131	2 777
38	0	8	1 169.63	.82	8	70 175.9	2 35	263 402	2 911
39	0	9	1 200.41	.82	9	72 022.7	2 40	272 673	3 045
27 40	30.780	40	1 231.19	1846.83	40	73 869.6	2 45	281 944	3 179
41	1	1	1 261.97	.83	1	75 716.4	2 50	291 215	3 313
42	1	2	1 292.75	.84	2	77 563.2	2 55	300 486	3 447
43	1	3	1 323.53	.84	3	79 410.1	3 00	309 757	3 581
44	1	4	1 354.31	.85	4	81 256.9	3 05	319 028	3 715
27 45	30.781	45	1 385.09	1846.85	45	83 103.7	3 10	328 299	3 849
46	1	6	1 415.87	.86	6	84 950.6	3 15	337 570	3 983
47	1	7	1 446.65	.86	7	86 797.5	3 20	346 841	4 117
48	1	8	1 477.43	.86	8	88 644.3	3 25	356 112	4 251
49	1	9	1 508.21	.87	9	90 491.2	3 30	365 383	4 385
27 50	30.781	50	1 538.99	1846.87	50	92 338.1	3 35	374 654	4 519
51	1	1	1 569.77	.88	1	94 184.9	3 40	383 925	4 653
52	1	2	1 600.55	.88	2	96 031.8	3 45	393 196	4 787
53	1	3	1 631.33	.89	3	97 878.7	3 50	402 467	4 921
54	2	4	1 662.11	.89	4	99 725.6	3 55	411 738	5 055
27 55	30.782	55	1 692.88	1846.90	55	101 572.5	4 00	421 009	5 189
56	2	6	1 723.66	.90	6	103 419.4	4 05	430 280	5 323
57	2	7	1 754.44	.90	7	105 266.3	4 10	439 551	5 457
58	2	8	1 785.22	.91	8	107 113.2	4 15	448 822	5 591
59	2	9	1 816.00	.91	9	108 960.1	4 20	458 093	5 725
27 60	30.782	60	1 846.78	1846.92	60	110 807.0	4 25	467 364	5 859

Latitude 28° to 29°—Arcs of the parallel in meters.														
Lat.	1''	2''	3''	4''	5''	6''	7''	8''	9''	1'	2'	3'	4'	5'
28 00	27.323	54.65	81.97	109.29	136.62	163.94	191.26	218.59	245.91	1639.4	3278.8	4918.2	6557.6	8197.0
1	.319	.64	.96	.27	.60	.91	.23	.56	.87	9.1	8.3	7.4	6.6	5.7
2	.315	.63	.94	.26	.58	.89	.20	.52	.83	8.9	7.8	6.7	5.6	4.4
3	.311	.62	.93	.24	.56	.86	.17	.49	.80	8.6	7.3	5.9	4.5	3.2
4	.306	.61	.92	.22	.54	.84	.14	.45	.76	8.4	6.8	5.2	3.5	1.9
28 05	27.302	54.60	81.91	109.21	136.51	163.81	191.12	218.42	245.72	1638.1	3276.3	4914.4	6552.5	8190.7
6	.298	.60	.89	.19	.49	.79	.09	.39	.68	7.9	5.8	3.6	1.5	89.4
7	.294	.59	.88	.17	.47	.76	.06	.35	.66	7.6	5.3	2.9	50.5	8.1
8	.290	.58	.87	.15	.45	.74	.03	.32	.61	7.4	4.7	2.1	49.5	6.9
9	.285	.57	.86	.14	.43	.71	1.00	.28	.57	7.1	4.2	1.4	8.5	5.6
28 10	27.281	54.56	81.84	109.12	136.41	163.69	190.97	218.25	245.53	1636.9	3273.7	4910.6	6547.5	8184.3
11	.277	.55	.83	.10	.39	.66	.94	.22	.49	6.6	3.2	09.8	6.5	3.1
12	.273	.54	.82	.09	.37	.64	.91	.18	.45	6.4	2.7	9.1	5.4	1.8
13	.268	.54	.80	.07	.34	.61	.88	.15	.42	6.1	2.2	8.5	4.4	80.5
14	.264	.53	.79	.05	.32	.59	.85	.11	.38	5.9	1.7	7.6	3.4	79.3
28 15	27.260	54.52	81.78	109.04	136.30	163.56	190.82	218.08	245.34	1635.6	3271.2	4906.8	6542.4	8178.0
16	.256	.51	.77	.02	.28	.53	.79	.05	.30	5.3	0.7	6.0	1.4	6.7
17	.251	.50	.75	9.00	.26	.51	.76	8.01	.26	5.1	70.2	5.3	40.3	5.4
18	.247	.50	.74	8.98	.23	.48	.73	7.98	.23	4.8	69.6	4.5	39.3	4.2
19	.243	.49	.73	.97	.21	.46	.70	.94	.19	4.6	9.1	3.8	8.3	2.9
28 20	27.239	54.48	81.72	108.95	136.19	163.43	190.67	217.91	245.15	1634.3	3268.6	4903.0	6537.3	8171.6
21	.234	.47	.70	.93	.17	.41	.64	.88	.11	4.1	8.1	2.2	6.3	70.3
22	.230	.46	.69	.92	.15	.38	.61	.84	.07	3.8	7.6	1.4	5.2	69.1
23	.226	.45	.68	.90	.13	.36	.58	.81	.03	3.6	7.1	900.7	4.2	7.8
24	.222	.44	.67	.88	.11	.33	.55	.77	5.01	3.3	6.6	899.9	3.2	6.5
28 25	27.217	54.44	81.65	108.87	136.08	163.30	190.52	217.74	244.96	1633.0	3266.1	4899.1	6532.2	8165.2
26	.213	.43	.64	.85	.06	.28	.49	.71	.92	2.8	5.6	8.3	1.2	3.9
27	.209	.42	.63	.83	.04	.25	.46	.67	.88	2.5	5.1	7.6	30.1	2.7
28	.205	.41	.61	.81	.02	.23	.43	.64	.84	2.3	4.5	6.8	29.1	1.4
29	.200	.40	.60	.80	6.00	.20	.40	.60	.80	2.0	4.0	6.1	8.1	60.1
28 30	27.196	54.39	81.59	108.78	135.98	163.18	190.37	217.57	244.76	1631.8	3263.5	4895.3	6527.1	8158.8
31	.192	.38	.58	.76	.96	.15	.34	.54	.72	1.5	3.0	4.5	6.0	7.5
32	.188	.37	.56	.75	.94	.13	.31	.50	.68	1.3	2.5	3.7	5.0	6.3
33	.183	.37	.55	.73	.92	.10	.28	.47	.65	1.0	2.0	3.0	4.0	5.0
34	.179	.36	.54	.71	.90	.08	.25	.43	.61	0.8	1.5	2.2	2.9	3.7
28 35	27.175	54.35	81.52	108.70	135.87	163.05	190.22	217.40	244.57	1630.5	3261.0	4891.4	6521.9	8152.4
36	.170	.34	.51	.68	.85	.02	.19	.37	.53	0.2	0.5	90.6	20.9	51.1
37	.166	.33	.50	.66	.83	3.00	.16	.33	.49	30.0	60.0	89.9	19.9	49.8
38	.162	.33	.49	.64	.81	2.97	.13	.30	.46	29.7	59.4	9.1	8.8	8.5
39	.158	.32	.47	.63	.79	.95	.10	.26	.42	9.5	8.9	8.4	7.8	7.3
28 40	27.153	54.31	81.46	108.61	135.77	162.92	190.07	217.23	244.38	1629.2	3258.4	4887.6	6516.8	8146.0
41	.149	.30	.45	.59	.75	.89	.04	.20	.34	8.9	7.9	6.8	5.7	4.7
42	.145	.29	.43	.58	.73	.87	90.01	.16	.30	8.7	7.4	6.0	4.7	3.4
43	.140	.28	.42	.56	.70	.84	89.98	.13	.26	8.4	6.8	5.3	3.7	2.1
44	.136	.27	.41	.54	.68	.82	.95	.09	.22	8.2	6.3	4.5	2.6	40.8
28 45	27.132	54.27	81.40	108.53	135.66	162.79	189.92	217.06	244.18	1627.9	3255.8	4883.7	6511.6	8139.5
46	.127	.26	.38	.51	.64	.76	.89	7.02	.15	7.6	5.3	2.9	10.6	8.2
47	.123	.25	.37	.49	.62	.74	.86	6.99	.11	7.4	4.8	2.1	09.5	6.9
48	.119	.24	.36	.47	.59	.71	.83	.95	.07	7.1	4.2	1.4	8.5	5.6
49	.115	.23	.34	.46	.57	.69	.80	.92	4.03	6.9	3.7	80.6	7.5	4.4
28 50	27.110	54.22	81.33	108.44	135.55	162.66	189.77	216.88	243.99	1626.6	3253.2	4879.8	6506.4	8133.1
51	.106	.21	.32	.42	.53	.64	.74	.85	.95	6.4	2.7	9.1	5.4	1.8
52	.102	.20	.30	.41	.51	.61	.71	.81	.91	6.1	2.2	8.2	4.4	30.5
53	.097	.19	.29	.39	.48	.58	.68	.78	.87	5.8	1.6	7.5	3.3	29.2
54	.093	.18	.28	.37	.46	.56	.65	.74	.83	5.6	1.1	6.7	2.3	7.9
28 55	27.089	54.18	81.27	108.36	135.44	162.53	189.62	216.71	243.80	1625.3	3250.6	4875.9	6501.2	8126.6
56	.084	.17	.25	.34	.42	.51	.59	.68	.76	5.1	50.1	5.2	500.2	5.3
57	.080	.16	.24	.32	.40	.48	.56	.64	.72	4.8	49.6	4.3	499.2	4.0
58	.076	.15	.23	.30	.37	.45	.53	.61	.68	4.5	9.0	3.6	8.1	2.7
59	.071	.14	.21	.29	.35	.43	.50	.57	.64	4.3	8.5	2.8	7.1	1.4
28 60	27.067	54.13	81.20	108.27	135.33	162.40	189.47	216.54	243.60	1624.0	3248.0	4872.0	6496.1	8120.1

Lat.	Latitude 28° to 29°—Meridional arcs.					Latitude 28°—Co-ordinates of curvature.			
	Value of 1''	Sums of seconds for middle latitude 28° 30'		Value of 1'	Continuous sums of minutes from latitude 28° 00'	Longitude.	X	Y	
° /	Meters.	''	Meters.	Meters.	'	Meters.	° /	Meters.	Meters.
28 00	30.782			1846.92			0 1	1 639.4	0.1
1	2	1	30.78	.92	1	1 846.9	0 2	3 278.8	0.4
2	2	2	61.57	.93	2	3 693.8	0 3	4 918.2	1.0
3	2	3	92.35	.93	3	5 540.8	0 4	6 557.6	1.8
4	2	4	123.14	.94	4	7 387.7	0 5	8 197.0	2.8
28 05	30.782	5	153.92	1846.94	5	9 234.6	0 6	9 836.4	4.0
6	2	6	184.71	.95	6	11 081.6	0 7	11 475.7	5.5
7	2	7	215.49	.95	7	12 928.5	0 8	13 115.1	7.2
8	3	8	246.27	.95	8	14 775.5	0 9	14 754.5	9.1
9	3	9	277.06	.96	9	16 622.5			
28 10	30.783	10	307.84	1846.96	10	18 469.4	0 10	16 393.9	11.2
11	3	1	338.63	.97	1	20 316.4	0 15	24 590.9	25.2
12	3	2	369.41	.97	2	22 163.3	0 20	32 787.9	44.8
13	3	3	400.20	.98	3	24 010.3	0 25	40 984.8	70.0
14	3	4	430.98	.98	4	25 857.3	0 30	49 181.7	100.7
28 15	30.783	15	461.76	1846.99	15	27 704.3	0 35	57 378.6	137.1
16	3	6	492.55	6.99	6	29 551.3	0 40	65 575.5	179.1
17	3	7	523.33	7.00	7	31 398.3	0 45	73 772.4	226.7
18	3	8	554.12	.00	8	33 245.3	0 50	81 969.2	279.8
19	3	9	584.90	.00	9	35 092.3	0 55	90 165.9	338.6
28 20	30.783	20	615.69	1847.01	20	36 939.3	1 00	98 362.6	403.0
21	4	1	646.47	.01	1	38 786.3	05	106 559.3	472.9
22	4	2	677.25	.02	2	40 633.3	10	114 756.0	548.5
23	4	3	708.04	.02	3	42 480.3	15	122 952.5	629.6
24	4	4	738.82	.03	4	44 327.4	20	131 149.0	716.4
28 25	30.784	25	769.61	1847.03	25	46 174.4	1 25	139 345.5	808.7
26	4	6	800.39	.04	6	48 021.4	30	147 541.9	906.7
27	4	7	831.17	.04	7	49 868.5	35	155 738.2	1 010.2
28	4	8	861.96	.05	8	51 715.5	40	163 934.5	1 119.4
29	4	9	892.74	.05	9	53 562.5	45	172 130.7	1 234.1
28 30	30.784	30	923.53	1847.06	30	55 409.6	1 50	180 326.8	1 354.4
31	4	1	954.31	.06	1	57 256.7	55	188 522.8	1 480.4
32	4	2	985.10	.06	2	59 103.7	2 00	196 719	1 612
33	4	3	1 015.88	.07	3	60 950.8	3 00	295 062	3 627
34	5	4	1 046.66	.07	4	62 797.9	4 00	393 385	6 447
28 35	30.785	35	1 077.45	1847.08	35	64 644.9	5 00	491 682	10 073
36	5	6	1 108.23	.08	6	66 492.0	6 00	589 945	14 505
37	5	7	1 139.02	.09	7	68 339.1	7 00	688 168	19 741
38	5	8	1 169.80	.09	8	70 186.2	8 00	786 347	25 782
39	5	9	1 200.59	.10	9	72 033.3	9 00	884 472	32 627
28 40	30.785	40	1 231.37	1847.10	40	73 880.4	10 00	982 537	40 276
41	5	1	1 262.15	.11	1	75 727.5	11 00	1 080 537	48 728
42	5	2	1 292.94	.11	2	77 574.6	12 00	1 178 464	57 983
43	5	3	1 323.72	.11	3	79 421.7	13 00	1 276 312	68 040
44	5	4	1 354.51	.12	4	81 268.8	14 00	1 374 075	78 899
28 45	30.785	45	1 385.29	1847.12	45	83 115.9	15 00	1 471 745	90 558
46	5	6	1 416.08	.13	6	84 963.1	16 00	1 569 315	103 017
47	6	7	1 446.86	.13	7	86 810.2	17 00	1 666 781	116 275
48	6	8	1 477.64	.14	8	88 657.3	18 00	1 764 135	130 331
49	6	9	1 508.43	.14	9	90 504.5	19 00	1 861 371	145 185
28 50	30.786	50	1 539.21	1847.15	50	92 351.6	20 00	1 958 481	160 835
51	6	1	1 570.00	.15	1	94 198.8	21 00	2 055 460	177 280
52	6	2	1 600.78	.16	2	96 045.9	22 00	2 152 302	194 518
53	6	3	1 631.57	.16	3	97 893.1	23 00	2 248 998	212 550
54	6	4	1 662.35	.17	4	99 740.2	24 00	2 345 544	231 374
28 55	30.786	55	1 693.13	1847.17	55	101 587.4	25 00	2 441 932	250 988
56	6	6	1 723.92	.17	6	103 434.6	26 00	2 538 156	271 391
57	6	7	1 754.70	.18	7	105 281.8	27 00	2 634 210	292 582
58	6	8	1 785.49	.18	8	107 128.9	28 00	2 730 087	314 559
59	6	9	1 816.27	.19	9	108 976.1	29 00	2 825 779	337 321
28 60	30.787	60	1 847.06	1847.19	60	110 823.3	30 00	2 921 284	360 866

Latitude 29° to 30°—arcs of the parallel in meters.

Lat.	1''	2''	3''	4''	5''	6''	7''	8''	9''	1'	2'	3'	4'	5'
29 00	27.067	54.13	81.20	108.27	135.33	162.40	189.47	216.54	243.60	1624.0	3248.0	4872.0	6496.1	8120.1
1	.063	.12	.19	.25	.31	.38	.44	.50	.56	3.8	7.5	1.2	5.0	18.8
2	.058	.11	.17	.23	.29	.35	.41	.47	.52	3.5	7.0	70.4	4.0	7.5
3	.054	.11	.16	.22	.27	.32	.38	.43	.48	3.2	6.4	69.7	2.9	6.1
4	.049	.10	.15	.20	.25	.30	.35	.40	.44	3.0	5.9	8.9	1.9	4.8
29 05	27.045	54.09	81.13	108.18	135.22	162.27	189.31	216.36	243.40	1622.7	3245.4	4868.1	6490.8	8113.5
6	.041	.08	.12	.16	.20	.24	.28	.33	.37	2.4	4.9	7.3	89.8	2.2
7	.036	.07	.11	.14	.18	.22	.25	.29	.33	2.2	4.4	6.5	8.7	10.9
8	.032	.07	.10	.13	.16	.19	.22	.26	.29	1.9	3.8	5.8	7.7	09.6
9	.028	.06	.08	.11	.14	.17	.19	.22	.25	1.7	3.3	5.0	6.6	8.3
29 10	27.023	54.05	81.07	108.09	135.12	162.14	189.16	216.19	243.21	1621.4	3242.8	4864.2	6485.6	8107.0
11	.019	.04	.06	.07	.10	.11	.13	.15	.17	1.1	2.3	3.4	4.6	5.7
12	.015	.03	.04	.06	.08	.09	.10	.12	.13	0.9	1.8	2.6	3.5	4.4
13	.010	.02	.03	.04	.05	.06	.07	.08	.09	0.6	1.2	1.9	2.5	3.1
14	.006	.01	.02	.02	.03	.03	.04	.05	.05	0.3	0.7	1.1	1.4	1.7
29 15	27.001	54.00	81.00	108.00	135.01	162.01	189.01	216.01	243.02	1620.1	3240.2	4860.3	6480.4	8100.4
16	6.997	4.00	0.99	7.99	4.99	1.98	8.98	5.98	2.97	19.8	39.6	59.5	79.3	99.1
17	.993	3.99	.98	.97	.97	.96	.95	.94	.93	9.6	9.1	8.7	8.3	7.8
18	.988	.98	.97	.95	.94	.93	.92	.91	.90	9.3	8.6	7.9	7.2	6.5
19	.984	.97	.95	.94	.92	.90	.89	.87	.86	9.0	8.1	7.1	6.2	5.2
29 20	26.980	53.96	80.94	107.92	134.90	161.88	188.86	215.84	242.82	1618.8	3237.6	4856.3	6475.1	8093.9
21	.975	.95	.93	.90	.88	.85	.83	.80	.78	8.5	7.0	5.5	4.1	2.6
22	.971	.94	.91	.88	.85	.82	.80	.77	.74	8.2	6.5	4.7	3.0	91.2
23	.966	.93	.90	.87	.83	.80	.77	.73	.70	8.0	6.0	4.0	1.9	89.9
24	.962	.92	.89	.85	.81	.77	.74	.70	.66	7.7	5.4	3.2	70.9	8.5
29 25	26.958	53.91	80.87	107.83	134.79	161.75	188.70	215.66	242.62	1617.5	3234.9	4852.4	6469.8	8087.3
26	.953	.91	.86	.81	.77	.72	.67	.62	.58	7.2	4.4	1.6	8.8	6.0
27	.949	.90	.85	.79	.75	.69	.64	.59	.54	6.9	3.8	0.8	7.7	4.6
28	.944	.89	.83	.78	.72	.67	.61	.55	.50	6.7	3.3	50.0	6.6	3.3
29	.940	.88	.82	.76	.70	.64	.58	.52	.46	6.4	2.8	49.2	5.6	2.0
29 30	26.936	53.87	80.81	107.74	134.68	161.61	188.55	215.48	242.42	1616.1	3232.3	4848.4	6464.5	8080.7
31	.931	.86	.79	.72	.66	.59	.52	.45	.38	5.9	1.8	7.6	3.5	79.4
32	.927	.85	.78	.71	.64	.56	.49	.41	.34	5.6	1.2	6.8	2.4	8.0
33	.922	.84	.77	.69	.61	.53	.46	.38	.30	5.3	0.7	6.0	1.4	6.7
34	.918	.83	.75	.67	.59	.51	.43	.34	.26	5.1	30.2	5.2	60.3	5.4
29 35	26.913	53.83	80.74	107.66	134.57	161.48	188.39	215.31	242.22	1614.8	3229.6	4844.4	6459.2	8074.0
36	.909	.82	.73	.64	.55	.45	.36	.27	.18	4.5	9.1	3.6	8.2	2.7
37	.905	.81	.71	.62	.53	.43	.33	.24	.14	4.3	8.6	2.8	7.1	1.4
38	.900	.80	.70	.60	.50	.40	.30	.20	.10	4.0	8.0	2.0	6.0	70.1
39	.896	.79	.69	.59	.48	.37	.27	.17	.06	3.7	7.5	1.2	5.0	68.7
29 40	26.891	53.78	80.67	107.57	134.46	161.35	188.24	215.13	242.02	1613.5	3227.0	4840.4	6453.9	8067.4
41	.887	.77	.66	.55	.44	.32	.21	.10	1.98	3.2	6.4	39.6	2.9	6.1
42	.882	.76	.65	.53	.41	.29	.18	.06	.94	2.9	5.9	8.8	1.8	4.7
43	.878	.75	.63	.51	.39	.27	.15	5.02	.90	2.7	5.4	8.0	50.7	3.4
44	.874	.75	.62	.50	.37	.24	.12	4.99	.86	2.4	4.8	7.2	49.7	2.1
29 45	26.869	53.74	80.61	107.48	134.35	161.21	188.08	214.95	241.82	1612.1	3224.3	4836.4	6448.6	8060.7
46	.865	.73	.59	.46	.33	.19	.05	.92	.78	1.9	3.8	5.6	7.5	59.4
47	.860	.72	.58	.44	.31	.16	8.02	.88	.74	1.6	3.2	4.8	6.5	8.1
48	.856	.71	.57	.43	.28	.13	7.99	.85	.70	1.3	2.7	4.1	5.4	6.7
49	.851	.70	.55	.41	.26	.11	.96	.81	.66	1.1	2.2	3.3	4.3	5.4
29 50	26.847	53.69	80.54	107.39	134.24	161.08	187.93	214.78	241.62	1610.8	3221.6	4832.5	6443.3	8054.1
51	.842	.68	.53	.37	.21	.05	.90	.74	.58	0.5	1.1	1.7	2.2	2.7
52	.838	.67	.51	.35	.19	.03	.87	.70	.54	0.3	0.6	0.9	1.1	1.4
53	.834	.67	.50	.34	.17	1.00	.84	.67	.50	10.0	20.0	30.0	40.1	50.1
54	.829	.66	.49	.32	.15	0.97	.81	.63	.46	09.7	19.5	29.2	39.0	48.7
29 55	26.825	53.65	80.47	107.30	134.12	160.95	187.77	214.60	241.42	1609.5	3219.0	4828.4	6437.9	8047.4
56	.820	.64	.46	.28	.10	.92	.74	.56	.38	9.2	8.4	7.6	6.8	6.0
57	.816	.63	.45	.26	.08	.89	.71	.53	.34	8.9	7.9	6.8	5.8	4.7
58	.811	.62	.43	.25	.06	.87	.68	.49	.30	8.7	7.4	6.0	4.7	3.4
59	.807	.61	.42	.23	.03	.84	.65	.45	.26	8.4	6.8	5.2	3.6	2.0
29 60	26.802	53.60	80.41	107.21	134.01	160.81	187.62	214.42	241.22	1608.1	3216.3	4824.4	6432.5	8040.7

Lat.	Latitude 29° to 30°—Meridional arcs.					Latitude 29°—Co-ordinates of curvature.			
	Value of 1''	Sums of seconds for middle latitude 29° 30'		Value of 1'	Continuous sums of minutes from latitude 29° 00'		Longitude.	X	Y
° /	Meters.	''	Meters.	Meters.	'	Meters.	° /	Meters.	Meters.
29 00	30.787			1847.19			0 1	1 624.0	0.1
1	7	1	30.79	.20	1	1 847.2	0 2	3 248.0	0.5
2	7	2	61.58	.20	2	3 694.4	0 3	4 872.0	1.0
3	7	3	92.37	.21	3	5 541.6	0 4	6 496.1	1.8
4	7	4	123.16	.21	4	7 388.8	0 5	8 120.1	2.9
29 05	30.787	5	153.94	1847.22	5	9 236.0	0 6	9 744.1	4.1
6	7	6	184.73	.22	6	11 083.2	0 7	11 368.1	5.6
7	7	7	215.52	.23	7	12 930.5	0 8	12 992.1	7.3
8	7	8	246.31	.23	8	14 777.7	0 9	14 616.1	9.3
9	7	9	277.10	.24	9	16 624.9			
29 10	30.787	10	307.89	1847.24	10	18 472.2	0 10	16 240.1	11.5
11	7	1	338.68	.24	1	20 319.4	0 15	24 360.2	25.8
12	7	2	369.47	.25	2	22 166.7	0 20	32 480.2	45.8
13	8	3	400.26	.25	3	24 013.9	0 25	40 600.2	71.6
14	8	4	431.04	.26	4	25 861.2	0 30	48 720.3	103.1
29 15	30.788	15	461.83	1847.26	15	27 708.4	0 35	56 840.2	140.3
16	8	6	492.62	.27	6	29 555.7	0 40	64 960.2	183.2
17	8	7	523.41	.27	7	31 403.0	0 45	73 080.1	231.9
18	8	8	554.20	.28	8	33 250.2	0 50	81 200.0	286.3
19	8	9	584.99	.28	9	35 097.5	0 55	89 319.8	346.4
29 20	30.788	20	615.78	1847.29	20	36 944.8	1 00	97 439.6	412.2
21	8	1	646.57	.29	1	38 792.1	0 05	105 559.4	483.8
22	8	2	677.36	.30	2	40 639.4	0 10	113 679.1	561.1
23	8	3	708.14	.30	3	42 486.7	0 15	121 798.7	644.1
24	8	4	738.93	.31	4	44 334.0	0 20	129 918.3	732.9
29 25	30.788	25	769.72	1847.31	25	46 181.3	1 25	138 037.8	827.4
26	9	6	800.51	.31	6	48 028.6	0 30	146 157.3	927.6
27	9	7	831.30	.32	7	49 875.9	0 35	154 276.7	1 033.5
28	9	8	862.09	.32	8	51 723.2	0 40	162 396.0	1 145.1
29	9	9	892.88	.33	9	53 570.6	0 45	170 515.2	1 262.5
29 30	30.789	30	923.67	1847.33	30	55 417.9	1 50	178 634.3	1 385.6
31	9	1	954.46	.34	1	57 265.2	0 55	186 753.4	1 514.4
32	9	2	985.24	.34	2	59 112.6	2 00	194 872	1 649
33	9	3	1 016.03	.35	3	60 959.9	0 00	202 201	3 710
34	9	4	1 046.82	.35	4	62 807.3	0 00	389 689	6 595
29 35	30.789	35	1 077.61	1847.36	35	64 654.6	5 00	487 059	10 305
36	9	6	1 108.40	.36	6	66 502.0	0 00	584 394	14 838
37	9	7	1 139.19	.37	7	68 349.3	7 00	681 687	20 194
38	90	8	1 169.98	.37	8	70 196.7	8 00	778 931	26 374
39	0	9	1 200.77	.38	9	72 044.1	9 00	876 120	33 376
29 40	30.790	40	1 231.56	1847.38	40	73 891.5	10 00	973 246	41 199
41	0	1	1 262.34	.38	1	75 738.9	11 00	1 070 302	49 845
42	0	2	1 293.13	.39	2	77 586.2	12 00	1 167 282	59 313
43	0	3	1 323.92	.39	3	79 433.6	13 00	1 264 178	69 601
44	0	4	1 354.71	.40	4	81 281.0	14 00	1 360 983	80 706
29 45	30.790	45	1 385.50	1847.40	45	83 128.4	15 00	1 457 691	92 631
46	0	6	1 416.29	.41	6	84 975.8	16 00	1 554 295	105 375
47	0	7	1 447.08	.41	7	86 823.2	17 00	1 650 787	118 935
48	0	8	1 477.87	.42	8	88 670.7	18 00	1 747 161	133 311
49	0	9	1 508.66	.42	9	90 518.1	19 00	1 843 410	148 502
29 50	30.790	50	1 539.44	1847.43	50	92 365.5	20 00	1 939 527	164 506
51	1	1	1 570.23	.43	1	94 212.9	21 00	2 035 505	181 324
52	1	2	1 601.02	.44	2	96 060.4	22 00	2 131 338	198 953
53	1	3	1 631.81	.44	3	97 907.8	23 00	2 227 020	217 392
54	1	4	1 662.60	.45	4	99 755.3	24 00	2 322 539	236 640
29 55	30.791	55	1 693.39	1847.45	55	101 602.7	25 00	2 417 893	256 695
56	1	6	1 724.18	.46	6	103 450.2	26 00	2 513 074	277 558
57	1	7	1 754.97	.46	7	105 297.6	27 00	2 608 075	299 224
58	1	8	1 785.76	.46	8	107 145.1	28 00	2 702 890	321 694
59	1	9	1 816.54	.47	9	108 992.5	29 00	2 797 511	344 964
60	30.791	60	1 847.33	1847.47	60	110 840.0	30 00	2 891 931	369 036

Latitude 30° to 31°—Arcs of the parallel in meters.

Lat.	1''	2''	3''	4''	5''	6''	7''	8''	9''	1'	2'	3'	4'	5'
30 00	26.802	53.60	80.41	107.21	134.01	160.81	187.62	214.42	241.22	1608.1	3216.3	4824.4	6432.5	8040.7
1	.708	.59	.39	.19	3.99	.79	.59	.38	.18	7.9	5.7	3.6	1.4	39.3
2	.793	.58	.38	.17	.97	.76	.56	.35	.14	7.6	5.2	2.8	30.4	8.0
3	.789	.57	.37	.16	.94	.73	.52	.31	.10	7.3	4.6	2.0	29.3	6.6
4	.784	.56	.35	.14	.92	.71	.49	.28	.06	7.1	4.1	1.2	8.3	5.3
30 05	26.780	53.55	80.34	107.12	133.90	160.68	187.46	214.24	241.02	1606.8	3213.6	4820.4	6427.2	8033.9
6	.775	.55	.33	.10	.88	.65	.43	.20	0.98	6.5	3.0	19.6	6.1	2.6
7	.771	.54	.31	.08	.86	.62	.40	.17	.94	6.2	2.5	8.8	5.0	31.3
8	.766	.53	.30	.07	.83	.60	.36	.13	.90	6.0	2.0	7.9	4.0	29.9
9	.762	.52	.29	.05	.81	.57	.33	.10	.86	5.7	1.4	7.1	2.9	8.6
30 10	26.757	53.51	80.27	107.03	133.79	160.54	187.30	214.06	240.82	1605.4	3210.9	4816.3	6421.8	8027.2
11	.753	.50	.26	7.01	.77	.52	.27	4.02	.78	5.2	10.4	5.5	20.7	5.9
12	.748	.49	.24	6.99	.74	.49	.24	3.99	.74	4.9	09.8	4.7	19.6	4.5
13	.744	.48	.23	.98	.72	.46	.21	.95	.70	4.6	9.3	3.9	8.6	3.2
14	.739	.47	.22	.96	.70	.44	.18	.92	.65	4.4	8.7	3.1	7.5	1.8
30 15	26.735	53.46	80.20	106.94	133.68	160.41	187.14	213.88	240.61	1604.1	3208.2	4812.3	6416.4	8020.4
16	.730	.46	.19	.92	.65	.38	.11	.84	.57	3.8	7.6	1.5	5.3	19.1
17	.726	.45	.18	.90	.63	.35	.08	.81	.53	3.5	7.1	10.7	4.2	7.7
18	.721	.44	.16	.89	.61	.33	.05	.77	.49	3.3	6.6	09.8	3.1	6.4
19	.717	.43	.15	.87	.58	.30	7.02	.73	.45	3.0	6.0	9.0	2.0	5.0
30 20	26.712	53.42	80.14	106.85	133.56	160.27	186.99	213.70	240.41	1602.7	3205.5	4808.2	6410.9	8013.7
21	.708	.41	.12	.83	.54	.24	.96	.66	37	2.4	4.9	7.4	09.8	2.3
22	.703	.40	.11	.81	.52	.22	.93	.63	.33	2.2	4.4	6.6	8.7	11.0
23	.699	.39	.10	.80	.49	.19	.89	.59	.29	1.9	3.8	5.7	7.7	09.6
24	.694	.38	.08	.78	.47	.16	.86	.56	.25	1.6	3.3	4.9	6.6	8.2
30 25	26.690	53.37	80.07	106.76	133.45	160.14	186.83	213.52	240.21	1601.4	3202.8	4804.1	6405.5	8006.9
26	.685	.37	.06	.74	.43	.11	.80	.48	.16	1.1	2.2	3.3	4.4	5.5
27	.681	.36	.04	.72	.41	.08	.77	.45	.13	0.8	1.6	2.5	3.3	4.2
28	.676	.35	.03	.71	.38	.06	.73	.41	.08	0.6	1.1	1.6	2.3	2.8
29	.671	.34	.01	.69	.36	.03	.70	.38	.04	0.3	0.6	0.8	1.2	1.4
30 30	26.667	53.33	80.00	106.67	133.34	160.00	186.67	213.34	240.00	1600.0	3200.0	4800.0	6400.0	8000.0
31	.662	.32	79.99	.65	.32	59.97	.64	.30	39.96	599.7	199.5	799.2	399.0	7998.7
32	.658	.31	.97	.63	.29	.95	.61	.27	.92	9.5	8.9	8.4	7.9	7.3
33	.653	.30	.96	.62	.27	.92	.57	.23	.88	9.2	8.4	7.5	6.8	6.0
34	.649	.29	.95	.60	.25	.89	.54	.19	.84	8.9	7.8	6.7	5.7	4.6
30 35	26.644	53.29	79.93	106.58	133.22	159.86	186.51	213.15	239.80	1598.6	3197.3	4795.9	6394.6	7993.2
36	.640	.28	.92	.56	.20	.84	.48	.12	.76	8.4	6.8	5.1	3.5	1.9
37	.635	.27	.90	.54	.18	.81	.45	.08	.71	8.1	6.2	4.3	2.4	90.5
38	.630	.26	.89	.52	.16	.78	.41	.04	.67	7.8	5.7	3.4	1.3	89.1
39	.626	.25	.88	.51	.13	.76	.38	3.01	.63	7.6	5.1	2.6	90.2	7.8
30 40	26.621	53.24	79.86	106.49	133.11	159.73	186.35	212.97	239.59	1597.3	3194.6	4791.8	6389.1	7986.4
41	.617	.23	.85	.47	.09	.70	.32	.93	.55	7.0	4.0	1.0	8.0	5.0
42	.612	.22	.84	.45	.06	.67	.29	.90	.51	6.7	3.5	90.2	6.9	3.6
43	.608	.21	.82	.43	.04	.65	.25	.86	.47	6.5	2.9	89.3	5.8	2.3
44	.603	.20	.81	.41	.02	.62	.22	.82	.43	6.2	2.4	8.5	4.7	80.9
30 45	26.598	53.19	79.80	106.40	133.00	159.59	186.19	212.79	239.39	1595.9	3191.8	4787.7	6383.6	7979.5
46	.594	.19	.78	.38	2.97	.56	.16	.75	.35	5.6	1.3	6.9	2.5	8.2
47	.589	.18	.77	.36	.95	.53	.13	.71	.30	5.3	0.7	6.1	1.4	6.8
48	.585	.17	.75	.34	.93	.51	.09	.68	.26	5.1	90.2	5.2	80.3	5.4
49	.580	.16	.74	.32	.90	.48	.06	.64	.22	4.8	89.6	4.4	79.2	4.0
30 50	26.576	53.15	79.73	106.30	132.88	159.45	186.03	212.60	239.18	1594.5	3189.1	4783.6	6378.1	7972.7
51	.571	.14	.71	.28	.86	.42	6.00	.57	.14	4.2	8.5	2.8	7.0	71.3
52	.566	.13	.70	.26	.83	.40	5.97	.53	.10	4.0	8.0	2.0	5.9	69.9
53	.562	.12	.69	.25	.81	.37	.93	.49	.06	3.7	7.4	1.1	4.8	8.5
54	.557	.11	.67	.23	.79	.34	.90	.46	9.01	3.4	6.9	4780.3	3.7	7.1
30 55	26.553	53.10	79.66	106.21	132.76	159.32	185.87	212.42	238.97	1593.2	3186.3	4779.5	6372.6	7965.8
56	.548	.10	.64	.19	.74	.29	.84	.38	.93	2.9	5.8	8.7	1.5	4.4
57	.543	.09	.63	.17	.72	.26	.81	.35	.89	2.6	5.2	7.8	70.4	3.0
58	.539	.08	.62	.16	.70	.23	.77	.31	.85	2.3	4.6	7.0	69.3	1.6
59	.534	.07	.60	.14	.67	.21	.74	.27	.81	2.1	4.1	6.1	8.2	60.2
30 60	26.530	53.06	79.59	106.12	132.65	159.18	185.71	212.24	238.77	1591.8	3183.5	4775.3	6367.1	7958.9

Lat.	Latitude 30° to 31°—Meridional arcs.					Latitude 30°—Co-ordinates of curvature.			
	Value of 1''	Sums of seconds for middle latitude 30° 30'		Value of 1'	Continuous sums of minutes from latitude 30° 00'		Longitude.	X	Y
° /	Meters.	''	Meters.	Meters.	'	Meters.	° /	Meters.	Meters.
30 00	30.791			1847.47			0 1		
1	1	1	30.79	.48	1	1 847.5	0 1	1 608.1	0.1
2	1	2	61.59	.48	2	3 695.0	0 2	3 216.3	0.5
3	1	3	92.38	.49	3	5 542.4	0 3	4 824.4	1.1
4	2	4	123.17	.49	4	7 389.9	0 4	6 432.6	1.9
30 05	30.792	5	153.97	1847.50	5	9 237.4	0 5	8 040.7	2.9
6	2	6	184.76	.50	6	11 084.9	0 6	9 648.8	4.2
7	2	7	215.56	.51	7	12 932.4	0 7	11 257.0	5.7
8	2	8	246.35	.51	8	14 779.9	0 8	12 865.1	7.5
9	2	9	277.14	.52	9	16 627.4	0 9	14 473.2	9.5
30 10	30.792	10	307.94	1847.52	10	18 475.0	0 10	16 081.4	11.7
11	2	1	338.73	.53	1	20 322.5	0 15	24 122.0	26.3
12	2	2	369.52	.53	2	22 170.0	0 20	32 162.7	46.8
13	2	3	400.32	.54	3	24 017.5	0 25	40 203.3	73.1
14	2	4	431.11	.54	4	25 865.1	0 30	48 244.0	105.3
30 15	30.792	15	461.90	1847.55	15	27 712.6	0 35	56 284.6	143.3
16	3	6	492.70	.55	6	29 560.2	0 40	64 325.1	187.1
17	3	7	523.49	.56	7	31 407.7	0 45	72 365.6	236.8
18	3	8	554.29	.56	8	33 255.3	0 50	80 406.1	292.4
19	3	9	585.08	.56	9	35 102.8	0 55	88 446.6	353.8
30 20	30.793	20	615.87	1847.57	20	36 950.4	1 00	96 487.0	421.0
21	3	1	646.67	.57	1	38 798.0	1 05	104 527.3	494.1
22	3	2	677.46	.58	2	40 645.5	1 10	112 567.6	573.0
23	3	3	708.25	.58	3	42 493.1	1 15	120 607.9	657.8
24	3	4	739.05	.59	4	44 340.7	1 20	128 648.0	748.4
30 25	30.793	25	769.84	1847.59	25	46 188.3	1 25	136 688.1	844.9
26	3	6	800.63	.60	6	48 035.9	1 30	144 728.2	947.3
27	3	7	831.43	.60	7	49 883.5	1 35	152 768.2	1 055.4
28	3	8	862.22	.61	8	51 731.1	1 40	160 808.0	1 169.4
29	4	9	893.01	.61	9	53 578.7	1 45	168 847.8	1 289.3
30 30	30.794	30	923.81	1847.62	30	55 426.3	1 50	176 887.5	1 415.0
31	4	1	954.60	.62	1	57 273.9	1 55	184 927.1	1 546.6
32	4	2	985.40	.63	2	59 121.6	2 00	192 967	1 684
33	4	3	1 016.19	.63	3	60 969.2	2 05	200 997	1 824
34	4	4	1 046.98	.64	4	62 816.8	2 10	209 027	1 964
30 35	30.794	35	1 077.78	1847.64	35	64 664.5	2 15	217 057	2 104
36	4	6	1 108.57	.65	6	66 512.1	2 20	225 087	2 244
37	4	7	1 139.36	.65	7	68 359.8	2 25	233 117	2 384
38	4	8	1 170.16	.66	8	70 207.4	2 30	241 147	2 524
39	4	9	1 200.95	.66	9	72 055.1	2 35	249 177	2 664
30 40	30.794	40	1 231.74	1847.66	40	73 902.7	2 40	257 207	2 804
41	4	1	1 262.54	.67	1	75 750.4	2 45	265 237	2 944
42	5	2	1 293.33	.67	2	77 598.1	2 50	273 267	3 084
43	5	3	1 324.13	.68	3	79 445.8	2 55	281 297	3 224
44	5	4	1 354.92	.68	4	81 293.4	2 60	289 327	3 364
30 45	30.795	45	1 385.71	1847.69	45	83 141.1	2 65	297 357	3 504
46	5	6	1 416.51	.69	6	84 988.8	2 70	305 387	3 644
47	5	7	1 447.30	.70	7	86 836.5	2 75	313 417	3 784
48	5	8	1 478.09	.70	8	88 684.2	2 80	321 447	3 924
49	5	9	1 508.89	.71	9	90 531.9	2 85	329 477	4 064
30 50	30.795	50	1 539.68	1847.71	50	92 379.6	2 90	337 507	4 204
51	5	1	1 570.47	.72	1	94 227.4	2 95	345 537	4 344
52	5	2	1 601.27	.72	2	96 075.1	3 00	353 567	4 484
53	5	3	1 632.06	.73	3	97 922.8	3 05	361 597	4 624
54	6	4	1 662.86	.73	4	99 770.5	3 10	369 627	4 764
30 55	30.796	55	1 693.65	1847.74	55	101 618.3	3 15	377 657	4 904
56	6	6	1 724.44	.74	6	103 466.0	3 20	385 687	5 044
57	6	7	1 755.24	.75	7	105 313.7	3 25	393 717	5 184
58	6	8	1 786.03	.75	8	107 161.5	3 30	401 747	5 324
59	6	9	1 816.82	.76	9	109 009.2	3 35	409 777	5 464
30 60	30.796	60	1 847.62	.76	60	110 857.0	3 40	417 807	5 604

Latitude 31° to 32°—Arcs of the parallel in meters.

Lat.	1''	2''	3''	4''	5''	6''	7''	8''	9''	1'	2'	3'	4'	5'
31 00	26.530	53.06	79.59	106.12	132.65	159.18	185.71	212.24	238.77	1591.8	3183.5	4775.3	6367.1	7958.9
1	.525	.05	.58	.10	.63	.15	.68	.20	.73	1.5	3.0	4.5	6.0	7.5
2	.520	.04	.56	.08	.60	.12	.64	.16	.68	1.2	2.4	3.6	4.9	6.1
3	.516	.03	.55	.06	.58	.09	.61	.13	.64	0.9	1.9	2.8	3.8	4.7
4	.511	.02	.53	.04	.56	.07	.58	.09	.60	0.7	1.3	1.9	2.6	3.3
31 05	26.506	53.02	79.52	106.03	132.53	159.04	185.55	212.05	238.56	1590.4	3180.8	4771.1	6361.5	7951.9
6	.502	.01	.51	6.01	.51	9.01	.51	2.01	.52	90.1	80.2	70.3	60.4	50.5
7	.497	3.00	.49	5.99	.49	8.98	.48	1.98	.48	89.8	79.7	69.5	59.3	49.1
8	.493	2.99	.48	.97	.47	.96	.45	.94	.43	9.6	9.1	8.6	8.2	7.8
9	.488	.98	.46	.95	.44	.93	.41	.90	.39	9.3	8.6	7.8	7.1	6.4
31 10	26.483	52.97	79.45	105.93	132.42	158.90	185.38	211.87	238.35	1589.0	3178.0	4767.0	6356.0	7945.0
11	.479	.96	.44	.91	.39	.87	.35	.83	.31	8.7	7.4	6.2	4.9	3.6
12	.474	.95	.42	.90	.37	.84	.32	.79	.27	8.4	6.9	5.3	3.8	2.2
13	.469	.94	.41	.88	.35	.82	.28	.75	.22	8.2	6.3	4.5	2.6	40.8
14	.465	.93	.39	.86	.32	.79	.25	.72	.18	7.9	5.8	3.6	1.5	39.4
31 15	26.460	52.92	79.38	105.84	132.30	158.76	185.22	211.68	238.14	1587.6	3175.2	4762.8	6350.4	7938.0
16	.455	.91	.37	.82	.28	.73	.19	.64	.10	7.3	4.6	2.0	49.3	6.6
17	.451	.90	.35	.80	.25	.70	.16	.61	.06	7.0	4.1	1.1	8.2	5.2
18	.446	.89	.34	.78	.23	.68	.12	.57	8.01	6.8	3.5	60.3	7.1	3.8
19	.441	.88	.32	.77	.21	.65	.09	.53	7.97	6.5	3.0	59.4	5.9	2.4
31 20	26.437	52.87	79.31	105.75	132.18	158.62	185.06	211.49	237.93	1586.2	3172.4	4758.6	6344.8	7931.0
21	.432	.86	.30	.73	.16	.59	5.03	.46	.89	5.9	1.8	7.8	3.7	29.6
22	.427	.85	.28	.71	.13	.56	4.99	.42	.85	5.6	1.3	6.9	2.6	8.2
23	.423	.84	.27	.69	.11	.54	4.96	.38	.80	5.4	0.7	6.1	1.5	6.8
24	.418	.83	.25	.67	.09	.51	.93	.34	.76	5.1	70.2	5.2	40.3	5.4
31 25	26.413	52.83	79.24	105.65	132.06	158.48	184.89	211.31	237.72	1584.8	3169.6	4754.4	6339.2	7924.0
26	.409	.82	.23	.63	.04	.45	.86	.27	.68	4.5	9.0	3.6	8.1	2.6
27	.404	.81	.21	.62	.02	.42	.83	.23	.64	4.2	8.5	2.7	7.0	21.2
28	.399	.80	.20	.60	2.00	.40	.80	.20	.59	4.0	7.9	1.9	5.9	19.8
29	.395	.79	.18	.58	1.97	.37	.76	.16	.55	3.7	7.4	1.0	4.7	8.4
31 30	26.390	52.78	79.17	105.56	131.95	158.34	184.73	211.12	237.51	1583.4	3166.8	4750.2	6333.6	7917.0
31	.385	.77	.16	.54	.93	.31	.70	.08	.47	3.1	6.2	49.4	2.5	5.6
32	.381	.76	.14	.52	.90	.28	.66	.05	.43	2.8	5.7	8.5	1.4	4.2
33	.376	.75	.13	.50	.88	.26	.63	1.01	.38	2.6	5.1	7.7	30.2	2.8
34	.371	.74	.11	.49	.86	.23	.60	0.97	.34	2.3	4.6	6.8	29.1	1.4
31 35	26.367	52.74	79.10	105.47	131.84	158.20	184.56	210.93	237.30	1582.0	3164.0	4746.0	6328.0	7910.0
36	.362	.73	.09	.45	.81	.17	.53	.90	.26	1.7	3.4	5.2	6.9	08.6
37	.357	.72	.07	.43	.79	.14	.50	.86	.22	1.4	2.9	4.3	5.7	7.2
38	.353	.71	.06	.41	.77	.12	.47	.82	.17	1.2	2.3	3.5	4.6	5.8
39	.348	.70	.04	.39	.74	.09	.43	.78	.13	0.9	1.8	2.6	3.5	4.4
31 40	26.343	52.69	79.03	105.37	131.72	158.06	184.40	210.75	237.09	1580.6	3161.2	4741.8	6322.4	7903.0
41	.338	.68	.02	.35	.69	.03	.37	.71	.05	0.3	0.6	0.9	1.2	1.5
42	.334	.67	9.00	.33	.67	8.00	.33	.67	7.00	80.0	60.0	40.1	20.1	900.1
43	.329	.66	8.99	.32	.65	7.98	.30	.63	6.96	79.8	59.5	39.2	19.0	898.7
44	.324	.65	.97	.30	.62	.95	.27	.59	.92	79.5	8.9	8.4	7.8	7.3
31 45	26.320	52.64	78.96	105.28	131.60	157.92	184.24	210.56	236.87	1579.2	3158.3	4737.5	6316.7	7895.9
46	.315	.63	.95	.26	.58	.89	.20	.52	.83	8.9	7.8	6.7	5.6	4.5
47	.310	.62	.93	.24	.55	.86	.17	.48	.79	8.6	7.2	5.8	4.4	3.0
48	.305	.61	.92	.22	.53	.84	.14	.44	.75	8.4	6.6	5.0	3.3	1.6
49	.301	.60	.90	.20	.50	.80	.11	.41	.70	8.0	6.1	4.1	2.2	90.2
31 50	26.296	52.59	78.89	105.18	131.48	157.78	184.07	210.37	236.66	1577.8	3155.5	4733.3	6311.0	7888.8
51	.291	.58	.87	.16	.46	.75	.04	.33	.62	7.5	4.9	2.4	09.9	7.4
52	.287	.57	.86	.15	.43	.72	4.00	.29	.58	7.2	4.4	1.6	8.8	6.0
53	.282	.56	.85	.13	.41	.69	3.97	.25	.53	6.9	3.8	30.7	7.6	4.5
54	.277	.55	.83	.11	.38	.66	.94	.22	.49	6.6	3.3	29.9	6.5	83.1
31 55	26.272	52.55	78.82	105.09	131.36	157.63	183.90	210.18	236.45	1576.3	3152.7	4729.0	6305.4	7881.7
56	.268	.54	.80	.07	.34	.61	.87	.14	.41	6.1	2.1	8.2	4.2	80.3
57	.263	.53	.79	.05	.31	.58	.84	.10	.37	5.8	1.5	7.3	3.1	78.9
58	.258	.52	.77	.03	.29	.55	.81	.07	.32	5.5	1.0	6.5	2.0	7.4
59	.253	.51	.76	5.01	.26	.52	.77	10.03	.28	5.2	50.4	5.6	300.8	6.0
31 60	26.249	52.50	78.75	104.99	131.24	157.49	183.74	209.99	236.24	1574.9	3149.8	4724.8	6299.7	7874.6

Lat.	Latitude 31° to 32°—Meridional arcs.					Latitude 31°—Co-ordinates of curvature.			
	Value of 1''	Sums of seconds for middle latitude 31° 30'		Value of 1'	Continuous sums of minutes from latitude 31° 00'	Longitude.	X	Y	
° /	Meters.	''	Meters.	Meters.	'	Meters.	° /	Meters.	Meters.
31 00	30.796			1847.76			0 1	1 591.8	0.1
1	6	1	30.80	.77	1	1 847.8	0 2	3 183.5	0.5
2	6	2	61.60	.77	2	3 695.5	0 3	4 775.3	1.1
3	6	3	92.40	.78	3	5 543.3	0 4	6 307.1	1.9
4	6	4	123.19	.78	4	7 391.1	0 5	7 958.9	3.0
31 05	30.796	5	153.99	1847.79	5	9 238.9	0 6	9 550.6	4.3
6	7	6	184.79	.79	6	11 086.7	0 7	11 142.4	5.8
7	7	7	215.59	.80	7	12 934.4	0 8	12 734.2	7.6
8	7	8	246.39	.80	8	14 782.2	0 9	14 325.9	9.7
9	7	9	277.19	.80	9	16 630.0	1 00	15 917.7	11.9
31 10	30.797	10	307.98	1847.81	10	18 477.9	1 05	23 876.5	26.8
11	7	1	338.78	.81	1	20 325.7	1 10	31 835.4	47.7
12	7	2	369.58	.82	2	22 173.5	1 15	39 794.2	74.5
13	7	3	400.38	.82	3	24 021.3	1 20	47 753.0	107.3
14	7	4	431.18	.83	4	25 869.1	1 25	55 711.7	146.1
31 15	30.797	15	461.98	1847.83	15	27 717.0	1 30	63 670.4	190.8
16	7	6	492.78	.84	6	29 564.8	1 35	71 629.2	241.5
17	7	7	523.57	.84	7	31 412.6	1 40	79 587.8	298.1
18	7	8	554.37	.85	8	33 260.5	1 45	87 546.4	360.7
19	8	9	585.17	.85	9	35 108.3	1 00	95 505.0	429.3
31 20	30.798	20	615.97	1847.86	20	36 956.2	1 05	103 463.5	503.8
21	8	1	646.77	.86	1	38 804.0	1 10	111 421.9	584.3
22	8	2	677.57	.87	2	40 651.9	1 15	119 380.3	670.7
23	8	3	708.36	.87	3	42 499.8	1 20	127 338.6	763.1
24	8	4	739.16	.88	4	44 347.7	1 25	135 296.9	861.5
31 25	30.798	25	769.96	1847.88	25	46 195.5	1 30	143 255.1	965.8
26	8	6	800.76	.89	6	48 043.4	1 35	151 213.1	1 076.1
27	8	7	831.56	.89	7	49 891.3	1 40	159 171.1	1 192.4
28	8	8	862.36	.90	8	51 739.2	1 45	167 129.0	1 314.6
29	8	9	893.15	.90	9	53 587.1	1 50	175 086.8	1 442.8
31 30	30.798	30	923.95	1847.91	30	55 435.0	1 55	183 044.6	1 576.9
31	9	1	954.75	.91	1	57 282.9	2 00	191 002	1 717
32	9	2	985.55	.92	2	59 130.8	2 05	286 484	3 863
33	9	3	1 016.35	.92	3	60 978.8	2 10	381 943	6 867
34	9	4	1 047.15	.93	4	62 826.7	2 15	64 674.6	10 729
31 35	30.799	35	1 077.95	1847.93	35	64 674.6	2 20	72 066.4	15 450
36	9	6	1 108.74	.94	6	66 522.5	2 25	77 610.2	21 027
37	9	7	1 139.54	.94	7	68 370.5	2 30	81 306.2	27 461
38	9	8	1 170.34	.95	8	70 218.4	2 35	83 154.2	34 751
39	9	9	1 201.14	.95	9	72 066.4	2 40	85 002.1	42 897
31 40	30.799	40	1 231.94	1847.96	40	73 914.3	2 45	86 850.1	51 898
41	9	1	1 262.74	.96	1	75 762.3	2 50	88 698.1	61 753
42	799	2	1 293.53	.97	2	77 610.2	2 55	90 546.1	72 462
43	800	3	1 324.33	.97	3	79 458.2	3 00	92 394.1	84 024
44	0	4	1 355.13	.98	4	81 306.2	3 05	94 242.1	96 437
31 45	30.800	45	1 385.93	1847.98	45	83 154.2	3 10	96 090.1	109 701
46	0	6	1 416.73	.98	6	85 002.1	3 15	97 938.2	123 815
47	0	7	1 447.53	.99	7	86 850.1	3 20	99 786.2	138 777
48	0	8	1 478.33	7.99	8	88 698.1	3 25	101 634.2	154 586
49	0	9	1 509.12	1848.00	9	90 546.1	3 30	103 482.2	171 241
31 50	30.800	50	1 539.92	1848.00	50	92 394.1	3 35	105 330.3	188 741
51	0	1	1 570.72	.01	1	94 242.1	3 40	107 178.3	207 085
52	0	2	1 601.52	.01	2	96 090.1	3 45	109 026.4	226 270
53	0	3	1 632.32	.02	3	97 938.2	3 50	110 874.4	246 295
54	0	4	1 663.12	.02	4	99 786.2	3 55	101 634.2	267 159
31 55	30.800	55	1 693.91	1848.03	55	101 634.2	4 00	103 482.2	288 860
56	1	6	1 724.71	.03	6	103 482.2	4 05	105 330.3	311 396
57	1	7	1 755.51	.04	7	105 330.3	4 10	107 178.3	334 765
58	1	8	1 786.31	.04	8	107 178.3	4 15	109 026.4	358 966
59	1	9	1 817.11	.05	9	109 026.4	4 20	110 874.4	383 997
31 60	30.801	60	1 847.91	1848.05	60	110 874.4	4 25	2 460 618	2 273 418
							4 30	2 553 427	2 378 418
							4 35	2 646 029	2 830 585

Latitude 32° to 33°—Arcs of the Parallel in meters.														
Lat.	1"	2"	3"	4"	5"	6"	7"	8"	9"	1'	2'	3'	4'	5'
32 00	26.249	52.50	78.75	104.99	131.24	157.49	183.74	209.99	236.24	1574.9	3149.8	4724.8	6299.7	7874.6
1	.244	.49	.73	.98	.22	.46	.71	.95	.20	4.6	9.3	3.9	8.5	3.2
2	.239	.48	.72	.96	.19	.43	.67	.91	.15	4.3	8.7	3.1	7.4	1.7
3	.234	.47	.70	.94	.17	.41	.64	.87	.11	4.1	8.1	2.2	6.2	70.3
4	.230	.46	.69	.92	.15	.38	.61	.84	.07	3.8	7.6	1.4	5.1	68.9
32 05	26.225	52.45	78.67	104.90	131.12	157.35	183.57	209.80	236.02	1573.5	3147.0	4720.5	6294.0	7867.4
6	.220	.44	.66	.88	.10	.32	.54	.76	5.98	3.2	6.4	19.6	2.8	6.0
7	.215	.43	.65	.86	.08	.29	.51	.72	.94	2.9	5.8	8.8	1.7	4.6
8	.211	.42	.63	.84	.06	.26	.48	.68	.90	2.6	5.3	7.9	90.5	3.2
9	.206	.41	.62	.82	.03	.23	.44	.65	.85	2.3	4.7	7.1	89.4	1.7
32 10	26.201	52.40	78.60	104.80	131.01	157.21	183.41	209.61	235.81	1572.1	3144.1	4716.2	6288.3	7860.3
11	.196	.39	.59	.79	0.99	.18	.38	.57	.77	1.8	3.6	5.3	7.1	58.9
12	.191	.38	.57	.77	.96	.15	.34	.53	.72	1.5	3.0	4.5	6.0	7.4
13	.187	.37	.56	.75	.94	.12	.31	.49	.68	1.2	2.4	3.6	4.8	6.0
14	.182	.36	.55	.73	.91	.09	.27	.46	.64	0.9	1.9	2.8	3.7	4.6
32 15	26.177	52.35	78.53	104.71	130.89	157.06	183.24	209.42	235.59	1570.6	3141.3	4711.9	6282.5	7853.1
16	.172	.34	.52	.69	.87	.03	.21	.38	.55	0.3	0.7	1.0	1.4	1.7
17	.168	.34	.50	.67	.84	7.01	.17	.34	.51	70.1	40.1	10.2	80.2	50.3
18	.163	.33	.49	.65	.82	6.98	.14	.30	.47	69.8	39.5	9.3	79.1	48.8
19	.158	.32	.47	.63	.79	.95	.10	.26	.42	9.5	9.0	8.5	7.9	7.4
32 20	26.153	52.31	78.46	104.61	130.77	156.92	183.07	209.23	235.38	1569.2	3138.4	4707.6	6276.8	7846.0
21	.148	.30	.45	.59	.75	.89	.04	.19	.34	8.9	7.8	6.7	5.6	4.5
22	.144	.29	.43	.57	.72	.86	3.00	.15	.29	8.6	7.2	5.9	4.5	3.1
23	.139	.28	.42	.56	.70	.83	2.97	.11	.25	8.3	6.7	5.0	3.3	1.6
24	.134	.27	.40	.54	.67	.80	.94	.07	.21	8.0	6.1	4.1	2.2	40.2
32 25	26.129	52.26	78.39	104.52	130.65	156.78	182.90	209.03	235.16	1567.8	3135.5	4703.3	6271.0	7838.8
26	.124	.25	.37	.50	.63	.75	.87	9.00	.12	7.5	4.9	2.4	69.9	7.3
27	.120	.24	.36	.48	.60	.72	.84	8.96	.08	7.2	4.3	1.5	68.7	5.9
28	.115	.23	.34	.46	.58	.69	.81	.92	5.04	6.9	3.8	700.7	7.6	4.4
29	.110	.22	.33	.44	.55	.66	.77	.88	4.99	6.6	3.2	699.8	6.4	3.0
32 30	26.105	52.21	78.32	104.42	130.53	156.63	182.74	208.84	234.95	1566.3	3132.6	4698.9	6265.3	7831.6
31	.100	.20	.30	.40	.51	.60	.70	.80	.90	6.0	2.0	8.0	4.1	30.1
32	.096	.19	.29	.38	.48	.57	.67	.76	.86	5.7	1.5	7.2	2.9	28.7
33	.091	.18	.27	.36	.45	.54	.64	.73	.82	5.4	0.9	6.3	1.8	7.2
34	.086	.17	.26	.34	.43	.52	.60	.69	.77	5.2	30.3	5.5	60.6	5.8
32 35	26.081	52.16	78.24	104.32	130.41	156.49	182.57	208.65	234.73	1564.9	3129.7	4694.6	6259.5	7824.3
36	.076	.15	.23	.30	.39	.46	.54	.61	.69	4.6	9.1	3.7	8.3	2.9
37	.071	.14	.21	.29	.36	.43	.50	.57	.64	4.3	8.6	2.9	7.1	1.4
38	.067	.13	.20	.27	.34	.40	.47	.53	.60	4.0	8.0	2.0	6.0	20.0
39	.062	.12	.18	.25	.31	.37	.43	.49	.55	3.7	7.4	1.1	4.8	18.5
32 40	26.057	52.11	78.17	104.23	130.29	156.34	182.40	208.46	234.51	1563.4	3126.8	4690.3	6253.7	7817.1
41	.052	.10	.16	.21	.26	.31	.37	.42	.47	3.1	6.2	89.4	2.5	5.6
42	.047	.09	.14	.19	.24	.28	.33	.38	.42	2.8	5.7	8.5	1.3	4.2
43	.042	.08	.13	.17	.22	.25	.30	.34	.38	2.5	5.1	7.7	50.2	2.7
44	.038	.08	.11	.15	.19	.23	.26	.30	.34	2.3	4.5	6.8	49.0	11.3
32 45	26.033	52.07	78.10	104.13	130.17	156.20	182.23	208.26	234.29	1562.0	3123.9	4685.9	6247.9	7809.8
46	.028	.06	.08	.11	.14	.17	.20	.22	.25	1.7	3.3	5.0	6.7	8.4
47	.023	.05	.07	.09	.12	.14	.16	.18	.21	1.4	2.7	4.1	5.5	6.9
48	.018	.04	.05	.07	.09	.11	.13	.15	.17	1.1	2.2	3.3	4.4	5.4
49	.013	.03	.04	.05	.07	.08	.09	.11	.12	0.8	1.6	2.4	3.2	4.0
32 50	26.008	52.02	78.03	104.03	130.04	156.05	182.06	208.07	234.08	1560.5	3121.0	4681.5	6242.0	7802.5
51	.004	.01	.01	4.01	30.02	6.02	2.03	8.03	4.03	60.2	20.4	80.6	40.9	801.1
52	5.999	2.00	8.00	3.99	29.99	5.99	1.99	7.99	3.99	59.9	19.8	79.7	39.7	799.6
53	.994	1.99	7.98	.98	.97	.96	.96	.95	.95	9.6	9.3	8.9	8.5	8.2
54	.989	.98	.97	.96	.94	.93	.92	.91	.90	9.3	8.7	8.0	7.4	6.7
32 55	25.984	51.97	77.95	103.94	129.92	155.90	181.89	207.87	233.86	1559.0	3118.1	4677.1	6236.2	7795.2
56	.979	.96	.94	.92	.90	.88	.86	.83	.81	8.8	7.5	6.2	5.0	3.8
57	.974	.95	.92	.90	.87	.85	.82	.79	.77	8.5	6.9	5.4	3.8	2.3
58	.970	.94	.91	.88	.85	.82	.79	.76	.73	8.2	6.4	4.5	2.7	90.9
59	.965	.93	.89	.86	.82	.79	.75	.72	.68	7.9	5.8	3.7	1.5	89.4
32 60	25.960	51.92	77.88	103.84	129.80	155.76	181.72	207.68	233.64	1557.6	3115.2	4672.8	6230.3	7787.9

Lat.	Latitude 32° to 33°—Meridional arcs.					Latitude 32°—Co-ordinates of curvature.			
	Value of 1''	Sums of seconds for middle latitude 32° 30'		Value of 1'	Continuous sums of minutes from latitude 32° 00'		Longitude.	X	Y
° /	Meters.	''	Meters.	Meters.	'	Meters.	° /	Meters.	Meters.
32 00	30.801			1848.05					
1	1	1	30.80	.06	1	1 848.1	0 1	1 574.9	0.1
2	1	2	61.61	.06	2	3 696.1	2	3 149.8	0.5
3	1	3	92.41	.07	3	5 544.2	3	4 724.8	1.1
4	1	4	123.21	.07	4	7 392.3	4	6 299.7	1.9
32 05	30.801	5	154.02	1848.08	5	9 240.3	0 5	7 874.6	3.0
6	1	6	184.82	.08	6	11 088.4	6	9 449.5	4.4
7	1	7	215.62	.09	7	12 936.5	7	11 024.4	6.0
8	2	8	246.43	.09	8	14 784.6	8	12 599.4	7.8
9	2	9	277.23	.10	9	16 632.7	9	14 174.3	9.8
32 10	30.802	10	308.03	1848.10	10	18 480.8	0 10	15 749.2	12.1
11	2	1	338.84	.11	1	20 328.9	15	23 623.8	27.3
12	2	2	369.64	.11	2	22 177.0	20	31 498.3	48.6
13	2	3	400.44	.12	3	24 025.1	25	39 372.9	75.9
14	2	4	431.25	.12	4	25 873.2	30	47 247.4	109.3
32 15	30.802	15	462.05	1848.13	15	27 721.4	0 35	55 121.9	148.7
16	2	6	492.85	.13	6	29 569.5	40	62 996.4	194.2
17	2	7	523.66	.14	7	31 417.6	45	70 870.8	245.8
18	2	8	554.46	.14	8	33 265.8	50	78 745.2	303.5
19	2	9	585.26	.15	9	35 113.9	55	86 619.5	367.2
32 20	30.803	20	616.07	1848.15	20	36 962.1	1 00	94 493.8	437.0
21	3	1	646.87	.16	1	38 810.2	05	102 368.0	512.8
22	3	2	677.67	.16	2	40 658.4	10	110 242.2	594.8
23	3	3	708.48	.17	3	42 506.6	15	118 116.3	682.8
24	3	4	739.28	.17	4	44 354.7	20	125 990.3	776.9
32 25	30.803	25	770.08	1848.18	25	46 202.9	1 25	133 864.3	877.0
26	3	6	800.89	.18	6	48 051.1	30	141 738.2	983.2
27	3	7	831.69	.19	7	49 899.3	35	149 612.0	1 095.5
28	3	8	862.49	.19	8	51 747.5	40	157 485.7	1 213.8
29	3	9	893.30	.20	9	53 595.6	45	165 359.3	1 338.2
32 30	30.803	30	924.10	1848.20	30	55 443.8	1 50	173 232.8	1 468.7
31	3	1	954.90	.21	1	57 292.0	55	181 106.2	1 605.3
32	4	2	985.71	.21	2	59 140.3	2 00	188 980	1 748
33	4	3	1 016.51	.22	3	60 988.5	3 00	283 449	3 933
34	4	4	1 047.31	.22	4	62 836.7	4 00	377 894	6 991
32 35	30.804	35	1 078.12	1848.23	35	64 684.9	5 00	472 307	10 922
36	4	6	1 108.92	.23	6	66 533.1	6 00	566 680	15 727
37	4	7	1 139.72	.24	7	68 381.4	7 00	661 004	21 404
38	4	8	1 170.53	.24	8	70 229.6	8 00	755 272	27 954
39	4	9	1 201.33	.25	9	72 077.8	9 00	849 475	35 375
32 40	30.804	40	1 232.13	1848.25	40	73 926.1	10 00	943 605	43 667
41	4	1	1 262.94	.26	1	75 774.4	11 00	1 037 655	52 829
42	4	2	1 293.74	.26	2	77 622.6	12 00	1 131 616	62 861
43	4	3	1 324.54	.27	3	79 470.9	13 00	1 225 480	73 761
44	5	4	1 355.35	.27	4	81 319.1	14 00	1 319 239	85 529
32 45	30.805	45	1 386.15	1848.28	45	83 167.4	15 00	1 412 885	98 164
46	5	6	1 416.95	.28	6	85 015.7	16 00	1 506 411	111 664
47	5	7	1 447.76	.29	7	86 864.0	17 00	1 599 808	126 029
48	5	8	1 478.56	.29	8	88 712.3	18 00	1 693 067	141 256
49	5	9	1 509.36	.30	9	90 560.5	19 00	1 786 182	157 346
32 50	30.805	50	1 540.17	1848.30	50	92 408.8	20 00	1 879 144	174 296
51	5	1	1 570.97	.31	1	94 257.1	21 00	1 971 946	192 105
52	5	2	1 601.77	.31	2	96 105.5	22 00	2 064 579	210 772
53	5	3	1 632.58	.32	3	97 953.8	23 00	2 157 035	230 295
54	5	4	1 663.38	.32	4	99 802.1	24 00	2 249 305	250 672
32 55	30.805	55	1 694.18	1848.33	55	101 650.4	25 00	2 341 385	271 901
56	6	6	1 724.99	.33	6	103 498.7	26 00	2 433 264	293 981
57	6	7	1 755.79	.34	7	105 347.1	27 00	2 524 935	316 910
58	6	8	1 786.59	.34	8	107 195.4	28 00	2 616 390	340 686
59	6	9	1 817.40	.35	9	109 043.8	29 00	2 707 621	365 307
32 60	30.806	60	1 848.20	1848.35	60	110 892.1	30 00	2 798 621	390 770

Lat.	Latitude 33° to 34°—Meridional arcs.						Latitude 33°—Co-ordinates of curvature.		
	Value of 1''	Sums of seconds for middle latitude 33° 30'		Value of 1'	Continuous sums of minutes from latitude 33° 00'		Longitude.	X	Y
° /	Meters.	''	Meters.	Meters.	'	Meters.	° /	Meters.	Meters.
33 00	30.806			1848.35			0 1	1 557.6	0.1
1	6	1	30.81	.36	1	1 848.4	0 2	3 115.2	0.5
2	6	2	61.62	.36	2	3 696.7	0 3	4 672.8	1.1
3	6	3	92.43	.37	3	5 545.1	0 4	6 230.3	2.0
4	6	4	123.23	.37	4	7 393.4	0 5	7 787.9	3.1
33 05	30.806	5	154.04	1848.38	5	9 241.8	0 6	9 345.5	4.4
6	6	6	184.85	.38	6	11 090.2	0 7	10 903.1	6.0
7	6	7	215.66	.39	7	12 938.6	0 8	12 460.7	7.9
8	7	8	246.47	.39	8	14 787.0	0 9	14 018.3	10.0
9	7	9	277.28	.40	9	16 635.4	0 10	15 575.9	12.3
33 10	30.807	10	308.08	1848.40	10	18 483.8	0 15	23 363.8	27.8
11	7	1	338.89	.41	1	20 332.2	0 20	31 151.7	49.4
12	7	2	369.70	.41	2	22 180.6	0 25	38 939.6	77.1
13	7	3	400.51	.42	3	24 029.0	0 30	46 727.4	111.0
14	7	4	431.32	.42	4	25 877.4	0 35	54 515.3	151.1
33 15	30.807	15	462.13	1848.43	15	27 725.8	0 40	62 303.1	197.4
16	7	6	492.93	.43	6	29 574.2	0 45	70 090.8	249.8
17	7	7	523.74	.44	7	31 422.7	0 50	77 878.6	308.4
18	7	8	554.55	.44	8	33 271.1	0 55	85 666.2	373.2
19	7	9	585.36	.45	9	35 119.6	1 00	93 453.8	444.2
33 20	30.808	20	616.17	1848.45	20	36 968.0	05	101 241.4	521.3
21	8	1	646.98	.46	1	38 816.5	10	109 028.9	604.6
22	8	2	677.78	.46	2	40 664.9	15	116 816.3	694.0
23	8	3	708.59	.47	3	42 513.4	20	124 603.7	789.6
24	8	4	739.40	.47	4	44 361.9	1 25	132 390.9	891.4
33 25	30.808	25	770.21	1848.48	25	46 210.3	30	140 178.1	999.4
26	8	6	801.02	.48	6	48 058.8	35	147 965.2	1 113.5
27	8	7	831.83	.49	7	49 907.3	40	155 752.2	1 233.8
28	8	8	862.63	.49	8	51 755.8	45	163 539.1	1 360.3
29	8	9	893.44	.50	9	53 604.3	1 50	171 326.0	1 492.9
33 30	30.808	30	924.25	1848.50	30	55 452.8	55	179 112.7	1 631.7
31	8	1	955.06	.51	1	57 301.3	2 00	186 899	1 777
32	9	2	985.87	.51	2	59 149.8	3 00	280 328	3 997
33	9	3	1 016.68	.52	3	60 998.3	4 00	373 731	7 106
34	9	4	1 047.48	.52	4	62 846.8	5 00	467 100	11 102
33 35	30.809	35	1 078.29	1848.53	35	64 695.3	6 00	560 428	15 936
36	9	6	1 109.10	.53	6	66 543.9	7 00	653 704	21 757
37	9	7	1 139.91	.54	7	68 392.4	8 00	746 922	28 414
38	9	8	1 170.72	.54	8	70 241.0	9 00	840 072	35 957
39	9	9	1 201.53	.55	9	72 089.5	10 00	933 146	44 385
33 40	30.809	40	1 232.33	1848.55	40	73 938.0	11 00	1 026 136	53 697
41	9	1	1 263.14	.56	1	75 786.6	12 00	1 119 033	63 893
42	9	2	1 293.95	.56	2	77 635.2	13 00	1 211 829	74 971
43	09	3	1 324.76	.57	3	79 483.7	14 00	1 304 515	86 931
44	10	4	1 355.57	.57	4	81 332.3	15 00	1 397 083	99 771
33 45	30.810	45	1 386.38	1848.58	45	83 180.9	16 00	1 489 526	113 491
46	0	6	1 417.18	.58	6	85 029.4	17 00	1 581 834	128 089
47	0	7	1 447.99	.59	7	86 878.0	18 00	1 673 998	143 564
48	0	8	1 478.80	.59	8	88 726.6	19 00	1 766 011	159 914
49	0	9	1 509.61	.60	9	90 575.2	20 00	1 857 866	177 138
33 50	30.810	50	1 540.42	1848.60	50	92 423.8	21 00	1 949 553	195 234
51	0	1	1 571.23	.61	1	94 272.4	22 00	2 041 062	214 201
52	0	2	1 602.03	.61	2	96 121.0	23 00	2 132 387	234 037
53	0	3	1 632.84	.62	3	97 969.6	24 00	2 223 521	254 740
54	0	4	1 663.65	.62	4	99 818.2	25 00	2 314 453	276 309
33 55	30.810	55	1 694.46	1848.63	55	101 666.9	26 00	2 405 175	298 741
56	1	6	1 725.27	.63	6	103 515.5	27 00	2 495 680	322 034
57	1	7	1 756.08	.64	7	105 364.1	28 00	2 585 961	346 187
58	1	8	1 786.88	.64	8	107 212.8	29 00	2 676 007	371 197
59	1	9	1 817.69	.65	9	109 061.4	30 00	2 765 812	397 061
33 60	30.811	60	1 848.50	1848.65	60	110 910.1			

Latitude 34° to 35°—Arcs of the parallel in meters.

Lat.	1"	2"	3"	4"	5"	6"	7"	8"	9"	1'	2'	3'	4'	5'
34 00	25.663	51.33	76.99	102.65	128.32	153.98	179.64	205.30	230.97	1539.8	3079.6	4619.3	6159.1	7698.9
1	.658	.32	.97	.63	.29	.95	.61	.26	.92	9.5	9.0	8.4	7.9	7.4
2	.653	.31	.96	.61	.27	.92	.57	.22	.88	9.2	8.4	7.5	6.7	5.9
3	.648	.30	.94	.59	.24	.89	.54	.18	.83	8.9	7.7	6.6	5.5	4.4
4	.643	.29	.93	.57	.22	.86	.50	.14	.79	8.6	7.1	5.7	4.3	2.9
34 05	25.638	51.28	76.91	102.55	128.19	153.83	179.47	205.10	230.74	1538.3	3076.5	4614.8	6153.1	7691.4
6	.633	.27	.90	.53	.16	.80	.43	.06	.70	8.0	5.9	3.9	1.9	89.9
7	.628	.26	.88	.51	.14	.77	.40	5.02	.65	7.7	5.3	3.0	50.7	8.4
8	.623	.25	.87	.49	.11	.74	.36	4.98	.60	7.4	4.7	2.1	49.5	6.8
9	.618	.24	.85	.47	.09	.71	.33	.94	.56	7.1	4.1	1.2	8.3	5.3
34 10	25.613	51.23	76.84	102.45	128.06	153.68	179.29	204.90	230.51	1536.8	3073.5	4610.3	6147.1	7683.8
11	.608	.22	.82	.43	.04	.65	.26	.86	.47	6.5	2.9	09.4	5.9	2.3
12	.603	.21	.81	.41	8.01	.62	.22	.82	.42	6.2	2.3	8.5	4.6	80.8
13	.598	.20	.79	.39	7.99	.59	.19	.78	.38	5.9	1.7	7.6	3.4	79.3
14	.593	.19	.78	.37	.96	.56	.15	.74	.33	5.6	1.1	6.7	2.2	7.8
34 15	25.588	51.18	76.76	102.35	127.94	153.53	179.12	204.70	230.29	1535.3	3070.5	4605.8	6141.0	7676.3
16	.583	.16	.75	.33	.91	.50	.08	.66	.24	5.0	69.9	4.9	39.8	4.8
17	.577	.15	.73	.31	.89	.46	.04	.62	.20	4.6	9.3	3.9	8.6	3.2
18	.572	.14	.72	.29	.86	.43	9.01	.58	.15	4.3	8.7	3.0	7.4	1.7
19	.567	.13	.70	.27	.84	.40	8.97	.54	.11	4.0	8.1	2.1	6.2	70.2
34 20	25.562	51.12	76.69	102.25	127.81	153.37	178.94	204.50	230.06	1533.7	3067.5	4601.2	6135.0	7668.7
21	.557	.11	.67	.23	.79	.34	.90	.46	30.02	3.4	6.9	600.3	3.7	7.2
22	.552	.10	.66	.21	.76	.31	.87	.42	29.97	3.1	6.3	599.4	2.5	5.7
23	.547	.09	.64	.19	.74	.28	.83	.38	.92	2.8	5.6	8.5	1.3	4.1
24	.542	.08	.63	.17	.71	.25	.80	.34	.88	2.5	5.0	7.6	30.1	2.6
34 25	25.537	51.07	76.61	102.15	127.69	153.22	178.76	204.30	229.83	1532.2	3064.4	4596.7	6128.9	7661.1
26	.532	.06	.60	.13	.66	.19	.72	.26	.79	1.9	3.8	5.8	7.7	59.6
27	.527	.05	.58	.11	.64	.16	.69	.21	.74	1.6	3.2	4.9	6.4	8.1
28	.522	.04	.57	.09	.61	.13	.65	.17	.70	1.3	2.6	3.9	5.2	6.5
29	.517	.03	.55	.07	.59	.10	.62	.13	.65	1.0	2.0	3.0	4.0	5.0
34 30	25.512	51.02	76.54	102.05	127.56	153.07	178.58	204.09	229.61	1530.7	3061.4	4592.1	6122.8	7653.5
31	.507	.01	.52	.03	.53	.04	.55	.05	.56	0.4	0.8	1.2	1.6	2.0
32	.501	1.00	.50	2.01	.51	3.01	.51	4.01	.51	30.1	60.2	90.3	20.4	50.4
33	.496	0.99	.49	1.99	.48	2.98	.48	3.97	.47	29.8	59.6	89.3	19.1	48.9
34	.491	.98	.47	.97	.46	.95	.44	.93	.42	9.5	9.0	8.4	7.9	7.4
34 35	25.486	50.97	76.46	101.94	127.43	152.92	178.41	203.89	229.38	1529.2	3058.3	4587.5	6116.7	7645.9
36	.481	.96	.44	.92	.40	.89	.37	.85	.33	8.9	7.7	6.6	5.5	4.3
37	.476	.95	.43	.90	.38	.86	.34	.81	.28	8.6	7.1	5.7	4.2	2.8
38	.471	.94	.41	.88	.35	.83	.30	.77	.24	8.3	6.5	4.8	3.0	41.3
39	.466	.93	.40	.86	.33	.80	.27	.73	.19	8.0	5.9	3.9	1.8	39.8
34 40	25.461	50.92	76.38	101.84	127.30	152.76	178.23	203.69	229.15	1527.6	3055.3	4582.9	6110.6	7638.2
41	.456	.91	.37	.82	.28	.73	.19	.65	.10	7.3	4.7	2.0	09.4	6.7
42	.451	.90	.35	.80	.25	.70	.16	.61	.06	7.0	4.1	1.1	8.2	5.2
43	.445	.89	.34	.78	.23	.67	.12	.56	9.01	6.7	3.4	80.1	6.9	3.6
44	.440	.88	.32	.76	.20	.64	.08	.52	8.96	6.4	2.8	79.2	5.7	2.1
34 45	25.435	50.87	76.31	101.74	127.17	152.61	178.05	203.48	228.92	1526.1	3052.2	4578.3	6104.5	7630.6
46	.430	.86	.29	.72	.15	.58	8.01	.44	.87	5.8	1.6	7.4	3.2	29.0
47	.425	.85	.28	.70	.12	.55	7.98	.40	.83	5.5	1.0	6.5	2.0	7.5
48	.420	.84	.26	.68	.10	.52	.94	.36	.78	5.2	50.4	5.5	100.8	6.0
49	.415	.83	.24	.66	.07	.49	.91	.32	.73	4.9	49.8	4.6	099.6	4.4
34 50	25.410	50.82	76.23	101.64	127.05	152.46	177.87	203.28	228.69	1524.6	3049.2	4573.7	6098.3	7622.9
51	.405	.81	.21	.62	.02	.43	.83	.24	.64	4.3	8.6	2.8	7.1	21.4
52	.399	.80	.20	.60	7.00	.40	.80	.20	.59	4.0	8.0	1.9	5.9	19.8
53	.394	.79	.18	.58	6.97	.37	.76	.15	.55	3.7	7.3	1.0	4.6	8.3
54	.389	.78	.17	.56	.95	.34	.73	.11	.50	3.4	6.7	70.1	3.4	6.8
34 55	25.384	50.77	76.15	101.54	126.92	152.30	177.69	203.07	228.46	1523.0	3046.1	4569.1	6092.2	7615.2
56	.379	.76	.14	.52	.89	.27	.65	3.03	.41	2.7	5.5	8.2	90.9	3.7
57	.374	.75	.12	.49	.87	.24	.62	2.99	.36	2.4	4.8	7.3	80.7	2.1
58	.369	.74	.11	.47	.84	.21	.58	.95	.32	2.1	4.2	6.3	8.5	10.6
59	.364	.73	.09	.45	.82	.18	.55	.91	.27	1.8	3.6	5.4	7.2	09.1
34 60	25.358	50.72	76.08	101.43	126.79	152.15	177.51	202.87	228.23	1521.5	3043.0	4564.5	6086.0	7607.5

Lat.	Latitude 34° to 35°—Meridional arcs.					Latitude 34°—Co-ordinates of curvature.			
	Value of r''	Sums of seconds for middle latitude 34° 30'		Value of 1'	Continuous sums of minutes from latitude 34° 00'		Longitude.	X	Y
° /	Meters.	''	Meters.	Meters.	'	Meters.	° /	Meters.	Meters.
34 00	30.811			1848.65			0 1	1 539.8	0.1
1	1	1	30.81	.66	1	1 848.7	2	3 079.6	0.5
2	1	2	61.63	.66	2	3 697.3	3	4 619.3	1.1
3	1	3	92.44	.67	3	5 546.0	4	6 159.1	2.0
4	1	4	123.25	.67	4	7 394.6	5	7 698.9	3.1
34 05	30.811	5	154.07	1848.68	5	9 243.3	6	9 238.7	4.5
6	1	6	184.88	.68	6	11 092.0	7	10 778.5	6.1
7	1	7	215.69	.69	7	12 940.7	8	12 318.3	8.0
8	2	8	246.51	.69	8	14 789.4	9	13 858.0	10.1
9	2	9	277.32	.70	9	16 638.1	10	15 397.9	12.5
34 10	30.812	10	308.13	1848.70	10	18 486.8	15	23 096.7	28.2
11	2	1	338.95	.71	1	20 335.5	20	30 795.6	50.1
12	2	2	369.76	.71	2	22 184.2	25	38 494.4	78.3
13	2	3	400.57	.72	3	24 032.9	30	46 193.2	112.7
14	2	4	431.39	.72	4	25 881.6	35	53 892.0	153.4
34 15	30.812	15	462.20	1848.73	15	27 730.4	40	61 590.8	200.4
16	2	6	493.01	.73	6	29 579.1	45	69 289.5	253.6
17	2	7	523.83	.74	7	31 427.8	50	76 988.2	313.1
18	2	8	554.64	.74	8	33 276.6	55	84 686.8	378.8
19	2	9	585.46	.75	9	35 125.3	1 00	92 385.4	450.8
34 20	30.813	20	616.27	1848.75	20	36 974.1	05	100 083.9	529.1
21	3	1	647.08	.76	1	38 822.8	10	107 782.3	613.6
22	3	2	677.90	.76	2	40 671.6	15	115 480.7	704.4
23	3	3	708.71	.77	3	42 520.3	20	123 179.0	801.5
24	3	4	739.52	.78	4	44 369.1	25	130 877.2	904.8
34 25	30.813	25	770.34	1848.78	25	46 217.9	30	138 575.3	1 014.4
26	3	6	801.15	.79	6	48 066.7	35	146 273.4	1 130.2
27	3	7	831.96	.79	7	49 915.5	40	153 971.3	1 252.3
28	3	8	862.78	.80	8	51 764.3	45	161 669.2	1 380.7
29	3	9	893.59	.80	9	53 613.1	50	169 366.9	1 515.3
34 30	30.813	30	924.40	1848.81	30	55 461.9	55	177 064.5	1 656.1
31	4	1	955.22	.81	1	57 310.7	2 00	184 762	1 803
32	4	2	986.03	.82	2	59 159.5	3 00	277 121	4 057
33	4	3	1 016.84	.82	3	61 008.3	4 00	369 454	7 212
34	4	4	1 047.66	.83	4	62 857.1	5 00	461 751	11 268
34 35	30.814	35	1 078.47	1848.83	35	64 705.9	6 00	554 004	16 225
36	4	6	1 109.28	.84	6	66 554.8	7 00	646 205	22 082
37	4	7	1 140.10	.84	7	68 403.6	8 00	738 344	28 839
38	4	8	1 170.91	.85	8	70 252.5	9 00	830 413	36 494
39	4	9	1 201.72	.85	9	72 101.3	10 00	922 403	45 048
34 40	30.814	40	1 232.54	1848.86	40	73 950.2	11 00	1 014 305	54 499
41	4	1	1 263.35	.86	1	75 799.0	12 00	1 106 110	64 846
42	4	2	1 294.16	.87	2	77 647.9	13 00	1 197 809	76 089
43	5	3	1 324.98	.87	3	79 496.8	14 00	1 289 395	88 227
44	5	4	1 355.79	.88	4	81 345.6	15 00	1 380 858	101 258
34 45	30.815	45	1 386.60	1848.88	45	83 194.5	16 00	1 472 190	115 180
46	5	6	1 417.42	.89	6	85 043.4	17 00	1 563 381	129 993
47	5	7	1 448.23	.89	7	86 892.3	18 00	1 654 423	145 696
48	5	8	1 479.04	.90	8	88 741.2	19 00	1 745 308	162 287
49	5	9	1 509.86	.90	9	90 590.1	20 00	1 836 026	179 763
34 50	30.815	50	1 540.67	1848.91	50	92 439.0	21 00	1 926 569	198 124
51	5	1	1 571.48	.91	1	94 287.9	22 00	2 016 929	217 368
52	5	2	1 602.30	.92	2	96 136.8	23 00	2 107 097	237 493
53	5	3	1 633.11	.92	3	97 985.7	24 00	2 197 065	258 497
54	5	4	1 663.93	.93	4	99 834.7	25 00	2 286 823	280 378
34 55	30.816	55	1 694.74	1848.93	55	101 683.6	26 00	2 376 363	303 134
56	6	6	1 725.55	.94	6	103 532.5	27 00	2 465 677	326 763
57	6	7	1 756.37	.94	7	105 381.5	28 00	2 554 756	351 262
58	6	8	1 787.18	.95	8	107 230.4	29 00	2 643 591	376 629
59	6	9	1 817.99	.95	9	109 079.4	30 00	2 732 175	402 863
34 60	30.816	60	1 848.81	1848.96	60	110 928.3			

Latitude 35° to 36°—Arcs of the parallel in meters.

Lat.	1''	2''	3''	4''	5''	6''	7''	8''	9''	1'	2'	3'	4'	5'
35 00	25.358	50.72	76.08	101.43	126.79	152.15	177.51	202.87	228.23	1521.5	3043.0	4564.5	6086.0	7607.5
1	.353	.71	.06	.41	.76	.12	.47	.83	.18	1.2	2.4	3.6	4.8	6.0
2	.348	.70	.04	.39	.74	.09	.44	.78	.14	0.9	1.8	2.7	3.5	4.4
3	.343	.69	.03	.37	.71	.06	.40	.74	.09	0.6	1.2	1.7	2.3	2.9
4	.338	.68	.01	.35	.69	.03	.37	.70	.04	0.3	40.5	60.8	81.1	601.3
35 05	25.333	50.67	76.00	101.33	126.66	152.00	177.33	202.66	228.00	1520.0	3039.9	4559.9	6079.8	7599.8
6	.327	.65	5.98	.31	.63	1.96	.29	.62	7.95	19.6	9.3	9.0	8.6	8.2
7	.322	.64	.97	.29	.61	.93	.26	.58	.91	9.3	8.7	8.0	7.4	6.7
8	.317	.63	.95	.27	.58	.90	.22	.54	.86	9.0	8.0	7.1	6.1	5.1
9	.312	.62	.94	.25	.56	.87	.19	.50	.81	8.7	7.4	6.1	4.9	3.6
35 10	25.307	50.61	75.92	101.23	126.53	151.84	177.15	202.46	227.76	1518.4	3036.8	4555.2	6073.7	7592.1
11	.302	.60	.91	.21	.51	.81	.11	.41	.72	8.1	6.2	4.3	2.4	90.5
12	.296	.59	.89	.19	.48	.78	.08	.37	.67	7.8	5.6	3.4	71.1	88.9
13	.291	.58	.87	.17	.46	.75	.04	.33	.62	7.5	5.0	2.4	69.9	7.4
14	.286	.57	.86	.14	.43	.72	7.01	.29	.58	7.2	4.3	1.5	8.6	5.8
35 15	25.281	50.56	75.84	101.12	126.41	151.69	176.97	202.25	227.53	1516.9	3033.7	4550.6	6067.4	7584.3
16	.276	.55	.83	.10	.38	.65	.93	.21	.49	6.5	3.1	49.7	6.2	2.7
17	.271	.54	.81	.08	.35	.62	.90	.17	.44	6.2	2.5	8.7	5.0	81.2
18	.265	.53	.80	.06	.33	.59	.86	.12	.39	5.9	1.8	7.8	3.7	79.6
19	.260	.52	.78	.04	.30	.56	.82	.08	.34	5.6	1.2	6.8	2.5	8.1
35 20	25.255	50.51	75.77	101.02	126.28	151.53	176.79	202.04	227.30	1515.3	3030.6	4545.9	6061.2	7576.5
21	.250	.50	.75	1.00	.25	.50	.75	2.00	.25	5.0	30.0	5.0	60.0	5.0
22	.245	.49	.73	0.98	.23	.47	.72	1.96	.20	4.7	29.4	4.0	58.7	3.4
23	.240	.48	.72	.96	.20	.44	.68	.92	.16	4.4	8.8	3.1	7.5	1.9
24	.234	.47	.70	.94	.18	.41	.64	.87	.11	4.1	8.1	2.1	6.2	70.3
35 25	25.229	50.46	75.69	100.92	126.15	151.37	176.60	201.83	227.06	1513.7	3027.5	4541.2	6055.0	7568.7
26	.224	.45	.67	.90	.12	.34	.57	.79	7.02	3.4	6.9	40.3	3.8	7.2
27	.219	.44	.66	.87	.09	.31	.53	.75	6.97	3.1	6.2	39.4	2.5	5.6
28	.214	.43	.64	.85	.07	.28	.49	.71	.92	2.8	5.6	8.4	1.3	4.1
29	.208	.42	.63	.83	.04	.25	.46	.67	.88	2.5	5.0	7.5	50.0	2.5
35 30	25.203	50.41	75.61	100.81	126.02	151.22	176.42	201.63	226.83	1512.2	3024.4	4536.6	6048.8	7561.0
31	.198	.40	.59	.79	5.99	.19	.38	.58	.78	1.9	3.8	5.7	7.5	59.4
32	.193	.39	.58	.77	.97	.16	.35	.54	.74	1.6	3.1	4.7	6.2	7.8
33	.188	.38	.56	.75	.94	.13	.31	.50	.69	1.3	2.5	3.8	5.0	6.3
34	.182	.36	.55	.73	.91	.09	.28	.46	.64	0.9	1.9	2.8	3.8	4.7
35 35	25.177	50.35	75.53	100.71	125.88	151.06	176.24	201.42	226.60	1510.6	3021.2	4531.9	6042.5	7553.1
36	.172	.34	.52	.69	.86	.03	.20	.38	.55	0.3	0.6	1.0	1.3	1.6
37	.167	.33	.50	.67	.84	1.00	.17	.33	.50	10.0	20.0	30.0	40.0	50.0
38	.161	.32	.48	.65	.81	0.97	.13	.29	.45	09.7	19.4	29.1	38.7	48.4
39	.156	.31	.47	.63	.79	.94	.10	.25	.41	9.4	8.8	8.1	7.5	6.9
35 40	25.151	50.30	75.45	100.60	125.76	150.91	176.06	201.21	226.36	1509.1	3018.1	4527.2	6036.2	7545.3
41	.146	.29	.44	.58	.73	.87	6.02	.17	.31	8.7	7.5	6.3	5.0	3.7
42	.141	.28	.42	.56	.70	.84	5.99	.13	.27	8.4	6.9	5.3	3.8	2.2
43	.135	.27	.41	.54	.68	.81	.95	.08	.22	8.1	6.2	4.4	2.5	40.6
44	.130	.26	.39	.52	.65	.78	.91	.04	.17	7.8	5.6	3.4	31.2	39.0
35 45	25.125	50.25	75.37	100.50	125.62	150.75	175.87	201.00	226.12	1507.5	3015.0	4522.5	6029.9	7537.4
46	.120	.24	.36	.48	.60	.72	.84	0.96	.08	7.2	4.4	1.6	8.7	5.9
47	.114	.23	.34	.46	.57	.69	.80	.91	6.03	6.9	3.7	20.6	7.4	4.3
48	.109	.22	.33	.44	.54	.65	.76	.87	5.98	6.5	3.1	19.7	6.2	2.7
49	.104	.21	.31	.42	.52	.62	.72	.83	.94	6.2	2.5	8.7	5.0	31.2
35 50	25.099	50.20	75.30	100.39	125.49	150.59	175.69	200.79	225.89	1505.9	3011.8	4517.8	6023.7	7529.6
51	.093	.19	.28	.37	.46	.56	.65	.75	.84	5.6	1.2	6.8	2.4	8.0
52	.088	.18	.26	.35	.44	.53	.62	.70	.79	5.3	0.6	5.9	21.1	6.4
53	.083	.17	.25	.33	.41	.50	.58	.66	.75	5.0	10.0	4.9	19.9	4.9
54	.078	.16	.23	.31	.39	.47	.54	.62	.70	4.7	09.3	4.0	8.6	3.3
35 55	25.072	50.14	75.22	100.29	125.36	150.43	175.50	200.58	225.65	1504.3	3008.7	4513.0	6017.4	7521.7
56	.067	.13	.20	.27	.33	.40	.47	.54	.60	4.0	8.0	2.1	6.1	20.1
57	.062	.12	.19	.25	.31	.37	.43	.49	.55	3.7	7.4	1.1	4.8	18.5
58	.057	.11	.17	.23	.28	.34	.39	.45	.51	3.4	6.8	10.2	3.6	7.0
59	.051	.10	.15	.21	.26	.31	.36	.41	.46	3.1	6.2	09.2	2.3	5.4
35 60	25.046	50.09	75.14	100.18	125.23	150.28	175.32	200.37	225.41	1502.8	3005.5	4508.3	6011.0	7513.8

Lat.	Latitude 35° to 36°—Meridional arcs.						Latitude 35°—Co-ordinates of curvature.		
	Value of 1''	Sums of seconds for middle latitude 35° 30'		Value of 1'	Continuous sums of minutes from latitude 35° 00'		Longitude.	X	Y
° /	Meters.	''	Meters.	Meters.	'	Meters.	° /	Meters.	Meters.
35 00	30.816			1848.96			0 1	1 521.5	0.1
1	6	1	30.82	.96	1	1 849.0	0 2	3 043.0	0.5
2	6	2	61.64	.97	2	3 697.9	0 3	4 564.5	1.1
3	6	3	92.46	.97	3	5 546.9	0 4	6 086.0	2.0
4	6	4	123.27	.98	4	7 395.9	0 5	7 607.5	3.2
35 05	30.816	5	154.09	1848.99	5	9 244.9	0 6	9 129.0	4.6
6	7	6	184.91	8.99	6	11 093.9	0 7	10 650.5	6.2
7	7	7	215.73	9.00	7	12 942.8	0 8	12 172.0	8.1
8	7	8	246.55	.00	8	14 791.8	0 9	13 693.5	10.3
9	7	9	277.37	.01	9	16 640.8	0 10	15 215.0	12.7
35 10	30.817	10	308.19	1849.01	10	18 489.9	0 11	22 822.5	28.6
11	7	1	339.00	.02	11	20 338.9	0 12	30 430.0	50.8
12	7	2	369.82	.02	12	22 187.9	0 13	38 037.5	79.3
13	7	3	400.64	.03	13	24 036.9	0 14	45 645.0	114.2
14	7	4	431.46	.03	14	25 885.9	0 15	53 252.4	155.5
35 15	30.817	15	462.28	1849.04	15	27 735.0	0 16	60 859.7	203.1
16	7	6	493.10	.04	16	29 584.0	0 17	68 467.1	257.0
17	7	7	523.92	.05	17	31 433.1	0 18	76 074.3	317.3
18	8	8	554.73	.05	18	33 282.1	0 19	83 681.6	384.0
19	8	9	585.55	.06	19	35 131.2	1 00	91 288.8	456.9
35 20	30.818	20	616.37	1849.06	20	36 980.2	1 01	98 895.9	536.3
21	8	1	647.19	.07	21	38 829.3	1 02	106 502.9	622.0
22	8	2	678.01	.07	22	40 678.4	1 03	114 109.9	714.0
23	8	3	708.83	.08	23	42 527.4	1 04	121 716.8	812.4
24	8	4	739.65	.08	24	44 376.5	1 05	129 323.6	917.1
35 25	30.818	25	770.46	1849.09	25	46 225.6	1 06	136 930.3	1 028.1
26	8	6	801.28	.09	26	48 074.7	1 07	144 536.9	1 145.5
27	8	7	832.10	.10	27	49 923.8	1 08	152 143.4	1 269.3
28	8	8	862.92	.10	28	51 772.9	1 09	159 749.8	1 399.4
29	8	9	893.74	.11	29	53 622.0	1 10	167 356.1	1 535.8
35 30	30.819	30	924.56	1849.11	30	55 471.1	1 11	174 962.3	1 678.6
31	9	1	955.38	.12	31	57 320.2	1 12	182 568	1 828
32	9	2	986.19	.12	32	59 169.4	1 13	273 830	4 112
33	9	3	1 017.01	.13	33	61 018.5	1 14	365 064	7 310
34	9	4	1 047.83	.13	34	62 867.6	1 15	456 261	11 421
35 35	30.819	35	1 078.65	1849.14	35	64 716.7	1 16	547 412	16 445
36	9	6	1 109.47	.15	36	66 565.9	1 17	638 509	22 381
37	9	7	1 140.29	.15	37	68 415.0	1 18	729 542	29 229
38	9	8	1 171.11	.16	38	70 264.2	1 19	820 501	36 987
39	9	9	1 201.92	.16	39	72 113.3	1 20	911 379	45 656
35 40	30.819	40	1 232.74	1849.17	40	73 962.5	1 21	1 002 165	55 234
41	20	1	1 263.56	.17	41	75 811.7	1 22	1 092 850	65 721
42	0	2	1 294.38	.18	42	77 660.8	1 23	1 183 426	77 115
43	0	3	1 325.20	.18	43	79 510.0	1 24	1 273 884	89 415
44	0	4	1 356.02	.19	44	81 359.2	1 25	1 364 214	102 619
35 45	30.820	45	1 386.84	1849.19	45	83 208.4	1 26	1 454 407	116 728
46	0	6	1 417.65	.20	46	85 057.6	1 27	1 544 454	131 738
47	0	7	1 448.47	.20	47	86 906.8	1 28	1 634 347	147 650
48	0	8	1 479.29	.21	48	88 756.0	1 29	1 724 076	164 460
49	0	9	1 510.11	.21	49	90 605.2	2 00	1 813 632	182 168
35 50	30.820	50	1 540.93	1849.22	50	92 454.4	2 01	1 903 006	200 772
51	0	1	1 571.75	.22	51	94 303.6	2 02	1 992 190	220 268
52	0	2	1 602.57	.23	52	96 152.9	2 03	2 081 174	240 657
53	1	3	1 633.38	.23	53	98 002.1	2 04	2 169 949	261 936
54	1	4	1 664.20	1849.24	54	99 851.3	2 05	2 258 507	284 102
35 55	30.821	55	1 695.02	.24	55	101 700.6	2 06	2 346 838	307 154
56	1	6	1 725.84	.25	56	103 549.8	2 07	2 434 934	331 089
57	1	7	1 756.66	.25	57	105 399.1	2 08	2 522 787	355 905
58	1	8	1 787.48	.26	58	107 248.3	2 09	2 610 386	381 598
59	1	9	1 818.30	.26	59	109 097.6	2 10	2 697 724	408 168
35 60	30.821	60	1 849.11	1849.27	60	110 946.9	2 11		

Latitude 36° to 37°—Arcs of the Parallel in meters.

Lat.	1"	2"	3"	4"	5"	6"	7"	8"	9"	1'	2'	3'	4'	5'
36 00	25.046	50.09	75.14	100.18	125.23	150.28	175.32	200.37	225.41	1502.8	3005.5	4508.3	6011.0	7513.8
1	.041	.08	.12	.16	.20	.25	.29	.33	.36	2.5	4.9	7.3	9.8	2.2
2	.035	.07	.11	.14	.18	.22	.25	.28	.32	2.2	4.3	6.4	8.5	10.6
3	.030	.06	.09	.12	.15	.18	.21	.24	.27	1.8	3.6	5.4	7.2	9.1
4	.025	.05	.08	.10	.13	.15	.17	.20	.22	1.5	3.0	4.5	6.0	7.5
36 05	25.020	50.04	75.06	100.08	125.10	150.12	175.14	200.16	225.17	1501.2	3002.4	4503.5	6004.7	7505.9
6	.014	.03	.04	.06	.07	.09	.10	.11	.13	0.9	1.7	2.6	3.4	4.3
7	.009	.02	.03	.04	.05	.06	.06	.07	.08	0.6	1.1	1.6	2.2	2.7
8	.004	.01	.01	100.02	5.02	50.02	5.02	200.03	5.03	500.2	3000.5	500.7	6000.9	501.1
9	4.999	50.00	5.00	99.99	4.99	49.99	4.99	199.99	4.99	499.9	2999.8	499.7	5999.6	499.6
36 10	24.993	49.99	74.98	99.97	124.97	149.96	174.95	199.95	224.94	1499.6	2999.2	4498.8	5998.4	7498.0
11	.988	.98	.96	.95	.94	.93	.91	.90	.89	9.3	8.6	7.8	7.1	6.4
12	.983	.97	.95	.93	.92	.90	.88	.86	.84	9.0	7.9	6.9	5.8	4.8
13	.977	.95	.93	.91	.89	.86	.84	.82	.80	8.6	7.3	5.9	4.6	3.2
14	.972	.94	.92	.89	.86	.83	.80	.78	.75	8.3	6.6	5.0	3.3	1.6
36 15	24.967	49.93	74.90	99.87	124.84	149.80	174.77	199.73	224.70	1498.0	2996.0	4494.0	5992.0	7490.0
16	.961	.92	.88	.85	.81	.77	.73	.69	.65	7.7	5.4	3.0	90.7	88.4
17	.956	.91	.87	.82	.78	.74	.69	.65	.60	7.4	4.7	2.1	89.5	6.8
18	.951	.90	.85	.80	.75	.70	.65	.61	.56	7.0	4.1	1.1	88.2	5.2
19	.946	.89	.84	.78	.73	.67	.62	.56	.51	6.7	3.4	90.2	6.9	3.7
36 20	24.940	49.88	74.82	99.76	124.70	149.64	174.58	199.52	224.46	1496.4	2992.8	4489.2	5985.7	7482.1
21	.935	.87	.80	.74	.67	.61	.54	.48	.41	6.1	2.2	8.3	4.4	80.5
22	.930	.86	.79	.72	.65	.58	.51	.44	.36	5.8	1.5	7.3	3.1	78.9
23	.924	.85	.77	.70	.62	.54	.47	.39	.32	5.4	0.9	6.4	1.8	7.3
24	.919	.84	.76	.67	.59	.51	.43	.35	.27	5.1	90.2	5.4	80.5	5.7
36 25	24.914	49.83	74.74	99.65	124.57	149.48	174.39	199.31	224.22	1494.8	2989.6	4484.5	5979.3	7474.1
26	.908	.82	.72	.63	.54	.45	.36	.27	.17	4.5	9.0	3.5	8.0	2.5
27	.903	.81	.71	.61	.52	.42	.32	.22	.13	4.2	8.3	2.6	6.7	70.9
28	.898	.79	.69	.59	.49	.38	.28	.18	.08	3.8	7.7	1.6	5.4	69.3
29	.892	.78	.68	.57	.46	.35	.25	.14	4.03	3.5	7.0	80.7	4.2	7.7
36 30	24.887	49.77	74.66	99.55	124.44	149.32	174.21	199.10	223.98	1493.2	2986.4	4479.7	5972.9	7466.1
31	.882	.76	.64	.53	.41	.29	.17	.05	.93	2.9	5.8	8.7	1.6	4.5
32	.876	.75	.63	.50	.38	.26	.14	9.01	.88	2.6	5.1	7.7	70.3	2.9
33	.871	.74	.61	.48	.35	.22	.10	8.97	.84	2.2	4.5	6.8	69.0	61.3
34	.866	.73	.60	.46	.33	.19	.06	.92	.79	1.9	3.8	5.8	7.7	59.7
36 35	24.860	49.72	74.58	99.44	124.30	149.16	174.02	198.88	223.74	1491.6	2983.2	4474.8	5966.5	7458.1
36	.855	.71	.56	.42	.28	.13	3.99	.84	.69	1.3	2.6	3.8	5.2	6.5
37	.850	.70	.55	.40	.25	.10	.95	.80	.64	1.0	1.9	2.9	3.9	4.9
38	.844	.69	.53	.38	.22	.06	.91	.75	.60	0.6	1.3	1.9	2.6	3.3
39	.839	.68	.52	.35	.19	.03	.87	.71	.55	0.3	0.6	1.0	1.3	1.7
36 40	24.834	49.67	74.50	99.33	124.17	149.00	173.84	198.67	223.50	1490.0	2980.0	4470.0	5960.1	7450.1
41	.828	.66	.48	.31	.14	8.97	.80	.63	.45	89.7	79.4	69.0	58.8	48.5
42	.823	.65	.47	.29	.12	.94	.76	.58	.40	9.4	8.7	8.1	7.5	6.8
43	.817	.63	.45	.27	.09	.90	.72	.54	.36	9.0	8.1	7.1	6.2	5.2
44	.812	.62	.44	.25	.06	.87	.69	.50	.31	8.7	7.4	6.2	4.9	3.6
36 45	24.807	49.61	74.42	99.23	124.03	148.84	173.65	198.45	223.26	1488.4	2976.8	4465.2	5953.6	7442.0
46	.801	.60	.40	.21	4.01	.81	.61	.41	.21	8.1	6.2	4.2	2.3	40.4
47	.796	.59	.39	.18	3.98	.78	.57	.37	.16	7.8	5.5	3.3	51.0	38.8
48	.791	.58	.37	.16	.95	.74	.54	.33	.12	7.4	4.9	2.3	49.8	7.2
49	.785	.57	.36	.14	.93	.71	.50	.28	.07	7.1	4.2	1.4	8.5	5.6
36 50	24.780	49.56	74.34	99.12	123.90	148.68	173.46	198.24	223.02	1486.8	2973.6	4460.4	5947.2	7434.0
51	.775	.55	.32	.10	.87	.65	.42	.20	2.97	6.5	3.0	59.4	5.9	2.4
52	.769	.54	.31	.08	.85	.62	.38	.15	.92	6.2	2.3	8.4	4.6	30.7
53	.764	.53	.29	.06	.82	.58	.35	.11	.87	5.8	1.7	7.5	3.3	29.1
54	.758	.52	.28	.03	.79	.55	.31	.07	.82	5.5	1.0	6.5	2.0	7.5
36 55	24.753	49.51	74.26	99.01	123.76	148.52	173.27	198.02	222.78	1485.2	2970.4	4455.5	5940.7	7425.9
56	.748	.50	.24	8.99	.74	.49	.23	7.98	.73	4.9	69.7	4.5	39.4	4.3
57	.742	.49	.23	.97	.71	.46	.20	.94	.68	4.6	9.1	3.6	8.1	2.7
58	.737	.47	.21	.95	.68	.42	.16	.89	.63	4.2	8.4	2.6	6.8	21.0
59	.731	.46	.19	.93	.66	.39	.12	.85	.58	3.9	7.8	1.7	5.5	19.4
36 60	24.726	49.45	74.18	98.90	123.63	148.36	173.08	197.81	222.53	1483.6	2967.1	4450.7	5934.3	7417.8

Lat.	Latitude 36° to 37°—Meridional arcs.						Latitude 36°—Co-ordinates of curvature.		
	Value of 1''	Sums of seconds for middle latitude 36° 30'		Value of 1'	Continuous sums of minutes from latitude 36° 00'		Longitude.	X	Y
° /	Meters.	''	Meters.	Meters.	'	Meters.	° /	Meters.	Meters.
36 00	30.821			1849.27			0 1	1 502.8	0.1
1	1	1	30.82	.28	1	1 849.3	2	3 005.5	0.5
2	1	2	61.65	.28	2	3 698.5	3	4 508.3	1.2
3	1	3	92.47	.29	3	5 547.8	4	6 011.1	2.1
4	2	4	123.29	.29	4	7 397.1	5	7 513.8	3.2
36 05	30.822	5	154.12	1849.30	5	9 246.4	6	9 016.6	4.6
6	2	6	184.94	.30	6	11 095.7	7	10 519.3	6.3
7	2	7	215.77	.31	7	12 945.0	8	12 022.1	8.2
8	2	8	246.59	.31	8	14 794.3	9	13 524.8	10.4
9	2	9	277.41	.32	9	16 643.6	10	15 027.6	12.8
36 10	30.822	10	308.24	1849.32	10	18 493.0	15	22 541.4	28.9
11	2	1	339.06	.33	1	20 342.3	20	30 055.2	51.4
12	2	2	369.89	.33	2	22 191.6	25	37 568.9	80.3
13	2	3	400.71	.34	3	24 040.9	30	45 082.7	115.6
14	2	4	431.53	.34	4	25 890.3	35	52 596.4	157.4
36 15	30.822	15	462.36	1849.35	15	27 739.6	40	60 110.0	205.6
16	3	6	493.18	.35	6	29 589.0	45	67 623.6	260.2
17	3	7	524.00	.36	7	31 438.3	50	75 137.3	321.2
18	3	8	554.83	.36	8	33 287.7	55	82 650.8	388.7
19	3	9	585.65	.37	9	35 137.1	00	90 164.3	462.5
36 20	30.823	20	616.48	1849.37	20	36 986.4	05	97 677.7	542.8
21	3	1	647.30	.38	1	38 835.8	10	105 191.0	629.5
22	3	2	678.12	.38	2	40 685.2	15	112 704.2	722.2
23	3	3	708.95	.39	3	42 534.6	20	120 217.4	822.2
24	3	4	739.77	.40	4	44 384.0	25	127 730.4	928.2
36 25	30.823	25	770.59	1849.40	25	46 233.4	30	135 243.4	1 040.6
26	3	6	801.42	.41	6	48 082.8	35	142 756.3	1 159.4
27	4	7	832.24	.41	7	49 932.2	40	150 269.1	1 284.7
28	4	8	863.07	.42	8	51 781.6	45	157 781.7	1 416.4
29	4	9	893.89	.42	9	53 631.0	50	165 294.3	1 554.5
36 30	30.824	30	924.71	1849.43	30	55 480.4	55	172 806.8	1 699.0
31	4	1	955.54	.43	1	57 329.9	00	180 319	1 850
32	4	2	986.36	.44	2	59 179.3	05	187 832.5	2 001.5
33	4	3	1 017.18	.44	3	61 028.7	10	195 345.0	2 153.0
34	4	4	1 048.01	.45	4	62 878.2	15	202 857.5	2 304.5
36 35	30.824	35	1 078.83	1849.45	35	64 727.6	20	210 370.0	2 456.0
36	4	6	1 109.66	.46	6	66 577.1	25	217 882.5	2 607.5
37	4	7	1 140.48	.46	7	68 426.6	30	225 395.0	2 759.0
38	4	8	1 171.30	.47	8	70 276.0	35	232 907.5	2 910.5
39	5	9	1 202.13	.47	9	72 125.5	40	240 420.0	3 062.0
36 40	30.825	40	1 232.95	1849.48	40	73 975.0	45	247 932.5	3 213.5
41	5	1	1 263.77	.48	1	75 824.5	50	255 445.0	3 365.0
42	5	2	1 294.60	.49	2	77 673.9	55	262 957.5	3 516.5
43	5	3	1 325.42	.49	3	79 523.4	00	270 470.0	3 668.0
44	5	4	1 356.25	.50	4	81 372.9	05	277 982.5	3 819.5
36 45	30.825	45	1 387.07	1849.51	45	83 222.4	10	285 495.0	3 971.0
46	5	6	1 417.89	.51	6	85 071.9	15	293 007.5	4 122.5
47	5	7	1 448.72	.52	7	86 921.5	20	300 520.0	4 274.0
48	5	8	1 479.54	.52	8	88 771.0	25	308 032.5	4 425.5
49	5	9	1 510.36	.53	9	90 620.5	30	315 545.0	4 577.0
36 50	30.826	50	1 541.19	1849.53	50	92 470.0	35	323 057.5	4 728.5
51	6	1	1 572.01	.54	1	94 319.6	40	330 570.0	4 880.0
52	6	2	1 602.84	.54	2	96 169.1	45	338 082.5	5 031.5
53	6	3	1 633.66	.55	3	98 018.6	50	345 595.0	5 183.0
54	6	4	1 664.48	.55	4	99 868.2	55	353 107.5	5 334.5
36 55	30.826	55	1 695.31	1849.56	55	101 717.8	00	360 620.0	5 486.0
56	6	6	1 726.13	.56	6	103 567.3	05	368 132.5	5 637.5
57	6	7	1 756.95	.57	7	105 416.9	10	375 645.0	5 789.0
58	6	8	1 787.78	.57	8	107 266.5	15	383 157.5	5 940.5
59	6	9	1 818.60	.58	9	109 116.0	20	390 670.0	6 092.0
36 60	30.826	60	1 849.43	1849.58	60	110 965.6	25	398 182.5	6 243.5

Latitude 37° to 38°—Arcs of the parallel in meters.

Lat.	1''	2''	3''	4''	5''	6''	7''	8''	9''	1'	2'	3'	4'	5'
37 00	24.726	49.45	74.18	98.90	123.63	148.36	173.08	197.81	222.53	1483.6	2967.1	4450.7	5934.3	7417.8
1	.721	.44	.16	.88	.60	.33	.05	.77	.48	3.3	6.5	49.7	3.0	6.3
2	.715	.43	.15	.86	.57	.29	3.00	.72	.43	2.9	5.8	8.7	1.7	4.6
3	.710	.42	.13	.84	.55	.26	2.97	.68	.39	2.6	5.2	7.8	30.4	2.9
4	.704	.41	.11	.82	.52	.23	.93	.64	.34	2.3	4.5	6.8	29.1	1.3
37 05	24.699	49.40	74.10	98.80	123.49	148.19	172.89	197.59	222.29	1481.9	2963.9	4445.8	5927.8	7409.7
6	.694	.39	.08	.77	.46	.16	.85	.55	.24	1.6	3.2	4.8	6.5	8.1
7	.688	.38	.07	.75	.43	.13	.82	.51	.19	1.3	2.6	3.9	5.2	6.5
8	.683	.36	.05	.73	.41	.10	.78	.46	.15	1.0	1.9	2.9	3.9	4.8
9	.677	.35	.03	.71	.38	.06	.74	.42	.10	0.6	1.3	2.0	2.6	3.2
37 10	24.672	49.34	74.02	98.69	123.36	148.03	172.70	197.38	222.05	1480.3	2960.6	4441.0	5921.3	7401.6
11	.667	.33	4.00	.67	.33	8.00	.66	.33	2.00	80.0	60.0	40.0	20.0	400.0
12	.661	.32	3.98	.64	.30	7.97	.63	.29	1.95	79.7	59.3	39.0	18.7	398.3
13	.656	.31	.97	.62	.27	.93	.59	.25	.90	9.3	8.7	8.1	7.4	6.7
14	.650	.30	.95	.60	.25	.90	.55	.20	.85	9.0	8.0	7.1	6.1	5.1
37 15	24.645	49.29	73.93	98.58	123.22	147.87	172.51	197.16	221.81	1478.7	2957.4	4436.1	5914.8	7393.4
16	.639	.28	.92	.56	.20	.84	.48	.12	.76	8.4	6.7	5.1	3.5	1.8
17	.634	.27	.90	.54	.17	.81	.44	.07	.71	8.1	6.1	4.1	2.2	90.2
18	.629	.26	.89	.51	.14	.77	.40	7.03	.66	7.7	5.4	3.2	10.8	88.6
19	.623	.25	.87	.49	.12	.74	.36	6.98	.61	7.4	4.8	2.2	09.5	6.9
37 20	24.618	49.24	73.85	98.47	123.09	147.71	172.32	196.94	221.56	1477.1	2954.1	4431.2	5908.2	7385.3
21	.612	.23	.84	.45	.06	.68	.29	.90	.51	6.8	3.5	30.2	6.9	3.7
22	.607	.21	.82	.43	.04	.64	.24	.85	.46	6.4	2.8	29.2	5.6	2.0
23	.601	.20	.80	.41	3.01	.61	.21	.81	.41	6.1	2.2	8.3	4.3	80.4
24	.596	.19	.79	.38	2.98	.58	.17	.77	.36	5.8	1.5	7.3	3.0	78.8
37 25	24.590	49.18	73.77	98.36	122.95	147.54	172.13	196.72	221.32	1475.4	2950.9	4426.3	5901.7	7377.1
26	.585	.17	.75	.34	.93	.51	.09	.68	.27	5.1	50.2	5.3	900.4	5.5
27	.580	.16	.74	.32	.90	.48	.06	.64	.22	4.8	49.6	4.3	899.1	3.9
28	.574	.15	.72	.30	.87	.44	2.02	.59	.17	4.4	8.9	3.4	7.8	2.2
29	.569	.14	.71	.28	.85	.41	1.98	.55	.12	4.1	8.3	2.4	6.5	70.6
37 30	24.563	49.13	73.69	98.25	122.82	147.38	171.94	196.51	221.07	1473.8	2947.6	4421.4	5895.2	7369.0
31	.558	.12	.67	.23	.79	.35	.91	.46	1.02	3.5	6.9	20.4	4.9	7.3
32	.552	.11	.66	.21	.76	.31	.86	.42	0.97	3.1	6.3	19.4	3.5	5.7
33	.547	.09	.64	.19	.74	.28	.83	.37	.92	2.8	5.6	8.4	2.2	4.0
34	.541	.08	.62	.17	.71	.25	.79	.33	.87	2.5	5.0	7.5	90.9	2.4
37 35	24.536	49.07	73.61	98.14	122.68	147.22	171.75	196.29	220.82	1472.2	2944.3	4416.5	5888.6	7360.8
36	.530	.06	.59	.12	.65	.18	.71	.24	.78	1.8	3.6	5.5	7.3	59.1
37	.525	.05	.58	.10	.62	.15	.67	.20	.73	1.5	3.0	4.5	6.0	7.5
38	.519	.04	.56	.08	.60	.12	.64	.16	.68	1.2	2.3	3.5	4.7	5.8
39	.514	.03	.54	.06	.57	.08	.60	.11	.63	0.8	1.7	2.5	3.4	4.2
37 40	24.509	49.02	73.53	98.03	122.54	147.05	171.56	196.07	220.58	1470.5	2941.0	4411.5	5882.0	7352.6
41	.503	.01	.51	8.01	.51	7.02	.52	6.02	.53	70.2	40.3	10.5	80.7	50.9
42	.498	9.00	.49	7.99	.49	6.99	.48	5.98	.48	69.9	39.7	09.5	79.4	49.3
43	.492	8.98	.48	.97	.46	.95	.45	.94	.43	9.5	9.0	8.6	8.1	7.6
44	.487	.97	.46	.95	.43	.92	.41	.89	.38	9.2	8.4	7.6	6.8	6.0
37 45	24.481	48.96	73.44	97.92	122.40	146.89	171.37	195.85	220.33	1468.9	2937.7	4406.6	5875.5	7344.3
46	.476	.95	.43	.90	.38	.85	.33	.80	.28	8.5	7.0	5.6	4.1	2.7
47	.470	.94	.41	.88	.35	.82	.29	.76	.23	8.2	6.4	4.6	2.8	41.0
48	.465	.93	.39	.86	.32	.79	.26	.72	.18	7.9	5.7	3.7	1.5	39.4
49	.459	.92	.38	.84	.30	.75	.21	.67	.13	7.5	5.1	2.7	70.2	7.7
37 50	24.454	48.91	73.36	97.81	122.27	146.72	171.17	195.63	220.08	1467.2	2934.4	4401.7	5868.9	7336.1
51	.448	.90	.34	.79	.24	.69	.14	.58	20.03	6.9	3.7	400.7	7.5	4.4
52	.443	.89	.33	.77	.21	.66	.10	.54	19.98	6.6	3.1	399.7	6.2	2.8
53	.437	.87	.31	.75	.19	.62	.06	.50	.93	6.2	2.4	8.7	4.9	31.1
54	.432	.86	.30	.73	.16	.59	.02	.45	.88	5.9	1.8	7.7	3.6	29.5
37 55	24.426	48.85	73.28	97.70	122.13	146.56	170.98	195.41	219.83	1465.6	2931.1	4396.7	5862.3	7327.8
56	.421	.84	.26	.68	.10	.52	.94	.36	.79	5.2	30.5	5.7	60.9	6.2
57	.415	.83	.25	.66	.07	.49	.91	.32	.74	4.9	29.8	4.7	59.6	4.5
58	.410	.82	.23	.64	.05	.46	.87	.28	.69	4.6	9.1	3.7	8.3	2.9
59	.404	.81	.21	.62	2.02	.42	.83	.23	.64	4.2	8.5	2.7	7.0	21.2
37 60	24.399	48.80	73.20	97.59	121.99	146.39	170.79	195.19	219.59	1463.9	2927.8	4391.7	5855.6	7319.6

Lat.	Latitude 37° to 38°—Meridional arcs.					Latitude 37°—Co-ordinates of curvature.			
	Value of 1''	Sums of seconds for middle latitude 37° 30'		Value of 1'	Continuous sums of minutes from latitude 37° 00'	Longitude.	X	Y	
° /	Meters.	''	Meters.	Meters.	'	Meters.	° /	Meters.	Meters.
37 00	30.826			1849.58			0 1		
1	6	1	30.83	.59	1	1 849.6	0 1	1 483.6	0 1
2	7	2	61.66	.59	2	3 699.2	0 2	2 967.1	0 5
3	7	3	92.49	.60	3	5 548.8	0 3	4 450.7	1.2
4	7	4	123.32	.61	4	7 398.4	0 4	5 934.2	2.1
37 05	30.827	5	154.15	1849.61	5	9 248.0	0 5	7 417.8	3.3
6	7	6	184.97	.62	6	11 097.6	0 6	8 901.4	4.7
7	7	7	215.80	.62	7	12 947.2	0 7	10 384.9	6.4
8	7	8	246.63	.63	8	14 796.8	0 8	11 868.5	8.3
9	7	9	277.46	.63	9	16 646.5	0 9	13 352.1	10.5
37 10	30.827	10	308.29	1849.64	10	18 496.1	0 10	14 835.6	13.0
11	7	1	339.12	.64	1	20 345.7	0 15	22 253.4	29.2
12	7	2	369.95	.65	2	22 195.4	0 20	29 671.2	51.9
13	8	3	400.78	.65	3	24 045.0	0 25	37 089.0	81.2
14	8	4	431.61	.66	4	25 894.7	0 30	44 506.7	116.9
37 15	30.828	15	462.44	1849.66	15	27 744.4	0 35	51 924.4	159.1
16	8	6	493.26	.67	6	29 594.0	0 40	59 342.1	207.8
17	8	7	524.09	.67	7	31 443.7	0 45	66 759.7	263.0
18	8	8	554.92	.68	8	33 293.4	0 50	74 177.2	324.6
19	8	9	585.75	.68	9	35 143.1	0 55	81 594.7	392.8
37 20	30.828	20	616.58	1849.69	20	36 992.7	1 00	89 012.2	467.5
21	8	1	647.41	.69	1	38 842.4	1 05	96 429.6	548.6
22	8	2	678.24	.70	2	40 692.1	1 10	103 846.9	636.3
23	8	3	709.07	.71	3	42 541.8	1 15	111 264.1	730.4
24	9	4	739.90	.71	4	44 391.5	1 20	118 681.2	831.1
37 25	30.829	25	770.73	1849.72	25	46 241.3	1 25	126 098.3	938.2
26	9	6	801.56	.72	6	48 091.0	1 30	133 515.2	1 051.8
27	9	7	832.38	.73	7	49 940.7	1 35	140 932.1	1 171.9
28	9	8	863.21	.73	8	51 790.4	1 40	148 348.8	1 298.5
29	9	9	894.04	.74	9	53 640.2	1 45	155 765.4	1 431.6
37 30	30.829	30	924.87	1849.74	30	55 489.9	1 50	163 181.9	1 571.2
31	9	1	955.70	.75	1	57 339.6	1 55	170 598.3	1 717.3
32	9	2	986.53	.75	2	59 189.4	2 00	178 015	1 870
33	9	3	1 017.36	.76	3	61 039.1	2 05	185 432.1	2 027.5
34	9	4	1 048.19	.76	4	62 888.9	2 10	192 849.1	2 189.6
37 35	30.829	35	1 079.02	1849.77	35	64 738.7	2 15	200 266.1	2 357.1
36	30	6	1 109.85	.77	6	66 588.4	2 20	207 683.1	2 529.6
37	0	7	1 140.67	.78	7	68 438.2	2 25	215 100.1	2 707.1
38	0	8	1 171.50	.78	8	70 288.0	2 30	222 517.1	2 889.6
39	0	9	1 202.33	.79	9	72 137.8	2 35	230 934.1	3 077.1
37 40	30.830	40	1 233.16	1849.80	40	73 987.6	2 40	239 351.1	3 269.6
41	0	1	1 263.99	.80	1	75 837.4	2 45	247 768.1	3 467.1
42	0	2	1 294.82	.81	2	77 687.2	2 50	256 185.1	3 669.6
43	0	3	1 325.65	.81	3	79 537.0	2 55	264 602.1	3 877.1
44	0	4	1 356.48	.82	4	81 386.8	3 00	273 019.1	4 089.6
37 45	30.830	45	1 387.31	1849.82	45	83 236.6	3 05	281 436.1	4 307.1
46	0	6	1 418.14	.83	6	85 086.5	3 10	290 853.1	4 529.6
47	1	7	1 448.96	.83	7	86 936.3	3 15	300 270.1	4 757.1
48	1	8	1 479.79	.84	8	88 786.1	3 20	309 687.1	4 989.6
49	1	9	1 510.62	.84	9	90 636.0	3 25	319 104.1	5 222.1
37 50	30.831	50	1 541.45	1849.85	50	92 485.8	3 30	328 521.1	5 454.6
51	1	1	1 572.28	.85	1	94 335.7	3 35	337 938.1	5 687.1
52	1	2	1 603.11	.86	2	96 185.5	3 40	347 355.1	5 924.6
53	1	3	1 633.94	.86	3	98 035.4	3 45	356 772.1	6 162.1
54	1	4	1 664.77	.87	4	99 885.2	3 50	366 189.1	6 404.6
37 55	30.831	55	1 695.60	1849.88	55	101 735.1	3 55	375 606.1	6 647.1
56	1	6	1 726.43	.88	6	103 585.0	4 00	385 023.1	6 889.6
57	1	7	1 757.26	.89	7	105 434.9	4 05	394 440.1	7 137.1
58	2	8	1 788.08	.89	8	107 284.8	4 10	403 857.1	7 384.6
59	2	9	1 818.91	.90	9	109 134.7	4 15	413 274.1	7 632.1
37 60	30.832	60	1 849.74	1849.90	60	110 984.5	4 20	422 691.1	7 879.6

Latitude 38° to 39°—Arcs of the parallel in meters.

Lat.	1''	2''	3''	4''	5''	6''	7''	8''	9''	1'	2'	3'	4'	5'
38 00	24.399	48.80	73.20	97.59	121.99	146.39	170.79	195.19	219.59	1463.9	2927.8	4391.7	5855.6	7319.6
1	.393	.79	.18	.57	.96	.36	.75	.15	.54	3.6	7.1	90.7	4.3	7.9
2	.387	.78	.16	.55	.94	.32	.71	.10	.49	3.2	6.5	89.7	3.0	6.2
3	.382	.77	.15	.53	.91	.29	.67	.06	.44	2.9	5.8	8.7	1.7	4.6
4	.376	.76	.13	.51	.88	.26	.63	5.01	.39	2.6	5.2	7.7	50.3	2.9
38 05	24.371	48.74	73.11	97.48	121.86	146.22	170.60	194.97	219.34	1462.3	2924.5	4386.7	5849.0	7311.3
6	.365	.73	.10	.46	.83	.19	.56	.93	.29	1.9	3.8	5.7	7.7	09.6
7	.360	.72	.08	.44	.80	.16	.52	.88	.24	1.6	3.2	4.7	6.3	7.9
8	.354	.71	.06	.42	.77	.13	.48	.84	.19	1.3	2.5	3.8	5.0	6.3
9	.349	.70	.05	.39	.75	.09	.44	.79	.14	0.9	1.9	82.8	3.7	4.6
38 10	24.343	48.69	73.03	97.37	121.72	146.06	170.40	194.75	219.09	1460.6	2921.2	4381.8	5842.4	7303.0
11	.338	.68	.01	.35	.69	6.03	.36	.71	9.04	60.3	20.5	80.8	41.0	301.3
12	.332	.67	3.00	.33	.66	5.99	.32	.66	8.99	59.9	19.8	79.8	39.7	299.6
13	.327	.66	2.98	.31	.64	.96	.29	.62	.94	9.6	9.2	8.8	8.4	8.0
14	.321	.65	.96	.29	.61	.93	.25	.57	.89	9.3	8.5	7.8	7.0	6.3
38 15	24.315	48.63	72.95	97.26	121.58	145.89	170.21	194.53	218.84	1458.9	2917.8	4376.8	5835.7	7294.6
16	.310	.62	.93	.24	.55	.86	.17	.48	.79	8.6	7.2	5.8	4.4	3.0
17	.304	.61	.91	.22	.52	.83	.13	.44	.74	8.3	6.5	4.8	3.0	91.3
18	.299	.60	.90	.19	.50	.79	.09	.39	.69	7.9	5.8	3.8	1.7	89.6
19	.293	.59	.88	.17	.47	.76	.05	.35	.64	7.6	5.2	2.8	30.4	8.0
38 20	24.288	48.58	72.86	97.15	121.44	145.73	170.01	194.30	218.59	1457.3	2914.5	4371.8	5829.0	7286.3
21	.282	.57	.85	.13	.41	.69	69.97	.26	.54	6.9	3.8	70.8	7.7	4.6
22	.276	.56	.83	.11	.38	.66	.93	.21	.49	6.6	3.2	69.8	6.4	2.9
23	.271	.54	.81	.08	.36	.63	.89	.17	.44	6.3	2.5	8.8	5.0	81.3
24	.265	.53	.80	.06	.33	.59	.85	.12	.39	5.9	1.9	7.8	3.7	79.6
38 25	24.260	48.52	72.78	97.04	121.30	145.56	169.82	194.08	218.34	1455.6	2911.2	4366.8	5822.3	7277.9
26	.254	.51	.76	.02	.27	.53	.78	4.04	.29	5.3	10.5	5.8	21.0	6.3
27	.249	.50	.75	7.00	.24	.49	.74	3.99	.24	4.9	9.8	4.8	19.7	4.6
28	.243	.48	.73	6.97	.22	.46	.70	.95	.19	4.6	9.2	3.7	8.3	2.9
29	.237	.47	.71	.95	.19	.42	.66	.90	.14	4.2	8.5	2.7	7.0	71.2
38 30	24.232	48.46	72.70	96.93	121.16	145.39	169.62	193.86	218.09	1453.9	2907.8	4361.7	5815.7	7269.6
31	.226	.45	.68	.91	.13	.36	.58	.82	8.04	3.6	7.1	60.7	4.3	7.9
32	.221	.44	.66	.88	.10	.32	.54	.77	7.99	3.2	6.5	59.7	3.0	6.2
33	.215	.43	.65	.86	.08	.29	.50	.73	.94	2.9	5.8	8.7	1.6	4.5
34	.210	.42	.63	.84	.05	.26	.46	.68	.89	2.6	5.2	7.7	10.3	2.9
38 35	24.204	48.40	72.61	96.81	121.02	145.22	169.43	193.63	217.83	1452.2	2904.5	4356.7	5808.9	7261.2
36	.198	.39	.60	.79	0.99	.19	.39	.59	.78	1.9	3.8	5.7	7.6	59.5
37	.193	.38	.58	.77	.96	.16	.35	.55	.73	1.6	3.1	4.7	6.3	7.8
38	.187	.37	.56	.75	.94	.12	.31	.50	.68	1.2	2.5	3.7	4.9	6.1
39	.182	.36	.55	.73	.91	.09	.27	.45	.63	0.9	1.8	2.7	3.6	4.5
38 40	24.176	48.35	72.53	96.70	120.88	145.06	169.23	193.41	217.58	1450.6	2901.1	4351.7	5802.2	7252.8
41	.170	.34	.51	.68	.85	5.02	.19	.37	.53	0.2	900.4	50.7	800.9	51.1
42	.165	.33	.49	.66	.82	4.99	.15	.32	.48	49.9	899.7	49.7	799.5	49.4
43	.159	.32	.48	.64	.80	.96	.11	.28	.43	9.6	9.1	8.6	8.2	7.7
44	.154	.31	.46	.61	.77	.92	.07	.23	.38	9.2	8.4	7.6	6.8	6.1
38 45	24.148	48.29	72.44	96.59	120.74	144.89	169.04	193.19	217.33	1448.9	2897.7	4346.6	5795.5	7244.4
46	.142	.28	.43	.57	.71	.85	9.00	.14	.28	8.5	7.0	5.6	4.1	2.7
47	.137	.27	.41	.55	.68	.82	8.96	.10	.23	8.2	6.4	4.6	2.8	41.0
48	.131	.26	.39	.52	.66	.79	.92	.05	.18	7.9	5.7	3.6	1.5	39.3
49	.125	.25	.38	.50	.63	.75	.88	3.01	.13	7.5	5.1	2.6	90.1	7.6
38 50	24.120	48.24	72.36	96.48	120.60	144.72	168.84	192.96	217.08	1447.2	2894.4	4341.6	5788.8	7236.0
51	.114	.23	.34	.46	.57	.69	.80	.92	7.03	6.9	3.7	40.6	7.4	4.3
52	.109	.22	.33	.43	.54	.65	.76	.87	6.98	6.5	3.0	39.6	6.1	2.6
53	.103	.21	.31	.41	.52	.62	.72	.83	.93	6.2	2.4	8.5	4.7	30.9
54	.097	.20	.29	.39	.49	.58	.68	.78	.88	5.8	1.7	7.5	3.3	29.2
38 55	24.092	48.18	72.28	96.36	120.46	144.55	168.64	192.74	216.82	1445.5	2891.0	4336.5	5782.0	7227.5
56	.086	.17	.26	.34	.43	.52	.60	.69	.77	5.2	90.3	5.5	80.6	5.8
57	.080	.16	.24	.32	.40	.48	.56	.65	.72	4.8	89.6	4.5	79.3	4.1
58	.075	.15	.22	.30	.38	.45	.52	.60	.67	4.5	9.0	3.4	7.9	2.4
59	.069	.14	.21	.28	.35	.41	.48	.56	.62	4.1	8.3	2.4	6.6	20.7
38 60	24.063	48.13	72.19	96.25	120.32	144.38	168.44	192.51	216.57	1443.8	2887.6	4331.4	5775.2	7219.0

Lat.	Latitude 38° to 39°—Meridional arcs.					Latitude 38°—Co-ordinates of curvature.			
	Value of 1''	Sums of seconds for middle latitude 38° 30'		Value of 1'	Continuous sums of minutes from latitude 38° 00'	Longitude.	X	Y	
° /	Meters.	''	Meters.	Meters.	'	Meters.	° /	Meters.	Meters.
38 00	30.832			1849.90			0 1	1 463.9	0.1
1	2	1	30.83	.91	1	1 849.9	0 2	2 927.8	0.5
2	2	2	61.67	.91	2	3 699.8	1 3	4 391.7	1.2
3	2	3	92.50	.92	3	5 549.7	2 4	5 855.6	2.1
4	2	4	123.34	.92	4	7 399.6	3 5	7 319.6	3.3
38 05	30.832	5	154.17	1849.93	5	9 249.6	4 6	8 783.5	4.7
6	2	6	185.01	.93	6	11 099.5	5 7	10 247.4	6.4
7	2	7	215.84	.94	7	12 949.4	6 8	11 711.3	8.4
8	2	8	246.67	.94	8	14 799.4	7 9	13 175.2	10.6
9	2	9	277.51	.95	9	16 649.3	8 10	14 639.1	13.1
38 10	30.833	10	308.34	1849.95	10	18 499.3	9 11	16 103.0	15.6
11	3	1	339.18	.96	1	20 349.2	10 12	17 566.9	18.1
12	3	2	370.01	.97	2	22 199.2	11 13	19 030.8	20.6
13	3	3	400.85	.97	3	24 049.2	12 14	20 494.7	23.1
14	3	4	431.68	.98	4	25 899.1	13 15	21 958.6	25.6
38 15	30.833	15	462.52	1849.98	15	27 749.1	14 16	23 422.5	28.1
16	3	6	493.35	.99	6	29 599.1	15 17	24 886.4	30.6
17	3	7	524.18	49.99	7	31 449.1	16 18	26 350.3	33.1
18	3	8	555.02	50.00	8	33 299.1	17 19	27 814.2	35.6
19	3	9	585.85	.00	9	35 149.1	18 20	29 278.1	38.1
38 20	30.833	20	616.69	1850.01	20	36 999.1	19 21	30 742.0	40.6
21	4	1	647.52	.01	1	38 849.1	20 22	32 205.9	43.1
22	4	2	678.36	.02	2	40 699.1	21 23	33 669.8	45.6
23	4	3	709.19	.02	3	42 549.1	22 24	35 133.7	48.1
24	4	4	740.02	.03	4	44 399.2	23 25	36 597.6	50.6
38 25	30.834	25	770.86	1850.03	25	46 249.2	24 26	38 061.5	53.1
26	4	6	801.69	.04	6	48 099.2	25 27	39 525.4	55.6
27	4	7	832.53	.05	7	49 949.3	26 28	40 989.3	58.1
28	4	8	863.36	.05	8	51 799.3	27 29	42 453.2	60.6
29	4	9	894.20	.06	9	53 649.4	28 30	43 917.1	63.1
38 30	30.834	30	925.03	1850.06	30	55 499.4	29 31	45 381.0	65.6
31	4	1	955.87	.07	1	57 349.5	30 32	46 844.9	68.1
32	5	2	986.70	.07	2	59 199.6	31 33	48 308.8	70.6
33	5	3	1 017.53	.08	3	61 049.7	32 34	49 772.7	73.1
34	5	4	1 048.37	.08	4	62 899.7	33 35	51 236.6	75.6
38 35	30.835	35	1 079.20	1850.09	35	64 749.8	34 36	52 700.5	78.1
36	5	6	1 110.04	.09	6	66 599.9	35 37	54 164.4	80.6
37	5	7	1 140.87	.10	7	68 450.0	36 38	55 628.3	83.1
38	5	8	1 171.71	.10	8	70 300.1	37 39	57 092.2	85.6
39	5	9	1 202.54	.11	9	72 150.2	38 40	58 556.1	88.1
38 40	30.835	40	1 233.37	1850.11	40	74 000.3	39 41	60 020.0	90.6
41	5	1	1 264.21	.12	1	75 850.4	40 42	61 483.9	93.1
42	5	2	1 295.04	.13	2	77 700.6	41 43	62 947.8	95.6
43	6	3	1 325.88	.13	3	79 550.7	42 44	64 411.7	98.1
44	6	4	1 356.71	.14	4	81 400.8	43 45	65 875.6	100.6
38 45	30.836	45	1 387.55	1850.14	45	83 251.0	44 46	67 339.5	103.1
46	6	6	1 418.38	.15	6	85 101.1	45 47	68 803.4	105.6
47	6	7	1 449.21	.15	7	86 951.3	46 48	70 267.3	108.1
48	6	8	1 480.05	.16	8	88 801.4	47 49	71 731.2	110.6
49	6	9	1 510.88	.16	9	90 651.6	48 50	73 195.1	113.1
38 50	30.836	50	1 541.72	1850.17	50°	92 501.8	49 51	74 659.0	115.6
51	6	1	1 572.55	.17	1	94 351.9	50 52	76 122.9	118.1
52	6	2	1 603.39	.18	2	96 202.1	51 53	77 586.8	120.6
53	6	3	1 634.22	.18	3	98 052.3	52 54	79 050.7	123.1
54	6	4	1 665.06	.19	4	99 902.5	53 55	80 514.6	125.6
38 55	30.837	55	1 695.89	1850.20	55	101 752.7	54 56	81 978.5	128.1
56	7	6	1 726.72	.20	6	103 602.9	55 57	83 442.4	130.6
57	7	7	1 757.56	.21	7	105 453.1	56 58	84 906.3	133.1
58	7	8	1 788.39	.21	8	107 303.3	57 59	86 370.2	135.6
59	7	9	1 819.23	.22	9	109 153.5	58 60	87 834.1	138.1
38 60	30.837	60	1 850.06	1850.22	60	111 003.7	59 61	89 298.0	140.6

Latitude 39° to 40°—Arcs of the parallel in meters.

Lat.	1"	2"	3"	4"	5"	6"	7"	8"	9"	1'	2'	3'	4'	5'
39 00	24.063	48.13	72.19	96.25	120.32	144.38	168.44	192.51	216.57	1443.8	2887.6	4331.4	5775.2	7219.0
01	.058	.12	.17	.23	.29	.35	.40	.47	.52	3.5	6.9	30.4	3.9	7.4
02	.052	.11	.16	.21	.26	.31	.36	.42	.47	3.1	6.2	29.4	2.5	5.7
03	.047	.09	.14	.19	.23	.28	.32	.38	.42	2.8	5.6	8.4	71.2	4.0
04	.041	.08	.12	.16	.20	.25	.28	.33	.37	2.5	4.9	7.4	69.8	2.3
39 05	24.035	48.07	72.11	96.14	120.18	144.21	168.24	192.29	216.32	1442.1	2884.2	4326.3	5768.4	7210.6
06	.030	.06	.09	.12	.15	.18	.21	.24	.26	1.8	3.5	5.3	7.1	8.9
07	.024	.05	.07	.10	.12	.14	.17	.20	.21	1.4	2.8	4.3	5.7	7.2
08	.018	.03	.05	.07	.09	.11	.13	.15	.16	1.1	2.2	3.3	4.4	5.5
09	.013	.02	.04	.05	.06	.08	.09	.11	.11	0.8	1.5	2.3	3.0	3.8
39 10	24.007	48.01	72.02	96.03	120.03	144.04	168.05	192.06	216.06	1440.4	2880.8	4321.3	5761.7	7202.1
11	.001	8.00	2.00	6.01	20.01	4.01	8.01	2.01	6.01	40.1	80.1	20.2	60.3	200.4
12	3.996	7.99	1.99	5.98	19.97	3.97	7.97	1.97	5.96	39.7	79.4	19.2	58.9	198.7
13	.990	.98	.97	.96	.95	.94	.93	.92	.91	9.4	8.8	8.2	7.6	7.0
14	.984	.97	.95	.94	.92	.91	.89	.88	.86	9.1	8.1	7.2	6.2	5.3
39 15	23.979	47.96	71.94	95.91	119.89	143.87	167.85	191.83	215.80	1438.7	2877.4	4316.1	5754.9	7193.6
16	.973	.94	.92	.89	.86	.84	.81	.78	.75	8.4	6.7	5.1	3.5	1.9
17	.967	.93	.90	.87	.83	.80	.77	.74	.70	8.0	6.0	4.1	2.1	90.2
18	.962	.92	.88	.85	.81	.77	.73	.69	.65	7.7	5.4	3.1	50.8	88.5
19	.956	.91	.87	.82	.78	.74	.69	.65	.60	7.4	4.7	2.0	49.4	6.8
39 20	23.950	47.90	71.85	95.80	119.75	143.70	167.65	191.60	215.55	1437.0	2874.0	4311.0	5748.0	7185.1
21	.944	.89	.83	.78	.72	.67	.61	.56	.50	6.7	3.3	10.0	6.7	3.3
22	.939	.88	.82	.75	.69	.63	.57	.51	.45	6.3	2.6	90.0	5.3	81.6
23	.933	.87	.80	.73	.67	.60	.53	.47	.40	6.0	2.0	8.0	3.9	79.9
24	.927	.86	.78	.71	.64	.56	.49	.42	.35	5.6	1.3	6.9	2.6	8.2
39 25	23.922	47.84	71.77	95.69	119.61	143.53	167.45	191.38	215.29	1435.3	2870.6	4305.9	5741.2	7176.5
26	.916	.83	.75	.66	.58	.50	.41	.33	.24	5.0	69.9	4.9	39.8	4.8
27	.910	.82	.73	.64	.55	.46	.37	.29	.19	4.6	9.2	3.9	8.5	3.1
28	.905	.81	.71	.62	.53	.43	.33	.24	.14	4.3	8.6	2.8	7.1	71.4
29	.899	.80	.70	.60	.50	.39	.29	.20	.09	3.9	7.9	1.8	5.7	69.7
39 30	23.893	47.79	71.68	95.57	119.47	143.36	167.25	191.15	215.04	1433.6	2867.2	4300.8	5734.4	7168.0
31	.888	.78	.66	.55	.44	.33	.21	.10	.99	3.3	6.5	299.8	3.0	6.3
32	.882	.77	.65	.53	.41	.29	.17	.06	.94	2.9	5.8	8.7	1.6	4.5
33	.876	.75	.63	.50	.38	.26	.13	1.01	.88	2.6	5.2	7.7	30.3	2.8
34	.870	.74	.61	.48	.35	.22	.09	0.97	.83	2.2	4.5	6.7	28.9	61.1
39 35	23.865	47.73	71.59	95.46	119.33	143.19	167.05	190.92	214.78	1431.9	2863.8	4295.6	5727.5	7159.4
36	.859	.72	.58	.44	.30	.16	7.01	.87	.73	1.6	3.1	4.6	6.1	7.7
37	.853	.71	.56	.42	.27	.12	6.97	.83	.68	1.2	2.4	3.6	4.8	6.0
38	.847	.69	.54	.39	.24	.09	.93	.78	.62	0.9	1.7	2.5	3.4	4.2
39	.842	.68	.53	.37	.21	.05	.89	.74	.57	0.5	1.0	1.5	2.0	2.5
39 40	23.836	47.67	71.51	95.35	119.18	143.02	166.85	190.69	214.52	1430.2	2860.3	4290.5	5720.7	7150.8
41	.830	.66	.49	.32	.15	2.98	.81	.64	.47	29.8	59.6	89.5	19.3	49.1
42	.825	.65	.47	.30	.12	.95	.77	.60	.42	9.5	8.9	8.4	7.9	7.4
43	.819	.64	.46	.28	.09	.91	.73	.55	.37	9.1	8.3	7.4	6.5	5.6
44	.813	.63	.44	.25	.06	.88	.69	.51	.32	8.8	7.6	6.4	5.1	3.9
39 45	23.807	47.61	71.42	95.23	119.03	142.84	166.65	190.46	214.26	1428.4	2856.9	4285.3	5713.8	7142.2
46	.802	.60	.41	.21	9.01	.81	.61	.41	.21	8.1	6.2	4.3	2.4	40.5
47	.796	.59	.39	.18	8.98	.78	.57	.37	.16	7.8	5.5	3.3	11.0	38.8
48	.790	.58	.37	.16	.95	.74	.53	.32	.11	7.4	4.8	2.2	90.6	7.0
49	.784	.57	.35	.14	.92	.71	.49	.28	.06	7.1	4.1	1.2	8.3	5.3
39 50	23.779	47.56	71.34	95.11	118.89	142.67	166.45	190.23	214.01	1426.7	2853.4	4280.2	5706.9	7133.6
51	.773	.55	.32	.09	.86	.64	.41	.18	3.96	6.4	2.7	79.1	5.5	1.9
52	.767	.53	.30	.07	.83	.60	.37	.14	.91	6.0	2.0	8.1	4.1	30.1
53	.761	.52	.28	.04	.81	.57	.33	.09	.85	5.7	1.4	7.1	2.7	28.4
54	.756	.51	.27	5.02	.78	.53	.29	.05	.80	5.3	0.7	6.0	1.4	6.7
39 55	23.750	47.50	71.25	94.99	118.75	142.50	166.25	190.00	213.75	1425.0	2850.0	4275.0	5700.0	7125.0
56	.744	.49	.23	.97	.72	.47	.21	89.95	.70	4.7	49.3	3.9	698.6	3.2
57	.738	.48	.21	.95	.69	.43	.17	.91	.65	4.3	8.6	2.9	7.2	21.5
58	.733	.46	.20	.93	.67	.40	.13	.86	.59	4.0	7.9	1.9	5.8	19.8
59	.727	.45	.18	.90	.63	.36	.09	.81	.54	3.6	7.2	70.8	4.4	8.1
39 60	23.721	47.44	71.16	94.88	118.61	142.33	166.05	189.77	213.49	1423.3	2846.5	4269.8	5693.1	7116.3

Lat.	Latitude 39° to 40°—Meridional arcs.					Latitude 39°—Co-ordinates of curvature.			
	Value of 1''	Sums of seconds for middle latitude 39° 30'		Value of 1'	Continuous sums of minutes from latitude 39° 00'		Longitude.	X	Y
° /	Meters.	"	Meters.	Meters.	'	Meters.	° /	Meters.	Meters.
39 00	30.837			1850.22			0 1	1 443.8	0.1
1	7	1	30.84	.23	1	1 850.2	0 2	2 887.6	0.5
2	7	2	61.68	.23	2	3 700.5	0 3	4 331.4	1.2
3	7	3	92.52	.24	3	5 550.7	0 4	5 775.2	2.1
4	7	4	123.36	.24	4	7 400.9	0 5	7 219.0	3.3
39 05	30.837	5	154.20	1850.25	5	9 251.2	0 6	8 662.9	4.8
6	8	6	185.04	.25	6	11 101.4	0 7	10 106.7	6.5
7	8	7	215.88	.26	7	12 951.7	0 8	11 550.5	8.5
8	8	8	246.72	.26	8	14 801.9	0 9	12 994.3	10.7
9	8	9	277.56	.27	9	16 652.2	0 10	14 438.1	13.2
39 10	30.838	10	308.40	1850.28	10	18 502.5	0 15	21 657.1	29.7
11	8	1	339.24	.28	1	20 352.8	0 20	28 876.1	52.9
12	8	2	370.08	.29	2	22 203.0	0 25	36 095.1	82.6
13	8	3	400.92	.29	3	24 053.3	0 30	43 314.1	118.9
14	8	4	431.76	.30	4	25 903.6	0 35	50 533.0	161.9
39 15	30.838	15	462.60	1850.30	15	27 753.9	0 40	57 751.9	211.5
16	8	6	493.44	.31	6	29 604.2	0 45	64 970.7	267.6
17	9	7	524.28	.31	7	31 454.5	0 50	72 189.5	330.4
18	9	8	555.11	.32	8	33 304.9	0 55	79 408.2	399.8
19	9	9	585.95	.32	9	35 155.2	1 00	86 626.9	475.8
39 20	30.839	20	616.79	1850.33	20	37 005.5	1 05	93 845.4	558.4
21	9	1	647.63	.33	1	38 855.8	1 10	101 063.9	647.6
22	9	2	678.47	.34	2	40 706.2	1 15	108 282.4	743.4
23	9	3	709.31	.35	3	42 556.5	1 20	115 500.7	845.8
24	9	4	740.15	.35	4	44 406.9	1 25	122 718.9	954.8
39 25	30.839	25	770.99	1850.36	25	46 257.2	1 30	129 937.1	1 070.4
26	9	6	801.83	.36	6	48 107.6	1 35	137 155.1	1 192.6
27	9	7	832.67	.37	7	49 957.9	1 40	144 373.0	1 321.4
28	40	8	863.51	.37	8	51 808.3	1 45	151 590.8	1 456.8
29	0	9	894.35	.38	9	53 658.7	1 50	158 808.4	1 598.8
39 30	30.840	30	925.19	1850.38	30	55 509.1	1 55	166 025.9	1 747.5
31	0	1	956.03	.39	1	57 359.4	2 00	173 243	1 903
32	0	2	986.87	.39	2	59 209.8	2 05	259 839	4 281
33	0	3	1 017.71	.40	3	61 060.2	2 10	346 403	7 611
34	0	4	1 048.55	.40	4	62 910.6	2 15	432 925	11 891
39 35	30.840	35	1 079.39	1850.41	35	64 761.0	2 20	519 396	17 121
36	0	6	1 110.23	.42	6	66 611.4	2 25	605 803	23 300
37	0	7	1 141.07	.42	7	68 461.9	2 30	692 138	30 428
38	0	8	1 171.91	.43	8	70 312.3	2 35	778 388	38 504
39	1	9	1 202.75	.43	9	72 162.7	2 40	864 545	47 527
39 40	30.841	40	1 233.59	1850.44	40	74 013.2	2 45	950 598	57 496
41	1	1	1 264.43	.44	1	75 863.6	2 50	1 036 536	68 409
42	1	2	1 295.27	.45	2	77 714.0	2 55	1 122 349	80 266
43	1	3	1 326.11	.45	3	79 564.5	3 00	1 208 027	93 064
44	1	4	1 356.95	.46	4	81 414.9	3 05	1 293 559	106 802
39 45	30.841	45	1 387.79	1850.46	45	83 265.4	3 10	1 378 934	121 479
46	1	6	1 418.63	.47	6	85 115.9	3 15	1 464 144	137 093
47	1	7	1 449.47	.47	7	86 966.3	3 20	1 549 177	153 642
48	1	8	1 480.31	.48	8	88 816.8	3 25	1 634 023	171 124
49	1	9	1 511.15	.49	9	90 667.3	3 30	1 718 671	189 537
39 50	30.842	50	1 541.99	1850.49	50	92 517.8	3 35	1 803 113	208 878
51	2	1	1 572.83	.50	1	94 368.3	3 40	1 887 337	229 146
52	2	2	1 603.67	.50	2	96 218.8	3 45	1 971 333	250 337
53	2	3	1 634.50	.51	3	98 069.3	3 50	2 055 091	272 450
54	2	4	1 665.34	.51	4	99 919.8	3 55	2 138 602	295 481
39 55	30.842	55	1 696.18	1850.52	55	101 770.3	4 00	2 221 854	319 429
56	2	6	1 727.02	.52	6	103 620.8	4 05	2 304 838	344 289
57	2	7	1 757.86	.53	7	105 471.4	4 10	2 387 545	370 059
58	2	8	1 788.70	.53	8	107 321.9	4 15	2 469 963	396 736
59	2	9	1 819.54	.54	9	109 172.4	4 20	2 552 084	424 317
39 60	30.842	60	1 850.38	1850.54	60	111 023.0	4 25		

Latitude 40° to 41°—Arcs of the parallel in meters.

Lat.	1"	2"	3"	4"	5"	6"	7"	8"	9"	1'	2'	3'	4'	5'
40 00	23.721	47.44	71.16	94.88	118.61	142.33	166.05	189.77	213.49	1423.3	2846.5	4269.8	5693.1	7116.3
1	.715	.43	.15	.86	.58	.29	6.01	.72	.44	2.9	5.8	8.8	1.7	4.6
2	.710	.42	.13	.84	.55	.26	5.97	.68	.39	2.6	5.1	7.7	90.3	2.9
3	.704	.41	.11	.82	.52	.22	.93	.63	.33	2.2	4.5	6.7	88.9	11.1
4	.698	.40	.09	.79	.49	.19	.89	.58	.28	1.9	3.8	5.6	7.5	09.4
40 05	23.692	47.38	71.08	94.77	118.46	142.15	165.84	189.54	213.23	1421.5	2843.1	4264.6	5686.1	7107.7
6	.686	.37	.06	.75	.44	.12	.80	.49	.18	1.2	2.4	3.6	4.7	5.9
7	.681	.36	.04	.72	.41	.08	.76	.45	.13	0.8	1.7	2.5	3.4	4.2
8	.675	.35	.02	.70	.38	.05	.72	.40	.07	0.5	1.0	1.5	2.0	2.5
9	.669	.34	1.01	.68	.35	2.01	.68	.35	3.02	20.1	40.3	60.4	80.6	100.7
40 10	23.663	47.33	70.99	94.65	118.32	141.98	165.64	189.31	212.97	1419.8	2839.6	4259.4	5679.2	7099.0
11	.658	.32	.97	.63	.29	.95	.60	.26	.92	9.5	8.9	8.4	7.8	7.3
12	.652	.30	.96	.61	.26	.91	.56	.21	.87	9.1	8.2	7.3	6.4	5.5
13	.646	.29	.94	.58	.23	.88	.52	.17	.81	8.8	7.5	6.3	5.0	3.8
14	.640	.28	.92	.56	.20	.84	.48	.12	.76	8.4	6.8	5.2	3.6	2.0
40 15	23.634	47.27	70.90	94.54	118.18	141.81	165.44	189.07	212.71	1418.1	2836.1	4254.2	5672.2	7090.3
16	.629	.26	.89	.51	.15	.77	.40	9.03	.66	7.7	5.4	3.1	70.9	88.6
17	.623	.25	.87	.49	.12	.74	.36	8.98	.61	7.4	4.7	2.1	69.5	6.8
18	.617	.23	.85	.47	.09	.70	.32	.94	.55	7.0	4.0	1.1	8.1	5.1
19	.611	.22	.83	.44	.06	.67	.28	.89	.50	6.7	3.3	50.0	6.7	3.4
40 20	23.605	47.21	70.82	94.42	118.03	141.63	165.24	188.84	212.45	1416.3	2832.6	4249.0	5665.3	7081.6
21	.600	.20	.80	.40	8.00	.60	.20	.80	.40	6.0	1.9	7.9	3.9	79.9
22	.594	.19	.78	.37	7.97	.56	.16	.75	.34	5.6	1.2	6.9	2.5	8.1
23	.588	.18	.76	.35	.94	.53	.12	.70	.29	5.3	30.6	5.8	61.1	6.4
24	.582	.16	.75	.33	.91	.49	.08	.66	.24	4.9	29.9	4.8	59.7	4.6
40 25	23.576	47.15	70.73	94.31	117.89	141.46	165.03	188.61	212.18	1414.6	2829.2	4243.7	5658.3	7072.9
26	.570	.14	.71	.28	.85	.42	4.99	.56	.13	4.2	8.5	2.7	6.9	71.1
27	.565	.13	.69	.26	.83	.39	.95	.52	.08	3.9	7.8	1.6	5.5	69.4
28	.559	.12	.68	.24	.80	.35	.91	.47	2.03	3.5	7.1	40.6	4.1	7.7
29	.553	.10	.66	.21	.77	.32	.87	.42	1.97	3.2	6.4	39.5	2.7	5.9
40 30	23.547	47.09	70.64	94.19	117.74	141.28	164.83	188.38	211.92	1412.8	2825.7	4238.5	5651.3	7064.2
31	.541	.08	.62	.17	.71	.25	.79	.33	.87	2.5	5.0	7.4	49.9	2.4
32	.536	.07	.61	.14	.68	.21	.75	.28	.82	2.1	4.3	6.4	8.5	60.7
33	.530	.06	.59	.12	.65	.18	.71	.24	.76	1.8	3.6	5.3	7.1	58.9
34	.524	.05	.57	.10	.62	.14	.67	.19	.71	1.4	2.9	4.3	5.7	7.2
40 35	23.518	47.04	70.55	94.07	117.59	141.11	164.63	188.14	211.66	1411.1	2822.2	4233.2	5644.3	7055.4
36	.512	.02	.54	.05	.56	.07	.58	.10	.61	0.7	1.5	2.2	2.9	3.7
37	.506	.01	.52	.03	.53	.04	.54	.05	.56	0.4	0.8	1.1	1.5	1.9
38	.501	7.00	.50	4.00	.50	1.00	.50	8.00	.50	10.0	20.1	30.1	40.1	50.2
39	.495	6.99	.48	3.98	.47	0.97	.46	7.96	.45	09.7	19.4	29.0	38.7	48.4
40 40	23.489	46.98	70.47	93.96	117.44	140.93	164.42	187.91	211.40	1409.3	2818.7	4228.0	5637.3	7046.7
41	.483	.97	.45	.93	.41	.90	.38	.86	.35	9.0	8.0	6.9	5.9	4.9
42	.477	.95	.43	.91	.38	.86	.34	.82	.29	8.6	7.3	5.9	4.5	3.1
43	.471	.94	.41	.88	.35	.83	.30	.77	.24	8.3	6.5	4.8	3.1	41.4
44	.465	.93	.40	.86	.32	.79	.26	.72	.19	7.9	5.8	3.8	1.7	39.6
40 45	23.460	46.92	70.38	93.84	117.30	140.76	164.22	187.68	211.13	1407.6	2815.1	4222.7	5630.3	7037.9
46	.454	.91	.36	.81	.27	.72	.17	.63	.08	7.2	4.4	1.7	28.9	6.1
47	.448	.90	.34	.79	.24	.69	.13	.58	1.03	6.9	3.7	20.6	7.5	4.4
48	.442	.88	.33	.77	.21	.65	.09	.54	0.98	6.5	3.0	19.6	6.1	2.6
49	.436	.87	.31	.74	.18	.62	.05	.49	.92	6.2	2.3	8.5	4.7	30.8
40 50	23.430	46.86	70.29	93.72	117.15	140.58	164.01	187.44	210.87	1405.8	2811.6	4217.5	5623.3	7029.1
51	.424	.85	.27	.70	.12	.55	3.97	.40	.82	5.5	0.9	6.4	1.9	7.3
52	.419	.84	.26	.67	.09	.51	.93	.35	.77	5.1	10.2	5.3	20.4	5.6
53	.413	.83	.24	.65	.06	.48	.89	.30	.71	4.8	09.5	4.3	19.0	3.8
54	.407	.81	.22	.63	.03	.44	.85	.25	.66	4.4	8.8	3.2	7.6	2.0
40 55	23.401	46.80	70.20	93.60	117.01	140.41	163.81	187.21	210.61	1404.1	2808.1	4212.2	5616.2	7020.3
56	.395	.79	.18	.58	6.98	.37	.76	.16	.55	3.7	7.4	1.1	4.8	18.5
57	.389	.78	.17	.56	.95	.33	.72	.11	.50	3.3	6.7	10.0	3.4	6.7
58	.383	.77	.15	.53	.92	.30	.68	.07	.45	3.0	6.0	09.0	2.0	5.0
59	.377	.75	.13	.51	.89	.26	.64	7.02	.39	2.6	5.3	7.9	10.6	3.2
40 60	23.372	46.74	70.11	93.49	116.86	140.23	163.60	186.97	210.34	1402.3	2804.6	4206.9	5609.2	7011.5

Lat.	Latitude 40° to 41°—Meridional arcs.					Latitude 40°—Co-ordinates of curvature.			
	Value of 1''	Sums of seconds for middle latitude 40° 30'		Value of 1'	Continuous sums of minutes from latitude 40° 00'		Longitude.	X	Y
° /	Meters.	''	Meters.	Meters.	'	Meters.	° /	Meters.	Meters.
40 00	30.842			1850.54			0 1	1 423.3	0.1
1	2	1	30.85	.55	1	1 850.5	2	2 846.5	0.5
2	3	2	61.69	.56	2	3 701.1	3	4 269.8	1.2
3	3	3	92.54	.56	3	5 551.7	4	5 693.0	2.1
4	3	4	123.38	.57	4	7 402.2	5	7 116.3	3.3
40 05	30.843	5	154.23	1850.57	5	9 252.8	6	8 539.6	4.8
6	3	6	185.07	.58	6	11 103.4	7	9 962.8	6.5
7	3	7	215.92	.58	7	12 953.9	8	11 386.1	8.5
8	3	8	246.76	.59	8	14 804.5	9	12 809.3	10.8
9	3	9	277.61	.59	9	16 655.1			
40 10	30.843	10	308.45	1850.60	10	18 505.7	0 10	14 232.6	13.3
11	3	1	339.30	.60	1	20 356.3	15	21 349.0	29.9
12	3	2	370.14	.61	2	22 206.9	20	28 465.3	53.2
13	4	3	400.99	.61	3	24 057.5	25	35 581.6	83.2
14	4	4	431.83	.62	4	25 908.2	30	42 697.8	119.8
40 15	30.844	15	462.68	1850.63	15	27 758.8	0 35	49 814.0	163.0
16	4	6	493.52	.63	6	29 609.4	40	56 930.2	212.9
17	4	7	524.37	.64	7	31 460.0	45	64 046.3	269.4
18	4	8	555.21	.64	8	33 310.7	50	71 162.4	332.6
19	4	9	586.06	.65	9	35 161.3	55	78 278.4	402.5
40 20	30.844	20	616.90	1850.65	20	37 012.0	1 00	85 394.3	479.0
21	4	1	647.75	.66	1	38 862.6	05	92 510.1	562.2
22	4	2	678.59	.66	2	40 713.3	10	99 625.9	652.0
23	4	3	709.44	.67	3	42 564.0	15	106 741.6	748.5
24	5	4	740.28	.67	4	44 414.6	20	113 857.2	851.6
40 25	30.845	25	771.13	1850.68	25	46 265.3	1 25	120 972.7	961.4
26	5	6	801.97	.68	6	48 116.0	30	128 088.1	1 077.8
27	5	7	832.82	.69	7	49 966.7	35	135 203.4	1 200.8
28	5	8	863.66	.70	8	51 817.4	40	142 318.5	1 330.5
29	5	9	894.51	.70	9	53 668.1	45	149 433.6	1 466.9
40 30	30.845	30	925.35	1850.71	30	55 518.8	1 50	156 548.5	1 609.9
31	5	1	956.20	.71	1	57 369.5	55	163 663.3	1 759.6
32	5	2	987.04	.72	2	59 220.2	2 00	170 778	1 916
33	5	3	1 017.89	.72	3	61 070.9	3 00	256 140	4 311
34	5	4	1 048.73	.73	4	62 921.6	4 00	341 470	7 663
40 35	30.846	35	1 079.58	1850.73	35	64 772.4	5 00	426 757	11 972
36	6	6	1 110.42	.74	6	66 623.1	6 00	511 990	17 238
37	6	7	1 141.27	.74	7	68 473.8	7 00	597 158	23 460
38	6	8	1 172.11	.75	8	70 324.6	8 00	682 252	30 637
39	6	9	1 202.96	.76	9	72 175.3	9 00	767 260	38 768
40 40	30.846	40	1 233.80	1850.76	40	74 026.1	10 00	852 171	47 852
41	6	1	1 264.65	.77	1	75 876.9	11 00	936 975	57 888
42	6	2	1 295.49	.77	2	77 727.6	12 00	1 021 661	68 875
43	6	3	1 326.34	.78	3	79 578.4	13 00	1 106 218	80 811
44	6	4	1 357.18	.78	4	81 429.2	14 00	1 190 636	93 695
40 45	30.846	45	1 388.03	1850.79	45	83 280.0	15 00	1 274 904	107 525
46	7	6	1 418.88	.79	6	85 130.8	16 00	1 359 012	122 300
47	7	7	1 449.72	.80	7	86 981.6	17 00	1 442 949	138 017
48	7	8	1 480.57	.80	8	88 832.4	18 00	1 526 704	154 675
49	7	9	1 511.41	.81	9	90 683.2	19 00	1 610 267	172 272
40 50	30.847	50	1 542.26	1850.81	50	92 534.0	20 00	1 693 628	190 805
51	7	1	1 573.10	.82	1	94 384.8	21 00	1 776 775	210 272
52	7	2	1 603.95	.83	2	96 235.6	22 00	1 859 698	230 671
53	7	3	1 634.79	.83	3	98 086.5	23 00	1 942 387	251 998
54	7	4	1 665.64	.84	4	99 937.3	24 00	2 024 833	274 252
40 55	30.847	55	1 696.48	1850.84	55	101 788.1	25 00	2 107 023	297 430
56	7	6	1 727.33	.85	6	103 639.0	26 00	2 188 948	321 528
57	8	7	1 758.17	.85	7	105 489.8	27 00	2 270 597	346 543
58	8	8	1 789.02	.86	8	107 340.7	28 00	2 351 961	372 473
59	8	9	1 819.86	.86	9	109 191.5	29 00	2 433 029	399 314
40 60	30.848	60	1 850.71	1850.87	60	111 042.4	30 00	2 513 790	427 063

Lat.	Latitude 41° to 42°—Meridional arcs.					Latitude 41°—Co-ordinates of curvature.			
	Value of 1''	Sums of seconds for middle latitude 41° 30'		Value of 1'	Continuous sums of minutes from latitude 41° 00'	Longitude.	X	Y	
° /	Meters.	''	Meters.	Meters.	'	Meters.	° /	Meters.	Meters.
41 00	30.848			1850.87			0 1	1 402.3	0.1
1	8	1	30.85	.87	1	1 850.9	2	2 804.6	0.5
2	8	2	61.70	.88	2	3 701.7	3	4 206.9	1.2
3	8	3	92.55	.89	3	5 552.6	4	5 609.2	2.1
4	8	4	123.40	.89	4	7 403.5	5	7 011.5	3.3
41 05	30.848	5	154.25	1850.90	5	9 254.4	6	8 413.7	4.8
6	8	6	185.10	.90	6	11 105.3	7	9 816.0	6.6
7	8	7	215.95	.91	7	12 956.2	8	11 218.3	8.6
8	9	8	246.80	.91	8	14 807.1	9	12 620.6	10.8
9	9	9	277.65	.92	9	16 658.0			
41 10	30.849	10	308.51	1850.92	10	18 509.0	0 10	14 022.9	13.4
11	9	1	339.36	.93	11	20 359.9	15	21 034.3	30.1
12	9	2	370.21	.93	12	22 210.8	20	28 045.7	53.5
13	9	3	401.06	.94	13	24 061.8	25	35 057.1	83.6
14	9	4	431.91	.95	14	25 912.7	30	42 068.5	120.4
41 15	30.849	15	462.76	1850.95	15	27 763.7	0 35	49 079.8	163.9
16	9	6	493.61	.96	16	29 614.6	40	56 091.1	214.1
17	9	7	524.46	.96	17	31 465.6	45	63 102.3	270.9
18	49	8	555.31	.97	18	33 316.5	50	70 113.5	334.5
19	50	9	586.16	.97	19	35 167.5	55	77 124.6	404.7
41 20	30.850	20	617.01	1850.98	20	37 018.5	1 00	84 135.6	481.7
21	0	1	647.86	.98	21	38 869.5	05	91 146.6	565.3
22	0	2	678.71	.99	22	40 720.4	10	98 157.4	655.6
23	0	3	709.56	0.99	23	42 571.4	15	105 168.2	752.6
24	0	4	740.41	1.00	24	44 422.4	20	112 178.9	856.3
41 25	30.850	25	771.26	1851.01	25	46 273.4	1 25	119 189.5	966.7
26	0	6	802.11	.01	26	48 124.4	30	126 200.0	1 083.8
27	0	7	832.96	.02	27	49 975.4	35	133 210.3	1 207.6
28	0	8	863.82	.02	28	51 826.5	40	140 220.6	1 338.0
29	0	9	894.67	.03	29	53 677.5	45	147 230.7	1 475.1
41 30	30.851	30	925.52	1851.03	30	55 528.5	1 50	154 240.7	1 619.0
31	1	1	956.37	.04	31	57 379.6	55	161 250.5	1 769.5
32	1	2	987.22	.04	32	59 230.6	2 00	168 260	1 927
33	1	3	1 018.07	.05	33	61 081.6	3 00	252 363	4 335
34	1	4	1 048.92	.05	34	62 932.7	4 00	336 432	7 706
41 35	30.851	35	1 079.77	1851.06	35	64 783.8	5 00	420 457	12 039
36	1	6	1 110.62	.07	36	66 634.8	6 00	504 428	17 335
37	1	7	1 141.47	.07	37	68 485.9	7 00	588 332	23 591
38	1	8	1 172.32	.08	38	70 337.0	8 00	672 159	30 807
39	1	9	1 203.17	.08	39	72 188.0	9 00	755 897	38 983
41 40	30.851	40	1 234.02	1851.09	40	74 039.1	10 00	839 537	48 118
41	2	1	1 264.87	.09	41	75 890.2	11 00	923 067	58 209
42	2	2	1 295.72	.10	42	77 741.3	12 00	1 006 475	69 256
43	2	3	1 326.57	.10	43	79 592.4	13 00	1 089 752	81 258
44	2	4	1 357.42	.11	44	81 443.5	14 00	1 172 886	94 212
41 45	30.852	45	1 388.27	1851.11	45	83 294.6	15 00	1 255 866	108 117
46	2	6	1 419.12	.12	46	85 145.7	16 00	1 338 681	122 971
47	2	7	1 449.98	.12	47	86 996.9	17 00	1 421 321	138 773
48	2	8	1 480.83	.13	48	88 848.0	18 00	1 503 775	155 520
49	2	9	1 511.68	.14	49	90 699.1	19 00	1 586 031	173 210
41 50	30.852	50	1 542.53	1851.14	50	92 550.3	20 00	1 668 079	191 841
51	2	1	1 573.38	.15	51	94 401.4	21 00	1 749 909	211 409
52	3	2	1 604.23	.15	52	96 252.5	22 00	1 831 509	231 914
53	3	3	1 635.08	.16	53	98 103.7	23 00	1 912 869	253 352
54	3	4	1 665.93	.16	54	99 954.9	24 00	1 993 978	275 719
41 55	30.853	55	1 696.78	1851.17	55	101 806.0	25 00	2 074 826	299 014
56	3	6	1 727.63	.17	56	103 657.2	26 00	2 155 402	323 233
57	3	7	1 758.48	.18	57	105 508.4	27 00	2 235 695	348 374
58	3	8	1 789.33	.18	58	107 359.6	28 00	2 315 695	374 432
59	3	9	1 820.18	.19	59	109 210.7	29 00	2 395 392	401 404
41 60	30.853	60	1 851.03	1851.20	60	111 061.9	30 00	2 474 774	429 287

Lat.	Latitude 42° to 43°—Meridional arcs.					Latitude 42°—Co-ordinates of curvature.			
	Value of 1''	Sums of seconds for middle latitude 42° 30'		Value of 1'	Continuous sums of minutes from latitude 42° 00'	Longitude.	X	Y	
° /	Meters.	''	Meters.	Meters.	'	Meters.	° /	Meters.	Meters.
42 00	30.853			1851.20			0 1	1 380.9	0.1
1	3	1	30.86	.20	1	1 851.2	2	2 761.8	0.5
2	3	2	61.71	.21	2	3 702.4	3	4 142.7	1.2
3	4	3	92.57	.21	3	5 553.6	4	5 523.5	2.2
4	4	4	123.42	.22	4	7 404.8	5	6 904.4	3.4
42 05	30.854	5	154.28	1851.22	5	9 256.0	6	8 285.3	4.8
6	4	6	185.14	.23	6	11 107.3	7	9 666.2	6.6
7	4	7	215.99	.23	7	12 958.5	8	11 047.1	8.6
8	4	8	246.85	.24	8	14 809.7	9	12 428.0	10.9
9	4	9	277.70	.24	9	16 661.0			
42 10	30.854	10	308.56	1851.25	10	18 512.2	0 10	13 808.8	13.4
11	4	1	339.42	.26	1	20 363.5	15	20 713.2	30.2
12	4	2	370.27	.26	2	22 214.7	20	27 617.6	53.8
13	4	3	401.13	.27	3	24 066.0	25	34 522.0	84.0
14	5	4	431.98	.27	4	25 917.3	30	41 426.3	120.9
42 15	30.855	15	462.84	1851.28	15	27 768.5	0 35	48 330.6	164.6
16	5	6	493.70	.28	6	29 619.8	40	55 234.8	215.0
17	5	7	524.55	.29	7	31 471.1	45	62 139.0	272.1
18	5	8	555.41	.29	8	33 322.4	50	69 043.1	336.0
19	5	9	586.26	.30	9	35 173.7	55	75 947.2	406.5
42 20	30.855	20	617.12	1851.30	20	37 025.0	1 00	82 851.2	483.8
21	5	1	647.98	.31	1	38 876.3	05	89 755.1	567.8
22	5	2	678.83	.32	2	40 727.6	10	96 658.9	658.5
23	5	3	709.69	.32	3	42 578.9	15	103 562.6	755.9
24	5	4	740.54	.33	4	44 430.3	20	110 466.3	860.1
42 25	30.856	25	771.40	1851.33	25	46 281.6	1 25	117 369.8	971.0
26	6	6	802.26	.34	6	48 132.9	30	124 273.2	1 088.5
27	6	7	833.11	.34	7	49 984.3	35	131 176.5	1 212.8
28	6	8	863.97	.35	8	51 835.6	40	138 079.7	1 343.8
29	6	9	894.82	.35	9	53 686.9	45	144 982.7	1 481.6
42 30	30.856	30	925.68	1851.36	30	55 538.3	1 50	151 885.6	1 626.1
31	6	1	956.54	.37	1	57 389.7	55	158 788.4	1 777.2
32	6	2	987.39	.37	2	59 241.0	2 00	165 691	1 935
33	6	3	1 018.25	.38	3	61 092.4	3 00	248 508	4 354
34	6	4	1 049.10	.38	4	62 943.8	4 00	331 292	7 739
42 35	30.856	35	1 079.96	1851.39	35	64 795.2	5 00	414 030	12 092
36	7	6	1 110.82	.39	6	66 646.6	6 00	496 712	17 410
37	7	7	1 141.67	.40	7	68 498.0	7 00	579 325	23 693
38	7	8	1 172.53	.40	8	70 349.4	8 00	661 861	30 941
39	7	9	1 203.38	.41	9	72 200.8	9 00	744 305	39 152
42 40	30.857	40	1 234.24	1851.41	40	74 052.2	10 00	826 648	48 325
41	7	1	1 265.10	.42	1	75 903.6	11 00	908 879	58 459
42	7	2	1 295.95	.43	2	77 755.0	12 00	990 985	69 553
43	7	3	1 326.81	.43	3	79 606.4	13 00	1 072 956	81 605
44	7	4	1 357.66	.44	4	81 457.9	14 00	1 154 781	94 614
42 45	30.857	45	1 388.52	1851.44	45	83 309.3	15 00	1 236 449	108 577
46	7	6	1 419.38	.45	6	85 160.8	16 00	1 317 948	123 493
47	8	7	1 450.23	.45	7	87 012.2	17 00	1 399 267	139 360
48	8	8	1 481.09	.46	8	88 863.7	18 00	1 480 395	156 175
49	8	9	1 511.94	.46	9	90 715.1	19 00	1 561 321	173 937
42 50	30.858	50	1 542.80	1851.47	50	92 566.6	20 00	1 642 035	192 642
51	8	1	1 573.66	.47	1	94 418.1	21 00	1 722 524	212 289
52	8	2	1 604.51	.48	2	96 269.5	22 00	1 802 779	232 874
53	8	3	1 635.37	.49	3	98 121.0	23 00	1 882 788	254 396
54	8	4	1 666.22	.49	4	99 972.5	24 00	1 962 540	276 850
42 55	30.858	55	1 697.08	1851.50	55	101 824.0	25 00	2 042 024	300 234
56	8	6	1 727.94	.50	6	103 675.5	26 00	2 121 230	324 544
57	8	7	1 758.79	.51	7	105 527.0	27 00	2 200 146	349 778
58	9	8	1 789.65	.51	8	107 378.5	28 00	2 278 762	375 932
59	9	9	1 820.50	.52	9	109 230.0	29 00	2 357 067	403 002
42 60	30.859	60	1 851.36	1851.52	60	111 081.6	30 00	2 435 052	430 985

Lat.	Latitude 43° to 44°—Meridional arcs.						Latitude 43°—Co-ordinates of curvature.		
	Value of 1''	Sums of seconds for middle latitude 43° 30'		Value of 1'	Continuous sums of minutes from latitude 43° 00'		Longitude.	X	Y
° /	Meters.	''	Meters.	Meters.	'	Meters.	° /	Meters.	Meters.
43 00	30.859			1851.52			0 1	1 359.1	0.1
1	9	1	30.86	.53	1	1 851.5	0 2	2 718.1	0.5
2	9	2	61.72	.53	2	3 703.1	0 3	4 077.2	1.2
3	9	3	92.58	.54	3	5 554.6	0 4	5 436.1	2.2
4	9	4	123.45	.55	4	7 406.1	0 5	6 795.3	3.4
43 05	30.859	5	154.31	1851.55	5	9 257.7	0 6	8 154.3	4.9
6	9	6	185.17	.56	6	11 109.2	0 7	9 513.4	6.6
7	9	7	216.03	.56	7	12 960.8	0 8	10 872.4	8.6
8	59	8	246.89	.57	8	14 812.4	0 9	12 231.5	10.9
9	60	9	277.75	.57	9	16 663.9			
43 10	30.860	10	308.61	1851.58	10	18 515.5	0 10	13 590.5	13.5
11	0	1	339.48	.58	1	20 367.1	0 15	20 385.8	30.3
12	0	2	370.34	.59	2	22 218.7	0 20	27 181.0	53.9
13	0	3	401.20	.59	3	24 070.3	0 25	33 976.2	84.3
14	0	4	432.06	.60	4	25 921.9	0 30	40 771.4	121.3
43 15	30.860	15	462.92	1851.61	15	27 773.5	0 35	47 566.5	165.1
16	0	6	493.78	.61	6	29 625.1	0 40	54 361.6	215.7
17	0	7	524.64	.62	7	31 476.7	0 45	61 156.7	273.0
18	0	8	555.51	.62	8	33 328.3	0 50	67 951.6	337.0
19	0	9	586.37	.63	9	35 179.9	0 55	74 746.5	407.8
43 20	30.861	20	617.23	1851.63	20	37 031.6	1 00	81 541.3	485.3
21	1	1	648.09	.64	1	38 883.2	1 05	88 336.1	569.6
22	1	2	678.95	.64	2	40 734.8	1 10	95 130.7	660.5
23	1	3	709.81	.65	3	42 586.5	1 15	101 925.3	758.3
24	1	4	740.68	.65	4	44 438.1	1 20	108 719.8	862.8
43 25	30.861	25	771.54	1851.66	25	46 289.8	1 25	115 514.2	974.0
26	1	6	802.40	.67	6	48 141.4	1 30	122 308.4	1 091.9
27	1	7	833.26	.67	7	49 993.1	1 35	129 102.5	1 216.6
28	1	8	864.12	.68	8	51 844.8	1 40	135 896.5	1 348.0
29	1	9	894.98	.68	9	53 696.5	1 45	142 690.4	1 486.2
43 30	30.861	30	925.84	1851.69	30	55 548.2	1 50	149 484.1	1 631.1
31	2	1	956.71	.69	1	57 399.9	1 55	156 277.7	1 782.8
32	2	2	987.57	.70	2	59 251.6	2 00	163 071	1 941
33	2	3	1 018.43	.70	3	61 103.3	2 05	169 865	2 106
34	2	4	1 049.29	.71	4	62 955.0	2 10	176 659	2 277
43 35	30.862	35	1 080.15	1851.72	35	64 806.7	2 15	183 453	2 454
36	2	6	1 111.01	.72	6	66 658.4	2 20	190 247	2 637
37	2	7	1 141.87	.73	7	68 510.1	2 25	197 041	2 826
38	2	8	1 172.74	.73	8	70 361.9	2 30	203 835	3 020
39	2	9	1 203.60	.74	9	72 213.6	2 35	210 629	3 219
43 40	30.862	40	1 234.46	1851.74	40	74 065.3	2 40	217 423	3 423
41	2	1	1 265.32	.75	1	75 917.1	2 45	224 217	3 632
42	3	2	1 296.18	.75	2	77 768.8	2 50	231 011	3 846
43	3	3	1 327.04	.76	3	79 620.5	2 55	237 805	4 065
44	3	4	1 357.90	.76	4	81 472.3	3 00	244 599	4 289
43 45	30.863	45	1 388.77	1851.77	45	83 324.1	3 05	251 393	4 518
46	3	6	1 419.63	.77	6	85 175.8	3 10	258 187	4 752
47	3	7	1 450.49	.78	7	87 027.6	3 15	264 981	4 991
48	3	8	1 481.35	.79	8	88 879.4	3 20	271 775	5 235
49	3	9	1 512.21	.79	9	90 731.2	3 25	278 569	5 484
43 50	30.863	50	1 543.07	1851.80	50	92 583.0	3 30	285 363	5 738
51	3	1	1 573.93	.80	1	94 434.8	3 35	292 157	5 997
52	3	2	1 604.80	.81	2	96 286.6	3 40	298 951	6 261
53	4	3	1 635.66	.81	3	98 138.4	3 45	305 745	6 529
54	4	4	1 666.52	.82	4	99 990.3	3 50	312 539	6 802
43 55	30.864	55	1 697.38	1851.82	55	101 842.1	3 55	319 333	7 079
56	4	6	1 728.24	.83	6	103 693.9	4 00	326 127	7 361
57	4	7	1 759.10	.84	7	105 545.7	4 05	332 921	7 648
58	4	8	1 789.96	.84	8	107 397.6	4 10	339 715	7 939
59	4	9	1 820.83	.85	9	109 249.4	4 15	346 509	8 234
43 60	30.864	60	1 851.69	1851.85	60	111 101.3	4 20	353 303	8 533

Lat.	Latitude 44° to 45°—Meridional arcs.					Latitude 44°—Co-ordinates of curvature.			
	Value of 1''	Sums of seconds for middle latitude 44° 30'		Value of 1'	Continuous sums of minutes from latitude 44° 00'		Longitude.	X	Y
° /	Meters.	''	Meters.	Meters.	'	Meters.	° /	Meters.	Meters.
44 00	30.864			1851.85			0 1	1 336.8	0.1
1	4	1	30.87	.86	1	1 851.9	0 2	2 673.6	0.5
2	4	2	61.73	.86	2	3 703.7	0 3	4 010.4	1.2
3	4	3	92.60	.87	3	5 555.6	0 4	5 347.2	2.2
4	5	4	123.47	.87	4	7 407.4	0 5	6 684.0	3.4
44 05	30.865	5	154.33	1851.88	5	9 259.3	0 6	8 020.8	4.9
6	5	6	185.20	.89	6	11 111.2	0 7	9 357.7	6.6
7	5	7	216.07	.89	7	12 963.1	0 8	10 694.5	8.6
8	5	8	246.94	.90	8	14 815.0	0 9	12 031.3	10.9
9	5	9	277.80	.90	9	16 666.9			
44 10	30.865	10	308.67	1851.91	10	18 518.8	0 10	13 368.1	13.5
11	5	1	339.54	.91	1	20 370.7	0 15	20 052.1	30.4
12	5	2	370.40	.92	2	22 222.6	0 20	26 736.1	54.0
13	5	3	401.27	.92	3	24 074.5	0 25	33 420.1	84.4
14	5	4	432.14	.93	4	25 926.5	0 30	40 104.0	121.5
44 15	30.866	15	463.00	1851.93	15	27 778.4	0 35	46 787.9	165.4
16	6	6	493.87	.94	6	29 630.3	0 40	53 471.8	216.1
17	6	7	524.74	.95	7	31 482.3	0 45	60 155.6	273.5
18	6	8	555.61	.95	8	33 334.2	0 50	66 839.3	337.7
19	6	9	586.47	.96	9	35 186.2	0 55	73 523.0	408.6
44 20	30.866	20	617.34	1851.96	20	37 038.1	1 00	80 206.5	486.2
21	6	1	648.21	.97	1	38 890.1	1 05	86 890.0	570.6
22	6	2	679.07	.97	2	40 742.0	1 10	93 573.5	661.8
23	6	3	709.94	.98	3	42 594.0	1 15	100 256.8	759.7
24	6	4	740.81	.98	4	44 446.0	1 20	106 940.0	864.4
44 25	30.866	25	771.67	1851.99	25	46 298.0	1 25	113 623.1	975.8
26	7	6	802.54	1.99	6	48 150.0	1 30	120 306.1	1 094.0
27	7	7	833.41	2.00	7	50 002.0	1 35	126 989.0	1 218.9
28	7	8	864.27	.01	8	51 854.0	1 40	133 671.8	1 350.6
29	7	9	895.14	.01	9	53 706.0	1 45	140 354.4	1 489.0
44 30	30.867	30	926.01	1852.02	30	55 558.0	1 50	147 036.8	1 634.2
31	7	1	956.88	.02	1	57 410.0	1 55	153 719.1	1 786.1
32	7	2	987.74	.03	2	59 262.0	2 00	160 401	1 945
33	7	3	1 018.61	.03	3	61 114.1	2 05	167 083	2 115
34	7	4	1 049.48	.04	4	62 966.1	2 10	173 765	2 290
44 35	30.867	35	1 080.34	1852.04	35	64 818.1	2 15	180 447	2 470
36	7	6	1 111.21	.05	6	66 670.2	2 20	187 129	2 655
37	8	7	1 142.08	.06	7	68 522.2	2 25	193 811	2 845
38	8	8	1 172.94	.06	8	70 374.3	2 30	200 493	3 040
39	8	9	1 203.81	.07	9	72 226.4	2 35	207 175	3 240
44 40	30.868	40	1 234.68	1852.07	40	74 078.4	2 40	213 857	3 445
41	8	1	1 265.54	.08	1	75 930.5	2 45	220 539	3 655
42	8	2	1 296.41	.08	2	77 782.6	2 50	227 221	3 870
43	8	3	1 327.28	.09	3	79 634.7	2 55	233 903	4 090
44	8	4	1 358.15	.09	4	81 486.8	3 00	240 585	4 315
44 45	30.868	45	1 389.01	1852.10	45	83 338.9	3 05	247 267	4 545
46	8	6	1 419.88	.10	6	85 191.0	3 10	253 949	4 780
47	9	7	1 450.75	.11	7	87 043.1	3 15	260 631	5 020
48	9	8	1 481.61	.12	8	88 895.2	3 20	267 313	5 265
49	9	9	1 512.48	.12	9	90 747.3	3 25	273 995	5 515
44 50	30.869	50	1 543.35	1852.13	50	92 599.5	3 30	280 677	5 770
51	9	1	1 574.21	.13	1	94 451.6	3 35	287 359	6 030
52	9	2	1 605.08	.14	2	96 303.7	3 40	294 041	6 295
53	9	3	1 635.95	.14	3	98 155.9	3 45	300 723	6 565
54	9	4	1 666.82	.15	4	100 008.0	3 50	307 405	6 840
44 55	30.869	55	1 697.68	1852.15	55	101 860.2	3 55	314 087	7 120
56	9	6	1 728.55	.16	6	103 712.3	4 00	320 769	7 405
57	69	7	1 759.42	.16	7	105 564.5	4 05	327 451	7 695
58	70	8	1 790.28	.17	8	107 416.7	4 10	334 133	7 990
59	0	9	1 821.15	.18	9	109 268.8	4 15	340 815	8 290
44 60	30.870	60	1 852.02	1852.18	60	111 121.0	4 20	347 497	8 595

Latitude 45° to 46°—Arcs of the parallel in meters.

Lat.	1''	2''	3''	4''	5''	6''	7''	8''	9''	1'	2'	3'	4'	5'
. /														
45 00	21.903	43.81	65.71	87.61	109.51	131.42	153.32	175.22	197.12	1314.2	2628.3	3942.5	5256.6	6570.8
1	.896	.79	.69	.58	.48	.38	.28	.17	.06	3.8	7.5	1.3	5.1	68.8
2	.890	.78	.67	.56	.45	.34	.23	.12	7.01	3.4	6.8	40.2	3.6	6.9
3	.883	.77	.65	.53	.42	.30	.19	.07	6.95	3.0	6.0	39.0	2.0	5.0
4	.877	.75	.63	.51	.39	.26	.14	5.02	.89	2.6	5.3	7.9	50.5	3.1
45 05	21.871	43.74	65.61	87.48	109.35	131.22	153.10	174.97	196.83	1312.2	2624.5	3936.7	5249.0	6561.2
6	.864	.73	.59	.46	.32	.19	.05	.91	.78	1.9	3.7	5.6	7.4	59.3
7	.858	.72	.57	.43	.29	.15	3.01	.86	.72	1.5	3.0	4.4	5.9	7.4
8	.852	.70	.56	.41	.26	.11	2.96	.81	.66	1.1	2.2	3.3	4.4	5.5
9	.845	.69	.54	.38	.23	.07	.92	.76	.61	0.7	1.5	2.2	2.9	3.6
45 10	21.839	43.68	65.52	87.36	109.20	131.03	152.87	174.71	196.55	1310.3	2620.7	3931.0	5241.3	6551.7
11	.833	.67	.50	.33	.17	1.00	.83	.66	.49	10.0	19.9	29.9	39.8	49.8
12	.826	.65	.48	.30	.13	0.96	.78	.61	.44	9.6	9.1	8.7	8.3	7.9
13	.820	.64	.46	.28	.10	.92	.74	.56	.38	9.2	8.4	7.6	6.8	5.9
14	.813	.63	.44	.25	.07	.88	.69	.51	.32	8.8	7.6	6.4	5.2	4.0
45 15	21.807	43.61	65.42	87.23	109.04	130.84	152.65	174.46	196.26	1308.4	2616.8	3925.3	5233.7	6542.1
16	.801	.60	.40	.20	9.01	.80	.61	.41	.21	8.0	6.1	4.1	2.2	40.2
17	.794	.59	.38	.18	8.98	.77	.56	.35	.15	7.7	5.3	3.0	30.6	38.3
18	.788	.58	.36	.15	.94	.73	.52	.30	.09	7.3	4.5	1.8	29.1	6.4
19	.782	.56	.35	.13	.91	.69	.47	.25	6.04	6.9	3.8	20.7	7.6	4.5
45 20	21.775	43.55	65.33	87.10	108.88	130.65	152.43	174.20	195.98	1306.5	2613.0	3919.5	5226.0	6532.5
21	.769	.54	.31	.07	.85	.61	.39	.15	.92	6.1	2.2	8.4	4.5	30.6
22	.762	.52	.29	.05	.82	.57	.34	.10	.86	5.7	1.5	7.2	3.0	28.7
23	.756	.51	.27	.02	.78	.54	.30	.05	.81	5.4	0.7	6.1	21.4	6.8
24	.750	.50	.25	7.00	.75	.50	.25	4.00	.75	5.0	10.0	4.9	19.9	4.9
45 25	21.743	43.49	65.23	86.97	108.72	130.46	152.21	173.95	195.69	1304.6	2609.2	3913.8	5218.4	6523.0
26	.737	.47	.21	.95	.69	.42	.16	.89	.63	4.2	8.4	2.6	6.8	21.0
27	.730	.46	.19	.92	.66	.38	.12	.84	.57	3.8	7.6	1.5	5.3	19.1
28	.724	.45	.17	.90	.62	.34	.07	.79	.52	3.4	6.9	10.3	3.8	7.2
29	.718	.44	.15	.87	.59	.31	2.03	.74	.46	3.1	6.1	09.2	2.2	5.3
45 30	21.711	43.42	65.13	86.84	108.56	130.27	151.98	173.69	195.40	1302.7	2605.3	3908.0	5210.7	6513.4
31	.705	.41	.11	.82	.53	.23	.94	.64	.34	2.3	4.5	6.9	09.1	11.4
32	.698	.40	.09	.79	.50	.19	.89	.59	.28	1.9	3.8	5.7	7.6	09.5
33	.692	.38	.08	.77	.46	.15	.85	.54	.23	1.5	3.0	4.6	6.1	7.6
34	.686	.37	.06	.74	.43	.11	.80	.48	.17	1.1	2.3	3.4	4.5	5.7
45 35	21.679	43.36	65.04	86.72	108.40	130.07	151.76	173.43	195.11	1300.7	2601.5	3902.2	5203.0	6503.7
36	.673	.35	.02	.69	.37	.04	.71	.38	5.05	0.4	600.7	901.1	201.4	501.8
37	.666	.33	5.00	.66	.34	30.00	.67	.33	4.99	300.0	599.9	899.9	199.9	499.9
38	.660	.32	4.98	.64	.30	29.96	.62	.28	.94	299.6	9.2	8.8	8.4	8.0
39	.653	.31	.96	.61	.27	.92	.58	.23	.88	9.2	8.4	7.6	6.8	6.0
45 40	21.647	43.29	64.94	86.59	108.24	129.88	151.53	173.18	194.82	1298.8	2597.6	3896.5	5195.3	6494.1
41	.641	.28	.92	.56	.20	.84	.48	.12	.76	8.4	6.8	5.3	3.7	2.2
42	.634	.27	.90	.54	.17	.81	.44	.07	.71	8.1	6.1	4.2	2.2	90.3
43	.628	.26	.88	.51	.14	.77	.40	3.02	.65	7.7	5.3	3.0	90.7	88.3
44	.621	.24	.86	.49	.11	.73	.35	2.97	.59	7.3	4.6	1.8	89.1	6.4
45 45	21.615	43.23	64.85	86.46	108.07	129.69	151.31	172.92	194.54	1296.9	2593.8	3890.7	5187.6	6484.5
46	.608	.22	.83	.43	.04	.65	.26	.87	.48	6.5	3.0	89.5	6.0	2.5
47	.602	.20	.81	.41	8.01	.61	.22	.82	.42	6.1	2.2	8.4	4.5	80.6
48	.596	.19	.79	.38	7.98	.57	.17	.76	.36	5.7	1.5	7.2	2.9	78.7
49	.589	.18	.77	.36	.94	.53	.13	.71	.30	5.3	90.7	6.0	81.4	6.7
45 50	21.583	43.17	64.75	86.33	107.91	129.50	151.08	172.66	194.25	1295.0	2589.9	3884.9	5179.9	6474.8
51	.576	.15	.73	.30	.88	.46	1.04	.61	.19	4.6	9.1	3.7	8.3	2.9
52	.570	.14	.71	.28	.85	.42	0.99	.56	.13	4.2	8.4	2.6	6.8	70.9
53	.563	.13	.69	.25	.81	.38	.95	.51	.07	3.8	7.6	1.4	5.2	69.0
54	.557	.11	.67	.23	.78	.34	.90	.46	4.01	3.4	6.9	80.2	3.7	7.1
45 55	21.550	43.10	64.65	86.20	107.75	129.30	150.86	172.40	193.96	1293.0	2586.1	3879.1	5172.1	6465.1
56	.544	.09	.63	.18	.72	.26	.81	.35	.90	2.6	5.3	7.9	70.6	3.2
57	.538	.08	.61	.15	.69	.23	.77	.30	.84	2.3	4.5	6.8	69.0	61.3
58	.531	.06	.59	.13	.65	.19	.72	.25	.78	1.9	3.8	5.6	7.5	59.3
59	.525	.05	.57	.10	.62	.15	.68	.20	.72	1.5	3.0	4.4	5.9	7.4
45 60	21.518	43.04	64.55	86.07	107.59	129.11	150.63	172.15	193.66	1291.1	2582.2	3873.3	5164.4	6455.5

Lat.	Latitude 45° to 46°—Meridional arcs.						Latitude 45°—Co-ordinates of curvature.		
	Value of 1''	Sums of seconds for middle latitude 45° 30'		Value of 1'	Continuous sums of minutes from latitude 45° 00'		Longitude.	X	Y
° /	Meters.	''	Meters.	Meters.	'	Meters.	° /	Meters.	Meters.
45 00	30.870			1852.18			0 1	1 314.1	0.1
1	0	1	30.87	.19	1	1 852.2	2	2 628.3	0.5
2	0	2	61.74	.19	2	3 704.4	3	3 942.5	1.2
3	0	3	92.62	.20	3	5 556.6	4	5 256.6	2.2
4	0	4	123.49	.20	4	7 408.8	5	6 570.8	3.4
45 05	30.870	5	154.36	1852.21	5	9 261.0	6	7 884.9	4.9
6	0	6	185.23	.21	6	11 113.2	7	9 199.1	6.6
7	0	7	216.11	.22	7	12 965.4	8	10 513.2	8.6
8	0	8	246.98	.23	8	14 817.6	9	11 827.4	10.9
9	1	9	277.85	.23	9	16 669.9	10	13 141.5	13.5
45 10	30.871	10	308.72	1852.24	10	18 522.1	15	19 712.3	30.4
11	1	1	339.60	.24	1	20 374.3	20	26 283.0	54.1
12	1	2	370.47	.25	2	22 226.6	25	32 853.7	84.5
13	1	3	401.34	.25	3	24 078.8	30	39 424.3	121.6
14	1	4	432.21	.26	4	25 931.1	35	45 994.9	165.6
45 15	30.871	15	463.09	1852.26	15	27 783.3	40	52 565.5	216.2
16	1	6	493.96	.27	6	29 635.6	45	59 136.0	273.7
17	1	7	524.83	.27	7	31 487.9	50	65 706.5	337.9
18	1	8	555.70	.28	8	33 340.1	55	72 276.8	408.8
19	1	9	586.58	.29	9	35 192.4	00	78 847.1	486.5
45 20	30.872	20	617.45	1852.29	20	37 044.7	05	85 417.4	571.0
21	2	1	648.32	.30	1	38 897.0	10	91 987.5	662.2
22	2	2	679.19	.30	2	40 749.3	15	98 557.5	760.2
23	2	3	710.07	.31	3	42 601.6	20	105 127.4	865.0
24	2	4	740.94	.31	4	44 453.9	25	111 697.3	976.5
45 25	30.872	25	771.81	1852.32	25	46 306.2	30	118 267.0	1 094.7
26	2	6	802.68	.32	6	48 158.6	35	124 836.6	1 219.7
27	2	7	833.56	.33	7	50 010.9	40	131 406.0	1 351.5
28	2	8	864.43	.34	8	51 863.2	45	137 975.3	1 490.0
29	2	9	895.30	.34	9	53 715.6	50	144 544.4	1 635.3
45 30	30.872	30	926.17	1852.35	30	55 567.9	55	151 113.5	1 787.3
31	3	1	957.05	.35	1	57 420.3	00	157 682	1 946
32	3	2	987.92	.36	2	59 272.6	05	236 493	4 378
33	3	3	1 018.79	.36	3	61 125.0	10	315 269	7 783
34	3	4	1 049.66	.37	4	62 977.3	15	393 996	12 160
45 35	30.873	35	1 080.54	1852.37	35	64 829.7	20	472 663	17 508
36	3	6	1 111.41	.38	6	66 682.1	25	551 258	23 826
37	3	7	1 142.28	.38	7	68 534.5	30	629 769	31 114
38	3	8	1 173.15	.39	8	70 386.9	35	708 184	39 370
39	3	9	1 204.02	.40	9	72 239.3	40	786 492	48 594
45 40	30.873	40	1 234.90	1852.40	40	74 091.7	45	864 679	58 782
41	3	1	1 265.77	.41	1	75 944.1	50	942 735	69 936
42	4	2	1 296.64	.41	2	77 796.5	55	1 020 647	82 051
43	4	3	1 327.51	.42	3	79 648.9	00	1 098 404	95 127
44	4	4	1 358.39	.42	4	81 501.3	05	1 175 994	109 162
45 45	30.874	45	1 389.26	1852.43	45	83 353.7	10	1 253 404	124 153
46	4	6	1 420.13	.43	6	85 206.1	15	1 330 624	140 099
47	4	7	1 451.00	.44	7	87 058.6	20	1 407 640	156 996
48	4	8	1 481.88	.44	8	88 911.0	25	1 484 443	174 842
49	4	9	1 512.75	.45	9	90 763.5	30	1 561 019	193 635
45 50	30.874	50	1 543.62	1852.46	50	92 615.9	35	1 637 358	213 371
51	4	1	1 574.49	.46	1	94 468.4	40	1 713 447	234 048
52	4	2	1 605.37	.47	2	96 320.9	45	1 789 276	255 663
53	5	3	1 636.24	.47	3	98 173.3	50	1 864 831	278 211
54	5	4	1 667.11	.48	4	100 025.8	55	1 940 103	301 690
45 55	30.875	55	1 697.98	1852.48	55	101 878.3	00	2 015 079	326 097
56	5	6	1 728.86	.49	6	103 730.8	05	2 089 749	351 427
57	5	7	1 759.73	.49	7	105 583.3	10	2 164 100	377 676
58	5	8	1 790.60	.50	8	107 435.8	15	2 238 121	404 841
59	5	9	1 821.47	.51	9	109 288.3	20	2 311 802	432 918
45 60	30.875	60	1 852.35	1852.51	60	111 140.8	25		

Latitude 46° to 47°—Arcs of the parallel in meters.

Lat.	1"	2"	3"	4"	5"	6"	7"	8"	9"	1'	2'	3'	4'	5'
46 00	21.518	43.04	64.55	86.07	107.59	129.11	150.63	172.15	193.66	1291.1	2582.2	3873.3	5164.4	6455.5
1	.512	.02	.53	.05	.56	.07	.58	.09	.60	0.7	1.4	2.1	2.8	3.5
2	.505	.01	.52	.6.02	.53	9.03	.54	2.04	.55	90.3	80.6	70.9	61.3	51.6
3	.499	3.00	.50	5.99	.49	8.99	.49	1.99	.49	89.9	79.9	69.8	59.7	49.6
4	.492	2.98	.48	.97	.46	.95	.45	.94	.43	9.5	9.1	8.6	8.2	7.7
46 05	21.486	42.97	64.46	85.94	107.43	128.92	150.40	171.89	193.37	1289.2	2578.3	3867.5	5156.6	6445.8
6	.479	.96	.44	.92	.40	.88	.35	.84	.31	8.8	7.5	6.3	5.1	3.8
7	.473	.95	.42	.89	.37	.84	.31	.78	.25	8.4	6.7	5.1	3.5	41.9
8	.466	.93	.40	.87	.33	.80	.26	.73	.20	8.0	6.0	4.0	1.9	39.9
9	.460	.92	.38	.84	.30	.76	.22	.68	.14	7.6	5.2	2.8	50.4	8.0
46 10	21.454	42.91	64.36	85.81	107.27	128.72	150.17	171.63	193.08	1287.2	2574.4	3861.6	5148.8	6436.1
11	.447	.89	.34	.79	.24	.68	.13	.58	3.02	6.8	3.6	60.5	7.3	4.1
12	.441	.88	.32	.76	.20	.64	.08	.52	2.96	6.4	2.8	59.3	5.7	2.2
13	.434	.87	.30	.74	.17	.60	50.04	.47	.91	6.0	2.1	8.1	4.2	30.2
14	.428	.86	.28	.71	.14	.57	49.99	.42	.85	5.7	1.3	7.0	2.6	28.3
46 15	21.421	42.84	64.26	85.68	107.10	128.53	149.95	171.37	192.79	1285.3	2570.5	3855.8	5141.1	6426.3
16	.415	.83	.24	.66	.07	.49	.90	.32	.73	4.9	69.7	4.6	39.5	4.4
17	.408	.82	.22	.63	.04	.45	.86	.26	.67	4.5	8.9	3.5	7.9	2.4
18	.402	.80	.21	.61	7.01	.41	.81	.21	.62	4.1	8.2	2.3	6.4	20.5
19	.395	.79	.19	.58	6.97	.37	.77	.16	.56	3.7	7.4	1.1	4.8	18.5
46 20	21.389	42.78	64.17	85.55	106.94	128.33	149.72	171.11	192.50	1283.3	2566.6	3850.0	5133.3	6416.6
21	.382	.76	.15	.53	.91	.29	.68	.06	.44	2.9	5.8	48.8	1.7	4.6
22	.376	.75	.13	.50	.88	.25	.63	1.00	.38	2.5	5.0	7.6	30.1	2.7
23	.369	.74	.11	.48	.84	.21	.59	0.95	.32	2.1	4.3	6.4	28.6	10.7
24	.363	.73	.09	.45	.81	.18	.54	.90	.26	1.8	3.5	5.3	7.0	08.8
46 25	21.356	42.71	64.07	85.42	106.78	128.14	149.50	170.85	192.21	1281.4	2562.7	3844.1	5125.5	6406.8
26	.350	.70	.05	.40	.75	.10	.45	.80	.15	1.0	1.9	2.9	3.9	4.9
27	.343	.69	.03	.37	.72	.06	.41	.74	.09	0.6	1.1	1.8	2.3	2.9
28	.337	.67	4.01	.35	.68	8.02	.36	.69	2.03	80.2	60.4	40.6	20.8	401.0
29	.330	.66	3.99	.32	.65	7.98	.32	.64	1.97	79.8	59.6	39.4	19.2	399.0
46 30	21.324	42.65	63.97	85.29	106.62	127.94	149.27	170.59	191.91	1279.4	2558.8	3838.2	5117.7	6397.1
31	.317	.63	.95	.27	.59	.90	.22	.54	.85	9.0	8.0	7.1	6.1	5.1
32	.311	.62	.93	.24	.55	.86	.18	.48	.79	8.6	7.2	5.9	4.5	3.2
33	.304	.61	.91	.22	.52	.82	.13	.43	.73	8.2	6.5	4.7	3.0	91.2
34	.297	.59	.89	.19	.48	.78	.08	.38	.67	7.8	5.7	3.5	11.4	89.2
46 35	21.291	42.58	63.87	85.16	106.45	127.75	149.04	170.33	191.62	1277.5	2554.9	3832.4	5109.8	6387.3
36	.284	.57	.85	.14	.42	.71	8.99	.28	.56	7.1	4.1	1.2	8.3	5.3
37	.278	.56	.83	.11	.39	.67	.95	.22	.50	6.7	3.3	30.0	6.7	3.4
38	.271	.54	.81	.09	.36	.63	.90	.17	.44	6.3	2.6	28.8	5.1	81.4
39	.265	.53	.79	.06	.32	.59	.86	.12	.38	5.9	1.8	7.7	3.6	79.5
46 40	21.258	42.52	63.77	85.03	106.29	127.55	148.81	170.07	191.32	1275.5	2551.0	3826.5	5102.0	6377.5
41	.252	.50	.75	5.01	.26	.51	.76	70.01	.26	5.1	50.2	5.3	100.4	5.5
42	.245	.49	.74	4.98	.22	.47	.72	69.96	.21	4.7	49.4	4.1	98.9	3.6
43	.239	.48	.72	.96	.19	.43	.67	.91	.15	4.3	8.7	3.0	7.3	71.6
44	.232	.46	.70	.93	.16	.39	.63	.86	.09	3.9	7.9	1.8	5.7	69.6
46 45	21.226	42.45	63.68	84.90	106.12	127.35	148.58	169.80	191.03	1273.5	2547.1	3820.6	5094.1	6367.7
46	.219	.44	.66	.88	.09	.31	.53	.75	0.97	3.1	6.3	19.4	2.6	5.7
47	.213	.43	.64	.85	.06	.28	.49	.70	.91	2.8	5.5	8.3	91.0	3.8
48	.206	.41	.62	.83	6.03	.24	.44	.65	.86	2.4	4.8	7.1	89.4	61.8
49	.199	.40	.60	.80	5.99	.20	.40	.60	.80	2.0	4.0	5.9	7.9	59.8
46 50	21.193	42.39	63.58	84.77	105.96	127.16	148.35	169.54	190.74	1271.6	2543.2	3814.7	5086.3	6357.9
51	.186	.37	.56	.75	.93	.12	.30	.49	.68	1.2	2.4	3.5	4.7	5.9
52	.180	.36	.54	.72	.90	.08	.26	.44	.62	0.8	1.6	2.4	3.1	3.9
53	.173	.35	.52	.69	.86	.04	.21	.39	.56	0.4	0.8	1.2	1.6	2.0
54	.167	.33	.50	.67	.83	7.00	.17	.33	.50	70.0	40.0	10.0	80.0	50.0
46 55	21.160	42.32	63.48	84.64	105.80	126.96	148.12	169.28	190.44	1269.6	2539.2	3808.8	5078.4	6348.0
56	.154	.31	.46	.61	.77	.92	.07	.23	.38	9.2	8.4	7.6	6.9	6.1
57	.147	.29	.44	.59	.74	.88	8.03	.18	.33	8.8	7.6	6.5	5.3	4.1
58	.140	.28	.42	.56	.70	.84	7.98	.12	.27	8.4	6.9	5.3	3.7	2.1
59	.134	.27	.40	.54	.67	.80	.94	.07	.21	8.0	6.1	4.1	2.1	40.2
46 60	21.127	42.25	63.38	84.51	105.64	126.76	147.89	169.02	190.15	1267.6	2535.3	3802.9	5070.6	6338.2

Lat.	Latitude 46° to 47°—Meridional arcs.					Latitude 46°—Co-ordinates of curvature.			
	Value of 1''	Sums of seconds for middle latitude 46° 30'		Value of 1'	Continuous sums of minutes from latitude 46° 00'	Longitude.	X	Y	
° /	Meters.	''	Meters.	Meters.	'	Meters.	° /	Meters.	Meters.
46 00	30.875			1852.51			0 1	1 291.1	0.1
1	5	1	30.88	.52	1	1 852.5	0 2	2 582.2	0.5
2	5	2	61.76	.52	2	3 705.0	0 3	3 873.3	1.2
3	5	3	92.63	.53	3	5 557.6	0 4	5 164.4	2.2
4	6	4	123.51	.53	4	7 410.1	0 5	6 455.5	3.4
46 05	30.876	5	154.39	1852.54	5	9 262.6	0 6	7 746.6	4.9
6	6	6	185.27	.54	6	11 115.2	0 7	9 037.6	6.6
7	6	7	216.15	.55	7	12 967.7	0 8	10 328.7	8.6
8	6	8	247.02	.55	8	14 820.3	0 9	11 619.8	10.9
9	6	9	277.90	.56	9	16 672.8			
46 10	30.876	10	308.78	1852.57	10	18 525.4	0 10	12 910.9	13.5
11	6	1	339.66	.57	1	20 377.9	0 15	19 366.4	30.4
12	6	2	370.54	.58	2	22 230.5	0 20	25 821.8	54.0
13	6	3	401.41	.58	3	24 083.1	0 25	32 277.2	84.4
14	6	4	432.29	.59	4	25 935.7	0 30	38 732.6	121.6
46 15	30.877	15	463.17	1852.59	15	27 788.3	0 35	45 187.9	165.5
16	7	6	494.05	.60	6	29 640.9	0 40	51 643.1	216.1
17	7	7	524.92	.60	7	31 493.5	0 45	58 098.4	273.5
18	7	8	555.80	.61	8	33 346.1	0 50	64 553.5	337.7
19	7	9	586.68	.61	9	35 198.7	0 55	71 008.6	408.6
46 20	30.877	20	617.56	1852.62	20	37 051.3	1 00	77 463.6	486.3
21	7	1	648.44	.63	1	38 903.9	1 05	83 918.5	570.7
22	7	2	679.31	.63	2	40 756.6	1 10	90 373.3	661.9
23	7	3	710.19	.64	3	42 609.2	1 15	96 828.0	759.8
24	7	4	741.07	.64	4	44 461.8	1 20	103 282.7	864.5
46 25	30.877	25	771.95	1852.65	25	46 314.5	1 25	109 737.2	975.9
26	8	6	802.83	.65	6	48 167.1	1 30	116 191.6	1 094.1
27	8	7	833.70	.66	7	50 019.8	1 35	122 645.8	1 219.0
28	8	8	864.58	.66	8	51 872.4	1 40	129 099.9	1 350.7
29	8	9	895.46	.67	9	53 725.1	1 45	135 553.9	1 489.2
46 30	30.878	30	926.34	1852.68	30	55 577.8	1 50	142 007.8	1 634.4
31	8	1	957.22	.68	1	57 430.5	1 55	148 461.4	1 786.3
32	8	2	988.09	.69	2	59 283.1	2 00	154 915	1 945
33	8	3	1 018.97	.69	3	61 135.8	2 05	161 369.5	2 113.5
34	8	4	1 049.85	.70	4	62 988.5	2 10	167 824.0	2 289.9
46 35	30.878	35	1 080.73	1852.70	35	64 841.2	2 15	174 278.5	2 474.3
36	8	6	1 111.61	.71	6	66 693.9	2 20	180 733.0	2 666.7
37	9	7	1 142.48	.71	7	68 546.6	2 25	187 187.5	2 867.1
38	9	8	1 173.36	.72	8	70 399.4	2 30	193 642.0	3 075.5
39	9	9	1 204.24	.72	9	72 252.1	2 35	200 096.5	3 290.9
46 40	30.879	40	1 235.12	1852.73	40	74 104.8	2 40	206 551.0	3 513.3
41	9	1	1 265.99	.74	1	75 957.5	2 45	213 005.5	3 742.7
42	9	2	1 296.87	.74	2	77 810.3	2 50	219 460.0	3 978.1
43	9	3	1 327.75	.75	3	79 663.0	2 55	225 914.5	4 219.5
44	9	4	1 358.63	.75	4	81 515.8	3 00	232 369.0	4 466.9
46 45	30.879	45	1 389.51	1852.76	45	83 368.5	3 05	238 823.5	4 720.3
46	9	6	1 420.38	.76	6	85 221.3	3 10	245 278.0	4 979.7
47	79	7	1 451.26	.77	7	87 074.1	3 15	251 732.5	5 245.1
48	80	8	1 482.14	.77	8	88 926.8	3 20	258 187.0	5 516.5
49	0	9	1 513.02	.78	9	90 779.6	3 25	264 641.5	5 792.9
46 50	30.880	50	1 543.90	1852.78	50	92 632.4	3 30	271 096.0	6 075.3
51	0	1	1 574.77	.79	1	94 485.2	3 35	277 550.5	6 363.7
52	0	2	1 605.65	.80	2	96 338.0	3 40	284 005.0	6 658.1
53	0	3	1 636.53	.80	3	98 190.8	3 45	290 459.5	6 958.5
54	0	4	1 667.41	.81	4	100 043.6	3 50	296 914.0	7 264.9
46 55	30.880	55	1 698.29	1852.81	55	101 896.4	3 55	303 368.5	7 577.3
56	0	6	1 729.16	.82	6	103 749.2	4 00	309 823.0	7 895.7
57	0	7	1 760.04	.82	7	105 602.0	4 05	316 277.5	8 219.1
58	0	8	1 790.92	.83	8	107 454.8	4 10	322 732.0	8 548.5
59	1	9	1 821.80	.83	9	109 307.7	4 15	329 186.5	8 882.9
46 60	30.881	60	1 852.68	1852.84	60	111 160.5	4 20	335 641.0	9 222.3

Lat.	Latitude 47° to 48°—Meridional arcs.					Latitude 47°—Co-ordinates of curvature.			
	Value of 1''	Sums of seconds for middle latitude 47° 30'		Value of 1'	Continuous sums of minutes from latitude 47° 00'	Longitude.	X	Y	
° /	Meters.	''	Meters.	Meters.	'	Meters.	° /	Meters.	Meters.
47 00	30.881			1852.84			0 1	1 267.6	0.1
1	1	1	30.88	.85	1	1 852.8	0 1		
2	1	2	61.77	.85	2	3 705.7	2	2 535.3	0.5
3	1	3	92.65	.86	3	5 558.5	3	3 802.9	1.2
4	1	4	123.53	.86	4	7 411.4	4	5 070.5	2.2
47 05	30.881	5	154.42	1852.87	5	9 264.3	0 5	6 338.2	3.4
6	1	6	185.30	.87	6	11 117.1	6	7 605.8	4.8
7	1	7	216.18	.88	7	12 970.0	7	8 873.5	6.6
8	1	8	247.07	.88	8	14 822.9	8	10 141.1	8.6
9	1	9	277.95	.89	9	16 675.8	9	11 408.7	10.9
47 10	30.882	10	308.83	1852.89	10	18 528.7	0 10	12 676.4	13.5
11	2	1	339.72	.90	1	20 381.6	15	19 014.6	30.3
12	2	2	370.60	.91	2	22 234.5	20	25 352.7	53.9
13	2	3	401.48	.91	3	24 087.4	25	31 690.8	84.3
14	2	4	432.37	.92	4	25 940.3	30	38 028.9	121.4
47 15	30.882	15	463.25	1852.92	15	27 793.2	0 35	44 366.9	165.2
16	2	6	494.13	.93	6	29 646.1	40	50 704.9	215.7
17	2	7	525.02	.93	7	31 499.1	45	57 042.9	273.0
18	2	8	555.90	.94	8	33 352.0	50	63 380.7	337.1
19	2	9	586.78	.94	9	35 204.9	55	69 718.5	407.9
47 20	30.882	20	617.67	1852.95	20	37 057.9	1 00	76 056.3	485.4
21	3	1	648.55	.95	1	38 910.8	05	82 393.9	569.7
22	3	2	679.43	.96	2	40 763.8	10	88 731.4	660.7
23	3	3	710.32	.97	3	42 616.8	15	95 068.9	758.4
24	3	4	741.20	.97	4	44 469.7	20	101 406.2	862.9
47 25	30.883	25	772.08	1852.98	25	46 322.7	1 25	107 743.4	974.2
26	3	6	802.97	.98	6	48 175.7	30	114 080.5	1 092.2
27	3	7	833.85	.99	7	50 028.7	35	120 417.5	1 216.9
28	3	8	864.74	2.99	8	51 881.7	40	126 754.3	1 348.3
29	3	9	895.62	3.00	9	53 734.7	45	133 091.0	1 486.5
47 30	30.883	30	926.50	1853.00	30	55 587.7	1 50	139 427.6	1 631.5
31	3	1	957.39	.01	1	57 440.7	55	145 764.0	1 783.2
32	4	2	988.27	.01	2	59 293.7	2 00	152 100	1 942
33	4	3	1 019.15	.02	3	61 146.7	3 00	228 119	4 368
34	4	4	1 050.04	.03	4	62 999.7	4 00	304 101	7 765
47 35	30.884	35	1 080.92	1853.03	35	64 852.7	5 00	380 034	12 131
36	4	6	1 111.80	.04	6	66 705.8	6 00	455 904	17 467
37	4	7	1 142.69	.04	7	68 558.8	7 00	531 700	23 770
38	4	8	1 173.57	.05	8	70 411.9	8 00	607 410	31 040
39	4	9	1 204.45	.05	9	72 264.9	9 00	683 020	39 276
47 40	30.884	40	1 235.34	1853.06	40	74 118.0	10 00	758 520	48 477
41	4	1	1 266.22	.06	1	75 971.0	11 00	833 895	58 640
42	4	2	1 297.10	.07	2	77 824.1	12 00	909 135	69 765
43	5	3	1 327.99	.08	3	79 677.2	13 00	984 227	81 849
44	5	4	1 358.87	.08	4	81 530.2	14 00	1 059 158	94 890
47 45	30.885	45	1 389.75	1853.09	45	83 383.3	15 00	1 133 917	108 887
46	5	6	1 420.64	.09	6	85 236.4	16 00	1 208 491	123 837
47	5	7	1 451.52	.10	7	87 089.5	17 00	1 282 868	139 738
48	5	8	1 482.40	.10	8	88 942.6	18 00	1 357 036	156 587
49	5	9	1 513.29	.11	9	90 795.7	19 00	1 430 984	174 381
47 50	30.885	50	1 544.17	1853.11	50	92 648.8	20 00	1 504 697	193 118
51	5	1	1 575.05	.12	1	94 501.9	21 00	1 578 166	212 793
52	5	2	1 605.94	.12	2	96 355.1	22 00	1 651 377	233 405
53	5	3	1 636.82	.13	3	98 208.2	23 00	1 724 320	254 950
54	6	4	1 667.70	.14	4	100 061.3	24 00	1 796 982	277 425
47 55	30.886	55	1 698.59	1853.14	55	101 914.5	25 00	1 869 351	300 824
56	6	6	1 729.47	.15	6	103 767.6	26 00	1 941 415	325 146
57	6	7	1 760.35	.15	7	105 620.8	27 00	2 013 163	350 386
58	6	8	1 791.24	.16	8	107 473.9	28 00	2 084 583	376 539
59	6	9	1 822.12	.16	9	109 327.1	29 00	2 155 663	403 602
47 60	30.886	60	1 853.00	1853.17	60	111 180.2	30 00	2 226 392	431 569

Latitude 48° to 49°—Arcs of the parallel in meters.

Lat.	1''	2''	3''	4''	5''	6''	7''	8''	9''	1'	2'	3'	4'	5'
48 00	20.730	41.46	62.19	82.92	103.65	124.38	145.11	165.84	186.57	1243.8	2487.6	3731.4	4975.2	6219.0
1	.723	.45	.17	.89	.62	.34	.06	.79	.51	3.4	6.8	30.2	3.6	7.0
2	.717	.43	.15	.87	.58	.30	5.02	.73	.45	3.0	6.0	29.0	2.0	5.0
3	.710	.42	.13	.84	.55	.26	4.97	.68	.39	2.6	5.2	7.8	70.4	3.0
4	.703	.41	.11	.81	.52	.22	.92	.63	.33	2.2	4.4	6.6	68.8	10.9
48 05	20.696	41.39	62.09	82.79	103.48	124.18	144.88	165.57	186.27	1241.8	2483.6	3725.4	4967.2	6208.9
6	.690	.38	.07	.76	.45	.14	.83	.52	.21	1.4	2.8	4.2	5.5	6.9
7	.683	.37	.05	.73	.42	.10	.78	.46	.15	1.0	2.0	3.0	3.9	4.9
8	.676	.35	.03	.71	.39	.06	.73	.41	.09	0.6	1.2	1.8	2.3	2.9
9	.670	.34	2.01	.68	.35	4.02	.69	.36	6.03	40.2	80.4	20.6	60.7	200.9
48 10	20.663	41.33	61.99	82.65	103.32	123.98	144.64	165.30	185.97	1239.8	2479.6	3719.4	4959.1	6198.9
11	.656	.31	.97	.63	.29	.94	.59	.25	.91	9.4	8.8	8.1	7.5	6.9
12	.650	.30	.95	.60	.25	.90	.55	.20	.85	9.0	8.0	6.9	5.9	4.9
13	.643	.29	.93	.57	.22	.86	.50	.14	.79	8.6	7.1	5.7	4.3	2.9
14	.636	.27	.91	.54	.18	.82	.45	.09	.73	8.2	6.3	4.5	2.7	90.9
48 15	20.630	41.26	61.89	82.52	103.15	123.78	144.41	165.04	185.66	1237.8	2475.5	3713.3	4951.1	6188.9
16	.623	.25	.87	.49	.12	.74	.36	4.98	.60	7.4	4.7	2.1	49.5	6.8
17	.616	.23	.85	.46	.08	.70	.31	.93	.54	7.0	3.9	10.9	7.9	4.8
18	.609	.22	.83	.44	.05	.66	.26	.88	.48	6.6	3.1	09.7	6.3	2.8
19	.603	.21	.81	.41	3.01	.62	.22	.82	.42	6.2	2.3	8.5	4.7	80.8
48 20	20.596	41.19	61.79	82.38	102.98	123.58	144.17	164.77	185.36	1235.8	2471.5	3707.3	4943.0	6178.8
21	.589	.18	.77	.36	.95	.54	.12	.71	.30	5.4	70.7	6.1	41.4	6.8
22	.583	.17	.75	.33	.91	.50	.08	.66	.24	5.0	69.9	4.9	39.8	4.8
23	.576	.15	.73	.30	.88	.46	4.03	.61	.18	4.6	9.1	3.7	8.2	2.8
24	.569	.14	.71	.28	.85	.42	3.98	.55	.12	4.2	8.3	2.5	6.6	70.8
48 25	20.562	41.12	61.69	82.25	102.81	123.37	143.93	164.50	185.06	1233.7	2467.5	3701.2	4935.0	6168.7
26	.556	.11	.67	.22	.78	.33	.89	.45	5.00	3.3	6.7	700.0	3.4	6.7
27	.549	.10	.65	.20	.74	.29	.84	.39	4.94	2.9	5.9	698.8	1.8	4.7
28	.542	.08	.63	.17	.71	.25	.79	.34	.88	2.5	5.1	7.6	30.1	2.7
29	.536	.07	.61	.14	.67	.21	.75	.28	.82	2.1	4.3	6.4	28.5	60.7
48 30	20.529	41.06	61.59	82.12	102.64	123.17	143.70	164.23	184.76	1231.7	2463.5	3695.2	4926.9	6158.7
31	.522	.04	.57	.09	.61	.13	.65	.18	.70	1.3	2.7	4.0	5.3	6.6
32	.515	.03	.55	.06	.57	.09	.61	.12	.64	0.9	1.9	2.8	3.7	4.6
33	.509	.02	.53	.03	.54	.05	.56	.07	.58	0.5	1.0	1.5	2.1	2.6
34	.502	1.00	.51	2.01	.51	3.01	.51	4.01	.52	30.1	60.2	90.3	20.4	50.6
48 35	20.495	40.99	61.48	81.98	102.47	122.97	143.47	163.96	184.45	1229.7	2459.4	3689.1	4918.8	6148.5
36	.488	.98	.46	.95	.44	.93	.42	.91	.39	9.3	8.6	7.9	7.2	6.5
37	.482	.96	.44	.93	.41	.89	.37	.85	.33	8.9	7.8	6.7	5.6	4.5
38	.475	.95	.42	.90	.38	.85	.32	.80	.27	8.5	7.0	5.5	4.0	2.5
39	.468	.94	.40	.87	.34	.81	.28	.75	.21	8.1	6.2	4.3	2.4	40.5
48 40	20.461	40.92	61.38	81.85	102.31	122.77	143.23	163.69	184.15	1227.7	2455.4	3683.1	4910.7	6138.4
41	.455	.91	.36	.82	.28	.73	.18	.64	.09	7.3	4.6	1.8	09.1	6.4
42	.448	.90	.34	.79	.24	.69	.14	.58	4.03	6.9	3.8	80.6	7.5	4.4
43	.441	.88	.32	.76	.21	.65	.09	.53	3.97	6.5	2.9	79.4	5.9	2.4
44	.434	.87	.30	.74	.17	.61	.04	.48	.91	6.1	2.1	8.2	4.3	30.3
48 45	20.428	40.86	61.28	81.71	102.14	122.57	143.00	163.42	183.85	1225.7	2451.3	3677.0	4902.6	6128.3
46	.421	.84	.26	.68	.11	.53	2.95	.37	.79	5.3	50.5	5.8	901.0	6.3
47	.414	.83	.24	.66	.07	.48	.90	.31	.73	4.8	49.7	4.5	899.4	4.2
48	.407	.81	.22	.63	.04	.44	.85	.26	.67	4.4	8.9	3.3	7.8	2.2
49	.401	.80	.20	.60	2.00	.40	.81	.21	.61	4.0	8.1	2.1	6.2	20.2
48 50	20.394	40.79	61.18	81.58	101.97	122.36	142.76	163.15	183.55	1223.6	2447.3	3670.9	4894.5	6118.2
51	.387	.77	.16	.55	.94	.32	.71	.10	.49	3.2	6.5	69.7	2.9	6.1
52	.380	.76	.14	.52	.90	.28	.66	3.04	.43	2.8	5.7	8.5	91.3	4.1
53	.374	.75	.12	.49	.87	.24	.62	2.99	.36	2.4	4.8	7.2	89.7	2.1
54	.367	.73	.10	.47	.83	.20	.57	.93	.30	2.0	4.0	6.0	8.0	10.0
48 55	20.360	40.72	61.08	81.44	101.80	122.16	142.52	162.88	183.24	1221.6	2443.2	3664.8	4886.4	6108.0
56	.353	.71	.06	.41	.77	.12	.47	.83	.18	1.2	2.4	3.6	4.8	6.0
57	.346	.69	.04	.39	.73	.08	.42	.77	.12	0.8	1.6	2.4	3.1	3.9
58	.340	.68	.02	.36	.70	.04	.38	.72	3.05	0.4	40.7	61.1	81.5	101.9
59	.333	.67	1.00	.33	.66	2.00	.33	.66	2.99	20.0	39.9	59.9	79.9	099.9
48 60	20.326	40.65	60.98	81.30	101.63	121.96	142.28	162.61	182.93	1219.6	2439.1	3658.7	4878.3	6097.8

Lat.	Latitude 48° to 49°—Meridional arcs.						Latitude 48°—Co-ordinates of curvature.		
	Value of 1''	Sums of seconds for middle latitude 48° 30'		Value of 1'	Continuous sums of minutes from latitude 48° 00'		Longitude.	X	Y
• /	Meters.	''	Meters.	Meters.	'	Meters.	° /	Meters.	Meters.
48 00	30.886			1853.17			0 1		
1	6	1	30.89	.17	1	1 853.2	1	1 243.8	0.1
2	6	2	61.78	.18	2	3 706.3	2	2 487.6	0.5
3	6	3	92.67	.18	3	5 559.5	3	3 731.4	1.2
4	6	4	123.56	.19	4	7 412.7	4	4 975.2	2.1
48 05	30.887	5	154.44	1853.20	5	9 265.9	0 5	6 219.0	3.3
6	7	6	185.33	.20	6	11 119.1	6	7 462.8	4.8
7	7	7	216.22	.21	7	12 972.3	7	8 706.6	6.6
8	7	8	247.11	.21	8	14 825.5	8	9 950.4	8.6
9	7	9	278.00	.22	9	16 678.7	9	11 194.2	10.9
48 10	30.887	10	308.89	1853.22	10	18 531.9	0 10	12 437.9	13.4
11	7	11	339.78	.23	11	20 385.2	15	18 656.9	30.2
12	7	2	370.67	.23	2	22 238.4	20	24 875.8	53.8
13	7	3	401.56	.24	3	24 091.6	25	31 094.7	84.0
14	7	4	432.44	.24	4	25 944.9	30	37 313.6	121.0
48 15	30.887	15	463.33	1853.25	15	27 798.1	0 35	43 532.4	164.7
16	8	6	494.22	.26	6	29 651.4	40	49 751.2	215.1
17	8	7	525.11	.26	7	31 504.6	45	55 969.9	272.2
18	8	8	556.00	.27	8	33 357.9	50	62 188.5	336.1
19	8	9	586.89	.27	9	35 211.2	55	68 407.1	406.7
48 20	30.888	20	617.78	1853.28	20	37 064.4	1 00	74 625.6	484.0
21	8	1	648.67	.28	1	38 917.7	05	80 844.0	568.0
22	8	2	679.56	.29	2	40 771.0	10	87 062.3	658.7
23	8	3	710.44	.29	3	42 624.3	15	93 280.5	756.2
24	8	4	741.33	.30	4	44 477.6	20	99 498.6	860.4
48 25	30.888	25	772.22	1853.30	25	46 330.9	1 25	105 716.6	971.3
26	8	6	803.11	.31	6	48 184.2	30	111 934.5	1 088.9
27	9	7	834.00	.32	7	50 037.5	35	118 152.2	1 213.2
28	9	8	864.89	.32	8	51 890.8	40	124 369.8	1 344.3
29	9	9	895.78	.33	9	53 744.2	45	130 587.3	1 482.1
48 30	30.889	30	926.67	1853.33	30	55 597.5	1 50	136 804.6	1 626.6
31	9	1	957.55	.34	1	57 450.8	55	143 021.7	1 777.8
32	9	2	988.44	.34	2	59 304.2	2 00	149 239	1 936
33	9	3	1 019.33	.35	3	61 157.5	3 00	223 827	4 355
34	9	4	1 050.22	.35	4	63 010.9	4 00	298 377	7 742
48 35	30.889	35	1 081.11	1853.36	35	64 864.2	5 00	372 877	12 095
36	9	6	1 112.00	.36	6	66 717.6	6 00	447 314	17 414
37	89	7	1 142.89	.37	7	68 570.9	7 00	521 677	23 698
38	90	8	1 173.78	.38	8	70 424.3	8 00	595 951	30 946
39	0	9	1 204.67	.38	9	72 277.7	9 00	670 125	39 157
48 40	30.890	40	1 235.55	1853.39	40	74 131.1	10 00	744 186	48 329
41	0	1	1 266.44	.39	1	75 984.5	11 00	818 123	58 461
42	0	2	1 297.33	.40	2	77 837.9	12 00	891 921	69 552
43	0	3	1 328.22	.40	3	79 691.3	13 00	965 570	81 598
44	0	4	1 359.11	.41	4	81 544.7	14 00	1 039 056	94 598
48 45	30.890	45	1 390.00	1853.41	45	83 398.1	15 00	1 112 367	108 551
46	0	6	1 420.89	.42	6	85 251.5	16 00	1 185 491	123 453
47	0	7	1 451.78	.42	7	87 104.9	17 00	1 258 416	139 302
48	0	8	1 482.67	.43	8	88 958.3	18 00	1 331 129	156 096
49	1	9	1 513.55	.44	9	90 811.8	19 00	1 403 618	173 832
48 50	30.891	50	1 544.44	1853.44	50	92 665.2	20 00	1 475 871	192 506
51	1	1	1 575.33	.45	1	94 518.7	21 00	1 547 876	212 116
52	1	2	1 606.22	.45	2	96 372.1	22 00	1 619 620	232 658
53	1	3	1 637.11	.46	3	98 225.6	23 00	1 691 091	254 128
54	1	4	1 668.00	.46	4	100 079.0	24 00	1 762 279	276 524
48 55	30.891	55	1 698.89	1853.47	55	101 932.5	25 00	1 833 170	299 842
56	1	6	1 729.78	.47	6	103 786.0	26 00	1 903 752	324 077
57	1	7	1 760.67	.48	7	105 639.4	27 00	1 974 015	349 225
58	1	8	1 791.55	.48	8	107 492.9	28 00	2 043 945	375 283
59	1	9	1 822.44	.49	9	109 346.4	29 00	2 113 531	402 245
48 60	30.892	60	1 853.33	1853.50	60	111 199.9	30 00	2 182 762	430 107

Latitude 49° to 50°—Arcs of the parallel in meters.

Lat.	1"	2"	3"	4"	5"	6"	7"	8"	9"	1'	2'	3'	4'	5'
0														
49 00	20.326	40.65	60.98	81.30	101.63	121.96	142.28	162.61	182.93	1219.6	2439.1	3658.7	4878.3	6097.8
1	.319	.64	.96	.28	.60	.92	.23	.55	.87	9.2	8.3	7.5	6.6	5.8
2	.313	.63	.94	.25	.56	.88	.19	.50	.81	8.8	7.5	6.3	5.0	3.8
3	.306	.61	.92	.22	.53	.83	.14	.45	.75	8.3	6.7	5.0	3.4	91.7
4	.299	.60	.90	.20	.49	.79	.09	.39	.69	7.9	5.9	3.8	1.8	89.7
49 05	20.292	40.58	60.88	81.17	101.46	121.75	142.04	162.34	182.63	1217.5	2435.1	3652.6	4870.1	6087.7
6	.285	.57	.86	.14	.43	.71	2.00	.28	.57	7.1	4.3	1.4	68.5	5.6
7	.279	.56	.84	.12	.39	.67	1.95	.23	.51	6.7	3.5	50.2	6.9	3.6
8	.272	.54	.81	.09	.36	.63	.90	.17	.44	6.3	2.6	48.9	5.2	81.5
9	.265	.53	.79	.06	.32	.59	.86	.12	.38	5.9	1.8	7.7	3.6	79.5
49 10	20.258	40.52	60.77	81.03	101.29	121.55	141.81	162.07	182.32	1215.5	2431.0	3646.5	4862.0	6077.5
11	.251	.50	.75	1.01	.26	.51	.76	2.01	.26	5.1	30.2	5.3	60.3	5.4
12	.245	.49	.73	0.98	.22	.47	.71	1.96	.20	4.7	29.4	4.0	58.7	3.4
13	.238	.48	.71	.95	.19	.43	.67	.90	.14	4.3	8.5	2.8	7.1	71.3
14	.231	.46	.69	.92	.15	.39	.62	.85	.08	3.9	7.7	1.6	5.4	69.3
49 15	20.224	40.45	60.67	80.90	101.12	121.35	141.57	161.79	182.02	1213.5	2426.9	3640.4	4853.8	6067.3
16	.217	.43	.65	.87	.09	.30	.52	.74	1.95	3.0	6.1	39.1	2.2	5.2
17	.211	.42	.63	.84	.05	.26	.47	.68	.89	2.6	5.3	7.9	50.5	3.2
18	.204	.41	.61	.81	1.02	.22	.43	.63	.83	2.2	4.4	6.7	48.9	61.1
19	.197	.39	.59	.79	0.98	.18	.38	.58	.77	1.8	3.6	5.5	7.3	59.1
49 20	20.190	40.38	60.57	80.76	100.95	121.14	141.33	161.52	181.71	1211.4	2422.8	3634.2	4845.6	6057.1
21	.183	.37	.55	.73	.92	.10	.28	.47	.65	1.0	2.0	3.0	4.0	5.0
22	.177	.35	.53	.71	.88	.06	.23	.41	.59	0.6	1.2	1.8	2.4	3.0
23	.170	.34	.51	.68	.85	1.02	.19	.36	.53	10.2	20.3	30.5	40.7	50.9
24	.163	.33	.49	.65	.81	0.98	.14	.30	.47	09.8	19.5	29.3	39.1	48.9
49 25	20.156	40.31	60.47	80.62	100.78	120.94	141.09	161.25	181.41	1209.4	2418.7	3628.1	4837.4	6046.8
26	.149	.30	.45	.60	.75	.90	1.04	.19	.34	9.0	7.9	6.9	5.8	4.8
27	.142	.28	.43	.57	.71	.85	0.99	.14	.28	8.5	7.1	5.6	4.2	2.7
28	.136	.27	.41	.54	.68	.81	.95	.08	.22	8.1	6.2	4.4	2.5	40.7
29	.129	.26	.39	.51	.64	.77	.90	1.03	.16	7.7	5.4	3.2	30.9	38.6
49 30	20.122	40.24	60.37	80.49	100.61	120.73	140.85	160.98	181.10	1207.3	2414.6	3621.9	4829.3	6036.6
31	.115	.23	.35	.46	.58	.69	.80	.92	1.04	6.9	3.8	20.7	7.6	4.5
32	.108	.22	.33	.43	.54	.65	.75	.87	0.98	6.5	3.0	19.5	6.0	2.5
33	.101	.20	.30	.40	.51	.61	.71	.81	.91	6.1	2.1	8.2	4.3	30.4
34	.095	.19	.28	.38	.47	.57	.66	.76	.85	5.7	1.3	7.0	2.7	28.4
49 35	20.088	40.18	60.26	80.35	100.44	120.53	140.61	160.70	180.79	1205.3	2410.5	3615.8	4821.0	6026.3
36	.081	.16	.24	.32	.41	.49	.56	.65	.73	4.9	09.7	4.5	19.4	4.3
37	.074	.15	.22	.30	.37	.44	.51	.59	.67	4.4	8.9	3.3	7.8	2.2
38	.067	.13	.20	.27	.34	.40	.47	.54	.60	4.0	8.0	2.1	6.1	20.1
39	.060	.12	.18	.24	.30	.36	.42	.48	.54	3.6	7.2	10.9	4.5	18.1
49 40	20.053	40.11	60.16	80.21	100.27	120.32	140.37	160.43	180.48	1203.2	2406.4	3609.6	4812.8	6016.0
41	.047	.09	.14	.19	.24	.28	.32	.37	.42	2.8	5.6	8.4	11.2	4.0
42	.040	.08	.12	.16	.20	.24	.27	.32	.36	2.4	4.8	7.2	09.5	11.9
43	.033	.07	.10	.13	.17	.20	.23	.26	.29	2.0	3.9	5.9	7.9	09.9
44	.026	.05	.08	.10	.13	.16	.18	.21	.23	1.6	3.1	4.7	6.2	7.8
49 45	20.019	40.04	60.06	80.08	100.10	120.12	140.13	160.15	180.17	1201.2	2402.3	3603.4	4804.6	6005.8
46	.012	.02	.04	.05	.06	.07	.08	.10	.11	0.7	1.5	2.2	3.0	3.7
47	.005	.01	.02	80.02	100.02	20.03	40.03	60.04	80.05	200.3	400.7	601.0	801.3	6001.6
48	19.999	40.00	60.00	79.99	99.99	19.99	39.99	59.99	79.98	199.9	399.8	599.7	799.7	5999.6
49	.992	39.98	59.97	.97	.95	.95	.94	.93	.92	9.5	9.0	8.5	8.0	7.5
49 50	19.985	39.97	59.95	79.94	99.92	119.91	139.89	159.88	179.86	1199.1	2398.2	3597.3	4796.4	5995.5
51	.978	.96	.93	.91	.89	.87	.84	.82	.80	8.7	7.4	6.0	4.7	3.4
52	.971	.94	.91	.89	.85	.83	.80	.77	.74	8.3	6.6	4.8	3.1	91.3
53	.964	.93	.89	.86	.82	.79	.75	.71	.68	7.9	5.7	3.6	91.4	89.3
54	.957	.91	.87	.83	.78	.74	.70	.66	.61	7.4	4.9	2.3	89.8	7.2
49 55	19.950	39.90	59.85	79.80	99.75	119.70	139.65	159.60	179.55	1197.0	2394.1	3591.1	4788.1	5985.1
56	.944	.89	.83	.78	.72	.66	.60	.55	.49	6.6	3.3	89.9	6.5	3.1
57	.937	.87	.81	.75	.68	.62	.55	.49	.43	6.2	2.4	8.6	4.8	81.0
58	.930	.86	.79	.72	.65	.58	.51	.44	.37	5.8	1.6	7.4	3.2	79.0
59	.923	.85	.77	.69	.61	.54	.46	.38	.30	5.4	90.7	6.1	81.5	6.9
49 60	19.916	39.83	59.75	79.66	99.58	119.50	139.41	159.33	179.24	1195.0	2389.9	3584.9	4779.9	5974.8

Lat.	Latitude 49° to 50°—Meridional arcs.					Latitude 49°—Co-ordinates of curvature.			
	Value of 1"	Sums of seconds for middle latitude 49° 30'		Value of 1'	Continuous sums of minutes from latitude 49° 00'		Longitude.	X	Y
° /	Meters	"	Meters.	Meters.	'	Meters.	° /	Meters.	Meters.
49 00	30.892			1853.50			0 1	1 219.6	0.1
1	2	1	30.89	.50	1	1 853.5	0 2	2 439.1	0.5
2	2	2	61.79	.51	2	3 707.0	0 3	3 658.7	1.2
3	2	3	92.68	.51	3	5 560.5	0 4	4 878.3	2.1
4	2	4	123.58	.52	4	7 414.0	0 5	6 097.9	3.3
49 05	30.892	5	154.47	1853.52	5	9 267.5	0 6	7 317.5	4.8
6	2	6	185.37	.53	6	11 121.1	0 7	8 537.0	6.6
7	2	7	216.26	.53	7	12 974.6	0 8	9 756.6	8.6
8	2	8	247.15	.54	8	14 828.1	0 9	10 976.2	10.8
9	2	9	278.05	.54	9	16 681.7	0 10	12 195.8	13.4
49 10	30.892	10	308.94	1853.55	10	18 535.2	0 15	18 293.6	30.1
11	3	1	339.84	.55	1	20 388.8	0 20	24 391.3	53.5
12	3	2	370.73	.56	2	22 242.3	0 25	30 489.1	83.7
13	3	3	401.63	.57	3	24 099.9	0 30	36 586.8	120.5
14	3	4	432.52	.57	4	25 949.5	0 35	42 684.5	164.0
49 15	30.893	15	463.41	1853.58	15	27 803.0	0 40	48 782.1	214.2
16	3	6	494.31	.58	6	29 656.6	0 45	54 879.7	271.1
17	3	7	525.20	.59	7	31 510.2	0 50	60 977.2	334.7
18	3	8	556.10	.59	8	33 363.8	0 55	67 074.7	404.9
19	3	9	586.99	.60	9	35 217.4	1 00	73 172.0	481.9
49 20	30.893	20	617.89	1853.60	20	37 071.0	1 05	79 269.3	565.6
21	3	1	648.78	.61	1	38 924.6	1 10	85 366.5	656.0
22	4	2	679.67	.61	2	40 778.2	1 15	91 463.6	753.0
23	4	3	710.57	.62	3	42 631.8	1 20	97 560.5	856.7
24	4	4	741.46	.63	4	44 485.4	1 25	103 657.4	967.2
49 25	30.894	25	772.36	1853.63	25	46 339.1	1 30	109 754.1	1 084.3
26	4	6	803.25	.64	6	48 192.7	1 35	115 850.7	1 208.1
27	4	7	834.15	.64	7	50 046.3	1 40	121 947.1	1 338.6
28	4	8	865.04	.65	8	51 900.0	1 45	128 043.4	1 475.9
29	4	9	895.93	.65	9	53 753.6	1 50	134 139.6	1 619.8
49 30	30.894	30	926.83	1853.66	30	55 607.3	1 55	140 235.5	1 770.4
31	4	1	957.72	.66	1	57 461.0	2 00	146 331	1 928
32	4	2	988.62	.67	2	59 314.6	2 05	152 427	2 092
33	5	3	1 019.51	.67	3	61 168.3	2 10	158 523	2 262
34	5	4	1 050.41	.68	4	63 022.0	2 15	164 619	2 437
49 35	30.895	35	1 081.30	1853.69	35	64 875.7	2 20	170 715	2 617
36	5	6	1 112.19	.69	6	66 729.4	2 25	176 811	2 801
37	5	7	1 143.09	.70	7	68 583.0	2 30	182 907	2 990
38	5	8	1 173.98	.70	8	70 436.7	2 35	189 003	3 184
39	5	9	1 204.88	.71	9	72 290.4	2 40	195 100	3 383
49 40	30.895	40	1 235.77	1853.71	40	74 144.2	2 45	201 196	3 587
41	5	1	1 266.67	.72	1	75 997.9	2 50	207 292	3 796
42	5	2	1 297.56	.72	2	77 851.6	2 55	213 388	4 009
43	5	3	1 328.46	.73	3	79 705.3	3 00	219 484	4 227
44	6	4	1 359.35	.73	4	81 559.1	3 05	225 580	4 449
49 45	30.896	45	1 390.24	1853.74	45	83 412.8	3 10	231 676	4 675
46	6	6	1 421.14	.75	6	85 266.5	3 15	237 772	4 905
47	6	7	1 452.03	.75	7	87 120.3	3 20	243 868	5 139
48	6	8	1 482.93	.76	8	88 974.0	3 25	250 000	5 377
49	6	9	1 513.82	.76	9	90 827.8	3 30	256 132	5 619
49 50	30.896	50	1 544.72	1853.77	50	92 681.6	3 35	262 264	5 865
51	6	1	1 575.61	.77	1	94 535.3	3 40	268 396	6 115
52	6	2	1 606.50	.78	2	96 389.1	3 45	274 528	6 369
53	6	3	1 637.40	.78	3	98 242.9	3 50	280 660	6 627
54	6	4	1 668.29	.79	4	100 096.7	3 55	286 792	6 889
49 55	30.897	55	1 699.19	1853.79	55	101 950.5	4 00	292 924	7 155
56	7	6	1 730.08	.80	6	103 804.3	4 05	299 056	7 425
57	7	7	1 760.98	.80	7	105 658.1	4 10	305 188	7 699
58	7	8	1 791.87	.81	8	107 511.9	4 15	311 320	7 977
59	7	9	1 822.76	.82	9	109 365.7	4 20	317 452	8 259
49 60	30.897	60	1 853.66	1853.82	60	111 219.5	4 25	323 584	8 545

Latitude 50° to 51°—Arcs of the parallel in meters.														
Lat.	1"	2"	3"	4"	5"	6"	7"	8"	9"	1'	2'	3'	4'	5'
50 00	19.916	39.83	59.75	79.66	99.58	119.50	139.41	159.33	179.24	1195.0	2389.9	3584.9	4779.9	5974.8
01	.909	.82	.73	.64	.55	.46	.36	.27	.18	4.6	9.1	3.7	8.2	2.8
02	.902	.80	.71	.61	.51	.41	.31	.22	.12	4.1	8.3	2.4	6.6	70.7
03	.895	.79	.69	.58	.48	.37	.27	.16	9.06	3.7	7.4	81.2	4.9	68.6
04	.889	.78	.67	.55	.44	.33	.22	.11	9.00	3.3	6.6	79.9	3.2	6.6
50 05	19.882	39.76	59.64	79.53	99.41	119.29	139.17	159.05	178.93	1192.9	2385.8	3578.7	4771.6	5964.5
06	.875	.75	.62	.50	.38	.25	.12	9.00	.87	2.5	5.0	7.5	69.9	2.4
07	.868	.74	.60	.47	.34	.21	.07	8.94	.81	2.1	4.2	6.2	8.3	60.4
08	.861	.72	.58	.44	.31	.17	9.03	.89	.75	1.7	3.3	5.0	6.6	58.3
09	.854	.71	.56	.42	.27	.12	8.98	.83	.68	1.2	2.5	3.7	5.0	6.2
50 10	19.847	39.69	59.54	79.39	99.24	119.08	138.93	158.78	178.62	1190.8	2381.7	3572.5	4763.3	5954.2
11	.840	.68	.52	.36	.21	.04	.88	.72	.56	0.4	0.8	1.3	1.7	2.1
12	.833	.67	.50	.33	.17	9.00	.83	.67	.50	90.0	80.0	70.0	60.0	50.0
13	.826	.65	.48	.31	.14	8.96	.79	.61	.44	89.6	79.2	68.8	58.3	47.9
14	.820	.64	.46	.28	.10	.92	.74	.56	.37	9.2	8.3	7.5	6.7	5.9
50 15	19.813	39.63	59.44	79.25	99.07	118.88	138.69	158.50	178.31	1188.8	2377.5	3566.3	4755.0	5943.8
16	.806	.61	.42	.22	.03	.83	.64	.45	.25	8.3	6.7	5.0	3.4	41.7
17	.799	.60	.40	.20	9.00	.79	.59	.39	.19	7.9	5.9	3.8	1.7	39.6
18	.792	.58	.38	.17	8.96	.75	.55	.34	.13	7.5	5.0	2.5	50.1	7.6
19	.785	.57	.35	.14	.93	.71	.50	.28	.06	7.1	4.2	1.3	48.4	5.5
50 20	19.778	39.56	59.33	79.11	98.89	118.67	138.45	158.22	178.00	1186.7	2373.4	3560.1	4746.7	5933.4
21	.771	.54	.31	.09	.86	.63	.40	.17	7.94	6.3	2.6	58.8	5.1	31.4
22	.764	.53	.29	.06	.82	.59	.35	.11	.88	5.9	1.7	7.6	3.4	29.3
23	.757	.51	.27	.03	.79	.54	.30	.06	.81	5.4	0.9	6.3	1.8	7.2
24	.750	.50	.25	9.00	.75	.50	.25	8.00	.75	5.0	70.0	5.1	40.1	5.1
50 25	19.743	39.49	59.23	78.97	98.72	118.46	138.21	157.95	177.69	1184.6	2369.2	3553.8	4738.4	5923.0
26	.737	.47	.21	.95	.68	.42	.16	.89	.63	4.2	8.4	2.6	6.8	21.0
27	.730	.46	.19	.92	.65	.38	.11	.84	.57	3.8	7.6	1.3	5.1	18.9
28	.723	.45	.17	.89	.61	.34	.06	.78	.50	3.4	6.7	50.1	3.4	6.8
29	.716	.43	.15	.86	.58	.29	8.01	.73	.44	2.9	5.9	48.8	1.8	4.7
50 30	19.709	39.42	59.13	78.84	98.54	118.25	137.96	157.67	177.38	1182.5	2365.1	3547.6	4730.1	5912.6
31	.702	.40	.11	.81	.51	.21	.91	.61	.32	2.1	4.2	6.3	28.4	10.6
32	.695	.39	.09	.78	.47	.17	.86	.56	.25	1.7	3.4	5.1	6.8	08.5
33	.688	.38	.06	.75	.44	.13	.82	.50	.19	1.3	2.6	3.8	5.1	6.4
34	.681	.36	.04	.72	.40	.09	.77	.45	.13	0.9	1.7	2.6	3.5	4.3
50 35	19.674	39.35	59.02	78.70	98.37	118.04	137.72	157.39	177.06	1180.4	2360.9	3541.3	4721.8	5902.2
36	.667	.33	9.00	.67	.34	8.00	.67	.34	7.00	80.0	60.1	40.1	20.1	900.1
37	.660	.32	8.98	.64	.30	7.96	.62	.28	6.94	79.6	59.2	38.8	18.5	898.1
38	.653	.31	.96	.61	.27	.92	.58	.23	.88	9.2	8.4	7.6	6.8	6.0
39	.646	.29	.94	.58	.23	.88	.53	.17	.81	8.8	7.5	6.3	5.1	3.9
50 40	19.639	39.28	58.92	78.56	98.20	117.84	137.48	157.12	176.75	1178.4	2356.7	3535.1	4713.5	5891.8
41	.632	.26	.90	.53	.16	.79	.43	.06	.69	7.9	5.9	3.8	1.8	89.7
42	.625	.25	.88	.50	.13	.75	.38	7.00	.63	7.5	5.1	2.6	10.1	7.6
43	.618	.24	.86	.47	.10	.71	.33	6.95	.56	7.1	4.2	1.3	08.4	5.5
44	.612	.22	.84	.45	.06	.67	.28	.89	.50	6.7	3.4	30.1	6.8	3.5
50 45	19.605	39.21	58.81	78.42	98.03	117.63	137.24	156.84	176.44	1176.3	2352.6	3528.8	4705.1	5881.4
46	.598	.20	.79	.39	7.99	.59	.19	.78	.38	5.9	1.7	7.6	3.4	79.3
47	.591	.18	.77	.36	.95	.54	.14	.73	.32	5.4	0.9	6.3	1.8	7.2
48	.584	.17	.75	.34	.92	.50	.09	.67	.25	5.0	50.1	5.1	700.1	5.1
49	.577	.15	.73	.31	.89	.46	7.04	.61	.19	4.6	49.2	3.8	698.4	3.0
50 50	19.570	39.14	58.71	78.28	97.85	117.42	136.99	156.56	176.13	1174.2	2348.4	3522.6	4696.7	5870.9
51	.563	.13	.69	.25	.82	.38	.94	.50	.07	3.8	7.6	1.3	5.1	68.8
52	.556	.11	.67	.22	.78	.33	.89	.45	6.00	3.3	6.7	20.0	3.4	6.7
53	.549	.10	.65	.20	.75	.29	.84	.39	5.94	2.9	5.9	18.8	1.7	4.6
54	.542	.08	.63	.17	.71	.25	.79	.33	.88	2.5	5.0	7.5	90.0	2.6
50 55	19.535	39.07	58.60	78.14	97.68	117.21	136.75	156.28	175.81	1172.1	2344.2	3516.3	4688.4	5860.5
56	.528	.06	.58	.11	.64	.17	.70	.22	.75	1.7	3.4	5.0	6.7	58.4
57	.521	.04	.56	.08	.61	.13	.65	.17	.69	1.3	2.5	3.8	5.0	6.3
58	.514	.03	.54	.06	.57	.08	.60	.11	.63	0.8	1.7	2.5	3.3	4.2
59	.507	.01	.52	.03	.54	.04	.55	.06	.56	0.4	0.8	1.3	1.7	2.1
50 60	19.500	39.00	58.50	78.00	97.50	117.00	136.50	156.00	175.50	1170.0	2340.0	3510.0	4680.0	5850.0

Lat.	Latitude 50° to 51°—Meridional arcs.					Latitude 50°—Co-ordinates of curvature.			
	Value of 1''	Sums of seconds for middle latitude 50° 30'		Value of 1'	Continuous sums of minutes from latitude 50° 00'		Longitude.	X	Y
° /	Meters.	''	Meters.	Meters.	'	Meters.	° /	Meters.	Meters.
50 00	30.897			1853.82			0 1	1 195.0	0.1
1	7	1	30.90	.83	1	1 853.8	2	2 389.9	0.5
2	7	2	61.80	.83	2	3 707.7	3	3 584.9	1.2
3	7	3	92.70	.84	3	5 561.5	4	4 779.9	2.1
4	7	4	123.60	.84	4	7 415.3	5	5 974.8	3.3
50 05	30.897	5	154.50	1853.85	5	9 269.2	6	7 169.8	4.8
6	8	6	185.40	.85	6	11 123.0	7	8 364.8	6.5
7	8	7	216.30	.86	7	12 976.9	8	9 559.7	8.5
8	8	8	247.20	.86	8	14 830.7	9	10 754.7	10.8
9	8	9	278.10	.87	9	16 684.6			
50 10	30.898	10	309.00	1853.88	10	18 538.5	0 10	11 949.7	13.3
11	8	1	339.90	.88	1	20 392.4	15	17 924.5	30.0
12	8	2	370.80	.89	2	22 246.2	20	23 899.3	53.3
13	8	3	401.70	.89	3	24 100.1	25	29 874.1	83.2
14	8	4	432.60	.90	4	25 954.0	30	35 848.8	119.8
50 15	30.898	15	463.50	1853.90	15	27 807.9	0 35	41 823.5	163.1
16	8	6	494.40	.91	6	29 661.8	40	47 798.1	213.0
17	9	7	525.30	.91	7	31 515.7	45	53 772.7	269.6
18	9	8	556.19	.92	8	33 369.7	50	59 747.2	332.8
19	9	9	587.09	.92	9	35 223.6	55	65 721.6	402.8
50 20	30.899	20	617.99	1853.93	20	37 077.5	1 00	71 696.0	479.3
21	9	1	648.89	.93	1	38 931.4	05	77 670.2	562.5
22	9	2	679.79	.94	2	40 785.4	10	83 644.4	652.4
23	9	3	710.69	.95	3	42 639.3	15	89 618.5	748.9
24	9	4	741.59	.95	4	44 493.3	20	95 592.4	852.1
50 25	30.899	25	772.49	1853.96	25	46 347.2	1 25	101 566.2	961.9
26	9	6	803.39	.96	6	48 201.2	30	107 540.0	1 078.4
27	899	7	834.29	.97	7	50 055.2	35	113 513.5	1 201.5
28	900	8	865.19	.97	8	51 909.1	40	119 486.9	1 331.3
29	0	9	896.09	.98	9	53 763.1	45	125 460.2	1 467.8
50 30	30.900	30	926.99	1853.98	30	55 617.1	1 50	131 433.3	1 610.9
31	0	1	957.89	.99	1	57 471.0	55	137 406.3	1 760.7
32	0	2	988.79	3.99	2	59 325.0	2 00	143 379	1 917
33	0	3	1 019.69	4.00	3	61 179.0	3 00	215 037	4 313
34	0	4	1 050.59	.00	4	63 033.0	4 00	286 656	7 667
50 35	30.900	35	1 081.49	1854.01	35	64 887.0	5 00	358 224	11 978
36	0	6	1 112.39	.02	6	66 741.1	6 00	429 727	17 246
37	0	7	1 143.29	.02	7	68 595.1	7 00	501 154	23 469
38	0	8	1 174.19	.03	8	70 449.1	8 00	572 492	30 646
39	1	9	1 205.09	.03	9	72 303.2	9 00	643 727	38 777
50 40	30.901	40	1 235.99	1854.04	40	74 157.2	10 00	714 847	47 859
41	1	1	1 266.89	.04	1	76 011.2	11 00	785 839	57 891
42	1	2	1 297.79	.05	2	77 865.2	12 00	856 691	68 872
43	1	3	1 328.69	.05	3	79 719.3	13 00	927 389	80 798
44	1	4	1 359.59	.06	4	81 573.4	14 00	997 922	93 669
50 45	30.901	45	1 390.49	1854.06	45	83 427.4	15 00	1 068 277	107 482
46	1	6	1 421.39	.07	6	85 281.5	16 00	1 138 440	122 234
47	1	7	1 452.29	.07	7	87 135.6	17 00	1 208 400	137 923
48	1	8	1 483.19	.08	8	88 989.6	18 00	1 278 144	154 546
49	1	9	1 514.09	.09	9	90 843.7	19 00	1 347 660	172 099
50 50	30.902	50	1 544.99	1854.09	50	92 697.8	20 00	1 416 934	190 581
51	2	1	1 575.89	.10	1	94 551.9	21 00	1 485 956	209 987
52	2	2	1 606.79	.10	2	96 406.0	22 00	1 554 711	230 314
53	2	3	1 637.69	.11	3	98 260.1	23 00	1 623 189	251 559
54	2	4	1 668.58	.11	4	100 114.2	24 00	1 691 377	273 717
50 55	30.902	55	1 699.48	1854.12	55	101 968.4	25 00	1 759 262	296 785
56	2	6	1 730.38	.12	6	103 822.5	26 00	1 826 833	320 758
57	2	7	1 761.28	.13	7	105 676.6	27 00	1 894 077	345 633
58	2	8	1 792.18	.13	8	107 530.7	28 00	1 960 983	371 404
59	2	9	1 823.08	.14	9	109 384.9	29 00	2 027 538	398 068
50 60	30.902	60	1 853.98	1854.14	60	111 239.0	30 00	2 093 731	425 619

Latitude 51° to 52°—Arcs of the parallel in meters.

Lat.	1''	2''	3''	4''	5''	6''	7''	8''	9''	1'	2'	3'	4'	5'
51 00	19.500	39.00	58.50	78.00	97.50	117.00	136.50	156.00	175.50	1170.0	2340.0	3510.0	4680.0	5850.0
1	.493	8.99	.48	7.97	.47	6.96	.45	5.94	.44	69.6	39.2	08.7	78.3	47.9
2	.486	.97	.46	.94	.43	.92	.40	.89	.37	9.2	8.3	7.5	6.6	5.8
3	.479	.96	.44	.92	.40	.87	.35	.83	.31	8.7	7.5	6.2	5.0	3.7
4	.472	.94	.42	.89	.36	.83	.30	.78	.25	8.3	6.6	5.0	3.3	41.6
51 05	19.465	38.93	58.39	77.86	97.33	116.79	136.26	155.72	175.18	1167.9	2335.8	3503.7	4671.6	5839.5
6	.458	.92	.37	.83	.29	.75	.21	.66	.12	7.5	5.0	2.4	69.9	7.4
7	.451	.90	.35	.80	.26	.71	.16	.61	.06	7.1	4.1	501.2	8.2	5.3
8	.444	.89	.33	.78	.22	.66	.11	.55	5.00	6.6	3.3	499.9	6.6	3.2
9	.437	.87	.31	.75	.19	.62	.06	.50	4.93	6.2	2.4	8.7	4.9	31.1
51 10	19.430	38.86	58.29	77.72	97.15	116.58	136.01	155.44	174.87	1165.8	2331.6	3497.4	4663.2	5829.0
11	.423	.85	.27	.69	.12	.54	5.96	.38	.81	5.4	30.8	6.1	61.5	6.9
12	.416	.83	.25	.66	.08	.50	.91	.33	.74	5.0	29.9	4.9	59.8	4.8
13	.409	.82	.23	.64	.05	.45	.86	.27	.68	4.5	9.1	3.6	8.2	2.7
14	.402	.80	.21	.61	7.01	.41	.81	.22	.62	4.1	8.2	2.4	6.5	20.6
51 15	19.395	38.79	58.18	77.58	96.98	116.37	135.77	155.16	174.55	1163.7	2327.4	3491.1	4654.8	5818.5
16	.388	.78	.16	.55	.94	.33	.72	.10	.49	3.3	6.6	89.8	3.1	6.4
17	.381	.76	.14	.52	.91	.29	.67	5.05	.43	2.9	5.7	8.6	51.4	4.3
18	.374	.75	.12	.50	.87	.24	.62	4.99	.37	2.4	4.9	7.3	49.7	2.2
19	.367	.73	.10	.47	.84	.20	.57	.94	.30	2.0	4.0	6.0	8.1	10.1
51 20	19.360	38.72	58.08	77.44	96.80	116.16	135.52	154.88	174.24	1161.6	2323.2	3484.8	4646.4	5808.0
21	.353	.71	.06	.41	.77	.12	.47	.82	.18	1.2	2.4	3.5	4.7	5.9
22	.346	.69	.04	.38	.73	.08	.42	.77	.11	0.8	1.5	2.3	3.0	3.8
23	.339	.68	.02	.36	.70	6.03	.37	.71	4.05	60.3	20.7	81.0	41.3	801.7
24	.332	.66	8.00	.33	.66	5.99	.32	.65	3.99	59.9	19.8	79.7	39.6	799.5
51 25	19.325	38.65	57.97	77.30	96.63	115.95	135.28	154.60	173.92	1159.5	2319.0	3478.5	4638.0	5797.4
26	.318	.64	.95	.27	.59	.91	.23	.54	.86	9.1	8.2	7.2	6.3	5.3
27	.311	.62	.93	.24	.55	.86	.18	.49	.80	8.6	7.3	5.9	4.6	3.2
28	.304	.61	.91	.22	.52	.82	.13	.43	.74	8.2	6.5	4.7	2.9	91.1
29	.297	.59	.89	.19	.49	.78	.08	.37	.67	7.8	5.6	3.4	31.2	89.0
51 30	19.290	38.58	57.87	77.16	96.45	115.74	135.03	154.32	173.61	1157.4	2314.8	3472.1	4629.5	5786.9
31	.283	.57	.85	.13	.42	.70	4.98	.26	.55	7.0	3.9	70.9	7.8	4.8
32	.276	.55	.83	.10	.38	.65	.93	.20	.48	6.5	3.1	69.6	6.1	2.7
33	.269	.54	.81	.07	.35	.61	.88	.15	.42	6.1	2.2	8.3	4.4	80.6
34	.261	.52	.78	.05	.31	.57	.83	.09	.35	5.7	1.4	7.1	2.8	78.4
51 35	19.254	38.51	57.76	77.02	96.28	115.53	134.78	154.04	173.29	1155.3	2310.5	3465.8	4621.1	5776.3
36	.247	.49	.74	6.99	.24	.48	.73	3.98	.23	4.8	09.7	4.5	19.4	4.2
37	.240	.48	.72	.96	.21	.44	.68	.92	.16	4.4	8.8	3.3	7.7	2.1
38	.233	.47	.70	.93	.17	.40	.63	.87	.10	4.0	8.0	2.0	6.0	70.0
39	.226	.45	.68	.90	.14	.36	.58	.81	3.03	3.6	7.1	60.7	4.3	67.9
51 40	19.219	38.44	57.66	76.88	96.10	115.32	134.53	153.75	172.97	1153.2	2306.3	3459.5	4612.6	5765.8
41	.212	.42	.64	.85	.06	.27	.48	.70	.91	2.7	5.5	8.2	10.9	3.7
42	.205	.41	.62	.82	6.03	.23	.43	.64	.84	2.3	4.6	6.9	09.2	61.5
43	.198	.40	.59	.79	5.99	.19	.38	.58	.78	1.9	3.8	5.6	7.5	59.4
44	.191	.38	.57	.76	.96	.15	.33	.53	.72	1.5	2.9	4.4	5.8	7.3
51 45	19.184	38.37	57.55	76.74	95.92	115.10	134.29	153.47	172.65	1151.0	2302.1	3453.1	4604.1	5755.2
46	.177	.35	.53	.71	.88	.06	.24	.41	.59	0.6	1.2	1.8	2.4	3.1
47	.170	.34	.51	.68	.85	5.02	.19	.36	.53	50.2	300.4	50.6	600.8	50.9
48	.163	.33	.49	.65	.81	4.98	.14	.30	.47	49.8	299.5	49.3	599.1	48.8
49	.156	.31	.47	.62	.78	.93	.09	.25	.40	9.3	8.7	8.0	7.4	6.7
51 50	19.149	38.30	57.45	76.59	95.74	114.89	134.04	153.19	172.34	1148.9	2297.8	3446.8	4595.7	5744.6
51	.142	.28	.43	.57	.71	.85	3.99	.13	.28	8.5	7.0	5.5	4.0	2.5
52	.134	.27	.40	.54	.67	.81	.94	.08	.21	8.1	6.1	4.2	2.3	40.3
53	.127	.25	.38	.51	.64	.76	.89	3.02	.15	7.6	5.3	2.9	90.6	38.2
54	.120	.24	.36	.48	.60	.72	.84	2.96	.08	7.2	4.4	1.7	88.9	6.1
51 55	19.113	38.23	57.34	76.45	95.57	114.68	133.80	152.91	172.02	1146.8	2293.6	3440.4	4587.2	5734.0
56	.106	.21	.32	.42	.53	.64	.75	.85	1.96	6.4	2.7	39.1	5.5	31.8
57	.099	.20	.30	.40	.50	.59	.70	.79	.89	5.9	1.9	7.8	3.8	29.7
58	.092	.18	.28	.37	.46	.55	.65	.74	.83	5.5	1.0	6.6	2.1	7.6
59	.085	.17	.25	.34	.43	.51	.60	.68	.76	5.1	90.2	5.3	80.4	5.5
51 60	19.078	38.16	57.23	76.31	95.39	114.47	133.55	152.62	171.70	1144.7	2289.3	3434.0	4578.7	5723.4

Lat.	Latitude 51° to 52°—Meridional arcs.					Latitude 51°—Co-ordinates of curvature.			
	Value of 1''	Sums of seconds for middle latitude 51° 30'		Value of 1'	Continuous sums of minutes from latitude 51° 00'		Longitude.	X	Y
° /	Meters.	''	Meters.	Meters.	'	Meters.	° /	Meters.	Meters.
51 00	30.902			1854.14			0 1	1 170.0	0.1
1	3	1	30.91	.15	1	1 854.1	0 2	2 340.0	0.5
2	3	2	61.81	.16	2	3 708.3	0 3	3 510.0	1.2
3	3	3	92.72	.16	3	5 562.5	0 4	4 680.0	2.1
4	3	4	123.62	.17	4	7 416.6	0 5	5 850.0	3.3
51 05	30.903	5	154.53	1854.17	5	9 270.8	0 6	7 020.0	4.8
6	3	6	185.43	.18	6	11 125.0	0 7	8 190.0	6.5
7	3	7	216.34	.18	7	12 979.1	0 8	9 360.0	8.5
8	3	8	247.24	.19	8	14 833.3	0 9	10 530.0	10.7
9	3	9	278.15	.19	9	16 687.5	0 10	11 700.0	13.2
51 10	30.903	10	309.05	1854.20	10	18 541.7	0 15	17 550.0	29.8
11	3	1	339.96	.20	1	20 395.9	0 20	23 399.9	52.9
12	3	2	370.86	.21	2	22 250.1	0 25	29 249.9	82.7
13	4	3	401.77	.21	3	24 104.3	0 30	35 099.7	119.0
14	4	4	432.67	.22	4	25 958.6	0 35	40 949.6	162.0
51 15	30.904	15	463.58	1854.23	15	27 812.8	0 40	46 799.4	211.6
16	4	6	494.48	.23	6	29 667.0	0 45	52 649.1	267.8
17	4	7	525.39	.24	7	31 521.2	0 50	58 498.8	330.6
18	4	8	556.29	.24	8	33 375.5	0 55	64 348.4	400.0
19	4	9	587.20	.25	9	35 229.7	1 00	70 197.9	476.1
51 20	30.904	20	618.10	1854.25	20	37 084.0	1 05	76 047.3	558.7
21	4	1	649.01	.26	1	38 938.2	1 10	81 896.6	648.0
22	4	2	679.91	.26	2	40 792.5	1 15	87 745.8	743.9
23	4	3	710.82	.27	3	42 646.8	1 20	93 594.9	846.4
24	5	4	741.72	.27	4	44 501.0	1 25	99 443.9	955.5
51 25	30.905	25	772.63	1854.28	25	46 355.3	1 30	105 292.8	1 071.2
26	5	6	803.53	.28	6	48 209.6	1 35	111 141.5	1 193.5
27	5	7	834.44	.29	7	50 063.9	1 40	116 990.1	1 322.4
28	5	8	865.34	.29	8	51 918.2	1 45	122 838.5	1 458.0
29	5	9	896.25	.30	9	53 772.5	1 50	128 686.8	1 600.1
51 30	30.905	30	927.15	1854.31	30	55 626.8	1 55	134 534.9	1 748.9
31	5	1	958.06	.31	1	57 481.1	2 00	140 383	1 904
32	5	2	988.96	.32	2	59 335.4	2 05	146 232	2 060
33	5	3	1 019.87	.32	3	61 189.7	2 10	152 081	2 216
34	5	4	1 050.77	.33	4	63 044.0	2 15	157 930	2 372
51 35	30.906	35	1 081.68	1854.33	35	64 898.4	2 20	163 779	2 528
36	6	6	1 112.58	.34	6	66 752.7	2 25	169 628	2 684
37	6	7	1 143.49	.34	7	68 607.0	2 30	175 477	2 840
38	6	8	1 174.39	.35	8	70 461.4	2 35	181 326	2 996
39	6	9	1 205.30	.35	9	72 315.7	2 40	187 175	3 152
51 40	30.906	40	1 236.20	1854.36	40	74 170.1	2 45	193 024	3 308
41	6	1	1 267.11	.36	1	76 024.5	2 50	198 873	3 464
42	6	2	1 298.01	.37	2	77 878.8	2 55	204 722	3 620
43	6	3	1 328.92	.38	3	79 733.2	3 00	210 571	3 776
44	6	4	1 359.82	.38	4	81 587.6	3 05	216 420	3 932
51 45	30.906	45	1 390.73	1854.39	45	83 442.0	3 10	222 269	4 088
46	7	6	1 421.63	.39	6	85 296.3	3 15	228 118	4 244
47	7	7	1 452.54	.40	7	87 150.7	3 20	233 967	4 400
48	7	8	1 483.44	.40	8	89 005.1	3 25	239 816	4 556
49	7	9	1 514.35	.41	9	90 859.5	3 30	245 665	4 712
51 50	30.907	50	1 545.25	1854.41	50	92 713.9	3 35	251 514	4 868
51	7	1	1 576.16	.42	1	94 568.4	3 40	257 363	5 024
52	7	2	1 607.06	.42	2	96 422.8	3 45	263 212	5 180
53	7	3	1 637.97	.43	3	98 277.2	3 50	269 061	5 336
54	7	4	1 668.88	.43	4	100 131.6	3 55	274 910	5 492
51 55	30.907	55	1 699.78	1854.44	55	101 986.1	4 00	280 759	5 648
56	7	6	1 730.69	.44	6	103 840.5	4 05	286 608	5 804
57	8	7	1 761.59	.45	7	105 695.0	4 10	292 457	5 960
58	8	8	1 792.50	.46	8	107 549.4	4 15	298 306	6 116
59	8	9	1 823.40	.46	9	109 403.9	4 20	304 155	6 272
51 60	30.908	60	1 854.31	1854.47	60	111 258.3	4 25	310 004	6 428

Latitude 52° to 53°—Arcs of the parallel in meters.														
Lat.	1''	2''	3''	4''	5''	6''	7''	8''	9''	1'	2'	3'	4'	5'
52 00	19.078	38.16	57.23	76.31	95.39	114.47	133.55	152.62	171.70	1144.7	2289.3	3434.0	4578.7	5723.4
01	.071	.14	.21	.28	.36	.42	.50	.57	.64	4.2	8.5	2.7	7.0	21.2
02	.064	.13	.19	.25	.32	.38	.45	.51	.57	3.8	7.6	1.5	5.3	19.1
03	.057	.11	.17	.23	.29	.34	.40	.45	.51	3.4	6.8	30.2	3.6	7.0
04	.049	.10	.15	.20	.25	.30	.35	.40	.44	3.0	5.9	28.9	1.9	4.8
52 05	19.042	38.08	57.13	76.17	95.22	114.25	133.30	152.34	171.38	1142.5	2285.1	3427.6	4570.2	5712.7
06	.035	.07	.11	.14	.18	.21	.25	.28	.32	2.1	4.2	6.4	68.5	10.6
07	.028	.06	.08	.11	.14	.17	.20	.23	.25	1.7	3.4	5.1	6.8	08.5
08	.021	.04	.06	.08	.11	.13	.15	.17	.19	1.3	2.5	3.8	5.1	6.3
09	.014	.03	.04	.06	.07	.08	.10	.11	.12	0.8	1.7	2.5	3.4	4.2
52 10	19.007	38.01	57.02	76.03	95.04	114.04	133.05	152.06	171.06	1140.4	2280.8	3421.3	4561.7	5702.1
11	9.000	8.00	7.00	6.00	5.00	4.00	3.00	2.00	1.00	40.0	80.0	20.0	60.0	699.9
12	8.993	7.99	6.98	5.97	4.97	3.96	2.95	1.94	0.93	39.6	79.1	18.7	58.3	7.8
13	.986	.97	.96	.94	.93	.91	.90	.88	.87	9.1	8.3	7.4	6.5	5.7
14	.979	.96	.94	.91	.90	.87	.85	.83	.81	8.7	7.4	6.1	4.8	3.6
52 15	18.971	37.94	56.91	75.89	94.86	113.83	132.80	151.77	170.74	1138.3	2276.6	3414.9	4553.1	5691.4
16	.964	.93	.89	.86	.82	.79	.75	.71	.68	7.9	5.7	3.6	51.4	89.3
17	.957	.92	.87	.83	.79	.74	.70	.66	.61	7.4	4.9	2.3	49.7	7.2
18	.950	.90	.85	.80	.75	.70	.65	.60	.55	7.0	4.0	11.0	8.0	5.0
19	.943	.89	.83	.77	.72	.66	.60	.54	.48	6.6	3.2	09.7	6.3	2.9
52 20	18.936	37.87	56.81	75.74	94.68	113.62	132.55	151.49	170.42	1136.2	2272.3	3408.5	4544.6	5680.8
21	.929	.86	.79	.71	.64	.57	.50	.43	.36	5.7	1.4	7.2	2.9	78.6
22	.922	.84	.77	.69	.61	.53	.45	.37	.29	5.3	70.6	5.9	41.2	6.5
23	.914	.83	.74	.66	.57	.49	.40	.32	.23	4.9	69.7	4.6	39.5	4.3
24	.907	.81	.72	.63	.54	.44	.35	.26	.16	4.4	8.9	3.3	7.8	2.2
52 25	18.900	37.80	56.70	75.60	94.50	113.40	132.30	151.20	170.10	1134.0	2268.0	3402.0	4536.0	5670.1
26	.893	.79	.68	.57	.46	.36	.25	.14	70.04	3.6	7.2	400.8	4.3	67.9
27	.886	.77	.66	.54	.43	.32	.20	.09	69.97	3.2	6.3	399.5	2.6	5.8
28	.879	.76	.64	.52	.39	.27	.15	1.03	.91	2.7	5.5	8.2	30.9	3.7
29	.872	.74	.61	.49	.36	.23	.10	0.97	.84	2.3	4.6	6.9	29.2	61.5
52 30	18.865	37.73	56.59	75.46	94.32	113.19	132.05	150.92	169.78	1131.9	2263.8	3395.6	4527.5	5659.4
31	.857	.71	.57	.43	.29	.14	2.00	.86	.72	1.4	2.9	4.3	5.8	7.2
32	.850	.70	.55	.40	.25	.10	1.95	.80	.65	1.0	2.1	3.1	4.1	5.1
33	.843	.69	.53	.37	.22	.06	.90	.75	.59	0.6	1.2	1.8	2.4	2.9
34	.836	.67	.51	.35	.18	3.02	.85	.69	.52	30.2	60.3	90.5	20.6	50.8
52 35	18.829	37.66	56.49	75.32	94.15	112.97	131.80	150.63	169.46	1129.7	2259.5	3389.2	4518.9	5648.7
36	.822	.64	.46	.29	.11	.93	.75	.57	.40	9.3	8.6	7.9	7.2	6.5
37	.815	.63	.44	.26	.08	.89	.70	.52	.33	8.9	7.8	6.6	5.5	4.4
38	.807	.61	.42	.23	.04	.84	.65	.46	.27	8.4	6.9	5.3	3.8	2.2
39	.800	.60	.40	.20	4.01	.80	.60	.40	.20	8.0	6.1	4.1	2.1	40.1
52 40	18.793	37.59	56.38	75.17	93.97	112.76	131.55	150.35	169.14	1127.6	2255.2	3382.8	4510.4	5638.0
41	.786	.57	.36	.14	.93	.72	.50	.29	.08	7.2	4.3	1.5	508.6	5.8
42	.779	.56	.34	.12	.90	.67	.45	.23	9.01	6.7	3.5	80.2	6.9	3.7
43	.772	.54	.31	.09	.86	.63	.40	.17	8.95	6.3	2.6	78.9	5.2	31.5
44	.765	.53	.29	.06	.83	.59	.35	.12	.88	5.9	1.8	7.6	3.5	29.4
52 45	18.757	37.51	56.27	75.03	93.79	112.54	131.30	150.06	168.82	1125.4	2250.9	3376.3	4501.8	5627.2
46	.750	.50	.25	5.00	.75	.50	.25	50.00	.75	5.0	50.0	5.0	500.1	5.1
47	.743	.49	.23	4.97	.72	.46	.20	49.94	.69	4.6	49.2	3.8	498.3	2.9
48	.736	.47	.21	.94	.68	.42	.15	.89	.62	4.2	8.3	2.5	6.6	20.8
49	.729	.46	.19	.92	.65	.37	.10	.83	.56	3.7	7.5	71.2	4.9	18.6
52 50	18.722	37.44	56.16	74.89	93.61	112.33	131.05	149.77	168.49	1123.3	2246.6	3369.9	4493.2	5616.5
51	.714	.43	.14	.86	.57	.29	0.00	.72	.43	2.9	5.7	8.6	91.6	4.3
52	.707	.41	.12	.83	.54	.24	.95	.66	.36	2.4	4.9	7.3	89.7	2.2
53	.700	.40	.10	.80	.50	.20	.90	.60	.30	2.0	4.0	6.0	8.0	10.0
54	.693	.39	.08	.77	.47	.16	.85	.54	.23	1.6	3.2	4.7	6.3	07.9
52 55	18.686	37.37	56.06	74.74	93.43	112.11	130.80	149.49	168.17	1121.1	2242.3	3363.4	4484.6	5605.7
56	.678	.36	.03	.71	.39	.07	.75	.43	.10	0.7	1.4	2.1	2.9	3.4
57	.671	.34	6.01	.69	.36	2.03	.70	.37	8.04	20.3	40.6	60.9	81.1	601.4
58	.664	.33	5.99	.66	.32	1.99	.65	.31	7.98	19.9	39.7	59.6	79.4	599.3
59	.657	.31	.97	.63	.29	.94	.60	.26	.91	9.4	8.9	8.3	7.7	7.1
52 60	18.650	37.30	55.95	74.60	93.25	111.90	130.55	149.20	167.85	1119.0	2238.0	3357.0	4476.0	5595.0

Lat.	Latitude 52° to 53°—Meridional arcs.					Latitude 52°—Co-ordinates of curvature.			
	Value of 1''	Sums of seconds for middle latitude 52° 30'		Value of 1'	Continuous sums of minutes from latitude 52° 00'	Longitude.	X.	Y	
° /	Meters.	''	Meters.	Meters.	'	Meters.	° /	Meters.	Meters.
52 00	30.908			1854.47			0 1	1 144.7	0.1
1	8	1	30.91	.47	1	1 854.5	0 1	1 144.7	0.1
2	8	2	61.82	.48	2	3 708.9	2	2 289.3	0.5
3	8	3	92.73	.48	3	5 563.4	3	3 434.0	1.2
4	8	4	123.64	.49	4	7 417.9	4	4 578.7	2.1
52 05	30.908	5	154.55	1854.49	5	9 272.4	0 5	5 723.4	3.3
6	8	6	185.46	.50	6	11 126.9	6	6 868.0	4.7
7	8	7	216.37	.50	7	12 981.4	7	8 012.7	6.4
8	8	8	247.28	.51	8	14 835.9	8	9 157.4	8.4
9	9	9	278.19	.51	9	16 690.4	9	10 302.0	10.6
52 10	30.909	10	309.10	1854.52	10	18 544.9	0 10	11 446.7	13.1
11	9	1	340.01	.52	1	20 399.4	15	17 170.0	29.5
12	9	2	370.93	.53	2	22 254.0	20	22 893.4	52.5
13	9	3	401.84	.54	3	24 108.5	25	28 616.6	82.0
14	9	4	432.75	.54	4	25 963.0	30	34 339.9	118.1
52 15	30.909	15	463.66	1854.55	15	27 817.6	0 35	40 063.1	160.7
16	9	6	494.57	.55	6	29 672.1	40	45 786.3	209.9
17	9	7	525.48	.56	7	31 526.7	45	51 509.4	265.7
18	9	8	556.39	.56	8	33 381.3	50	57 232.4	328.0
19	9	9	587.30	.57	9	35 235.8	55	62 955.3	396.9
52 20	30.910	20	618.21	1854.57	20	37 090.4	1 00	68 678.2	472.3
21	0	1	649.12	.58	1	38 945.0	05	74 401.0	554.3
22	0	2	680.03	.58	2	40 799.6	10	80 123.6	642.8
23	0	3	710.94	.59	3	42 654.1	15	85 846.2	737.9
24	0	4	741.85	.59	4	44 508.7	20	91 568.7	839.6
52 25	30.910	25	772.76	1854.60	25	46 363.3	1 25	97 291.0	947.8
26	0	6	803.67	.60	6	48 217.9	30	103 013.2	1 062.6
27	0	7	834.58	.61	7	50 072.5	35	108 735.3	1 184.0
28	0	8	865.49	.62	8	51 927.2	40	114 457.2	1 311.9
29	0	9	896.40	.62	9	53 781.8	45	120 179.0	1 446.3
52 30	30.910	30	927.31	1854.63	30	55 636.4	1 50	125 900.7	1 587.4
31	1	1	958.22	.63	1	57 491.0	55	131 622.1	1 735.0
32	1	2	989.13	.64	2	59 345.7	2 00	137 343	1 889
33	1	3	1 020.04	.64	3	61 200.3	3 00	205 982	4 250
34	1	4	1 050.95	.65	4	63 054.9	4 00	274 583	7 555
52 35	30.911	35	1 081.87	1854.65	35	64 909.6	5 00	343 131	11 803
36	1	6	1 112.78	.66	6	66 764.2	6 00	411 615	16 993
37	1	7	1 143.69	.66	7	68 618.9	7 00	480 020	23 124
38	1	8	1 174.60	.67	8	70 473.6	8 00	548 335	30 196
39	1	9	1 205.51	.67	9	72 328.2	9 00	616 546	38 207
52 40	30.911	40	1 236.42	1854.68	40	74 182.9	10 00	684 640	47 155
41	1	1	1 267.33	.68	1	76 037.6	11 00	752 605	57 039
42	1	2	1 298.24	.69	2	77 892.3	12 00	820 428	67 856
43	2	3	1 329.15	.69	3	79 747.0	13 00	888 095	79 605
44	2	4	1 360.06	.70	4	81 601.7	14 00	955 595	92 284
52 45	30.912	45	1 390.97	1854.71	45	83 456.4	15 00	1 022 913	105 890
46	2	6	1 421.88	.71	6	85 311.1	16 00	1 090 038	120 420
47	2	7	1 452.79	.72	7	87 165.8	17 00	1 156 957	135 872
48	2	8	1 483.70	.72	8	89 020.5	18 00	1 223 658	152 243
49	2	9	1 514.61	.73	9	90 875.3	19 00	1 290 126	169 530
52 50	30.912	50	1 545.52	1854.73	50	92 730.0	20 00	1 356 351	187 729
51	2	1	1 576.43	.74	1	94 584.7	21 00	1 422 319	206 838
52	2	2	1 607.34	.74	2	96 439.5	22 00	1 488 018	226 852
53	2	3	1 638.25	.75	3	98 294.2	23 00	1 553 436	247 767
54	3	4	1 669.16	.75	4	100 149.0	24 00	1 618 559	269 580
52 55	30.913	55	1 700.07	1854.76	55	102 003.7	25 00	1 683 377	292 287
56	3	6	1 730.98	.76	6	103 858.5	26 00	1 747 876	315 883
57	3	7	1 761.89	.77	7	105 713.3	27 00	1 812 045	340 364
58	3	8	1 792.81	.77	8	107 568.0	28 00	1 875 870	365 725
59	3	9	1 823.72	.78	9	109 422.8	29 00	1 939 342	391 961
52 60	30.913	60	1 854.63	1854.78	60	111 277.6	30 00	2 002 446	419 068

Lat.	Latitude 53° to 54°—Meridional arcs.					Latitude 53°—Co-ordinates of curvature.			
	Value of 1''	Sums of seconds for middle latitude 53° 30'		Value of 1'	Continuous sums of minutes from latitude 53° 00'		Longitude.	X	Y
° /	Meters.	''	Meters.	Meters.	'	Meters.	° /	Meters.	Meters.
53 00	30.913			1854.78			0 1	1 119.0	0.1
1	3	1	30.92	.79	1	1 854.8	0 2	2 238.0	0.5
2	3	2	61.83	.80	2	3 709.6	0 3	3 357.0	1.2
3	3	3	92.75	.80	3	5 564.4	0 4	4 476.0	2.1
4	3	4	123.66	.81	4	7 419.2	0 5	5 595.0	3.3
53 05	30.914	5	154.58	1854.81	5	9 274.0	0 6	6 714.0	4.7
6	4	6	185.49	.82	6	11 128.8	0 7	7 832.9	6.4
7	4	7	216.41	.82	7	12 983.6	0 8	8 951.9	8.3
8	4	8	247.33	.83	8	14 838.5	0 9	10 070.9	10.5
9	4	9	278.24	.83	9	16 693.3	0 10	11 189.9	13.0
53 10	30.914	10	309.16	1854.84	10	18 548.1	0 15	16 784.9	29.2
11	4	1	340.07	.84	1	20 403.0	0 20	22 379.8	52.0
12	4	2	370.99	.85	2	22 257.8	0 25	27 974.7	81.2
13	4	3	401.90	.85	3	24 112.7	0 30	33 569.5	117.0
14	4	4	432.82	.86	4	25 967.5	0 35	39 164.3	159.2
53 15	30.914	15	463.74	1854.86	15	27 822.4	0 40	44 759.1	208.0
16	4	6	494.65	.87	6	29 677.2	0 45	50 353.8	263.2
17	5	7	525.57	.87	7	31 532.1	0 50	55 948.4	325.0
18	5	8	556.48	.88	8	33 387.0	0 55	61 542.9	393.2
19	5	9	587.40	.89	9	35 241.9	1 00	67 137.4	467.9
53 20	30.915	20	618.31	1854.89	20	37 096.8	1 05	72 731.7	549.2
21	5	1	649.23	.90	1	38 951.7	1 10	78 326.0	636.9
22	5	2	680.15	.90	2	40 806.6	1 15	83 920.2	731.1
23	5	3	711.06	.91	3	42 661.5	1 20	89 514.2	831.8
24	5	4	741.98	.91	4	44 516.4	1 25	95 108.2	939.1
53 25	30.915	25	772.89	1854.92	25	46 371.3	1 30	100 702.0	1 052.8
26	5	6	803.81	.92	6	48 226.2	1 35	106 295.7	1 173.0
27	5	7	834.72	.93	7	50 081.1	1 40	111 889.2	1 299.7
28	6	8	865.64	.93	8	51 936.1	1 45	117 482.6	1 432.9
29	6	9	896.56	.94	9	53 791.0	1 50	123 075.8	1 572.6
53 30	30.916	30	927.47	1854.94	30	55 645.9	1 55	128 668.9	1 718.9
31	6	1	958.39	.95	1	57 500.9	2 00	134 262	1 872
32	6	2	989.30	.95	2	59 355.8	2 05	201 360	4 211
33	6	3	1 020.22	.96	3	61 210.8	2 10	268 419	7 485
34	6	4	1 051.13	.96	4	63 065.8	2 15	335 426	11 693
53 35	30.916	35	1 082.05	1854.97	35	64 920.7	2 20	402 368	16 835
36	6	6	1 112.97	.97	6	66 775.7	2 25	469 232	22 910
37	6	7	1 143.88	.98	7	68 630.7	2 30	536 004	29 916
38	6	8	1 174.80	.99	8	70 485.6	2 35	602 672	37 852
39	7	9	1 205.71	4.99	9	72 340.6	2 40	669 224	46 717
53 40	30.917	40	1 236.63	1855.00	40	74 195.6	2 45	735 645	56 508
41	7	1	1 267.54	.00	1	76 050.6	2 50	801 923	67 224
42	7	2	1 298.46	.01	2	77 905.6	2 55	868 046	78 863
43	7	3	1 329.38	.01	3	79 760.6	3 00	933 999	91 422
44	7	4	1 360.29	.02	4	81 615.7	3 05	999 772	104 900
53 45	30.917	45	1 391.21	1855.02	45	83 470.7	3 10	1 065 350	119 293
46	7	6	1 422.12	.03	6	85 325.7	3 15	1 130 721	134 598
47	7	7	1 453.04	.03	7	87 180.7	3 20	1 195 872	150 813
48	7	8	1 483.95	.04	8	89 035.8	3 25	1 260 791	167 935
49	7	9	1 514.87	.04	9	90 890.8	3 30	1 325 466	185 960
53 50	30.917	50	1 545.79	1855.05	50	92 745.8	3 35	1 389 882	204 885
51	8	1	1 576.70	.05	1	94 600.9	3 40	1 454 029	224 706
52	8	2	1 607.62	.06	2	96 455.9	3 45	1 517 893	245 418
53	8	3	1 638.53	.06	3	98 311.0	3 50	1 581 462	267 019
54	8	4	1 669.45	.07	4	100 166.1	3 55	1 644 724	289 504
53 55	30.918	55	1 700.36	1855.07	55	102 021.1	4 00	1 707 666	312 869
56	8	6	1 731.28	.08	6	103 876.2	4 05	1 770 277	337 109
57	8	7	1 762.20	.08	7	105 731.3	4 10	1 832 544	362 219
58	8	8	1 793.11	.09	8	107 586.4	4 15	1 894 455	388 194
59	8	9	1 824.03	.10	9	109 441.5	4 20	1 955 997	415 030
53 60	30.918	60	1 854.94	1855.10	60	111 296.6	4 25		

Latitude 54° to 55°—Arcs of the parallel in meters.														
Lat.	1"	2"	3"	4"	5"	6"	7"	8"	9"	1'	2'	3'	4'	5'
° /														
54 00	18.216	36.43	54.65	72.86	91.08	109.30	127.51	145.73	163.94	1093.0	2185.9	3278.9	4371.9	5464.8
1	.209	.42	.63	.83	.04	.25	.46	.67	.88	2.5	5.0	7.6	70.1	2.7
2	.202	.40	.61	.81	1.01	.21	.41	.61	.81	2.1	4.2	6.3	68.4	60.5
3	.194	.39	.58	.78	0.97	.17	.36	.55	.75	1.7	3.3	5.0	6.6	58.3
4	.187	.37	.56	.75	0.94	.12	.31	.50	.68	1.2	2.5	3.7	4.9	6.1
54 05	18.180	36.36	54.54	72.72	90.90	109.08	127.25	145.44	163.61	1090.8	2181.6	3272.3	4363.1	5453.9
6	.172	.34	.52	.69	.86	9.03	.20	.38	.55	90.3	80.7	71.0	61.4	51.7
7	.165	.33	.50	.66	.83	8.99	.15	.32	.48	89.9	79.8	69.7	59.6	49.5
8	.158	.32	.47	.63	.79	.95	.10	.26	.42	9.5	9.0	8.4	7.9	7.4
9	.151	.30	.45	.60	.76	.90	.05	.20	.35	9.0	8.1	7.1	6.1	5.2
54 10	18.143	36.29	54.43	72.57	90.72	108.86	127.00	145.15	163.29	1088.6	2177.2	3265.8	4354.4	5443.0
11	.136	.27	.41	.54	.68	.82	6.95	.09	.22	8.2	6.3	4.5	2.6	40.8
12	.129	.26	.39	.51	.65	.77	.90	5.03	.16	7.7	5.4	3.2	50.9	38.6
13	.121	.24	.36	.49	.61	.73	.85	4.97	.09	7.3	4.6	1.8	49.1	6.4
14	.114	.23	.34	.46	.57	.68	.80	.91	3.03	6.8	3.7	60.5	7.4	4.2
54 15	18.107	36.21	54.32	72.43	90.54	108.64	126.74	144.85	162.96	1086.4	2172.8	3259.2	4345.6	5432.0
16	.099	.20	.30	.40	.50	.60	.69	.80	.89	6.0	1.9	7.9	3.9	29.8
17	.092	.18	.28	.37	.46	.55	.64	.74	.83	5.5	1.0	6.6	2.1	7.7
18	.085	.17	.25	.34	.42	.51	.59	.68	.76	5.1	70.2	5.3	40.4	5.5
19	.078	.16	.23	.31	.39	.47	.54	.62	.70	4.7	69.3	4.0	38.6	3.3
54 20	18.070	36.14	54.21	72.28	90.35	108.42	126.49	144.56	162.63	1084.2	2168.4	3252.7	4336.9	5421.1
21	.063	.13	.19	.25	.31	.38	.44	.50	.56	3.8	7.5	1.3	5.1	18.9
22	.056	.11	.17	.22	.28	.33	.39	.45	.50	3.3	6.7	50.0	3.4	6.7
23	.048	.10	.14	.19	.24	.29	.34	.39	.43	2.9	5.8	48.7	31.6	4.5
24	.041	.08	.12	.16	.21	.25	.29	.33	.37	2.5	4.9	7.4	29.8	2.3
54 25	18.034	36.07	54.10	72.13	90.17	108.20	126.23	144.27	162.30	1082.0	2164.0	3246.1	4328.1	5410.1
26	.026	.05	.08	.10	.13	.16	.18	.21	.23	1.6	3.1	4.8	6.3	07.9
27	.019	.04	.06	.08	.10	.11	.13	.15	.17	1.1	2.3	3.4	4.6	5.7
28	.012	.02	.03	.05	.06	.07	.08	.09	.10	0.7	1.4	2.1	2.8	3.5
29	.004	6.01	4.01	2.02	90.03	8.03	6.03	4.04	2.04	80.3	60.6	40.8	21.1	401.3
54 30	17.997	35.99	53.99	71.99	89.99	107.98	125.98	143.98	161.97	1079.8	2159.7	3239.5	4319.3	5399.1
31	.990	.98	.97	.96	.95	.94	.93	.92	.91	9.4	8.8	8.2	7.6	6.9
32	.982	.96	.95	.93	.91	.89	.88	.86	.84	8.9	7.9	6.8	5.8	4.7
33	.975	.95	.92	.90	.88	.85	.83	.80	.78	8.5	7.0	5.5	4.0	2.5
34	.968	.94	.90	.87	.84	.81	.78	.74	.71	8.1	6.2	4.2	2.3	90.3
54 35	17.960	35.92	53.88	71.84	89.80	107.76	125.72	143.68	161.65	1077.6	2155.3	3232.9	4310.5	5388.1
36	.953	.91	.86	.81	.77	.72	.67	.63	.58	7.2	4.4	1.6	08.8	5.9
37	.946	.89	.84	.78	.73	.67	.62	.57	.51	6.7	3.5	30.2	7.0	3.7
38	.938	.88	.81	.75	.69	.63	.57	.51	.45	6.3	2.6	28.9	5.2	81.5
39	.931	.86	.79	.73	.66	.59	.52	.45	.38	5.9	1.8	7.6	3.5	79.4
54 40	17.924	35.85	53.77	71.70	89.62	107.54	125.47	143.39	161.32	1075.4	2150.9	3226.3	4301.7	5377.2
41	.916	.83	.75	.67	.58	.50	.42	.33	.25	5.0	50.0	5.0	300.0	4.9
42	.909	.82	.73	.64	.54	.45	.36	.27	.18	4.5	49.1	3.6	298.2	2.7
43	.902	.80	.70	.61	.51	.41	.31	.21	.12	4.1	8.2	2.3	6.4	70.5
44	.894	.79	.68	.58	.47	.37	.26	.16	1.05	3.7	7.4	21.0	4.7	68.3
54 45	17.887	35.77	53.66	71.55	89.43	107.32	125.21	143.10	160.99	1073.2	2146.5	3219.7	4292.9	5366.1
46	.880	.76	.64	.52	.40	.28	.16	3.04	.92	2.8	5.6	8.4	91.1	3.9
47	.872	.74	.62	.49	.36	.23	.11	2.98	.85	2.3	4.7	7.0	89.4	61.7
48	.865	.73	.59	.46	.32	.19	.05	.92	.78	1.9	3.8	5.7	7.6	59.5
49	.858	.72	.57	.43	.29	.15	5.00	.86	.72	1.5	2.9	4.4	5.9	7.3
54 50	17.850	35.70	53.55	71.40	89.25	107.10	124.95	142.80	160.65	1071.0	2142.0	3213.1	4284.1	5355.1
51	.843	.69	.53	.37	.21	.06	.90	.74	.58	0.6	1.1	1.7	2.3	2.9
52	.836	.67	.51	.34	.18	7.01	.85	.69	.52	70.1	40.3	10.4	80.6	50.7
53	.828	.66	.48	.31	.14	6.97	.80	.63	.45	69.7	39.4	09.1	78.8	48.5
54	.821	.64	.46	.28	.10	.93	.75	.57	.39	9.3	8.5	7.8	7.0	6.3
54 55	17.814	35.63	53.44	71.25	89.07	106.88	124.69	142.51	160.32	1068.8	2137.6	3206.4	4275.3	5344.1
56	.806	.61	.42	.22	9.03	.84	.64	.45	.25	8.4	6.7	5.1	3.5	41.9
57	.799	.60	.40	.19	8.99	.79	.59	.39	.19	7.9	5.8	3.8	1.7	39.7
58	.791	.58	.37	.17	.95	.75	.54	.33	.12	7.5	5.0	2.5	70.0	7.4
59	.784	.57	.35	.14	.92	.70	.49	.27	60.06	7.0	4.1	201.1	68.2	5.2
54 60	17.777	35.55	53.33	71.11	88.88	106.66	124.44	142.21	159.99	1066.6	2133.2	3199.8	4266.4	5333.0

Lat.	Latitude 54° to 55°—Meridional arcs.					Latitude 54°—Co-ordinates of curvature.			
	Value of 1''	Sums of seconds for middle latitude 54° 30'		Value of 1'	Continuous sums of minutes from latitude 54° 00'		Longitude.	X	Y
° /	Meters.	''	Meters.	Meters.	'	Meters.	° /	Meters.	Meters.
54 00	30.918			1855.10			0 1	1 093.0	0.1
1	8	1	30.92	.11	1	1 855.1	2	2 185.9	0.5
2	9	2	61.84	.11	2	3 710.2	3	3 278.9	1.2
3	9	3	92.76	.12	3	5 565.3	4	4 371.9	2.1
4	9	4	123.68	.12	4	7 420.4			
54 05	30.919	5	154.60	1855.13	5	9 275.6	0 5	5 464.8	3.2
6	9	6	185.53	.13	6	11 130.7	6	6 557.8	4.6
7	9	7	216.45	.14	7	12 985.8	7	7 650.8	6.3
8	9	8	247.37	.14	8	14 841.0	8	8 743.7	8.2
9	9	9	278.29	.15	9	16 696.1	9	9 836.7	10.4
54 10	30.919	10	309.21	1855.15	10	18 551.2	0 10	10 929.7	12.9
11	9	1	340.13	.16	1	20 406.4	15	16 394.5	28.9
12	9	2	371.05	.16	2	22 261.6	20	21 859.3	51.4
13	19	3	401.97	.17	3	24 116.7	25	27 324.0	80.4
14	20	4	432.89	.17	4	25 971.9	30	32 788.8	115.7
54 15	30.920	15	463.81	1855.18	15	27 827.1	0 35	38 253.4	157.5
16	0	6	494.74	.18	6	29 682.3	40	43 718.0	205.8
17	0	7	525.66	.19	7	31 537.4	45	49 182.6	260.4
18	0	8	556.58	.19	8	33 392.6	50	54 647.1	321.5
19	0	9	587.50	.20	9	35 247.8	55	60 111.5	389.0
54 20	30.920	20	618.42	1855.21	20	37 103.0	1 00	65 575.9	463.0
21	0	1	649.34	.21	1	38 958.2	05	71 040.1	543.4
22	0	2	680.26	.22	2	40 813.5	10	76 504.3	630.2
23	0	3	711.18	.22	3	42 668.7	15	81 968.3	723.4
24	0	4	742.10	.23	4	44 523.9	20	87 432.3	823.1
54 25	30.921	25	773.02	1855.23	25	46 379.1	1 25	92 896.1	929.1
26	1	6	803.94	.24	6	48 234.4	30	98 359.8	1 041.7
27	1	7	834.87	.24	7	50 089.6	35	103 823.3	1 160.6
28	1	8	865.79	.25	8	51 944.8	40	109 286.7	1 286.0
29	1	9	896.71	.25	9	53 800.1	45	114 750.0	1 417.8
54 30	30.921	30	927.63	1855.26	30	55 655.3	1 50	120 213.1	1 556.0
31	1	1	958.55	.26	1	57 510.6	55	125 676.0	1 700.7
32	1	2	989.47	.27	2	59 365.9	2 00	131 139	1 852
33	1	3	1 020.39	.27	3	61 221.2	3 00	196 675	4 166
34	1	4	1 051.31	.28	4	63 076.4	4 00	262 173	7 406
54 35	30.921	35	1 082.23	1855.28	35	64 931.7	5 00	327 618	11 570
36	1	6	1 113.15	.29	6	66 787.0	6 00	392 998	16 657
37	2	7	1 144.08	.29	7	68 642.3	7 00	458 300	22 668
38	2	8	1 175.00	.30	8	70 497.6	8 00	523 510	29 599
39	2	9	1 205.92	.30	9	72 352.9	9 00	588 616	37 451
54 40	30.922	40	1 236.84	1855.31	40	74 208.2	10 00	653 604	46 221
41	2	1	1 267.76	.31	1	76 063.5	11 00	718 462	55 908
42	2	2	1 298.68	.32	2	77 918.8	12 00	783 177	66 510
43	2	3	1 329.60	.32	3	79 774.1	13 00	847 736	78 024
44	2	4	1 360.52	.33	4	81 629.5	14 00	912 125	90 449
54 45	30.922	45	1 391.44	1855.34	45	83 484.8	15 00	976 333	103 782
46	2	6	1 422.36	.34	6	85 340.1	16 00	1 040 347	118 020
47	2	7	1 453.28	.35	7	87 195.5	17 00	1 104 152	133 161
48	3	8	1 484.21	.35	8	89 050.8	18 00	1 167 738	149 200
49	3	9	1 515.13	.36	9	90 906.2	19 00	1 231 091	166 136
54 50	30.923	50	1 546.05	1855.36	50	92 761.5	20 00	1 294 198	183 965
51	3	1	1 576.97	.37	1	94 616.9	21 00	1 357 048	202 683
52	3	2	1 607.89	.37	2	96 472.3	22 00	1 419 627	222 287
53	3	3	1 638.81	.38	3	98 327.6	23 00	1 481 922	242 772
54	3	4	1 669.73	.38	4	100 183.0	24 00	1 543 923	264 135
54 55	30.923	55	1 700.65	1855.39	55	102 038.4	25 00	1 605 615	286 371
56	3	6	1 731.57	.39	6	103 893.8	26 00	1 666 988	309 476
57	3	7	1 762.49	.40	7	105 749.2	27 00	1 728 028	333 445
58	3	8	1 793.42	.40	8	107 604.6	28 00	1 788 723	358 274
59	3	9	1 824.34	.41	9	109 460.0	29 00	1 849 062	383 957
54 60	30.924	60	1 855.26	1855.41	60	111 315.4	30 00	1 909 033	410 490

Latitude 55° to 56°—Arcs of the parallel in meters.

Lat.	1"	2"	3"	4"	5"	6"	7"	8"	9"	1'	2'	3'	4'	5'
55 00	17.777	35.55	53.33	71.11	88.88	106.66	124.44	142.21	159.99	1066.6	2133.2	3199.8	4266.4	5333.0
1	.769	.54	.31	.08	.84	.62	.39	.16	.92	6.2	2.3	8.5	4.7	30.8
2	.762	.52	.29	.05	.81	.57	.34	.10	.86	5.7	1.4	7.2	2.9	28.6
3	.755	.51	.26	1.02	.77	.53	.28	2.04	.79	5.3	30.6	5.8	61.1	6.4
4	.747	.49	.24	0.99	.74	.48	.23	1.98	.73	4.8	29.7	4.5	59.3	4.2
55 05	17.740	35.48	53.22	70.96	88.70	106.44	124.18	141.92	159.66	1064.4	2128.8	3193.2	4257.6	5322.0
6	.733	.47	.20	.93	.66	.40	.13	.86	.59	4.0	7.9	1.9	5.8	19.8
7	.725	.45	.18	.90	.63	.35	.08	.80	.53	3.5	7.0	90.5	4.0	7.5
8	.718	.44	.15	.87	.59	.31	4.02	.74	.46	3.1	6.2	89.2	2.3	5.3
9	.710	.42	.13	.84	.56	.26	3.97	.68	.40	2.6	5.3	7.9	50.5	3.1
55 10	17.703	35.41	53.11	70.81	88.52	106.22	123.92	141.62	159.33	1062.2	2124.4	3186.5	4248.7	5310.9
11	.696	.39	.09	.78	.48	.17	.87	.56	.26	1.7	3.5	5.2	6.9	08.7
12	.688	.38	.07	.75	.45	.13	.82	.51	.20	1.3	2.6	3.9	5.2	6.5
13	.681	.36	.04	.72	.41	.08	.76	.45	.13	0.8	1.7	2.5	3.4	4.2
14	.673	.35	.02	.69	.37	.04	.71	.39	.06	0.4	20.8	81.2	1.6	302.0
55 15	17.666	35.33	53.00	70.66	88.33	106.00	123.66	141.33	159.00	1060.0	2119.9	3179.9	4239.8	5299.8
16	.659	.32	2.98	.63	.30	5.95	.61	.27	8.93	59.5	9.0	8.6	8.1	7.6
17	.651	.30	.95	.60	.26	.91	.56	.21	.86	9.1	8.1	7.2	6.3	5.4
18	.644	.29	.93	.58	.22	.86	.50	.15	.79	8.6	7.3	5.9	4.5	3.2
19	.636	.27	.91	.55	.19	.82	.45	.09	.73	8.2	6.4	4.6	2.8	90.9
55 20	17.629	35.26	52.89	70.52	88.15	105.77	123.40	141.03	158.66	1057.7	2115.5	3173.2	4231.0	5288.7
21	.622	.24	.87	.49	.11	.73	.35	0.97	.59	7.3	4.6	1.9	29.2	6.5
22	.614	.23	.84	.46	.08	.69	.30	.91	.53	6.9	3.7	70.6	7.4	4.3
23	.607	.21	.82	.43	.04	.64	.25	.85	.46	6.4	2.8	69.2	5.6	82.1
24	.599	.20	.80	.40	8.00	.60	.20	.80	.40	6.0	1.9	7.9	3.9	79.8
55 25	17.592	35.18	52.78	70.37	87.97	105.55	123.14	140.74	158.33	1055.5	2111.0	3166.6	4222.1	5277.6
26	.585	.17	.75	.34	.93	.51	.09	.68	.26	5.1	10.1	5.2	20.3	5.4
27	.577	.15	.73	.31	.89	.46	3.04	.62	.20	4.6	09.2	3.9	18.5	3.2
28	.570	.14	.71	.28	.85	.42	2.99	.56	.13	4.2	8.4	2.6	6.8	70.9
29	.562	.12	.69	.25	.82	.37	.94	.50	.06	3.7	7.5	61.2	5.0	68.7
55 30	.555	35.11	52.67	70.22	87.78	105.33	122.89	140.44	158.00	1053.3	2106.6	3159.9	4213.2	5266.5
31	.548	.10	.64	.19	.74	.29	.84	.38	7.93	2.9	5.7	8.6	11.4	4.3
32	.540	.08	.62	.16	.70	.24	.79	.32	.86	2.4	4.8	7.2	09.6	62.1
33	.533	.07	.60	.13	.67	.20	.73	.26	.80	2.0	3.9	5.9	7.9	59.8
34	.525	.05	.58	.10	.63	.15	.68	.20	.73	1.5	3.0	4.6	6.1	7.6
55 35	17.518	35.04	52.55	70.07	87.59	105.11	122.63	140.14	157.66	1051.1	2102.1	3153.2	4204.3	5255.4
36	.510	.02	.53	.04	.55	.06	.58	.08	.60	0.6	1.2	1.9	2.5	3.1
37	.503	5.01	.51	70.01	.51	5.02	.53	40.02	.53	50.2	100.3	50.6	200.7	50.9
38	.496	4.99	.49	69.98	.48	4.97	.47	39.97	.46	49.7	099.5	49.2	199.0	48.7
39	.488	.98	.46	.95	.44	.93	.42	.91	.40	9.3	8.6	7.9	7.2	6.5
55 40	17.481	34.96	52.44	69.92	87.40	104.89	122.37	139.85	157.33	1048.9	2097.7	3146.6	4195.4	5244.3
41	.473	.95	.42	.89	.36	.84	.32	.79	.26	8.4	6.8	5.2	3.6	42.0
42	.466	.93	.40	.86	.33	.80	.27	.73	.20	8.0	5.9	3.9	1.8	39.8
43	.459	.92	.38	.83	.29	.75	.21	.67	.13	7.5	5.0	2.5	90.0	7.6
44	.451	.90	.35	.80	.25	.71	.16	.61	.06	7.1	4.1	41.2	88.3	5.3
55 45	17.444	34.89	52.33	69.77	87.21	104.66	122.11	139.55	157.00	1046.6	2093.2	3139.9	4186.5	5233.1
46	.436	.87	.31	.74	.18	.62	.06	.49	6.93	6.2	2.3	8.5	4.7	30.9
47	.429	.86	.29	.71	.14	.57	2.01	.43	.86	5.7	1.4	7.2	2.9	28.6
48	.421	.84	.26	.69	.10	.53	1.95	.37	.79	5.3	90.6	5.8	81.1	6.4
49	.414	.83	.24	.66	.07	.48	.90	.31	.73	4.8	89.7	4.5	79.3	4.2
55 50	17.406	34.81	52.22	69.63	87.03	104.44	121.85	139.25	156.66	1044.4	2088.8	3133.2	4177.6	5221.9
51	.399	.80	.20	.60	6.99	.39	.80	.19	.59	3.9	7.9	1.8	5.8	19.7
52	.392	.78	.18	.57	.96	.35	.74	.13	.53	3.5	7.0	30.5	4.0	7.5
53	.384	.77	.15	.54	.92	.30	.69	.07	.46	3.0	6.1	29.1	2.2	5.2
54	.377	.75	.13	.51	.88	.26	.64	9.01	.39	2.6	5.2	7.8	70.4	3.0
55 55	17.369	34.74	52.11	69.48	86.85	104.22	121.58	138.95	156.33	1042.2	2084.3	3126.5	4168.6	5210.8
56	.362	.72	.09	.45	.81	.17	.53	.89	.26	1.7	3.4	5.1	6.8	08.5
57	.354	.71	.06	.42	.77	.13	.48	.83	.10	1.3	2.5	3.8	5.0	6.3
58	.347	.69	.04	.39	.73	.08	.43	.77	.12	0.8	1.6	2.4	3.2	4.1
59	.339	.68	.02	.36	.70	4.04	.37	.72	6.06	40.4	80.7	21.1	61.5	201.8
55 60	17.332	34.66	52.00	69.33	86.66	103.99	121.32	138.66	155.99	1039.9	2079.8	3119.8	4159.7	5199.6

Lat.	Latitude 55° to 56°—Meridional arcs.					Latitude 55°—Co-ordinates of curvature.			
	Value of 1''	Sums of seconds for middle latitude 55° 30'		Value of 1'	Continuous sums of minutes from latitude 55° 00'	Longitude.	X	Y	
° /	Meters.	''	Meters.	Meters.	'	Meters.	° /	Meters.	Meters.
55 00	30.924			1855.41			0 1	1 066.6	0.1
1	4	1	30.93	.42	1	1 855.4	0 2	2 133.2	0.5
2	4	2	61.85	.42	2	3 710.8	3	3 199.8	1.1
3	4	3	92.78	.43	3	5 566.3	4	4 266.4	2.0
4	4	4	123.70	.43	4	7 421.7			
55 05	30.924	5	154.63	1855.44	5	9 277.1	0 5	5 333.0	3.2
6	4	6	185.56	.44	6	11 132.6	6	6 399.6	4.6
7	4	7	216.48	.45	7	12 988.0	7	7 466.2	6.2
8	4	8	247.41	.45	8	14 843.5	8	8 532.8	8.1
9	4	9	278.34	.46	9	16 698.9	9	9 599.4	10.3
55 10	30.924	10	309.26	1855.46	10	18 554.4	0 10	10 666.1	12.7
11	4	1	340.19	.47	1	20 409.9	15	15 999.1	28.6
12	5	2	371.11	.47	2	22 265.3	20	21 332.1	50.8
13	5	3	402.04	.48	3	24 120.8	25	26 665.0	79.4
14	5	4	432.97	.49	4	25 976.3	30	31 997.9	114.4
55 15	30.925	15	463.89	1855.49	15	27 831.8	0 35	37 330.8	155.7
16	5	6	494.82	.50	6	29 687.3	40	42 663.6	203.3
17	5	7	525.74	.50	7	31 542.8	45	47 996.4	257.3
18	5	8	556.67	.51	8	33 398.3	50	53 329.1	317.7
19	5	9	587.60	.51	9	35 253.8	55	58 661.7	384.4
55 20	30.925	20	618.52	1855.52	20	37 109.3	1 00	63 994.2	457.5
21	5	1	649.45	.52	1	38 964.8	05	69 326.7	536.9
22	5	2	680.37	.53	2	40 820.4	10	74 659.0	622.7
23	6	3	711.30	.53	3	42 675.9	15	79 991.3	714.8
24	6	4	742.23	.54	4	44 531.4	20	85 323.4	813.3
55 25	30.926	25	773.15	1855.54	25	46 387.0	1 25	90 655.4	918.1
26	6	6	804.08	.55	6	48 242.5	30	95 987.3	1 029.3
27	6	7	835.01	.55	7	50 098.1	35	101 319.0	1 146.8
28	6	8	865.93	.56	8	51 953.6	40	106 650.6	1 270.7
29	6	9	896.86	.56	9	53 809.2	45	111 982.1	1 400.9
55 30	30.926	30	927.78	1855.57	30	55 664.7	1 50	117 313.3	1 537.5
31	6	1	958.71	.57	1	57 520.3	55	122 644.5	1 680.5
32	6	2	989.64	.58	2	59 375.9	2 00	127 975	1 830
33	6	3	1 020.56	.58	3	61 231.4	3 00	191 930	4 117
34	6	4	1 051.49	.59	4	63 087.0	4 00	255 846	7 318
55 35	30.927	35	1 082.41	1855.59	35	64 942.6	5 00	319 710	11 432
36	7	6	1 113.34	.60	6	66 798.2	6 00	383 508	16 459
37	7	7	1 144.27	.60	7	68 653.8	7 00	447 228	22 398
38	7	8	1 175.19	.61	8	70 509.4	8 00	510 856	29 246
39	7	9	1 206.12	.61	9	72 365.0	9 00	574 380	37 004
55 40	30.927	40	1 237.04	1855.62	40	74 220.7	10 00	637 786	45 670
41	7	1	1 267.97	.62	1	76 076.3	11 00	701 062	55 240
42	7	2	1 298.90	.63	2	77 931.9	12 00	764 195	65 715
43	7	3	1 329.82	.63	3	79 787.6	13 00	827 172	77 091
44	7	4	1 360.75	.64	4	81 643.2	14 00	889 980	89 366
55 45	30.927	45	1 391.68	1855.64	45	83 498.8	15 00	952 605	102 538
46	7	6	1 422.60	.65	6	85 354.5	16 00	1 015 036	116 604
47	8	7	1 453.53	.65	7	87 210.1	17 00	1 077 260	131 561
48	8	8	1 484.45	.66	8	89 065.8	18 00	1 139 263	147 406
49	8	9	1 515.38	.66	9	90 921.5	19 00	1 201 033	164 135
55 50	30.928	50	1 546.31	1855.67	50	92 777.1	20 00	1 262 558	181 747
51	8	1	1 577.23	.68	1	94 632.8	21 00	1 323 825	200 236
52	8	2	1 608.16	.68	2	96 488.4	22 00	1 384 821	219 599
53	8	3	1 639.08	.69	3	98 344.1	23 00	1 445 535	239 832
54	8	4	1 670.01	.69	4	100 199.8	24 00	1 505 952	260 931
55 55	30.928	55	1 700.94	1855.70	55	102 055.5	25 00	1 566 063	282 891
56	8	6	1 731.86	.70	6	103 911.2	26 00	1 625 853	305 709
57	8	7	1 762.79	.71	7	105 766.9	27 00	1 685 310	329 379
58	9	8	1 793.72	.71	8	107 622.6	28 00	1 744 423	353 990
59	9	9	1 824.64	.72	9	109 478.3	29 00	1 803 179	379 257
55 60	30.929	60	1 855.57	1855.72	60	111 334.0	30 00	1 861 567	405 454

Latitude 56° to 57°—Arcs of the parallel in meters.

Lat.	1"	2"	3"	4"	5"	6"	7"	8"	9"	1'	2'	3'	4'	5'
56 00	17.332	34.66	52.00	69.33	86.66	103.99	121.32	138.66	155.99	1039.9	2079.8	3119.8	4159.7	5199.6
1	.324	.65	1.97	.30	.62	.95	.27	.60	.92	9.5	8.9	8.4	7.9	7.3
2	.317	.63	.95	.27	.59	.90	.22	.54	.86	9.0	8.0	7.1	6.1	5.1
3	.310	.62	.93	.24	.55	.86	.16	.48	.79	8.6	7.2	5.7	4.3	2.9
4	.302	.60	.91	.21	.51	.81	.11	.42	.72	8.1	6.3	4.4	2.5	90.6
56 05	17.295	34.59	51.88	69.18	86.48	103.77	121.06	138.36	155.65	1037.7	2075.4	3113.0	4150.7	5188.4
6	.287	.57	.86	.15	.44	.72	1.01	.30	.59	7.2	4.5	1.7	48.9	6.1
7	.280	.56	.84	.12	.40	.68	0.96	.24	.52	6.8	3.6	10.3	7.1	3.9
8	.272	.54	.82	.09	.36	.63	.90	.18	.45	6.3	2.7	09.0	5.3	81.7
9	.265	.53	.79	.06	.33	.59	.85	.12	.38	5.9	1.8	7.7	3.5	79.4
56 10	17.257	34.51	51.77	69.03	86.29	103.54	120.80	138.06	155.32	1035.4	2070.9	3106.3	4141.7	5177.2
11	.250	.50	.75	9.00	.25	.50	.75	8.00	.25	5.0	70.0	5.0	40.0	4.9
12	.242	.48	.73	8.97	.21	.45	.70	7.94	.18	4.5	69.1	3.6	38.2	2.7
13	.235	.47	.70	.94	.18	.41	.64	.88	.11	4.1	8.2	2.3	6.4	70.4
14	.227	.45	.68	.91	.14	.36	.59	.82	.05	3.6	7.3	100.9	4.6	68.2
56 15	17.220	34.44	51.66	68.88	86.10	103.32	120.54	137.76	154.98	1033.2	2066.4	3099.6	4132.8	5166.0
16	.212	.43	.64	.85	.06	.27	.49	.70	.91	2.7	5.5	8.2	31.0	3.7
17	.205	.41	.62	.82	6.02	.23	.44	.64	.84	2.3	4.6	6.9	29.2	61.5
18	.197	.40	.59	.79	5.99	.18	.38	.58	.78	1.8	3.7	5.5	7.4	59.2
19	.190	.38	.57	.76	.95	.14	.33	.52	.71	1.4	2.8	4.2	5.6	7.0
56 20	17.182	34.37	51.55	68.73	85.91	103.09	120.28	137.46	154.64	1030.9	2061.9	3092.8	4123.8	5154.7
21	.175	.35	.53	.70	.87	.05	.23	.40	.57	0.5	1.0	1.5	2.0	2.5
22	.167	.34	.50	.67	.84	3.00	.17	.34	.51	30.0	60.1	90.1	20.2	50.2
23	.160	.32	.48	.64	.80	2.96	.12	.28	.44	29.6	59.2	88.8	18.4	48.0
24	.152	.31	.46	.61	.76	.91	.07	.22	.37	9.1	8.3	7.4	6.6	5.7
56 25	17.145	34.29	51.43	68.58	85.73	102.87	120.01	137.16	154.31	1028.7	2057.4	3086.1	4114.8	5143.5
26	.137	.28	.41	.55	.69	.82	19.96	.10	.24	8.2	6.5	4.7	3.0	41.2
27	.130	.26	.39	.52	.65	.78	.91	7.04	.17	7.8	5.6	3.4	11.2	39.0
28	.123	.25	.37	.49	.61	.74	.86	6.98	.10	7.4	4.7	2.1	09.4	6.8
29	.115	.23	.34	.46	.58	.69	.80	.92	4.04	6.9	3.8	80.7	7.6	4.5
56 30	17.108	34.22	51.32	68.43	85.54	102.65	119.75	136.86	153.97	1026.5	2052.9	3079.4	4105.8	5132.3
31	.100	.20	.30	.40	.50	.60	.70	.80	.90	6.0	2.0	8.0	4.0	30.0
32	.092	.19	.28	.37	.46	.55	.65	.74	.83	5.5	1.1	6.6	2.2	27.7
33	.085	.17	.25	.34	.43	.51	.59	.68	.77	5.1	50.2	5.3	100.4	5.5
34	.077	.16	.23	.31	.39	.46	.54	.62	.70	4.6	49.3	3.9	098.6	3.2
56 35	17.070	34.14	51.21	68.28	85.35	102.42	119.49	136.56	153.63	1024.2	2048.4	3072.6	4096.8	5121.0
36	.062	.12	.19	.25	.31	.37	.44	.50	.56	3.7	7.5	71.2	5.0	18.7
37	.055	.11	.17	.22	.27	.33	.39	.44	.49	3.3	6.6	69.9	3.2	6.5
38	.047	.09	.14	.19	.24	.28	.33	.38	.43	2.8	5.7	8.5	91.4	4.2
39	.040	.08	.12	.16	.20	.24	.28	.32	.36	2.4	4.8	7.2	89.6	12.0
56 40	17.032	34.06	51.10	68.13	85.16	102.19	119.23	136.26	153.29	1021.9	2043.9	3065.8	4087.8	5109.7
41	.025	.05	.08	.10	.12	.15	.18	.20	.22	1.5	3.0	4.5	6.0	7.5
42	.017	.03	.05	.07	.09	.10	.12	.14	.15	1.0	2.1	3.1	4.2	5.2
43	.010	.02	.03	.04	.05	.06	.07	.08	.09	0.6	1.2	1.8	2.4	2.9
44	.002	4.00	1.01	8.01	5.01	2.01	9.02	6.02	3.02	20.1	40.3	60.4	80.6	100.7
56 45	16.995	33.99	50.98	67.98	84.98	101.97	118.96	135.96	152.95	1019.7	2039.4	3059.1	4078.7	5098.4
46	.987	.97	.96	.95	.94	.92	.91	.90	.88	9.2	8.5	7.7	6.9	6.2
47	.980	.96	.94	.92	.90	.88	.86	.84	.82	8.8	7.6	6.4	5.1	3.9
48	.972	.94	.92	.89	.86	.83	.81	.78	.75	8.3	6.7	5.0	3.3	91.7
49	.965	.93	.89	.86	.83	.79	.75	.72	.68	7.9	5.8	3.6	71.5	89.4
56 50	16.957	33.91	50.87	67.83	84.79	101.74	118.70	135.66	152.61	1017.4	2034.9	3052.3	4069.7	5087.2
51	.950	.90	.85	.80	.75	.70	.65	.60	.54	7.0	4.0	50.9	7.9	4.9
52	.942	.88	.83	.77	.71	.65	.59	.54	.48	6.5	3.1	49.6	6.1	2.6
53	.935	.87	.80	.74	.68	.61	.54	.48	.41	6.1	2.1	8.2	4.3	80.4
54	.927	.85	.78	.71	.64	.56	.49	.42	.34	5.6	1.2	6.9	2.5	78.1
56 55	16.919	33.84	50.76	67.68	84.60	101.52	118.43	135.36	152.27	1015.2	2030.3	3045.5	4060.7	5075.8
56	.912	.82	.74	.65	.56	.47	.38	.30	.21	4.7	29.4	4.1	58.9	3.6
57	.904	.81	.71	.62	.52	.43	.33	.24	.14	4.3	8.5	2.8	7.1	71.3
58	.897	.79	.69	.59	.49	.38	.28	.17	.07	3.8	7.6	1.4	5.2	69.1
59	.889	.78	.67	.56	.45	.34	.22	.11	2.01	3.4	6.7	40.1	3.4	6.8
56 60	16.882	33.76	50.65	67.53	84.41	101.29	118.17	135.05	151.94	1012.9	2025.8	3038.7	4051.6	5064.5

Lat.	Latitude 56° to 57°—Meridional arcs.					Latitude 56°—Co-ordinates of curvature.			
	Value of 1'	Sums of seconds for middle latitude 56° 30'		Value of 1'	Continuous sums of minutes from latitude 56° 00'		Longitude.	X	Y
° /	Meters.	"	Meters.	Meters.	'	Meters.	° /	Meters.	Meters.
56 00	30.929			1855.72					
1	9	1	30.93	.73	1	1 855.7	0 1	1 039.9	0.1
2	9	2	61.86	.73	2	3 711.5	2	2 079.8	0.5
3	9	3	92.79	.74	3	5 567.2	3	3 119.8	1.1
4	9	4	123.72	.74	4	7 422.9	4	4 159.7	2.0
56 05	30.929	5	154.66	1855.75	5	9 278.7	0 5	5 199.6	3.1
6	9	6	185.59	.75	6	11 134.4	6	6 239.5	4.5
7	9	7	216.52	.76	7	12 990.2	7	7 279.4	6.1
8	9	8	247.45	.76	8	14 845.9	8	8 319.3	8.0
09	29	9	278.38	.77	9	16 701.7	9	9 359.2	10.2
56 10	30.930	10	309.31	1855.77	10	18 557.5	0 10	10 399.2	12.5
11	0	1	340.24	.78	1	20 413.2	15	15 598.7	28.2
12	0	2	371.17	.78	2	22 269.0	20	20 798.3	50.2
13	0	3	402.11	.79	3	24 124.8	25	25 997.8	78.4
14	0	4	433.04	.79	4	25 980.6	30	31 197.3	112.9
56 15	30.930	15	463.97	1855.80	15	27 836.4	0 35	36 396.7	153.6
16	0	6	494.90	.80	6	29 692.2	40	41 596.0	200.6
17	0	7	525.83	.81	7	31 548.0	45	46 795.4	253.9
18	0	8	556.76	.81	8	33 403.8	50	51 994.6	313.5
19	0	9	587.69	.82	9	35 259.6	55	57 193.8	379.3
56 20	30.930	20	618.62	1855.82	20	37 115.4	1 00	62 392.9	451.4
21	0	1	649.56	.83	1	38 971.3	05	67 591.9	529.8
22	1	2	680.49	.83	2	40 827.1	10	72 790.8	614.4
23	1	3	711.42	.84	3	42 682.9	15	77 989.6	705.3
24	1	4	742.35	.84	4	44 538.8	20	83 188.2	802.5
56 25	30.931	25	773.28	1855.85	25	46 394.6	1 25	88 386.8	905.9
26	1	6	804.21	.85	6	48 250.5	30	93 585.2	1 015.6
27	1	7	835.14	.86	7	50 106.3	35	98 783.5	1 131.6
28	1	8	866.07	.86	8	51 962.2	40	103 981.7	1 253.8
29	1	9	897.01	.87	9	53 818.0	45	109 179.7	1 382.4
56 30	30.931	30	927.94	1855.87	30	55 673.9	1 50	114 377.5	1 517.1
31	1	1	958.87	.88	1	57 529.8	55	119 575.2	1 658.2
32	1	2	989.80	.88	2	59 385.7	2 00	124 773	1 806
33	1	3	1 020.73	.89	3	61 241.6	3 00	187 126	4 062
34	2	4	1 051.66	.89	4	63 097.5	4 00	249 441	7 221
56 35	30.932	35	1 082.59	1855.90	35	64 953.4	5 00	311 703	11 280
36	2	6	1 113.52	.90	6	66 809.3	6 00	373 900	16 241
37	2	7	1 144.46	.91	7	68 665.2	7 00	436 019	22 100
38	2	8	1 175.39	.91	8	70 521.1	8 00	498 047	28 858
39	2	9	1 206.32	.92	9	72 377.0	9 00	559 970	36 512
56 40	30.932	40	1 237.25	1855.92	40	74 232.9	10 00	621 776	45 062
41	2	1	1 268.18	.93	1	76 088.8	11 00	683 451	54 506
42	2	2	1 299.11	.93	2	77 944.8	12 00	744 984	64 840
43	2	3	1 330.04	.94	3	79 800.7	13 00	806 361	76 064
44	2	4	1 360.97	.94	4	81 656.7	14 00	867 569	88 174
56 45	30.932	45	1 391.91	1855.95	45	83 512.6	15 00	928 595	101 169
46	3	6	1 422.84	.95	6	85 368.6	16 00	989 427	115 046
47	3	7	1 453.77	.96	7	87 224.5	17 00	1 050 051	129 801
48	3	8	1 484.70	.96	8	89 080.5	18 00	1 110 456	145 432
49	3	9	1 515.63	.97	9	90 936.4	19 00	1 170 629	161 935
56 50	30.933	50	1 546.56	1855.97	50	92 792.4	20 00	1 230 556	179 308
51	3	1	1 577.49	.98	1	94 648.4	21 00	1 290 226	197 545
52	3	2	1 608.42	.98	2	96 504.4	22 00	1 349 625	216 644
53	3	3	1 639.36	5.99	3	98 360.4	23 00	1 408 742	236 600
54	3	4	1 670.29	6.00	4	100 216.3	24 00	1 467 564	257 410
56 55	30.933	55	1 701.22	1856.00	55	102 072.3	25 00	1 526 079	279 069
56	3	6	1 732.15	.01	6	103 928.3	26 00	1 584 275	301 572
57	4	7	1 763.08	.01	7	105 784.4	27 00	1 642 138	324 914
58	4	8	1 794.01	.02	8	107 640.4	28 00	1 699 658	349 092
59	4	9	1 824.94	.02	9	109 496.4	29 00	1 756 822	374 099
56 60	30.934	60	1 855.87	1856.03	60	111 352.4	30 00	1 813 618	399 930

Latitude 57° to 58°—Arcs of the parallel in meters.

Lat.	1''	2''	3''	4''	5''	6''	7''	8''	9''	1'	2'	3'	4'	5'
57 00	16.882	33.76	50.65	67.53	84.41	101.29	118.17	135.05	151.94	1012.9	2025.8	3038.7	4051.6	5064.5
1	.874	.75	.62	.50	.37	.25	.12	4.99	.87	2.5	4.9	7.4	49.8	2.3
2	.867	.73	.60	.47	.33	.20	.06	.93	.80	2.0	4.0	6.0	8.0	60.0
3	.859	.72	.58	.44	.30	.15	8.01	.87	.73	1.5	3.1	4.6	6.2	57.7
4	.852	.70	.56	.41	.26	.11	7.96	.81	.67	1.1	2.2	3.3	4.4	5.5
57 05	16.844	33.69	50.53	67.38	84.22	101.06	117.90	134.75	151.60	1010.6	2021.3	3031.9	4042.6	5053.2
6	.836	.67	.51	.35	.18	1.02	.85	.69	.53	10.2	20.4	30.6	40.7	50.9
7	.829	.66	.49	.32	.14	0.97	.80	.63	.46	09.7	19.5	29.2	38.9	48.7
8	.821	.64	.46	.29	.11	.93	.75	.57	.39	9.3	8.6	7.8	7.1	6.4
9	.814	.63	.44	.26	.07	.88	.69	.51	.32	8.8	7.7	6.5	5.3	4.1
57 10	16.806	33.61	50.42	67.23	84.03	100.84	117.64	134.45	151.26	1008.4	2016.8	3025.1	4033.5	5041.9
11	.799	.60	.40	.20	3.99	.79	.59	.39	.19	7.9	5.9	3.8	31.7	39.6
12	.791	.58	.37	.17	.95	.75	.53	.33	.12	7.5	5.0	2.4	29.9	7.3
13	.784	.57	.35	.13	.92	.70	.48	.27	1.05	7.0	4.0	21.0	8.0	5.1
14	.776	.55	.33	.10	.88	.66	.43	.21	0.99	6.6	3.1	19.7	6.2	2.8
57 15	16.768	33.54	50.30	67.07	83.84	100.61	117.37	134.15	150.92	1006.1	2012.2	3018.3	4024.4	5030.5
16	.761	.52	.28	.04	.80	.56	.32	.09	.85	5.6	1.3	6.9	2.6	28.2
17	.753	.51	.26	7.01	.76	.52	.27	4.03	.78	5.2	10.4	5.6	20.8	6.0
18	.746	.49	.24	6.98	.73	.47	.22	3.97	.71	4.7	09.5	4.2	19.0	3.7
19	.738	.48	.21	.95	.69	.43	.16	.90	.65	4.3	8.6	2.9	7.1	21.4
57 20	16.731	33.46	50.19	66.92	83.65	100.38	117.11	133.84	150.58	1003.8	2007.7	3011.5	4015.3	5019.2
21	.723	.45	.17	.89	.61	.34	.06	.78	.51	3.4	6.8	10.1	3.5	6.9
22	.715	.43	.15	.86	.57	.29	7.00	.72	.44	2.9	5.9	08.8	11.7	4.6
23	.708	.42	.12	.83	.54	.25	6.95	.66	.37	2.5	4.9	7.4	09.9	2.3
24	.700	.40	.10	.80	.50	.20	.90	.60	.30	2.0	4.0	6.0	8.1	10.1
57 25	16.693	33.39	50.08	66.77	83.46	100.16	116.84	133.54	150.24	1001.6	2003.1	3004.7	4006.2	5007.8
26	.685	.37	.05	.74	.42	.11	.79	.48	.17	1.1	2.2	3.3	4.4	5.5
27	.677	.35	.03	.71	.38	.06	.74	.42	.10	0.6	1.3	1.9	2.6	3.2
28	.670	.34	50.01	.68	.35	100.02	.69	.36	50.03	1000.2	2000.4	3000.6	4000.8	5001.0
29	.662	.32	49.99	.65	.31	99.97	.63	.30	49.96	999.7	1999.5	2999.2	3999.0	4998.7
57 30	16.655	33.31	49.96	66.62	83.27	99.93	116.58	133.24	149.89	999.3	1998.6	2997.9	3997.1	4996.4
31	.647	.29	.94	.59	.23	.88	.53	.18	.82	8.8	7.7	6.5	5.3	4.1
32	.640	.28	.92	.56	.19	.84	.47	.12	.75	8.4	6.8	5.1	3.5	91.9
33	.632	.26	.90	.53	.16	.79	.42	.06	.69	7.9	5.8	3.7	91.7	89.6
34	.624	.25	.87	.50	.12	.75	.37	3.00	.62	7.5	4.9	2.4	89.8	7.3
57 35	16.617	33.23	49.85	66.47	83.08	99.70	116.31	132.93	149.55	997.0	1994.0	2991.0	3988.0	4985.0
36	.609	.22	.83	.44	.04	.65	.26	.87	.48	6.5	3.1	89.6	6.2	2.7
37	.602	.20	.81	.41	3.00	.61	.21	.81	.41	6.1	2.2	8.3	4.4	80.5
38	.594	.19	.78	.38	2.97	.56	.16	.75	.35	5.6	1.3	6.9	2.5	78.2
39	.586	.17	.76	.35	.93	.52	.10	.69	.28	5.2	90.4	5.5	80.7	5.9
57 40	16.579	33.16	49.74	66.32	82.89	99.47	116.05	132.63	149.21	994.7	1989.5	2984.2	3978.9	4973.6
41	.571	.14	.71	.29	.85	.43	6.00	.57	.14	4.3	8.6	2.8	7.1	71.3
42	.564	.13	.69	.25	.81	.38	5.94	.51	.07	3.8	7.6	1.4	5.3	69.1
43	.556	.11	.67	.22	.78	.34	.89	.45	9.01	3.4	6.7	80.1	3.4	6.8
44	.548	.10	.65	.19	.74	.29	.84	.39	8.94	2.9	5.8	78.7	71.6	4.5
57 45	16.541	33.08	49.62	66.16	82.70	99.24	115.78	132.33	148.87	992.4	1984.9	2977.3	3969.8	4962.2
46	.533	.07	.60	.13	.66	.20	.73	.26	.80	2.0	4.0	6.0	7.9	59.9
47	.525	.05	.58	.10	.62	.15	.68	.20	.73	1.5	3.1	4.6	6.1	7.6
48	.518	.04	.55	.07	.59	.11	.63	.14	.66	1.1	2.1	3.2	4.3	5.4
49	.510	.02	.53	.04	.55	.06	.57	.08	.59	0.6	1.2	1.8	2.5	3.1
57 50	16.503	33.01	49.51	66.01	82.51	99.02	115.52	132.02	148.53	990.2	1980.3	2970.5	3960.6	4950.8
51	.495	2.99	.49	5.98	.47	8.97	.47	1.96	.46	89.7	79.4	69.1	58.8	48.5
52	.487	.97	.46	.95	.43	.92	.41	.90	.39	9.2	8.5	7.7	7.0	6.2
53	.480	.96	.44	.92	.40	.88	.36	.84	.32	8.8	7.5	6.4	5.1	3.9
54	.472	.94	.42	.89	.36	.83	.30	.78	.25	8.3	6.6	5.0	3.3	41.6
57 55	16.465	32.93	49.39	65.86	82.32	98.79	115.25	131.72	148.18	987.9	1975.7	2963.6	3951.5	4939.4
56	.457	.91	.37	.83	.32	.74	.20	.66	.11	7.4	4.8	2.2	49.7	7.1
57	.449	.90	.35	.80	.24	.70	.14	.59	8.04	7.0	3.9	60.9	7.8	4.8
58	.442	.88	.33	.77	.21	.65	.09	.53	7.97	6.5	3.0	59.5	6.0	2.5
59	.434	.87	.30	.74	.17	.60	5.03	.47	.90	6.0	2.1	8.1	4.2	30.2
57 60	16.426	32.85	49.28	65.71	82.13	98.56	114.98	131.41	147.84	985.6	1971.2	2956.8	3942.3	4927.9

Lat.	Latitude 57° to 58°—Meridional arcs.					Latitude 57°—Co-ordinates of curvature.			
	Value of 1''	Sums of seconds for middle latitude 57° 30'		Value of 1'	Continuous sums of minutes from latitude 57° 00'	Longitude.	X	Y	
° /	Meters.	''	Meters.	Meters.	'	Meters.	° /	Meters.	Meters.
57 00	30.934			1856.03			0 1	1 012.9	0.1
1	4	1	30.94	.03	1	1 856.0	0 2	2 025.8	0.5
2	4	2	61.87	.04	2	3 712.1	0 3	3 038.7	1.1
3	4	3	92.81	.04	3	5 568.1	0 4	4 051.6	2.0
4	4	4	123.75	.05	4	7 424.1	0 5	5 064.5	3.1
57 05	30.934	5	154.68	1856.05	5	9 280.2	0 6	6 077.4	4.4
6	4	6	185.62	.06	6	11 136.2	0 7	7 090.3	6.0
7	4	7	216.55	.06	7	12 992.3	0 8	8 103.3	7.9
8	4	8	247.49	.07	8	14 848.4	0 9	9 116.2	10.0
9	5	9	278.43	.07	9	16 704.4			
57 10	30.935	10	309.36	1856.08	10	18 560.5	0 10	10 129.1	12.4
11	5	1	340.30	.08	1	20 416.6	0 15	15 193.6	27.8
12	5	2	371.24	.09	2	22 272.7	0 20	20 258.1	49.4
13	5	3	402.17	.09	3	24 128.7	0 25	25 322.5	77.2
14	5	4	433.11	.10	4	25 984.8	0 30	30 387.0	111.2
57 15	30.935	15	464.04	1856.10	15	27 840.9	0 35	35 451.3	151.3
16	5	6	494.98	.11	6	29 697.0	0 40	40 515.6	197.7
17	5	7	525.92	.11	7	31 553.1	0 45	45 579.9	250.2
18	5	8	556.85	.12	8	33 409.3	0 50	50 644.1	308.9
19	5	9	587.79	.12	9	35 265.4	0 55	55 708.2	373.7
57 20	30.935	20	618.73	1856.13	20	37 121.5	1 00	60 772.3	444.8
21	6	1	649.66	.13	1	38 977.6	1 05	65 836.2	522.0
22	6	2	680.60	.14	2	40 833.7	1 10	70 900.1	605.4
23	6	3	711.53	.14	3	42 689.9	1 15	75 963.8	695.0
24	6	4	742.47	.15	4	44 546.0	1 20	81 027.5	790.7
57 25	30.936	25	773.41	1856.15	25	46 402.2	1 25	86 091.0	892.6
26	6	6	804.34	.16	6	48 258.3	1 30	91 154.3	1 000.7
27	6	7	835.28	.16	7	50 114.5	1 35	96 217.6	1 115.0
28	6	8	866.22	.17	8	51 970.7	1 40	101 280.7	1 235.5
29	6	9	897.15	.17	9	53 826.8	1 45	106 343.6	1 362.1
57 30	30.936	30	928.09	1856.18	30	55 683.0	1 50	111 406.4	1 494.9
31	6	1	959.02	.18	1	57 539.2	1 55	116 469.1	1 633.9
32	6	2	989.96	.19	2	59 395.4	2 00	121 532	1 779
33	7	3	1 020.90	.19	3	61 251.6	2 05	126 595.1	1 933.1
34	7	4	1 051.83	.20	4	63 107.8	2 10	131 658.1	2 093
57 35	30.937	35	1 082.77	1856.20	35	64 964.0	2 15	136 721.1	2 258.1
36	7	6	1 113.71	.21	6	66 820.2	2 20	141 784.1	2 428.1
37	7	7	1 144.64	.21	7	68 676.4	2 25	146 847.1	2 603.1
38	7	8	1 175.58	.22	8	70 532.6	2 30	151 910.1	2 783.1
39	7	9	1 206.51	.22	9	72 388.8	2 35	156 973.1	2 968.1
57 40	30.937	40	1 237.45	1856.23	40	74 245.0	2 40	162 036.1	3 158.1
41	7	1	1 268.39	.23	1	76 101.3	2 45	167 099.1	3 353.1
42	7	2	1 299.32	.24	2	77 957.5	2 50	172 162.1	3 553.1
43	7	3	1 330.26	.24	3	79 813.7	2 55	177 225.1	3 758.1
44	7	4	1 361.20	.25	4	81 669.9	3 00	182 288.1	3 968.1
57 45	30.938	45	1 392.13	1856.25	45	83 526.2	3 05	187 351.1	4 183.1
46	8	6	1 423.07	.26	6	85 382.5	3 10	192 414.1	4 403.1
47	8	7	1 454.00	.26	7	87 238.7	3 15	197 477.1	4 628.1
48	8	8	1 484.94	.27	8	89 095.0	3 20	202 540.1	4 858.1
49	8	9	1 515.88	.27	9	90 951.2	3 25	207 603.1	5 093.1
57 50	30.938	50	1 546.81	1856.28	50	92 807.5	3 30	212 666.1	5 333.1
51	8	1	1 577.75	.28	1	94 663.8	3 35	217 729.1	5 578.1
52	8	2	1 608.69	.29	2	96 520.1	3 40	222 792.1	5 828.1
53	8	3	1 639.62	.29	3	98 376.4	3 45	227 855.1	6 083.1
54	8	4	1 670.56	.30	4	100 232.7	3 50	232 918.1	6 343.1
57 55	30.938	55	1 701.49	1856.30	55	102 089.0	3 55	237 981.1	6 608.1
56	8	6	1 732.43	.31	6	103 945.3	4 00	243 044.1	6 878.1
57	9	7	1 763.37	.31	7	105 801.6	4 05	248 107.1	7 153.1
58	9	8	1 794.30	.31	8	107 657.9	4 10	253 170.1	7 433.1
59	9	9	1 825.24	.32	9	109 514.2	4 15	258 233.1	7 718.1
57 60	30.939	60	1 856.18	1856.32	60	111 370.5	4 20	263 296.1	8 008.1

Latitude 58° to 59°—Arcs of the parallel in meters.

Lat	1"	2"	3"	4"	5"	6"	7"	8"	9"	1'	2'	3'	4'	5'
58 00	16.426	32.85	49.28	65.71	82.13	98.56	114.98	131.41	147.84	985.6	1971.2	2956.8	3942.3	4927.9
1	.419	.84	.26	.68	.09	.51	.93	.35	.77	5.1	70.3	5.4	40.5	5.6
2	.411	.82	.23	.65	.06	.47	.87	.29	.70	4.7	69.4	4.0	38.7	3.3
3	.403	.81	.21	.61	.02	.42	.82	.23	.63	4.2	68.4	2.6	36.8	2.1
4	.396	.79	.19	.58	1.98	.38	.77	.17	.56	3.8	67.5	51.3	5.0	18.8
58 05	16.388	32.78	49.16	65.55	81.94	98.33	114.71	131.11	147.49	983.3	1966.6	2949.9	3933.2	4916.5
6	.381	.76	.14	.52	.90	.28	.66	1.04	.42	2.8	5.7	8.5	31.3	4.2
7	.373	.75	.12	.49	.86	.24	.61	0.98	.35	2.4	4.8	7.1	29.5	11.9
8	.365	.73	.10	.46	.83	.19	.56	.92	.29	1.9	3.8	5.8	7.7	09.6
9	.358	.72	.07	.43	.79	.15	.50	.86	.22	1.5	2.9	4.4	5.8	7.3
58 10	16.350	32.70	49.05	65.40	81.75	98.10	114.45	130.80	147.15	981.0	1962.0	2943.0	3924.0	4905.0
11	.342	.68	.03	.37	.71	.05	.40	.74	.08	0.5	1.1	1.6	2.2	2.7
12	.335	.67	9.00	.34	.67	8.01	.34	.68	7.01	80.1	60.2	40.2	20.3	900.4
13	.327	.65	8.98	.31	.64	7.96	.29	.62	6.94	79.6	59.2	38.9	18.5	898.1
14	.319	.64	.96	.28	.60	.92	.23	.56	.87	9.2	8.3	7.5	6.7	5.8
58 15	16.312	32.62	48.93	65.25	81.56	97.87	114.18	130.49	146.81	978.7	1957.4	2936.1	3914.8	4893.5
16	.304	.61	.91	.22	.52	.82	.13	.43	.74	8.2	6.5	4.7	3.0	91.2
17	.296	.59	.89	.19	.48	.78	.07	.37	.67	7.8	5.6	3.7	11.1	88.9
18	.289	.58	.87	.15	.45	.73	4.02	.31	.60	7.3	4.6	2.0	09.3	6.6
19	.281	.56	.84	.12	.41	.69	3.96	.25	.53	6.9	3.7	30.6	7.5	4.3
58 20	16.273	32.55	48.82	65.09	81.37	97.64	113.91	130.19	146.46	976.4	1952.8	2929.2	3905.6	4882.0
21	.266	.53	.80	.06	.33	.59	.86	.13	.39	5.9	1.9	7.8	3.8	79.7
22	.258	.52	.77	.03	.29	.55	.80	.07	.32	5.5	1.0	6.5	2.0	7.4
23	.250	.50	.75	5.00	.25	.50	.75	30.00	.25	5.0	50.0	5.1	900.1	5.1
24	.243	.49	.73	4.97	.21	.46	.70	29.94	.18	4.6	49.1	3.7	898.3	2.8
58 25	16.235	32.47	48.70	64.94	81.18	97.41	113.64	129.88	146.12	974.1	1948.2	2922.3	3896.4	4870.5
26	.227	.45	.68	.91	.14	.36	.59	.82	6.05	3.6	7.3	20.9	4.6	68.2
27	.220	.44	.66	.88	.10	.32	.54	.76	5.98	3.2	6.4	19.6	2.8	5.9
28	.212	.42	.64	.85	.06	.27	.49	.70	.91	2.7	5.4	8.2	90.9	3.6
29	.204	.41	.61	.82	1.02	.23	.43	.64	.84	2.3	4.5	6.8	89.1	61.3
58 30	16.197	32.39	48.59	64.79	80.98	97.18	113.38	129.57	145.77	971.8	1943.6	2915.4	3887.2	4859.0
31	.189	.38	.57	.76	.94	.13	.33	.51	.70	1.3	2.7	4.0	5.4	6.7
32	.181	.36	.54	.73	.90	.09	.27	.45	.63	0.9	1.8	2.7	3.5	4.4
33	.174	.35	.52	.69	.87	.04	.22	.39	.56	0.4	40.8	11.3	81.7	52.1
34	.166	.33	.50	.66	.83	7.00	.16	.33	.49	70.0	39.9	09.9	79.9	49.8
58 35	16.158	32.32	48.47	64.63	80.79	96.95	113.11	129.27	145.43	969.5	1939.0	2908.5	3878.0	4847.5
36	.151	.30	.45	.60	.75	.90	.06	.21	.36	9.0	8.1	7.1	6.2	5.2
37	.143	.29	.43	.57	.71	.86	3.00	.14	.29	8.6	7.2	5.7	4.3	2.9
38	.135	.27	.41	.54	.68	.81	2.95	.08	.22	8.1	6.2	4.4	2.5	40.6
39	.128	.26	.38	.51	.64	.77	.89	9.02	.15	7.7	5.3	3.0	70.6	38.3
58 40	16.120	32.24	48.36	64.48	80.60	96.72	112.84	128.96	145.08	967.2	1934.4	2901.6	3868.8	4836.0
41	.112	.22	.34	.45	.56	.67	.79	.90	5.01	6.7	3.5	900.2	6.9	3.7
42	.105	.21	.31	.42	.52	.63	.73	.84	4.94	6.3	2.6	898.8	5.1	31.4
43	.097	.19	.29	.39	.49	.58	.68	.78	.87	5.8	1.6	7.4	3.3	29.1
44	.089	.18	.27	.36	.45	.54	.62	.71	.80	5.4	30.7	6.1	61.4	6.8
58 45	16.081	32.16	48.24	64.33	80.41	96.49	112.57	128.65	144.73	964.9	1929.8	2894.7	3859.6	4824.4
46	.074	.15	.22	.30	.37	.44	.52	.59	.67	4.4	8.9	3.3	7.7	22.1
47	.066	.13	.20	.27	.33	.40	.46	.53	.60	4.0	8.0	1.9	5.9	19.8
48	.058	.12	.18	.23	.30	.35	.41	.47	.53	3.5	7.0	90.5	4.0	7.5
49	.051	.10	.15	.20	.26	.30	.35	.41	.46	3.0	6.1	89.1	2.2	5.2
58 50	16.043	32.09	48.13	64.17	80.22	96.26	112.30	128.34	144.39	962.6	1925.2	2887.7	3850.3	4812.9
51	.035	.07	.11	.14	.18	.21	.25	.28	.32	2.1	4.3	6.4	48.5	10.6
52	.028	.06	.08	.11	.14	.17	.19	.22	.25	1.7	3.3	5.0	6.6	08.3
53	.020	.04	.06	.08	.10	.12	.14	.16	.18	1.2	2.4	3.6	4.8	6.0
54	.012	.02	.04	.05	.06	.07	.08	.10	.11	0.7	1.4	2.2	2.9	3.7
58 55	16.004	32.01	48.01	64.02	80.02	96.03	112.03	128.04	144.04	960.3	1920.5	2880.8	3841.1	4801.3
56	5.997	1.99	7.99	3.99	79.99	5.98	1.98	7.97	3.97	59.8	19.6	79.4	39.2	799.0
57	.989	.98	.97	.96	.95	.93	.92	.91	.90	9.3	8.7	8.0	7.4	6.7
58	.981	.96	.94	.92	.91	.89	.87	.85	.83	8.9	7.7	6.6	5.5	4.4
59	.974	.95	.92	.89	.87	.84	.81	.79	.76	8.4	6.8	5.3	3.7	92.1
58 60	15.966	31.93	47.90	63.86	79.83	95.80	111.76	127.73	143.69	958.0	1915.9	2873.9	3831.8	4789.8

Lat.	Latitude 58° to 59°—Meridional arcs.					Latitude 58°—Co-ordinates of curvature.			
	Value of 1''	Sums of seconds for middle latitude 58° 30'		Value of 1'	Continuous sums of minutes from latitude 58° 00'		Longitude.	X	Y
° /	Meters.	''	Meters.	Meters.	'	Meters.	° /	Meters.	Meters.
58 00	30.939			1856.32			0 1	985.6	0.1
1	9	1	30.94	.33	1	1 856.3	0 2	1 971.2	0.5
2	9	2	61.88	.33	2	3 712.7	0 3	2 956.8	1.1
3	9	3	92.82	.34	3	5 569.0	0 4	3 942.3	1.9
4	9	4	123.76	.34	4	7 425.3	0 5	4 927.9	3.0
58 05	30.939	5	154.71	1856.35	5	9 281.7	0 6	5 913.5	4.4
6	9	6	185.65	.35	6	11 138.0	0 7	6 899.1	6.0
7	9	7	216.59	.36	7	12 994.4	0 8	7 884.7	7.8
8	9	8	247.53	.36	8	14 850.7	0 9	8 870.3	9.8
9	39	9	278.47	.37	9	16 707.1			
58 10	30.940	10	309.41	1856.37	10	18 563.5	0 10	9 855.8	12.2
11	0	1	340.35	.38	11	20 419.9	0 15	14 783.7	27.4
12	0	2	371.29	.38	12	22 276.2	0 20	19 711.6	48.6
13	0	3	402.24	.39	13	24 132.6	0 25	24 639.5	76.0
14	0	4	433.18	.39	14	25 989.0	0 30	29 567.3	109.4
58 15	30.940	15	464.12	1856.40	15	27 845.4	0 35	34 495.0	148.9
16	0	6	495.06	.40	16	29 701.8	0 40	39 422.8	194.5
17	0	7	526.00	.41	17	31 558.2	0 45	44 350.4	246.2
18	0	8	556.94	.41	18	33 414.6	0 50	49 278.0	303.9
19	0	9	587.88	.42	19	35 271.0	0 55	54 205.5	367.7
58 20	30.940	20	618.82	1856.42	20	37 127.5	1 00	59 132.9	437.6
21	0	1	649.77	.43	21	38 983.9	1 05	64 060.2	513.6
22	1	2	680.71	.43	22	40 840.3	1 10	68 987.5	595.6
23	1	3	711.65	.44	23	42 696.8	1 15	73 914.7	683.8
24	1	4	742.59	.44	24	44 553.2	1 20	78 841.7	778.0
58 25	30.941	25	773.53	1856.45	25	46 409.6	1 25	83 768.6	878.3
26	1	6	804.47	.45	26	48 266.1	1 30	88 695.4	984.6
27	1	7	835.41	.46	27	50 122.6	1 35	93 622.0	1 097.1
28	1	8	866.35	.46	28	51 979.0	1 40	98 548.5	1 215.6
29	1	9	897.30	.47	29	53 835.5	1 45	103 474.8	1 340.2
58 30	30.941	30	928.24	1856.47	30	55 692.0	1 50	108 401.0	1 470.8
31	1	1	959.18	.48	31	57 548.4	1 55	113 327.1	1 607.6
32	1	2	990.12	.48	32	59 404.9	2 00	118 253	1 750
33	1	3	1 021.06	.49	33	61 261.4	2 05	123 179.1	1 897.1
34	2	4	1 052.00	.49	34	63 117.9	2 10	128 105.2	2 048.1
58 35	30.942	35	1 082.94	1856.50	35	64 974.4	2 15	133 031.3	2 203.1
36	2	6	1 113.88	.50	36	66 830.9	2 20	137 957.4	2 358.1
37	2	7	1 144.83	.51	37	68 687.4	2 25	142 883.5	2 513.1
38	2	8	1 175.77	.51	38	70 543.9	2 30	147 809.6	2 668.1
39	2	9	1 206.71	.52	39	72 400.4	2 35	152 735.7	2 823.1
58 40	30.942	40	1 237.65	1856.52	40	74 256.9	2 40	157 661.8	2 978.1
41	2	1	1 268.59	.53	41	76 113.5	2 45	162 587.9	3 133.1
42	2	2	1 299.53	.53	42	77 970.0	2 50	167 514.0	3 288.1
43	2	3	1 330.47	.54	43	79 826.5	2 55	172 440.1	3 443.1
44	2	4	1 361.41	.54	44	81 683.1	2 60	177 366.2	3 598.1
58 45	30.942	45	1 392.35	1856.55	45	83 539.6	2 65	182 292.3	3 753.1
46	3	6	1 423.30	.55	46	85 396.2	2 70	187 218.4	3 908.1
47	3	7	1 454.24	.56	47	87 252.7	2 75	192 144.5	4 063.1
48	3	8	1 485.18	.56	48	89 109.3	2 80	197 070.6	4 218.1
49	3	9	1 516.12	.57	49	90 965.8	2 85	202 000.0	4 373.1
58 50	30.943	50	1 547.06	1856.57	50	92 822.4	2 90	206 926.1	4 528.1
51	3	1	1 578.00	.58	51	94 679.0	2 95	211 852.2	4 683.1
52	3	2	1 608.94	.58	52	96 535.6	3 00	216 778.3	4 838.1
53	3	3	1 639.88	.59	53	98 392.1	3 05	221 704.4	4 993.1
54	3	4	1 670.83	.59	54	100 248.7	3 10	226 630.5	5 148.1
58 55	30.943	55	1 701.77	1856.59	55	102 105.3	3 15	231 556.6	5 303.1
56	3	6	1 732.71	.60	56	103 961.9	3 20	236 482.7	5 458.1
57	3	7	1 763.65	.60	57	105 818.5	3 25	241 408.8	5 613.1
58	3	8	1 794.59	.61	58	107 675.1	3 30	246 334.9	5 768.1
59	4	9	1 825.53	.61	59	109 531.8	3 35	251 261.0	5 923.1
58 60	30.944	60	1 856.47	1856.62	60	111 388.4	3 40	256 187.1	6 078.1

Latitude 59° to 60°—Arcs of the parallel in meters.														
Lat.	1"	2"	3"	4"	5"	6"	7"	8"	9"	1'	2'	3'	4'	5'
59 00	15.966	31.93	47.90	63.86	79.83	95.80	111.76	127.73	143.69	958.0	1915.9	2873.9	3831.8	4789.8
1	.958	.92	.88	.83	.79	.75	.71	.67	.62	7.5	5.0	2.5	30.0	7.5
2	.951	.90	.85	.80	.75	.70	.65	.61	.55	7.0	4.1	71.1	28.1	5.2
3	.943	.89	.83	.77	.71	.66	.60	.55	.48	6.6	3.1	69.7	6.3	2.8
4	.935	.87	.81	.74	.67	.61	.54	.48	.41	6.1	2.2	8.3	4.4	80.5
59 05	15.927	31.85	47.78	63.71	79.63	95.56	111.49	127.42	143.34	955.6	1911.3	2866.9	3822.6	4778.2
6	.920	.84	.76	.67	.60	.52	.44	.36	.28	5.2	10.4	5.5	20.7	5.9
7	.912	.82	.74	.65	.56	.47	.38	.30	.21	4.7	09.5	4.1	18.9	3.6
8	.904	.81	.71	.62	.52	.43	.33	.23	.14	4.3	8.5	2.8	7.0	71.3
9	.896	.79	.69	.58	.48	.38	.27	.17	.07	3.8	7.6	1.4	5.1	68.9
59 10	15.889	31.78	47.67	63.55	79.44	95.33	111.22	127.11	143.00	953.3	1906.7	2860.0	3813.3	4766.6
11	.881	.76	.64	.52	.40	.29	.17	7.05	2.93	2.9	5.8	58.6	11.4	4.3
12	.873	.75	.62	.49	.36	.24	.11	6.99	.86	2.4	4.8	7.2	09.6	62.0
13	.866	.73	.60	.46	.33	.19	.06	.92	.79	1.9	3.9	5.8	7.7	59.7
14	.858	.72	.57	.43	.29	.15	1.00	.86	.72	1.5	2.9	4.4	5.9	7.3
59 15	15.850	31.70	47.55	63.40	79.25	95.10	110.95	126.80	142.65	951.0	1902.0	2853.0	3804.0	4755.0
16	.842	.68	.53	.37	.21	.05	.90	.74	.58	0.5	1.1	1.6	2.2	2.7
17	.835	.67	.50	.34	.17	5.00	.84	.68	.51	50.1	900.2	50.2	800.3	50.4
18	.827	.65	.48	.31	.14	4.95	.79	.61	.44	49.6	899.2	48.8	798.4	48.1
19	.819	.64	.46	.28	.10	.91	.73	.55	.37	9.1	8.3	7.4	6.6	5.7
59 20	15.811	31.62	47.43	63.25	79.06	94.87	110.68	126.49	142.30	948.7	1897.4	2846.0	3794.7	4743.4
21	.804	.61	.41	.22	9.02	.82	.63	.43	.23	8.2	6.5	4.6	2.9	41.1
22	.796	.59	.39	.19	8.98	.78	.57	.37	.16	7.8	5.5	3.3	91.0	38.8
23	.788	.58	.36	.15	.94	.73	.52	.30	.09	7.3	4.6	1.9	89.2	6.4
24	.780	.56	.34	.12	.90	.68	.46	.24	2.02	6.8	3.6	40.5	7.3	4.1
59 25	15.773	31.55	47.32	63.09	78.87	94.64	110.41	126.18	141.96	946.4	1892.7	2839.1	3785.4	4731.8
26	.765	.53	.29	.06	.83	.59	.36	.12	.89	5.9	1.8	7.7	3.6	29.5
27	.757	.52	.27	.03	.79	.54	.30	6.06	.82	5.4	90.9	6.3	81.7	7.1
28	.749	.50	.25	3.00	.75	.50	.25	5.99	.75	5.0	89.9	4.9	79.8	4.8
29	.742	.49	.22	2.97	.71	.45	.19	.93	.68	4.5	9.0	3.5	8.0	2.5
59 30	15.734	31.47	47.20	62.94	78.67	94.40	110.14	125.87	141.61	944.0	1888.1	2832.1	3776.1	4720.2
31	.726	.45	.18	.91	.63	.36	.09	.81	.54	3.6	7.2	30.7	4.3	17.8
32	.718	.44	.15	.87	.59	.31	.03	.75	.47	3.1	6.2	29.3	2.4	5.5
33	.711	.42	.13	.84	.55	.26	09.98	.68	.40	2.6	5.3	7.9	70.5	3.2
34	.703	.41	.11	.81	.51	.22	09.92	.62	.33	2.2	4.3	6.5	68.7	10.8
59 35	15.695	31.39	47.08	62.78	78.48	94.17	109.87	125.56	141.26	941.7	1883.4	2825.1	3766.8	4708.5
36	.687	.38	.06	.75	.44	.12	.81	.50	.19	1.2	2.5	3.7	4.9	6.2
37	.680	.36	.04	.72	.40	.08	.76	.44	.12	0.8	1.6	2.3	3.1	3.9
38	.672	.34	7.02	.68	.36	4.03	.70	.37	1.05	40.3	80.6	20.9	61.2	701.5
39	.664	.33	6.99	.65	.32	3.98	.64	.31	0.97	39.8	79.7	19.5	59.4	699.2
59 40	15.656	31.31	46.97	62.62	78.28	93.94	109.59	125.25	140.91	939.4	1878.8	2818.1	3757.5	4696.9
41	.648	.30	.95	.59	.24	.89	.54	.19	.84	8.9	7.8	6.7	5.6	4.5
42	.641	.28	.92	.56	.20	.84	.48	.13	.77	8.4	6.9	5.3	3.8	92.2
43	.633	.27	.90	.53	.17	.80	.43	.06	.70	8.0	6.0	3.9	1.9	89.9
44	.625	.25	.88	.50	.12	.75	.37	5.00	.63	7.5	5.0	2.5	50.0	7.5
59 45	15.617	31.23	46.85	62.47	78.09	93.70	109.32	124.94	140.56	937.0	1874.1	2811.1	3748.2	4685.2
46	.610	.22	.83	.44	.05	.66	.27	.88	.49	6.6	3.2	09.7	6.3	2.9
47	.602	.20	.81	.40	8.01	.61	.21	.81	.42	6.1	2.2	8.3	4.4	80.5
48	.594	.19	.78	.38	7.97	.56	.16	.75	.35	5.6	1.3	6.9	2.6	78.2
49	.586	.17	.76	.34	.93	.52	.10	.69	.28	5.2	70.3	5.5	40.7	5.9
59 50	15.579	31.16	46.74	62.31	77.89	93.47	109.05	124.63	140.21	934.7	1869.4	2804.1	3738.8	4673.6
51	.571	.14	.71	.28	.85	.42	9.00	.57	.14	4.2	8.5	02.7	7.0	71.2
52	.563	.13	.69	.25	.81	.38	8.94	.50	.07	3.8	7.5	801.3	5.1	68.9
53	.555	.11	.67	.22	.77	.33	.89	.44	40.00	3.3	6.6	799.9	3.2	6.5
54	.547	.09	.64	.18	.73	.28	.83	.37	39.92	2.8	5.7	8.5	31.4	4.2
59 55	15.540	31.08	46.62	62.15	77.70	93.24	108.78	124.31	139.86	932.4	1864.7	2797.1	3729.5	4661.9
56	.532	.06	.60	.12	.66	.19	.72	.25	.79	1.9	3.8	5.7	7.6	59.5
57	.524	.05	.57	.09	.62	.14	.67	.19	.72	1.4	2.9	4.3	5.8	7.2
58	.516	.03	.55	.06	.58	.10	.61	.13	.65	1.0	1.9	2.9	3.9	4.9
59	.508	.02	.52	.03	.54	.05	.56	.07	.58	0.5	1.0	1.5	2.0	2.5
59 60	15.501	31.00	46.50	62.00	77.50	93.00	108.50	124.00	139.51	930.0	1860.1	2790.1	3720.1	4650.2

Lat.	Latitude 59° to 60°—Meridional arcs.					Latitude 59°—Co-ordinates of curvature.			
	Value of 1''	Sums of seconds for middle latitude 59° 30'		Value of 1'	Continuous sums of minutes from latitude 59° 00'	Longitude.	X	Y	
° /	Meters.	''	Meters.	Meters.	'	Meters.	° /	Meters.	Meters.
59 00	30.944			1856.62			0 1	958.0	0.1
1	4	1	30.95	.62	1	1 856.6	2	1 915.9	0.5
2	4	2	61.89	.63	2	3 713.2	3	2 873.9	1.1
3	4	3	92.84	.63	3	5 569.9	4	3 831.9	1.9
4	4	4	123.78	.64	4	7 426.5			
59 05	30.944	5	154.73	1856.64	5	9 283.2	0 5	4 789.8	3.0
6	4	6	185.68	.65	6	11 139.8	6	5 747.7	4.3
7	4	7	216.62	.65	7	12 996.4	7	6 705.7	5.9
8	4	8	247.57	.66	8	14 853.1	8	7 663.7	7.6
9	4	9	278.51	.66	9	16 709.8	9	8 621.6	9.7
59 10	30.944	10	309.46	1856.67	10	18 566.4	0 10	9 579.6	11.9
11	5	1	340.41	.67	1	20 423.1	15	14 369.3	26.9
12	5	2	371.35	.68	2	22 279.8	20	19 159.1	47.8
13	5	3	402.30	.68	3	24 136.5	25	23 948.8	74.6
14	5	4	433.25	.69	4	25 993.1	30	28 738.5	107.5
59 15	30.945	15	464.19	1856.69	15	27 849.8	0 35	33 528.1	146.3
16	5	6	495.14	.70	6	29 706.5	40	38 317.7	191.1
17	5	7	526.08	.70	7	31 563.2	45	43 107.2	241.8
18	5	8	557.03	.71	8	33 419.9	50	47 896.7	298.6
19	5	9	587.98	.71	9	35 276.6	55	52 686.1	361.2
59 20	30.945	20	618.92	1856.72	20	37 133.4	1 00	57 475.4	429.9
21	5	1	649.87	.72	1	38 990.1	05	62 264.6	504.5
22	5	2	680.81	.73	2	40 846.8	10	67 053.7	585.2
23	6	3	711.76	.73	3	42 703.5	15	71 842.7	671.7
24	6	4	742.71	.74	4	44 560.3	20	76 631.6	764.3
59 25	30.946	25	773.65	1856.74	25	46 417.0	1 25	81 420.4	862.8
26	6	6	804.60	.75	6	48 273.7	30	86 209.0	967.3
27	6	7	835.54	.75	7	50 130.5	35	90 997.5	1 077.8
28	6	8	866.49	.75	8	51 987.2	40	95 785.9	1 194.2
29	6	9	897.44	.76	9	53 844.0	45	100 574.1	1 316.6
59 30	30.946	30	928.38	1856.76	30	55 700.8	1 50	105 362.2	1 445.0
31	6	1	959.33	.77	1	57 557.5	55	110 150.1	1 579.3
32	6	2	990.27	.77	2	59 414.3	2 00	114 938	1 720
33	6	3	1 021.22	.78	3	61 271.1	3 00	172 375	3 869
34	6	4	1 052.17	.78	4	63 127.9	4 00	229 773	6 877
59 35	30.946	35	1 083.11	1856.79	35	64 984.6	5 00	287 120	10 744
36	7	6	1 114.06	.79	6	66 841.4	6 00	344 402	15 468
37	7	7	1 145.00	.80	7	68 698.2	7 00	401 608	21 048
38	7	8	1 175.95	.80	8	70 555.0	8 00	458 723	27 484
39	7	9	1 206.90	.81	9	72 411.8	9 00	515 736	34 773
59 40	30.947	40	1 237.84	1856.81	40	74 268.7	10 00	572 633	42 914
41	7	1	1 268.79	.82	1	76 125.5	11 00	629 403	51 906
42	7	2	1 299.74	.82	2	77 982.3	12 00	686 031	61 746
43	7	3	1 330.68	.83	3	79 839.1	13 00	742 506	72 432
44	7	4	1 361.63	.83	4	81 695.9	14 00	798 815	83 961
59 45	30.947	45	1 392.57	1856.84	45	83 552.8	15 00	854 945	96 332
46	7	6	1 423.52	.84	6	85 409.6	16 00	910 883	109 541
47	7	7	1 454.47	.85	7	87 266.5	17 00	966 618	123 585
48	8	8	1 485.41	.85	8	89 123.3	18 00	1 022 136	138 462
49	8	9	1 516.36	.86	9	90 980.2	19 00	1 077 426	154 167
59 50	30.948	50	1 547.30	1856.86	50	92 837.0	20 00	1 132 474	170 698
51	8	1	1 578.25	.87	1	94 693.9	21 00	1 187 269	188 050
52	8	2	1 609.20	.87	2	96 550.8	22 00	1 241 799	206 221
53	8	3	1 640.14	.88	3	98 407.6	23 00	1 296 050	225 205
54	8	4	1 671.09	.88	4	100 264.5	24 00	1 350 011	244 998
59 55	30.948	55	1 702.03	1856.88	55	102 121.4	25 00	1 403 671	265 597
56	8	6	1 732.98	.89	6	103 978.3	26 00	1 457 015	286 995
57	8	7	1 763.93	.89	7	105 835.2	27 00	1 510 034	309 190
58	8	8	1 794.87	.90	8	107 692.1	28 00	1 562 715	332 175
59	8	9	1 825.82	.90	9	109 549.0	29 00	1 615 047	355 946
59 60	30.948	60	1 856.76	1856.91	60	111 405.9	30 00	1 667 016	380 497

Latitude 60° to 61°—Arcs of the parallel in meters.														
Lat.	1''	2''	3''	4''	5''	6''	7''	8''	9''	1'	2'	3'	4'	5'
60 00	15.501	31.00	46.50	62.00	77.50	93.00	108.50	124.00	139.51	930.0	1860.1	2790.1	3720.1	4650.2
1	.493	0.99	.48	1.97	.46	92.96	.45	123.94	.44	29.6	59.2	88.7	18.3	47.8
2	.485	.97	.45	.94	.42	.91	.39	.88	.37	9.1	8.2	7.3	6.4	5.5
3	.477	.96	.43	.91	.38	.86	.34	.81	.30	8.6	7.3	5.9	4.5	3.2
4	.469	.94	.41	.88	.34	.82	.28	.75	.23	8.2	6.3	4.5	2.6	40.8
60 05	15.462	30.92	46.38	61.84	77.31	92.77	108.23	123.69	139.15	927.7	1855.4	2783.1	3710.8	4638.5
6	.454	.91	.36	.81	.27	.72	.18	.63	.08	7.2	4.5	1.7	08.9	6.1
7	.446	.89	.34	.78	.23	.68	.12	.57	9.01	6.8	3.5	80.3	7.0	3.8
8	.438	.88	.31	.75	.19	.63	.07	.50	8.94	6.3	2.6	78.9	5.2	1.4
9	.430	.86	.29	.72	.15	.58	8.01	.44	.87	5.8	1.6	7.5	3.3	29.1
60 10	15.423	30.85	46.27	61.69	77.11	92.54	107.96	123.38	138.80	925.4	1850.7	2776.1	3701.4	4626.8
11	.415	.83	.24	.66	.07	.49	.91	.32	.73	4.9	49.8	4.7	699.5	4.4
12	.407	.81	.22	.63	7.03	.44	.85	.26	.66	4.4	8.8	3.2	7.7	22.1
13	.399	.80	.20	.60	6.99	.39	.80	.19	.59	3.9	7.9	1.8	5.8	19.7
14	.391	.79	.17	.57	.95	.35	.74	.13	.52	3.5	6.9	70.4	3.9	7.4
60 15	15.383	30.77	46.15	61.53	76.92	92.30	107.69	123.07	138.45	923.0	1846.0	2769.0	3692.0	4615.0
16	.376	.75	.13	.50	.88	.25	.63	3.01	.38	2.5	5.1	7.6	90.2	2.7
17	.368	.74	.10	.47	.84	.21	.58	2.94	.31	2.1	4.1	6.2	88.3	10.4
18	.360	.72	.08	.44	.80	.16	.52	.88	.24	1.6	3.2	4.8	6.4	08.0
19	.352	.70	.06	.41	.76	.11	.47	.82	.17	1.1	2.2	3.4	4.5	5.7
60 20	15.344	30.69	46.03	61.38	76.72	92.07	107.41	122.76	138.10	920.7	1841.3	2762.0	3682.7	4603.3
21	.337	.67	6.01	.35	.68	2.02	.36	.70	8.03	0.2	40.4	60.6	80.8	601.0
22	.329	.66	5.99	.32	.64	1.97	.30	.63	7.96	19.7	39.4	59.2	78.9	598.6
23	.321	.64	.96	.28	.60	.93	.25	.57	.89	9.3	8.5	7.8	7.0	6.3
24	.313	.63	.94	.25	.56	.88	.19	.51	.82	8.8	7.5	6.4	5.1	3.9
60 25	15.305	30.61	45.92	61.22	76.53	91.83	107.14	122.44	137.75	918.3	1836.6	2754.9	3673.3	4591.6
26	.297	.59	.89	.19	.49	.78	.08	.38	.67	7.8	5.7	3.5	71.4	89.2
27	.290	.58	.87	.16	.45	.74	7.03	.32	.60	7.4	4.7	2.1	69.5	6.9
28	.282	.56	.85	.12	.41	.69	6.97	.25	.53	6.9	3.8	50.7	7.6	4.5
29	.274	.55	.82	.09	.37	.64	.92	.19	.46	6.4	2.8	49.3	5.7	82.2
60 30	15.266	30.53	45.80	61.06	76.33	91.60	106.86	122.13	137.39	916.0	1831.9	2747.9	3663.9	4579.8
31	.258	.51	.78	.03	.29	.55	.81	.07	.32	5.5	1.0	6.5	2.0	7.5
32	.250	.50	.75	1.00	.25	.50	.75	2.00	.25	5.0	30.0	5.1	60.1	5.1
33	.243	.48	.73	0.97	.21	.46	.70	1.94	.18	4.6	29.1	3.7	58.2	2.8
34	.235	.47	.70	.94	.17	.41	.64	.88	.11	4.1	8.1	2.3	6.3	70.4
60 35	15.227	30.45	45.68	60.91	76.14	91.36	106.59	121.82	137.04	913.6	1827.2	2740.8	3654.5	4568.1
36	.219	.44	.66	.87	.10	.31	.53	.75	6.97	3.1	6.3	39.4	2.6	5.7
37	.211	.42	.63	.84	.06	.27	.48	.69	.90	2.7	5.4	8.0	50.7	3.4
38	.203	.41	.61	.81	6.02	.22	.42	.63	.83	2.2	4.4	6.6	48.8	61.0
39	.196	.39	.59	.78	5.98	.17	.37	.56	.76	1.7	3.4	5.2	6.9	58.7
60 40	15.188	30.38	45.56	60.75	75.94	91.13	106.31	121.50	136.69	911.3	1822.5	2733.8	3645.0	4556.3
41	.180	.36	.54	.72	.90	.08	.26	.44	.62	0.8	1.6	2.4	3.2	4.0
42	.172	.35	.52	.69	.86	1.03	.20	.37	.55	10.3	20.6	31.0	41.3	51.6
43	.164	.33	.49	.66	.82	0.98	.15	.31	.48	09.8	19.7	29.5	39.4	49.2
44	.156	.32	.47	.63	.78	.94	.09	.25	.41	9.4	8.8	8.1	7.5	6.9
60 45	15.148	30.30	45.44	60.59	75.75	90.89	106.04	121.18	136.33	908.9	1817.8	2726.7	3635.6	4544.5
46	.141	.28	.42	.56	.71	.84	5.98	.12	.26	8.4	6.9	5.3	3.8	42.2
47	.133	.27	.40	.53	.67	.80	.93	.06	.19	8.0	5.9	3.9	1.8	39.8
48	.125	.25	.38	.50	.63	.75	.87	1.00	.12	7.5	5.0	2.5	30.0	7.5
49	.117	.24	.35	.47	.59	.70	.82	0.93	6.05	7.0	4.0	21.1	28.1	5.1
60 50	15.109	30.22	45.33	60.44	75.55	90.65	105.76	120.87	135.98	906.5	1813.1	2719.6	3626.2	4532.7
51	.101	.20	.30	.41	.51	.61	.71	.81	.91	6.1	2.2	8.2	4.3	30.4
52	.093	.19	.28	.37	.47	.56	.65	.75	.84	5.6	1.2	6.8	2.4	28.0
53	.086	.17	.26	.34	.43	.51	.60	.68	.77	5.1	10.3	5.4	20.6	5.7
54	.078	.16	.23	.31	.39	.47	.54	.62	.70	4.7	09.3	4.0	18.6	3.3
60 55	15.070	30.14	45.21	60.28	75.35	90.42	105.49	120.55	135.62	904.2	1808.4	2712.5	3616.7	4520.9
56	.062	.12	.19	.25	.31	.37	.43	.49	.56	3.7	7.4	11.2	4.9	18.6
57	.054	.11	.16	.22	.27	.32	.38	.43	.48	3.2	6.5	09.7	3.0	6.2
58	.046	.09	.14	.18	.23	.28	.32	.37	.41	2.8	5.6	8.3	11.1	3.9
59	.038	.08	.11	.15	.19	.23	.27	.30	.34	2.3	4.6	6.9	09.2	11.5
60 00	15.030	30.06	45.09	60.12	75.15	90.18	105.21	120.24	135.27	901.8	1803.7	2705.5	3607.3	4509.1

Lat.	Latitude 60° to 61°—Meridional arcs.					Latitude 60°—Co-ordinates of curvature.			
	Value of 1''	Sums of seconds for middle latitude 60° 30'		Value of 1'	Continuous sums of minutes from latitude 60° 00'	Longitude.	X	Y	
° /	Meters.	''	Meters.	Meters.	'	Meters.	° /	Meters.	Meters.
60 00	30.948			1856.91			0 1	930.0	0.1
1	9	1	30.95	.91	1	1 856.9	0 2	1 860.1	0.5
2	9	2	61.90	.92	2	3 713.8	3	2 790.1	1.1
3	9	3	92.85	.92	3	5 570.7	4	3 720.2	1.9
4	9	4	123.80	.93	4	7 427.7	0 5	4 650.2	2.9
60 05	30.949	5	154.75	1856.93	5	9 284.6	6	5 580.2	4.2
6	9	6	185.71	.94	6	11 141.5	7	6 510.3	5.7
7	9	7	216.66	.94	7	12 998.5	8	7 440.3	7.5
8	9	8	247.61	.95	8	14 855.4	9	8 370.4	9.5
9	9	9	278.56	.95	9	16 712.4	0 10	9 300.4	11.7
60 10	30.949	10	309.51	1856.96	10	18 569.3	15	13 950.5	26.4
11	9	1	340.46	.96	1	20 426.3	20	18 600.6	46.9
12	49	2	371.41	.97	2	22 283.2	25	23 250.7	73.2
13	50	3	402.36	.97	3	24 140.2	30	27 900.8	105.4
14	0	4	433.31	.98	4	25 997.2	0 35	32 550.8	143.5
60 15	30.950	15	464.26	1856.98	15	27 854.2	40	37 200.8	187.4
16	0	6	495.21	.98	6	29 711.1	45	41 850.7	237.2
17	0	7	526.16	.99	7	31 568.1	50	46 500.6	292.8
18	0	8	557.12	6.99	8	33 425.1	55	51 150.3	354.3
19	0	9	588.07	7.00	9	35 282.1	1 00	55 800.0	421.7
60 20	30.950	20	619.02	1857.00	20	37 139.1	05	60 449.6	494.9
21	0	1	649.97	.01	1	38 996.1	10	65 099.2	574.0
22	0	2	680.92	.01	2	40 853.1	15	69 738.6	658.9
23	0	3	711.87	.02	3	42 710.1	20	74 397.9	749.7
24	0	4	742.82	.02	4	44 567.2	1 25	79 047.0	846.4
60 25	30.950	25	773.77	1857.03	25	46 424.2	30	83 696.1	948.8
26	1	6	804.72	.03	6	48 281.2	35	88 345.0	1 057.1
27	1	7	835.67	.04	7	50 138.2	40	92 993.8	1 171.3
28	1	8	866.62	.04	8	51 995.3	45	97 642.4	1 291.3
29	1	9	897.57	.05	9	53 852.3	1 50	102 290.9	1 417.2
60 30	30.951	30	928.53	1857.05	30	55 709.4	55	106 939.2	1 549.0
31	1	1	959.48	.06	1	57 566.4	2 00	111 587	1 687
32	1	2	990.43	.06	2	59 423.5	3 00	167 349	3 795
33	1	3	1 021.38	.07	3	61 280.6	4 00	223 073	6 745
34	1	4	1 052.33	.07	4	63 137.6	5 00	278 745	10 538
60 35	30.951	35	1 083.28	1857.07	35	64 994.7	6 00	334 354	15 172
36	1	6	1 114.23	.08	6	66 851.8	7 00	389 887	20 645
37	1	7	1 145.18	.08	7	68 708.9	8 00	445 330	26 957
38	1	8	1 176.13	.09	8	70 566.0	9 00	500 672	34 107
39	2	9	1 207.08	.09	9	72 423.1	10 00	555 899	42 092
60 40	30.952	40	1 238.03	1857.10	40	74 280.1	11 00	611 000	50 911
41	2	1	1 268.98	.10	1	76 137.2	12 00	665 961	60 562
42	2	2	1 299.94	.11	2	77 994.4	13 00	720 769	71 043
43	2	3	1 330.89	.11	3	79 851.5	14 00	775 413	82 350
44	2	4	1 361.84	.12	4	81 708.6	15 00	829 880	94 482
60 45	30.952	45	1 392.79	1857.12	45	83 565.7	16 00	884 157	107 436
46	2	6	1 423.74	.13	6	85 422.8	17 00	938 232	121 209
47	2	7	1 454.69	.13	7	87 280.0	18 00	992 093	135 798
48	2	8	1 485.64	.14	8	89 137.1	19 00	1 045 727	151 199
49	2	9	1 516.59	.14	9	90 994.2	20 00	1 099 123	167 409
60 50	30.952	50	1 547.54	1857.15	50	92 851.4	21 00	1 152 267	184 424
51	3	1	1 578.49	.15	1	94 708.5	22 00	1 205 148	202 241
52	3	2	1 609.44	.15	2	96 565.7	23 00	1 257 753	220 854
53	3	3	1 640.40	.16	3	98 422.8	24 00	1 310 072	240 261
54	3	4	1 671.35	.16	4	100 280.0	25 00	1 362 091	260 456
60 55	30.953	55	1 702.30	1857.17	55	102 137.2	26 00	1 413 798	281 436
56	3	6	1 733.25	.17	6	103 994.3	27 00	1 465 183	303 194
57	3	7	1 764.20	.18	7	105 851.5	28 00	1 516 233	325 726
58	3	8	1 795.15	.18	8	107 708.7	29 00	1 566 937	349 028
59	3	9	1 826.10	.19	9	109 565.9	30 00	1 617 283	373 093
60 60	30.953	60	1 857.05	1857.19	60	111 423.1			

Lat.	Latitude 61° to 62°—Meridional arcs.					Latitude 61°—Co-ordinates of curvature.			
	Value of 1''	Sums of seconds for middle latitude 61° 30'		Value of 1'	Continuous sums of minutes from latitude 61° 00'	Longitude.	X	Y	
° /	Meters.	''	Meters.	Meters.	'	Meters.	° /	Meters.	Meters.
61 00	30.953			1857.19			0 1	901.8	0.1
1	3	1	30.96	.20	1	1 857.2	0 2	1 803.7	0.5
2	3	2	61.91	.20	2	3 714.4	3	2 705.5	1.0
3	3	3	92.87	.21	3	5 571.6	4	3 607.3	1.8
4	4	4	123.82	.21	4	7 428.8			
61 05	30.954	5	154.78	1857.22	5	9 286.0	0 5	4 509.1	2.9
6	4	6	185.73	.22	6	11 143.2	6	5 411.0	4.1
7	4	7	216.69	.22	7	13 000.5	7	6 312.8	5.6
8	4	8	247.64	.23	8	14 857.7	8	7 214.6	7.3
9	4	9	278.60	.23	9	16 714.9	9	8 116.4	9.3
61 10	30.954	10	309.56	1857.24	10	18 572.2	0 10	9 018.3	11.5
11	4	1	340.51	.24	1	20 429.4	15	13 527.4	25.8
12	4	2	371.47	.25	2	22 286.6	20	18 036.5	45.9
13	4	3	402.42	.25	3	24 143.9	25	22 545.5	71.7
14	4	4	433.38	.26	4	26 001.1	30	27 054.5	103.2
61 15	30.954	15	464.33	1857.26	15	27 858.4	0 35	31 563.5	140.5
16	4	6	495.29	.27	6	29 715.7	40	36 072.5	183.5
17	5	7	526.24	.27	7	31 572.9	45	40 581.3	232.3
18	5	8	557.20	.28	8	33 430.2	50	45 090.1	286.8
19	5	9	588.15	.28	9	35 287.5	55	49 598.9	347.0
61 20	30.955	20	619.11	1857.29	20	37 144.8	1 00	54 107.5	413.0
21	5	1	650.07	.29	1	39 002.1	05	58 616.1	484.7
22	5	2	681.02	.29	2	40 859.3	10	63 124.5	562.1
23	5	3	711.98	.30	3	42 716.6	15	67 632.9	645.3
24	5	4	742.93	.30	4	44 573.9	20	72 141.2	734.2
61 25	30.955	25	773.89	1857.31	25	46 431.2	1 25	76 649.3	828.8
26	5	6	804.84	.31	6	48 288.6	30	81 157.3	929.2
27	5	7	835.80	.32	7	50 145.9	35	85 665.2	1 035.3
28	5	8	866.75	.32	8	52 003.2	40	90 172.9	1 147.1
29	5	9	897.71	.33	9	53 860.5	45	94 680.5	1 264.6
61 30	30.956	30	928.67	1857.33	30	55 717.8	1 50	99 188.0	1 388.0
31	6	1	959.62	.34	1	57 575.2	55	103 695.3	1 517.1
32	6	2	990.58	.34	2	59 432.5	2 00	108 202	1 652
33	6	3	1 021.53	.35	3	61 289.9	3 00	162 271	3 716
34	6	4	1 052.49	.35	4	63 147.2	4 00	216 304	6 606
61 35	30.956	35	1 083.44	1857.35	35	65 004.6	5 00	270 285	10 320
36	6	6	1 114.40	.36	6	66 861.9	6 00	324 204	14 857
37	6	7	1 145.35	.36	7	68 719.3	7 00	378 047	20 217
38	6	8	1 176.31	.37	8	70 576.7	8 00	431 802	26 399
39	6	9	1 207.27	.37	9	72 434.0	9 00	485 456	33 400
61 40	30.956	40	1 238.22	1857.38	40	74 291.4	10 00	538 997	41 219
41	6	1	1 269.18	.38	1	76 148.8	11 00	592 413	49 855
42	6	2	1 300.13	.39	2	78 006.2	12 00	645 690	59 305
43	7	3	1 331.09	.39	3	79 863.6	13 00	698 817	69 567
44	7	4	1 362.04	.40	4	81 721.0	14 00	751 781	80 639
61 45	30.957	45	1 393.00	1857.40	45	83 578.4	15 00	804 570	92 518
46	7	6	1 423.95	.41	6	85 435.8	16 00	857 172	105 201
47	7	7	1 454.91	.41	7	87 293.2	17 00	909 574	118 686
48	7	8	1 485.87	.41	8	89 150.6	18 00	961 764	132 969
49	7	9	1 516.82	.42	9	91 008.0	19 00	1 013 729	148 048
61 50	30.957	50	1 547.78	1857.42	50	92 865.4	20 00	1 065 459	163 917
51	7	1	1 578.73	.43	1	94 722.8	21 00	1 116 940	180 575
52	7	2	1 609.69	.43	2	96 580.3	22 00	1 168 161	198 016
53	7	3	1 640.64	.44	3	98 437.7	23 00	1 219 110	216 237
54	7	4	1 671.60	.44	4	100 295.2	24 00	1 269 775	235 234
61 55	30.957	55	1 702.55	1857.45	55	102 152.6	25 00	1 320 144	255 002
56	8	6	1 733.51	.45	6	104 010.0	26 00	1 370 205	275 537
57	8	7	1 764.46	.46	7	105 867.5	27 00	1 419 947	296 833
58	8	8	1 795.42	.46	8	107 725.0	28 00	1 469 358	318 886
59	8	9	1 826.38	.46	9	109 582.4	29 00	1 518 426	341 691
61 60	30.958	60	1 857.33	1857.47	60	111 439.9	30 00	1 567 141	365 242

Lat.	Latitude 62° to 63°—Meridional arcs.					Latitude 62°—Co-ordinates of curvature.			
	Value of 1''	Sums of seconds for middle latitude 62° 30'		Value of 1'	Continuous sums of minutes from latitude 62° 00'		Longitude.	X	Y
° /	Meters.	''	Meters.	Meters.	'	Meters.	° /	Meters.	Meters.
62 00	30.958			1857.47			0 1	873.3	0.1
1	8	1	30.96	.47	1	1 857.5	2	1 746.7	0.4
2	8	2	61.92	.48	2	3 714.9	3	2 620.0	1.0
3	8	3	92.88	.48	3	5 572.4	4	3 493.4	1.8
4	8	4	123.84	.49	4	7 429.9	5	4 366.7	2.8
62 05	30.958	5	154.80	1857.49	5	9 287.4	6	5 240.0	4.0
6	8	6	185.76	.50	6	11 144.9	7	6 113.4	5.5
7	8	7	216.72	.50	7	13 002.4	8	6 986.7	7.2
8	8	8	247.68	.51	8	14 859.9	9	7 860.0	9.1
9	9	9	278.64	.51	9	16 717.4			
62 10	30.959	10	309.60	1857.52	10	18 574.9	0 10	8 733.4	11.2
11	9	1	340.56	.52	1	20 432.5	15	13 100.1	25.2
12	9	2	371.52	.52	2	22 290.0	20	17 466.7	44.9
13	9	3	402.48	.53	3	24 147.5	25	21 833.3	70.1
14	9	4	433.44	.53	4	26 005.0	30	26 199.9	100.9
62 15	30.959	15	464.40	1857.54	15	27 862.6	0 35	30 566.4	137.4
16	9	6	495.36	.54	6	29 720.1	40	34 932.9	179.5
17	9	7	526.32	.55	7	31 577.7	45	39 299.4	227.1
18	9	8	557.28	.55	8	33 435.2	50	43 665.7	280.4
19	9	9	588.24	.56	9	35 292.8	55	48 032.0	339.3
62 20	30.959	20	619.20	1857.56	20	37 150.3	1 00	52 398.3	403.8
21	9	1	650.16	.57	1	39 007.9	05	56 764.3	473.8
22	59	2	681.12	.57	2	40 865.5	10	61 130.4	549.5
23	60	3	712.08	.57	3	42 723.0	15	65 496.4	630.8
24	0	4	743.04	.58	4	44 580.6	20	69 862.2	717.7
62 25	30.960	25	774.00	1857.58	25	46 438.2	1 25	74 227.9	810.3
26	0	6	804.96	.59	6	48 295.8	30	78 593.5	908.4
27	0	7	835.92	.59	7	50 153.4	35	82 959.0	1 012.1
28	0	8	866.88	.60	8	52 011.0	40	87 324.3	1 121.5
29	0	9	897.84	.60	9	53 868.6	45	91 689.5	1 236.4
62 30	30.960	30	928.80	1857.61	30	55 726.2	1 50	96 054.5	1 357.0
31	0	1	959.76	.61	1	57 583.8	55	100 419.4	1 483.1
32	0	2	990.72	.61	2	59 441.4	2 00	104 784	1 615
33	0	3	1 021.68	.62	3	61 299.0	3 00	157 145	3 633
34	0	4	1 052.64	.62	4	63 156.6	4 00	209 469	6 458
62 35	30.960	35	1 083.60	1857.63	35	65 014.2	5 00	261 742	10 089
36	1	6	1 114.56	.63	6	66 871.9	6 00	313 954	14 525
37	1	7	1 145.52	.64	7	68 729.5	7 00	366 091	19 765
38	1	8	1 176.48	.64	8	70 587.1	8 00	418 142	25 807
39	1	9	1 207.44	.65	9	72 444.8	9 00	470 093	32 652
62 40	30.961	40	1 238.40	1857.65	40	74 302.4	10 00	521 932	40 296
41	1	1	1 269.36	.66	1	76 160.1	11 00	573 647	48 737
42	1	2	1 300.32	.66	2	78 017.7	12 00	625 226	57 975
43	1	3	1 331.28	.66	3	79 875.4	13 00	676 657	68 006
44	1	4	1 362.24	.67	4	81 733.1	14 00	727 927	78 829
62 45	30.961	45	1 393.20	1857.67	45	83 590.7	15 00	779 024	90 441
46	1	6	1 424.16	.68	6	85 448.4	16 00	829 936	102 838
47	1	7	1 455.12	.68	7	87 306.1	17 00	880 651	116 019
48	1	8	1 486.08	.69	8	89 163.8	18 00	931 157	129 980
49	2	9	1 517.04	.69	9	91 021.5	19 00	981 442	144 717
62 50	30.962	50	1 548.00	1857.70	50	92 879.2	20 00	1 031 494	160 227
51	2	1	1 578.96	.70	1	94 736.9	21 00	1 081 300	176 507
52	2	2	1 609.93	.70	2	96 594.6	22 00	1 130 850	193 552
53	2	3	1 640.89	.71	3	98 452.3	23 00	1 180 132	211 359
54	2	4	1 671.85	.71	4	100 310.1	24 00	1 229 133	229 923
62 55	30.962	55	1 702.81	1857.72	55	102 167.8	25 00	1 277 842	249 240
56	2	6	1 733.77	.72	6	104 025.5	26 00	1 326 248	269 306
57	2	7	1 764.73	.73	7	105 883.2	27 00	1 374 339	290 114
58	2	8	1 795.69	.73	8	107 741.0	28 00	1 422 103	311 662
59	2	9	1 826.65	.74	9	109 598.7	29 00	1 469 530	333 943
62 60	30.962	60	1 857.61	1857.74	60	111 456.4	30 00	1 516 608	356 952

Lat.	Latitude 63° to 64°—Meridional arcs.						Latitude 63°—Co-ordinates of curvature.		
	Value of 1''	Sums of seconds for middle latitude 63° 30'		Value of 1'	Continuous sums of minutes from latitude 63° 00'		Longitude.	X	Y
° /	Meters.	''	Meters.	Meters.	'	Meters.	° /	Meters.	Meters.
63 00	30.962			1857.74			0 1	844.6	0.1
1	2	1	30.96	.74	1	1 857.7	2	1 689.2	0.4
2	2	2	61.93	.75	2	3 715.5	3	2 533.7	1.0
3	3	3	92.89	.75	3	5 573.2	4	3 378.3	1.7
4	3	4	123.86	.76	4	7 431.0	5	4 222.9	2.7
63 05	30.963	5	154.82	1857.76	5	9 288.8	6	5 067.5	3.9
6	3	6	185.79	.77	6	11 146.5	7	5 912.1	5.4
7	3	7	216.75	.77	7	13 004.3	8	6 756.6	7.0
8	3	8	247.72	.78	8	14 862.1	9	7 601.2	8.9
9	3	9	278.68	.78	9	16 719.8			
63 10	30.963	10	309.65	1857.78	10	18 577.6	0 10	8 445.8	11.0
11	3	1	340.61	.79	1	20 435.4	15	12 668.7	21.6
12	3	2	371.57	.79	2	22 293.2	20	16 891.6	43.8
13	3	3	402.54	.80	3	24 151.0	25	21 114.4	68.4
14	3	4	433.50	.80	4	26 008.8	30	25 337.2	98.5
63 15	30.963	15	464.47	1857.81	15	27 866.6	0 35	29 559.9	134.1
16	4	6	495.43	.81	6	29 724.4	40	33 782.6	175.1
17	4	7	526.40	.82	7	31 582.2	45	38 005.3	221.6
18	4	8	557.36	.82	8	33 440.0	50	42 227.9	273.6
19	4	9	588.33	.82	9	35 297.9	55	46 450.4	331.1
63 20	30.964	20	619.29	1857.83	20	37 155.7	1 00	50 672.8	394.0
21	4	1	650.26	.83	1	39 013.5	05	54 895.2	462.4
22	4	2	681.22	.84	2	40 871.4	10	59 117.4	536.3
23	4	3	712.18	.84	3	42 729.2	15	63 339.6	615.6
24	4	4	743.15	.85	4	44 587.0	20	67 561.6	700.4
63 25	30.964	25	774.11	1857.85	25	46 444.9	1 25	71 783.6	790.7
26	4	6	805.08	.86	6	48 302.7	30	76 005.4	886.5
27	4	7	836.04	.86	7	50 160.6	35	80 227.1	987.7
28	4	8	867.01	.86	8	52 018.5	40	84 448.6	1 094.4
29	4	9	897.98	.87	9	53 876.3	45	88 670.1	1 206.6
63 30	30.965	30	928.94	1857.87	30	55 734.2	1 50	92 891.3	1 324.2
31	5	1	959.90	.88	1	57 592.1	55	97 112.5	1 447.4
32	5	2	990.87	.88	2	59 450.0	2 00	101 333	1 576
33	5	3	1 021.83	.89	3	61 307.9	3 00	151 970	3 546
34	5	4	1 052.80	.89	4	63 165.7	4 00	202 569	6 302
63 35	30.965	35	1 083.76	1857.90	35	65 023.6	5 00	253 119	9 846
36	5	6	1 114.72	.90	6	66 881.5	6 00	303 608	14 175
37	5	7	1 145.69	.90	7	68 739.4	7 00	354 024	19 288
38	5	8	1 176.65	.91	8	70 597.3	8 00	404 354	25 185
39	5	9	1 207.62	.91	9	72 455.2	9 00	454 586	31 864
63 40	30.965	40	1 238.58	1857.92	40	74 313.2	10 00	504 709	39 323
41	5	1	1 269.55	.92	1	76 171.1	11 00	554 709	47 561
42	5	2	1 300.51	.93	2	78 029.0	12 00	604 575	56 575
43	6	3	1 331.48	.93	3	79 886.9	13 00	654 295	66 363
44	6	4	1 362.44	.94	4	81 744.9	14 00	703 857	76 924
63 45	30.966	45	1 393.41	1857.94	45	83 602.8	15 00	753 249	88 251
46	6	6	1 424.37	.94	6	85 460.7	16 00	802 458	100 350
47	6	7	1 455.33	.95	7	87 318.7	17 00	851 473	113 211
48	6	8	1 486.30	.95	8	89 176.6	18 00	900 283	126 832
49	6	9	1 517.26	.96	9	91 034.6	19 00	948 874	141 210
63 50	30.966	50	1 548.23	1857.96	50	92 892.6	20 00	997 237	156 343
51	6	1	1 579.19	.97	1	94 750.5	21 00	1 045 358	172 225
52	6	2	1 610.16	.97	2	96 608.5	22 00	1 093 226	188 854
53	6	3	1 641.12	.97	3	98 466.5	23 00	1 140 830	206 225
54	6	4	1 672.09	.98	4	100 324.4	24 00	1 188 158	224 335
63 55	30.966	55	1 703.05	1857.98	55	102 182.4	25 00	1 235 199	243 178
56	6	6	1 734.02	.99	6	104 040.4	26 00	1 281 941	262 750
57	7	7	1 764.98	7.99	7	105 898.4	27 00	1 328 373	283 047
58	7	8	1 795.94	8.00	8	107 756.4	28 00	1 374 483	304 064
59	7	9	1 826.91	.00	9	109 614.4	29 00	1 420 262	325 795
63 60	30.967	60	1 857.87	1858.00	60	111 472.4	30 00	1 465 696	348 235

Lat.	Latitude 64° to 65°—Meridional arcs.						Latitude 64°—Co-ordinates of curvature.				
	Value of 1''		Sums of seconds for middle latitude 64° 30'		Value of 1'		Continuous sums of minutes from latitude 64° 00'				
	°	'	''	Meters.	Meters.	'	Meters.	°	'	Meters.	Meters.
64	00	30.967			1858.00			0	1	815.6	0.1
	1	7	1	30.97	.01	1	1 858.0	0	2	1 631.1	0.4
	2	7	2	61.94	.01	2	3 716.0	0	3	2 446.7	1.0
	3	7	3	92.91	.02	3	5 574.0	0	4	3 262.2	1.7
	4	7	4	123.88	.02	4	7 432.1	0	5	4 077.8	2.7
64	05	30.967	5	154.84	1858.03	5	9 290.1	0	6	4 893.4	3.8
	6	7	6	185.81	.03	6	11 148.1	0	7	5 708.9	5.2
	7	7	7	216.78	.04	7	13 006.1	0	8	6 524.5	6.8
	8	7	8	247.75	.04	8	14 864.2	0	9	7 340.1	8.6
	9	7	9	278.72	.04	9	16 722.2	0	10	8 155.6	10.7
64	10	30.967	10	309.69	1858.05	10	18 580.3	0	15	12 233.4	24.0
	11	8	1	340.66	.05	1	20 438.3	0	20	16 311.2	42.6
	12	8	2	371.63	.06	2	22 296.4	0	25	20 388.9	66.6
	13	8	3	402.60	.06	3	24 154.4	0	30	24 466.6	95.9
	14	8	4	433.56	.07	4	26 012.5	0	35	28 544.3	130.6
64	15	30.968	15	464.53	1858.07	15	27 870.6	0	40	32 621.9	170.6
	16	8	6	495.50	.07	6	29 728.6	0	45	36 699.5	215.9
	17	8	7	526.47	.08	7	31 586.7	0	50	40 777.0	266.5
	18	8	8	557.44	.08	8	33 444.8	0	55	44 854.4	322.5
	19	8	9	588.41	.09	9	35 302.9	1	00	48 931.7	383.8
64	20	30.968	20	619.38	1858.09	20	37 161.0	1	05	53 009.0	450.4
	21	8	1	650.35	.10	1	39 019.1	1	10	57 086.2	522.4
	22	8	2	681.32	.10	2	40 877.2	1	15	61 163.3	599.7
	23	8	3	712.28	.10	3	42 735.3	1	20	65 240.2	682.3
	24	8	4	743.25	.11	4	44 593.4	1	25	69 317.1	770.2
64	25	30.969	25	774.22	1858.11	25	46 451.5	1	30	73 393.9	863.5
	26	9	6	805.19	.12	6	48 309.6	1	35	77 470.5	962.1
	27	9	7	836.16	.12	7	50 167.7	1	40	81 546.9	1 066.1
	28	9	8	867.13	.13	8	52 025.8	1	45	85 623.3	1 175.3
	29	9	9	898.10	.13	9	53 884.0	1	50	89 699.5	1 289.9
64	30	30.969	30	929.07	1858.13	30	55 742.1	1	55	93 775.5	1 409.8
	31	9	1	960.04	.14	1	57 600.2	2	00	97 851	1 535
	32	9	2	991.01	.14	2	59 458.4	2	05	146 747	3 454
	33	9	3	1 021.97	.15	3	61 316.5	2	10	195 607	6 139
	34	9	4	1 052.94	.15	4	63 174.7	2	15	243 418	9 590
64	35	30.969	35	1 083.91	1858.16	35	65 032.8	2	20	293 169	13 807
	36	9	6	1 114.88	.16	6	66 891.0	2	25	341 848	18 788
	37	9	7	1 145.85	.16	7	68 749.1	2	30	390 443	24 532
	38	69	8	1 176.82	.17	8	70 607.3	2	35	438 942	31 037
	39	70	9	1 207.79	.17	9	72 465.5	2	40	487 333	38 302
64	40	30.970	40	1 238.76	1858.18	40	74 323.6	2	45	535 604	46 326
	41	0	1	1 269.73	.18	1	76 181.8	2	50	583 743	55 106
	42	0	2	1 300.69	.19	2	78 040.0	2	55	631 739	64 639
	43	0	3	1 331.66	.19	3	79 898.2	3	00	679 579	74 925
	44	0	4	1 362.63	.19	4	81 756.4	3	05	727 252	85 959
64	45	30.970	45	1 393.60	1858.20	45	83 614.6	3	10	774 745	97 741
	46	0	6	1 424.57	.20	6	85 472.8	3	15	822 049	110 265
	47	0	7	1 455.54	.21	7	87 331.0	3	20	869 150	123 530
	48	0	8	1 486.51	.21	8	89 189.2	3	25	916 037	137 533
	49	0	9	1 517.48	.22	9	91 047.4	3	30	92 905.6	152 269
64	50	30.970	50	1 548.45	1858.22	50	92 905.6	3	35	94 763.9	167 735
	51	0	1	1 579.41	.22	1	94 763.9	3	40	96 622.1	183 927
	52	0	2	1 610.38	.23	2	96 622.1	3	45	98 480.3	200 842
	53	1	3	1 641.35	.23	3	98 480.3	3	50	100 338.6	218 475
	54	1	4	1 672.32	.24	4	100 338.6	3	55	102 196.8	236 822
64	55	30.971	55	1 703.29	1858.24	55	102 196.8	3	00	104 055.0	255 879
	56	1	6	1 734.26	.25	6	104 055.0	3	05	105 913.3	275 639
	57	1	7	1 765.23	.25	7	105 913.3	3	10	107 771.5	296 100
	58	1	8	1 796.20	.25	8	107 771.5	3	15	109 629.8	317 256
	59	1	9	1 827.17	.26	9	109 629.8	3	20	111 488.1	339 100
64	60	30.971	60	1 858.13	1858.26	60	111 488.1	3	25		

Lat.	Latitude 65° to 66°—Meridional arcs.						Latitude 65°—Co-ordinates of curvature.		
	Value of 1''	Sums of seconds for middle latitude 65° 30'		Value of 1'	Continuous sums of minutes from latitude 65° 00'		Longitude.	X	Y
° /	Meters.	''	Meters.	Meters.	'	Meters.	° /	Meters.	Meters.
65 00	30.971			1858.26			0 1	786.3	0.1
1	1	1	30.97	.27	1	1 858.3	2	1 572.6	0.4
2	1	2	61.95	.27	2	3 716.5	3	2 358.9	0.9
3	1	3	92.92	.27	3	5 574.8	4	3 145.2	1.7
4	1	4	123.89	.28	4	7 433.1	5	3 931.5	2.6
65 05	30.971	5	154.87	1858.28	5	9 291.4	6	4 717.8	3.7
6	1	6	185.84	.29	6	11 149.7	7	5 504.0	5.1
7	2	7	216.81	.29	7	13 007.9	8	6 290.3	6.6
8	2	8	247.79	.30	8	14 866.2	9	7 076.5	8.4
9	2	9	278.76	.30	9	16 724.5			
65 10	30.972	10	309.73	1858.30	10	18 582.8	0 10	7 862.9	10.4
11	2	11	340.70	.31	11	20 441.1	15	11 794.3	23.3
12	2	12	371.68	.31	12	22 299.5	20	15 725.8	41.5
13	2	13	402.65	.32	13	24 157.8	25	19 657.1	64.8
14	2	14	433.62	.32	14	26 016.1	30	23 588.5	93.3
65 15	30.972	15	464.60	1858.33	15	27 874.4	0 35	27 519.8	127.0
16	2	16	495.57	.33	16	29 732.7	40	31 451.1	165.8
17	2	17	526.54	.33	17	31 591.1	45	35 382.3	209.9
18	2	18	557.52	.34	18	33 449.4	50	39 313.4	259.1
19	2	19	588.49	.34	19	35 307.7	55	43 244.5	313.5
65 20	30.972	20	619.46	1858.35	20	37 166.1	1 00	47 175.5	373.1
21	2	21	650.44	.35	21	39 024.4	05	51 106.5	437.9
22	3	22	681.41	.35	22	40 882.8	10	55 037.3	507.8
23	3	23	712.38	.36	23	42 741.2	15	58 968.0	583.0
24	3	24	743.36	.36	24	44 599.5	20	62 898.7	663.3
65 25	30.973	25	774.33	1858.37	25	46 457.9	1 25	66 829.2	748.8
26	3	26	805.30	.37	26	48 316.2	30	70 759.5	839.5
27	3	27	836.27	.38	27	50 174.6	35	74 689.9	935.4
28	3	28	867.25	.38	28	52 033.0	40	78 620.1	1 036.4
29	3	29	898.22	.38	29	53 891.4	45	82 550.1	1 142.6
65 30	30.973	30	929.19	1858.39	30	55 749.8	1 50	86 479.9	1 254.0
31	3	31	960.17	.39	31	57 608.2	55	90 409.7	1 370.6
32	3	32	991.14	.40	32	59 466.5	2 00	94 339	1 492
33	3	33	1 022.11	.40	33	61 324.9	3 00	141 479	3 358
34	3	34	1 053.09	.40	34	63 183.3	4 00	188 584	5 968
65 35	30.973	35	1 084.06	1858.41	35	65 041.8	5 00	235 642	9 323
36	4	36	1 115.03	.41	36	66 900.2	6 00	282 640	13 422
37	4	37	1 146.01	.42	37	68 758.6	7 00	329 568	18 265
38	4	38	1 176.98	.42	38	70 617.0	8 00	376 413	23 848
39	4	39	1 207.95	.43	39	72 475.4	9 00	423 165	30 172
65 40	30.974	40	1 238.93	1858.43	40	74 333.9	10 00	469 810	37 235
41	4	41	1 269.90	.43	41	76 192.3	11 00	516 338	45 035
42	4	42	1 300.87	.44	42	78 050.7	12 00	562 736	53 569
43	4	43	1 331.84	.44	43	79 909.2	13 00	608 994	62 837
44	4	44	1 362.82	.45	44	81 767.6	14 00	655 100	72 835
65 45	30.974	45	1 393.79	1858.45	45	83 626.1	15 00	701 041	83 561
46	4	46	1 424.76	.45	46	85 484.5	16 00	746 807	95 012
47	4	47	1 455.74	.46	47	87 343.0	17 00	792 387	107 186
48	4	48	1 486.71	.46	48	89 201.4	18 00	837 768	120 079
49	4	49	1 517.68	.47	49	91 059.9	19 00	882 939	133 688
65 50	30.975	50	1 548.66	1858.47	50	92 918.4	20 00	927 889	148 011
51	5	51	1 579.63	.47	51	94 776.8	21 00	972 608	163 042
52	5	52	1 610.60	.48	52	96 635.3	22 00	1 017 082	178 779
53	5	53	1 641.58	.48	53	98 493.8	23 00	1 061 303	195 217
54	5	54	1 672.55	.49	54	100 352.3	24 00	1 105 258	212 353
65 55	30.975	55	1 703.52	1858.49	55	102 210.8	25 00	1 148 936	230 182
56	5	56	1 734.50	.50	56	104 069.3	26 00	1 192 327	248 699
57	5	57	1 765.47	.50	57	105 927.8	27 00	1 235 420	267 901
58	5	58	1 796.44	.50	58	107 786.3	28 00	1 278 203	287 782
59	5	59	1 827.41	.51	59	109 644.8	29 00	1 320 667	308 337
65 60	30.975	60	1 858.39	1858.51	60	111 503.3	30 00	1 362 800	329 560

Lat.	Latitude 66° to 67°—Meridional arcs.					Latitude 66°—Co-ordinates of curvature.			
	Value of 1''	Sums of seconds for middle latitude 66° 30'		Value of 1'	Continuous sums of minutes from latitude 66° 00'	Longitude.	X	Y	
° /	Meters.	''	Meters.	Meters.	'	Meters.	° /	Meters.	Meters.
66 00	30.975			1858.51			0 1		
1	5	1	30.98	.52	1	1 858.5	0 2	756.8	0.1
2	5	2	61.95	.52	2	3 717.0	3	1 513.6	0.4
3	5	3	92.93	.52	3	5 575.6	4	2 270.3	0.9
4	5	4	123.91	.53	4	7 434.1	5	3 027.1	1.6
66 05	30.976	5	154.89	1858.53	5	9 292.6	6	3 783.9	2.5
6	6	6	185.86	.54	6	11 151.1	7	4 540.7	3.6
7	6	7	216.84	.54	7	13 009.7	8	5 297.5	4.9
8	6	8	247.82	.54	8	14 868.2	9	6 054.2	6.4
9	6	9	278.80	.55	9	16 726.8		6 811.0	8.1
66 10	30.976	10	309.77	1858.55	10	18 585.3	0 10	7 567.8	10.1
11	6	1	340.75	.56	1	20 443.9	15	11 351.7	22.6
12	6	2	371.73	.56	2	22 302.4	20	15 135.5	40.2
13	6	3	402.70	.56	3	24 161.0	25	18 919.3	62.8
14	6	4	433.68	.57	4	26 019.6	30	22 703.1	90.5
66 15	30.976	15	464.66	1858.57	15	27 878.2	0 35	26 486.8	123.2
16	6	6	495.64	.58	6	29 736.7	40	30 270.5	160.9
17	6	7	526.61	.58	7	31 595.3	45	34 054.2	203.6
18	6	8	557.59	.59	8	33 453.9	50	37 837.8	251.4
19	6	9	588.57	.59	9	35 312.5	55	41 621.3	304.2
66 20	30.977	20	619.54	1858.59	20	37 171.1	1 00	45 404.8	362.0
21	7	1	650.52	.60	1	39 029.7	05	49 188.1	424.8
22	7	2	681.50	.60	2	40 888.3	10	52 971.4	492.7
23	7	3	712.48	.61	3	42 746.9	15	56 754.5	565.6
24	7	4	743.45	.61	4	44 605.5	20	60 537.6	643.5
66 25	30.977	25	774.43	1858.61	25	46 464.1	1 25	64 320.6	726.5
26	7	6	805.41	.62	6	48 322.7	30	68 103.5	814.4
27	7	7	836.39	.62	7	50 181.3	35	71 886.2	907.4
28	7	8	867.36	.63	8	52 040.0	40	75 668.8	1 005.4
29	7	9	898.34	.63	9	53 898.6	45	79 451.3	1 108.5
66 30	30.977	30	929.32	1858.63	30	55 757.2	1 50	83 233.7	1 216.6
31	7	1	960.29	.64	1	57 615.8	55	87 015.8	1 329.7
32	7	2	991.27	.64	2	59 474.5	2 00	90 798	1 448
33	7	3	1 022.25	.65	3	61 333.1	3 00	136 168	3 257
34	8	4	1 053.23	.65	4	63 191.8	4 00	181 504	5 790
66 35	30.978	35	1 084.20	1858.65	35	65 050.4	5 00	226 793	9 045
36	8	6	1 115.18	.66	6	66 909.1	6 00	272 024	13 022
37	8	7	1 146.16	.66	7	68 767.7	7 00	317 187	17 719
38	8	8	1 177.13	.67	8	70 626.4	8 00	362 269	23 136
39	8	9	1 208.11	.67	9	72 485.1	9 00	407 259	29 271
66 40	30.978	40	1 239.09	1858.67	40	74 343.8	10 00	452 145	36 122
41	8	1	1 270.07	.68	1	76 202.4	11 00	496 916	43 689
42	8	2	1 301.04	.68	2	78 061.1	12 00	541 561	51 968
43	8	3	1 332.02	.69	3	79 919.8	13 00	586 069	60 958
44	8	4	1 363.00	.69	4	81 778.5	14 00	630 427	70 656
66 45	30.978	45	1 393.98	1858.69	45	83 637.2	15 00	674 625	81 060
46	8	6	1 424.95	.70	6	85 495.9	16 00	718 652	92 168
47	8	7	1 455.93	.70	7	87 354.6	17 00	762 495	103 976
48	8	8	1 486.91	.71	8	89 213.3	18 00	806 145	116 482
49	9	9	1 517.88	.71	9	91 072.0	19 00	849 590	129 682
66 50	30.979	50	1 548.86	1858.71	50	92 930.7	20 00	892 820	143 573
51	9	1	1 579.84	.72	1	94 789.4	21 00	935 822	158 152
5	9	2	1 610.82	.72	2	96 648.1	22 00	978 586	173 414
5	9	3	1 641.79	.73	3	98 506.9	23 00	1 021 101	189 356
54	9	4	1 672.77	.73	4	100 365.6	24 00	1 063 357	205 974
66 55	30.979	55	1 703.75	1858.73	55	102 224.3	25 00	1 105 343	223 264
56	9	6	1 734.73	.74	6	104 083.0	26 00	1 147 048	241 221
57	9	7	1 765.70	.74	7	105 941.8	27 00	1 188 461	259 840
58	9	8	1 796.68	.75	8	107 800.5	28 00	1 229 571	279 118
59	9	9	1 827.66	.75	9	109 659.3	29 00	1 270 370	299 049
66 60	30.979	60	1 858.63	1858.75	60	111 518.0	30 00	1 310 845	319 627

Lat.	Latitude 67° to 68°—Meridional arcs.						Latitude 67°—Co-ordinates of curvature.		
	Value of 1''	Sums of seconds for middle latitude 67° 30'		Value of 1'	Continuous sums of minutes from latitude 67° 00'		Longitude.	X	Y
° /	Meters.	''	Meters.	Meters.	'	Meters.	° /	Meters.	Meters.
67 00	30.979			1858.75			0 1		
1	9	1	30.98	.76	1	1 858.8	0 2	727.1	0.1
2	9	2	61.96	.76	2	3 717.5	0 3	1 454.1	0.4
3	79	3	92.94	.77	3	5 576.3	0 4	2 181.1	0.9
4	80	4	123.92	.77	4	7 435.0	0 5	2 908.1	1.6
67 05	30.980	5	154.91	1858.77	5	9 293.8	0 6	3 635.1	2.4
6	0	6	185.89	.78	6	11 152.6	0 7	4 362.2	3.5
7	0	7	216.87	.78	7	13 011.4	0 8	5 089.2	4.8
8	0	8	247.85	.79	8	14 870.2	0 9	5 816.2	6.2
9	0	9	278.83	.79	9	16 728.9		6 543.3	7.9
67 10	30.980	10	309.81	1858.79	10	18 587.7	0 10	7 270.3	9.7
11	0	1	340.79	.80	1	20 446.5	0 15	10 905.4	21.9
12	0	2	371.77	.80	2	22 305.3	0 20	14 540.5	38.9
13	0	3	402.76	.81	3	24 164.1	0 25	18 175.6	60.8
14	0	4	433.74	.81	4	26 022.9	0 30	21 810.6	87.6
67 15	30.980	15	464.72	1858.81	15	27 881.8	0 35	25 445.6	119.2
16	0	6	495.70	.82	6	29 740.6	0 40	29 080.6	155.7
17	0	7	526.68	.82	7	31 599.4	0 45	32 715.5	197.1
18	0	8	557.66	.83	8	33 458.2	0 50	36 350.4	243.3
19	0	9	588.64	.83	9	35 317.0	0 55	39 985.2	294.4
67 20	30.981	20	619.62	1858.83	20	37 175.9	1 00	43 619.9	350.4
21	1	1	650.61	.84	1	39 034.7	05	47 254.5	411.2
22	1	2	681.59	.84	2	40 893.6	10	50 889.1	476.9
23	1	3	712.57	.84	3	42 752.4	15	54 523.5	547.5
24	1	4	743.55	.85	4	44 611.2	20	58 157.9	622.9
67 25	30.981	25	774.53	1858.85	25	46 470.1	1 25	61 792.1	703.2
26	1	6	805.51	.86	6	48 329.0	30	65 426.3	788.4
27	1	7	836.49	.86	7	50 187.8	35	69 060.3	878.4
28	1	8	867.47	.86	8	52 046.7	40	72 694.2	973.3
29	1	9	898.46	.87	9	53 905.5	45	76 328.0	1 073.0
67 30	30.981	30	929.44	1858.87	30	55 764.4	1 50	79 961.6	1 177.4
31	1	1	960.42	.88	1	57 623.3	55	83 595.1	1 287.1
32	1	2	991.40	.88	2	59 482.2	2 00	87 228	1 401
33	1	3	1 022.38	.88	3	61 341.0	3 00	130 815	3 153
34	1	4	1 053.36	.89	4	63 199.9	4 00	174 367	5 605
67 35	30.982	35	1 084.34	1858.89	35	65 058.8	5 00	217 874	8 756
36	2	6	1 115.32	.90	6	66 917.7	6 00	261 325	12 605
37	2	7	1 146.30	.90	7	68 776.6	7 00	304 709	17 152
38	2	8	1 177.29	.90	8	70 635.5	8 00	348 014	22 395
39	2	9	1 208.27	.91	9	72 494.4	9 00	391 229	28 334
67 40	30.982	40	1 239.25	1858.91	40	74 353.3	10 00	434 343	34 966
41	2	1	1 270.23	.92	1	76 212.2	11 00	477 345	42 289
42	2	2	1 301.21	.92	2	78 071.2	12 00	520 224	50 303
43	2	3	1 332.19	.92	3	79 930.1	13 00	562 969	59 004
44	2	4	1 363.17	.93	4	81 789.0	14 00	605 568	68 391
67 45	30.982	45	1 394.15	1858.93	45	83 647.9	15 00	648 011	78 461
46	2	6	1 425.14	.93	6	85 506.9	16 00	690 287	89 212
47	2	7	1 456.12	.94	7	87 365.8	17 00	732 384	100 640
48	2	8	1 487.10	.94	8	89 224.7	18 00	774 293	112 744
49	2	9	1 518.08	.95	9	91 083.7	19 00	816 002	125 519
67 50	30.982	50	1 549.06	1858.95	50	92 942.6	20 00	857 500	138 962
51	3	1	1 580.04	.95	1	94 801.6	21 00	898 776	153 070
52	3	2	1 611.02	.96	2	96 660.5	22 00	939 821	167 840
53	3	3	1 642.00	.96	3	98 519.5	23 00	980 623	183 267
54	3	4	1 672.99	.97	4	100 378.4	24 00	1 021 173	199 348
67 55	30.983	55	1 703.97	1858.97	55	102 237.4	25 00	1 061 458	216 078
56	3	6	1 734.95	.97	6	104 096.4	26 00	1 101 470	233 453
57	3	7	1 765.93	.98	7	105 955.4	27 00	1 141 197	251 468
58	3	8	1 796.91	.98	8	107 814.3	28 00	1 180 629	270 120
59	3	9	1 827.89	.98	9	109 673.3	29 00	1 219 757	289 402
67 60	30.983	60	1 858.87	1858.99	60	111 532.3	30 00	1 258 571	309 311

Lat.	Latitude 68° to 69°—Meridional arcs.						Latitude 68°—Co-ordinates of curvature.		
	Value of 1''	Sums of seconds for middle latitude 68° 30'		Value of 1'	Continuous sums of minutes from latitude 68° 00'		Longitude.	X	Y
° /	Meters.	''	Meters.	Meters.	'	Meters.	° /	Meters.	Meters.
68 00	30.983			1858.99			0 1	697.1	0.1
1	3	1	30.99	.99	1	1 859.0	2	1 394.1	0.4
2	3	2	61.97	9.00	2	3 718.0	3	2 091.1	0.8
3	3	3	92.96	.00	3	5 577.0	4	2 788.2	1.5
4	3	4	123.94	.00	4	7 436.0	5	3 485.2	2.3
68 05	30.983	5	154.93	1859.01	5	9 295.0	6	4 182.3	3.4
6	4	6	185.91	.01	6	11 154.0	7	4 879.4	4.6
7	4	7	216.90	.02	7	13 013.0	8	5 576.4	6.0
8	4	8	247.88	.02	8	14 872.0	9	6 273.5	7.6
9	4	9	278.87	.02	9	16 731.1			
68 10	30.984	10	309.85	1859.03	10	18 590.1	0 10	6 970.5	9.4
11	4	1	340.84	.03	1	20 449.1	15	10 455.8	21.1
12	4	2	371.82	.03	2	22 308.1	20	13 941.0	37.6
13	4	3	402.81	.04	3	24 167.2	25	17 426.3	58.7
14	4	4	433.79	.04	4	26 026.2	30	20 911.4	84.6
68 15	30.984	15	464.78	1859.05	15	27 885.3	0 35	24 396.6	115.1
16	4	6	495.76	.05	6	29 744.3	40	27 881.7	150.4
17	4	7	526.75	.05	7	31 603.4	45	31 366.7	190.3
18	4	8	557.73	.06	8	33 462.4	50	34 851.7	235.0
19	4	9	588.72	.06	9	35 321.5	55	38 336.6	284.3
68 20	30.984	20	619.70	1859.06	20	37 180.5	1 00	41 821.5	338.4
21	4	1	650.69	.07	1	39 039.6	05	45 306.3	397.1
22	5	2	681.67	.07	2	40 898.7	10	48 791.0	460.6
23	5	3	712.66	.08	3	42 757.8	15	52 275.6	528.7
24	5	4	743.64	.08	4	44 616.8	20	55 760.1	601.6
68 25	30.985	25	774.63	1859.08	25	46 475.9	1 25	59 244.5	679.1
26	5	6	805.61	.09	6	48 335.0	30	62 728.8	761.4
27	5	7	836.60	.09	7	50 194.1	35	66 213.0	848.3
28	5	8	867.58	.10	8	52 053.2	40	69 697.1	940.0
29	5	9	898.57	.10	9	53 912.3	45	73 181.0	1 036.3
68 30	30.985	30	929.55	1859.10	30	55 771.4	1 50	76 664.9	1 137.3
31	5	1	960.54	.11	1	57 630.5	55	80 148.5	1 243.1
32	5	2	991.52	.11	2	59 489.6	2 00	83 632	1 353
33	5	3	1 022.51	.11	3	61 348.7	3 00	125 421	3 045
34	5	4	1 053.49	.12	4	63 207.8	4 00	167 177	5 413
68 35	30.985	35	1 084.48	1859.12	35	65 066.9	5 00	208 889	8 455
36	5	6	1 115.46	.13	6	66 926.0	6 00	250 546	12 173
37	5	7	1 146.45	.13	7	68 785.2	7 00	292 138	16 563
38	6	8	1 177.43	.13	8	70 644.3	8 00	333 653	21 627
39	6	9	1 208.42	.14	9	72 503.5	9 00	375 081	27 362
68 40	30.986	40	1 239.40	1859.14	40	74 362.6	10 00	416 410	33 766
41	6	1	1 270.39	.14	1	76 221.7	11 00	457 631	40 838
42	6	2	1 301.37	.15	2	78 080.9	12 00	498 732	48 577
43	6	3	1 332.36	.15	3	79 940.0	13 00	539 702	56 979
44	6	4	1 363.34	.16	4	81 799.2	14 00	580 531	66 043
68 45	30.986	45	1 394.33	1859.16	45	83 658.3	15 00	621 207	75 767
46	6	6	1 425.31	.16	6	85 517.5	16 00	661 722	86 148
47	6	7	1 456.30	.17	7	87 376.7	17 00	702 062	97 183
48	6	8	1 487.28	.17	8	89 235.8	18 00	742 219	108 869
49	6	9	1 518.27	.17	9	91 095.0	19 00	782 182	121 204
68 50	30.986	50	1 549.25	1859.18	50	92 954.2	20 00	821 940	134 183
51	6	1	1 580.24	.18	1	94 813.4	21 00	861 482	147 804
52	6	2	1 611.22	.18	2	96 672.6	22 00	900 799	162 064
53	6	3	1 642.21	.19	3	98 531.7	23 00	939 880	176 957
54	7	4	1 673.19	.19	4	100 390.9	24 00	978 715	192 481
68 55	30.987	55	1 704.18	1859.20	55	102 250.1	25 00	1 017 294	208 632
56	7	6	1 735.16	.20	6	104 109.3	26 00	1 055 606	225 404
57	7	7	1 766.15	.20	7	105 968.5	27 00	1 093 642	242 795
58	7	8	1 797.13	.21	8	107 827.7	28 00	1 131 392	260 798
59	7	9	1 828.12	.21	9	109 686.9	29 00	1 168 845	279 411
68 60	30.987	60	1 859.10	1859.21	60	111 546.2	30 00	1 205 992	298 626

Lat.	Latitude 69° to 70°—Meridional arcs.					Latitude 69°—Co-ordinates of curvature.			
	Value of 1''	Sums of seconds for middle latitude 69° 30'		Value of 1'	Continuous sums of minutes from latitude 69° 00'		Longitude.	X	Y
° /	Meters.	''	Meters.	Meters.	'	Meters.	° /	Meters.	Meters.
69 00	30.987			1859.21					
1	7	1	30.99	.22	1	1 859.2	0 1	666.9	0.1
2	7	2	61.98	.22	2	3 718.4	2	1 333.7	0.4
3	7	3	92.97	.23	3	5 577.7	3	2 000.6	0.8
4	7	4	123.95	.23	4	7 436.9	4	2 667.5	1.5
69 05	30.987	5	154.94	1859.23	5	9 296.1	0 5	3 334.3	2.3
6	7	6	185.93	.24	6	11 155.4	6	4 001.2	3.3
7	7	7	216.92	.24	7	13 014.6	7	4 668.1	4.4
8	7	8	247.91	.24	8	14 873.8	8	5 334.9	5.8
9	7	9	278.90	.25	9	16 733.1	9	6 001.8	7.3
69 10	30.988	10	309.89	1859.25	10	18 592.3	0 10	6 668.7	9.1
11	8	1	340.88	.26	1	20 451.6	15	10 003.0	20.4
12	8	2	371.86	.26	2	22 310.9	20	13 337.3	36.2
13	8	3	402.85	.26	3	24 170.1	25	16 671.5	56.6
14	8	4	433.84	.27	4	26 029.4	30	20 005.8	81.5
69 15	30.988	15	464.83	1859.27	15	27 888.6	0 35	23 340.0	110.9
16	8	6	495.82	.27	6	29 747.9	40	26 674.1	144.9
17	8	7	526.81	.28	7	31 607.2	45	30 008.2	183.3
18	8	8	557.80	.28	8	33 466.5	50	33 342.3	226.3
19	8	9	588.79	.28	9	35 325.8	55	36 676.3	273.9
69 20	30.988	20	619.77	1859.29	20	37 185.0	1 00	40 010.2	325.9
21	8	1	650.76	.29	1	39 044.3	05	43 344.0	382.5
22	8	2	681.75	.30	2	40 903.6	10	46 677.8	443.6
23	8	3	712.74	.30	3	42 762.9	15	50 011.5	509.3
24	8	4	743.73	.30	4	44 622.2	20	53 345.1	579.5
69 25	30.988	25	774.72	1859.31	25	46 481.5	1 25	56 678.6	654.2
26	8	6	805.71	.31	6	48 340.8	30	60 012.0	733.4
27	9	7	836.70	.31	7	50 200.1	35	63 345.3	817.2
28	9	8	867.68	.32	8	52 059.5	40	66 678.4	905.4
29	9	9	898.67	.32	9	53 918.8	45	70 011.5	998.2
69 30	30.989	30	929.66	1859.32	30	55 778.1	1 50	73 344.4	1 095.6
31	9	1	960.65	.33	1	57 637.4	55	76 677.1	1 197.4
32	9	2	991.64	.33	2	59 496.8	2 00	80 010	1 304
33	9	3	1 022.63	.34	3	61 356.1	3 00	119 988	2 933
34	9	4	1 053.62	.34	4	63 215.4	4 00	159 935	5 214
69 35	30.989	35	1 084.61	1859.34	35	65 074.8	5 00	199 839	8 145
36	9	6	1 115.59	.35	6	66 934.1	6 00	239 690	11 726
37	9	7	1 146.58	.35	7	68 793.5	7 00	279 477	15 956
38	9	8	1 177.57	.35	8	70 652.8	8 00	319 190	20 833
39	9	9	1 208.56	.36	9	72 512.2	9 00	358 818	26 357
69 40	30.989	40	1 239.55	1859.36	40	74 371.5	10 00	398 352	32 526
41	9	1	1 270.54	.36	1	76 230.9	11 00	437 779	39 338
42	89	2	1 301.52	.37	2	78 090.3	12 00	477 090	46 792
43	90	3	1 332.51	.37	3	79 949.6	13 00	516 275	54 885
44	0	4	1 363.50	.37	4	81 809.0	14 00	555 322	63 615
69 45	30.990	45	1 394.49	1859.38	45	83 668.4	15 00	594 222	72 981
46	0	6	1 425.48	.38	6	85 527.8	16 00	632 964	82 979
47	0	7	1 456.47	.39	7	87 387.1	17 00	671 538	93 607
48	0	8	1 487.46	.39	8	89 246.5	18 00	709 934	104 862
49	0	9	1 518.45	.39	9	91 105.9	19 00	748 142	116 741
69 50	30.990	50	1 549.44	1859.40	50	92 965.3	20 00	786 150	129 242
51	0	1	1 580.43	.40	1	94 824.7	21 00	823 950	142 359
52	0	2	1 611.41	.40	2	96 684.1	22 00	861 532	156 091
53	0	3	1 642.40	.41	3	98 543.5	23 00	898 884	170 434
54	0	4	1 673.39	.41	4	100 402.9	24 00	935 998	185 383
69 55	30.990	55	1 704.38	1859.41	55	102 262.4	25 00	972 864	200 935
56	0	6	1 735.37	.42	6	104 121.8	26 00	1 009 471	217 085
57	0	7	1 766.36	.42	7	105 981.2	27 00	1 045 810	233 830
58	0	8	1 797.35	.42	8	107 840.6	28 00	1 081 872	251 165
59	0	9	1 828.34	.43	9	109 700.0	29 00	1 117 646	269 085
69 60	30.991	60	1 859.32	1859.43	60	111 559.5	30 00	1 153 123	287 585

Lat.	Latitude 70° to 71°—Meridional arcs.						Latitude 70°—Co-ordinates of curvature.		
	Value of 1''	Sums of seconds for middle latitude 70° 30'		Value of 1'	Continuous sums of minutes from latitude 70° 00'		Longitude.	X	Y
° /	Meters.	''	Meters.	Meters.	'	Meters.	° /	Meters.	Meters.
70 00	30.991			1859.43			0 1	636.5	0.1
1	1	1	30.99	.44	1	1 859.4	2	1 272.9	0.3
2	1	2	61.98	.44	2	3 718.9	3	1 909.4	0.8
3	1	3	92.97	.44	3	5 578.3	4	2 545.9	1.4
4	1	4	123.97	.45	4	7 437.8	5	3 182.4	2.2
70 05	30.991	5	154.96	1859.45	5	9 297.2	6	3 818.8	3.1
6	1	6	185.95	.45	6	11 156.7	7	4 455.3	4.3
7	1	7	216.95	.46	7	13 016.1	8	5 091.8	5.6
8	1	8	247.94	.46	8	14 875.6	9	5 728.2	7.0
9	1	9	278.93	.46	9	16 735.0	10	6 364.7	8.7
70 10	30.991	10	309.92	1859.47	10	18 594.5	15	9 547.0	19.5
11	1	1	340.92	.47	1	20 454.0	20	12 729.3	34.8
12	1	2	371.91	.47	2	22 313.4	25	15 911.6	54.4
13	1	3	402.90	.48	3	24 172.9	30	19 093.9	78.3
14	1	4	433.89	.48	4	26 032.4	35	22 276.1	106.6
70 15	30.991	15	464.88	1859.49	15	27 891.9	40	25 458.3	139.2
16	1	6	495.88	.49	6	29 751.4	45	28 640.4	176.2
17	2	7	526.87	.49	7	31 610.9	50	31 822.5	217.5
18	2	8	557.86	.50	8	33 470.3	55	35 004.5	263.1
19	2	9	588.85	.50	9	35 329.8	1 00	38 186.5	313.1
70 20	30.992	20	619.85	1859.50	20	37 189.3	05	41 368.4	367.5
21	2	1	650.84	.51	1	39 048.9	10	44 550.2	426.2
22	2	2	681.83	.51	2	40 908.4	15	47 731.9	489.3
23	2	3	712.82	.51	3	42 767.9	20	50 913.6	556.7
24	2	4	743.81	.52	4	44 627.4	25	54 095.1	628.5
70 25	30.992	25	774.81	1859.52	25	46 486.9	30	57 276.5	704.6
26	2	6	805.80	.52	6	48 346.4	35	60 457.9	785.0
27	2	7	836.79	.53	7	50 206.0	40	63 639.1	869.8
28	2	8	867.78	.53	8	52 065.5	45	66 820.2	959.0
29	2	9	898.78	.53	9	53 925.0	50	70 001.2	1 052.5
70 30	30.992	30	929.78	1859.54	30	55 784.5	55	73 182.0	1 150.3
31	2	1	960.76	.54	1	57 644.1	2 00	76 363	1 253
32	2	2	991.75	.54	2	59 503.6	3 00	114 518	2 818
33	2	3	1 022.75	.55	3	61 363.2	4 00	152 643	5 009
34	3	4	1 053.74	.55	4	63 222.7	5 00	190 727	7 824
70 35	30.993	35	1 084.73	1859.55	35	65 082.3	6 00	228 760	11 265
36	3	6	1 115.72	.56	6	66 941.8	7 00	266 731	15 328
37	3	7	1 146.71	.56	7	68 801.4	8 00	304 630	20 013
38	3	8	1 177.71	.57	8	70 661.0	9 00	342 447	25 320
39	3	9	1 208.70	.57	9	72 520.5	10 00	380 172	31 246
70 40	30.993	40	1 239.69	1859.57	40	74 380.1	11 00	417 796	37 789
41	3	1	1 270.68	.58	1	76 239.7	12 00	455 306	44 949
42	3	2	1 301.68	.58	2	78 099.2	13 00	492 694	52 723
43	3	3	1 332.67	.58	3	79 958.8	14 00	529 950	61 110
44	3	4	1 363.66	.59	4	81 818.4	15 00	567 063	70 106
70 45	30.993	45	1 394.65	1859.59	45	83 678.0	16 00	604 023	79 709
46	3	6	1 425.65	.59	6	85 537.6	17 00	640 821	89 918
47	3	7	1 456.64	.60	7	87 397.2	18 00	677 447	100 728
48	3	8	1 487.63	.60	8	89 256.8	19 00	713 891	112 138
49	3	9	1 518.62	.60	9	91 116.4	20 00	750 142	124 144
70 50	30.993	50	1 549.61	1859.61	50	92 976.0	21 00	786 191	136 743
51	3	1	1 580.61	.61	1	94 835.6	22 00	822 030	149 931
52	4	2	1 611.60	.61	2	96 695.2	23 00	857 647	163 705
53	4	3	1 642.59	.62	3	98 554.8	24 00	893 033	178 062
54	4	4	1 673.58	.62	4	100 414.5	25 00	928 179	192 997
70 55	30.994	55	1 704.58	1859.62	55	102 274.1	26 00	963 076	208 506
56	4	6	1 735.57	.63	6	104 133.7	27 00	997 713	224 585
57	4	7	1 766.56	.63	7	105 993.3	28 00	1 032 082	241 231
58	4	8	1 797.55	.63	8	107 853.0	29 00	1 066 174	258 438
59	4	9	1 828.55	.64	9	109 712.6	30 00	1 099 979	276 201
70 60	30.994	60	1 859.54	1859.64	60	111 572.2			

Lat.	Latitude 71° to 72°—Meridional arcs.					Latitude 71°—Co-ordinates of curvature.			
	Value of 1''	Sums of seconds for middle latitude 71° 30'		Value of 1'	Continuous sums of minutes from latitude 71° 00'		Longitude.	X	Y
° /	Meters.	''	Meters.	Meters.	'	Meters.	° /	Meters.	Meters.
71 00	30.994			1859.64			0 1	605.9	0.1
1	4	1	31.00	.64	1	1 859.6	2	1 211.8	0.3
2	4	2	61.99	.65	2	3 719.3	3	1 817.6	0.7
3	4	3	92.99	.65	3	5 578.9	4	2 423.5	1.3
4	4	4	123.98	.65	4	7 438.6			
71 05	30.994	5	154.98	1859.66	5	9 298.3	0 5	3 029.4	2.1
6	4	6	185.97	.66	6	11 157.9	6	3 635.3	3.0
7	4	7	216.97	.66	7	13 017.6	7	4 241.1	4.1
8	4	8	247.97	.67	8	14 877.2	8	4 847.0	5.3
9	5	9	278.96	.67	9	16 736.9	9	5 452.9	6.7
71 10	30.995	10	309.96	1859.67	10	18 596.6	0 10	6 058.8	8.3
11	5	1	340.95	.68	1	20 456.3	15	9 088.1	18.7
12	5	2	371.95	.68	2	22 315.9	20	12 117.5	33.3
13	5	3	402.94	.68	3	24 175.6	25	15 146.8	52.1
14	5	4	433.94	.69	4	26 035.3	30	18 176.1	75.0
71 15	30.995	15	464.94	1859.69	15	27 895.0	0 35	21 205.4	102.1
16	5	6	495.93	.69	6	29 754.7	40	24 234.6	133.3
17	5	7	526.93	.70	7	31 614.4	45	27 263.8	168.7
18	5	8	557.92	.70	8	33 474.1	50	30 292.9	208.3
19	5	9	588.92	.70	9	35 333.8	55	33 322.0	252.0
71 20	30.995	20	619.91	1859.71	20	37 193.5	1 00	36 351.0	299.9
21	5	1	650.91	.71	1	39 053.2	05	39 379.9	352.0
22	5	2	681.91	.71	2	40 912.9	10	42 408.8	408.3
23	5	3	712.90	.72	3	42 772.7	15	45 437.5	468.7
24	5	4	743.90	.72	4	44 632.4	20	48 466.2	533.2
71 25	30.995	25	774.89	1859.72	25	46 492.1	1 25	51 494.9	602.0
26	5	6	805.89	.73	6	48 351.8	30	54 523.4	674.9
27	6	7	836.88	.73	7	50 211.6	35	57 551.8	751.9
28	6	8	867.88	.73	8	52 071.3	40	60 580.1	833.2
29	6	9	898.88	.74	9	53 931.0	45	63 608.3	918.5
71 30	30.996	30	929.87	1859.74	30	55 790.8	1 50	66 636.3	1 008.1
31	6	1	960.87	.74	1	57 650.5	55	69 664.3	1 101.8
32	6	2	991.86	.75	2	59 510.3	2 00	72 692	1 200
33	6	3	1 022.86	.75	3	61 370.0	3 00	109 013	2 699
34	6	4	1 053.85	.75	4	63 229.8	4 00	145 305	4 798
71 35	30.996	35	1 084.85	1859.76	35	65 089.5	5 00	181 557	7 495
36	6	6	1 115.84	.76	6	66 949.3	6 00	217 760	10 789
37	6	7	1 146.84	.76	7	68 809.1	7 00	253 903	14 681
38	6	8	1 177.84	.77	8	70 668.8	8 00	289 977	19 169
39	6	9	1 208.83	.77	9	72 528.6	9 00	325 972	24 252
71 40	30.996	40	1 239.83	1859.77	40	74 388.4	10 00	361 879	29 927
41	6	1	1 270.82	.78	1	76 248.1	11 00	397 686	36 195
42	6	2	1 301.82	.78	2	78 107.9	12 00	433 386	43 052
43	6	3	1 332.81	.78	3	79 967.7	13 00	468 967	50 498
44	6	4	1 363.81	.79	4	81 827.5	14 00	504 421	58 530
71 45	30.997	45	1 394.81	1859.79	45	83 687.3	15 00	539 738	67 146
46	7	6	1 425.80	.79	6	85 547.1	16 00	574 907	76 343
47	7	7	1 456.80	.80	7	87 406.9	17 00	609 920	86 119
48	7	8	1 487.79	.80	8	89 266.7	18 00	644 767	96 472
49	7	9	1 518.79	.80	9	91 126.5	19 00	679 438	107 399
71 50	30.997	50	1 549.78	1859.81	50	92 986.3	20 00	713 925	118 896
51	7	1	1 580.78	.81	1	94 846.1	21 00	748 216	130 961
52	7	2	1 611.78	.81	2	96 705.9	22 00	782 304	143 590
53	7	3	1 642.77	.82	3	98 565.7	23 00	816 179	156 779
54	7	4	1 673.77	.82	4	100 425.5	24 00	849 832	170 526
71 55	30.997	55	1 704.76	1859.82	55	102 285.4	25 00	883 253	184 827
56	7	6	1 735.76	.83	6	104 145.2	26 00	916 434	199 677
57	7	7	1 766.75	.83	7	106 005.0	27 00	949 365	215 072
58	7	8	1 797.75	.83	8	107 864.9	28 00	982 038	231 009
59	7	9	1 828.75	.84	9	109 724.7	29 00	1 014 443	247 483
71 60	30.997	60	1 859.74	1859.84	60	111 584.5	30 00	1 046 572	264 489

Latitude 72° to 73°—Arcs of the parallel in meters.

Lat.	1''	2''	3''	4''	5''	6''	7''	8''	9''	1'	2'	3'	4'	5'
72 00	9.585	19.17	28.75	38.34	47.92	57.51	67.09	76.68	86.26	575.1	1150.2	1725.3	2300.4	2875.5
1	.576	.15	.73	.31	.88	.46	7.03	.61	.19	4.6	49.2	3.7	298.3	2.9
2	.568	.14	.70	.27	.84	.41	6.97	.54	.11	4.1	8.1	2.2	6.3	70.3
3	.559	.12	.68	.24	.80	.36	6.92	.47	6.03	3.6	7.1	20.7	4.2	67.8
4	.551	.10	.65	.20	.75	.30	.85	.41	5.96	3.0	6.1	19.1	2.1	5.2
72 05	9.542	19.08	28.63	38.17	47.71	57.25	66.79	76.34	85.88	572.5	1145.0	1717.6	2290.1	2862.6
6	.533	.07	.60	.13	.67	.20	.73	.27	.80	2.0	4.0	6.0	88.0	60.0
7	.525	.05	.58	.10	.63	.15	.67	.20	.72	1.5	3.0	4.5	6.0	57.5
8	.516	.03	.55	.07	.58	.10	.61	.13	.65	1.0	2.0	2.9	3.9	4.9
9	.508	.02	.52	.03	.54	7.05	.55	6.06	.57	70.5	40.9	11.4	81.8	2.3
72 10	9.499	19.00	28.50	38.00	47.50	56.99	66.49	75.99	85.49	569.9	1139.9	1709.8	2279.8	2849.7
11	.491	8.98	.47	7.96	.45	.94	.43	.93	.42	9.4	8.9	8.3	7.7	7.2
12	.482	.96	.45	.93	.41	.89	.37	.86	.34	8.9	7.8	6.8	5.7	4.6
13	.473	.95	.42	.89	.37	.84	.31	.79	.26	8.4	6.8	5.2	3.6	42.0
14	.465	.93	.39	.86	.32	.79	.25	.72	.18	7.9	5.8	3.7	71.5	39.4
72 15	9.456	18.91	28.37	37.83	47.28	56.74	66.19	75.65	85.11	567.4	1134.7	1702.1	2269.5	2836.9
16	.448	.90	.34	.79	.24	.69	.13	.58	5.03	6.9	3.7	700.6	7.4	4.3
17	.439	.88	.32	.76	.20	.63	.07	.51	4.95	6.3	2.7	699.0	5.4	31.7
18	.430	.86	.29	.72	.15	.58	6.01	.44	.87	5.8	1.7	7.5	3.3	29.1
19	.422	.84	.27	.69	.11	.53	5.95	.38	.80	5.3	30.6	5.9	61.2	6.6
72 20	9.413	18.83	28.24	37.65	47.07	56.48	65.89	75.31	84.72	564.8	1129.6	1694.4	2259.2	2824.0
21	.405	.81	.21	.62	7.02	.43	.83	.24	.64	4.3	8.6	2.8	7.1	21.4
22	.396	.79	.19	.58	6.98	.38	.77	.17	.56	3.8	7.5	91.3	5.1	18.8
23	.387	.77	.16	.55	.94	.32	.71	.10	.49	3.2	6.5	89.7	3.0	6.2
24	.379	.76	.14	.52	.90	.27	.65	5.03	.41	2.7	5.5	8.2	50.9	3.7
72 25	9.370	18.74	28.11	37.48	46.85	56.22	65.59	74.96	84.33	562.2	1124.4	1686.6	2248.9	2811.1
26	.362	.72	.08	.45	.81	.17	.53	.89	.26	1.7	3.4	5.1	6.8	08.5
27	.353	.71	.06	.41	.77	.12	.47	.82	.18	1.2	2.4	3.6	4.7	5.9
28	.344	.69	.03	.38	.72	.07	.41	.75	.10	0.7	1.3	2.0	2.7	3.3
29	.336	.67	8.01	.34	.68	6.02	.35	.69	4.02	60.2	20.3	80.5	40.6	800.8
72 30	9.327	18.65	27.98	37.31	46.64	55.96	65.29	74.62	83.95	559.6	1119.3	1678.9	2238.6	2798.2
31	.319	.64	.96	.27	.59	.91	.23	.55	.87	9.1	8.2	7.4	6.5	5.6
32	.310	.62	.93	.24	.55	.86	.17	.48	.79	8.6	7.2	5.8	4.4	3.0
33	.301	.60	.90	.21	.51	.81	.11	.41	.71	8.1	6.2	4.3	2.4	90.4
34	.293	.59	.88	.17	.47	.76	5.05	.34	.64	7.6	5.1	2.7	30.3	87.9
72 35	9.284	18.57	27.85	37.14	46.42	55.71	64.99	74.27	83.56	557.1	1114.1	1671.2	2228.2	2785.3
36	.276	.55	.83	.10	.38	.65	.93	.21	.48	6.5	3.1	69.6	6.2	2.7
37	.267	.53	.80	.07	.34	.60	.87	.14	.40	6.0	2.0	8.1	4.1	80.1
38	.258	.51	.77	.03	.29	.55	.81	.07	.32	5.5	1.0	6.5	2.0	77.5
39	.250	.50	.75	7.00	.25	.50	.75	4.00	.25	5.0	10.0	5.0	20.0	5.0
72 40	9.241	18.48	27.72	36.97	46.21	55.45	64.69	73.93	83.17	554.5	1109.0	1663.4	2217.9	2772.4
41	.233	.47	.70	.93	.16	.40	.63	.86	.09	4.0	7.9	1.9	5.8	69.8
42	.224	.45	.67	.90	.12	.34	.57	.79	3.02	3.4	6.9	60.3	3.8	7.2
43	.215	.43	.65	.86	.08	.29	.51	.72	2.94	2.9	5.8	58.8	11.7	4.6
44	.207	.41	.62	.83	6.03	.24	.45	.65	.86	2.4	4.8	7.2	09.6	62.0
72 45	9.198	18.40	27.60	36.79	45.99	55.19	64.39	73.59	82.78	551.9	1103.8	1655.7	2207.6	2759.5
46	.190	.38	.57	.76	.95	.14	.33	.52	.71	1.4	2.7	4.1	5.5	6.9
47	.181	.36	.54	.72	.91	.09	.27	.45	.63	0.9	1.7	2.6	3.4	4.3
48	.172	.34	.52	.69	.86	5.03	.21	.38	.55	50.3	100.7	51.0	201.4	51.7
49	.164	.33	.49	.65	.82	4.98	.15	.31	.47	49.8	99.6	49.5	199.3	49.1
72 50	9.155	18.31	27.47	36.62	45.78	54.93	64.09	73.24	82.40	549.3	1098.6	1647.9	2197.2	2746.5
51	.147	.29	.44	.59	.73	.88	4.03	.17	.32	8.8	7.6	6.4	5.2	4.0
52	.138	.28	.41	.55	.69	.83	3.97	.10	.24	8.3	6.5	4.8	3.1	41.4
53	.129	.26	.39	.52	.65	.78	.91	3.03	.16	7.8	5.5	3.3	91.0	38.8
54	.121	.24	.36	.48	.60	.72	.84	2.97	.09	7.2	4.5	1.7	89.0	6.2
72 55	9.112	18.22	27.34	36.45	45.56	54.67	63.78	72.90	82.01	546.7	1093.4	1640.2	2186.9	2733.6
56	.103	.21	.31	.41	.52	.62	.72	.83	1.93	6.2	2.4	38.6	4.8	31.0
57	.095	.19	.28	.38	.47	.57	.66	.76	.85	5.7	1.4	7.1	2.8	28.4
58	.086	.17	.26	.35	.43	.52	.60	.69	.78	5.2	90.4	5.5	80.7	5.9
59	.078	.16	.23	.31	.39	.47	.54	.62	.70	4.7	89.3	4.0	78.6	3.3
72 60	9.069	18.14	27.21	36.28	45.35	54.41	63.48	72.55	81.62	544.1	1088.3	1632.4	2176.5	2720.7

Lat	Latitude 72° to 73°—Meridional arcs.					Latitude 72°—Co-ordinates of curvature.			
	Value of 1''	Sums of seconds for middle latitude 72° 30'		Value of 1'	Continuous sums of minutes from latitude 72° 00'		Longitude.	X	Y
° ' "	Meters.	"	Meters.	Meters.	'	Meters.	° ' "	Meters.	Meters.
72 30	30.997			1859.84			0 1	575.1	0.1
1	7	1	31.00	.84	1	1 859.8	0 2	1 150.2	0.3
2	7	2	62.00	.85	2	3 719.7	0 3	1 725.3	0.7
3	7	3	93.00	.85	3	5 579.5	0 4	2 300.4	1.3
4	8	4	124.00	.85	4	7 439.4	0 5	2 875.5	2.0
72 35	30.998	5	154.99	1859.86	5	9 299.2	0 6	3 450.6	2.9
6	8	6	185.99	.86	6	11 159.1	0 7	4 025.7	3.9
7	8	7	216.99	.86	7	13 019.0	0 8	4 600.8	5.1
8	8	8	247.99	.87	8	14 878.8	0 9	5 175.9	6.4
9	8	9	278.99	.87	9	16 738.7	0 10	5 751.0	8.0
72 40	30.998	10	309.99	1859.87	10	18 598.6	0 15	8 626.4	17.9
11	8	1	340.99	.88	1	20 458.4	0 20	11 501.9	31.8
12	8	2	371.99	.88	2	22 318.3	0 25	14 377.3	49.7
13	8	3	402.99	.88	3	24 178.2	0 30	17 252.7	71.6
14	8	4	433.99	.89	4	26 038.1	0 35	20 128.1	97.5
72 45	30.998	15	464.98	1859.89	15	27 898.0	0 40	23 003.4	127.3
16	8	6	495.98	.89	6	29 757.9	0 45	25 878.7	161.1
17	8	7	526.98	.89	7	31 617.7	0 50	28 753.9	198.9
18	8	8	557.98	.90	8	33 477.6	0 55	31 629.1	240.6
19	8	9	588.99	.90	9	35 337.5	1 00	34 504.2	286.4
72 20	30.998	20	619.98	1859.90	20	37 197.4	1 05	37 379.2	336.1
21	8	1	650.98	.91	1	39 057.3	1 10	40 254.2	389.8
22	9	2	681.98	.91	2	40 917.3	1 15	43 129.1	447.5
23	9	3	712.98	.92	3	42 777.2	1 20	46 003.9	509.1
24	9	4	743.97	.92	4	44 637.1	1 25	48 878.7	574.7
72 25	30.999	25	774.97	1859.92	25	46 497.0	1 30	51 753.3	644.3
26	9	6	805.97	.92	6	48 356.9	1 35	54 627.9	717.9
27	9	7	836.97	.93	7	50 216.8	1 40	57 502.3	795.5
28	9	8	867.97	.93	8	52 076.8	1 45	60 376.6	877.0
29	9	9	898.97	.93	9	53 936.7	1 50	63 250.8	962.5
72 30	30.999	30	929.97	1859.94	30	55 796.6	1 55	66 124.9	1 052.0
31	9	1	960.97	.94	1	57 656.6	2 00	68 999	1 145
32	9	2	991.97	.94	2	59 516.5	2 05	71 873.5	1 238
33	9	3	1 022.96	.95	3	61 376.5	2 10	74 747.6	1 331
34	9	4	1 053.96	.95	4	63 236.4	2 15	77 621.7	1 424
72 35	30.999	35	1 084.96	1859.95	35	65 096.4	2 20	80 495.8	1 517
36	9	6	1 115.96	.96	6	66 956.3	2 25	83 369.9	1 610
37	9	7	1 146.96	.96	7	68 816.3	2 30	86 244.0	1 703
38	9	8	1 177.96	.96	8	70 676.2	2 35	89 118.1	1 796
39	9	9	1 208.96	.96	9	72 536.2	2 40	91 992.2	1 889
72 40	30.999	40	1 239.96	1859.97	40	74 396.2	2 45	94 866.3	1 982
41	31.000	1	1 270.96	.97	1	76 256.1	2 50	97 740.4	2 075
42	0	2	1 301.96	.97	2	78 116.1	2 55	100 614.5	2 168
43	0	3	1 332.95	.98	3	79 976.1	3 00	103 488.6	2 261
44	0	4	1 363.95	.98	4	81 836.1	3 05	106 362.7	2 354
72 45	31.000	45	1 394.95	1859.98	45	83 696.1	3 10	109 236.8	2 447
46	0	6	1 425.95	.99	6	85 556.1	3 15	112 110.9	2 540
47	0	7	1 456.95	.99	7	87 416.0	3 20	114 985.0	2 633
48	0	8	1 487.95	.99	8	89 276.0	3 25	117 859.1	2 726
49	0	9	1 518.95	60.00	9	91 136.0	3 30	120 733.2	2 819
72 50	31.000	50	1 549.95	1860.00	50	92 996.0	3 35	123 607.3	2 912
51	0	1	1 580.95	.00	1	94 856.0	3 40	126 481.4	3 005
52	0	2	1 611.94	.01	2	96 716.0	3 45	129 355.5	3 098
53	0	3	1 642.94	.01	3	98 576.0	3 50	132 229.6	3 191
54	0	4	1 673.94	1860.01	4	100 436.0	3 55	135 103.7	3 284
72 55	31.000	55	1 704.94	.01	55	102 296.1	4 00	137 977.8	3 377
56	0	6	1 735.94	.02	6	104 156.1	4 05	140 851.9	3 470
57	0	7	1 766.94	.02	7	106 016.1	4 10	143 726.0	3 563
58	0	8	1 797.94	.02	8	107 876.1	4 15	146 600.1	3 656
59	0	9	1 828.94	.03	9	109 736.1	4 20	149 474.2	3 749
72 60	31.001	60	1 859.94	1860.03	0	111 596.2	4 25	152 348.3	3 842

Latitude 73° to 74°—Arcs of the parallel in meters.

Lat.	1"	2"	3"	4"	5"	6"	7"	8"	9"	1'	2'	3'	4'	5'
73 00	9.069	18.14	27.21	36.28	45.35	54.41	63.48	72.55	81.62	544.1	1088.3	1632.4	2176.5	2720.7
1	.060	.12	.18	.24	.30	.36	.42	.48	.54	3.6	7.2	30.9	4.5	18.1
2	.052	.10	.16	.21	.26	.31	.36	.41	.47	3.1	6.2	29.3	2.4	5.5
3	.043	.09	.13	.17	.22	.26	.30	.34	.39	2.6	5.2	7.7	70.3	2.9
4	.034	.07	.10	.14	.17	.21	.24	.27	.31	2.1	4.1	6.2	68.3	10.3
73 05	9.026	18.05	27.08	36.10	45.13	54.15	63.18	72.21	81.23	541.5	1083.1	1624.6	2166.2	2707.7
6	.017	.03	.05	.07	.09	.10	.12	.14	.16	1.0	2.1	3.1	4.1	5.2
7	.009	.02	.03	.04	.04	.05	.06	.07	.08	0.5	1.0	1.5	2.0	2.6
8	9.000	8.00	7.00	6.00	5.00	4.00	3.00	2.00	1.00	40.0	80.0	20.0	60.0	700.0
9	8.991	7.98	6.97	5.97	4.96	3.95	2.94	1.93	0.92	39.5	79.0	18.4	57.9	697.4
73 10	8.983	17.97	26.95	35.93	44.91	53.90	62.88	71.86	80.84	539.0	1077.9	1616.9	2155.8	2694.8
11	.974	.95	.92	.90	.87	.84	.82	.79	.77	8.4	6.9	5.3	3.8	92.2
12	.965	.93	.90	.86	.83	.79	.76	.72	.69	7.9	5.8	3.8	51.7	89.6
13	.957	.91	.87	.83	.78	.74	.70	.65	.61	7.4	4.8	2.2	49.6	7.0
14	.948	.90	.84	.79	.74	.69	.64	.58	.53	6.9	3.8	0.7	7.5	4.4
73 15	8.939	17.88	26.82	35.76	44.70	53.64	62.58	71.52	80.45	536.4	1072.7	1609.1	2145.5	2681.8
16	.931	.86	.79	.72	.65	.59	.52	.45	.38	5.9	1.7	7.6	3.4	79.3
17	.922	.84	.77	.69	.61	.53	.46	.38	.30	5.3	70.7	6.0	41.3	6.7
18	.914	.83	.74	.65	.57	.48	.40	.31	.22	4.8	69.6	4.4	39.3	4.1
19	.905	.81	.72	.62	.52	.43	.33	.24	.15	4.3	8.6	2.9	7.2	71.5
73 20	8.896	17.79	26.69	35.59	44.48	53.38	62.27	71.17	80.07	533.8	1067.6	1601.3	2135.1	2668.9
21	.888	.78	.66	.55	.44	.33	.21	.10	.09	3.3	6.5	599.8	3.0	6.3
22	.879	.76	.64	.52	.39	.27	.15	1.03	.91	2.7	5.5	8.2	31.0	3.7
23	.870	.74	.61	.48	.35	.22	.09	0.96	.83	2.2	4.4	6.7	28.9	61.1
24	.862	.72	.59	.45	.31	.17	2.03	.89	.76	1.7	3.4	5.1	6.8	58.5
73 25	8.853	17.71	26.56	35.41	44.26	53.12	61.97	70.82	79.68	531.2	1062.4	1593.6	2124.7	2655.9
26	.844	.69	.53	.38	.22	.07	.91	.75	.60	0.7	1.3	2.0	2.7	3.3
27	.836	.67	.51	.34	.18	3.01	.85	.69	.52	30.1	60.3	90.4	20.6	50.7
28	.827	.65	.48	.31	.14	2.96	.79	.62	.45	29.6	59.3	88.9	18.5	48.2
29	.819	.64	.46	.27	.09	.91	.73	.55	.37	9.1	8.2	7.3	6.4	5.6
73 30	8.810	17.62	26.43	35.24	44.05	52.86	61.67	70.48	79.29	528.6	1057.2	1585.8	2114.4	2643.0
31	.801	.60	.40	.21	4.01	.81	.61	.41	.21	8.1	6.2	4.2	2.3	40.4
32	.793	.59	.38	.17	3.96	.76	.55	.34	.13	7.6	5.1	2.7	10.2	37.8
33	.784	.57	.35	.14	.92	.70	.49	.27	9.06	7.0	4.1	81.1	08.1	5.2
34	.775	.55	.33	.10	.88	.65	.43	.20	8.98	6.5	3.0	79.6	6.1	2.6
73 35	8.767	17.53	26.30	35.07	43.83	52.60	61.37	70.13	78.90	526.0	1052.0	1578.0	2104.0	2630.0
36	.758	.52	.27	.03	.79	.55	.31	70.06	.82	5.5	51.0	6.4	101.9	27.4
37	.749	.50	.25	5.00	.75	.50	.25	69.99	.74	5.0	49.9	4.9	099.8	4.8
38	.741	.48	.22	4.96	.70	.44	.18	.93	.67	4.4	8.9	3.3	7.8	22.2
39	.732	.46	.20	.93	.66	.39	.12	.86	.59	3.9	7.8	1.8	5.7	19.6
73 40	8.723	17.45	26.17	34.89	43.62	52.34	61.07	69.79	78.51	523.4	1046.8	1570.2	2093.6	2617.0
41	.715	.43	.14	.86	.57	.29	1.00	.72	.43	2.9	5.8	68.7	91.5	4.4
42	.706	.41	.12	.82	.53	.24	0.94	.65	.35	2.4	4.7	7.1	89.5	11.8
43	.697	.39	.09	.79	.49	.18	.88	.58	.28	1.8	3.7	5.5	7.4	09.2
44	.689	.38	.07	.75	.44	.13	.82	.51	.20	1.3	2.7	4.0	5.3	6.6
73 45	8.680	17.36	26.04	34.72	43.40	52.08	60.76	69.44	78.12	520.8	1041.6	1562.4	2083.2	2604.0
46	.671	.34	6.01	.69	.36	2.03	.70	.37	8.06	20.3	40.6	60.9	81.2	601.4
47	.663	.33	5.99	.65	.31	1.98	.64	.30	7.96	19.8	39.5	59.3	79.1	598.8
48	.654	.31	.96	.62	.27	.92	.58	.23	.89	9.2	8.5	7.7	7.0	6.2
49	.645	.29	.94	.58	.23	.87	.52	.16	.81	8.7	7.5	6.2	4.9	3.6
73 50	8.637	17.27	25.91	34.55	43.18	51.82	60.46	69.09	77.73	518.2	1036.4	1554.6	2072.8	2591.0
51	.628	.26	.88	.51	.14	.77	.40	9.02	.65	7.7	5.4	3.1	70.8	88.4
52	.619	.24	.86	.48	.10	.72	.34	8.95	.57	7.2	4.3	51.5	68.7	5.8
53	.611	.22	.83	.44	.05	.66	.27	.89	.50	6.6	3.3	49.9	6.6	3.2
54	.602	.20	.81	.41	3.01	.61	.22	.82	.42	6.1	2.3	8.4	4.5	80.6
73 55	8.593	17.19	25.78	34.37	42.97	51.56	60.15	68.75	77.34	515.6	1031.2	1546.8	2062.4	2578.0
56	.585	.17	.75	.34	.92	.51	.09	.68	.26	5.1	30.2	5.3	60.4	5.4
57	.576	.15	.73	.30	.88	.46	60.03	.61	.18	4.6	29.1	3.7	58.3	2.8
58	.567	.13	.70	.27	.84	.40	59.97	.54	.11	4.0	8.1	2.1	6.2	70.2
59	.559	.12	.68	.23	.79	.35	.91	.47	7.03	3.5	7.1	40.6	4.1	67.6
73 60	8.550	17.10	25.65	34.20	42.75	51.30	59.85	68.40	76.95	513.0	1026.0	1539.0	2052.0	2565.0

Lat.	Latitude 73° to 74°—Meridional arcs.						Latitude 73°—Co-ordinates of curvature.		
	Value of 1''	Sums of seconds for middle latitude 73° 30'		Value of 1'	Continuous sums of minutes from latitude 73° 00'		Longitude.	X	Y
° /	Meters.	''	Meters.	Meters.	'	Meters.	° /	Meters.	Meters.
73 00	31.001			1860.03			0 1	544.1	0.1
1	1	1	31.00	.03	1	1 860.0	2	1 088.3	0.3
2	1	2	62.00	.04	2	3 720.1	3	1 632.4	0.7
3	1	3	93.01	.04	3	5 580.1	4	2 176.6	1.2
4	1	4	124.01	.04	4	7 440.2	5	2 720.7	1.9
73 05	31.001	5	155.01	1860.05	5	9 300.2	6	3 264.8	2.7
6	1	6	186.01	.05	6	11 160.2	7	3 809.0	3.7
7	1	7	217.01	.05	7	13 020.3	8	4 353.1	4.8
8	1	8	248.02	.05	8	14 880.4	9	4 897.2	6.1
9	1	9	279.02	.06	9	16 740.4	10	5 441.4	7.6
73 10	31.001	10	310.02	1860.06	10	18 600.5	15	8 162.0	17.0
11	1	1	341.02	.06	11	20 460.5	20	10 882.7	30.3
12	1	2	372.02	.07	2	22 320.6	25	13 603.3	47.3
13	1	3	403.03	.07	3	24 180.7	30	16 323.9	68.1
14	1	4	434.03	.07	4	26 040.7	35	19 044.5	92.7
73 15	31.001	15	465.03	1860.08	15	27 900.8	40	21 765.0	121.1
16	1	6	496.03	.08	6	29 760.9	45	24 485.5	153.3
17	1	7	527.03	.08	7	31 621.0	50	27 206.0	189.2
18	1	8	558.04	.09	8	33 481.1	55	29 926.4	228.9
19	1	9	589.04	.09	9	35 341.1	1 00	32 646.7	272.4
73 20	31.002	20	620.04	1860.09	20	37 201.2	05	35 367.0	319.7
21	2	1	651.04	.09	1	39 061.3	10	38 087.2	370.8
22	2	2	682.04	.10	2	40 921.4	15	40 807.3	425.7
23	2	3	713.05	.10	3	42 781.5	20	43 527.4	484.3
24	2	4	744.05	.10	4	44 641.6	25	46 247.3	546.8
73 25	31.002	25	775.05	1860.11	25	46 501.7	30	48 967.2	613.0
26	2	6	806.05	.11	6	48 361.8	35	51 687.0	683.0
27	2	7	837.05	.11	7	50 221.9	40	54 406.7	756.8
28	2	8	868.06	.12	8	52 082.1	45	57 126.3	834.3
29	2	9	899.06	.12	9	53 942.2	1 50	59 845.8	915.7
73 30	31.002	30	930.06	1860.12	30	55 802.3	55	62 565.1	1 000.8
31	2	1	961.06	.12	1	57 662.4	2 00	65 284	1 090
32	2	2	992.06	.13	2	59 522.5	3 00	67 904	2 452
33	2	3	1 023.07	.13	3	61 382.7	4 00	70 524	4 358
34	2	4	1 054.07	.13	4	63 242.8	5 00	73 144	6 808
73 35	31.002	35	1 085.07	1860.14	35	65 102.9	6 00	75 764	9 800
36	2	6	1 116.07	.14	6	66 963.1	7 00	78 384	13 335
37	2	7	1 147.07	.14	7	68 823.2	8 00	81 004	17 412
38	2	8	1 178.08	.15	8	70 683.4	9 00	83 624	22 028
39	2	9	1 209.08	.15	9	72 543.5	10 00	86 244	27 183
73 40	31.003	40	1 240.08	1860.15	40	74 403.7	11 00	88 864	32 875
41	3	1	1 271.08	.15	1	76 263.8	12 00	91 484	39 103
42	3	2	1 302.09	.16	2	78 124.0	13 00	94 104	45 865
43	3	3	1 333.09	.16	3	79 984.1	14 00	96 724	53 160
44	3	4	1 364.09	.16	4	81 844.3	15 00	99 344	60 984
73 45	31.003	45	1 395.09	1860.17	45	83 704.5	16 00	101 964	69 336
46	3	6	1 426.09	.17	6	85 564.6	17 00	104 584	78 214
47	3	7	1 457.10	.17	7	87 424.8	18 00	107 204	87 615
48	3	8	1 488.10	.18	8	89 285.0	19 00	109 824	97 537
49	3	9	1 519.10	.18	9	91 145.2	20 00	112 444	107 976
73 50	31.003	50	1 550.10	1860.18	50	93 005.4	21 00	115 064	118 930
51	3	1	1 581.10	.18	1	94 865.5	22 00	117 684	130 396
52	3	2	1 612.11	.19	2	96 725.7	23 00	120 304	142 370
53	3	3	1 643.11	.19	3	98 585.9	24 00	122 924	154 850
54	3	4	1 674.11	.19	4	100 446.1	25 00	125 544	167 831
73 55	31.003	55	1 705.11	1860.20	55	102 306.3	26 00	128 164	181 311
56	3	6	1 736.11	.20	6	104 166.5	27 00	130 784	195 285
57	3	7	1 767.12	.20	7	106 026.7	28 00	133 404	209 749
58	3	8	1 798.12	.21	8	107 886.9	29 00	136 024	224 700
59	3	9	1 829.12	.21	9	109 747.1	30 00	138 644	240 134
73 60	31.004	60	1 860.12	1860.21	60	111 607.3			

Latitude 74° to 75°—Arcs of the parallel in meters.

Lat.	1''	2''	3''	4''	5''	6''	7''	8''	9''	1'	2'	3'	4'	5'
74 00	8.550	17.10	25.65	34.20	42.75	51.30	59.85	68.40	76.95	513.0	1026.0	1539.0	2052.0	2565.0
1	.541	.08	.62	.17	.71	.25	.79	.33	.87	2.5	5.0	7.5	50.0	62.4
2	.533	.07	.60	.13	.66	.20	.73	.26	.80	2.0	3.9	5.9	47.9	59.8
3	.524	.05	.57	.10	.62	.14	.67	.19	.72	1.4	2.9	4.3	5.8	7.2
4	.515	.03	.55	.06	.58	.09	.61	.12	.64	0.9	1.9	2.8	3.7	4.6
74 05	8.507	17.01	25.52	34.03	42.53	51.04	59.55	68.06	76.56	510.4	1020.8	1531.2	2041.6	2552.0
6	.498	7.00	.49	3.99	.49	0.99	.49	7.98	.48	09.9	19.8	29.7	39.5	49.4
7	.489	6.98	.47	.96	.45	.94	.42	.92	.40	9.4	8.7	8.1	7.5	6.8
8	.481	.96	.44	.92	.41	.88	.36	.85	.33	8.8	7.7	6.5	5.4	4.2
9	.472	.94	.42	.89	.36	.83	.30	.78	.25	8.3	6.6	5.0	3.3	41.6
74 10	8.463	16.93	25.39	33.85	42.32	50.78	59.24	67.71	76.17	507.8	1015.6	1523.4	2031.2	2539.0
11	.455	.91	.36	.82	.28	.73	.18	.64	.09	7.3	4.6	1.8	29.1	6.4
12	.446	.89	.34	.78	.23	.68	.12	.57	6.01	6.8	3.5	20.3	7.0	3.8
13	.437	.87	.31	.75	.19	.62	.06	.50	5.94	6.2	2.5	18.7	5.0	31.2
14	.429	.86	.29	.71	.14	.57	9.00	.43	.86	5.7	1.4	7.2	2.9	28.6
74 15	8.420	16.84	25.26	33.68	42.10	50.52	58.94	67.36	75.78	505.2	1010.4	1515.6	2020.8	2526.0
16	.411	.82	.23	.65	.06	.47	.88	.29	.70	4.7	09.4	4.0	18.7	3.4
17	.403	.81	.21	.61	2.01	.42	.82	.22	.62	4.2	8.3	2.5	6.6	20.8
18	.394	.79	.18	.58	1.97	.36	.76	.15	.55	3.6	7.3	10.9	4.5	18.2
19	.385	.77	.16	.54	.92	.31	.70	.08	.47	3.1	6.2	09.3	2.5	5.6
74 20	8.377	16.75	25.13	33.51	41.88	50.26	58.64	67.01	75.39	502.6	1005.2	1507.8	2010.4	2513.0
21	.368	.74	.10	.47	.84	.21	.58	6.94	.31	2.1	4.1	6.2	08.3	10.4
22	.359	.72	.08	.44	.80	.16	.52	.87	.23	1.6	3.1	4.7	6.2	07.8
23	.351	.70	.05	.40	.75	.10	.46	.80	.16	1.0	2.1	3.1	4.1	5.2
24	.342	.68	.03	.37	.71	.05	.39	.73	.08	0.5	1.0	1.5	2.0	2.6
74 25	8.333	16.67	25.00	33.33	41.67	50.00	58.33	66.67	75.00	500.0	1000.0	1500.0	2000.0	2500.0
26	.324	.65	4.97	.30	.62	49.95	.27	.60	4.92	499.5	998.9	498.4	1997.9	497.3
27	.316	.63	.95	.26	.58	.89	.21	.53	.84	8.9	7.9	6.8	5.8	4.7
28	.307	.61	.92	.23	.53	.84	.15	.46	.76	8.4	6.9	5.3	3.7	92.1
29	.298	.60	.90	.19	.49	.79	.09	.39	.69	7.9	5.8	3.7	91.6	89.5
74 30	8.290	16.58	24.87	33.16	41.45	49.74	58.03	66.32	74.61	497.4	994.8	1492.2	1989.5	2486.9
31	.281	.56	.84	.12	.41	.69	7.97	.25	.53	6.9	3.7	90.6	7.5	4.3
32	.272	.54	.82	.09	.36	.63	.91	.18	.45	6.3	2.7	89.0	5.4	81.7
33	.264	.53	.79	.05	.32	.58	.85	.11	.37	5.8	1.6	7.5	3.3	79.1
34	.255	.51	.77	3.02	.27	.53	.79	6.04	.30	5.3	90.6	5.9	81.2	6.5
74 35	8.246	16.49	24.74	32.99	41.23	49.48	57.72	65.97	74.22	494.8	989.6	1484.3	1979.1	2473.9
36	.238	.48	.71	.95	.19	.43	.66	.90	.14	4.3	8.5	2.8	7.0	71.3
37	.229	.46	.69	.92	.14	.37	.60	.83	4.06	3.7	7.5	81.2	4.9	68.7
38	.220	.44	.66	.88	.10	.32	.54	.76	3.98	3.2	6.4	79.6	2.8	6.1
39	.212	.42	.64	.85	.06	.27	.48	.69	.91	2.7	5.4	8.1	70.8	3.5
74 40	8.203	16.41	24.61	32.81	41.01	49.22	57.42	65.62	73.82	492.2	984.3	1476.5	1968.7	2460.8
41	.194	.39	.58	.78	0.97	.16	.36	.55	.75	1.6	3.3	4.9	6.6	58.2
42	.185	.37	.56	.74	.92	.11	.30	.48	.67	1.1	2.2	3.4	4.5	5.6
43	.177	.35	.53	.71	.88	.06	.24	.41	.59	0.6	1.2	1.8	2.4	3.0
44	.168	.34	.50	.67	.84	9.01	.18	.34	.51	90.1	80.2	70.2	60.3	50.4
74 45	8.159	16.32	24.48	32.64	40.80	48.96	57.11	65.27	73.43	489.6	979.1	1468.7	1958.2	2447.8
46	.151	.30	.45	.60	.75	.90	7.05	.21	.36	9.0	8.1	7.1	6.1	5.2
47	.142	.28	.43	.57	.71	.85	6.99	.14	.28	8.5	7.0	5.5	4.1	2.6
48	.133	.27	.40	.53	.67	.80	.93	.07	.20	8.0	6.0	4.0	52.0	40.0
49	.124	.25	.37	.50	.62	.75	.87	5.00	.12	7.5	4.9	2.4	49.9	37.3
74 50	8.116	16.23	24.35	32.46	40.58	48.69	56.81	64.93	73.04	486.9	973.9	1460.8	1947.8	2434.7
51	.107	.21	.32	.43	.54	.64	.75	.86	2.96	6.4	2.8	59.3	5.7	32.1
52	.098	.20	.30	.39	.49	.59	.69	.79	.88	5.9	1.8	7.7	3.6	29.5
53	.090	.18	.27	.36	.45	.54	.63	.72	.81	5.4	70.8	6.1	41.5	6.9
54	.081	.16	.24	.32	.40	.49	.57	.65	.73	4.9	69.7	4.6	39.4	4.3
74 55	8.072	16.14	24.22	32.29	40.36	48.43	56.51	64.58	72.65	484.3	968.7	1453.0	1937.3	2421.7
56	.064	.13	.19	.25	.32	.38	.44	.51	.57	3.8	7.6	51.4	5.2	19.1
57	.055	.11	.16	.22	.27	.33	.38	.44	.49	3.3	6.6	49.9	3.2	6.4
58	.046	.09	.14	.18	.23	.28	.32	.37	.41	2.8	5.5	8.3	31.1	3.8
59	.037	.07	.11	.15	.19	.22	.26	.30	.34	2.2	4.5	6.7	29.0	11.2
74 60	8.020	16.06	24.09	32.11	40.14	48.17	56.20	64.23	72.26	481.7	963.4	1445.2	1926.9	2408.6

Lat.	Latitude 74° to 75°—Meridional arcs.					Latitude 74°—Co-ordinates of curvature.			
	Value of 1''	Sums of seconds for middle latitude 74° 30'		Value of 1'	Continuous sums of minutes from latitude 74° 00'	Longitude.	X	Y	
° /	Meters.	"	Meters.	Meters.	'	Meters.	° /	Meters.	Meters.
74 00	31.004			1860.21			0 1		
1	4	1	31.00	.21	1	1 860.2	0 1	513.0	0.1
2	4	2	62.01	.22	2	3 720.4	0 2	1 026.0	0.3
3	4	3	93.01	.22	3	5 580.6	0 3	1 539.0	0.6
4	4	4	124.02	.22	4	7 440.9	0 4	2 052.0	1.1
74 05	31.004	5	155.02	1860.23	5	9 301.1	0 5	2 565.1	1.8
6	4	6	186.03	.23	6	11 161.3	0 6	3 078.1	2.6
7	4	7	217.03	.23	7	13 021.5	0 7	3 591.1	3.5
8	4	8	248.04	.23	8	14 881.8	0 8	4 104.1	4.6
9	4	9	279.04	.24	9	16 742.0	0 9	4 617.1	5.8
74 10	31.004	10	310.05	1860.24	10	18 602.3	0 10	5 130.1	7.2
11	4	1	341.05	.24	1	20 462.5	0 15	7 695.1	16.1
12	4	2	372.06	.25	2	22 322.7	0 20	10 260.1	28.7
13	4	3	403.06	.25	3	24 183.0	0 25	12 825.1	44.8
14	4	4	434.07	.25	4	26 043.2	0 30	15 390.1	64.5
74 15	31.004	15	465.07	1860.25	15	27 903.5	0 35	17 955.0	87.9
16	4	6	496.08	.26	6	29 763.7	0 40	20 519.9	114.8
17	4	7	527.08	.26	7	31 624.0	0 45	23 084.8	145.2
18	4	8	558.09	.26	8	33 484.3	0 50	25 649.6	179.3
19	4	9	589.09	.27	9	35 344.5	0 55	28 214.4	217.0
74 20	31.004	20	620.10	1860.27	20	37 204.8	1 00	30 779.1	258.2
21	5	1	651.10	.27	1	39 065.1	1 05	33 343.8	303.0
22	5	2	682.11	.27	2	40 925.3	1 10	35 908.4	351.4
23	5	3	713.11	.28	3	42 785.6	1 15	38 472.9	403.4
24	5	4	744.12	.28	4	44 645.9	1 20	41 037.3	459.0
74 25	31.005	25	775.12	1860.28	25	46 506.2	1 25	43 601.7	518.2
26	5	6	806.13	.29	6	48 366.5	1 30	46 166.0	580.9
27	5	7	837.13	.29	7	50 226.8	1 35	48 730.1	647.3
28	5	8	868.14	.29	8	52 087.0	1 40	51 294.2	717.2
29	5	9	899.14	.29	9	53 947.3	1 45	53 858.2	790.7
74 30	31.005	30	930.13	1860.30	30	55 807.6	1 50	56 422.1	867.8
31	5	1	961.15	.30	1	57 667.9	1 55	58 985.9	948.5
32	5	2	992.16	.30	2	59 528.2	2 00	61 550	1 033
33	5	3	1 023.16	.31	3	61 388.5	2 05	64 114.9	1 118
34	5	4	1 054.17	.31	4	63 248.8	2 10	66 679.8	1 203
74 35	31.005	35	1 085.17	1860.31	35	65 109.2	2 15	69 244.7	1 288
36	5	6	1 116.18	.31	6	66 969.5	2 20	71 809.6	1 373
37	5	7	1 147.18	.32	7	68 829.8	2 25	74 374.5	1 458
38	5	8	1 178.19	.32	8	70 690.1	2 30	76 939.4	1 543
39	5	9	1 209.19	.32	9	72 550.4	2 35	79 504.3	1 628
74 40	31.005	40	1 240.20	1860.33	40	74 410.8	2 40	82 069.2	1 713
41	5	1	1 271.20	.33	1	76 271.1	2 45	84 634.1	1 798
42	6	2	1 302.21	.33	2	78 131.4	2 50	87 199.0	1 883
43	6	3	1 333.21	.33	3	79 991.7	2 55	89 763.9	1 968
44	6	4	1 364.22	.34	4	81 852.1	3 00	92 328.8	2 053
74 45	31.006	45	1 395.22	1860.34	45	83 712.4	3 05	94 893.7	2 138
46	6	6	1 426.23	.34	6	85 572.8	3 10	97 458.6	2 223
47	6	7	1 457.23	.35	7	87 433.1	3 15	100 023.5	2 308
48	6	8	1 488.24	.35	8	89 293.5	3 20	102 588.4	2 393
49	6	9	1 519.24	.35	9	91 153.8	3 25	105 153.3	2 478
74 50	31.006	50	1 550.25	1860.35	50	93 014.2	3 30	107 718.2	2 563
51	6	1	1 581.25	.36	1	94 874.5	3 35	110 283.1	2 648
52	6	2	1 612.26	.36	2	96 734.9	3 40	112 848.0	2 733
53	6	3	1 643.26	.36	3	98 595.2	3 45	115 412.9	2 818
54	6	4	1 674.27	.37	4	100 455.6	3 50	117 977.8	2 903
74 55	31.006	55	1 705.27	1860.37	55	102 316.0	3 55	120 542.7	2 988
56	6	6	1 736.28	.37	6	104 176.3	4 00	123 107.6	3 073
57	6	7	1 767.28	.37	7	106 036.7	4 05	125 672.5	3 158
58	6	8	1 798.29	.38	8	107 897.1	4 10	128 237.4	3 243
59	6	9	1 829.29	.38	9	109 757.5	4 15	130 802.3	3 328
74 60	31.006	60	1 860.30	1860.38	60	111 617.9	4 20	133 367.2	3 413

Latitude 75° to 76°—Arcs of the parallel in meters.

Lat.	1''	2''	3''	4''	5''	6''	7''	8''	9''	1'	2'	3'	4'	5'
75 00	8.029	16.06	24.09	32.11	40.14	48.17	56.20	64.23	72.26	481.7	963.4	1445.2	1926.9	2408.6
1	.020	.04	.06	.08	.10	.12	.14	.16	.18	1.2	2.4	3.6	4.8	6.0
2	.011	.02	.03	.04	.06	.07	.08	.09	.10	0.7	1.4	2.0	2.7	3.4
3	8.003	6.01	4.01	2.01	40.01	8.02	6.02	4.02	2.02	80.2	60.3	40.5	20.6	400.8
4	7.994	5.99	3.98	1.98	39.97	7.96	5.96	3.95	1.95	79.6	59.3	38.9	18.5	398.2
75 05	7.985	15.97	23.96	31.94	39.92	47.91	55.89	63.88	71.87	479.1	958.2	1437.3	1916.4	2395.5
6	.976	.95	.93	.91	.88	.86	.83	.81	.79	8.6	7.2	5.8	4.3	2.9
7	.968	.94	.90	.87	.84	.81	.77	.74	.71	8.1	6.1	4.2	2.2	90.3
8	.959	.92	.88	.84	.80	.75	.71	.67	.63	7.5	5.1	2.6	10.2	87.7
9	.950	.90	.85	.80	.75	.70	.65	.60	.55	7.0	4.0	31.0	08.1	5.1
75 10	7.942	15.88	23.82	31.77	39.71	47.65	55.59	63.53	71.47	476.5	953.0	1429.5	1906.0	2382.5
11	.933	.87	.80	.73	.66	.60	.53	.46	.39	6.0	1.9	7.9	3.9	79.8
12	.924	.85	.77	.70	.62	.54	.47	.39	.32	5.4	50.9	6.3	901.8	7.2
13	.915	.83	.75	.66	.58	.49	.41	.32	.24	4.9	49.8	4.8	899.7	4.6
14	.907	.81	.72	.63	.53	.44	.35	.25	.16	4.4	8.8	3.2	7.6	2.0
75 15	7.898	15.80	23.69	31.59	39.49	47.39	55.29	63.18	71.08	473.9	947.8	1421.6	1895.5	2369.4
16	.889	.78	.67	.56	.45	.34	.22	.11	1.00	3.4	6.7	20.1	3.4	6.8
17	.880	.76	.64	.52	.40	.28	.16	3.04	0.92	2.8	5.7	18.5	91.3	4.1
18	.872	.74	.61	.49	.36	.23	.10	2.97	.85	2.3	4.6	6.9	89.2	61.5
19	.863	.73	.59	.45	.31	.18	5.04	.90	.77	1.8	3.6	5.3	7.1	58.9
75 20	7.854	15.71	23.56	31.42	39.27	47.13	54.98	62.83	70.69	471.3	942.5	1413.8	1885.0	2356.3
21	.846	.69	.54	.38	.23	.07	.92	.76	.61	0.7	1.5	2.2	2.9	3.7
22	.837	.67	.51	.35	.18	7.02	.86	.69	.53	70.2	40.4	10.6	80.8	51.1
23	.828	.66	.48	.31	.14	6.97	.80	.62	.45	69.7	39.4	09.1	78.8	48.4
24	.819	.64	.46	.28	.10	.92	.74	.55	.37	9.2	8.3	7.5	6.7	5.8
75 25	7.811	15.62	23.43	31.24	39.05	46.86	54.67	62.49	70.30	468.6	937.3	1405.9	1874.6	2343.2
26	.802	.60	.41	.21	9.01	.81	.61	.42	.22	8.1	6.2	4.3	2.5	40.6
27	.793	.59	.38	.17	8.97	.76	.55	.35	.14	7.6	5.2	2.8	70.4	38.0
28	.784	.57	.35	.14	.92	.71	.49	.28	70.06	7.1	4.1	401.2	68.3	5.3
29	.776	.55	.33	.10	.88	.65	.43	.21	69.98	6.5	3.1	399.6	6.2	2.7
75 30	7.767	15.53	23.30	31.07	38.84	46.60	54.37	62.14	69.90	466.0	932.0	1398.1	1864.1	2330.1
31	.758	.52	.27	.03	.79	.55	.31	.07	.82	5.5	31.0	6.5	62.0	27.5
32	.750	.50	.25	1.00	.75	.50	.25	2.00	.74	5.0	29.9	4.9	59.9	4.9
33	.741	.48	.22	0.96	.70	.44	.19	1.93	.67	4.4	8.9	3.3	7.8	22.2
34	.732	.46	.20	.93	.66	.39	.12	.86	.59	3.9	7.8	1.8	5.7	19.6
75 35	7.723	15.45	23.17	30.89	38.62	46.34	54.06	61.79	69.51	463.4	926.8	1390.2	1853.6	2317.0
36	.715	.43	.14	.86	.57	.29	4.00	.72	.43	2.9	5.8	88.6	51.5	4.4
37	.706	.41	.12	.82	.53	.24	3.94	.65	.35	2.4	4.7	7.1	49.4	11.8
38	.697	.39	.09	.79	.49	.18	.88	.58	.28	1.8	3.7	5.5	7.3	09.1
39	.688	.38	.07	.75	.44	.13	.82	.51	.20	1.3	2.6	3.9	5.2	6.5
75 40	7.680	15.36	23.04	30.72	38.40	46.08	53.76	61.44	69.12	460.8	921.6	1382.3	1843.1	2303.9
41	.671	.34	3.01	.68	.36	6.03	.70	.37	9.04	60.3	20.5	80.8	41.0	301.3
42	.662	.32	2.99	.65	.31	5.97	.64	.30	8.96	59.7	19.5	79.2	38.9	298.7
43	.653	.31	.96	.61	.27	.92	.57	.23	.88	9.2	8.4	7.6	6.8	6.0
44	.645	.29	.93	.58	.22	.87	.51	.16	.80	8.7	7.4	6.0	4.7	3.4
75 45	7.636	15.27	22.91	30.54	38.18	45.82	53.45	61.09	68.72	458.2	916.3	1374.5	1832.6	2290.8
46	.627	.25	.88	.51	.14	.76	.39	1.02	.65	7.6	5.3	2.9	30.5	88.2
47	.618	.24	.86	.47	.09	.71	.33	0.95	.57	7.1	4.2	71.3	28.4	5.5
48	.610	.22	.83	.44	.05	.66	.27	.88	.49	6.6	3.2	69.8	6.3	2.9
49	.601	.20	.80	.40	8.00	.61	.21	.81	.41	6.1	2.1	8.2	4.2	80.3
75 50	7.592	15.18	22.78	30.37	37.96	45.55	53.15	60.74	68.33	455.5	911.1	1366.6	1822.1	2277.7
51	.583	.17	.75	.33	.92	.50	.08	.67	.25	5.0	10.0	5.0	20.0	5.0
52	.575	.15	.72	.30	.87	.45	3.02	.60	.17	4.5	09.0	3.5	17.9	72.4
53	.566	.13	.70	.26	.83	.40	2.96	.53	.09	4.0	7.9	1.9	5.8	69.8
54	.557	.11	.67	.23	.79	.34	.90	.46	8.02	3.4	6.9	60.3	3.7	7.2
75 55	7.548	15.10	22.65	30.19	37.74	45.29	52.84	60.39	67.94	452.9	905.8	1358.7	1811.6	2264.5
56	.540	.08	.62	.16	.70	.24	.78	.32	.86	2.4	04.8	7.2	09.5	61.9
57	.531	.06	.59	.12	.65	.19	.72	.25	.78	1.9	03.7	5.6	7.4	59.3
58	.522	.04	.57	.09	.61	.13	.65	.18	.70	1.3	02.7	4.0	5.3	6.7
59	.513	.03	.54	.05	.57	.08	.59	.11	.62	0.8	01.6	2.4	3.2	4.0
75 60	7.505	15.01	22.51	30.02	37.52	45.03	52.53	60.04	67.54	450.3	900.6	1350.9	1801.1	2251.4

Lat.	Latitude 75° to 76°—Meridional arcs.					Latitude 75°—Co-ordinates of curvature.			
	Value of 1''	Sums of seconds for middle latitude 75° 30'		Value of 1'	Continuous sums of minutes from latitude 75° 00'	Longitude.	X	Y	
° /	Meters.	''	Meters.	Meters.	'	Meters.	° /	Meters.	Meters.
75 00	31.006			1860.38			0 1	481.7	0.1
1	6	1	31.01	.38	1	1 860.4	0 2	963.4	0.3
2	6	2	62.02	.39	2	3 720.8	0 3	1 445.2	0.6
3	6	3	93.02	.39	3	5 581.2	0 4	1 926.9	1.1
4	7	4	124.03	.39	4	7 441.5	0 5	2 408.6	1.7
75 05	31.007	5	155.04	1860.40	5	9 301.9	0 6	2 890.3	2.4
6	7	6	186.05	.40	6	11 162.3	0 7	3 372.1	3.3
7	7	7	217.05	.40	7	13 022.7	0 8	3 853.8	4.3
8	7	8	248.06	.40	8	14 883.1	0 9	4 335.5	5.5
9	7	9	279.07	.41	9	16 743.5	0 10	4 817.2	6.8
75 10	31.007	10	310.08	1860.41	10	18 604.0	0 15	7 225.8	15.2
11	7	1	341.08	.41	1	20 464.4	0 20	9 634.4	27.1
12	7	2	372.09	.41	2	22 324.8	0 25	12 043.0	42.3
13	7	3	403.10	.42	3	24 185.2	0 30	14 451.5	60.9
14	7	4	434.11	.42	4	26 045.6	0 35	16 860.0	82.9
75 15	31.007	15	465.12	1860.42	15	27 906.0	0 40	19 268.5	108.3
16	7	6	496.12	.43	6	29 766.5	0 45	21 676.9	137.0
17	7	7	527.13	.43	7	31 626.9	0 50	24 085.3	169.2
18	7	8	558.14	.43	8	33 487.3	0 55	26 493.7	204.7
19	7	9	589.15	.43	9	35 347.8	1 00	28 902.0	243.6
75 20	31.007	20	620.15	1860.44	20	37 208.2	1 05	31 310.2	285.9
21	7	1	651.16	.44	1	39 068.6	1 10	33 718.4	331.6
22	7	2	682.17	.44	2	40 929.1	1 15	36 126.5	380.7
23	7	3	713.18	.44	3	42 789.5	1 20	38 534.5	433.1
24	7	4	744.19	.45	4	44 650.0	1 25	40 942.5	489.0
75 25	31.007	25	775.19	1860.45	25	46 510.4	1 30	43 350.4	548.1
26	8	6	806.20	.45	6	48 370.9	1 35	45 758.2	610.7
27	8	7	837.21	.46	7	50 231.3	1 40	48 165.9	676.7
28	8	8	868.22	.46	8	52 091.8	1 45	50 573.5	746.1
29	8	9	899.22	.46	9	53 952.2	1 50	52 981.0	818.8
75 30	31.008	30	930.23	1860.46	30	55 812.7	1 55	55 388.4	894.9
31	8	1	961.24	.47	1	57 673.2	2 00	57 796	975
32	8	2	992.25	.47	2	59 533.6	2 05	86 673	2 192
33	8	3	1 023.25	.47	3	61 394.1	2 10	115 526	3 897
34	8	4	1 054.26	.47	4	63 254.6	2 15	144 346	6 087
75 35	31.008	35	1 085.27	1860.48	35	65 115.0	2 20	173 124	8 763
36	8	6	1 116.28	.48	6	66 975.5	2 25	201 854	11 924
37	8	7	1 147.29	.48	7	68 836.0	2 30	230 526	15 569
38	8	8	1 178.29	.48	8	70 696.5	2 35	259 133	19 697
39	8	9	1 209.30	.49	9	72 557.0	2 40	287 666	24 306
75 40	31.008	40	1 240.31	1860.49	40	74 417.5	2 45	316 117	29 395
41	8	1	1 271.32	.49	1	76 278.0	2 50	344 479	34 964
42	8	2	1 302.32	.50	2	78 138.4	2 55	372 742	41 010
43	8	3	1 333.33	.50	3	79 998.9	3 00	400 900	47 531
44	8	4	1 364.34	.50	4	81 859.4	3 05	428 944	54 526
75 45	31.008	45	1 395.35	1860.50	45	83 719.9	3 10	456 866	61 993
46	8	6	1 426.36	.51	6	85 580.5	3 15	484 658	69 930
47	8	7	1 457.36	.51	7	87 441.0	3 20	512 312	78 334
48	9	8	1 488.37	.51	8	89 301.5	3 25	539 821	87 203
49	9	9	1 519.38	.51	9	91 162.0	3 30	567 176	96 534
75 50	31.009	50	1 550.39	1860.52	50	93 022.5	3 35	594 370	106 325
51	9	1	1 581.39	.52	1	94 883.0	3 40	621 395	116 574
52	9	2	1 612.40	.52	2	96 743.6	3 45	648 243	127 276
53	9	3	1 643.41	.52	3	98 604.1	3 50	674 907	138 430
54	9	4	1 674.42	.53	4	100 464.6	3 55	701 380	150 031
75 55	31.009	55	1 705.42	1860.53	55	102 325.1	4 00	727 653	162 077
56	9	6	1 736.43	.53	6	104 185.7	4 05	753 719	174 564
57	9	7	1 767.44	.53	7	106 046.2	4 10	779 571	187 480
58	9	8	1 798.45	.54	8	107 906.7	4 15	805 203	200 848
59	9	9	1 829.46	.54	9	109 767.3	4 20	830 604	214 637
75 60	31.009	60	1 860.46	1860.54	60	111 627.8	4 25		

Latitude 76° to 77°—Arcs of the parallel in meters.

Lat.	1''	2''	3''	4''	5''	6''	7''	8''	9''	1'	2'	3'	4'	5'
76 00	7.505	15.01	22.51	30.02	37.52	45.03	52.53	60.04	67.54	450.3	900.6	1350.9	1801.1	2251.4
1	.496	4.99	.49	29.98	.48	4.98	.47	59.97	.46	49.8	899.5	49.3	799.0	48.8
2	.487	.97	.46	.95	.44	.92	.41	.90	.38	9.2	8.5	7.7	6.9	6.2
3	.478	.96	.43	.91	.39	.87	.35	.83	.30	8.7	7.4	6.1	4.8	3.5
4	.470	.94	.41	.88	.35	.82	.29	.76	.23	8.2	6.4	4.5	2.7	40.9
76 05	7.461	14.92	22.38	29.84	37.30	44.77	52.23	59.69	67.15	447.7	895.3	1343.0	1790.6	2238.3
6	.452	.90	.36	.81	.26	.71	.16	.62	7.07	7.1	4.3	41.4	88.5	5.7
7	.443	.89	.33	.77	.22	.66	.10	.55	6.99	6.6	3.2	39.8	6.4	3.0
8	.435	.87	.30	.74	.17	.61	2.04	.48	.91	6.1	2.2	8.2	4.3	30.4
9	.426	.85	.28	.70	.13	.56	1.98	.41	.83	5.6	1.1	6.7	2.2	27.8
76 10	7.417	14.83	22.25	29.67	37.09	44.50	51.92	59.34	66.75	445.0	890.1	1335.1	1780.1	2225.2
11	.408	.82	.22	.63	.04	.45	.86	.27	.67	4.5	89.0	3.5	78.0	22.5
12	.400	.80	.20	.60	7.00	.40	.80	.20	.60	4.0	8.0	1.9	5.9	19.9
13	.391	.78	.17	.56	6.96	.35	.74	.13	.52	3.5	6.9	30.4	3.8	7.3
14	.382	.76	.15	.53	.91	.29	.67	9.06	.44	2.9	5.9	28.8	71.7	4.6
76 15	7.373	14.75	22.12	29.49	36.87	44.24	51.61	58.99	66.36	442.4	884.8	1327.2	1769.6	2212.0
16	.365	.73	.09	.46	.82	.19	.55	.92	.28	1.9	3.8	5.6	7.5	09.4
17	.356	.71	.07	.42	.78	.14	.49	.85	.20	1.4	2.7	4.1	5.4	6.8
18	.347	.69	.04	.39	.74	.08	.43	.78	.12	0.8	1.6	2.5	3.3	4.1
19	.338	.68	2.02	.35	.69	4.03	.37	.71	6.05	40.3	80.6	20.9	61.2	201.5
76 20	7.330	14.66	21.99	29.32	36.65	43.98	51.31	58.64	65.97	439.8	879.5	1319.3	1759.1	2198.9
21	.321	.64	.96	.28	.60	.92	.24	.57	.89	9.2	8.5	7.7	7.0	6.2
22	.312	.62	.94	.25	.56	.87	.18	.50	.81	8.7	7.4	6.2	4.9	3.6
23	.303	.61	.91	.21	.52	.82	.12	.43	.73	8.2	6.4	4.6	2.8	91.0
24	.295	.59	.88	.18	.47	.77	.06	.36	.65	7.7	5.3	3.0	50.7	88.4
76 25	7.286	14.57	21.86	29.14	36.43	43.71	51.00	58.29	65.57	437.1	874.3	1311.4	1748.6	2185.7
26	.277	.55	.83	.11	.39	.66	0.94	.22	.49	6.6	3.2	09.9	6.5	3.1
27	.268	.54	.81	.07	.34	.61	.88	.15	.42	6.1	2.2	8.3	4.4	80.5
28	.259	.52	.78	.04	.30	.56	.81	.08	.34	5.6	1.1	6.7	2.3	77.8
29	.251	.50	.75	9.00	.25	.50	.75	8.01	.26	5.0	70.1	5.1	40.2	5.2
76 30	7.242	14.48	21.73	28.97	36.21	43.45	50.69	57.94	65.18	434.5	869.0	1303.5	1738.1	2172.6
31	.233	.47	.70	.93	.17	.40	.63	.86	.10	4.0	8.0	2.0	5.9	69.9
32	.224	.45	.67	.90	.12	.35	.57	.79	5.02	3.5	6.9	300.4	3.8	7.3
33	.216	.43	.65	.86	.08	.29	.51	.73	4.94	2.9	5.9	298.8	31.7	4.7
34	.207	.41	.62	.83	6.03	.24	.45	.65	.86	2.4	4.8	7.2	29.6	62.0
76 35	7.198	14.40	21.59	28.79	35.99	43.19	50.39	57.58	64.78	431.9	863.8	1295.6	1727.5	2159.4
36	.189	.38	.57	.76	.95	.14	.32	.51	.70	1.4	2.7	4.1	5.4	6.8
37	.180	.36	.54	.72	.90	.08	.26	.44	.62	0.8	1.7	2.5	3.3	4.1
38	.172	.34	.51	.69	.86	3.03	.20	.37	.55	30.3	60.6	90.9	21.2	51.5
39	.163	.33	.49	.65	.81	2.98	.14	.30	.47	29.8	59.6	89.3	19.1	48.9
76 40	7.154	14.31	21.46	28.62	35.77	42.92	50.08	57.23	64.39	429.2	858.5	1287.7	1717.0	2146.2
41	.145	.29	.44	.58	.73	.87	50.02	.16	.31	8.7	7.4	6.2	4.9	3.6
42	.137	.27	.41	.55	.68	.82	49.96	.09	.23	8.2	6.4	4.6	2.8	41.0
43	.128	.26	.38	.51	.64	.77	.89	7.02	.15	7.7	5.3	3.0	10.7	38.3
44	.119	.24	.36	.48	.59	.71	.83	6.95	4.07	7.1	4.3	81.4	08.6	5.7
76 45	7.110	14.22	21.33	28.44	35.55	42.66	49.77	56.88	63.99	426.6	853.2	1279.8	1706.5	2133.1
46	.101	.20	.30	.41	.51	.61	.71	.81	.91	6.1	2.2	8.3	4.5	30.4
47	.093	.19	.28	.37	.46	.56	.65	.74	.83	5.6	1.1	6.7	2.2	27.8
48	.084	.17	.25	.34	.42	.50	.59	.67	.76	5.0	50.1	5.1	700.1	5.2
49	.075	.15	.23	.30	.37	.45	.52	.60	.68	4.5	49.0	3.5	698.0	22.5
76 50	7.066	14.13	21.20	28.27	35.33	42.40	49.46	56.53	63.60	424.0	848.0	1271.9	1695.9	2119.9
51	.058	.12	.17	.23	.29	.35	.40	.46	.52	3.5	6.9	70.4	3.8	7.3
52	.049	.10	.15	.20	.24	.29	.34	.39	.44	2.9	5.9	68.8	91.7	4.6
53	.040	.08	.12	.16	.20	.24	.28	.32	.36	2.4	4.8	7.2	89.6	12.0
54	.031	.06	.09	.13	.16	.19	.22	.25	.28	1.9	3.7	5.6	7.5	09.4
76 55	7.022	14.04	21.07	28.09	35.11	42.13	49.16	56.18	63.20	421.3	842.7	1264.0	1685.4	2106.7
56	.014	.03	.04	.05	.07	.08	.09	.11	.12	0.8	1.6	2.5	3.3	4.1
57	.005	4.01	1.02	8.02	5.02	2.03	9.03	6.04	3.05	20.3	40.6	60.9	81.2	101.5
58	6.996	3.99	0.99	7.98	4.98	1.98	8.97	5.97	2.97	19.8	39.5	59.3	79.1	098.8
59	.987	.97	.96	.95	.94	.92	.91	.90	.89	9.2	8.5	7.7	6.9	6.2
76 60	6.978	13.96	20.94	27.91	34.89	41.87	48.85	55.83	62.81	418.7	837.4	1256.1	1674.8	2093.5

Lat.	Latitude 76° to 77°—Meridional arcs.					Latitude 76°—Co-ordinates of curvature			
	Value of 1''	Sums of seconds for middle latitude 76° 30'		Value of 1'	Continuous sums of minutes from latitude 76° 00'	Longitude.	X	Y	
	Meters.	"	Meters.	Meters.	'	Meters.	° '	Meters.	Meters.
76 00	31.009			1860.54			0 1		
1	9	1	31.01	.55	1	1 860.5	0 1	450.3	0.1
2	9	2	62.02	.55	2	3 721.1	0 2	900.6	0.3
3	9	3	93.03	.55	3	5 581.6	0 3	1 350.8	0.6
4	9	4	124.04	.55	4	7 442.2	0 4	1 801.1	1.0
76 05	31.009	5	155.05	1860.56	5	9 302.7	0 5	2 251.4	1.6
6	9	6	186.06	.56	6	11 163.3	0 6	2 701.7	2.3
7	9	7	217.07	.56	7	13 023.9	0 7	3 152.0	3.1
8	9	8	248.08	.56	8	14 884.4	0 8	3 602.3	4.1
9	9	9	279.09	.57	9	16 745.0	0 9	4 052.6	5.1
76 10	31.009	10	310.10	1860.57	10	18 605.6	0 10	4 502.8	6.4
11	10	1	341.11	.57	1	20 466.1	0 15	6 754.3	14.3
12	10	2	372.12	.57	2	22 326.7	0 20	9 005.7	25.4
13	0	3	403.13	.58	3	24 187.3	0 25	11 257.1	39.7
14	0	4	434.14	.58	4	26 047.8	0 30	13 508.4	57.2
76 15	31.010	15	465.15	1860.58	15	27 908.4	0 35	15 759.7	77.8
16	0	6	496.17	.58	6	29 769.0	0 40	18 011.0	101.7
17	0	7	527.18	.59	7	31 629.6	0 45	20 262.3	128.7
18	0	8	558.19	.59	8	33 490.2	0 50	22 513.5	158.9
19	0	9	589.20	.59	9	35 350.8	0 55	24 764.7	192.2
76 20	31.010	20	620.21	1860.59	20	37 211.4	1 00	27 015.8	228.8
21	0	1	651.22	.60	1	39 072.0	1 05	29 266.9	268.5
22	0	2	682.23	.60	2	40 932.6	1 10	31 517.9	311.4
23	0	3	713.24	.60	3	42 793.2	1 15	33 768.9	357.4
24	0	4	744.25	.60	4	44 653.8	1 20	36 019.8	406.7
76 25	31.010	25	775.26	1860.61	25	46 514.4	1 25	38 270.6	459.1
26	0	6	806.27	.61	6	48 375.0	1 30	40 521.3	514.7
27	0	7	837.28	.61	7	50 235.6	1 35	42 772.0	573.5
28	0	8	868.29	.61	8	52 096.2	1 40	45 022.6	635.4
29	0	9	899.30	.62	9	53 956.8	1 45	47 273.1	700.5
76 30	31.010	30	930.31	1860.62	30	55 817.4	1 50	49 523.5	768.8
31	0	1	961.32	.62	1	57 678.1	1 55	51 773.8	840.3
32	0	2	992.33	.62	2	59 538.7	2 00	54 024	915
33	0	3	1 023.34	.63	3	61 399.3	2 05	56 274	990
34	0	4	1 054.35	.63	4	63 259.9	2 10	58 524	1065
76 35	31.011	35	1 085.36	1860.63	35	65 120.6	2 15	60 774	1140
36	1	6	1 116.37	.63	6	66 981.2	2 20	63 024	1215
37	1	7	1 147.38	.64	7	68 841.8	2 25	65 274	1290
38	1	8	1 178.39	.64	8	70 702.5	2 30	67 524	1365
39	1	9	1 209.40	.64	9	72 563.1	2 35	69 774	1440
76 40	31.011	40	1 240.41	1860.64	40	74 423.8	2 40	72 024	1515
41	1	1	1 271.42	.65	1	76 284.4	2 45	74 274	1590
42	1	2	1 302.43	.65	2	78 145.1	2 50	76 524	1665
43	1	3	1 333.44	.65	3	80 005.7	2 55	78 774	1740
44	1	4	1 364.45	.65	4	81 866.4	3 00	81 024	1815
76 45	31.011	45	1 395.46	1860.66	45	83 727.0	3 05	83 274	1890
46	1	6	1 426.47	.66	6	85 587.7	3 10	85 524	1965
47	1	7	1 457.48	.66	7	87 448.3	3 15	87 774	2040
48	1	8	1 488.49	.66	8	89 309.0	3 20	90 024	2115
49	1	9	1 519.51	.67	9	91 169.7	3 25	92 274	2190
76 50	31.011	50	1 550.52	1860.67	50	93 030.3	3 30	94 524	2265
51	1	1	1 581.53	.67	1	94 891.0	3 35	96 774	2340
52	1	2	1 612.54	.67	2	96 751.7	3 40	99 024	2415
53	1	3	1 643.55	.68	3	98 612.3	3 45	101 274	2490
54	1	4	1 674.56	.68	4	100 473.0	3 50	103 524	2565
76 55	31.011	55	1 705.57	1860.68	55	102 333.7	3 55	105 774	2640
56	1	6	1 736.58	.68	6	104 194.4	4 00	108 024	2715
57	1	7	1 767.59	.69	7	106 055.1	4 05	110 274	2790
58	1	8	1 798.60	.69	8	107 915.8	4 10	112 524	2865
59	2	9	1 829.61	.69	9	109 776.5	4 15	114 774	2940
76 60	31.012	60	1 860.62	1860.69	60	111 637.1	4 20	117 024	3015

Lat.	Latitude 77° to 78°—Meridional arcs.						Latitude 77°—Co-ordinates of curvature.		
	Value of 1''	Sums of seconds for middle latitude 77° 30'		Value of 1'	Continuous sums of minutes from latitude 77° 00'		Longitude.	X	Y
° /	Meters.	"	Meters.	Meters.	'	Meters.	° /	Meters.	Meters.
77 00	31.012			1860.69					
1	2	1	31.01	.70	1	1 860.7	0 1	418.7	0.1
2	2	2	62.03	.70	2	3 721.4	2	837.4	0.2
3	2	3	93.04	.70	3	5 582.1	3	1 256.1	0.5
4	2	4	124.05	.70	4	7 442.8	4	1 674.8	0.9
77 05	31.012			1860.71					
5		5	155.06	.71	5	9 303.5	0 5	2 093.5	1.5
6	2	6	186.08	.71	6	11 164.2	6	2 512.3	2.1
7	2	7	217.09	.71	7	13 024.9	7	2 931.0	2.9
8	2	8	248.10	.71	8	14 885.6	8	3 349.7	3.8
9	2	9	279.11	.71	9	16 746.3	9	3 768.4	4.8
77 10	31.012			1860.72					
10		10	310.13	.72	10	18 607.1	0 10	4 187.1	5.9
11	2	1	341.14	.72	1	20 467.8	15	6 280.6	13.4
12	2	2	372.15	.72	2	22 328.5	20	8 374.1	23.7
13	2	3	403.17	.72	3	24 189.2	25	10 467.6	37.1
14	2	4	434.18	.73	4	26 049.9	30	12 561.1	53.4
77 15	31.012			1860.73					
15		15	465.19	.73	15	27 910.7	0 35	14 654.6	72.7
16	2	6	496.20	.73	6	29 771.4	40	16 748.0	94.9
17	2	7	527.22	.73	7	31 632.1	45	18 841.4	120.2
18	2	8	558.23	.74	8	33 492.9	50	20 934.8	148.3
19	2	9	589.24	.74	9	35 353.6	55	23 028.1	179.5
77 20	31.012			1860.74					
20		20	620.25	.74	20	37 214.3	1 00	25 121.4	213.6
21	2	1	651.27	.75	1	39 075.1	05	27 214.6	250.7
22	2	2	682.28	.75	2	40 935.8	10	29 307.7	290.7
23	2	3	713.29	.75	3	42 796.6	15	31 400.8	333.8
24	3	4	744.31	.75	4	44 657.3	20	33 493.9	379.7
77 25	31.013			1860.75					
25		25	775.32	.76	25	46 518.1	1 25	35 586.9	428.7
26	3	6	806.33	.76	6	48 378.8	30	37 679.8	480.6
27	3	7	837.34	.76	7	50 239.6	35	39 772.6	535.5
28	3	8	868.36	.76	8	52 100.3	40	41 865.3	593.3
29	3	9	899.37	.76	9	53 961.1	45	43 958.0	654.1
77 30	31.013			1860.76					
30		30	930.38	.77	30	55 821.9	1 50	46 050.6	717.9
31	3	1	961.40	.77	1	57 682.6	55	48 143.0	784.7
32	3	2	992.41	.77	2	59 543.4	2 00	50 235	854
33	3	3	1 023.42	.77	3	61 404.2	3 00	52 327	922
34	3	4	1 054.43	.77	4	63 265.0	4 00	54 419	990
77 35	31.013			1860.78					
35		35	1 085.45	.78	35	65 125.7	5 00	56 511	1059
36	3	6	1 116.46	.78	6	66 986.5	6 00	58 603	1127
37	3	7	1 147.47	.78	7	68 847.3	7 00	60 695	1195
38	3	8	1 178.48	.78	8	70 708.1	8 00	62 787	1263
39	3	9	1 209.50	.79	9	72 568.9	9 00	64 879	1331
77 40	31.013			1860.79					
40		40	1 240.51	.79	40	74 429.6	10 00	66 971	1400
41	3	1	1 271.52	.79	1	76 290.4	11 00	69 063	1468
42	3	2	1 302.54	.79	2	78 151.2	12 00	71 155	1537
43	3	3	1 333.55	.79	3	80 012.0	13 00	73 247	1605
44	3	4	1 364.56	.80	4	81 872.8	14 00	75 339	1674
77 45	31.013			1860.80					
45		45	1 395.57	.80	45	83 733.6	15 00	77 431	1742
46	3	6	1 426.59	.80	6	85 594.4	16 00	79 523	1811
47	3	7	1 457.60	.80	7	87 455.2	17 00	81 615	1880
48	3	8	1 488.61	.81	8	89 316.0	18 00	83 707	1948
49	3	9	1 519.62	.81	9	91 176.8	19 00	85 799	2017
77 50	31.014			1860.81					
50		50	1 550.64	.81	50	93 037.6	20 00	87 891	2086
51	4	1	1 581.65	.81	1	94 898.5	21 00	89 983	2155
52	4	2	1 612.66	.82	2	96 759.3	22 00	92 075	2224
53	4	3	1 643.68	.82	3	98 620.1	23 00	94 167	2293
54	4	4	1 674.69	.82	4	100 480.9	24 00	96 259	2362
77 55	31.014			1860.82					
55		55	1 705.70	.82	55	102 341.7	25 00	98 351	2431
56	4	6	1 736.71	.82	6	104 202.5	26 00	100 443	2500
57	4	7	1 767.73	.83	7	106 063.4	27 00	102 535	2569
58	4	8	1 798.74	.83	8	107 924.2	28 00	104 627	2638
59	4	9	1 829.75	.83	9	109 785.0	29 00	106 719	2707
77 60	31.014			1860.83					
60		60	1 860.76	.83	60	111 645.9	30 00	108 811	2776

Latitude 78° to 79°—Arcs of the parallel in meters.														
Lat.	1''	2''	3''	4''	5''	6''	7''	8''	9''	1'	2'	3'	4'	5'
78 00	6.450	12.90	19.35	25.80	32.25	38.70	45.15	51.60	58.05	387.0	774.0	1161.0	1548.0	1935.0
1	.441	.88	.32	.77	.21	.65	.09	.53	7.97	6.5	2.9	59.4	5.9	32.4
2	.432	.86	.30	.73	.16	.59	5.03	.46	.89	5.9	1.9	7.8	3.8	29.7
3	.424	.85	.27	.69	.12	.54	4.96	.39	.81	5.4	70.8	6.2	41.7	7.1
4	.415	.83	.24	.66	.07	.49	.90	.32	.73	4.9	69.8	4.7	39.5	4.4
78 05	6.406	12.81	19.22	25.62	32.03	38.44	44.84	51.24	57.65	384.4	768.7	1153.1	1537.4	1921.8
6	.397	.79	.19	.59	1.99	.38	.78	.18	.57	3.8	7.6	51.5	5.3	19.1
7	.388	.78	.17	.55	.94	.33	.72	.11	.50	3.3	6.6	49.9	3.2	6.5
8	.379	.76	.14	.52	.90	.28	.65	1.03	.42	2.8	5.5	8.3	31.1	3.8
9	.371	.74	.11	.48	.85	.22	.59	0.96	.34	2.2	4.5	6.7	28.9	11.2
78 10	6.362	12.72	19.09	25.45	31.81	38.17	44.53	50.89	57.26	381.7	763.4	1145.1	1526.8	1908.5
11	.353	.71	.06	.41	.77	.12	.47	.82	.18	1.2	2.4	3.5	4.7	5.9
12	.344	.69	.03	.38	.72	.06	.41	.75	.10	0.6	1.3	1.9	2.6	3.2
13	.335	.67	9.01	.34	.68	8.01	.34	.68	7.02	80.1	60.2	40.4	20.5	900.6
14	.326	.65	8.98	.31	.63	7.96	.28	.61	6.94	79.6	59.2	38.8	18.3	897.9
78 15	6.318	12.64	18.95	25.27	31.59	37.91	44.22	50.54	56.86	379.1	758.1	1137.2	1516.2	1895.3
16	.309	.62	.93	.23	.54	.85	.16	.47	.78	8.5	7.1	5.6	4.1	2.6
17	.300	.60	.90	.20	.50	.80	.10	.40	.70	8.0	6.0	4.0	12.0	90.0
18	.291	.58	.87	.16	.46	.75	4.04	.33	.62	7.5	4.9	2.4	09.9	87.3
19	.282	.56	.85	.13	.41	.69	3.97	.26	.54	6.9	3.9	30.8	7.7	4.7
78 20	6.273	12.55	18.82	25.09	31.37	37.64	43.91	50.19	56.46	376.4	752.8	1129.2	1505.6	1882.0
21	.265	.53	.79	.06	.32	.59	.85	.12	.38	5.9	1.8	7.6	3.5	79.4
22	.256	.51	.77	5.02	.28	.53	.79	50.05	.30	5.3	50.7	6.0	501.4	6.7
23	.247	.49	.74	4.99	.24	.48	.73	49.98	.22	4.8	49.6	4.4	499.3	4.1
24	.238	.48	.71	.95	.19	.43	.67	.90	.14	4.3	8.6	2.9	7.1	71.4
78 25	6.229	12.46	18.69	24.92	31.15	37.38	43.60	49.83	56.06	373.8	747.5	1121.3	1495.0	1868.8
26	.220	.44	.66	.88	.10	.32	.54	.76	5.98	3.2	6.5	19.7	2.9	6.1
27	.212	.42	.64	.85	.06	.27	.48	.69	.91	2.7	5.4	8.1	90.8	3.5
28	.203	.41	.61	.81	1.01	.22	.42	.62	.83	2.2	4.3	6.5	88.7	60.8
29	.194	.39	.58	.78	0.97	.16	.36	.55	.75	1.6	3.3	4.9	6.5	58.2
78 30	6.185	12.37	18.56	24.74	30.93	37.11	43.30	49.48	55.67	371.1	742.2	1113.3	1484.4	1855.5
31	.176	.35	.53	.71	.88	.06	.23	.41	.59	0.6	1.1	1.7	2.3	2.9
32	.167	.33	.50	.67	.84	7.00	.17	.34	.51	70.0	40.1	10.1	80.2	50.2
33	.159	.32	.48	.63	.79	6.95	.11	.27	.43	69.5	39.0	08.5	78.0	47.6
34	.150	.30	.45	.60	.75	.90	3.05	.20	.35	9.0	8.0	6.9	5.9	4.9
78 35	6.141	12.28	18.42	24.56	30.71	36.85	42.99	49.13	55.27	368.5	736.9	1105.4	1473.8	1842.3
36	.132	.26	.40	.53	.66	.79	.93	9.06	.19	7.9	5.8	3.8	71.7	39.6
37	.123	.25	.37	.49	.62	.74	.86	8.98	.11	7.4	4.8	2.2	69.6	6.9
38	.114	.23	.34	.46	.57	.69	.80	.91	5.03	6.9	3.7	100.6	7.4	4.3
39	.105	.21	.32	.42	.53	.63	.74	.84	4.95	6.3	2.7	099.0	5.3	31.6
78 40	6.097	12.19	18.29	24.39	30.48	36.58	42.68	48.77	54.87	365.8	731.6	1097.4	1463.2	1829.0
41	.088	.17	.26	.35	.44	.53	.62	.70	.79	5.3	30.5	5.8	61.1	6.3
42	.079	.16	.24	.32	.39	.47	.56	.63	.71	4.7	29.5	4.2	58.9	3.7
43	.070	.14	.21	.28	.35	.42	.49	.56	.63	4.2	8.4	2.6	6.8	21.0
44	.061	.12	.18	.25	.31	.37	.43	.49	.55	3.7	7.3	91.0	4.7	18.4
78 45	6.052	12.10	18.16	24.21	30.26	36.31	42.37	48.42	54.47	363.1	726.3	1089.4	1452.6	1815.7
46	.044	.09	.13	.17	.22	.26	.31	.35	.39	2.6	5.2	7.8	50.4	3.1
47	.035	.07	.10	.14	.17	.21	.24	.28	.31	2.1	4.2	6.2	48.3	10.4
48	.026	.05	.08	.10	.13	.16	.18	.21	.23	1.6	3.1	4.7	6.2	07.8
49	.017	.03	.05	.07	.08	.10	.12	.14	.15	1.0	2.0	3.1	4.1	5.1
78 50	6.008	12.02	18.02	24.03	30.04	36.05	42.06	48.06	54.07	360.5	721.0	1081.5	1442.0	1802.4
51	5.999	2.00	8.00	4.00	30.00	6.00	2.00	7.99	3.99	60.0	19.9	79.9	39.8	799.8
52	.990	1.98	7.97	3.96	29.95	5.94	1.93	.92	.91	59.4	8.9	8.3	7.7	7.1
53	.982	.96	.94	.93	.91	.89	.87	.85	.83	8.9	7.8	6.7	5.6	4.5
54	.973	.95	.92	.89	.86	.84	.81	.78	.75	8.4	6.7	5.1	3.5	91.8
78 55	5.964	11.93	17.89	23.86	29.82	35.78	41.75	47.71	53.68	357.8	715.7	1073.5	1431.3	1789.2
56	.955	.91	.86	.82	.78	.73	.69	.64	.60	7.3	4.6	1.9	29.2	6.5
57	.946	.89	.84	.78	.73	.68	.62	.57	.52	6.8	3.5	70.3	7.1	3.9
58	.937	.87	.81	.75	.69	.62	.56	.50	.44	6.2	2.5	68.7	5.0	81.2
59	.928	.86	.79	.71	.64	.57	.50	.43	.36	5.7	1.4	7.1	2.8	78.5
78 60	5.920	11.84	17.76	23.68	29.60	35.52	41.44	47.36	53.28	355.2	710.4	1065.5	1420.7	1775.9

Lat.	Latitude 78° to 79°—Meridional arcs.					Latitude 78°—Co-ordinates of curvature.			
	Value of 1''	Sums of seconds for middle latitude 78° 30'		Value of 1'	Continuous sums of minutes from latitude 78° 00'	Longitude.	X	Y	
° /	Meters.	''	Meters.	Meters.	'	Meters.	° /	Meters.	Meters.
78 00	31.014			1860.83			0 1		
1	4	1	31.01	.84	1	1 860.8	0 1	387.0	0.1
2	4	2	62.03	.84	2	3 721.7	0 2	774.0	0.2
3	4	3	93.04	.84	3	5 582.5	0 3	1 161.0	0.5
4	4	4	124.06	.84	4	7 443.4	0 4	1 548.0	0.9
78 05	31.014	5	155.07	1860.84	5	9 304.2	0 5	1 935.0	1.4
6	4	6	186.09	.85	6	11 165.0	0 6	2 322.0	2.0
7	4	7	217.10	.85	7	13 025.9	0 7	2 709.0	2.7
8	4	8	248.12	.85	8	14 886.7	0 8	3 096.0	3.5
9	4	9	279.13	.85	9	16 747.6	0 9	3 483.0	4.5
78 10	31.014	10	310.15	1860.86	10	18 608.4	0 10	3 870.0	5.5
11	4	1	341.16	.86	1	20 469.3	0 15	5 805.0	12.4
12	4	2	372.18	.86	2	22 330.2	0 20	7 740.0	22.6
13	4	3	403.19	.86	3	24 191.0	0 25	9 675.0	34.4
14	4	4	434.21	.86	4	26 051.9	0 30	11 610.0	49.6
78 15	31.014	15	465.22	1860.87	15	27 912.8	0 35	13 544.9	67.4
16	4	6	496.24	.87	6	29 773.6	0 40	15 479.8	88.1
17	5	7	527.25	.87	7	31 634.5	0 45	17 414.7	111.5
18	5	8	558.27	.87	8	33 495.4	0 50	19 349.5	137.6
19	5	9	589.28	.88	9	35 356.2	0 55	21 284.3	166.5
78 20	31.015	20	620.30	1860.88	20	37 217.1	1 00	23 219.1	198.2
21	5	1	651.31	.88	1	39 078.0	1 05	25 153.8	232.6
22	5	2	682.33	.88	2	40 938.9	1 10	27 088.4	269.8
23	5	3	713.34	.88	3	42 799.8	1 15	29 023.0	309.7
24	5	4	744.36	.89	4	44 660.6	1 20	30 957.6	352.4
78 25	31.015	25	775.37	1860.89	25	46 521.5	1 25	32 892.1	397.8
26	5	6	806.39	.89	6	48 382.4	1 30	34 826.5	445.9
27	5	7	837.40	.89	7	50 243.3	1 35	36 760.8	496.9
28	5	8	868.42	.90	8	52 104.2	1 40	38 695.1	550.5
29	5	9	899.43	.90	9	53 965.1	1 45	40 629.3	606.9
78 30	31.015	30	930.45	1860.90	30	55 826.0	1 50	42 563.4	666.1
31	5	1	961.46	.90	1	57 686.9	1 55	44 497.4	728.1
32	5	2	992.48	.90	2	59 547.8	2 00	46 431	793
33	5	3	1 023.49	.91	3	61 408.7	2 05	48 365	858
34	5	4	1 054.51	.91	4	63 269.6	2 10	50 299	923
78 35	31.015	35	1 085.52	1860.91	35	65 130.5	2 15	52 233	988
36	5	6	1 116.54	.91	6	66 991.4	2 20	54 167	1053
37	5	7	1 147.55	.91	7	68 852.4	2 25	56 101	1118
38	5	8	1 178.57	.92	8	70 713.3	2 30	58 035	1183
39	5	9	1 209.58	.92	9	72 574.2	2 35	60 000	1248
78 40	31.015	40	1 240.60	1860.92	40	74 435.1	2 40	62 000	1313
41	5	1	1 271.61	.92	1	76 296.0	2 45	64 000	1378
42	5	2	1 302.63	.93	2	78 157.0	2 50	66 000	1443
43	5	3	1 333.64	.93	3	80 017.9	2 55	68 000	1508
44	5	4	1 364.66	.93	4	81 878.8	3 00	70 000	1573
78 45	31.016	45	1 395.67	1860.93	45	83 739.7	3 05	72 000	1638
46	6	6	1 426.69	.93	6	85 600.7	3 10	74 000	1703
47	6	7	1 457.70	.94	7	87 461.6	3 15	76 000	1768
48	6	8	1 488.72	.94	8	89 322.6	3 20	78 000	1833
49	6	9	1 519.73	.94	9	91 183.5	3 25	80 000	1898
78 50	31.016	50	1 550.75	1860.94	50	93 044.4	3 30	82 000	1963
51	6	1	1 581.76	.94	1	94 905.4	3 35	84 000	2028
52	6	2	1 612.78	.95	2	96 766.3	3 40	86 000	2093
53	6	3	1 643.79	.95	3	98 627.2	3 45	88 000	2158
54	6	4	1 674.81	.95	4	100 488.2	3 50	90 000	2223
78 55	31.016	55	1 705.82	1860.95	55	102 349.1	3 55	92 000	2288
56	6	6	1 736.84	.95	6	104 210.1	4 00	94 000	2353
57	6	7	1 767.85	.96	7	106 071.1	4 05	96 000	2418
58	6	8	1 798.87	.96	8	107 932.0	4 10	98 000	2483
59	6	9	1 829.88	.96	9	109 793.0	4 15	100 000	2548
78 60	31.016	60	1 860.90	1860.96	60	111 653.9	4 20	102 000	2613

Latitude 79° to 80°—Arcs of the parallel in meters

Lat.	1''	2''	3''	4''	5''	6''	7''	8''	9''	1'	2'	3'	4'	5'
79 00	5.920	11.84	17.76	23.68	29.60	35.52	41.44	47.36	53.28	355.2	710.4	1065.5	1420.7	1775.9
1	.911	.82	.73	.64	.55	.46	.38	.29	.20	4.6	9.3	3.9	18.6	3.2
2	.902	.80	.71	.61	.51	.41	.31	.22	.12	4.1	8.2	2.3	6.5	70.6
3	.893	.79	.68	.57	.47	.36	.25	.14	3.04	3.6	7.2	60.7	4.3	67.9
4	.884	.77	.65	.54	.42	.31	.19	.07	2.96	3.1	6.1	59.2	2.2	5.3
79 05	5.875	11.75	17.63	23.50	29.38	35.25	41.13	47.00	52.88	352.5	705.0	1057.6	1410.1	1762.6
6	.866	.73	.60	.47	.33	.20	.06	6.93	.80	2.0	4.0	6.0	08.0	59.9
7	.858	.72	.57	.43	.29	.15	1.00	.86	.72	1.5	2.9	4.4	5.8	7.3
8	.849	.70	.55	.39	.24	.09	0.94	.79	.64	0.9	1.8	2.8	3.7	4.6
9	.840	.68	.52	.36	.20	5.04	.88	.72	.56	50.4	700.8	51.2	401.6	52.0
79 10	5.831	11.66	17.49	23.32	29.16	34.99	40.82	46.65	52.48	349.9	699.7	1049.6	1399.4	1749.3
11	.822	.64	.47	.29	.11	.93	.76	.58	.40	9.3	8.7	8.0	7.3	6.7
12	.813	.63	.44	.25	.07	.88	.69	.51	.32	8.8	7.6	6.4	5.2	4.0
13	.804	.61	.41	.22	9.02	.83	.63	.43	.24	8.3	6.5	4.8	3.1	41.3
14	.796	.59	.39	.18	8.98	.77	.57	.36	.16	7.7	5.5	3.2	90.9	38.7
79 15	5.787	11.57	17.36	23.15	28.93	34.72	40.51	46.29	52.08	347.2	694.4	1041.6	1388.8	1736.0
16	.778	.56	.33	.11	.89	.67	.45	.22	2.00	6.7	3.3	40.0	6.7	3.4
17	.769	.54	.31	.08	.85	.61	.38	.15	1.92	6.1	2.3	38.4	4.6	30.7
18	.760	.52	.28	.04	.80	.56	.32	.08	.84	5.6	1.2	6.8	2.4	28.0
19	.751	.50	.25	3.01	.76	.51	.26	6.01	.76	5.1	90.2	5.2	80.3	5.4
79 20	5.742	11.48	17.23	22.97	28.71	34.45	40.20	45.94	51.68	344.5	689.1	1033.6	1378.2	1722.7
21	.734	.47	.20	.93	.67	.40	.14	.87	.60	4.0	8.0	2.0	6.0	20.1
22	.725	.45	.17	.90	.62	.35	.07	.80	.52	3.5	7.0	30.4	3.9	17.4
23	.716	.43	.15	.86	.58	.29	40.01	.73	.44	2.9	5.9	28.8	71.8	4.7
24	.707	.41	.12	.83	.53	.24	39.95	.66	.36	2.4	4.8	7.2	69.7	12.1
79 25	5.698	11.40	17.09	22.79	28.49	34.19	39.89	45.58	51.28	341.9	683.8	1025.6	1367.5	1709.4
26	.689	.38	.07	.76	.45	.14	.83	.51	.20	1.4	2.7	4.1	5.4	6.8
27	.680	.36	.04	.72	.40	.08	.76	.44	.12	0.8	1.6	2.5	3.3	4.1
28	.671	.34	7.01	.69	.36	4.03	.70	.37	1.04	40.3	80.6	20.9	61.1	701.4
29	.663	.33	6.99	.65	.31	3.98	.64	.30	0.96	39.8	79.5	19.3	59.0	698.8
79 30	5.654	11.31	16.96	22.61	28.27	33.92	39.58	45.23	50.88	339.2	678.4	1017.7	1356.9	1696.1
31	.645	.29	.93	.58	.22	.87	.51	.16	.80	8.7	7.4	6.1	4.8	3.4
32	.636	.27	.91	.54	.18	.82	.45	.09	.72	8.2	6.3	4.5	2.6	90.8
33	.627	.25	.88	.51	.14	.76	.39	5.02	.64	7.6	5.2	2.9	50.5	88.1
34	.618	.24	.85	.47	.09	.71	.33	4.94	.56	7.1	4.2	11.3	48.4	5.4
79 35	5.609	11.22	16.83	22.44	28.05	33.66	39.27	44.87	50.48	336.6	673.1	1009.7	1346.2	1682.8
36	.600	.20	.80	.40	8.00	.60	.20	.80	.40	6.0	2.1	8.1	4.1	80.1
37	.592	.18	.78	.37	7.96	.55	.14	.73	.33	5.5	71.0	6.5	42.0	77.5
38	.583	.17	.75	.33	.91	.50	.08	.66	.24	5.0	69.9	4.9	39.9	4.8
39	.574	.15	.72	.30	.87	.44	9.02	.59	.17	4.4	8.9	3.3	7.7	72.2
79 40	5.565	11.13	16.70	22.26	27.83	33.39	38.96	44.52	50.09	333.9	667.8	1001.7	1335.6	1669.5
41	.556	.11	.67	.22	.78	.34	.89	.45	50.00	3.4	6.7	1000.1	3.5	6.8
42	.547	.09	.64	.19	.74	.28	.83	.38	49.93	2.8	5.7	998.5	31.3	4.2
43	.538	.08	.62	.15	.69	.23	.77	.31	.85	2.3	4.6	6.9	29.2	61.5
44	.529	.06	.59	.12	.65	.18	.71	.23	.76	1.8	3.5	5.3	7.1	58.8
79 45	5.521	11.04	16.56	22.08	27.60	33.12	38.64	44.16	49.69	331.2	662.5	993.7	1324.9	1656.2
46	.512	.02	.54	.04	.56	.07	.58	.09	.61	0.7	1.4	2.1	2.8	3.5
47	.503	1.00	.51	2.01	.51	3.02	.52	4.02	.52	30.2	60.3	90.5	20.7	50.8
48	.494	0.99	.48	1.98	.47	2.96	.46	3.95	.45	29.6	59.3	88.9	18.5	48.2
49	.485	.97	.46	.94	.43	.91	.39	.88	.37	9.1	8.2	7.3	6.4	5.5
79 50	5.476	10.95	16.43	21.91	27.38	32.86	38.33	43.81	49.29	328.6	657.2	985.7	1314.3	1642.9
51	.467	.93	.40	.87	.34	.80	.27	.74	.21	8.0	6.1	4.1	2.2	40.2
52	.458	.92	.38	.83	.29	.75	.21	.67	.13	7.5	5.0	2.5	10.0	37.5
53	.450	.90	.35	.80	.25	.70	.14	.60	9.05	7.0	3.9	80.9	07.9	4.9
54	.441	.88	.32	.76	.20	.64	.08	.53	8.97	6.4	2.9	79.3	5.8	32.2
79 55	5.432	10.86	16.30	21.73	27.16	32.59	38.02	43.45	48.89	325.9	651.8	977.4	1303.6	1629.5
56	.423	.85	.27	.69	.12	.54	7.96	.38	.81	5.4	50.7	6.1	301.5	6.9
57	.414	.83	.24	.66	.07	.48	.90	.31	.73	4.8	49.7	4.5	299.4	4.2
58	.405	.81	.21	.62	7.03	.43	.83	.24	.65	4.3	8.6	2.9	7.2	21.5
59	.396	.79	.19	.58	6.98	.38	.77	.17	.56	3.8	7.5	71.3	5.1	18.8
79 60	5.387	10.77	16.16	21.55	26.94	32.32	37.71	43.10	48.49	323.2	646.5	969.7	1293.0	1616.2

Lat.	Latitude 79° to 80°—Meridional arcs.					Latitude 79°—Co-ordinates of curvature.			
	Value of 1''	Sums of seconds for middle latitude 79° 30'		Value of 1'	Continuous sums of minutes from latitude 79° 00'		Longitude.	X	Y
° /	Meters.	''	Meters.	Meters.	'	Meters.	° /	Meters.	Meters.
79 00	31.016			1860.96			0 1	355.2	0.1
1	6	1	31.02	.97	1	1 861.0	0 2	710.3	0.2
2	6	2	62.03	.97	2	3 721.9	0 3	1 065.5	0.5
3	6	3	93.05	.97	3	5 582.9	0 4	1 420.7	0.8
4	6	4	124.07	.97	4	7 443.9	0 5	1 775.9	1.3
79 05	31.016	5	155.09	1860.97	5	9 304.8	0 6	2 131.1	1.8
6	6	6	186.10	.98	6	11 165.8	0 7	2 486.2	2.5
7	6	7	217.12	.98	7	13 026.8	0 8	2 841.4	3.2
8	6	8	248.14	.98	8	14 887.8	0 9	3 196.6	4.1
9	6	9	279.15	.98	9	16 748.8			
79 10	31.016	10	310.17	1860.98	10	18 609.7	0 10	3 551.8	5.1
11	6	1	341.19	.99	1	20 470.7	0 15	5 327.6	11.4
12	6	2	372.20	.99	2	22 331.7	0 20	7 103.5	20.3
13	6	3	403.22	.99	3	24 192.7	0 25	8 879.3	31.7
14	7	4	434.24	.99	4	26 053.7	0 30	10 655.2	45.6
79 15	31.017	15	465.26	1860.99	15	27 914.7	0 35	12 431.0	62.1
16	7	6	496.27	1.00	6	29 775.7	0 40	14 206.8	81.1
17	7	7	527.29	.00	7	31 636.7	0 45	15 982.5	102.7
18	7	8	558.31	.00	8	33 497.7	0 50	17 758.2	126.8
19	7	9	589.32	.00	9	35 358.7	0 55	19 533.9	153.4
79 20	31.017	20	620.34	1861.00	20	37 219.7	1 00	21 309.6	182.5
21	7	1	651.36	.01	1	39 080.7	1 05	23 085.2	214.2
22	7	2	682.38	.01	2	40 941.7	1 10	24 860.7	248.5
23	7	3	713.39	.01	3	42 802.7	1 15	26 636.2	285.2
24	7	4	744.41	.01	4	44 663.7	1 20	28 411.7	324.5
79 25	31.017	25	775.43	1861.01	25	46 524.7	1 25	30 187.1	366.4
26	7	6	806.44	.02	6	48 385.8	1 30	31 962.4	410.7
27	7	7	837.46	.02	7	50 246.8	1 35	33 737.6	457.6
28	7	8	868.48	.02	8	52 107.8	1 40	35 512.8	507.0
29	7	9	899.49	.02	9	53 968.8	1 45	37 288.0	559.0
79 30	31.017	30	930.51	1861.02	30	55 829.8	1 50	39 063.0	613.5
31	7	1	961.53	.03	1	57 690.9	1 55	40 838.0	670.6
32	7	2	992.55	.03	2	59 551.9	2 00	42 613	730
33	7	3	1 023.56	.03	3	61 412.9	2 05	44 388	790
34	7	4	1 054.58	.03	4	63 274.0	2 10	46 163	850
79 35	31.017	35	1 085.60	1861.03	35	65 135.0	2 15	47 938	910
36	7	6	1 116.61	.04	6	66 996.0	2 20	49 713	970
37	7	7	1 147.63	.04	7	68 857.1	2 25	51 488	1030
38	7	8	1 178.65	.04	8	70 718.1	2 30	53 263	1090
39	7	9	1 209.67	.04	9	72 579.2	2 35	55 038	1150
79 40	31.017	40	1 240.68	1861.04	40	74 440.2	2 40	56 813	1210
41	7	1	1 271.70	.05	1	76 301.2	2 45	58 588	1270
42	7	2	1 302.72	.05	2	78 162.3	2 50	60 363	1330
43	7	3	1 333.73	.05	3	80 023.3	2 55	62 138	1390
44	8	4	1 364.75	.05	4	81 884.4	3 00	63 913	1450
79 45	31.018	45	1 395.77	1861.05	45	83 745.4	3 05	65 688	1510
46	8	6	1 426.79	.06	6	85 606.5	3 10	67 463	1570
47	8	7	1 457.80	.06	7	87 467.6	3 15	69 238	1630
48	8	8	1 488.82	.06	8	89 328.6	3 20	71 013	1690
49	8	9	1 519.84	.06	9	91 189.7	3 25	72 788	1750
79 50	31.018	50	1 550.85	1861.06	50	93 050.7	3 30	74 563	1810
51	8	1	1 581.87	.06	1	94 911.8	3 35	76 338	1870
52	8	2	1 612.89	.07	2	96 772.9	3 40	78 113	1930
53	8	3	1 643.90	.07	3	98 633.9	3 45	79 888	1990
54	8	4	1 674.92	.07	4	100 495.0	3 50	81 663	2050
79 55	31.018	55	1 705.94	1861.07	55	102 356.1	3 55	83 438	2110
56	8	6	1 736.96	.07	6	104 217.1	4 00	85 213	2170
57	8	7	1 767.97	.08	7	106 078.2	4 05	86 988	2230
58	8	8	1 798.99	.08	8	107 939.3	4 10	88 763	2290
59	8	9	1 830.01	.08	9	109 800.4	4 15	90 538	2350
79 60	31.018	60	1 861.02	1861.08	60	111 661.4	4 20	92 313	2410

Latitude 80° to 81°—Arcs of the parallel in meters.

Lat.	1"	2"	3"	4"	5"	6"	7"	8"	9"	1'	2'	3'	4'	5'
80 00	5.387	10.77	16.16	21.55	26.94	32.32	37.71	43.10	48.49	323.2	646.5	969.7	1293.0	1616.2
01	.378	.76	.13	.51	.89	.27	.65	3.03	.41	2.7	5.4	8.1	90.8	3.5
02	.370	.74	.11	.48	.85	.22	.59	2.96	.33	2.2	4.3	6.5	88.7	10.9
03	.361	.72	.08	.44	.80	.16	.52	.89	.25	1.6	3.3	4.9	6.6	08.2
04	.352	.70	.06	.41	.76	.11	.46	.81	.17	1.1	2.2	3.3	4.4	5.5
80 05	5.343	10.69	16.03	21.37	26.72	32.06	37.40	42.74	48.09	320.6	641.1	961.7	1282.3	1602.9
06	.334	.67	6.00	.34	.67	2.00	.34	.67	8.01	20.0	40.1	60.1	80.2	600.2
07	.325	.65	5.98	.30	.63	1.95	.28	.60	7.93	19.5	39.0	58.5	78.0	597.5
08	.316	.63	.95	.27	.59	.90	.21	.53	.85	9.0	7.9	6.9	5.9	4.9
09	.307	.61	.92	.23	.54	.84	.15	.46	.77	8.4	6.9	5.3	3.8	92.2
80 10	5.298	10.60	15.90	21.19	26.49	31.79	37.09	42.39	47.69	317.9	635.8	953.7	1271.6	1589.5
11	.290	.58	.87	.16	.45	.74	7.03	.32	.61	7.4	4.7	2.1	69.5	6.9
12	.281	.56	.84	.12	.40	.68	6.97	.25	.53	6.8	3.7	50.5	7.4	4.2
13	.272	.54	.82	.09	.36	.63	.90	.17	.45	6.3	2.6	48.9	5.2	81.5
14	.263	.53	.79	.05	.31	.58	.84	.10	.37	5.8	1.6	7.3	3.1	78.9
80 15	5.254	10.51	15.76	21.02	26.27	31.52	36.78	42.03	47.29	315.2	630.5	945.7	1261.0	1576.2
16	.245	.49	.74	0.98	.23	.47	.72	1.96	.21	4.7	29.4	4.1	58.8	3.5
17	.236	.47	.71	.95	.18	.42	.65	.89	.13	4.2	8.3	2.5	6.7	70.9
18	.227	.45	.68	.91	.14	.36	.59	.82	7.05	3.6	7.3	40.9	4.6	68.2
19	.218	.44	.66	.87	.09	.31	.53	.75	6.97	3.1	6.2	39.3	2.4	5.5
80 20	5.210	10.42	15.63	20.84	26.05	31.26	36.47	41.68	46.89	312.6	625.1	937.7	1250.3	1562.9
21	.201	.40	.60	.80	6.00	.20	.40	.61	.81	2.0	4.1	6.1	48.2	60.2
22	.192	.38	.58	.77	5.96	.15	.34	.54	.73	1.5	3.0	4.5	6.0	57.5
23	.183	.37	.55	.73	.92	.10	.28	.46	.65	1.0	1.9	2.9	3.9	4.9
24	.174	.35	.52	.70	.87	1.04	.22	.39	.57	10.4	20.9	31.3	41.7	52.2
80 25	5.165	10.33	15.49	20.66	25.83	30.99	36.15	41.32	46.49	309.9	619.8	929.7	1239.6	1549.5
26	.156	.31	.47	.62	.78	.94	.09	.25	.40	9.4	8.7	8.1	7.5	6.8
27	.147	.29	.44	.59	.74	.88	6.03	.18	.33	8.8	7.7	6.5	5.3	4.2
28	.138	.28	.41	.55	.69	.83	5.97	.11	.25	8.3	6.6	4.9	3.2	41.5
29	.129	.26	.39	.52	.65	.78	.90	1.03	.16	7.8	5.5	3.3	31.1	38.8
80 30	5.121	10.24	15.36	20.48	25.60	30.72	35.85	40.97	46.09	307.2	614.5	921.7	1228.9	1536.2
31	.112	.22	.33	.45	.56	.67	.78	.89	6.01	6.7	3.4	20.1	6.8	3.5
32	.103	.21	.31	.41	.51	.62	.72	.82	5.92	6.2	2.3	18.5	4.7	30.8
33	.094	.19	.28	.38	.47	.56	.66	.75	.85	5.6	1.3	6.9	2.5	28.2
34	.085	.17	.25	.34	.42	.51	.59	.68	.77	5.1	10.2	5.3	20.4	5.5
80 35	5.076	10.15	15.23	20.30	25.38	30.46	35.53	40.61	45.68	304.6	609.1	913.7	1218.3	1522.8
36	.067	.13	.20	.27	.34	.40	.47	.54	.60	4.0	8.1	2.1	6.1	20.1
37	.058	.12	.17	.23	.29	.35	.41	.47	.52	3.5	7.0	10.5	4.0	17.5
38	.049	.10	.15	.20	.25	.30	.35	.39	.44	3.0	5.9	08.9	11.8	4.8
39	.040	.08	.12	.16	.20	.24	.28	.32	.36	2.4	4.9	7.3	09.7	12.1
80 40	5.032	10.06	15.09	20.13	25.16	30.19	35.22	40.25	45.28	301.9	603.8	905.7	1207.6	1509.5
41	.023	.05	.07	.09	.11	.14	.16	.18	.20	1.4	2.7	4.1	5.4	6.8
42	.014	.03	.04	.05	.07	.08	.10	.11	.12	0.8	1.6	2.5	3.3	4.1
43	5.005	10.01	5.01	20.02	5.02	30.03	5.03	40.04	5.04	300.3	600.6	900.9	201.2	501.4
44	4.996	9.99	4.99	19.98	4.98	29.98	4.97	39.97	4.96	299.8	599.5	899.3	199.0	498.8
80 45	4.987	9.97	14.96	19.95	24.94	29.92	34.91	39.90	44.88	299.2	598.4	897.7	1196.9	1496.1
46	.978	.96	.93	.91	.89	.87	.85	.82	.80	8.7	7.4	6.1	4.7	3.4
47	.969	.94	.91	.88	.85	.82	.79	.75	.72	8.2	6.3	4.5	2.6	90.8
48	.960	.92	.88	.84	.80	.76	.72	.68	.64	7.6	5.2	2.9	90.5	88.1
49	.951	.90	.85	.81	.76	.71	.66	.61	.56	7.1	4.2	91.3	88.3	5.4
80 50	4.943	9.89	14.83	19.77	24.71	29.66	34.60	39.54	44.48	296.6	593.1	889.7	1186.2	1482.8
51	.934	.87	.80	.73	.67	.60	.54	.47	.40	6.0	2.0	8.0	4.1	80.1
52	.925	.85	.77	.70	.62	.55	.47	.40	.32	5.5	91.0	6.4	81.9	77.4
53	.916	.83	.75	.66	.58	.49	.41	.33	.24	4.9	89.9	4.8	79.8	4.7
54	.907	.81	.72	.63	.53	.44	.35	.26	.16	4.4	8.8	3.2	7.6	72.1
80 55	4.898	9.80	14.69	19.59	24.49	29.39	34.29	39.18	44.08	293.9	587.8	881.6	1175.5	1469.4
56	.889	.78	.67	.56	.45	.33	.22	.11	4.00	3.3	6.7	80.0	3.4	6.7
57	.880	.76	.64	.52	.40	.28	.16	9.04	3.92	2.8	5.6	78.4	71.2	4.0
58	.871	.74	.61	.48	.36	.23	.10	8.97	.84	2.3	4.5	6.8	69.1	61.4
59	.862	.72	.59	.45	.31	.17	4.04	.90	.76	1.7	3.5	5.2	6.9	58.7
80 60	4.853	9.71	14.56	19.41	24.27	29.12	33.97	38.83	43.68	291.2	582.4	873.6	1164.8	1456.0

Lat.	Latitude 80° to 81°—Meridional arcs.						Latitude 80°—Co-ordinates of curvature.		
	Value of 1''	Sums of seconds for middle latitude 80° 30'		Value of 1'	Continuous sums of minutes from latitude 80° 00'		Longitude.	X	Y
° /	Meters.	''	Meters.	Meters.	'	Meters.	° /	Meters.	Meters.
80 00	31.018			1861.08			0 1	323.2	0.0
1	8	1	31.02	.08	1	1 861.1	0 2	646.5	0.2
2	8	2	62.04	.09	2	3 722.2	0 3	969.7	0.4
3	8	3	93.06	.09	3	5 583.3	0 4	1 292.9	0.7
4	8	4	124.08	.09	4	7 444.3	0 5	1 616.2	1.2
80 05	31.018	5	155.09	1861.09	5	9 305.4	0 6	1 939.4	1.7
6	8	6	186.11	.09	6	11 166.5	0 7	2 262.7	2.3
7	8	7	217.13	.10	7	13 027.6	0 8	2 585.9	3.0
8	8	8	248.15	.10	8	14 888.7	0 9	2 909.1	3.7
9	8	9	279.17	.10	9	16 749.8	0 10	3 232.4	4.6
80 10	31.018	10	310.19	1861.10	10	18 610.9	0 15	4 848.6	10.4
11	8	1	341.21	.10	1	20 472.0	0 20	6 464.8	18.5
12	8	2	372.23	.10	2	22 333.1	0 25	8 080.9	28.9
13	8	3	403.25	.11	3	24 194.2	0 30	9 697.1	41.7
14	8	4	434.27	.11	4	26 055.3	0 35	11 313.2	56.7
80 15	31.019	15	465.28	1861.11	15	27 916.4	0 40	12 929.3	74.1
16	9	6	496.30	.11	6	29 777.5	0 45	14 545.4	93.8
17	9	7	527.32	.11	7	31 638.7	0 50	16 161.4	115.7
18	9	8	558.34	.12	8	33 499.8	0 55	17 777.5	140.1
19	9	9	589.36	.12	9	35 360.9	1 00	19 393.4	166.7
80 20	31.019	20	620.38	1861.12	20	37 222.0	1 05	21 009.4	195.6
21	9	1	651.40	.12	1	39 083.1	1 10	22 625.3	226.9
22	9	2	682.42	.12	2	40 944.2	1 15	24 241.1	260.4
23	9	3	713.44	.12	3	42 805.4	1 20	25 856.9	296.3
24	9	4	744.45	.13	4	44 666.5	1 25	27 472.7	334.5
80 25	31.019	25	775.47	1861.13	25	46 527.6	1 30	29 088.4	375.0
26	9	6	806.49	.13	6	48 388.7	1 35	30 704.0	417.8
27	9	7	837.51	.13	7	50 249.9	1 40	32 319.6	462.9
28	9	8	868.53	.13	8	52 111.0	1 45	33 935.1	510.3
29	9	9	899.55	.14	9	53 972.1	1 50	35 550.5	560.1
80 30	31.019	30	930.57	1861.14	30	55 833.3	1 55	37 165.9	612.2
31	9	1	961.59	.14	1	57 694.4	2 00	38 781.1	667
32	9	2	992.61	.14	2	59 555.6	2 05	40 396.2	722.1
33	9	3	1 023.63	.14	3	61 416.7	2 10	42 011.3	777.0
34	9	4	1 054.64	.14	4	63 277.8	2 15	43 626.4	831.9
80 35	31.019	35	1 085.66	1861.15	35	65 139.0	2 20	45 241.5	886.8
36	9	6	1 116.68	.15	6	67 000.1	2 25	46 856.6	941.7
37	9	7	1 147.70	.15	7	68 861.3	2 30	48 471.7	996.6
38	9	8	1 178.72	.15	8	70 722.4	2 35	50 086.8	1051.5
39	9	9	1 209.74	.15	9	72 583.6	2 40	51 701.9	1106.4
80 40	31.019	40	1 240.76	1861.16	40	74 444.7	2 45	53 317.0	1161.3
41	9	1	1 271.78	.16	1	76 305.9	2 50	54 932.1	1216.2
42	9	2	1 302.80	.16	2	78 167.1	2 55	56 547.2	1271.1
43	9	3	1 333.82	.16	3	80 028.2	3 00	58 162.3	1326.0
44	9	4	1 364.83	.16	4	81 889.4	3 05	59 777.4	1380.9
80 45	31.019	45	1 395.85	1861.16	45	83 750.5	3 10	61 392.5	1435.8
46	9	6	1 426.87	.17	6	85 611.7	3 15	63 007.6	1490.7
47	9	7	1 457.89	.17	7	87 472.9	3 20	64 622.7	1545.6
48	19	8	1 488.91	.17	8	89 334.0	3 25	66 237.8	1600.5
49	20	9	1 519.93	.17	9	91 195.2	3 30	67 852.9	1655.4
80 50	31.020	50	1 550.95	1861.17	50	93 056.4	3 35	69 468.0	1710.3
51	0	1	1 581.97	.17	1	94 917.6	3 40	71 083.1	1765.2
52	0	2	1 612.99	.18	2	96 778.7	3 45	72 698.2	1820.1
53	0	3	1 644.00	.18	3	98 639.9	3 50	74 313.3	1875.0
54	0	4	1 675.02	.18	4	100 501.1	3 55	75 928.4	1929.9
80 55	31.020	55	1 706.04	1861.18	55	102 362.3	4 00	77 543.5	1984.8
56	0	6	1 737.06	.18	6	104 223.5	4 05	79 158.6	2039.7
57	0	7	1 768.08	.19	7	106 084.6	4 10	80 773.7	2094.6
58	0	8	1 799.10	.19	8	107 945.8	4 15	82 388.8	2149.5
59	0	9	1 830.12	.19	9	109 807.0	4 20	84 003.9	2204.4
80 60	31.020	60	1 861.14	1861.19	60	111 668.2	4 25	85 619.0	2259.3

Latitude 81° to 82°—Arcs of the parallel in meters.

Lat.	1"	2"	3"	4"	5"	6"	7"	8"	9"	1'	2'	3'	4'	5'
81 00	4.853	9.71	14.56	19.41	24.27	29.12	33.97	38.83	43.68	291.2	582.4	873.6	1164.8	1456.0
1	.844	.69	.53	.38	.22	.07	.91	.75	.60	0.7	1.3	2.0	2.7	3.3
2	.836	.67	.51	.34	.18	9.01	.85	.69	.52	90.1	80.3	70.4	60.5	50.7
3	.827	.65	.48	.31	.13	8.96	.79	.61	.44	89.6	79.2	68.8	58.4	48.0
4	.818	.64	.45	.27	.09	.91	.72	.54	.36	9.1	8.1	7.2	6.3	5.3
81 05	4.809	9.62	14.43	19.23	24.04	28.85	33.66	38.47	43.28	288.5	577.1	865.6	1154.1	1442.6
6	.800	.60	.40	.20	4.00	.80	.60	.40	.20	8.0	6.0	4.0	52.0	40.0
7	.791	.58	.37	.16	3.96	.75	.54	.33	.12	7.5	4.9	2.4	49.8	37.3
8	.782	.56	.35	.13	.91	.69	.47	.26	3.04	6.9	3.8	60.8	7.7	4.6
9	.773	.55	.32	.09	.87	.64	.41	.18	2.96	6.4	2.8	59.2	5.6	31.9
81 10	4.764	9.53	14.29	19.06	23.82	28.59	33.35	38.11	42.88	285.9	571.7	957.6	1143.4	1429.3
11	.755	.51	.27	9.02	.78	.53	.29	8.04	.80	5.3	70.6	6.0	41.3	6.6
12	.746	.49	.24	8.99	.73	.48	.22	7.97	.72	4.8	69.6	4.4	39.1	3.9
13	.737	.47	.21	.95	.69	.42	.16	.90	.64	4.2	8.5	2.7	7.0	21.2
14	.729	.46	.19	.91	.64	.37	.10	.83	.56	3.7	7.4	51.1	4.9	18.6
81 15	4.720	9.44	14.16	18.88	23.60	28.32	33.04	37.76	42.48	283.2	566.4	849.5	1132.7	1415.9
16	.711	.42	.13	.84	.55	.26	2.98	.69	.40	2.6	5.3	7.9	30.6	3.2
17	.702	.40	.11	.81	.51	.21	.91	.61	.32	2.1	4.2	6.3	28.4	10.5
18	.693	.39	.08	.77	.47	.16	.85	.54	.23	1.6	3.1	4.7	6.3	07.9
19	.684	.37	.05	.74	.42	.10	.79	.47	.16	1.0	2.1	3.1	4.2	5.2
81 20	4.675	9.35	14.03	18.70	23.38	28.05	32.73	37.40	42.08	280.5	561.0	841.5	1122.0	1402.5
21	.666	.33	4.00	.66	.33	8.00	.66	.33	1.99	80.0	59.9	39.9	19.9	399.8
22	.657	.31	3.97	.63	.29	7.94	.60	.26	.92	79.4	8.9	8.3	7.7	7.2
23	.648	.30	.95	.59	.24	.89	.54	.19	.84	8.9	7.8	6.7	5.6	4.5
24	.639	.28	.92	.56	.20	.84	.48	.11	.75	8.4	6.7	5.1	3.5	91.8
81 25	4.630	9.26	13.89	18.52	23.15	27.78	32.41	37.04	41.67	277.8	555.7	833.5	1111.3	1389.1
26	.622	.24	.87	.48	.11	.73	.35	6.97	.59	7.3	4.6	1.9	09.2	6.5
27	.613	.22	.84	.45	.06	.68	.29	.90	.51	6.8	3.5	30.3	7.0	3.8
28	.604	.21	.81	.41	3.02	.62	.23	.83	.43	6.2	2.4	28.7	4.9	81.1
29	.595	.19	.78	.38	2.97	.57	.16	.76	.35	5.7	1.4	7.1	2.7	78.4
81 30	4.586	9.17	13.76	18.34	22.93	27.51	32.10	36.69	41.27	275.1	550.3	825.4	1100.6	1375.7
31	.577	.15	.73	.31	.89	.46	2.04	.62	.19	4.6	49.2	3.8	098.5	3.1
32	.568	.14	.70	.27	.84	.41	1.98	.54	.11	4.1	8.2	2.2	6.3	70.4
33	.559	.12	.68	.24	.80	.35	.91	.47	1.03	3.5	7.1	20.6	4.2	67.7
34	.550	.10	.65	.20	.75	.30	.85	.40	0.95	3.0	6.0	19.0	92.0	5.0
81 35	4.541	9.08	13.62	18.17	22.71	27.25	31.79	36.33	40.87	272.5	544.9	817.4	1089.9	1362.4
36	.532	.06	.60	.13	.66	.19	.73	.26	.79	1.9	3.9	5.8	7.7	59.7
37	.523	.05	.57	.09	.62	.14	.66	.19	.71	1.4	2.8	4.2	5.6	7.0
38	.514	.03	.54	.06	.57	.09	.60	.11	.63	0.9	1.7	2.6	3.5	4.3
39	.506	9.01	.52	8.02	.53	7.03	.54	6.05	.55	70.3	40.7	11.0	81.3	51.7
81 40	4.497	8.99	13.49	17.99	22.48	26.98	31.48	35.97	40.47	269.8	539.6	809.4	1079.2	1349.0
41	.488	.98	.46	.95	.44	.93	.41	.90	.39	9.3	8.5	7.8	7.0	6.3
42	.479	.96	.44	.91	.39	.87	.35	.83	.31	8.7	7.4	6.2	4.9	3.6
43	.470	.94	.41	.88	.35	.82	.29	.76	.23	8.2	6.4	4.6	2.7	40.9
44	.461	.92	.38	.84	.30	.77	.23	.69	.15	7.7	5.3	3.0	70.6	38.3
81 45	4.452	8.90	13.36	17.81	22.26	26.71	31.16	35.62	40.07	267.1	534.2	801.3	1068.5	1335.6
46	.443	.89	.33	.77	.22	.66	.10	.54	39.99	6.6	3.2	799.7	6.3	2.9
47	.434	.87	.30	.74	.17	.60	1.04	.47	.91	6.0	2.1	8.1	4.2	30.2
48	.425	.85	.27	.70	.13	.55	0.98	.40	.83	5.5	31.0	6.5	62.0	27.5
49	.416	.83	.25	.67	.08	.50	.91	.33	.75	5.0	30.0	4.9	59.9	4.9
81 50	4.407	8.81	13.22	17.63	22.04	26.44	30.85	35.26	39.67	264.4	528.9	793.3	1057.7	1322.2
51	.398	.80	.19	.59	1.99	.39	.79	.19	.59	3.9	7.8	1.7	5.6	19.5
52	.389	.78	.17	.56	.95	.34	.73	.11	.50	3.4	6.7	90.1	3.5	6.8
53	.380	.76	.14	.52	.90	.28	.66	.04	.42	2.8	5.7	88.5	51.3	4.1
54	.372	.74	.11	.49	.86	.23	.60	.4.97	.35	2.3	4.6	6.9	49.2	11.5
81 55	4.363	8.73	13.09	17.45	21.81	26.18	30.54	34.90	39.26	261.8	523.5	785.3	1047.0	1308.8
56	.354	.71	.06	.41	.77	.12	.48	.83	.18	1.2	2.4	3.7	4.9	6.1
57	.345	.69	.03	.38	.72	.07	.41	.76	.10	0.7	1.4	2.0	2.7	3.4
58	.336	.67	3.01	.34	.68	6.02	.35	.69	9.02	60.2	20.3	80.4	40.6	300.7
59	.327	.65	2.98	.31	.64	5.96	.29	.62	8.94	59.6	19.2	78.8	38.4	298.1
81 60	4.318	8.64	12.95	17.27	21.59	25.91	30.23	34.54	38.86	259.1	518.2	777.2	1036.3	1295.4

Lat.	Latitude 81° to 82°—Meridional arcs.					Latitude 81°—Co-ordinates of curvature.			
	Value of 1''	Sums of seconds for middle latitude 81° 30'		Value of 1'	Continuous sums of minutes from latitude 81° 00'	Longitude.	X	Y	
° /	Meters.	''	Meters.	Meters.	'	Meters.	° /	Meters.	Meters.
81 00	31.020			1861.19			0 1	291.2	0.0
1	0	1	31.02	.19	1	1 861.2	2	582.4	0.2
2	0	2	62.04	.19	2	3 722.4	3	873.6	0.4
3	0	3	93.06	.20	3	5 583.6	4	1 164.8	0.7
4	0	4	124.08	.20	4	7 444.8	5	1 456.0	1.0
81 05	31.020	5	155.10	1861.20	5	9 306.0	6	1 747.2	1.5
6	0	6	186.12	.20	6	11 167.2	7	2 038.4	2.0
7	0	7	217.14	.20	7	13 028.4	8	2 329.6	2.7
8	0	8	248.17	.20	8	14 889.6	9	2 620.8	3.4
9	0	9	279.19	.21	9	16 750.8	10	2 912.0	4.2
81 10	31.020	10	310.21	1861.21	10	18 612.0	15	4 368.0	9.4
11	0	1	341.23	.21	1	20 473.2	20	5 824.0	16.7
12	0	2	372.25	.21	2	22 334.4	25	7 280.0	26.1
13	0	3	403.27	.21	3	24 195.6	30	8 736.0	37.6
14	0	4	434.29	.21	4	26 056.8	35	10 191.9	51.2
81 15	31.020	15	465.31	1861.22	15	27 918.0	40	11 647.9	66.9
16	0	6	496.33	.22	6	29 779.3	45	13 103.8	84.7
17	0	7	527.35	.22	7	31 640.5	50	14 559.6	104.6
18	0	8	558.37	.22	8	33 501.7	55	16 015.5	126.5
19	0	9	589.39	.22	9	35 362.9	00	17 471.3	150.6
81 20	31.020	20	620.41	1861.22	20	37 224.1	05	18 927.1	176.7
21	0	1	651.43	.23	1	39 085.4	10	20 382.8	205.0
22	0	2	682.45	.23	2	40 946.6	15	21 838.5	235.3
23	0	3	713.48	.23	3	42 807.8	20	23 294.2	267.7
24	0	4	744.50	.23	4	44 669.0	25	24 749.8	302.2
81 25	31.021	25	775.52	1861.23	25	46 530.3	30	26 205.3	338.8
26	1	6	806.54	.23	6	48 391.5	35	27 660.8	377.5
27	1	7	837.56	.24	7	50 252.7	40	29 116.3	418.3
28	1	8	868.58	.24	8	52 114.0	45	30 571.7	461.2
29	1	9	899.60	.24	9	53 975.2	50	32 027.0	506.1
81 30	31.021	30	930.62	1861.24	30	55 836.5	55	33 482.2	553.2
31	1	1	961.64	.24	1	57 697.7	00	34 937	602
32	1	2	992.66	.24	2	59 558.9	05	52 393	1 355
33	1	3	1 023.68	.24	3	61 420.2	10	69 833	2 409
34	1	4	1 054.70	.25	4	63 281.4	15	87 253	3 763
81 35	31.021	35	1 085.72	1861.25	35	65 142.7	20	104 646	5 417
36	1	6	1 116.74	.25	6	67 003.9	25	122 009	7 370
37	1	7	1 147.76	.25	7	68 865.2	30	139 335	9 623
38	1	8	1 178.79	.25	8	70 726.4	35	156 620	12 174
39	1	9	1 209.81	.25	9	72 587.7	40	173 858	15 022
81 40	31.021	40	1 240.83	1861.26	40	74 448.9	45	191 044	18 168
41	1	1	1 271.85	.26	1	76 310.2	50	208 174	21 609
42	1	2	1 302.87	.26	2	78 171.5	55	225 242	25 344
43	1	3	1 333.89	.26	3	80 032.7	00	242 243	29 374
44	1	4	1 364.91	.26	4	81 894.0	05	259 172	33 696
81 45	31.021	45	1 395.93	1861.26	45	83 755.2	10	276 024	38 309
46	1	6	1 426.95	.27	6	85 616.5	15	292 794	43 212
47	1	7	1 457.97	.27	7	87 477.8	20	309 477	48 403
48	1	8	1 488.99	.27	8	89 339.0	25	326 068	53 881
49	1	9	1 520.01	.27	9	91 200.3	30	342 562	59 644
81 50	31.021	50	1 551.03	1861.27	50	93 061.6	35	358 954	65 691
51	1	1	1 582.05	.27	1	94 922.9	40	375 240	72 019
52	1	2	1 613.07	.27	2	96 784.1	45	391 414	78 627
53	1	3	1 644.10	.28	3	98 645.4	50	407 472	85 513
54	1	4	1 675.12	.28	4	100 506.7	55	423 408	92 675
81 55	31.021	55	1 706.14	1861.28	55	102 368.0	00	439 219	100 110
56	1	6	1 737.16	.28	6	104 229.3	05	454 900	107 817
57	1	7	1 768.18	.28	7	106 090.5	10	470 445	115 793
58	1	8	1 799.20	.28	8	107 951.8	15	485 850	124 036
59	1	9	1 830.22	.29	9	109 813.1	20	501 111	132 543
81 60	31.021	60	1 861.24	1861.29	60	111 674.4	25		

Latitude 83° to 84°—Arcs of the parallel in meters.

Lat.	1"	2"	3"	4"	5"	6"	7"	8"	9"	1'	2'	3'	4'	5'
83 00	3.781	7.56	11.34	15.12	18.91	22.69	26.47	30.25	34.03	226.9	453.7	680.6	907.5	1134.3
1	.772	.55	.32	.09	.86	.63	.41	.18	3.95	6.3	2.7	79.0	5.3	1.7
2	.763	.53	.29	.05	.82	.58	.34	.11	.87	5.8	1.6	7.4	3.2	29.0
3	.754	.51	.26	5.02	.77	.53	.28	30.03	.79	5.3	50.6	5.8	901.0	6.3
4	.745	.49	.24	4.98	.73	.47	.22	29.96	.71	4.7	49.4	4.1	898.9	3.6
83 05	3.736	7.47	11.20	14.95	18.68	22.42	26.16	29.89	33.63	224.2	448.4	672.5	896.7	1120.9
6	.727	.45	.18	.91	.64	.36	.09	.82	.55	3.6	7.3	70.9	4.6	18.2
7	.718	.44	.15	.87	.59	.31	6.03	.75	.46	3.1	6.2	69.3	2.4	5.5
8	.709	.42	.13	.84	.55	.26	5.97	.67	.38	2.6	5.1	7.7	90.3	2.8
9	.700	.40	.10	.80	.50	.20	.90	.60	.30	2.0	4.1	6.1	88.1	10.1
83 10	3.692	7.38	11.07	14.77	18.46	22.15	25.84	29.53	33.22	221.5	443.0	664.5	886.0	1107.5
11	.683	.36	.05	.73	.41	.10	.78	.46	.14	1.0	1.9	2.9	3.8	4.8
12	.674	.35	1.02	.69	.37	2.04	.72	.39	3.06	20.4	40.8	61.2	81.7	102.1
13	.665	.33	0.99	.66	.32	1.99	.65	.32	2.98	19.9	39.8	59.6	79.5	099.4
14	.656	.31	.97	.62	.28	.93	.59	.25	.90	9.3	8.7	8.0	7.4	6.7
83 15	3.647	7.29	10.94	14.59	18.23	21.88	25.53	29.17	32.82	218.8	437.6	656.4	875.2	1094.0
16	.638	.28	.91	.55	.19	.83	.46	.10	.74	8.3	6.5	4.8	3.1	91.3
17	.629	.26	.89	.51	.14	.77	.40	9.03	.66	7.7	5.4	3.2	70.9	88.6
18	.620	.24	.86	.48	.10	.72	.34	8.96	.58	7.2	4.4	1.6	68.8	6.0
19	.611	.22	.83	.44	.06	.67	.27	.89	.50	6.7	3.3	50.0	6.6	3.3
83 20	3.602	7.20	10.81	14.41	18.01	21.61	25.21	28.82	32.42	216.1	432.2	648.3	864.5	1080.6
21	.593	.19	.78	.37	7.97	.56	.15	.74	.34	5.6	1.2	6.7	2.3	77.9
22	.584	.17	.75	.34	.92	.50	.09	.67	.26	5.0	30.1	5.1	60.2	5.2
23	.575	.15	.73	.30	.88	.45	5.02	.60	.18	4.5	29.0	3.5	58.0	72.5
24	.566	.13	.70	.26	.83	.40	4.96	.53	.09	4.0	7.9	1.9	5.9	69.8
83 25	3.557	7.11	10.67	14.23	17.79	21.34	24.90	28.46	32.01	213.4	426.9	640.3	853.7	1067.1
26	.548	.10	.64	.19	.74	.29	.84	.38	1.93	2.9	5.8	38.7	51.6	4.4
27	.539	.08	.62	.16	.70	.24	.78	.31	.85	2.4	4.7	7.1	49.4	61.8
28	.530	.06	.59	.12	.65	.18	.71	.24	.77	1.8	3.6	5.4	7.3	59.1
29	.521	.04	.56	.09	.61	.13	.65	.17	.69	1.3	2.6	3.8	5.1	6.4
83 30	3.512	7.02	10.54	14.05	17.56	21.07	24.59	28.10	31.61	210.7	421.5	632.2	843.0	1053.7
31	.503	.01	.51	4.01	.52	1.02	.52	8.03	.53	10.2	20.4	30.6	40.8	51.0
32	.494	6.99	.48	3.98	.47	0.97	.46	7.95	.45	09.7	19.3	29.0	38.6	48.3
33	.485	.97	.46	.94	.43	.91	.40	.88	.37	9.1	8.2	7.4	6.5	5.6
34	.476	.95	.43	.91	.38	.86	.33	.81	.29	8.6	7.2	5.8	4.3	2.9
83 35	3.467	6.93	10.40	13.87	17.34	20.80	24.27	27.74	31.21	208.0	416.1	624.1	832.2	1040.2
36	.458	.92	.38	.83	.29	.75	.21	.67	.12	7.5	5.0	2.5	30.0	37.5
37	.450	.90	.35	.80	.25	.70	.15	.60	1.05	7.0	3.9	20.9	27.9	4.9
38	.441	.88	.32	.76	.20	.64	.08	.52	0.97	6.4	2.9	19.3	5.7	32.2
39	.432	.86	.30	.73	.16	.59	4.02	.45	.88	5.9	1.8	7.7	3.6	29.5
83 40	3.423	6.85	10.27	13.69	17.11	20.54	23.96	27.38	30.80	205.4	410.7	616.1	821.4	1026.8
41	.414	.83	.24	.65	.07	.48	.90	.31	.72	4.8	09.6	4.5	19.3	4.1
42	.405	.81	.21	.62	7.02	.43	.83	.24	.64	4.3	8.6	2.8	7.1	21.4
43	.396	.79	.19	.58	6.98	.37	.77	.17	.56	3.7	7.5	11.2	5.0	18.7
44	.387	.77	.16	.55	.93	.32	.71	.09	.48	3.2	6.4	09.6	2.8	6.0
83 45	3.378	6.76	10.13	13.51	16.89	20.27	23.64	27.02	30.40	202.7	405.3	608.0	810.7	1013.3
46	.369	.74	.11	.47	.84	.21	.58	6.95	.32	2.1	4.3	6.4	08.5	10.6
47	.360	.72	.08	.44	.80	.16	.52	.88	.24	1.6	3.2	4.8	6.4	07.9
48	.351	.70	.05	.40	.75	.11	.46	.81	.16	1.1	2.1	3.2	4.2	5.3
49	.342	.68	.03	.37	.71	.05	.39	.74	.08	0.5	1.0	601.5	802.1	1002.6
83 50	3.333	6.67	10.00	13.33	16.67	20.00	23.33	26.66	30.00	200.0	400.0	599.9	799.9	999.9
51	.324	.65	9.97	.30	.62	19.94	.27	.59	29.92	199.4	398.9	8.3	7.7	7.2
52	.315	.63	.95	.26	.58	.89	.20	.52	.84	8.9	7.8	6.7	5.6	4.5
53	.306	.61	.92	.22	.53	.84	.14	.45	.75	8.4	6.7	5.1	3.4	91.8
54	.297	.59	.89	.19	.49	.78	.08	.38	.67	7.8	5.6	3.5	91.3	89.1
83 55	3.288	6.58	9.86	13.15	16.44	19.73	23.01	26.30	29.59	197.3	394.6	591.8	789.1	986.4
56	.279	.56	.84	.11	.40	.67	2.95	.23	.51	6.7	3.5	90.2	7.0	3.7
57	.270	.54	.81	.08	.35	.62	.89	.16	.43	6.2	2.4	88.6	4.8	81.0
58	.261	.52	.78	.04	.31	.57	.83	.09	.35	5.7	1.3	7.0	2.7	78.3
59	.252	.50	.76	3.01	.26	.51	.76	6.02	.27	5.1	90.3	5.4	80.5	5.6
83 60	3.243	6.49	9.73	12.97	16.22	19.46	22.70	25.94	29.19	194.6	389.2	583.8	778.4	972.9

Lat.	Latitude 83° to 84°—Meridional arcs.						Latitude 83°—Co-ordinates of curvature.		
	Value of 1''	Sums of seconds for middle latitude 83° 30'		Value of 1'	Continuous sums of minutes from latitude 83° 00'		Longitude.	X	Y
° /	Meters.	''	Meters.	Meters.	'	Meters.	° /	Meters.	Meters.
83 00	31.023			1861.37			0 1	226.9	0.0
1	3	1	31.02	.38	1	1 861.4	0 2	453.7	0.1
2	3	2	62.05	.38	2	3 722.7	0 3	680.6	0.3
3	3	3	93.07	.38	3	5 584.1	0 4	907.5	0.5
4	3	4	124.09	.38	4	7 445.5	0 5	1 134.3	0.8
83 05	31.023	5	155.12	1861.38	5	9 306.9	0 6	1 361.2	1.2
6	3	6	186.14	.38	6	11 168.3	0 7	1 588.1	1.6
7	3	7	217.16	.38	7	13 029.6	0 8	1 814.9	2.1
8	3	8	248.19	.38	8	14 891.0	0 9	2 041.8	2.7
9	3	9	279.21	.39	9	16 752.4			
83 10	31.023	10	310.24	1861.39	10	18 613.8	0 10	2 268.7	3.3
11	3	1	341.26	.39	1	20 475.2	0 15	3 403.0	7.4
12	3	2	372.28	.39	2	22 336.6	0 20	4 537.3	13.1
13	3	3	403.31	.39	3	24 197.9	0 25	5 671.6	20.5
14	3	4	434.33	.39	4	26 059.3	0 30	6 805.9	29.5
83 15	31.023	15	465.35	1861.39	15	27 920.7	0 35	7 940.2	40.1
16	3	6	496.38	.39	6	29 782.1	0 40	9 074.5	52.4
17	3	7	527.40	.40	7	31 643.5	0 45	10 208.7	66.3
18	3	8	558.42	.40	8	33 504.9	0 50	11 343.0	81.9
19	3	9	589.45	.40	9	35 366.3	0 55	12 477.2	99.1
83 20	31.023	20	620.47	1861.40	20	37 227.7	1 00	13 611.4	117.9
21	3	1	651.49	.40	1	39 089.1	1 05	14 745.5	138.4
22	3	2	682.52	.40	2	40 950.5	1 10	15 879.6	160.5
23	3	3	713.54	.40	3	42 811.9	1 15	17 013.7	184.2
24	3	4	744.56	.40	4	44 673.3	1 20	18 147.8	209.6
83 25	31.023	25	775.59	1861.41	25	46 534.7	1 25	19 281.8	236.6
26	3	6	806.61	.41	6	48 396.1	1 30	20 415.8	265.3
27	3	7	837.64	.41	7	50 257.5	1 35	21 549.7	295.6
28	3	8	868.66	.41	8	52 118.9	1 40	22 683.6	327.5
29	4	9	899.68	.41	9	53 980.3	1 45	23 817.4	361.1
83 30	31.024	30	930.71	1861.41	30	55 841.7	1 50	24 951.2	396.3
31	4	1	961.73	.41	1	57 703.2	1 55	26 084.9	433.1
32	4	2	992.75	.41	2	59 564.6	2 00	27 219	472
33	4	3	1 023.78	.42	3	61 426.0	2 05	28 353	511
34	4	4	1 054.80	.42	4	63 287.4	2 10	29 487	550
83 35	31.024	35	1 085.82	1861.42	35	65 148.8	2 15	30 621	589
36	4	6	1 116.85	.42	6	67 010.2	2 20	31 755	628
37	4	7	1 147.87	.42	7	68 871.7	2 25	32 889	667
38	4	8	1 178.89	.42	8	70 733.1	2 30	34 023	706
39	4	9	1 209.92	.42	9	72 594.5	2 35	35 157	745
83 40	31.024	40	1 240.94	1861.42	40	74 455.9	2 40	36 291	784
41	4	1	1 271.96	.43	1	76 317.3	2 45	37 425	823
42	4	2	1 302.99	.43	2	78 178.8	2 50	38 559	862
43	4	3	1 334.01	.43	3	80 040.2	2 55	39 693	901
44	4	4	1 365.04	.43	4	81 901.6	3 00	40 827	940
83 45	31.024	45	1 396.06	1861.43	45	83 763.1	3 05	41 961	979
46	4	6	1 427.08	.43	6	85 624.5	3 10	43 095	1018
47	4	7	1 458.11	.43	7	87 485.9	3 15	44 229	1057
48	4	8	1 489.13	.43	8	89 347.4	3 20	45 363	1096
49	4	9	1 520.15	.43	9	91 208.8	3 25	46 497	1135
83 50	31.024	50	1 551.18	1861.44	50	93 070.2	3 30	47 631	1174
51	4	1	1 582.20	.44	1	94 931.7	3 35	48 765	1213
52	4	2	1 613.22	.44	2	96 793.1	3 40	49 899	1252
53	4	3	1 644.25	.44	3	98 654.5	3 45	51 033	1291
54	4	4	1 675.27	.44	4	100 516.0	3 50	52 167	1330
83 55	31.024	55	1 706.29	1861.44	55	102 377.4	3 55	53 301	1369
56	4	6	1 737.32	.44	6	104 238.9	4 00	54 435	1408
57	4	7	1 768.34	.44	7	106 100.3	4 05	55 569	1447
58	4	8	1 799.36	.45	8	107 961.8	4 10	56 703	1486
59	4	9	1 830.39	.45	9	109 823.2	4 15	57 837	1525
83 60	31.024	60	1 861.41	1861.45	60	111 684.7	4 20	58 971	1564

Latitude 84° to 85°—Arcs of the parallel in meters.

Lat.	1"	2"	3"	4"	5"	6"	7"	8"	9"	1'	2'	3'	4'	5'
84 00	3.243	6.49	9.73	12.97	16.22	19.46	22.70	25.94	29.19	194.6	389.2	583.8	778.4	972.9
1	.234	.47	.70	.94	.17	.41	.64	.87	.11	4.1	8.1	2.2	6.2	70.3
2	.225	.45	.68	.90	.13	.35	.58	.80	9.03	3.5	7.0	80.5	4.0	67.6
3	.216	.43	.65	.86	.08	.30	.51	.73	8.95	3.0	5.9	78.9	71.9	4.9
4	.207	.41	.62	.83	6.04	.24	.45	.66	.87	2.4	4.9	7.3	69.7	62.2
84 05	3.198	6.40	9.59	12.79	15.99	9.19	22.39	25.59	28.78	191.9	383.8	575.7	767.6	959.5
6	.189	.38	.57	.76	6.95	.14	.33	.51	.70	1.4	2.7	4.1	5.4	6.8
7	.180	.36	.54	.72	.90	.08	.26	.44	.62	0.8	1.6	2.5	3.3	4.1
8	.171	.34	.51	.69	.86	9.03	.20	.37	.54	90.3	80.6	70.8	61.1	51.4
9	.162	.32	.49	.65	.81	8.97	.14	.30	.46	89.7	79.5	69.2	59.0	48.7
84 10	3.153	6.31	9.46	12.61	15.77	18.92	22.07	25.23	28.38	189.2	378.4	567.6	756.8	946.0
11	.144	.29	.43	.58	.72	.87	2.01	.15	.30	8.7	7.3	6.0	4.7	3.3
12	.135	.27	.41	.54	.68	6.81	1.95	.08	.22	8.1	6.2	4.4	2.5	40.6
13	.126	.25	.38	.50	.63	.76	.88	5.01	.14	7.6	5.2	2.8	50.3	37.9
14	.117	.23	.35	.47	.59	.70	.82	4.94	8.06	7.0	4.1	61.1	48.2	5.2
84 15	3.108	6.22	9.33	12.43	15.54	18.65	21.76	24.87	27.97	186.5	373.0	559.5	746.0	932.5
16	.099	.20	.30	.40	.50	.60	.70	.79	.89	6.0	1.9	7.9	3.9	29.8
17	.091	.18	.27	.36	.45	.54	.63	.73	.82	5.4	70.9	6.3	41.7	7.2
18	.082	.16	.24	.33	.41	.49	.57	.65	.73	4.9	69.8	4.7	39.6	4.5
19	.073	.14	.22	.29	.36	.44	.51	.58	.65	4.4	8.7	3.1	7.4	21.8
84 20	3.064	6.13	9.19	12.25	15.32	18.38	21.45	24.51	27.57	183.8	367.6	551.4	735.3	919.1
21	.055	.11	.16	.22	.27	.33	.38	.44	.49	3.3	6.5	49.8	3.1	6.4
22	.046	.09	.14	.18	.23	.27	.32	.37	.41	2.7	5.5	8.2	30.9	3.7
23	.037	.07	.11	.14	.18	.22	.26	.29	.33	2.2	4.4	6.6	28.8	11.0
24	.028	.06	.08	.11	.14	.17	.19	.22	.25	1.7	3.3	5.0	6.6	08.3
84 25	3.019	6.04	9.06	12.07	15.09	18.11	21.13	24.15	27.17	181.1	362.2	543.4	724.5	905.6
26	.010	.02	.03	.04	.05	.06	.07	.08	.09	0.6	1.2	1.7	2.3	2.9
27	3.001	6.00	9.00	2.00	5.00	8.00	1.00	4.01	7.01	80.0	60.1	40.1	20.2	900.2
28	.992	5.99	8.97	1.97	4.96	7.95	0.94	3.93	6.92	79.5	59.0	38.5	18.0	897.5
29	.983	.97	.95	.93	.91	.90	.88	.86	.84	9.0	7.9	6.9	5.9	4.8
84 30	2.974	5.95	8.92	11.89	14.87	17.84	20.82	23.79	26.76	178.4	356.8	535.3	713.7	892.1
31	.965	.93	.89	.86	.82	.79	.75	.72	.68	7.9	5.8	3.7	11.5	89.4
32	.956	.91	.87	.82	.78	.73	.69	.65	.60	7.3	4.7	2.0	09.4	6.7
33	.947	.89	.84	.79	.73	.68	.63	.57	.52	6.8	3.6	30.4	7.2	4.0
34	.938	.88	.81	.75	.69	.63	.56	.50	.44	6.3	2.5	28.8	5.1	81.3
84 35	2.929	5.86	8.79	11.71	14.64	17.57	20.50	23.43	26.36	175.7	351.4	527.2	702.9	878.6
36	.920	.84	.76	.68	.60	.52	.44	.36	.28	5.2	50.4	5.7	700.8	6.0
37	.911	.82	.73	.65	.56	.47	.38	.29	.20	4.7	49.3	4.0	698.6	3.3
38	.902	.81	.71	.61	.51	.41	.32	.22	.12	4.1	8.2	2.3	6.5	70.6
39	.893	.79	.68	.57	.47	.36	.26	.15	6.04	3.6	7.1	20.7	4.3	67.9
84 40	2.884	5.77	8.65	11.54	14.42	17.30	20.19	23.07	25.96	173.0	346.1	519.1	692.1	865.2
41	.875	.75	.62	.50	.38	.25	.13	3.00	.88	2.5	5.0	7.5	90.0	62.5
42	.866	.73	.60	.46	.33	.20	.06	2.93	.79	2.0	3.9	5.9	87.8	59.8
43	.857	.71	.57	.43	.29	.14	20.00	.86	.71	1.4	2.8	4.3	5.7	7.1
44	.848	.70	.54	.39	.24	.09	19.94	.78	.63	0.9	1.8	2.6	3.5	4.4
84 45	2.839	5.68	8.52	11.36	14.20	17.03	19.87	22.71	25.55	170.3	340.7	511.0	681.4	851.7
46	.830	.66	.49	.32	.15	6.98	.81	.64	.47	69.8	39.6	09.4	79.2	49.0
47	.821	.64	.46	.28	.11	.93	.75	.57	.39	9.3	8.5	7.8	7.0	6.3
48	.812	.62	.44	.25	.06	.87	.68	.50	.31	8.7	7.4	6.2	4.9	3.6
49	.803	.61	.41	.21	4.02	.82	.62	.42	.23	8.2	6.4	4.5	2.7	40.9
84 50	2.794	5.59	8.38	11.18	13.97	16.76	19.56	22.35	25.15	167.6	335.3	502.9	670.6	838.2
51	.785	.57	.35	.14	.93	.71	.50	.28	5.07	7.1	4.2	501.3	68.4	5.5
52	.776	.55	.33	.10	.88	.66	.43	.21	4.98	6.6	3.1	499.7	6.3	2.8
53	.767	.53	.30	.07	.84	.60	.37	.14	.90	6.0	2.0	8.1	4.1	30.1
54	.758	.52	.27	.03	.79	.55	.31	2.06	.82	5.5	31.0	6.5	61.9	27.4
84 55	2.749	5.50	8.25	11.00	13.75	16.49	19.24	21.99	24.74	164.9	329.9	494.8	659.8	824.7
56	.740	.48	.22	0.96	.70	.44	.18	.92	.66	4.4	8.8	3.2	7.6	22.0
57	.731	.46	.19	.92	.66	.39	.12	.85	.58	3.9	7.7	1.6	5.5	19.3
58	.722	.44	.17	.89	.61	.33	9.05	.78	.50	3.3	6.7	90.0	3.3	6.6
59	.713	.43	.14	.85	.57	.28	8.99	.70	.42	2.8	5.6	88.4	51.2	3.9
84 60	2.704	5.41	8.11	10.82	13.52	16.22	18.93	21.63	24.34	162.2	324.5	486.7	649.0	811.2

Lat.	Latitude 84° to 85°—Meridional arcs.					Latitude 84°—Co-ordinates of curvature.			
	Value of 1''	Sums of seconds for middle latitude 84° 30'		Value of 1'	Continuous sums of minutes from latitude 84° 00'	Longitude.	X	Y	
° /	Meters.	''	Meters.	Meters.	'	Meters.	° /	Meters.	Meters.
84 00	31.024			1861.45			0 1		
1	4	1	31.02	.45	1	1 861.4	2	194.6	0.0
2	4	2	62.05	.45	2	3 722.9	3	389.2	0.1
3	4	3	93.07	.45	3	5 584.4	4	583.8	0.3
4	4	4	124.10	.45	4	7 445.8	5	778.3	0.5
84 05	31.024	5	155.12	1861.45	5	9 307.3	0 5	972.9	0.7
6	4	6	186.15	.45	6	11 168.7	6	1 167.5	1.0
7	4	7	217.17	.46	7	13 030.2	7	1 362.1	1.4
8	4	8	248.20	.46	8	14 891.6	8	1 556.7	1.8
9	4	9	279.22	.46	9	16 753.1	9	1 751.3	2.3
84 10	31.024	10	310.25	1861.46	10	18 614.5	0 10	1 945.9	2.8
11	4	1	341.27	.46	1	20 476.0	15	2 918.8	6.3
12	4	2	372.30	.46	2	22 337.5	20	3 891.8	11.3
13	4	3	403.32	.46	3	24 198.9	25	4 864.7	17.6
14	4	4	434.35	.46	4	26 060.4	30	5 837.6	25.3
84 15	31.024	15	465.37	1861.46	15	27 921.9	0 35	6 810.5	34.5
16	4	6	496.39	.47	6	29 783.3	40	7 783.4	45.0
17	4	7	527.42	.47	7	31 644.8	45	8 756.2	57.0
18	4	8	558.44	.47	8	33 506.3	50	9 729.1	70.4
19	4	9	589.47	.47	9	35 367.7	55	10 701.9	85.1
84 20	31.025	20	620.49	1861.47	20	37 229.2	1 00	11 674.7	101.3
21	5	1	651.52	.47	1	39 090.7	05	12 647.5	118.9
22	5	2	682.54	.47	2	40 952.1	10	13 620.3	137.9
23	5	3	713.57	.47	3	42 813.6	15	14 593.0	158.3
24	5	4	744.59	.47	4	44 675.1	20	15 565.7	180.1
84 25	31.025	25	775.62	1861.48	25	46 536.6	1 25	16 538.4	203.3
26	5	6	806.64	.48	6	48 398.0	30	17 511.0	228.0
27	5	7	837.67	.48	7	50 259.5	35	18 483.6	254.0
28	5	8	868.69	.48	8	52 121.0	40	19 456.2	281.5
29	5	9	899.72	.48	9	53 982.5	45	20 428.7	310.3
84 30	31.025	30	930.74	1861.48	30	55 844.0	1 50	21 401.2	340.6
31	5	1	961.77	.48	1	57 705.4	55	22 373.6	372.2
32	5	2	992.79	.48	2	59 566.9	2 00	23 346	405
33	5	3	1 023.81	.48	3	61 428.4	3 00	35 010	912
34	5	4	1 054.84	.49	4	63 289.9	4 00	46 664	1 621
84 35	31.025	35	1 085.86	1861.49	35	65 151.4	5 00	58 303	2 532
36	5	6	1 116.89	.49	6	67 012.9	6 00	69 925	3 644
37	5	7	1 147.91	.49	7	68 874.4	7 00	81 526	4 959
38	5	8	1 178.94	.49	8	70 735.9	8 00	93 103	6 475
39	5	9	1 209.96	.49	9	72 597.3	9 00	104 651	8 191
84 40	31.025	40	1 240.99	1861.49	40	74 458.8	10 00	116 168	10 107
41	5	1	1 272.01	.49	1	76 320.3	11 00	127 650	12 223
42	5	2	1 303.04	.49	2	78 181.8	12 00	139 093	14 539
43	5	3	1 334.06	.49	3	80 043.3	13 00	150 494	17 052
44	5	4	1 365.09	.50	4	81 904.8	14 00	161 851	19 763
84 45	31.025	45	1 396.11	1861.50	45	83 766.3	15 00	173 158	22 670
46	5	6	1 427.14	.50	6	85 627.8	16 00	184 413	25 774
47	5	7	1 458.16	.50	7	87 489.3	17 00	195 613	29 072
48	5	8	1 489.18	.50	8	89 350.8	18 00	206 753	32 564
49	5	9	1 520.21	.50	9	91 212.3	19 00	217 832	36 249
84 50	31.025	50	1 551.23	1861.50	50	93 073.8	20 00	228 845	40 126
51	5	1	1 582.26	.50	1	94 935.3	21 00	239 788	44 193
52	5	2	1 613.28	.50	2	96 796.8	22 00	250 660	48 450
53	5	3	1 644.31	.50	3	98 658.3	23 00	261 456	52 894
54	5	4	1 675.33	.51	4	100 519.8	24 00	272 173	57 526
84 55	31.025	55	1 706.36	1861.51	55	102 381.3	25 00	282 809	62 343
56	5	6	1 737.38	.51	6	104 242.8	26 00	293 359	67 343
57	5	7	1 768.41	.51	7	106 104.3	27 00	303 820	72 526
58	5	8	1 799.43	.51	8	107 965.9	28 00	314 190	77 890
59	5	9	1 830.46	.51	9	109 827.4	29 00	324 466	83 433
84 60	31.025	60	1 861.48	1861.51	60	111 688.9	30 00	334 644	89 153

Lat.	Latitude 85° to 86°—Meridional arcs.					Latitude 85°—Co-ordinates of curvature.			
	Value of 1'	Sums of seconds for middle latitude 85° 30'		Value of 1'	Continuous sums of minutes from latitude 85° 00'	Longitude.	X	Y	
° /	Meters.	"	Meters.	Meters.	'	Meters.	° /	Meters.	Meters.
85 00	31.025			1861.51			0 1	162.2	0.0
1	5	1	31.03	.51	1	1 861.5	0 2	324.5	0.1
2	5	2	62.05	.51	2	3 723.0	0 3	486.7	0.2
3	5	3	93.08	.51	3	5 584.5	0 4	649.0	0.4
4	5	4	124.10	.51	4	7 446.0	0 5	811.2	0.6
85 05	31.025	5	155.13	1861.52	5	9 307.6	0 6	973.5	0.8
6	5	6	186.15	.52	6	11 169.1	0 7	1 135.7	1.1
7	5	7	217.18	.52	7	13 030.6	0 8	1 298.0	1.5
8	5	8	248.21	.52	8	14 892.1	0 9	1 460.2	1.9
9	5	9	279.23	.52	9	16 753.6	0 10	1 622.5	2.3
85 10	31.025	10	310.26	1861.52	10	18 615.2	0 15	2 433.7	5.3
11	5	1	341.28	.52	1	20 476.7	0 20	3 245.0	9.4
12	5	2	372.31	.52	2	22 338.2	0 25	4 056.2	14.7
13	5	3	403.33	.52	3	24 199.7	0 30	4 867.4	21.2
14	5	4	434.36	.52	4	26 061.2	0 35	5 678.6	28.8
85 15	31.025	15	465.38	1861.53	15	27 922.8	0 40	6 489.8	37.6
16	5	6	496.41	.53	6	29 784.3	0 45	7 301.0	47.6
17	5	7	527.44	.53	7	31 645.8	0 50	8 112.2	58.8
18	5	8	558.46	.53	8	33 507.3	0 55	8 923.3	71.1
19	5	9	589.49	.53	9	35 368.9	1 00	9 734.5	84.6
85 20	31.025	20	620.51	1861.53	20	37 230.4	1 05	10 545.6	99.3
21	6	1	651.54	.53	1	39 091.9	1 10	11 356.7	115.2
22	6	2	682.56	.53	2	40 953.5	1 15	12 167.8	132.2
23	6	3	713.59	.53	3	42 815.0	1 20	12 978.8	150.4
24	6	4	744.62	.53	4	44 676.5	1 25	13 789.8	169.8
85 25	31.026	25	775.64	1861.53	25	46 538.1	1 30	14 600.8	190.4
26	6	6	806.67	.54	6	48 399.6	1 35	15 411.8	212.2
27	6	7	837.69	.54	7	50 261.1	1 40	16 222.7	235.1
28	6	8	868.72	.54	8	52 122.7	1 45	17 033.6	259.2
29	6	9	899.74	.54	9	53 984.2	1 50	17 844.5	284.4
85 30	31.026	30	930.77	1861.54	30	55 845.7	1 55	18 655.3	310.9
31	6	1	961.79	.54	1	57 707.3	2 00	19 466	338
32	6	2	992.82	.54	2	59 568.8	2 05	20 277	376
33	6	3	1 023.85	.54	3	61 430.4	2 10	21 088	414
34	6	4	1 054.87	.54	4	63 291.9	2 15	21 899	452
85 35	31.026	35	1 085.90	1861.54	35	65 153.4	2 20	22 710	490
36	6	6	1 116.92	.54	6	67 015.0	2 25	23 521	528
37	6	7	1 147.95	.54	7	68 876.5	2 30	24 332	566
38	6	8	1 178.97	.55	8	70 738.1	2 35	25 143	604
39	6	9	1 210.00	.55	9	72 599.6	2 40	25 954	642
85 40	31.026	40	1 241.03	1861.55	40	74 461.2	2 45	26 765	680
41	6	1	1 272.05	.55	1	76 322.7	2 50	27 576	718
42	6	2	1 303.08	.55	2	78 184.3	2 55	28 387	756
43	6	3	1 334.10	.55	3	80 045.8	3 00	29 198	794
44	6	4	1 365.13	.55	4	81 907.4	3 05	30 009	832
85 45	31.026	45	1 396.15	1861.55	45	83 768.9	3 10	30 820	870
46	6	6	1 427.18	.55	6	85 630.5	3 15	31 631	908
47	6	7	1 458.21	.55	7	87 492.0	3 20	32 442	946
48	6	8	1 489.23	.55	8	89 353.6	3 25	33 253	984
49	6	9	1 520.26	.55	9	91 215.2	3 30	34 064	1022
85 50	31.026	50	1 551.28	1861.56	50	93 076.7	3 35	34 875	1060
51	6	1	1 582.31	.56	1	94 938.3	3 40	35 686	1098
52	6	2	1 613.33	.56	2	96 799.8	3 45	36 497	1136
53	6	3	1 644.36	.56	3	98 661.4	3 50	37 308	1174
54	6	4	1 675.38	.56	4	100 522.9	3 55	38 119	1212
85 55	31.026	55	1 706.41	1861.56	55	102 384.5	4 00	38 930	1250
56	6	6	1 737.44	.56	6	104 246.1	4 05	39 741	1288
57	6	7	1 768.46	.56	7	106 107.6	4 10	40 552	1326
58	6	8	1 799.49	.56	8	107 969.2	4 15	41 363	1364
59	6	9	1 830.51	.56	9	109 830.8	4 20	42 174	1402
85 60	31.026	60	1 861.54	1861.56	60	111 692.3	4 25	42 985	1440

Lat.	Latitude 86° to 87°—Meridional arcs.					Latitude 86°—Co-ordinates of curvature.			
	Value of 1''	Sums of seconds for middle latitude 86° 30'		Value of 1'	Continuous sums of minutes from latitude 86° 00'	Longitude.	X	Y	
° /	Meters.	''	Meters.	Meters.	'	Meters.	° /	Meters.	Meters.
86 00	31.026			1861.56			0 1	129.9	0.0
1	6	1	31.03	.56	1	1 861.6	0 2	259.7	0.1
2	6	2	62.05	.56	2	3 723.1	0 3	389.6	0.2
3	6	3	93.08	.57	3	5 584.7	0 4	519.4	0.3
4	6	4	124.11	.57	4	7 446.3	0 5	649.3	0.5
86 05	31.026	5	155.13	1861.57	5	9 307.8	0 6	779.2	0.7
6	6	6	186.16	.57	6	11 169.4	0 7	909.0	0.9
7	6	7	217.18	.57	7	13 031.0	0 8	1 038.9	1.2
8	6	8	248.21	.57	8	14 892.5	0 9	1 168.7	1.5
9	6	9	279.24	.57	9	16 754.1	0 10	1 298.6	1.9
86 10	31.026	10	310.26	1861.57	10	18 615.7	0 15	1 947.9	4.2
11	6	1	341.29	.57	1	20 477.2	0 20	2 597.2	7.5
12	6	2	372.32	.57	2	22 338.8	0 25	3 246.5	11.8
13	6	3	403.34	.57	3	24 200.4	0 30	3 895.8	17.0
14	6	4	434.37	.57	4	26 062.0	0 35	4 545.0	23.1
86 15	31.026	15	465.40	1861.57	15	27 923.5	0 40	5 194.3	30.1
16	6	6	496.42	.58	6	29 785.1	0 45	5 843.6	38.1
17	6	7	527.45	.58	7	31 646.7	0 50	6 492.8	47.1
18	6	8	558.48	.58	8	33 508.3	0 55	7 142.0	57.0
19	6	9	589.50	.58	9	35 369.8	1 00	7 791.2	67.8
86 20	31.026	20	620.53	1861.58	20	37 231.4	05	8 440.4	79.6
21	6	1	651.55	.58	1	39 093.0	10	9 089.6	92.3
22	6	2	682.58	.58	2	40 954.6	15	9 738.8	106.0
23	6	3	713.61	.58	3	42 816.2	20	10 387.9	120.6
24	6	4	744.63	.58	4	44 677.7	1 25	11 037.0	136.1
86 25	31.026	25	775.66	1861.58	25	46 539.3	1 30	11 686.1	152.6
26	6	6	806.69	.58	6	48 400.9	1 35	12 335.2	170.0
27	6	7	837.71	.58	7	50 262.5	1 40	12 984.2	188.4
28	6	8	868.74	.58	8	52 124.1	1 45	13 633.2	207.7
29	6	9	899.77	.58	9	53 985.7	1 50	14 282.2	228.0
86 30	31.026	30	930.79	1861.58	30	55 847.2	1 55	14 931.2	249.2
31	6	1	961.82	.59	1	57 708.8	2 00	15 580	271
32	6	2	992.85	.59	2	59 570.4	2 05	16 229	293
33	6	3	1 023.87	.59	3	61 432.0	2 10	16 878	315
34	6	4	1 054.90	.59	4	63 293.6	2 15	17 527	337
86 35	31.026	35	1 085.92	1861.59	35	65 155.2	2 20	18 176	359
36	6	6	1 116.95	.59	6	67 016.8	2 25	18 825	381
37	6	7	1 147.98	.59	7	68 878.3	2 30	19 474	403
38	6	8	1 179.00	.59	8	70 739.9	2 35	20 123	425
39	6	9	1 210.03	.59	9	72 601.5	2 40	20 772	447
86 40	31.027	40	1 241.06	1861.59	40	74 463.1	2 45	21 421	469
41	7	1	1 272.08	.59	1	76 324.7	2 50	22 070	491
42	7	2	1 303.11	.59	2	78 186.3	2 55	22 719	513
43	7	3	1 334.14	.59	3	80 047.9	3 00	23 368	535
44	7	4	1 365.16	.59	4	81 909.5	3 05	24 017	557
86 45	31.027	45	1 396.19	1861.59	45	83 771.1	3 10	24 666	579
46	7	6	1 427.21	.60	6	85 632.7	3 15	25 315	601
47	7	7	1 458.24	.60	7	87 494.3	3 20	25 964	623
48	7	8	1 489.27	.60	8	89 355.9	3 25	26 613	645
49	7	9	1 520.29	.60	9	91 217.5	3 30	27 262	667
86 50	31.027	50	1 551.32	1861.60	50	93 079.1	3 35	27 911	689
51	7	1	1 582.35	.60	1	94 940.7	3 40	28 560	711
52	7	2	1 613.37	.60	2	96 802.3	3 45	29 209	733
53	7	3	1 644.40	.60	3	98 663.9	3 50	29 858	755
54	7	4	1 675.43	.60	4	100 525.5	3 55	30 507	777
86 55	31.027	55	1 706.45	1861.60	55	102 387.1	4 00	31 156	799
56	7	6	1 737.48	.60	6	104 248.7	4 05	31 805	821
57	7	7	1 768.51	.60	7	106 110.3	4 10	32 454	843
58	7	8	1 799.53	.60	8	107 971.9	4 15	33 103	865
59	7	9	1 830.56	.60	9	109 833.5	4 20	33 752	887
86 60	31.027	60	1 861.58	1861.60	60	111 695.1	4 25	34 401	909

Lat.	Latitude 87° to 88°—Meridional arcs.					Latitude 87°—Co-ordinates of curvature.			
	Value of 1''	Sums of seconds for middle latitude 87° 30'		Value of 1'	Continuous sums of minutes from latitude 87° 00'	Longitude.	X	Y	
° /	Meters.	''	Meters.	Meters.	'	Meters.	° /	Meters.	Meters.
87 00	31.027			1861.60			0 1	97.4	0.0
1	7	1	31.03	.60	1	1 861.6	0 2	194.9	0.1
2	7	2	62.05	.60	2	3 723.2	0 3	292.3	0.1
3	7	3	93.08	.61	3	5 584.8	0 4	389.7	0.2
4	7	4	124.11	.61	4	7 446.4	0 5	487.2	0.4
87 05	31.027	5	155.13	1861.61	5	9 308.0	0 6	584.6	0.5
6	7	6	186.16	.61	6	11 169.6	0 7	682.0	0.7
7	7	7	217.19	.61	7	13 031.2	0 8	779.5	0.9
8	7	8	248.22	.61	8	14 892.9	0 9	876.9	1.1
9	7	9	279.24	.61	9	16 754.5			
87 10	31.027	10	310.27	1861.61	10	18 616.1	0 10	974.3	1.4
11	7	1	341.30	.61	1	20 477.7	0 15	1 461.5	3.2
12	7	2	372.32	.61	2	22 339.3	0 20	1 948.6	5.7
13	7	3	403.35	.61	3	24 200.9	0 25	2 435.7	8.8
14	7	4	434.38	.61	4	26 062.5	0 30	2 922.9	12.7
87 15	31.027	15	465.40	1861.61	15	27 924.1	0 35	3 410.0	17.3
16	7	6	496.43	.61	6	29 785.7	0 40	3 897.1	22.7
17	7	7	527.46	.61	7	31 647.4	0 45	4 384.3	28.7
18	7	8	558.49	.61	8	33 509.0	0 50	4 871.4	35.4
19	7	9	589.51	.61	9	35 370.6	0 55	5 358.5	42.8
87 20	31.027	20	620.54	1861.61	20	37 232.2	1 00	5 845.5	50.9
21	7	1	651.57	.62	1	39 093.8	1 05	6 332.6	59.8
22	7	2	682.59	.62	2	40 955.4	1 10	6 819.7	69.3
23	7	3	713.62	.62	3	42 817.0	1 15	7 306.7	79.6
24	7	4	744.65	.62	4	44 678.7	1 20	7 793.7	90.6
87 25	31.027	25	775.67	1861.62	25	46 540.3	1 25	8 280.8	102.2
26	7	6	806.70	.62	6	48 401.9	1 30	8 767.8	114.6
27	7	7	837.73	.62	7	50 263.5	1 35	9 254.7	127.7
28	7	8	868.76	.62	8	52 125.1	1 40	9 741.7	141.5
29	7	9	899.78	.62	9	53 986.8	1 45	10 228.6	156.0
87 30	31.027	30	930.81	1861.62	30	55 848.4	1 50	10 715.5	171.2
31	7	1	961.84	.62	1	57 710.0	1 55	11 202.4	187.1
32	7	2	992.86	.62	2	59 571.6	2 00	11 689	204
33	7	3	1 023.89	.62	3	61 433.2	2 05	12 176	221
34	7	4	1 054.92	.62	4	63 294.8	2 10	12 663	238
87 35	31.027	35	1 085.94	1861.62	35	65 156.5	2 15	13 150	255
36	7	6	1 116.97	.62	6	67 018.1	2 20	13 637	272
37	7	7	1 148.00	.62	7	68 879.7	2 25	14 124	289
38	7	8	1 179.03	.62	8	70 741.3	2 30	14 611	306
39	7	9	1 210.05	.62	9	72 603.0	2 35	15 098	323
87 40	31.027	40	1 241.08	1861.62	40	74 464.6	2 40	15 585	340
41	7	1	1 272.11	.62	1	76 326.2	2 45	16 072	357
42	7	2	1 303.13	.63	2	78 187.8	2 50	16 559	374
43	7	3	1 334.16	.63	3	80 049.5	2 55	17 046	391
44	7	4	1 365.19	.63	4	81 911.1	3 00	17 533	408
87 45	31.027	45	1 396.21	1861.63	45	83 772.7	3 05	18 020	425
46	7	6	1 427.24	.63	6	85 634.3	3 10	18 507	442
47	7	7	1 458.27	.63	7	87 496.0	3 15	18 994	459
48	7	8	1 489.30	.63	8	89 357.6	3 20	19 481	476
49	7	9	1 520.32	.63	9	91 219.2	3 25	19 968	493
87 50	31.027	50	1 551.35	1861.63	50	93 080.9	3 30	20 455	510
51	7	1	1 582.38	.63	1	94 942.5	3 35	20 942	527
52	7	2	1 613.40	.63	2	96 804.1	3 40	21 429	544
53	7	3	1 644.43	.63	3	98 665.7	3 45	21 916	561
54	7	4	1 675.46	.63	4	100 527.4	3 50	22 403	578
87 55	31.027	55	1 706.48	1861.63	55	102 389.0	3 55	22 890	595
56	7	6	1 737.51	.63	6	104 250.6	4 00	23 377	612
57	7	7	1 768.54	.63	7	106 112.3	4 05	23 864	629
58	7	8	1 799.57	.63	8	107 973.9	4 10	24 351	646
59	7	9	1 830.59	.63	9	109 835.5	4 15	24 838	663
87 60	31.027	60	1 861.62	1861.63	60	111 697.2	4 20	25 325	680

Latitude 88° to 89°—Arcs of the parallel in meters.														
Lat.	1"	2"	3"	4"	5"	6"	7"	8"	9"	1'	2'	3'	4'	5'
88 00	1.083	2.17	3.25	4.33	5.41	6.50	7.58	8.66	9.75	65.0	129.9	194.9	259.9	324.9
1	.074	.15	.22	.29	.37	.44	.52	.59	.66	4.4	8.9	3.3	7.7	22.1
2	.065	.13	.19	.26	.32	.39	.45	.52	.58	3.9	7.8	1.7	5.5	19.4
3	.056	.11	.17	.22	.28	.33	.39	.45	.50	3.3	6.7	90.0	3.4	6.7
4	.047	.09	.14	.19	.23	.28	.33	.37	.42	2.8	5.6	88.4	51.2	4.0
88 05	1.038	2.08	3.11	4.15	5.19	6.23	7.26	8.30	9.34	62.3	124.5	186.8	249.1	311.3
6	.029	.06	.09	.11	.14	.17	.20	.23	.26	1.7	3.4	5.2	6.9	08.6
7	.020	.04	.06	.08	.10	.12	.14	.16	.18	1.2	2.4	3.5	4.7	5.9
8	.011	.02	.03	.04	.05	.06	.07	.09	.10	0.6	1.3	1.9	2.6	3.2
9	1.002	2.00	3.01	4.01	5.01	6.01	7.01	8.01	9.01	60.1	20.2	80.3	40.4	300.5
88 10	0.993	1.99	2.98	3.97	4.96	5.96	6.95	7.94	8.93	59.6	119.1	178.7	238.2	297.8
11	.984	.97	.95	.93	.92	.90	.89	.87	.85	9.0	8.0	7.0	6.1	5.1
12	.975	.95	.92	.90	.87	.85	.82	.80	.77	8.5	6.9	5.4	3.9	92.4
13	.966	.93	.90	.86	.83	.79	.76	.73	.69	7.9	5.9	3.8	31.7	89.7
14	.957	.91	.87	.83	.78	.74	.70	.65	.61	7.4	4.8	2.2	29.6	7.0
88 15	0.948	1.90	2.84	3.79	4.74	5.69	6.63	7.58	8.53	56.9	113.7	170.6	227.4	284.3
16	.938	.88	.82	.75	.69	.63	.57	.51	.45	6.3	2.6	68.9	5.2	81.5
17	.929	.86	.79	.72	.65	.58	.51	.43	.36	5.8	1.5	7.3	3.1	78.8
18	.920	.84	.76	.68	.60	.52	.44	.36	.28	5.2	10.5	5.7	20.9	6.1
19	.911	.82	.73	.65	.56	.47	.38	.29	.20	4.7	09.4	4.1	18.7	3.4
88 20	0.902	1.80	2.71	3.61	4.51	5.41	6.32	7.22	8.12	54.1	108.3	162.4	216.6	270.7
21	.893	.79	.68	.57	.47	.36	.25	.15	.04	3.6	7.2	60.8	4.4	68.0
22	.884	.77	.65	.54	.42	.31	.19	.07	7.06	3.1	6.1	59.2	2.2	5.3
23	.875	.75	.63	.50	.38	.25	.13	7.00	.88	2.5	5.0	7.6	10.1	62.6
24	.866	.73	.60	.47	.33	.20	.06	6.93	.80	2.0	4.0	5.9	07.9	59.9
88 25	0.857	1.71	2.57	3.43	4.29	5.14	6.00	6.86	7.72	51.4	102.9	154.3	205.7	257.2
26	.848	.70	.55	.39	.24	.09	5.94	.79	.63	0.9	1.8	2.7	3.6	4.5
27	.839	.68	.52	.36	.20	5.04	.88	.71	.55	50.4	100.7	51.1	201.4	51.8
28	.830	.66	.49	.32	.15	4.98	.81	.64	.47	49.8	99.6	49.4	199.3	49.1
29	.821	.64	.46	.29	.11	.93	.75	.57	.39	9.3	8.5	7.8	7.1	6.4
88 30	0.812	1.62	2.44	3.25	4.06	4.87	5.69	6.50	7.31	48.7	97.5	146.2	194.9	243.7
31	.803	.61	.41	.21	4.02	.82	.62	.42	.23	8.2	6.4	4.6	2.8	40.9
32	.794	.59	.38	.18	3.97	.76	.56	.35	.15	7.6	5.3	2.9	90.6	38.2
33	.785	.57	.36	.14	.93	.71	.50	.28	7.07	7.1	4.2	41.3	88.4	5.5
34	.776	.55	.33	.10	.88	.66	.43	.21	6.98	6.6	3.1	39.7	6.3	2.8
88 35	0.767	1.53	2.30	3.07	3.84	4.60	5.37	6.14	6.90	46.0	92.0	138.1	184.1	230.1
36	.758	.52	.27	.03	.79	.55	.31	.06	.82	5.5	91.0	6.4	81.9	27.4
37	.749	.50	.25	3.00	.75	.49	5.99	.74	5.99	4.9	89.9	4.8	79.8	4.7
38	.740	.48	.22	2.96	.70	.44	.18	.92	.66	4.4	8.8	3.2	7.6	22.0
39	.731	.46	.19	.92	.65	.39	.12	.85	.58	3.9	7.7	1.6	5.4	19.3
88 40	0.722	1.44	2.17	2.89	3.61	4.33	5.05	5.78	6.50	43.3	86.6	130.0	173.3	216.6
41	.713	.43	.14	.85	.57	.28	4.99	.70	.42	2.8	5.6	28.3	71.1	3.9
42	.704	.41	.11	.82	.52	.22	.93	.63	.34	2.2	4.5	6.7	68.9	11.2
43	.695	.39	.09	.78	.48	.17	.86	.56	.26	1.7	3.4	5.1	6.8	08.5
44	.686	.37	.06	.74	.43	.12	.80	.49	.17	1.2	2.3	3.5	4.6	5.8
88 45	0.677	1.35	2.03	2.71	3.39	4.06	4.74	5.42	6.09	40.6	81.2	121.8	162.4	203.1
46	.668	.34	2.00	.67	3.34	4.01	.67	.34	6.01	40.1	80.1	20.2	60.3	200.3
47	.659	.32	1.98	.63	.29	3.95	.61	.27	5.93	39.5	79.1	18.6	58.1	197.6
48	.650	.30	.95	.60	.25	.90	.55	.20	.85	9.0	8.0	7.0	5.9	4.9
49	.641	.28	.92	.56	.20	.84	.48	.13	.77	8.4	6.9	5.3	3.8	92.2
88 50	0.632	1.26	1.90	2.53	3.16	3.79	4.42	5.05	5.69	37.9	75.8	113.7	151.6	189.5
51	.623	.25	.87	.49	.11	.74	.36	.4.98	.60	7.4	4.7	2.1	49.4	6.8
52	.614	.23	.84	.45	.07	.68	.30	.91	.53	6.8	3.6	10.5	7.3	4.1
53	.605	.21	.81	.42	3.02	.63	.23	.84	.44	6.3	2.6	08.8	5.1	81.4
54	.596	.19	.79	.38	2.98	.57	.17	.77	.36	5.7	1.5	7.2	3.0	78.7
88 55	0.587	1.17	1.76	2.35	2.93	3.52	4.11	4.69	5.28	35.2	70.4	105.6	140.8	176.0
56	.578	.16	.73	.31	.89	.47	4.04	.62	.20	4.7	69.3	4.0	38.6	3.3
57	.569	.14	.71	.27	.84	.41	3.98	.55	.12	4.1	8.2	2.3	6.5	70.6
58	.560	.12	.68	.24	.80	.36	.92	.48	.5.04	3.6	7.1	100.7	4.3	67.9
59	.551	.10	.65	.20	.75	.30	.85	.41	4.96	3.0	6.1	99.1	2.1	5.2
88 60	0.542	1.08	1.62	2.17	2.71	3.25	3.79	4.33	4.87	32.5	65.0	97.5	130.0	162.5

Lat.	Latitude 88° to 89°—Meridional arcs.					Latitude 88°—Co-ordinates of curvature.			
	Value of 1''	Sums of seconds for middle latitude 88° 30'		Value of 1'	Continuous sums of minutes from latitude 88° 00'	Longitude.	X	Y	
° /	Meters.	''	Meters.	Meters.	'	Meters.	° /	Meters.	Meters.
88 00	31.027			1861.63			0 1	65.0	0.0
1	7	1	31.03	.63	1	1 861.6	0 2	130.0	0.0
2	7	2	62.05	.63	2	3 723.3	0 3	194.9	0.1
3	7	3	93.08	.63	3	5 584.9	0 4	259.9	0.2
4	7	4	124.11	.63	4	7 446.5	0 5	324.9	0.2
88 05	31.027	5	155.14	1861.63	5	9 308.2	0 6	389.8	0.3
6	7	6	186.16	.63	6	11 169.8	0 7	454.8	0.5
7	7	7	217.19	.64	7	13 031.4	0 8	519.8	0.6
8	7	8	248.22	.64	8	14 893.1	0 9	584.7	0.8
9	7	9	279.24	.64	9	16 754.7	1 00	649.7	0.9
88 10	31.027	10	310.27	1861.64	10	18 616.4	1 05	714.6	1.1
11	7	1	341.30	.64	1	20 478.0	1 10	779.6	1.3
12	7	2	372.33	.64	2	22 339.6	1 15	844.6	1.5
13	7	3	403.35	.64	3	24 201.3	1 20	909.6	1.7
14	7	4	434.38	.64	4	26 062.9	1 25	974.6	1.9
88 15	31.027	15	465.41	1861.64	15	27 924.5	1 30	1 039.6	2.1
16	7	6	496.44	.64	6	29 786.2	1 35	1 104.6	2.3
17	7	7	527.46	.64	7	31 647.8	1 40	1 169.6	2.5
18	7	8	558.49	.64	8	33 509.5	1 45	1 234.6	2.7
19	7	9	589.52	.64	9	35 371.1	1 50	1 299.6	2.9
88 20	31.027	20	620.55	1861.64	20	37 232.7	1 55	1 364.6	3.1
21	7	1	651.57	.64	1	39 094.4	2 00	1 429.6	3.3
22	7	2	682.60	.64	2	40 956.0	2 05	1 494.6	3.5
23	7	3	713.63	.64	3	42 817.7	2 10	1 559.6	3.7
24	7	4	744.65	.64	4	44 679.3	2 15	1 624.6	3.9
88 25	31.027	25	775.68	1861.64	25	46 540.9	2 20	1 689.6	4.1
26	7	6	806.71	.64	6	48 402.6	2 25	1 754.6	4.3
27	7	7	837.74	.64	7	50 264.2	2 30	1 819.6	4.5
28	7	8	868.76	.64	8	52 125.9	2 35	1 884.6	4.7
29	7	9	899.79	.64	9	53 987.5	2 40	1 949.6	4.9
88 30	31.027	30	930.82	1861.64	30	55 849.1	2 45	2 014.6	5.1
31	7	1	961.85	.64	1	57 710.8	2 50	2 079.6	5.3
32	7	2	992.87	.64	2	59 572.4	2 55	2 144.6	5.5
33	7	3	1 023.90	.64	3	61 434.1	3 00	2 209.6	5.7
34	7	4	1 054.93	.64	4	63 295.7	3 05	2 274.6	5.9
88 35	31.027	35	1 085.95	1861.64	35	65 157.4	3 10	2 339.6	6.1
36	7	6	1 116.98	.64	6	67 019.0	3 15	2 404.6	6.3
37	7	7	1 148.01	.64	7	68 880.7	3 20	2 469.6	6.5
38	7	8	1 179.04	.64	8	70 742.3	3 25	2 534.6	6.7
39	7	9	1 210.06	.65	9	72 603.9	3 30	2 599.6	6.9
88 40	31.027	40	1 241.09	1861.65	40	74 465.6	3 35	2 664.6	7.1
41	7	1	1 272.12	.65	1	76 327.2	3 40	2 729.6	7.3
42	7	2	1 303.15	.65	2	78 188.9	3 45	2 794.6	7.5
43	7	3	1 334.17	.65	3	80 050.5	3 50	2 859.6	7.7
44	7	4	1 365.20	.65	4	81 912.2	3 55	2 924.6	7.9
88 45	31.027	45	1 396.23	1861.65	45	83 773.8	4 00	2 989.6	8.1
46	7	6	1 427.26	.65	6	85 635.5	4 05	3 054.6	8.3
47	7	7	1 458.28	.65	7	87 497.1	4 10	3 119.6	8.5
48	7	8	1 489.31	.65	8	89 358.8	4 15	3 184.6	8.7
49	7	9	1 520.34	.65	9	91 220.4	4 20	3 249.6	8.9
88 50	31.027	50	1 551.37	1861.65	50	93 082.1	4 25	3 314.6	9.1
51	7	1	1 582.39	.65	1	94 943.7	4 30	3 379.6	9.3
52	7	2	1 613.42	.65	2	96 805.4	4 35	3 444.6	9.5
53	7	3	1 644.45	.65	3	98 667.0	4 40	3 509.6	9.7
54	7	4	1 675.48	.65	4	100 528.7	4 45	3 574.6	9.9
88 55	31.027	55	1 706.50	1861.65	55	102 390.3	4 50	3 639.6	10.1
56	7	6	1 737.53	.65	6	104 252.0	4 55	3 704.6	10.3
57	7	7	1 768.56	.65	7	106 113.6	5 00	3 769.6	10.5
58	7	8	1 799.59	.65	8	107 975.3	5 05	3 834.6	10.7
59	7	9	1 830.61	.65	9	109 836.9	5 10	3 899.6	10.9
88 60	31.027	60	1 861.64	1861.65	60	111 698.6	5 15	3 964.6	11.1

Latitude 89° to 90°—Arcs of the parallel in meters.

Lat.	1"	2"	3"	4"	5"	6"	7"	8"	9"	1'	2'	3'	4'	5'
89 00	0.542	1.08	1.62	2.17	2.71	3.25	3.79	4.33	4.87	32.5	65.0	97.5	130.0	162.5
1	.532	.06	.60	.13	.66	.19	.73	.26	.79	1.9	3.9	5.8	27.8	59.7
2	.523	.05	.57	.09	.62	.14	.66	.19	.71	1.4	2.8	4.2	5.6	7.0
3	.514	.03	.54	.06	.57	.09	.60	.11	.63	0.9	1.7	2.6	3.5	4.3
4	.505	1.01	.52	2.02	.53	3.03	.54	4.04	.55	30.3	60.6	91.0	21.3	51.6
89 05	0.496	0.99	1.49	1.99	2.48	2.98	3.47	3.97	4.47	29.8	59.6	89.3	119.1	148.9
6	.487	.97	.46	.95	.44	.92	.41	.90	.39	9.2	8.5	7.7	7.0	6.2
7	.478	.96	.43	.91	.39	.87	.35	.83	.30	8.7	7.4	6.1	4.8	3.5
8	.469	.94	.41	.88	.35	.82	.29	.75	.22	8.2	6.3	4.5	2.6	40.8
9	.460	.92	.38	.84	.30	.76	.22	.68	.14	7.6	5.2	2.9	10.5	38.1
89 10	0.451	0.90	1.35	1.81	2.26	2.71	3.16	3.61	4.06	27.1	54.2	81.2	108.3	135.4
11	.442	.88	.33	.77	.21	.65	.10	.54	3.98	6.5	3.1	79.6	6.1	2.7
12	.433	.87	.30	.73	.17	.60	3.03	.47	.90	6.0	2.0	8.0	4.0	30.0
13	.424	.85	.27	.70	.12	.55	2.97	.39	.82	5.5	50.9	6.4	101.8	27.3
14	.415	.83	.24	.66	.08	.49	.91	.32	.74	4.9	49.8	4.7	99.6	4.5
89 15	0.406	0.81	1.22	1.62	2.03	2.44	2.84	3.25	3.65	24.4	48.7	73.1	97.5	121.8
16	.397	.79	.19	.59	1.99	.38	.78	.18	.57	3.8	7.7	71.5	5.3	19.1
17	.388	.78	.16	.55	.94	.33	.72	.10	.49	3.3	6.6	69.9	3.1	6.4
18	.379	.76	.14	.52	.90	.27	.65	3.03	.41	2.7	5.5	8.2	91.0	3.7
19	.370	.74	.11	.48	.85	.22	.59	2.96	.33	2.2	4.4	6.6	88.8	11.0
89 20	0.361	0.72	1.08	1.44	1.81	2.17	2.53	2.89	3.25	21.7	43.3	65.0	86.6	108.3
21	.352	.70	.06	.41	.76	.12	.46	.82	.17	1.1	2.2	3.4	4.5	5.6
22	.343	.69	.03	.37	.72	.06	.40	.74	.09	0.6	1.2	1.7	2.3	2.9
23	.334	.67	1.00	.34	.67	2.00	.34	.67	3.01	20.0	40.1	60.1	80.1	100.2
24	.325	.65	0.97	.30	.63	1.95	.28	.60	2.93	19.5	39.0	58.5	78.0	97.5
89 25	0.316	0.63	0.95	1.26	1.58	1.90	2.21	2.53	2.84	19.0	37.9	56.9	75.8	94.8
26	.307	.61	.92	.23	.53	.84	.15	.46	.76	8.4	6.8	5.2	3.6	92.1
27	.298	.60	.89	.19	.49	.79	.09	.38	.68	7.9	5.7	3.6	71.5	89.4
28	.289	.58	.87	.15	.44	.73	2.02	.31	.60	7.3	4.7	2.0	69.3	6.6
29	.280	.56	.84	.12	.40	.68	1.96	.24	.52	6.8	3.6	50.4	7.1	3.9
89 30	0.271	0.54	0.81	1.08	1.35	1.62	1.89	2.17	2.44	16.2	32.5	48.7	65.0	81.2
31	.262	.52	.78	.05	.31	.57	.83	.09	.36	5.7	1.4	7.1	2.8	78.5
32	.253	.50	.76	1.01	.26	.52	.77	2.02	.27	5.2	30.3	5.5	60.7	5.8
33	.244	.49	.73	0.97	.22	.46	.71	1.95	.19	4.6	29.2	3.9	58.5	3.1
34	.235	.47	.70	.94	.17	.41	.64	.88	.11	4.1	8.2	2.2	6.3	70.4
89 35	0.226	0.45	0.68	0.90	1.13	1.35	1.58	1.81	2.03	13.5	27.1	40.6	54.2	67.7
36	.217	.43	.65	.87	.08	.30	.52	.73	1.95	3.0	6.0	39.0	52.0	5.0
37	.208	.41	.62	.83	1.04	.25	.45	.66	.87	2.5	4.9	7.4	49.8	62.3
38	.199	.40	.60	.79	0.99	.19	.39	.59	.79	1.9	3.8	5.7	7.7	59.6
39	.190	.38	.57	.76	.95	.14	.33	.52	.71	1.4	2.7	4.1	5.5	6.9
89 40	0.181	0.36	0.54	0.72	0.90	1.08	1.26	1.45	1.63	10.8	21.7	32.5	43.3	54.2
41	.171	.34	.51	.69	.86	1.03	.20	.37	.54	10.3	20.6	30.9	41.2	51.4
42	.162	.32	.49	.65	.81	0.97	.14	.30	.46	9.7	19.5	29.2	39.0	48.7
43	.153	.31	.46	.61	.77	.92	.07	.23	.38	9.2	8.4	7.6	6.8	6.0
44	.144	.29	.43	.58	.72	.87	1.01	.15	.30	8.7	7.3	6.0	4.7	3.3
89 45	0.135	0.27	0.41	0.54	0.68	0.81	0.95	1.08	1.22	8.1	16.2	24.4	32.5	40.6
46	.126	.25	.38	.51	.63	.76	.88	1.01	.14	7.6	5.2	2.7	30.3	37.9
47	.117	.23	.35	.47	.59	.70	.82	0.94	1.06	7.0	4.1	21.1	28.2	5.2
48	.108	.22	.32	.43	.54	.65	.76	.87	0.98	6.5	3.0	19.5	6.0	32.5
49	.099	.20	.30	.40	.50	.60	.70	.79	.89	6.0	1.9	7.9	3.8	29.8
89 50	0.090	0.18	0.27	0.36	0.45	0.54	0.63	0.72	0.81	5.4	10.8	16.2	21.7	27.1
51	.081	.16	.24	.33	.41	.49	.57	.65	.73	4.9	9.7	4.6	19.5	4.4
52	.072	.14	.22	.29	.36	.43	.51	.58	.65	4.3	8.7	3.0	7.3	21.7
53	.063	.13	.19	.25	.32	.38	.44	.51	.57	3.8	7.6	11.4	5.2	19.0
54	.054	.11	.16	.22	.27	.32	.38	.43	.49	3.2	6.5	9.7	3.0	6.2
89 55	0.045	0.09	0.14	0.18	0.23	0.27	0.31	0.36	0.41	2.7	5.4	8.1	10.8	13.5
56	.036	.07	.11	.14	.18	.22	.25	.29	.32	2.2	4.3	6.5	8.7	10.8
57	.027	.05	.08	.11	.14	.16	.19	.22	.24	1.6	3.2	4.9	6.5	8.1
58	.018	.04	.05	.07	.09	.11	.13	.14	.16	1.1	2.2	3.2	4.3	5.4
59	.009	.02	.03	.04	.05	.05	.06	.07	.08	0.5	1.1	1.6	2.2	2.7
89 60	0.000	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.0	0.0	0.0	0.0	0.0

Lat.	Latitude 89° to 90°—Meridional arcs.					Latitude 89°—Co-ordinates of curvature.			
	Value of 1''	Sums of seconds for middle latitude 89° 30'		Value of 1'	Continuous sums of minutes from latitude 89° 00'	Longitude.	X	Y	
° /	Meters.	''	Meters.	Meters.	'	Meters.	° /	Meters.	Meters.
89 00	31.027			1861.65			0 1	32.5	0.0
1	8	1	31.03	.65	1	1 861.7	0 2	65.0	0.0
2	8	2	62.05	.65	2	3 723.3	0 3	97.5	0.0
3	8	3	93.08	.65	3	5 585.0	0 4	130.0	0.1
4	8	4	124.11	.65	4	7 446.6	0 5	162.4	0.1
89 05	31.028	5	155.14	1861.65	5	9 308.3	0 6	194.9	0.2
6	8	6	186.16	.65	6	11 169.9	0 7	227.4	0.2
7	8	7	217.19	.65	7	13 031.6	0 8	259.9	0.3
8	8	8	248.22	.65	8	14 893.2	0 9	292.4	0.4
9	8	9	279.25	.65	9	16 754.9	0 10	324.9	0.5
89 10	31.028	10	310.28	1861.65	10	18 616.5	0 15	487.3	1.1
11	8	1	341.30	.65	1	20 478.2	0 20	649.8	1.9
12	8	2	372.33	.65	2	22 339.8	0 25	812.2	3.0
13	8	3	403.36	.65	3	24 201.5	0 30	974.7	4.3
14	8	4	434.39	.65	4	26 063.1	0 35	1 137.1	5.8
89 15	31.028	15	465.41	1861.65	15	27 924.8	0 40	1 299.6	7.6
16	8	6	496.44	.65	6	29 786.4	0 45	1 462.0	9.6
17	8	7	527.47	.65	7	31 648.1	0 50	1 624.5	11.8
18	8	8	558.49	.65	8	33 509.7	0 55	1 786.9	14.3
19	8	9	589.52	.65	9	35 371.4	1 00	1 949.3	17.0
89 20	31.028	20	620.55	1861.65	20	37 233.0	1 05	2 111.7	20.0
21	8	1	651.58	.65	1	39 094.7	1 10	2 274.2	23.2
22	8	2	682.60	.65	2	40 956.3	1 15	2 436.6	26.6
23	8	3	713.63	.65	3	42 818.0	1 20	2 599.0	30.2
24	8	4	744.66	.65	4	44 679.6	1 25	2 761.4	34.1
89 25	31.028	25	775.69	1861.65	25	46 541.3	1 30	2 923.8	38.3
26	8	6	806.71	.65	6	48 403.0	1 35	3 086.2	42.6
27	8	7	837.74	.65	7	50 264.6	1 40	3 248.6	47.3
28	8	8	868.77	.65	8	52 126.3	1 45	3 411.0	52.1
29	8	9	899.80	.65	9	53 987.9	1 50	3 573.3	57.2
89 30	31.028	30	930.83	1861.65	30	55 849.6	1 55	3 735.7	62.5
31	8	1	961.85	.65	1	57 711.2	2 00	3 898	68
32	8	2	992.88	.65	2	59 572.9	2 05	4 060.4	74
33	8	3	1 023.91	.65	3	61 434.5	2 10	4 222.8	80
34	8	4	1 054.94	.65	4	63 296.2	2 15	4 385.2	86
89 35	31.028	35	1 085.96	1861.65	35	65 157.8	2 20	4 547.6	92
36	8	6	1 116.99	.65	6	67 019.5	2 25	4 710.0	98
37	8	7	1 148.02	.65	7	68 881.2	2 30	4 872.4	104
38	8	8	1 179.05	.65	8	70 742.8	2 35	5 034.8	110
39	8	9	1 210.07	.65	9	72 604.5	2 40	5 197.2	116
89 40	31.028	40	1 241.10	1861.66	40	74 466.1	2 45	5 359.6	122
41	8	1	1 272.13	.66	1	76 327.8	2 50	5 522.0	128
42	8	2	1 303.16	.66	2	78 189.4	2 55	5 684.4	134
43	8	3	1 334.18	.66	3	80 051.1	3 00	5 846.8	140
44	8	4	1 365.21	.66	4	81 912.7	3 05	6 009.2	146
89 45	31.028	45	1 396.24	1861.66	45	83 774.4	3 10	6 171.6	152
46	8	6	1 427.27	.66	6	85 636.1	3 15	6 334.0	158
47	8	7	1 458.29	.66	7	87 497.7	3 20	6 496.4	164
48	8	8	1 489.32	.66	8	89 359.4	3 25	6 658.8	170
49	8	9	1 520.35	.66	9	91 221.0	3 30	6 821.2	176
89 50	31.028	50	1 551.38	1861.66	50	93 082.7	3 35	6 983.6	182
51	8	1	1 582.40	.66	1	94 944.3	3 40	7 146.0	188
52	8	2	1 613.43	.66	2	96 806.0	3 45	7 308.4	194
53	8	3	1 644.46	.66	3	98 667.7	3 50	7 470.8	200
54	8	4	1 675.48	.66	4	100 529.3	3 55	7 633.2	206
89 55	31.028	55	1 706.51	1861.66	55	102 391.0	4 00	7 795.6	212
56	8	6	1 737.54	.66	6	104 252.6	4 05	7 958.0	218
57	8	7	1 768.57	.66	7	106 114.3	4 10	8 120.4	224
58	8	8	1 799.60	.66	8	107 975.9	4 15	8 282.8	230
59	8	9	1 830.62	.66	9	109 837.6	4 20	8 445.2	236
89 60	31.028	60	1 861.65	1861.66	60	111 699.3	4 25	8 607.6	242

