
A WEEKLY JOURNAL OF PRACTICAL INFORMATION, ART, SCIENCE, MECHANICS, CHEMISTRY, AND MANUFACTURES.

Vol. LXXIV.—No. 20. ESTABLISHED 1845.

NEW YORK, MAY 16, 1896

\$3.00 A YEAR.
WEEKLY.



1. Reproducing gramophone. 2. Recording instrument. 3. Record disks. 4. Recording cornet solo. 5. Reproducing sound box. 6. Cross section of sound box. 7. Sound box in position for use. 8. Details of mechanism.
9. Part of a record. 10 and 11. Motor driven gramophone.

THE GRAMOPHONE—THE NEW TALKING MACHINE,—[See page 311.]

Scientific American.

ESTABLISHED 1845.

MUNN & CO.. Editors and Proprietors. PUBLISHED WEEKLY AT

No. 361 BROADWAY, NEW YORK.

TERMS FOR THE SCIENTIFIC AMERICAN. (Established 1845.)

The Scientific American Supplement (Established 1876)

is a distinct paper from the SCIENTIFIC AMERICAN. THE SUPPLEMENT is issued weekly. Every number contains 16 octavo pages, uniform in size with SCIENTIFIC AMERICAN. Terms of subscription for SUPPLEMENT, \$5.00 a year, for the U. S., Canada or Mexico, \$6.00 a year to foreign countries belonging to the Postal Union. Single copies 10 cents. Sold by all newsdealers throughout the country. See prospectus, last page.

Combined Rates.—The SCIENTIFIC AMERICAN and SUPPLEMENT will be sent for one year, to one address in U. S., Canada or Mexico, on receipt of seven dollars. To foreign countries within Postal Union eight dollars and fifty cents a year.

Building Edition of Scientific American. (Established 1885.)

THE BUILDING EDITION OF THE SCIENTIFIC AMERICAN is a large and spiendidly illustrated periodical, issued monthly, containing floor plans and perspective views pertaining to modern architecture. Each number is illustrated with beautful plates, showing desirable dwellings, public buildings and architectural work in great variety. To architects, builders and all who contemplate building this work is invaluable.

Single copies 25 cents. By mail to any part of the United States. Canada or Mexico. \$2.50 a year. To foreign Postal Union countries, \$3.00 a year. Combined rate for Building Edition, scientific American, to one address, \$5.00 a year. To foreign Postal Union countries, \$6.50 a year. Combined rate for Building Edition, Scientific American and Supplement, \$3.00 a year. To foreign Postal Union countries, \$11.00 a year.

Export Edition of the Scientific American (Established 1878)

with which is incorporated "La America Cient Ifica e Industrial," or Spanish edition of the Scientific American published monthly, uniform in size and typography with the Scientific American. Every number contains about 50 pages, profusely illustrated. It is the finest scientific, industrial export paper published. It circulates throughout Cuba, the West Indies, Mexico. Central and South America, Span and Spanish possessions—wherever the Spanish language is spoken. THE SCIENTICA AMERICAN EXPORT EDITION has a large guaranteed circulation in all commercial places throughout the world. \$3.00 a year, post paid to any part of the world. Single copies, 25 cents.

MUNN & CO., Publishers, 361 Broadway, New York, The safest way to remit is by postal order, express money order, raft or bank check. Make all remittances payable to order of MUNN

Fraction: Readers are specially requested to notify the publishers in case of any failure, delay, or irregularity in receipt of papers.

NEW YORK, SATURDAY, MAY 16, 1896.

Contents.

(Illustrated articles are marked with an asterisk.)

TABLE OF CONTENTS OF

SCIENTIFIC AMERICAN SUPPLEMENT

No. 1063.

For the Week Ending May 16, 1896.

Price 10 cents. For sale by all newsdealers.

I. ARCHÆOLOGY.-Life in Babylonia in Patriarchal Times.-By Theo. G. Pinches, M.R.A.S.-Containing the results of recent explorations.

16884

II. ARCHITECTURE AND BUILDING.—The Mosaic Decoration of St. Paul's.—Anaccount of this extensive decoration, which has just been completed.—I engraving.

1811. CIVIL ENGINEERING.—The Mexican Drainage Canal.—A detailed description of the old and present plans.

The Chamonix Railway.—This new project provides for a rack railway between Chamonix and the Mer de Glace.—If the scheme is carried out, it will be one of the most remarkable railways in Switzerland.—3 illustrations.

A Chinese Railroad.—The line from Tientsin to Shan-Hai-Kuan.—A report by the United States consul at Tientsin.

16995

IV. ELECTRICITY.—Recent Improvements in America and Europe

—A report by the United States consul at Tientsin.

IV. ELECTRICITY.—Recent Improvements in America and Europe in the Storage of Electricity.—By HERBERT LLOYD.—This important paper gives a resume of all of the principal storage battery installations that have recently been made.

V. ETHNOLOGY.—The New City Museum in Bremen.—Engravings are given of two groups illustrating incidents in the life of the German state in East Africa.—2 illustrations.

VI. MARINE ENGINEERING.—The Bazin Roller Boat.—This vessel is now being built on the Seine and designed to roll over the water—I illustration.

1699

I. MISCELLANEOUS.—Ancient Toys.—An interesting account of the toys of the ancient Egyptians, the Greeks and the Romans.—Many curious engravings.—15 illustrations...—The Chronicles of Froiszark.—A review of the new translation of the mediawal chronicles of Froiszark.—2 illustrations...— An inter f the mediæval chronicles of Froissart.—2 illustrations.
Watches for Oriental Countries
Electrical Notes.
Engineering Notes.
Miscellaneous Notes.
Selected Formulæ

VIII. NATURAL HISTORY.—The Composition of Expired Air and its Effects upon Animal Life.—The investigations were carried on by means of a grant from the Hodgkins fund, Smithsonian Institution.—It deals with the peculiar substances of organic origin contained in expired air, with special relation to ventilation problems...

problems.

IX. PATENTS AND INVENTION.—Report of the Commissioner of Patents for the Year 1835.—A summary of the tables printed in the report; also giving the actions of the office, the prosecution of cases by applicants, the scientific library, the patent bar, recommendations of the Patent Committee of the American Bar Association, the necessity of more room in the Patent Office, etc., together with a list of inventors who have taken out more than 100 patents each. Notice.—Announcement of the SCIENTIFIC AMERICAN prize for an essay on "The Progress of Invention During the Last Fifty Years."

An essay of The Frogress of Invention During the Last Fit 16999

X. PHOTOGRAPHY.—Halatton—Why it Occurs and How to Prevent it.—By T. Bolas, F. C.S., F. I.C. 16992

XI. TECHNOLOGY.—A New Glass Product. 16985

The Commercial Value of Acetylene Gas as an liluminant.—By LEWIS A. FERGUSON.—An interesting paper read before the National Electric Light Association. 16991

Division Tablefor a Photometer Bar. 16992

XII. TRAVEL AND EXPLORATION.—Travels in Cambodia and Java.—Mr. Albert Tissandrer's travels in the Indies.—4 illustra-1685
The Egyptian Army and the Nile Campaign.—This article gives an account of the recent events in Upper Egypt.—I illustration... 1683

THE NATIONAL ELECTRICAL EXPOSITION.

The managers of the National Electrical Exposition, of which we give a detailed notice on another page, have every reason to be gratified at the success which marked the formal opening at the Grand Central Palace, New York, on Monday, May 4. It speaks well for the future extended use of electrical appliances among the people at large, and for the increasing popular interest in matters of purely scientific and technical interest, that for half an hour previous to the opening hour the street was filled with an expectant crowd, and that the interior of the spacious hall was closely packed with an enthusiastic audience. This is not the first occasion during this season on which industrial and artistic exhibitions have been crowded, while the various local theaters and amusement halls have been complaining of the paucity of their attendance. Without in any sense decrying the value and necessity for the latter institutions, we cannot but express our gratification at this growing popular interest in the various arts and sciences, to the awakening and sustaining of which interest we have endeavored to do our share during the past half cen-

After a careful inspection of the exhibit it is difficult to realize that all this practical development of the electrical art has been the work of a single generation; yet if we turn from the modern to the historical section, it is at once evident that the date of the birth of the practical age of electricity falls easily within the last twenty to thirty years. While it is true that some of the simplest properties of electricity were dimly perceived by the ancients, and its history dated from the remote past, it was not until the seventies of the present century that electric light and power demonstrated to the public satisfaction their practical commercial value. The very excellent historical exhibit lends a special interest to the exposition as showing this later development in concrete form; and the principle crudely embodied in the models in the Patent Office exhibit may be seen expressed in a perfect mechanical form in the varied display of modern industrial and domestic appliances.

RAPID TRANSIT IN NEW YORK CITY.

In a recent issue we drew attention to the fact that the rapidly increasing traffic on the New York surface and elevated roads demanded a more immediate relief than could possibly be afforded by the proposed Broadway tunnel, and suggested that the speediest way out of the difficulty would be to extend the existing elevated roads and enlarge their capacity. The Rapid Transit Commission have claimed that though they have been open to suggestions from the elevated roads, looking to an extension of the system, no proposition has as yet been laid before them.

We are glad to notice, however, that Mr. Gould and Mr. Sage, in an interview with Mayor Strong, on May 4, submitted a proposition for an extension of the elevated roads and a considerable increase in their present capacity. The proposed new lines consist of an extension of the Ninth and Sixth Avenue lines from the present uptown terminus to the west side city limits. It also provides for crosstown connection by way of Canal and Center Streets with the terminal station of the Third Avenue line, at City Hall Park.

The proposed west side extension will, of course, be very welcome to the residents who will be served by it, and it will do much to build up the district through which it passes. A proposal, however, which is of greater importance, and will benefit a far larger portion of the traveling public, is that to lay a third track on all the existing lines upon which there are but two tracks at present, and upon all the extensions, and to run express trains over the whole system. It is the intention of the Mayor to submit the proposition to the Rapid Transit Commission; and as there is no necessary antagonism between it and the proposed tunnel, it is to be hoped that they will give it their full indorsement.

Even if the proposal of the elevated roads be immestrong demand for the tunnel line by the time, or city it will serve a district which lies midway between the Third and Sixth Avenue lines, and it will help to accommodate a traffic which has already overtaken the capacity of the existing surface roads.

give speedy relief, and the proposal now before Mayor Strong is the only one in sight which promises to do

THE PATENT COMMISSIONER'S REPORT FOR 1895.

The Patent Commissioner's Annual Report is a document which has a special interest in a country like our own, which owes its wealth and power so largely to the genius and patience of the inventor and to the recognition and protection which are afforded him by our admirable system of patent laws.

The report for 1895 shows that there were 39,145 applications for patents in 1895, and 21,998 granted. There 429, for the construction of a building for the use of the was a surplus of receipts over expenditures of \$160,750, Patent Office, an imperative necessity. Failing this,

bringing the total balance to the credit of the Patent Office in the United States Treasury up to \$4,529,886. In every year since 1861 there has been a surplus over all expenditures.

In proportion to population, more patents were issued to citizens of Connecticut than to those of any other State—one to every 927 inhabitants. Then follow the District of Columbia, with one to every 1,047; Massachusetts, one to 1,248; Rhode Island, one to 1,528; New York, one to 1,694; Colorado has one to every 1,917. The fewest patents in proportion to population were granted in the South, where Mississippi has one to every 34,854 inhabitants; North Carolina, one to every 24,891; and Georgia, one to every 16,117. Of the patents issued, 2,049 were granted to citizens of foreign countries, and of these, 614 were to residents of England, being a larger number than to residents of any other foreign country.

As the result of an effort made through the various diplomatic representatives of the United States residing abroad, the library now possesses a record of 981,961 patents issued by foreign countries. A comparison with the United States shows that, prior to 1870, the total number of patents granted by the United States was 108,416 and by foreign countries 222,615. The total number granted up to date is for the United States, 562,458, and for foreign countries, 981,961, making a grand total for the world, from the earliest records up to 1895, of 1,544,419.

The following is an alphabetical list of twenty-five inventors to each of whom the Patent Office has granted more than 100 patents, the whole number granted to these inventors being 4,894: Edward J. Brooks, 116; George D. Burton, 128; Luther C. Crowell, 147; Peter C. Dederick, 107; Thomas A. Edison, 711; Rudolf Eickemeyer, 158: Louis Goddu, 131; Rudolph M. Hunter, 228; John W. Hyatt, 198; Hiram S. Maxim, 131; Arthur J. Moxham, 144; Lewis Hallock Nash, 119; Edwin Norton, 125; Feeborn F. Raymond, 2d, 144; George H. Reynolds, 101; Francis H. Richards, 343; Cyrus W. Saladee, 148; Walter Scott, 109; Charles E. Scribner, 248; Sydney H. Short, 111; Elihu Thomson, 394; Charles J. Van Depoele, 244; George Westinghouse, Jr., 217; Edward Weston, 274; William N. Whiteley, 118.

In the whole of the report there is no question of more vital importance to the inventor than that of the enactment of rules and regulations concerning the admission to a solicitors' bar of those entitled to practice before the Patent Office.

The commissioner strongly recommends that such a bar be established. As the matter now stands, there is practically no guarantee required either of the character or capacity of a practitioner. "Any one who has not been proved before the Patent Office to have retained the money of his client, or to have been guilty of other gross misconduct, is permitted to practice before the office," and it is a fact that there are to be found unscrupulous and unqualified men who do not hesitate to go before the office having in charge cases for the conduct of which they are utterly unqualified. The report states that, "it not infrequently happens that a practitioner instead of bestowing the requisite labor and care" upon a meritorious invention, most of the claims for which have been poorly drawn up, and have been rejected by the office, "promptly directs the cancelation of all claims objected to, and thus puts the application into condition for allowance with an inadequate claim." Appeals are also taken upon a case "for no assignable reason other than to secure from some unlettered client the appeal fee." Another class is spoken of as "lying in wait" for those who come to present their inventions in person. They are to be found around the Patent Office elevator, and they have no other place of business than the attorneys' room in the Patent Office."

It is high time, both in the interests of the reputable attorney and his client, that such a patent bar as the commissioner suggests was established; and this strong denunciation of so-called patent attorneys and bogus firms, whose sole object is plunder, is very timely. They not only rob the "unlettered client," but they diately carried out, it is likely that there will be a cast a shadow upon the reputable practitioner, and bring discredit upon the Patent Office itself-and this soon after, it is completed. In the lower part of the just at the very time when the hands of that institution need to be strengthened.

The report makes favorable reference to the bill prepared by the patent committee of the American Bar Association, and now before the House of Representa-The pressing need, however, is a scheme which will tives, which we discussed editorially in our issue of April 18.

The attention of Congress is called to the pressing need of the Patent Office for enlarged accommodation. It seems that a large part of the building, which was originally intended for the exclusive use of the Patent Office, has been appropriated to the use of other governmental departments. The result is that "the force of the Patent Office is scattered in remote parts of the building; its valuable records are disposed upon all the floors and are at all times exposed to the danger of conflagrations and other loss;" and there are other disabilities which render the passage of Senate bill present building for the exclusive use of this department.

We heartily indorse the suggestion that an exhibition hall for models should be established in which the valuable collection of models already in possession of the office could be permanently housed and open to public inspection. Our readers will agree with the commissioner that it was "a public calamity when the office was compelled to suspend receiving models for want of space in which to exhibit them." The success of the exhibit of Patent Office models at the Chicago and Atlanta expositions and the very instructive historical exhibit now to be seen at the Electrical Exposition at New York, indicates how instructive and historically interesting such a national hall of models would be. It would be a concrete history of our national progress in the industrial arts.

The report finally draws attention to the need for a more thorough system of classification of the accumulated records of the world relating to the granting of patents or the description of inventions. The necessity for complete and readily accessible records will be understood when it is remembered that "while al patents are prima facie valid, no patent will be finally sustained by the courts which purports to secure to the grantee the exclusive use of an improvement which has been before patented in this or in any foreign country, or which has been described in any printed publication in any language before the invention thereof by the patentee." The matter at the Patent Office has been classified "with great care, and yet not with that full perfection" which is indispensable. This "full perfection" can only be secured by a "separate division of experienced examiners, devoted exclusively to the work of classification." The commissioner is of the opinion that the work could be so exhaustively carried out by such a division that no patent could be issued without an inspection of all that is in print pertaining to the same art. The work could be completed in five years at a cost of \$64,500.

We think that the sum named is reasonable in view of the great value of the result. A perfect classification of the above records is absolutely necessary to the protection of the inventor. In granting a patent the Patent Office should be in a position to know with certainty that there could be no possible subsequent loss to the inventor on the ground of previous publi-

The commissioner closes the report with an extremely valuable categorical review of the growth of industrial arts during the past twenty-five years. The object and the execution of this work are alike admirable. It reflects the greatest credit upon the Patent Office, and is a clear evidence of the earnest sincerity with which it has always endeavored to safeguard the interests of the inventor.

The commissioner's report is published in the current issue of the Supplement.

The New Columbia.

The spacious and charming site of Columbia Univer sity, New York City, was dedicated on May 2, with impressive ceremonies, in the presence of many thousand visitors. In the morning the exercises attending the laying of the cornerstones of the Physics building and Schermerhorn Hall were of a semi-private nature, the real celebration taking place in the afternoon. The morning ceremonies took place amid workmen's sheds and piles of cement, derricks and heaps of granite blocks, but the friends of Columbia could picture to themselves the imposing group of buildings which are so soon to rise on Morningside Heights. The procession included the members of the faculty, officers the college, trustees, architects and speakers. Dr. Marvin R. Vincent acted as chaplain and Prof. Ogden N. Rood applied the mortar to the foundations and the heavy cornerstone of the Physics building was lowered into place. J. Howard Van Amringe, Dean of the College, delivered an address. Dr. Dix acted as chaplain when the foundation of Schermerhorn Hall was reached. The cornerstone was then laid by Mr. Wm. C. Schermerhorn, the donor of the building and chairman of the board of trustees. Dr. Henry Fairfield Osborn delivered the address. The procession then reformed, and the next two hours was spent at luncheon and enjoying an informal reunion. Luncheon was served in a big tent near the partially

At two o'clock the procession began to form for the afternoon exercises. The procession was made up in the main as in the morning, and included the clergy, professors and tutors, officers of the college, undergraduates, alumni, guests and speakers. While the professors and students in their caps and gowns were assembling in the college grounds, the Seventy-first Regiment was marching up Amsterdam Avenue escorting Lafayette Post, G. A. R. The band struck up "Hail the results promise to be interesting. One of the exto the Chief," and a mighty cheer went up as soon as Governor Morton arrived in his carriage. In the meantime the procession was passing into the great tent ever so coddled and fostered by the offer of large rewhich had been erected in the south court. It was soon filled with the undergraduates and the under-try have not been worth the cost.

the very least that should be done is to reserve the graduates of Barnard College, the members of the faculty and the invited guests. The exercises were begun by a prayer by the Rev. Edward J. Coe. He was followed by Seth Low, the President of the University, who made an eloquent address. Members of Lafayette Post and their escort then came forward to perform the ceremony for which they had assembled. Adjutant Wilbur F. Brown presented the national flag, with a flagstaff and pedestal of granite and bronze, with fitting remarks. The colors were then accepted are ninety-nine Indian colleges affiliated with the uniby President Low. When this ceremony was ended the dedication ode, written in Latin for this occasion by Prof. H. T. Peck, was sung by the student body under the leadership of the glee club, then came the speech of the day, which was delivered by the Hon. Abram S. Hewitt. When Mr. Hewitt had finished, Dr. Charles W. Eliot, the President of Harvard University, delivered an address. By this time darkness was beginning to steal over the heights, and the audi-stricken with anthrax were carried out. These experience was dismissed after the benediction, which was pronounced by Bishop Potter.

> It has been often said that the citizens of New York were not proud enough of Columbia, manifesting too slight a concern for its growth and contributing too little to its material support, but this is true no longer. It is to-day a university in the true sense of the word and a change of place was essential to its upgrowth, and the officers of the university have been wise and fortunate in choosing a site which will at the same time give it seclusion and which is well adapted for the pursuit of scholastic studies.

Obituary.

FRANK HENRY.

Frank Henry, inventor of the feller (foot hemmer) and many other devices in connection with sewing machine attachments, died at his home, 5520 Main Street, Germantown, Philadelphia, Monday, April 6, 1896, of pneumonia.

Mr. Henry was of Scotch Puritan ancestry, and was born at Norwich, Conn., in 1821. He was the only son of David Henry, M.D.

About 1840 he came to Philadelphia and graduated in pharmacy. He then began the study of medicine at the University of Pennsylvania, but before completing his course, he became interested in the manufacture of artificial limbs. This diversion from his original bent inclined his mind toward mechanical devices, and changed his career. In 1853 his penchant for experimenting with sewing machines began, which business was then in its infancy.

Among those of his colleagues interested in his work were the late Mr. Charles Lennig, the well known chemical manufacturer; the late Dr. D. Eldredge Rice, of the Elliptic Sewing Machine Company; Mr. Cheney and Mr. G. B. Sloat, of Philadelphia; the late Mr. Wheeler, of the Wheeler & Wilson Manufacturing Company, of Bridgeport, Conn.; Mr. E. H. Craige, of the Domestic Sewing Machine Company, of New York, and Mr. H. C. Goodrich, attachment manufacturer, of Chicago, Ill. Mr. Henry's name was seldom seen in connection with his many inventions, he preferring others to carry out his ideas; but his name was familiar from its long and intimate association in the minds of the older sewing machine fraternity. From 1853 until 1866 he was connected with the Wheeler & Wilson Manufacturing Company. The first intricate sewing machine stitching exhibited at the Chestnut Street office, Philadelphia, was done by his skillful hands.

Among other devices he invented in 1856 the spiral scroll hemmer and feller combined: in 1857 the Wheeler & Wilson presser arm tucker; in 1860, the star cluster hemmer; in 1867, the foot corder patent, etc. Of the many inventions of the past, few have ever proved more useful to the public or more profitable to the maker than the little device known as the "feller" for felling seams on a sewing machine. This was probably the most valuable of Mr. Henry's inventions, and is now in general use on all sewing machines.

In 1870 Mr. Henry became associated with Mr. Goodrich in the manufacture and improvement of their many inventions at Chicago, Ill., until 1890, when he retired. While Mr. Henry's inventions were chiefly connected with sewing machine works, he invented and patented many other novelties and household articles, among them, in 1875, the hand hem folder; in 1880, the Monitar jar, etc.

A New Horseless Carriage Race.

The Rhode Island State Fair Association announces that \$5,000 will be given in prizes in a series of horseless carriage races to be held during its annual exposition week at Narragansett Park, Providence, R. I., in September. Racing of this kind has been attempted before, but never on so large a scale. The series of races will be held on a regulation trotting track, and hibition buildings will be set apart for a horseless carriage exposition. Certainly no "infant industry" was wards; up to the present time the results in this coun-

Science Notes.

The Fort Pitt Street Railway Company, of Pittsburg, has given \$100,000 for a zoological garden at Highland Park.

According to Prof. Bodio, of 8,254 communities in Italy, 1,454 have no supply of pure water, and 4,877 no regular sewage system.

At Calcutta University 2,743 students are matriculated, more than five times as many as in 1865. There versity, which receives no public money in any shape.

Prof. Wortoff, of Moscow, who held the chair of bacteriology at that university, has died of blood poisoning caused by a wound in the neck, inflicted upon him by the explosion of a flask containing a bacterial culture.

It has been decided to honor Pasteur in the district where his first experiments in vaccinating sheep ments were made at Pouilly-le-Fort, in 1881. The statue is to be erected at Melun, near Fontainebleau.

Dr. Wm. H. Wahl, for many years resident secretary of the Franklin Institute, has been honored by the French government by election as "Officier d'Académie," with the decoration of the "palmes academiques," in recognition of his labors as secretary of the Franklin Institute.

Prof. Raoult, of Grenoble, has received the biennial prize of \$4,000 from the Academy of Sciences for his discovery of the numerical ratio between the molecular weight of a substance and the difference produced on the freezing point of the liquid that dissolves it by its addition thereto, as well as on the expansion of the vapors in the liquid.

The carbon dioxide in the atmosphere of Edinburgh has been determined daily for the last three years by Dr. C. H. Stewart, of the Public Health Laboratory of that city. In 1893, the proportion 3.96 in 10.000: in 1894, 3.72: in 1895, 3.45. It should be remembered that comparatively little carbon dioxide is yielded by clay soil like that of Edinburgh.

In French surgery, hypodermic injections of artificial serum are used to combat the weakness following operations, says the Medical Record. The serum used is known as "Hayem's," and consists of sodium chloride, 5 grammes; sodium sulphate, 12 grammes; distilled water, 1 liter. This fluid is sterilized by being brought to the boiling point.

Oxalate of lime is found in the bark of trees. The strange discovery has recently been made by Dr. Kraus, in Germany, showing that there is a steady loss of these crystals during the winter season. Just after spring growth had commenced a currant (Ribes sanguineum) had lost 16 per cent, the common dog rose 28 per cent, and the common apple 50 per cent. Just what part this change of proportion plays in the economy of plant life is unknown.

Drs. Gebhard, Fraenkel, and Grawitz have shown, says Modern Medicine, that there is a notable increase in the proportion of the number of corpuscles in the blood in persons who go from a low to a high altitude. This increase takes place in from twenty-four to thirtysix hours. It is possible that this fact may be one of the reasons for the beneficial effects of high altitude in cases of pulmonary tuberculosis. The increase in the red corpuscles is attributed to the desiccating effects of a high atmosphere.


The use of oxygen in combination with chloroform in anæsthesia originated, according to the British Medical Journal, with Neudorfer, and was in vogue in Vienna about ten years ago. Bertel, in a communication to the St. Petersburg Medical Society, asserted that more rapid and successful anæsthesia followed its use. A number of other Russian surgeons have employed it. According to the Medical Press, sixty-one deaths have occurred during the administration of anæsthetics in the United Kingdom in the past year. Fifty-two of these have been due to chloroform.

Since it has become known that milk in a bucket standing in a sick room will absorb germs, a recent writer (Medical Press and Circular) has applied the idea in the treatment of smallpox, fevers, diphtheria, etc., with marked success. The patient is laid on a mattress covered with blankets. He is then packed in a sheet saturated with milk, covering the entire body, in which condition he remains an hour. A warm water bath is then given, after which the surface is dried and the patient is put to bed.

Dr. Deninger, of Dresden, says the Practical Engineer, is reported to have prepared carbon monosulphide pure for the first time, and finds that, instead of being, as described in the text books, an amorphous red solid, it is really a colorless gas. He prepared it by heating dry sodium sulphide with chloroform, or preferably iodoform, in sealed tubes, to 180° C., the gaseous products being made to bubble through aqueous caustic potash, which absorbed the sulphureted hydrogen, and the carbon monosulphide passed through unabsorbed. By acting upon carbon disulphide with sodium, in the presence of some aniline. the new gas was also obtained. It is colorless, and easily condensable to a clear liquid, which evaporates rapidly and is extremely explosive.

AN IMPROVED SPRING SEAT.

The illustration represents a seat of novel and inexpensive construction adapted for use on agricultural machines, locomotives, etc. It has been patented by Charles F. Davy, of Starkville, N. Y. The improved seat is attached to a seat standard by a bolt, and consists practically of two sections, a lower frame section having oppositely diverging arms at opposite ends and an upper frame section also having oppositely diverging arms at opposite ends. The arms of the upper section depend below the arms of the lower section. springs uniting the arms of the respective sections, while side springs connected at one end near the center of one section connect diagonally with their opposite ends with arms of the other section, to prevent undue



DAVY'S SPRING SEAT.

rocking movement of the seat and hold it moderately steady. The seat, while capable of moving in all directions, is held in position by the springs, and made comfortable at all times.

Photographic Prints on Plain Paper. BY THOMAS EARP.

I find that Rives No. 24 plain paper is all that can be desired for moderate sized prints. Whatman's rough drawing and Michallet's crayon paper are excellent for large work, the latter giving very fine prints of a red color without any toning.

It is necessary to point out that few English papers are of any use, and that attempts to employ them will lead to disappointment. Care must further be taken to sensitize the right side of the paper; an inspection of the water mark will suffice to show this, in the case of Rives paper, and in the rough papers the difference of surface will be a sufficient guide. It is best to mark in pencil the wrong side before preparation.

When salting the paper, the sheets should be immersed one at a time to the number of six, each sheet being turned, and the surfaces freed from air bubbles before another sheet is placed in the bath, then they should be turned over in a body and removed singly. being drawn between the edge of the dish and a glass rod resting against it in order to remove superfluous solution from both surfaces. The sheets when thoroughly dry should be kept flat in a portfolio, so as to avoid difficulty in floating on the sensitizing bath.

Thick, rough papers require longer immersion, etc.. in all stages. Sensitizing should be performed as short a time as is possible before the paper is required for use; the dish used only for this purpose having at least a quarter or three-eighths of an inch depth of solution, so as to minimize the risk of air bubbles.

In preparing to float the paper on the sensitizing bath, the sheet should be held by opposite ends or corners, with the wrong side uppermost, and bent so as to cause the lower side to curve with its center downward. The center of this curve should be brought gently into contact with the solution in the dish, and the ends gradually lowered until the sheet lies flat on the bath, any air bubbles which may be observed on raising the paper for inspection being removed with the edge of a small piece of blotting paper.

When the paper is very dry it will be found to curl up on being floated on the solution, and it is well to have two pieces of lath, a little less in length than the paper is wide, and to lay these gently on the back of the floating paper to keep it flat. A pair of ebonite tweezers are useful for lifting the sensitized paper, from which any surplus solution may be removed by drawing it over the edge of the sensitizing dish, and the use of them will obviate finger staining with the silver solution, and marks on the paper from being touched by the fingers. Float for two minutes.

The paper should be dried quickly, and if not used within a few hours, should be stored in a chloride of calcium tube, which may be efficiently improvised with one of the self-closing tins now commonly in use, a small earthen jar containing the calcium chloride being placed within it.

When printing in damp weather a dampproof pad is desirable; no doubt a celluloid film which I have seen recommended would be very efficient; the rubber ments.

pads sometimes used will not answer, as they stain the paper badly.

In finishing the prints, we obtain, by direct immersion in the fixing bath and subsequent washing, pleasing brown tints on Rives paper. These tints can be modified, after rinsing slightly from hypo, by immersion in a weak solution of a bichromate.

By the usual process of washing and toning in a weak acetate of soda and gold bath, we get perfect engraving black tints in the fixed and finished prints.

Michallet's crayon paper (cream tint) gives fine reds by merely fixing without washing. Whatman's drawing paper will yield similar red tints if treated with bichromate, as recommended above, after fixing. Of rough papers, I should give the preference to Michallet's for large work.

Having, I think, dealt quite fully with every point connected with the preparation of the sensitized paper, it may be convenient to append the formulæ for preparing the sensitized paper:

1.—SALTING SOLUTION.

Chloride of sodium (fine table salt)......100 grains (say $\frac{1}{4}$ ounce).

Solution of a bichromate to be added, a drop or two at a time, till a clear lemon color is obtained. N. B. -Avoid excess of bichromate.

2.—SENSITIZING SOLUTION.

Liq. ammonia to be added to the solution till the precipitate at first formed is just redissolved. N. B. -Avoid excess of ammonia.


An acid sensitizing solution may be employed, adding one drop per ounce of nitric acid instead of the ammonia, or a proportion of citric acid if desired. The prints; the former has not such effect.

In either case the prints require to be treated with an alkaline solution, say of washing soda, before toning.-Photography.

AN IMPROVED COAL CRUSHER.

A crusher more especially designed for disintegrating bituminous coal, to improve the quality of the coke made therefrom, is shown in the accompanying illustration, and has been patented by Samuel Evans, of Elkhorn, West Virginia, and Francis J. Morgan, of No. 1023 South Jefferson Street, Roanoke, Va. The machine has a feeding and crushing roll and a cutting roll, adapted to rotate toward each other at different rates of speed, the foundations of the roller shafts being placed a suitable distance apart to form a delivery space and chute for carrying off the crushed material. On the periphery of the feeding and crushing roll are bolted segmental sections with diamond shaped ribs extending transversely at a slight inclination to the axis of the roll, the other roll having similar attached sections whose ribs are ratchet shape, with the cutting edges in the direction of the travel of the roll, and standing at an angle to the axis of the roll in an opposite direction to the ribs of the first roll.

Between the two rolls, as shown in the small view, is




EVANS AND MORGAN'S COAL CRUSHER.

arranged a table with segmental sides and ratchet and diamond-shaped ribs, the table being vertically adjustable, so that its sides may be moved nearer to or farther from the peripheral surfaces of the rolls, as the material is to be reduced to a finer or coarser state. In order to prevent the breaking of the ribs by iron or other hard substances passed between the rolls, the inner roll bearings are set on rollers held on plates. permitting the bearings to slide and move the rolls apart, the shafts at their other ends being journaled in outer bearings by ball and socket joints.

The sum of \$2,500 has been granted to the St. Petersburg Medical Academy for carrying out X ray experi-

A COMBINATION ICE SHAVER AND MILK SHAKER.

To facilitate making a "milk shake" or other summer drink, the combination device shown in the illustration is adapted, while shaking the milk, to simultaneously cut or shave ice from a block for use in preparing the next drink. For this improvement a patent has been allowed to Max Raubold, of No. 758 East Market Street, Louisville, Ky. On turning the handle a gear and pinion actuate a crank disk and pitman to reciprocate a crosshead moving in vertical guideways,



RAUBOLD'S ICE SHAVER AND MILK SHAKER

latter addition greatly modifies the color of finished the crosshead carrying saucers to receive the glasses, the tops of which are engaged by covers held in place by set screws in a bracket extending upward from the crosshead. On the inner end of the operating shaft is a gear wheel in mesh with a gear near the outer periphery of a wheel across whose diameter extends a knife adapted to engage with its cutting edge the under side of a block of ice in an adjoining receptacle, the shaved ice passing through the open wheel into a hopper by which it is directed into the mixing receptacle. To prevent the turning of the ice as the revolving knife cuts away its under side, the top of the block is engaged by points on the under side of a disk held on a screw rod extending up through the cover of the receptacle, the turning of a handle on the upper end of the screw rod bringing the points down into firm engagement with the ice. The ice receptacle is hinged to its base, permitting the ice to be readily taken out and stored in the ice box or placed in position for shaving, and the milk shaker may be conveniently disconnected from the ice shaver, allowing the latter, if desired, to be used as a single device.

Cycling Notes.

The novelist Rudyard Kipling, who for a long time has been an anti-cyclist, has recently learned to ride the wheel.

The Michaux Club of New York has introduced a variation of the Virginia Reel, called the "Wheel Reel." The riding is done very rapidly, the music playing at a lively rate.

Biltmore, the new estate of Mr. George Vanderbilt, is a wheelman's paradise. There are 95,000 acres in the estate and the system of roadways is so perfect that Mr. Vanderbilt, who is a wheelman, can go a hundred miles over a macadamized road without going off his estate.

The sprockets on wheels of this year's pattern are larger than heretofore. Large sprockets mean less friction, diminished tension on chain and consequently less pressure on the rear wheel and crank shaft bearings. They also tend to prevent the bending of the rear forks.

The physicians of Chicago enjoy peculiar privileges as regards transportation. For fifty cents he can procure of the city clerk a badge with a red cross which gives him the right of way. The physician can then pin on the badge and mount his wheel or carriage and all vehicles are obliged to yield him precedence.

A decree has just been rendered by the Minister of France which defines the status of cyclists in that country; the decree, while it compels the cyclist to carry a lamp, a bell and a name plate, recognizes their full right to the road. Cyclists are also permitted to use the foot paths outside of towns when the road is stone paved or undergoing repairs.

Sometimes the wick in a lamp will obstinately refuse to turn up in the ordinary manner, says the Wheel. It will seem firmly wedged at one side, while the other runs up in a point, causing the impatient owner weariness and vexation of spirit. To overcome this particular brand of lamp depravity, get a new wick, draw out a thread near the selvedge, and the wick will be found to be quite tractable when introduced into the burner, the cogs rapidly taking it up, and it will give an even flame when lighted.

GRAND CENTRAL PALACE, NEW YORK.

in the Grand Central Palace in this city, has been organized in connection with the third convention of the National Electric Light Association in this city. with the dynamo, and the whole stands clear of the It was formally opened by Governor Morton on the floor upon three steel points. At 300 revolutions main floor in the large hall. The Edison Illuminat-

evening of Monday, May 4, and if the dense crowd which thronged the building is an earnest of the attendance throughout the month during which it will be open, it should be a complete success.

The excellence of the exposition was somewhat marred by the incompleteness which so often marks an opening night; as may be judged from the fact that neither Mr. Tesla nor Mr. Edison had their promised displays in working order. The various belated exhibitors, however, will soon have everything in place, and the opening of the second week will see the exposition in full swing. At the close of an oration by Commodore P. Vedder on the subject of "The Electrical Era," Governor Morton, using the same golden key with which President Cleveland set in motion the machinery of the World's Fair, turned on a flood of electric illumination, and a framework of vacuum tubes which surrounded him was set aglow with a blue fluorescent light. The pressing of the button also fired guns in San Francisco, New Orleans, St. Paul and Augusta, Me., and a message announcing the opening of the Exposition was dispatched to London, England.

The steam and electric plant, located on the lower floor of the building and forming an important section of the exhibition, is thoroughly up to date. Steam is supplied by two equal units

of the Root water tube boiler, forming one battery | there is practically no vibration. On the same floor | ing. This machine is similar to that which took the and the coal is brought from the rear of the boiler by the Hunt coal conveyor, and the ashes are returned by the same means. The engines and dynamos are good specimens of the latest practice in steam and nected. As an instauce of what can be done in the rack of 80 lamps of 2,000 candle power. This will are wonderfully compact and handsome machines,

problem in high speed engines, the visitor should The National Electrical Exposition, now being held notice a Harrisburg Ideal self-oiling engine direct first machine which Mr. Brush ever built—a oneconnected to an Eddy multipolar dynamo. The engine (horizontal) is secured upon the same casting



EXTERIOR OF EXPOSITION BUILDING.

boiler. Adjoining this the Stirling Company show a water tube boiler.

The Brush Electric Company exhibit a 125 light arc machine and two others of 100 and 80 light caelectrical engineering, and nearly all are direct con- pacity. The last named will be in operation on a

THE NATIONAL ELECTRICAL EXPOSITION AT THE way of intelligent handling of the counterbalance be driven by a 60 horse power General Electric motor, the total voltage being 4,000. They also show the lighter—and a 60 light machine which has been fourteen years in operation without repairs.


The bulk of the exhibit will be found on the

ing Company, of New York, showby means of a large painting, the interior of the Duane Street station, with its 600, 1,200 and 2,500 horse power generators—the last of which, they state, is the largest ever built. Here can be seen a full size model of the regulating section used in this station, and also full size sections of the station cable, and of the underground feeder, with a large size feeder box. On the walls is a photograph of the original direct connected "Jumbo" dynamo used at the old Pearl Street station, which had a capacity of 2,000 lamps, and opposite to this stands a full sized half model of the great dynamo at Duane Street, which has a capacity of 30,000 lamps. They also show applications of electricity to medicine, cooking and printing. In a separate room are to be found various applications of the new system of interior lighting by reflection, in which the lamps themselves are concealed. In the same room is a handsome board of various incandescent lamps, among which will be noticed a lamp with two carbons, for use in the sick room.

The Electric Storage Battery Company, of Philadelphia, show a very handsome electrobat motocycle, built by the Electric Carriage Wagon Company. It is furnished with the chloride accumulator, manufactured by this firm, and is driven by two 116 horse power motors. At 8 miles per hour it will run 32 miles on one charg-

of five hundred horse power. Fuel is fed by the will be found full size sections and a complete model gold medal at the late Chicago contest. They also ex-Wilson Manufacturing Company's automatic stoker, showing the construction of the Babcock & Wilson hibit an entire battery of 128 cells, which may be charged from the Edison Company's street circuit when running under light load, at low rates.

Henry R. Worthington exhibits two electrically driven house tank pumps, one of 250 gallons per hour capacity and another of 500 gallons per hour. They



MAIN HALL OF THE NATIONAL ELECTRICAL EXPOSITION, GRAND CENTRAL PALACE, NEW YORK.

and the latter covers only about two square feet of the first wooden telegraph apparatus, made entirely capacity, to work against a 300 foot head.

New York, in addition to a display of their methods of insulation, have a very handsome exhibit of direct connected motors and dynamos. These include a direct driven printing machine, an organ with electrically driven automatic organ blower in place, and some direct connected motors driving exhaust fans. A specially interesting feature of this exhibit is an electrically driven dental outfit, with foot controllers for starting, stopping or changing speed. This is one of the handiest applications of the motor in the whole

The Crocker-Wheeler Company display comprises a 200 kilowatt belt driven generator, a 50 kilowatt direct connected dynamo, and a very compact drilling machine in which the armature is mounted directly on the shaft. A curiosity in this exhibit is a 10,000 volt direct current armature, built for Prof. Crocker, of Columbia College.

A very complete exhibit of arc lamps is shown by the Adams-Bagnall Company, of Cleveland, which includes an oxidized copper 100 hour lamp, 1,600 alternations; an oxidized silver constant potential lamp, and many others of the A. B. pattern; also a line of their A. B. incandescent lamps. There is no centering to the carbons of these arc lamps, the arc remaining stationary in the lamp.

Not the least interesting booth in the Exposition is that of the Van Nostrand Company, of New York which is filled with the latest electrical literature; and across the hall and on the second floor will be found the stands of some of our esteemed contemporaries which are devoted to the electrical industries.

The Electrozone Company occupy considerable space with a display of apparatus for the manufacture of electrozone, which they describe as a product of the electrolysis of sea water, having powerful disinfectant and antiseptic properties. It is claimed that this fluid is more effective than carbolic acid, and a microscopical demonstration is made of the destruction of germ life in a drop of water by spraying it with the electrozone.

An interesting exhibit is that of the Herzog teleseme, which is a telegraphic call that depends for its action upon the principles of electrolysis. It is shown in its application as a hotel office call and as a police call. The messages are read by the change of color in a metallic button.

Electric elevators are represented by the Sprague Electric Elevator Company, which shows a multiple sheave screw elevator machine and a worm gear driven machine.

The Niles Tool Works, of Hamilton, O., show the application of the motor to large shop tools—a specially interesting application being a No. 1 boring and drilling machine, driven by a constant speed motor at tached to the countershaft, and a 37 inch boring and turning mill operated by a motor direct connected to

A feature which is deservedly attracting much attention is the display of vacuum tube illumination by the D. McFarlan Moore system. Some samples of the application of this system to street signs and for the purpose of illumination are shown, a detailed description of which system will be found in the Scientific AMERICAN of February 29.

Two large models occupying the center of the large hall are of special interest just now, viz., a model of the Lamb electric cable way, as now being applied for towing on the Erie Canal, and a model of the Niagara power plant. On one side of the latter model are some thirty receivers which have connection with Niagara and are claimed to give the roar of the Falls with a distinctness which makes it easily recognized.

At the far end of the main hall will be found the historical exhibit. It is very complete, and reflects great credit upon the management of the exposition. It includes a Patent Office exhibit of 360 models of following formula: One pound of Paris green or Lonelectrical inventions, in which will be noticed Edison's don purple, mixed with 150 gallons of water; add a drinking vessels, that are changed at every meal. One first electric light station, telephone, telegraph and sufficient quantity of stone or shell lime, a pound for is sure every morning of finding in the market a new converter; the magnetic motor of Joseph Henry; the electric motor of A. Eickmeyer; the C. F. Brush magneto-electric machine; and models of a score of other machines destined to become famous at a later date.

If space allowed, one would wish to make detailed mention of the fine auto-telephone exhibit of the Tasker Electrical Construction Company, of New York; of the John Berry printing telegraph system; and of a host of other compact and well selected ex-

The W. J. Hammer historical collection of incan descent lamps contains models showing the early efforts of such men as Edison, Swan, Maxim and others. It is the result of seventeen years of diligent collecting, and has been gathered from all quarters of the

The Morse collection comprises models, correspondence, and general relics relating to Morse, Vail, Henry

floor space. They exhibit also a triplex steeple power by Morse. The original, now in the National Museum pump, which they build up to 1,000 gallons per minute at Washington, was completed in 1835, and with it, in the University Building, Washington Square, Morse The Interior Conduit and Insulation Company, of first demonstrated the possibility of sending and receiving messages by electricity. Here also will be found a daguerreotype of Prof. Morse and his eldest daughter, taken by himself in 1840.

The Park Benjamin collection of ancient and mediæval literature relating to electricity is arranged in chronological order in several long cases. It commences with a set of Latin books which tell for themselves the story of ancient knowledge of the properties of amber and the magnet.

In the Edison historical exhibit are the tin foil phonograph; the pyromagnetic motor, one of his earliest dynamos, a large variety of telephones, and some valuable photographs and letters.

The Doremus historical exhibit contains among other interesting objects Henry's experimental induction coil; a "dithonotype," or copper electrotype of a daguerreotype, and a daguerreotype taken by Dr. Doremus in 1844.

Although it was not ready on the opening night, Mr. Edison will shortly have on exhibition on the second floor of the building his already famous fluoroscope, and many other samples of his later inventions and a practical exhibition will be made of the former. Mr. Tesla also will exhibit his new oscillatory machine, and the apparatus by means of which he hopes to do away with metallic circuits in telegraph-

The above is but a brief review of an exposition which will well repay a visit not only by electrical experts, but by the general public. It is at once rich in historical interest and thoroughly up to date.

The Grand Central Palace, in which the present electrical exhibit is housed, is located on Lexington Avenue, between Forty-third and Forty-fourth The exterior view herewith presented is taken from Forty-third Street looking northwest. The building is a modern fireproof structure, seven stories in height. It is designed for use as a permanent exhibition building, the object of the Exhibition Company being "to facilitate the introduction of American products abroad by furnishing information to our people concerning foreign markets; and by exhibiting to the inhabitants of other countries specimens of our products, and disseminating among them comprehensive and accurate information as to our resources.'

The building, which is seven stories high, consists of a large central exhibition hall, lighted from the roof, around which are arranged the various smaller exhibition rooms and lofts, which are devoted to the classified exhibits. The central hall was designed for the gathering of congresses of industrial, mechanical, and engineering societies, and for this purpose a wide gallery is carried round the hall at each floor level, the total floor space thus provided affording accommodation for a large concourse of people. In the accompanying cut the central hall is shown as laid out for a former flower exhibition. In the basement there is a power and light installation, which, of course, is largely increased to meet the necessities of such special exhibitions as that which is now being held.

How to Kill Elm Beetles.

Prof. John B. Smith, the entomologist of the New Jersey State Experiment Station connected with Rutgers College, at New Brunswick, N. J., has devoted a great deal of time to the subject of elm beetles and how to exterminate them. The ravages of these insects have caused widespread regret in various parts of New Jersey, New York and Connecticut, particularly New Haven, over the destruction of hundreds of noble elm trees, and Prof. Smith was particularly busy last season explaining his experiments and advising precautions against the insects.

He has found that the pests are vulnerable to stomach poisons, and he makes his exterminator on the each pound of the poison; in order to give better! adhesive qualities, add two quarts of glucose, or thick molasses, to every 100 gallons of mixture; when the water and lime have come to the boiling point, put in the poisons. This formula will have no bad effect upon the trees, for the soluble arsenic is neutralized by the lime. Another exterminator prepared by the professor is: Lead acetate, 11 ounces; sodium arsenite, 4 ounces, in 100 gallons of water, add adhesives to the mixture as before; thoroughly stir and apply.

The cheapness of these preventives and exterminators is remarkable. A hundred gallons of the first formula, which will thoroughly spray four large elm trees, cost about fifteen cents. Arsenite of soda in the second mixture may be obtained at about eight cents a pound, and acetate of lead at fourteen cents a pound.

One of Prof. Smith's contemporaries has recomand others connected with the early history of the mended an emulsion of kerosene as a remedy. This he telegraph. Particular interest attaches to a model of declares ineffective because non-poisonous.

A premium of \$250 is offered by the SCIENTIFIC AMERICAN for the best essay on

THE PROGRESS OF INVENTION DURING THE PAST FIFTY YEARS.

This paper should not exceed in length 2,500 words. The above-mentioned prize of \$250 will be awarded for the best essay, and the prize paper will be published in the Special 50th Anniversary Number of the Scientific American of July 25. A selection of the five next best papers will be published in subsequent issues of the Scientific American Supplement at our regular rates of compensation.

The papers will be submitted for adjudication to a select jury of three, to be named hereafter.

Rejected MSS. will be returned when accompanied by a stamped and addressed envelope.

Each paper should be signed by a fictitious name, and a card bearing the true name and the fictitious name of the author should accompany each paper, but in a separate sealed envelope.

All papers should be received at this office on or before June 20, 1896, addressed to

Editor of the Scientific American,

361 Broadway, New York.

Botanical Notes.

In A. Lewinii, Herr L. Lewin (Ber. Deutsch. Bot. Gesell., 1894, pp. 283-290) discovered a poisonous alkaloid, to which he gave the name of anhalonine, and which was found to resemble strychnine in its properties. This alkaloid was found also in other species of Anhalonium, and in Mammillaria uberiformis, Cactus fimbriatus, C. pentagonus and Cereus flagelliformis.

Vegetable Rennets.—The common butterwort (Pinguieula vulgaris), a plant indigenous to Europe and America, has the property of giving consistence to milk. Linnæus says that the solid milk of the Laplanders is prepared by pouring it warm and fresh from the cow over a strainer upon which fresh leaves of the butterwort have been laid. The milk, after passing among them, is allowed to stand for a day or two until it begins to turn sour. It throws up no cream, but becomes compact and tenacious and most delicious in taste. It is not necessary that fresh leaves should be used after the milk has once turned; on the contrary, a small portion of this solid milk will act upon that which is fresh, in the manner of yeast.

The Yellow Bedstraw (Galium verum) also has the property of curdling milk, and has been used for that purpose, the leaves and flowers being the parts employed. "The people in Cheshire, especially about Namptwich," says Gerard (Herbal, p. 968), "where the best cheese is made, do use it in their rennet, esteeming greatly of that cheese above other made without it." The flower heads of the common artichoke (Scolymus) have long been known to possess the property of coagulating milk.

The Traveler's Tree.—The statement has often been made in the narratives of travelers and in botanical works that the Ravenala Madagascarensis, a splendid plant belonging to the same order as the banana, is called "Arbre du Voyageur" by the French in Madagascar on account of the water that is stored in the large cuplike sheaths of the leafstalks, and which is sought for by travelers to allay their thirst. Mr. E. Bureau in a lecture on the Flora of Madagascar reproduced in the Revue Scientifique disposes of this story as a myth. He admits the presence of the water, but says that the plant grows in regions where it rains all the year round, and where there is no difficulty in procuring water. Moreover, says he, the tree being very tall and the leaves being situated at the summit, it would be necessary for a person to climb to the top to get a drink. Nevertheless, the tree has very useful qualities. Its trunk furnishes an edible substance and is used for rough carpenter work; the flattened bark forms floorings, and the leaves are employed for the walls and roofs of huts. The leaves are also worked in different manners to form mats, plates, dishes, spoons and supply of fresh leaves to renew his plates and dishes.

In order to determine the relative digestibility of oleomargarin and natural butter, Dr. Adolph Jolles has carried out a long series of observations on dogs fed during four consecutive periods with natural butter and with margarin. According to a report made to the Imperial Academy of Vienna (N. Y. Med. Jour.), all other things being equal, it was found that from 97 to 98 per cent of the fatty matter was uniformly digested, whether it was butter or margarin which was used. During the first and third periods, while butter was given, 984 and 971 per cent; during the second and fourth, while margarin was used, 97.9 and 97.3 per cent of the fatty matter given was digested. It thus appeared in this experiment, where proper care was taken to have all the conditions similar, that natural butter and manufactured margarin had practically identical coefficients of digestibility and nutritive

THE GRAMOPHONE.

Making either permanent or transient records of sounds, as exemplified by Scott's phonautograph or Koenig's manometric flames, is no longer a novelty, but recording and reproducing musical sounds and speech are recent. Sound reproducing machines are no less wonderful than sound transmitting apparatus, and, although the talking machine may not find as wide a field of application as the telephone, it is perhaps more interesting and instructive, and has the additional peculiar charm possessed by anything mechanical that faithfully reproduces any of life's actions. If a machine talks, we are apt to regard it as almost human; if it sings, we look upon it as being

The versatility of the gramophone enables it to embrace almost any sound; military bands, instrumental solos, piano, cornet, clarionet, banjo, etc., songs, recitations, whistling, imitations. Educational features of the instrument are lessons in elecution, lessons on the correct pronunciation of different languages and the memorizing of verses, songs and music.

Some years ago we gave an account of the earlier work of the inventor, Mr. Emile Berliner, in this direction, and our present first page engraving illustrates the gramophone in its latest form. It is presented as a popular instrument for the use of everybody. It affords amusement to people of all ages, and also presents a means of preserving records of various kinds. In Fig. 1 is shown a gramophone provided with the reproducing apparatus only, it being designed for use in connection with records made by the Gramophone Company or the dealers. The instrument is provided with a turntable mounted on a pivot, as shown in Fig. 8, which is revolved by irictional contact with a rubber wheel on the shaft of the fly wheel. The latter is provided with a pulley and is driven by a belt extending around the larger pulley on the crank shaft. On the turntable is placed the rubber disk bearing the record. The sound box is mounted on a swinging arm, which also supports the conical tube or resonator.

Fig. 2 represents the recording instrument operated by a simple electric motor.

The essential parts of the recording instrument are the turntable, the worm screw which guides the carriage holding the recording diaphragm, and the recording diaphragm. The action of the mechanism is to so guide the recording diaphragm, while recording the sound, as to make it trace a continuous spiral line from the outer edge of the table to the center.

The method of making a sound record is to place upon the turntable a highly polished disk of zinc, previously prepared with a film of fat, exceedingly delicate to the touch of a lightly bearing stylus, but dense enough to resist an etching bath.

As the machine is set in motion, a delicately pointed finger or stylus pivoted at its center transfers the wave vibrations from the diaphragm to the zinc surface. The linger moves laterally, and literally writes the sound through the thin film which covers the zinc disk. During the operation the plate is kept soaked with alcohol from the glass reservoir seen in the cut. The object of this is to soften the film and to prevent the particles of film or dust from collecting around the point of the stylus or finger; by this method a true and exact sound wave is recorded.

The record made, the zinc disk is taken from the turntable and the alcohol is rinsed off; the disk is then placed in an etching bath of chromic acid. The length of time consumed in the etching depends solely upon the amplitude of the wave vibrations. Recorded waves of small amplitude receive short etching and those of large amplitude long etching. When taken from the etching bath, the disk is cleaned and is ready for the

Since the first reproduction consists mainly in cleaning out the groove, the sound is a' first slightly harsh and grating. Two or three reproductions make the record smooth and quiet.

The record is now ready to go through the duplicating process. A copper matrix is first made by a method of careful electrotyping. From the me trix hard rub ber duplicates are pressed nearly in he manner in which castings are made.

The rubber duplicates are superior to the zinc records in several ways. They will bear rough handling and an indefinite number of reproductions, whereas the zinc would burnish and soon wear away. They are louder and smoother than the zinc. The rubber records will stand over 1,000 reproductions, the zinc from 50 to 300, according to their delicacy. A first-class matrix can press out 1,000 perfect dupli-

A peculiarity of the gramophone record is that it has almost the penetration of the original sound, although not the broadness of tone, so that if 1,000 that the question of novelty and invention may be gramophones could be worked simultaneously, it raised by demurrer to the bill of complainant, that the would be possible for an orator to fill a hall 1,000 times larger than his voice ordinarily would fill. knowledge, and it may refresh its recollection as to seven turtles' eggs and sold them as the rare eggs of Gramophone recording agencies have been established in Philadelphia and Washington, New York and Bos- any reliable printed source of information. ton, and similar ones will be established in every city

may be permanently recorded.

the record of a cornet solo. The reproducing sound box, which is shown in Fig. 5, is provided with a diaphragm connected with a spring arm fixed to one side of the diaphragm cell, and carrying a point like an ordinary darning needle point. This point, when the the groove in the record plate and follows the groove as the turntable is revolved. The engagement of the needle point with the groove in the record disk causes the spring arm to vibrate and produce vibrations in the diaphragm, which are the same as those of the recording instrument; as a consequence, the original sounds are reproduced in the resonator of the gramophone with a loudness and clearness which are surprising. The reproducing sound box is provided with a curved damping spring for reducing the vibration of the spring arm when it is desired to connect the sound box with ear tubes to be held in the ear. A cross section of the reproducing sound box is shown in Fig. 6. The manner of holding the sound box in the position of use is shown in Fig. 7, In Fig. 9 is given a much enlarged view of a section of a record, showing the sinuous nature of the grooves. An electric motor has been applied to the gramophone, as shown in Fig. 10, by means of which the table is rotated at a uniform speed, and in Fig. 11 is shown the adaptation of spring clockwork to rotate the turntable.

The type of reproducing machine which seems to find most favor is turned by hand, and as the groove in the record itself guides the sound box, thereby eliminating the necessity of a costly worm screw and intricate gearing, it moves so easily that with five minutes' practice a child can operate it so as to reproduce a band selection or a song in perfect tune. Those who object to manipulating the crank can have a simple motor gramophone that will reproduce the selections by merely turning a switch.

The modest plant first started by the Berliner Gramophone Company, 1032 to 1036 Filbert Street. Philadelphia, has been increased to four times its original size. Duplicates are pressed out by the thousands, showing the rapid growth of this fascinating little machine.

Recent Decisions Relating to Patents and Trade Marks.

Jonathan Mills Manufacturing Company v. Whitehurst (U. S. C. C. A, 6th Cir., Taft, J.) 72 Fed.

Assignment of Patents.—It appeared that Jonathan Mills made an assignment wherein it was stated that Myron W. Clark had an interest in the patent and there was a postscript as follows: "I hereby consent to the substitution of George T. Smith in place of said Clark in the above agreement, etc., Jonathan Mills." The courts below and above held that this statement was sufficient, after the assignment was recorded in the Patent Office, to put any subsequent assignee on his guard as to the interest of George T. Smith, and that such assignee must be charged with notice of every fact with reference to the company's interest in the patent which aligence and honest inquiry would have developed. It was also held that it was immaterial that the party n entioned in the contract or assignment as "The Smith Purifying Company" was really the "George T. Shaith Purifier Company," because it was easy to ascertain whether the name was correct or not, inasmuch as the number of corporations engaged in the business was limited.

Cleveland Faucet Company v. Vulcan Brass Company (U. S. C. C., N. D. Ohio, Severens, J.) 72 Fed. Rep.,

Demurrer to Bill in Patent Suits.—Here the patent in suit named other prior patents as showing the prior art, and defendant demurred to the bill on the ground that the patent was void on its face. It was held that the patents mentioned in the patent in suit were not before the court and could not be considered on demurrer. In such case the court cannot apply any special or peculiar knowledge it may possess, but only that knowledge which is possessed by ordinarily well informed people.

Patent for Force and Drain Faucets Void.-The Weatherbee patent, No. 353,723, is void, as there is no invention in merely bending the piston rod of the air pump inward toward the faucet, so that both may be carried through the same opening in the cast than that shown in the patent, made so by the omis-

American Fiber Chamois Company v. Buckskin Fiber Company (U. S. C. C. A., 6th Cir., Taft, J.) 72 Fed. Rep., 508.

Demurrer to Bill in Patent Suits.—It is well settled court may take judicial notice of facts of common thological journal. It is said that a person painted such facts at the date of application by reference to the Carolina paroquets, receiving \$10 apiece for the

Mechanical Process.—A process of rendering wood surprised the oologists when they learned of them.

of importance, where the voices of those dear to us fiber paper soft and pliable by moistening it with a thin water solution and then crumpling and pounding In Fig. 4 is shown the arrangement for producing it and then smoothing it is not a mechanical process or aggregation of functions, but is a true process.

Fiber Chamois Patent Valid. - The McLaughlin patent, No. 511,789, is valid on its face and the step therein for moistening wood fiber chamois paper with a thin solution of gelatine is not anticipated by a patinstrument is arranged as shown in Fig. 1, rests in ent which calls for the use of a "suitable size" for a similar purpose.

> American Fiber Chamois Company v. Port Huron Fiber Chamois Manufacturing Company (U. S. C. C. A., 6th Cir., Taft, J.) 72 Fed. Rep., 516.

> Construction and Infringement of Fiber Paper Patent.—The McLaughlin patent, No. 511,789, for a process for manufacturing imitation dressed chamois and buckskin from paper pulp in sheets, if valid, is limited by the prior art and the original specifications and the patentees' prior Canadian patent to the crumpling and pounding of the paper when moistened with a thin solution of gelatine or other adhesive solution, and is not infringed by treating in a similar manner paper moistened merely with water.

> Misconduct of Patent Owner Toward Competitors.— The action of the owner of a patent in harassing purchasers of competitors with threats of litigation when no possible grounds of action exist against them, in attempting to dismiss his bill of complaint and in delaying the taking of evidence until after the defendants begin the taking of their testimony, is con-

> Heaton Peninsular Button Fastener Company v. Schlochtermeyer (U. S. C. C. A., 6th Cir., Taft, J.) 72 Fed. Rep., 520.

> Button Fastening Staple Patent Void .-- The Vinton patent, No. 324,053, and the Prentice patent, No. 451,070, have been held void on demurrer for want of patentable novelty apparent on the face of the specification. The Vinton improvement consisted in making a V-shaped joint, the apex of which is located at one side of the center line of the leg of the staple, and which is pressed or flattened and thus made broader than the diameter of the wire from which the staple is produced. The Prentice patent made a slightly different angle between the body of the legs, so as to make the crown portion with a double reverse curve, instead of a single curve.

> Richardson v. Campbell (U. S. C. C., N. D. Pa., Atcheson, J.) 72 Fed. Rep., 525

> Burden of Proof as to Priority of Invention .-Where the defendant claims that he was the first inventor, although he filed his application after the complainant did, the burden of proof is on him, and he must support his claim of priority by evidence which is clear and free from reasonable doubt.

> Garment Hook Patent Valid .- The De Long patent, No. 462,473, is held valid and is construed.

> Zwietusch v. Wittemann (Com. of Patents), 75 O. G., 183.

Access to Files and Papers in Interferences.—After the preliminary statements have been received and approved, each party may have access to the files and papers of the other, but if the application contains a description and claims of one or more inventions not related to the one in use in such a manner as to affect its scope or meaning, the opposing party should not be allowed to inspect this part of the application.

Dashiel v. Grosvener (U. S. Sup. Ct.), 75 O. G., 507. Breech Loading Cannon Patent Construed.—Claim 1 of the Seabury patent, No. 425,584, cannot, in view of the prior art, receive a broad construction, but must be limited to the precise mechanism described.

Prior Inoperative Devices.-Prior inoperative devices or those which have proved so far failures that the inventors have not taken out patents for them, should not be considered as anticipating a subsequent patent. The fact that an invention is patented is some evidence of its operativeness and utility. A device which is not perfectly operative, but can be rendered so by a slight alteration, is sufficiently operative for the procurement of a patent.

Andrews v. Landers, Frary & Clark (U. S. C. C., Conn., Townsend, J.), 75 O. G., 510.

Contract for Articles Containing a Patented Improvement.-A contract to pay for articles of manufacture containing a patented improvement covers all articles of a simpler and less expensive construction sion of unnecessary details of construction, although they are, in some respects, unlike the patented article. Manufacturers who have stamped articles made by them as patented cannot deny that they contain the improvement set out in the patent.

A CURIOUS case of deception is reported in an ornidoctored eggs. The hand-painted egg was a fraud that

DOG POWER AS AN AUXILIARY IN WHEELING.

From time immemorial man has sought to utilize the dog as a beast of burden. This has been compassed in various ways. Sometimes the dog is put into shafts and made to pull small carts or sledges; this is hunting trap. a daily sight in many of the countries of Europe.

other animals have proved worthless. For an example it is only necessary to cite the dogs of the Esquimaux. Inventors early recognized the possibility of impressing dogs into service by making them run dog motors. Ever since the days of the old velocipede, inventors have also sought for some kind of motor for bicycles and tricycles which would obviate the fatique resulting from working the pedals; steam, compressed air, springs, electricity and many of the hydrocarbons have had their turn, but it remained for the Alsatian to adapt the dog to the needs of locomotion in the last decade of the nineteenth century.

We are indebted to Mr. Joseph Becker, of Washington, D. C., for the photograph from which our engraving was made. He took this photograph at Strasburg last summer expressly for the SCIENTIFIC AMERICAN.

The dog is hitched behind the tricycle to the end of an adjustable harness rod and is chained to a point under the saddle. An appropriate harness is provided for the dog. Mr. Becker says: "The first impulse is to pity this good little doggie and to blame his big, heavy master for working him so. But this is soon forgotten when you have seen this sturdy little fellow at his task tugging and clawing

but, though he might have to work hard when the tricycle was going slowly, still, when the speed is increased, the opportunities for "soldiering" would be limitless.


THE DE LA VERGNE HUNTING TRAP.

In the Scientific American of December 14, 1895, Vergne Refrigerating Company, of New York City.

of the engine is 300 pounds. The carburetor and water tank are both done away with, a condenser being used, which renders thirty pounds of water sufficient for a run of eight or ten hours; the cylinder and water jacket are cast in one piece. The speed is controlled by means of a friction clutch, which was invented by Mr. J. C. Bleveney, superintendent of the De la Vergne works. The wagon can be reversed without stopping the engine by shifting one of the belts; a wagon brake is provided for use on hills or where a sudden stop is to be made. The noise of the exhaust is stifled in a muffler, in which is placed a condenser which prevents disagreeable odors by condensing the unburned gases. The power is transmitted to the wheels by means of a chain and sprocket wheels; the steering wheels are pivoted at the hub. The explosion is produced by an electric spark, the battery being placed under the front seat, where is also the gasoline tank, which contains enough gasoline for a long run. It is said that the cost of running is one-half cent an hour for each horse power. The hunting trap weighs about 1,500 pounds and has a seating capacity of four, with ample

space for guns and other hunting equipment. This situated among the snowy peaks and far above the vehicle received an award in the recent race for countimber line, and in this basin is the little mining set terbalance on engine. The Emperor William, of Ger- tlement of Smuggler, where the employes of the great many, has recently purchased a somewhat similar Smuggler-Union and Tom Boy mines make their

The De la Vergne Company have, we believe, of their own, the postal authorities do not guarantee The dog has proved useful for this purpose where a new motor carriage in process of construction. a regular service, because of the difficulty of keeping a



A CANINE AUXILIARY FOR A TRICYCLE.

engine.

Some Queer Mail Routes.

Probably the most unique way of transporting mails known to the United States Post Office Department is that in daily use between Telluride and Smuggler, Col. The mining town of Telluride is located at we illustrated the "motor drag" made by the De la the head of a picturesque gulch. The mountains rise in majesty to cloud-piercing heights about the town, We now show a somewhat smaller conveyance of the and from every precipitous draw between the giant same type, called by them a "hunting trap." The peaks foaming cascades, waterfalls, and roaring streams his neighbors, though they may live miles from his hunting trap is driven by a single cylinder motor of come down from the snow-laden summits to swell the a modified Benz type. The motor makes from 350 to torrent of the San Miguel, which rushes through the nailed securely to the trunk of a stout old pine tree, 400 revolutions and is of four horse power. The weight | town. Four miles above Telluride is Marshall Basin, | and upon this box is scrawled the names of all miners

tlement in Marshall Basin. Until in recent years all supplies for the camp in Marshall Basin were transported thither by pack animals. Timber for the mines, coal for the boilers, and iron rails were dragged over the trails or packed securely about swaying pack saddles and carried to an elevation of 12,000

trail open in the winter time. The

dangerous snowslides constantly

threaten destruction to the hardy

miners who scramble through the

snows up the steep trails to the set-

homes. Although the inhabitants have a post office


feet by the burro. When winter closed down and the burro trains could no longer be driven on schedule time, the miners would take turns in going down on snow shoes to get the mails and a few necessary supplies that could be carried upon their backs. But the practical application of

the endless chain by the inventor of the Huson tram has greatly facilitated the transportation of supplies from Tulluride up to Marshall Basin. Great iron buckets, each carrying down the mountain a half ton of ore, furnish by their weight the active power which drives the endless chain from which they are suspended. In these buckets, upon their return, the necessary supplies for the camp are placed. One of these buckets is painted a bright red color and the letters "U.S. Mail," in black, designate the use

with the greatest earnestness, apparently delighted with his task." Possibly he is so, | They are also makers of the Hornsby-Akroyd oil mail for the Smuggler post office is now delivered as regularly across the four miles of precipice, snowburied gulches, and giant mountain ruggedness with as much safety as between two settlements on the prairies of western Kansas or Nebraska.

A free delivery system is in vogue in the mining districts, though the postal authorities have nothing to do with it. From every mountain post office trails diverge up every draw and gulch. A miner setting out for his cabin, perched somewhere far up on a mountain, will take with him all the mail belonging to place. At each turning point a small box will be found

> who must pass that tree in going to their respective cabins. In this box the last man from town deposits all the mail belonging to miners living up that particular gulch. From that gulch a miner will occasionally descend for mail, and as he returns up his trail he deposits in turn the several pieces of mail in other boxes placed at convenient points. In this manner one man can save many a weary step to other miners who live out the long winters in the very heart of the Rocky Mountains. Mails are collected in a similar manner, and often small errands are likewise done. Money deposited in mail boxes for the purchase of stamps, tobacco. and other notions light in weight is always properly respected, and the mission fulfilled, no matter how much the snowshoe pedestrian may be under the influence of good fellowship as he returns from town. — San Francisco Post.



DE LA VERGNE HUNTING TRAP.

A SERIOUS landslide is said to have taken place at Trub, about twenty miles east of Berne, Switzerland. A landslide is also reported to have taken place at Bondesir, Saguenay County, Province of Quebec, Can-

THE OLYMPIC GAMES.

After a lapse of fifteen centuries Greece has seen the revival of her Olympic Games, and in this revival it is gratifying to national pride to be able to chronicle that American athletes were more successful than those of any other country. The Olympian Games were the most prominent of many similar periodic celebrations or festivals in other places. The Olympian Games were first held in 776 B. C. in Olympia in Elis. The festivals were celebrated at intervals of four years in honor of Zeus. The importance of the games was so great that the Greeks computed time by them, the period between one celebration and the next being called an "Olympiad." For the country at large the festival ministered to the selfish and maiignant passions of rival cities, each of which felt its honor concerned in the success of the individual. To the winner, however, the games brought lifelong honor, for when he returned to his city the walls were thrown down to give him entrance, he was caught up and borne in triumphant procession and he was freed from all taxes. The games were finally abolished in A. D. 394 by the Emperor Theodosius.

After several disappointments the Greek flag was raised amid cheers only to be replaced immediately by the stars and stripes, as the winner had been erroneously announced; for an instant you could almost hear the crowd choke down its bitter disappointment, but after a moment's hesitation it broke out into magnificent applause.


The two great dramatic events were the throwing of the discus and the run of 40 kilometers from Marathon. When Robert Garrett, of Princeton, threw the discus 95.6 feet, defeating the Greek champion Paraskevopoulos by 71/2 inches, the Greeks felt keen disappointment at being beaten at their own sport. Their chagrin was allayed by the magnificent victory and wonderfulr ecord of Loues in the race from Marathon to Athens, 26.1 miles in 2 hours, 48 minutes.

When the signal gun announced the approach of the winner all rose from their seats and strained their gaze toward the entrance to the Stadium. The cavalry dashed down the street, clearing the way for the runner. He was sighted approaching the goal with weary,

acute sunburn than in the frigid zone. The heat of ordinary exercise compels him to throw back the hood of his fur coat, and by thus exposing the head not only his entire face becomes blistered, but—especially if he is fashionable enough to wear his hair thin on the top of his head-his entire scalp is affected about as severely as if a bucket of scalding water had been poured upon him. At a later period, Lieutenant Schwatka's entire party, while upon a sledge journey from Marble Island to Camp Daly, were so severely burned that not only their faces but their entire heads were swollen to nearly twice their size. And a fine looking party they were. Some had faces so swollen that their eyes were completely closed on awakening from sleep. When one was fortunate enough to be able to see the others, he could not refrain from laughing.

A Great Mosaic.

The British vice-consul in Venice, in his last report, says that mosaics still continue in great demand there. The Venice and Murano Company executed last year panting strides. In an instant there arose a mighty a splendid mosaic for a palace now in course of concry of "We win!" "It is a Greek!" The athlete was struction in Vienna. It measures 1,000 square feet,



ATHENS-SCENE IN THE STADIUM AT THE REVIVAL OF THE OLYMPIC GAMES.

6, while the thousands of spectators rose to their feet, | ing a proud salute. Hats and flowers were thrown | Weith. It represents the five parts of the world. it must have been a proud moment for King George into the arena, and it seemed as though the applause Europe stands in the center of the frieze, represented of Greece and Queen Olga. The Stadium is one of the would never cease. Then followed, according to the by the symbolic figures of its various nations, having finest amphitheaters in the world. It was scientifically excavated in 1869-70 at the expense of the king. coveted olive crowns, which were presented by the Its recent restoration was made possible through the king with a diploma. munificence of a rich citizen of Alexandria. It is 656 feet long and 160 feet wide and its seating capacity is 47,500. The empty amphitheater was imposing, but and Crown Prince George. They were banqueted sevwhen filled with the gayly costumed crowd the scene was one which will never be forgotten by those that tained in various ways. When leaving Greece they witnessed it. What must have been the sensations of the victor when the countless thousands of spectators rose from their seats and the applause of the individuals was blended into one great body of spontaneous and generous enthusiasm? It is little wonder the simple crowns of olive obtained under circumstances like these are held as priceless.

We have already published in the Scientific AMERICAN of April 18 a list of the principal events and their winners. The interest throughout the games was unabated and the applause was hearty in the extreme. It was indeed hard for the Greek to see the American flag go up so many times in succession.

custom of ancient Greece, the bestowal of the much

The American athletes were charmed with the attentions which they received at the hands of the king eral times in the palace of the king and were enterwere serenaded by the people over the whole line from Athens to Patras. It is almost needless to say the American athletes were enthusiastically received at their various colleges on their return. For our engraving, we are indebted to The Illustrated London News

----Arctic Sunburn.

To hear of suffering from heat in the Arctic regions sounds incredible to those who have never been there, says a contemporary. Lieutenant Gilder relates the experience of his party from this cause while one summer in King William's land, and declares that probably nowhere on earth is the traveler more annoyed by Messrs. Clayton and Bell.—London Times.

on one side the emblems of industry and trade, and at the top the emblem of the flying genius of light. On the right are the figures of Asia, India, China, and Japan, with their rajahs, mandarins, and the allegorical chrysanthemum. Next follows Africa, with camel drivers, palm trees, and other African symbols; on the left America and Australia, with natives on horseback and on foot, foliage, and other emblems. All this variety of types, from the fair Circassian down to the negro, and the display of costumes, from the most decorative to the simplest, have enabled the painter to arrange twenty four figures with great delicacy of color and in an artistic manner. Over these figures, which rest on an ornamental base, a blue sky reflects all around its light so as to unite all the tints of the mosaic, and to give the whole a harmony of effect which is said to be most delightful to the eye. The same company is executing another important mosaic for the apse of the Guards' Chapel at the Wellington Barracks, in London, from cartoons painted by

Measuring Ocean Storms. BY GEORGE ETHELBERT WALSH.

The study of ocean storms has been of inestimable value to the shipping interests of this country, and each year the laws of sea storms are understood more form the center of the cyclone. The peculiar revolving perfectly through the indefatigable efforts of the United States hydrographic office. The collection of meteorological observations by telegraph on land was as the cyclone itself. The first duty of the captain very simple compared with the labor that confronted the scientists a few years ago engaged in predicting the condition of the weather on the ocean. No telegraph stations presented them with elaborate data about the force and direction of the wind, the condition of the air and temperature, and the many other little points so essential to the weather bureau in arriving at their conclusions. It is an exact, but simple, science now which forecasts the weather on land. A study of the reports invariably gives correct knowledge concerning the atmospheric conditions that are likely to prevail in certain localities during the following twenty-four hours.

The hydrographic office, without the means and facilities of the weather bureau, has labored during the past ten years to accomplish similar results upon the ocean. Millions of dollars' worth of shipping have officers of this department. Mariners and sea capthe directions on the storm charts, the captain of a sailing craft or ocean steamer finds his danger and responsibility greatly lessened.

The work of arriving at the present condition of affairs has been long and difficult, as well as ingenious what has been done by the government to protect the was necessary to obtain reliable data. The force and indispensable to every mariner. direction of the wind over a wide extent of ocean ter ritory had to be ascertained, as well as the height of the barometer and hygrometric state of the air. In direction and force of ocean currents. Form slips of the absence of telegraph stations, the hydrographic office had to establish stations on the ships and dropped them into the sea at different points, giving steamers. Forms for keeping observations were issued the date, latitude and longitude. Descriptions of the by the office to every captain of a vessel touching any American port. These forms were to be filled out and mailed to the headquarters at Washington. In return every coast where they might drift. Between one for this labor every captain who complied with the and two hundred of these bottles were collected and rules received free the monthly pilot chart and all of forwarded to the Hydrographic Office at Washington. the publications of the hydrographic office.

By this system, when once put into general operation, the office obtained full and complete reports of compiled. These maps of the ocean currents are toevery storm by a great number of sailing masters. The vessels would be scattered over a wide territory, some being near the center of the storm, others on the edge, and a few outside of the storm area. The reports gave detailed meteorological information about the New Orleans, San Francisco, and Portland, Oregon. clouds, temperature, height of barometer, force and Complete copies of all the publications of the departdirection of wind, amount of rainfall, and the hygrometric state of the air. It would be several weeks after a storm before all of these descriptions would reach Washington, but when they were all in they were studied carefully. From this pile of data a map of the storm was constructed, showing its exact move- If storms are indicated in his pathway, he is very apt ment and action from its inception to its final de- to wait a few days, or change his course. The most struction. A repetition of this method soon enabled complete set of charts in the world are also kept on the department to construct a great number of maps file at each branch office. These are made up from of ocean storms in all parts of the world, but more especially of those along the Atlantic coast.

These maps furnished the data for studying the nature of sea storms. From them the office constructed them a captain can determine what maps he will need the storm maps and charts, and compiled the rules for a certain voyage, and what other information conand directions that are given to mariners when encountering a storm at sea. These directions enable the captains to ascertain, in advance, the approach of divisions of sailing directions, meteorology, archives, a severe storm, and to determine whether it is a mild, ordinary gale or a hurricane. If a dangerous storm the navy is at the head of the department. Each rules are given to determine its center. With this in- branch is under a special officer, and their publicaformation furnished, the captain of an ocean steamer tions are kept right up to date by an interchange of can steer to one side and encounter only the edge of it. bulletins with all foreign governments. The whole Directions are given for a sailing vessel to run in a work of the office and the branch offices is performed certain direction, and if it is necessary to "heave to," with great care and zeal, and probably no other work wires in cities and villages will not destroy a large proexplicit information is given as to which side she of the government does so much toward saving life portion of the trees. Complaint is made in several should be brought to in order to prevent being "taken and property as this one.

The hurricane is a dangerous storm upon the ocean either for steamship or sailing craft, and it is essential for safe navigation that a captain should understand its nature, its force, and the general direction it is to blow in. By consulting the general laws of storms, and taking observations of the state of the air and weather, he can soon arrive at pretty correct conclu-commemorate the millennial anniversity of the foundasions concerning the approaching hurricane. A few tion of Hungary. It is meant to set forth the moral come up in the tropics with such force and rapidity and intellectual power of the Hungarian people. The the wind. The evidence that the trees have been killthat it is hard work to make proper preparations begrounds of the exhibition cover 5,000,000 square feet, forehand; but of the many vessels caught in the hurricanes and wrecked, a vast majority of them are erected at a cost of \$4,020,000. The elaborate series of pass died in an hour during a storm, while those navigated by captains who do not pay much atten- fetes, festivals and historical pageants which will take standing a few feet from the wires were uninjured. tion to the rules and warnings of the hydrographic place within the walls of the exhibition will render it These results will raise the question as to the liability

More dangerous than the simple hurricane upon the expositions.

ocean is the cyclone. The laws concerning this variety of storm are very explicit, but the storm always advances rapidly, and even the most cautious captains are frequently caught in the circular winds which action of the wind creates the greatest disturbance of the waters, and the rough seas are about as dangerous upon the approach of a cyclone is to find out the general direction in which the storm is moving, and then either to sail or steam away from the center. Unless one understands the laws of sea storms, it is impossible to make the right course, and the ship is practically helpless and at the mercy of the elements. Before the hydrographic office elaborated the present system of avoiding storms at sea, it was mere good luck that would enable a captain to escape from the fury of a sea cyclone.

The Monthly Pilot Chart is a small publication issued by the department that attempts to forecast the weather in a general way upon the ocean for a month in advance. That this is far more difficult than predicting the weather twenty-four hours in advance by the weather bureau can readily be comprehended, and also that it will be apt to contain more errors. been saved by the urgent warnings sent out by the But, on the whole, the forecast by the Pilot Chart is so near the truth that thousands of mariners abide by tains have been educated by the charts issued by the its warnings. It also gives an exhaustive treatise upon office so that they know which way to run when a the condition of the weather during the preceding storm of a certain kind approaches. The laws of the month. The Chart endeavors to mark the positions of sea storms are carefully compiled, and by following all derelicts upon the ocean, tracing them from day to day as they drift about, so that sea captains can be on the lookout for them when in the neighborhood of their last appearance. The breaking loose of buoys, beacons, and other sea marks is accurately recorded. The prevalence of fogs in certain localities at different and interesting, and the landsman hardly appreciates times of the year is indicated, and descriptions of ocean currents and trade winds. Altogether the ships from danger. In order to measure the storms, it | Monthly Pilot Chart is a compend of sea lore that is

> The hydrographic office made the first successful attempt a few years ago to determine accurately the paper were given to the captains of vessels, who bottles were forwarded to our consuls in all parts of the world, and efforts were made to collect them on From the course taken by the bottles elaborate and trustworthy maps of the currents of the ocean were day the best in existence.

> While the main hydrographic office is at Washington, branch offices have been established at New York, Philadelphia, Boston, Baltimore, Norfolk, Savannah, ment are kept on file at these branch offices, so that captains can consult them at any time. Weekly notices of the weather are sent to these branch offices, and very few captains start out upon a voyage with out first consulting the weekly forecast of the weather. those of the coast survey, the hydrographic office, and those purchased from the British Admiralty. These charts are used more for references. By studying cerning the wind, tides, and weather.

> The hydrographic office is now divided into the chart construction, and charts. The hydrographer of

The Millennial Exhibition at Budapest.

Europe, and the Millennial Exposition, which was ably follows a season of rain, when the wet leaves are opened by the Emperor Francis Joseph, as King of good conductors of electricity and carry it from the Hungary, on May 2, bids fair to bring a large number wires to the trees. In some cases the death of trees of visitors to that city. The exhibition is intended to has been caused by wires supposed to be thoroughly and the buildings and pavilions, numbering 169, were

Notice to Our Readers.

In order to obtain the opinion of the readers of the Scientific American as to what invention introduced within the last fifty years has conferred the greatest benefit upon mankind, we publish the accompanying card, which please cut out and return to the editor. Those who preserve the paper for binding and do not desire to deface their files, or who read this notice at a library, will please answer by postal card. It is desired to get as full a vote as possible. The result of the vote will be published in the Special 50th Anniversary Number of the Scientific Ameri-CAN on July 25.

Editor of the SCIENTIFIC AMERICAN.
Dear Sir:

invented by
has conferred the greatest benefit upon man-
kind.
Name
Address

The Ethereal Electric Light.

At the National Electric Exhibition in this city, on the evening of May 6, Mr. D. McFarlan Moore gave an interesting and successful demonstration before the members of the National Electrical Association of what he 'termed ethereal electric light, which was fully explained in our issue of a few weeks ago, vol. lxxiv, No. 9. As has been stated, the gist of the invention or improvement lies in inclosing the circuit breaker of the primary circuit of an induction coil in a vacuum tube, whereby a perfect make and break contact is made without any loss to the contact surfaces. A continuous uniform vibration thus ensues which, in turn, produces continuous and uniform pulsations in the fine wire of the induction coil, producing uniform discharges from the terminals.

He illustrated on the screen many forms of tubes and explained their characteristics. He could obtain better results with a glass tube in which there was a partial vacuum without any interior wire terminals than with, and simply wraps a piece of wire around the exterior ends of the tube, which is enough to produce a glow in the interior.

A very singular experiment was the holding in one hand a connected tube which glowed brilliantly, and the taking hold of the hand of another person who held at arm's length a second tube. As soon as the hands were grasped the second tube began to glow with half the intensity of the other. The use of a suspended wire screen from the ceiling was shown. Being connected with the regular terminals of the induced coil, it produced a magnetic field of some kind, causing tubes of glass held in the hand near it to glow very brightly, and suspended tubes in the form of letters of light to appear. It furnished a capital explanation or suggestion for the production of mysterious light at seance circles of spiritualists. Mr. Moore remarked that the quality of this light was more like daylight than any other, and demonstrated what a square inch of daylight would look like; he also showed various forms of incandescent lights operated on this plan, including an example of a real electrical fountain which was very pretty.

The novel applications of the tubes to the lighting of rooms was shown; the light has a peculiar softness that is quite remarkable, and is to be produced so easily that every home can have it. The method is still in an experimental state, but has a good future. Much applause was given the lecturer on the success of the various steps of his demonstration.

Damage to Trees by Electric Wires.

It is a question whether the stringing of electric cities that where the wires pass through the foliage the trees in nearly every instance have died, presumably from the effects of the electric current. It has been Budapest is one of the most charming cities of noticed also that the death of the trees almost invariinsulated, the covering having been rubbed off the wires by the friction of the branches when moved by ed by electricity is furnished by the fact that in numberless instances the trees through which the wires unique, even in this age of national and international of electric light companies for the damage caused by the killing of shade trees.

RECENTLY PATENTED INVENTIONS. Engineering.

STEAM GENERATOR AND TANK HEAT-ER. -- Thomas F. Butterfield, De Witt, Iowa. This is an improvement upon a former patented invention of the same inventor, and provides a portable heater in which the tank top is formed by a head plate or cap having an integral upward rim flange and a depending flange, and having air and fuel inlets, and a smoke outlet, there be ing a fire chamber or furnace secured to the depending flange of the cap. The heating chamber is sunk in the tank until the water rises above the top of the fire chamber and alongside the rim flange of the head, the entire heat from the chamber being utilized to heat the water in the tank.

Railway Appliances.

CAR COUPLING.-John S. Williams, Krebs. Indian Territory. With this improvement meeting cars are coupled automatically either on a curve or straight line of railroad, the uncoupling being readily effected from the side of the car. In a hollow drawhead is a vertically slidable coupling pin, a coupling link being held projected by a forwardly spring-pressed slide bar, and supported on an apron hung from the drawhead by a swivel-connected arm adapted to incline and laterally adjust the projected end of the link.

CAR FENDER.—Peter Dunwald, Rio, N. Y. This improvement comprises revoluble brushes extending in V-shape in front of the car, and revolved from its running gear, by which a person in the path of a moving car will be swept to one side, or be received on falling in a netting at the rear of the brushes. The mechanism connecting the revoluble brushes with the car running gear may be moved into or out of operative connection by a lever fulcrumed on the car platform.

CAR COUPLING.—James N. Van Dorn and Charles G. Seaman, Spokane, Washington. In this coupling each drawhead is provided with a shoe and a dog arranged side by side, the shoe having an opening adapted to receive a hook on the dog of the opposing drawhead, the hooks of both dogs, as the cars come together, sliding over the noses of the opposing shoes and dropping into the openings, making a double connection. The coupling takes place automatically, and uncoupling may be effected without going between the cars. A car with this improvement may also be readily coupled with another having only the link and pin coupler.

Electrical.

CANAL BOAT PROPULSION.—William Elmer, Jr., Trenton, N. J. Instead of running a motor on a suspended cable for canal boat haulage, this inventor provides means for moving a truck along the towpath, the electric motor being mounted on the truck and receiving energy from a trolley wire, and also carrying a rotating sheave around which a suspended traction rope is engaged, so that when the sheave is rotated by the motor the truck is moved along. The motor is easily operated, and the power required for its own propulsion is reduced to a minimum.

Agricultural,

PLOW.—Herman Symmank and Ernst Matthijez, Giddings, Texas. This invention relates es pecially to an improved sweepstock, and is an improvement on a former patented invention of the same inventors, so improving the construction that the stock may be used with any form of share, as a sweep, a double plow for bursting middles, a single plow, a shovel, or a like implement. The sweepstock is also provided with a point integral with its shoe or footbar, and which will assist in holding the share in position.

DRAUGHT EQUALIZER. - Cornelius P. Houtsma, Sioux Center, Iowa. To evenly distribute the force of four horses drawing a grain harvester, mowing machine, or other agricultural implement, this inventor has devised an equalizer designed to correct the tendency to side draught where there are three horses on one side of the tongue and one horse on the other side. The inven tion also provides a simple means for the ready attachment of the equalizer without drilling holes in the frame bars of the harvester or other machine.

HAY PRESS.-Andrew C. Miller and Edward A. Johnson, Commerce, Mo., This is a pres adapted to be continuously operated by a horse or other power, and comprises a frame having chambers to receive the hay, and having feeding and pressing plungers or pistons, a rotative shaft having arms, and a lever and connecting rod arranged to be engaged by the arms and connected to the pistons, so that when the shaft is rotated the arms will act on the lever and the connecting rod to move the pistons. The construction is very simple and inexpensive.

COMBINATION TOOL.—Willard Topliff, Youngs, N. Y. This invention combines the features of an ordinary try-square or the like. with a weather board gage, for use by carpenters either as a square or gage. The tool has a blade formed with a recess and a clip having two arms, one of which has a projection adapted to engage the recess, the arms being connected by a central portion extending beyond each side of the blade and capable of engaging one of its edges, to form a fulcrum on which the arms may be moved.

CLUTCH.—Ernest W. Carleton, Austin, Texas. A simple and economical clutch mechanism for transmitting power is provided by this invention, in which the clutch has independent rotatable disks that act on peripheral eccentric portions so arranged that the disk is held free from contact with the drive shaft and the entire bearing of the clutch mechanism is thrown on the grip members, the shaft apertures in the disks being made sufficiently large to overcome any irregularity of the bearing faces of the internal cam portions, and obviating the necessity of providing outside collars.

SAW.-Charles T. Redfield, Glen Haven, N. Y. This invention provides an improved frame for supporting the saw blade, the frame being trussed to Hunt, Jr., Wilkesbarre, Pa. This pencil has a tubular of this paper.

cross bar and the upper ends of the end bars of the frame by which a drawing strain may be exerted between the cross bar and the upper portion of the end bars in such a manner as to prevent the cross bar from moving out lat erally under the strain of tightening the saw blade.

STONE CUTTING MACHINE -Peter H. Berrighin, Quincy, Mass. In this machine the pointers or chisels are designed to act automatically, simulating hand work, as are also the pene and bush hammers, in finishing the work. The devices carrying the chisels and pene and bush hammers are adjustable vertically to act on blocks of any desired thickness, and the stone while being cut rests on a truck which may be moved at a proper rate of speed or shifted sidewise to bring the block properly beneath the stone-cutting tools

TIRE UPSETTING MACHINE.—Hans E. Olstad, Sioux Falls, South Dakota. To grip and hold the tire to be shrunk while the shrinking devices are being operated, without employing wedges, this machine is made with a frame having movable and fixed jaws to hold the tire, there being means for opening and closing the jaws and for moving them toward one another to effect the upsetting or shrinking. The part of the tire operated upon is substantially covered by the clamping devices, its bending being thus prevented and its shrinking insured.

CLEANING BOLTING SIEVES.—Daniel E. Burner and Maconius Shaner, Columbus, Ohio. In horizontal bolting sieves which have a gyrating motion, this invention provides a simple and inexpensive brush for cleaning the sieves. The body block of the brush comprises a number of radiating arms, and above the sieve are secured pins extending downward nearly to the bolting cloth. The brush is placed loosely on the sieve, whose gyrating movement causes the brush to bound back and forth between the frame and the pins, the pins directing the brush around the sieve.

OIL WELL JACK POST. - Charles V. Card. Mayburg, Pa. To enable the cap of the jack post to be conveniently removed at any time, or to facilitate its adjustment in case of wear, the cap bolts, passing through the cap and extending into recesses in the sides of the post, are formed with eyes which are engaged by a

Miscellaneous.

GAS BURNER FOR STOVES. - Peter Rohrbach, Brooklyn, N. Y. To convert an ordinary kitchen stove or range into a gas stove this inventor has devised a burner whose hollow base is adapted to be seated in the fire pot and connected by tubing with the gas supply, an upwardly extending burner tube having air inlet holes, while on this tube screws the burner head, consisting of a hollow cross piece terminating at each end in a hollow annular burner. These two annular burners are brought into the pot holes of the stove, and form a support for the various kitchen utensils.

WEATHER STRIP AND DOOR STOP .-Adolphus M. Doyle, Leoti, Kansas. A stop adapted for attachment to the door, according to this invention, is normally pressed downward by a spring, and a weather strip and pin are also pivotally connected with the door, the pin passing through the weather strip to engagement with the stop, and communicating the pressure from the spring controlling the stop to the weather strip. The device is inexpensive and readily applicable to a door, the stop and weather strip being operated together by means of the knob spindle.

UMBRELLA CANE.—Rufus Waples, Jr. New York City. This is an improvement on formerly patented inventions of the same inventor, providing an umbrella canopy which may be compactly folded and placed in a tubular cane, the cane forming a stick for the opened umbrella. The invention comprises a novel combination of cover, ribs and braces, with a guide sleeve secured at its inner end to the center of the cover and at its lower end with the inner ends of the stretcher, so that when the umbrella is open the sleeve will be crimped between the stretchers and the ribs.

RIB TIP HOLDER FOR UMBRELLAS OR Parasols.—Heyward Scudder, Northport, N. Y. This invention provides a superior clamp for removably holding the tips of umbrella ribs snugly against the stick, wo semicircular clamp sections embracing the stick, each having a shank with a spring eve adapted to re ceive the terminals of a pin, and the eyes yielding to permit the movement of the sections on the pins and contracting to hold the sections at the desired adjustment.

FURNITURE BASE. - Jacob L. Stair, Altamont, Ill. This base has an outwardly movable sec tion and a longitudinal guideway, the supported article pivotally engaging the base at its movable section and engaging the guideway of the fixed section, while the guideway has branches extending through the front of the base, permitting a complete revolution of the supported article. The improvement is especially designed for use with folding beds, bookcases, wardrobes, e permitting the swinging of such furniture near a wall without contacting with the wall.

SWIVEL COUPLING. — Brown Henley Hillsville. Pa. This is an improvement on a former patented invention of the same inventor for a coupling particularly intended for use as a fifth wheel for vehicles and also as a coupling for singletrees. The upper and lower parts, fitting together and rotating on each other, are connected by a clip which allows due rotary movement, and the clip has a bar that bears centrally on one of the parts and shanks which rigidly connect it with the other part.

PATTERN PRODUCING APPARATUS. Felix Crakauer, Wiesbaden, Germany, This apparatus comprises a series of extensible outline strips having teeth or the like to produce an impression on the paper while lazy tongs and adjusting devices are connected to the free ends of the strips to complete the outline of the pattern. The apparatus, adjusted according to the required measurements, automatically forms the outline of the pattern, and it may be transferred directly to the

Pencil. - Henry Hunt and Henry

furnish a tensile strain between the middle portion of the body to receive a lead, there being an eraser held in one end of the body, while on its other end fits a removable cap or clamping sleeve adapted to firmly hold the lead in adjusted position. Within the clamping sleeve is a spring metal band carrying clamping jaws to hold the lead and sleeve in place, the end of the lead being moved at pleasure as required. The device is designed to be simpler, cheaper and more convenient than various other forms of pencil.

> ARTIFICIAL LIMB.—Samuel M. Kellum, Altman, Col. According to this invention the limb is composed of an inner and an outer socket section, the outer section having free movement on the inner one, and the latter having means for binding it closely to the natural limb or stump. A supporting belt from the waist has independent connections with both the inner and the outer socket sections, and the artificial limb proper cannot irritate the skin.

> BICYCLE AND TRICYCLE.—William F. Williams, London, England. To promote the chest development of riders and enable other muscles to cooperate with those of the legs in propelling a machine, and also to enable the machine to be steered by the shoulders, this inventor has devised a combined shoulder support and steering device, there being combined with the steering fork spindle abutments or supports to resist the forward pressure of the shoulders, the supports being carried by a rod adjustable on a spindle parallel to the steering head, and coupled thereto by lever arms and

PANORAMIC CAMERA. - Horatio G. Wood, Newport, R. I. In this camera the driving mechanism is greatly simplified, and the camera can be used for making either panoramic views or ordinary views. On the fixed pivot for the camera casing is a sta tionary gear wheel, there being a pinion in mesh with the gear wheel, and a winding roller carrying the pinion being adapted to wind up the film after the exposure is

FILTER.—Alexander H. Wright, Stratford, Canada. For filtering cane juice and other liquids in an economical and thorough manner, this invention provides a casing mounted on hollow trunnions to form the inlet and outlet for the liquid to be filtered, a perforated plate supported above the bottom of the casing forming a space from which leads the outlet, and there being a removable cover for the casing. The liquid flows through the filter under pressure, and the filtering material consists of bagasse, straw, or other fiber, or fine

GAS BURNER.—George H. Parsons, St. Louis, Mo. This burner has an inner wall with open ings in its side, and an outer casing with registering openings, and may be adjusted to furnish a blue flame with an intense heat and no smoke, after the manner of a Bunsen burner, or be adjusted to furnish light for illuminating purposes. It is designed also to support a cup or receptacle for heating liquid or to receive a glass

RIDING SADDLE. - William C. and Jesse D. Padgitt, Dallas, Texas. This saddle is an improvement on a former patented invention of one of the same inventors, and has a tree or frame formed of a short rigid fork and a flexible body or rear portion, including a seat and cantle of leather or other flexible ma-terial. The improvement provides for increasing the strength of the flexible portion without adding materially

FENCE WIRE STAY.—Alfred J. Sloan, Clyde, N. Y. This stay is bent from a wire rod to be adapted to hook fast to the fence wires, hold them spaced, and have a locking device at each end of the stay which affords means for the detachable but secure connection of the ends of the stay with the upper and lower wires of the fence. The stay is light, strong, and inexpensive, and quickly attached or detached.

STOVE. - James P. Rasmusson and James Oliver, Tacoma, Washington. In sheet metal stoves for burning wood, this invention provides an airtight casing so made that the damper is securely held to its seat irrespective of the expansion and contraction of the metal. The damper casing has a depressed front in which a disk turns on a bolt, a pivoted weighted arm engaging the bolt to cause it to press the disk upon its eat, thus establishing a very tight joint.

COUCH.—Richard V. W. Wicks, Brooklyn, N.Y. This couch admits of placing the body in a reclining, upright, or partially upright position, and requires but slight exertion of the occupant to assume any desired position, when the couch will be automati-cally locked in such position. The couch has a head rest or pillow which follows the position of the head section of the couch when raised or lowered. The couch has a mattress of spring-supported slats or woven wire arranged to readily break at the point where the head section rises at an angle to the intermediate section of the bed frame.

CLOTHES STICK.—William J. Coakley, Rockland, Me. This is a laundry implement adapted to onveniently move about and change the position of the clothes in the boiler, and to facilitate removing the clothes. The invention comprises a slightly yielding head piece on the end of a handle lever, the head piece consisting of a removable barrel shaped shell composed of a series of longitudinal ribs, the head yielding enough to avoid punching holes in the clothing, and being also capable of resisting the action of boiling water.

STRING FASTENER.—Charles C. Pine, New York City. This is a device for use on shoes, corets, gloves, etc., enabling the wearer to securely fasten the end of the string in a very simple manner. The fastener is preferably made of a single piece of sheet metal, and has a pronged back plate by which it is se cured to the article on which it is applied. The device comprises two opposing plates connected by a cross bar, a tongue being arranged between the plates and extending along the circumference of one of them to engage the end of the string.

Note.—Copies of any of the above patents will be furnished by Munn & Co., for 25 cents each. Please send name of the patentee, title of invention, and date

Business and Personal.

The charge for Insertion under this head is One Dollar a line for each insertion; about eight words to a line. Advertisements must be received at publication office as early as Thursday morning to appear in the following week's issue.

Marine Iron Works. Chicago. Catalogue free. "C. S." metal polish. Indianapolis. Samples free. Mariner & Hoskins, Assayers, 81 Clark St., Chicago. W. Hoskins & Co., Assay Furnaces, 81 Clark St., Chicago. Presses & Dies. Ferracute Mach. Co., Bridgeton, N. J. Handle & Spoke Mchy. Ober Lathe Co., Chagrin Falls, O. Send for cat, and sample copy. Open Court Pub. Co.,

Wanted to Purchase—a power machine to seed raisins in large quantities. Address R. C. S., Box 773, N. Y.

Screwmachines, milling macrines, and drill presses The Garvin Mach. Co., Laight and Canal Sts., New York. The celebrated "Hornsby-Akroyd" Patent Safety Oil Engine is built by the De La Vergne Refrigerating Machine Company. Foot of East 188th Street, New York.

The best book for electricians and beginners in electricity is "Experimental Science," by Geo. M. Hopkins. By mail, \$4, Munn & Co., publishers, 361 Broadway, N. Y. Stay with your job, and with your wages pay install-

ments for a profitable olive orchard. Booklet free. Whiting's Olive Colony, Byrne Building, Los Angeles,

More profitable than your business. Investigate Ransome's Concrete Construction. Easily learned. I iberal terms for exclusive rights. Ransome & Smith Co., 622 Boylston Bldg., Chicago.

Cripple Creek-lts History to Date, Illustrated,-Just out, with correct map and costly full page views of mines natural as life. This great book will be sent free prepaid with our big 56-col. family paper 3 months on trial for 25 c, (stamps or 'silver); club of 5, \$1. Latest mining news. Mention the SCIENTIFIC AMERICAN and address Illustrated Weekly, Denver, Colo.

Send for new and complete catalogue of Scientific and other Books for sale by Munn & Co., 361 Broadway, New York. Free on application.



HINTS TO CORRESPONDENTS.

Names and Address must accompany all letters or no attention will be paid thereto. This is for our information and not for publication.

References to former articles or answers should give date of paper and page or number of question.

Inquiries not answered in reasonable time should be repeated; correspondents will bear in mind that some answers require not a little research, and, though we endeavor to reply to all either by letter or in this department, each must take his turn.

Buyers wishing to purchase any article not advertised in our columns will be furnished with addresses of houses manufacturing or carrying the same.

Special Written Information on on matters of personal rather than general interest cannot be expected without remuneration.

Scientific American Supplements referred to may be had at the office. Price 10 cents each.

Books referred to promptly supplied on receipt of price.

Minerals sent for examination should be distinctly

Minerals sent for examination should be distinctly marked or labeled.

(6847) J. F. asks: Please send me a table or formulæ for working out the amount of power consumed in the circuit upon which is placed a Thomson recording watt meter, 2 wire, 100 volts, as I have a meter in my house and I want to learn how to figure out how $\operatorname{much}\, \mathbf{I}$ burn. A. The general principles of electric light metering are based on the assumed maintenance of a constant voltage and the registering of amperes by the meter. Then, by multiplication of meter reading by the voltage of the system, the watts are given. Three to four watts are required per candle power and 746 per horse power. The customer who buys lightcares nothing about watts. A slight drop in voltage, while almost unappreciably diminishing the amperes and watts and scarcely affecting his bill, may cut his candle power down very seriously. A correct electric meter should register voltage as well as amperage. If a reduction of amperage reduces the bill in direct ratio, the reduction of voltage should reduce it in a very high ratio, if used for light; not if used for power. A correct power meter is not necessarily a correct light supply meter.

(6848) F. G. U. says: Please give me in Scientific American formula for bath to temper steel such as mill picks and rock drills. A. If cast steel is made white hot, it is spoiled; yet if a person takes a chisel, mill pick, or other pointed tool to be repaired, the smith pushes it into the fire. The point is soon white hot. They will now push it in and out of the fire a few times, and at last bring it out red hot and work it. Of course it is already spoiled; and no matter how low it is tempered, it is next to useless. Take one to the smith, and see that he puts the body of the tool in the fire, leaving the two thin ends uncovered till the middle is red hot. As soon as the middle is red hot pull back, and let the thin end just get a dull red heat. It must now be hammered edgewise first and flatways last of all. It is best to hammer it on the flat part of the anvil, as drawing steel on the edge of the anvil, although a great deal quicker, makes it short in the grain, and always causes the tool to break in the thinnest place. Serve the other end the same, only repeat as soon as it loses its dull red color. The lighter the blows in working steel, the tougher it is. The point should be quite as thin as a fitter's chipping chisel, only a little longer, then it will not require doing up so often. When the ends are drawn out, the middle will have lost its red heat. The ends can now be filed a little. Now to temper them. Heat them in the flame of the fire, using great care. When a very dull red heat, cool in rain water, with the chill taken off, about 34 inch from the end, and let down to a blue: if it should be too brittle, a little lower. Serve the other end the same. Cool all over. Grind the edge rather blunt, and for the first few blows hit as light as possible. The secret is in working it at as low heat as possible, only keep on repeating very often, and to hit it edgeways as little as possible, but flatways as much as you like.

NEW BOOKS AND PUBLICATIONS.

A PRACTICAL HANDBOOK ON THE CAR PRACTICAL HANDBOOK ON THE CAR AND MANAGEMENT OF GAS ENGINE. By G. Lieckfeld, C.E. Authorize translation by G. Richmond, M. I With instructions for running o engines. New York: Spon & Chan berlain. London: E. & F. N. Spon 1896. Pp. xiv, 103. Price \$1.

The subject of this book, which is very concise really the running of an "Otto" gas engine and o "Hornsby-Akroyd" oil engine. It is fair to say that who has mastered these two engines will be in good co dition to cope with any motor placed before him, as th are typical and standard machines. The "Test Card" and "Treatment of Derangements" are samp of the headings. We note especially that the section the oil engine is written by Mr. George Richmond, M. of the De la Vergne Company, an engineer of hi standing, who has been identified with the development of oil engines in this country.

DR. JAMESON'S RAID: ITS CAUSES AN CONSEQUENCES By Rev. Jame King. New York and Londor George Routledge & Sons. Pp. 18 Price, paper, 50 cents.

This is a concise handbook on the political situation South Africa, supplying information respecting the Bo and their country, as well as treating of the Jameson ra The story is told from the time of the first Dutch cold zation, and the book also has an account of the diamo and gold fields of the Rand.

CHRISTIANITY AND OUR TIMES. By I P. Brorup. Chicago: Internations Book Company. 1895. Pp. 22 Price 25 cents.

THE PSYCHOLOGY OF ATTENTION. Th. Ribot. Authorized translation (Third revised edition.) Chicago The Open Court Publishing Corpany. 1896. Pp. viii, 120. Price cents. Paper 25 cents.

OBSERVATIONS OF A BACHELOR. B Louis Lombard, author of "Observations of a Traveler," "Observation of a Musician," "Love's Sufferings composer of the opera "Juliet," and founder and director Utica (N. Y. Conservatory of Music and Schoo of Languages. Utica, N. Y.: L. Childs & Son. Pp. 151. Price 5 cents. cents.

Beginning May 24, the American Wheelman, who name is symbolic of originality and enterprise, will be the publication of a daily cycling paper in New Y City. There are now more than one hundred thous cyclists in the metropolitan district, so that there will doubtedly be adequate support. The weekly edition not be injured by the daily; in fact, it will be improve It is evidently the intention of the publishers to cond it upon a high plane, for the editor says: "It will our aim to make the weekly American Wheelman a h class literary and technical journal, combining the ch acteristics of Harper's Weekly and the Scientific Ame CAN." We wish our contemporary every success in the new venture.

TO INVENTORS

An experience of nearly fifty years, and the preparati of more than one hundred thousand applications for I tens at home and abroad, enable us to understand t laws and practice on both continents, and to possess u equaled facilities for procuring patents everywhere, synopsis of the patent laws of the United States and foreign countries may be had on application, and persocontemplating the securing of patents, either at home abroad, are invited to write to this office for price which are low, in accordance with the times and our etensive facilities for conducting the business. Addre MUNN & CO., office SCIENTIFIC AMERICAN, 361 Broaway, New York.

INDEX OF INVENTION

For which Letters Patent of the United States were Granted

May 5, 1896,

AND EACH BEARING THAT DAT [See note at end of list about copies of these paten

	Gas controller, prepayment, w. N. Milsted 559,	737
Advertising device, I. Roescher 559,609	Gas fixtures, electric light attachment for, P. W.	1
Air cushioning apparatus, R. Miehle 559,589	Remig	,403
Alarm. See Burglar alarm.	Gate. See Drive gate.	- 11
Album lock, Vorpahl & Pohl	Generator. See Steam generator.	- 1
Armature for electric motors and dynamos, Fiske	Glass annealing apparatus, plate, J. A. Chambers 559,	361
& Littlefield	Glass polishing wheels, automatic feeding up de-	
Autoharp, J. S. Back	mice for M F Cilner	200
Autoliarp, J. S. Back	vice for, T. F. Gilroy	,099
Awnings, device for operating roller, A. L. Clark. 559,678	Glove, J. H. Clark	679
Axle box lubricator, car, J. S. Patten	Gold from its ores, process of and apparatus for	
Baby walker, convertible, Weiland and Thomas 559,424	extracting, J. G. Murphy 559	593
Baking pan attachment, J. Lacroix 559.720	Grain conveyer, pneumatic, J. B. Schuman 559	615
Bale tie, A. S. Gooch	Grain scourer, Huntley & Wolfrom 559.	488
Bearing, antifriction shaft, C. W. Pierce 559,537	Grater, nutmeg, M. H. Sexton	543
Bed lounge, L. G. Ihrig	Gun barrel. F. Tittmann	550
Beds from insects, device for protecting, P.	Hammer, A. C. Beckwith	een
Serial insects, device for protecting, 1.	Hanger. See Coat hanger.	,000
Smith	Hanger. See Coat nanger.	
Bedstead rail plate, H. S. Hart	Harvester, corn, W. T. Harris 559	.777
Bee smoker, Street & Garrett 559,546	Harvester, grain, H. J. Case 559	,480
Bell, bicycle, M. L. Carpenter	Hay carrier apparatus, W. Louden 559	
Belt, electric, Moore & MacCulloch 559,535	Hay elevator jack, H. E. Witmer 559	653
Bicycle, C. G. Dieterich 559.368	Heater. See Electric heater. Feed water heater.	, .
Bicycle, C. G. Dieterich	Fireplace heater. Steam and hot water	- 1
mand	heater.	- 1
Pierele ettechment A H Winner 550 659	Heel attaching machines, nail block or plate for,	
Bicycle attachment, A. H. Winner	H. A. Webster 559	554
Bicycle of tricycle wifeel, A. J. Wolff	n. A. Webster 908	,004
Bicycle pedal, S. O. Jones 559,385	Heel moulding and loading machine, F. F. Ray-	
Bicycle pump attachment, L. G. Spencer 559.418	mond, 2d	,789
Bicycle rest or support, J. M. Gaston 559.698	Heel stiffener, W. H. Buell 559	,672
Bicycle support, F. J. Werneth 559.646	Hog ringing device, J. P. Honaker 559	383
Bicycles, change speed gearing for, J. Munden 559.784		
Billiard table, pocket, P. M. Cunningham 559,790	Hook, See Lacing nook, Shap nook. Hook and eye, A. Graff	1484
Bleaching agents, process of and means for pro-	Hose counling A. G. Kinvon 559,389 559	3390
ducing, C. Kellner	Hub, wheel, W. S. Gubelmann 559	1486
Blower, rotary, T. W. Green. 559,703	Hydraulic elevator, T. W. Heermans 559	596
	Tradecombon burner (I) T Drough	0.000
Boiler. See Steam boiler.	Hydrocarbon burner, T. J. Brough 559	401U
Boller cleaner, J. McFarlane	Hydrocarbon engine, M. G. Nixon	, 399
Boister spring, N. L. Holmes	indexes in paper nies, notder for expansible, T. J.	
Boiler cleaner, J. McForlane	Amberg 500	3,762
Book, check sales or order, S. Shoup 559,622	Hydrocarbon engine, M. G. Nixon 558 Indexes in paper files, holder for expansible, T. J. Amberg. 558 Indicator. See Bowling alley indicator. Speed	- 1
Book cover, C. L'Enfant 559,727	indicator.	- 1
Boot or shoe pulling-over machine, C. P. Law-	Insulation and making same, composition for	;
rence	electric. A. Gentzsch	3.376
Bottle filling apparatus, F. E. McKay	Irrigating flumes, outlet and cut off for, D. W. Willard	' 1
Bottle stopper, A. G. Carlson	Willard 550	651
Bottle, two compartment. H. Gallagher 559,697	Jack. See Drill jack. Hay elevator jack. Lift-	
Powing allow indicator F. Docker	ing jack. Steemboot jack. Hit-	
Bowling alley indicator, F. Becker 559,352	ing jack. Steamboat jack.	
Box. See Car sand box. Journal box. Music	Japanning and enameling machine, R. H. Bell-	
box. Spool box.	man	
Box, J. Hollinger 559,451	Jars, etc., lid fastener for fruit, J. Bonshire 559	1,564
Bracket. See Door guide bracket.	Journal box, W. B. Eichholtz 559	9,691
Bracket. See Door guide bracket. Brake. See Elevator brake.	Lournal box C. Linstrom	7,728
Breeching strap, B. P. M. Lang	Ketone from orris root, making, J. C. W. F. Tie-	
Breeching strap, B. P. M. Lang 559,722 Bridge flooring, C. E. Fowler 559,774	mann	9,636
2		-,0

	Broom, L. C. Richardson Brush, bath, F. H. Bloemker. Brush, horse, B. P. Cafferty, Jr Bung, G. Zeilstra. Burglar alarm, T. J. Sutton Bural casket, W. C. Lautner. Burner. See Hydrocarbon burner. Butner or cheese cutter, L. W. Merriam. Butter purifying compound, J. W. Terman. Cakepan, M. L. Perrott et. Cal ching furnace, A. H. Wethey. Can closure, oil, B. A. Beal. Car coupling, automatic, J. Wagner. Car door lock, A. A. Andersen. Car, dumping, C. D. Page. Car fender, H. Burden. Car sand box, C. H. Taylor. Car sign, J. J. Dolan. Car, sieeping, L. F. Ruth. Cars, etc., bolster for, J. W. Cloud. Carbon, electric arc lamp, J. Roubal. Carding engines, mechanism for grinding flats in, J. C. Potter. Carpet cleaner, C. Scharrer. Carriage and cradle, combined, C. G. Falter. Case. See Eyeglass case. Photographic case. Physician's portable case. Piano case.	559,607 559,434 559,673 559,656	K
RE ES.	Brush, horse, R. P. Cafferty, Jr. Bung, G. Zeilstra. Burglar alarm, T. J. Sutton.	559,673 559,656 559,631	L
ed E.	Burner See Hydrocarbon burner. Butter or cheese cutter, L. W. Merriam.	559,494	F
oil m-	Cake pan, M. L. Perrott et. Calcining furnace, A. H. Wethey.	559,647 550,251	LLL
on.	Car coupling, D. K. Clark. Car coupling, automatic, J. Wagner.	559,772 559,470 559,421	Ł
e, is of a	Car, dumping, C. D. Page. Car fender, H. Burden.	559,402 559,436 559,540	L
one on-	Car sign, J. J. Dolan Car, sleeping, L. F. Ruth	559,516 559,541	Ł
hey	Carbon, electric arc lamp. J. Roubal	559,752	L
ples	Carpet cleaner, C Scharrer Carriage and cradle, combined, C. G. Falter.	559,498 559,445	Ł
.E.,	Physician's portable case. Plano case. Cash carrier, Gipe & Hildreth. Caster, ball, G. J. S. Collins. Casting metallic beds, mould used in, P. H. Mel-	559,700 559,514	L M
ent	Casting metallic beds, mould used in, P. H. Meilon. Cement, H. Mizuhara Chain making machine, R. A. Breul	559,735	M M
ND			M M
nes n:	Chenille fabric, woven, L. Binns. Chimney cap and ventilator, W. J. Kayser. Chute, coal, W. W. Sperry. Clamp See Rope clamp. Wheel rim clamp.	559,388 559,628	M
80.	Clay, etc. machine for cutting. J. Winkelmeyer, Cleaning apparatus, Leonard & Brick Cloth singeing apparatus, H. T. Sanborn Clothes wringer, T. W. Stone. Clutch, friction, Worrell & Lesperance Coal, hopper for charging, D. McDonald Coaling tip. C. W. Hunt.	559,556 559,393 559,610	M
n in	Clothes wringer, T. W. Stone. Clutch, friction, Worrell & Lesperance	559,760 559,558 559,731	
aid.	Coat hanger, J. Frankel	559,447 559,534	M M M
oni- ond	Coil holder or clip, W. J. Stanton, Jr. Collar, bow and bosom front, combined, J. M. Weissman.	559,758 559,425	N N N N N N N N N N N N N N N N N N N
R.	Weissman. Compound engine, G. S. Strong. Conveyor, J. M. Dodge. Copying pad, manifold. T. M. St. John Copying press, letter, O. W. Anderson. Cork cutting machine feed mechanism, J. A. Lafrance	559,502 559,371 559,420	N
al 28.	Copying press, letter, O. W. Anderson. Cork cutting machine feed mechanism, J. A. La- france	559,657 559,391	N
_	france. Corn cutter, J. M. Shively Corn husking machine, Stevens & Swart Corn husking machine, L. D. Swart	559,754 559,545 559,548	O
By on.	Corn husking machine, L. D. Swart Corn husking machine, Swart & Avery. Cors et steel reinforce, L. Leppert Cou pling. See Car coupling. Hose coupling.	559,547 559,458	P P P P
o: m-	Cou pling. See Car coupling. Hose coupling. Crate, egg, A. D. Gilpin Culvert, corrugated metal, J. H. Watson. Currycomb and singeing device, combined, G. Hicks. Curtain fixture, A. Johnson.	559,642	P
75	Curtain fixture, A. Johnson. Curtain rod, J. M. Kerr. Curtains, detachable fixture bar for window, U. S.	559.489 559,716	P
Ву	Jackson	559,582	P
ns ons	Dental engine, J. D. Wilkens	559,426 559,511	P
nd Y.)	Dental not air syringe, Burns & Reeves. Digger. See Potato digger. Dividers, circumferential, J. E. Worthen. Doctor, automatic, T. H. Latimer. Door brace, C. Hoffman. Door check, J. D. Platt Door guide bracket, sliding, R. G. Chase. Door opener, automatic, B. Genaust. Drill jack, G. W. Lovell. Drive gate, T. A. Hill.	559.559 559, 723 559, 382	P F F
ool C.	Door check, J. D. Platt Door check and closer, E. I. Blount (reissue) Door guide bracket, sliding, R. G. Chase	559,600 11,537 559,568	F
50	Door opener, auto matic, B. Genaust	559,448 559,730 559,708	F
nose	Drill jack, G. W. Lovell. Drive gate, T. A. Hill Dynamo, inductor, C. P. Steinmetz. Eggs and apparatus for turning them to keep them fresh, storing, T. R. C. Christianson. Electric current regulator, A. S. Krotz.	559,419 559,676	F
egin ork	Electric heater, W. F. Warner	559,553	E
and un-	Electric machine, dynamo, J. F. Kelly Electric machine, dynamo, J. F. Kelly et al. Electric machines and means for supporting same, pillow block for dynamo, P. W. Power Electric motor and motor generator, L. Gutmann, Floetrical poortset device for supports or conduits.	559,584	F
will ved.	There & Allen	559,538 559,380 559,586	F
luct l be	Floatrical distribution system I F Vally	550 520	F
nigh har-	Elevator safety appliance, J. H. T. H.	559,444 559,569 559,539	F
erı- heir	Elevator safety appliance, J. H. Tennyson. Elevators, automatic door opening or closing de- vice for, F. E. Herdman	559,633 559,528	F
_	Elevators, electrical safety lock for, A. C. Hunt Ergine. See Compound engine. Dental engine. Hydrocarbon engine. Steam engine.	559,529	F F F
tion	Hydrocarron engine. Steam engine. Hydrocarron engine. Steam engine. Engine steering device, traction, N. Weiler. Eraser, blackboard, C. J. Becker Eyerlass case, P. Closs. Feather boas, apparatus for making, T. W. Aus-	559,765 559,438	F
pa- tbe un-	Fecal closet, C. H. Bennett	559,432 559,555	Ē
A l d all sons	Feed water heater, S. Smith. Feed water heater or condenser, L. B. Carrica- buru. Feed water regulator, A. Rothfuss.	559,757	F
e or ces, ex-	Feed water regulator, A. Rothfuss. Fence post, E. Diver. Fender. See Car fender. Field or garden implement, P. C. Dillan	559,497 559,574	E
ress oad-	liquids, etc., machine for, Robertson &		E
ıs	Copper. Filter, J. S. Miles. Filter, oil, R. Conrader. Filtering apparatus and process. oil, R. Conrader. Fire engines, automatic lighter for, Hall & Espey Fireplace heater, H. Howe	550 50O	- 07070
115	Fire engines, automatic lighter for, Hall & Espey Fireplace heater, H. Howe Flour compound and preparing same, J. T. O'Cal-		2020
	Fruit holder, F. F. Heitborn Fumes, apparatus for saving metallic, M. W. Hes.	559,462 559,527 559,453	0707070
r ie	Furnace. See Calcining furnace. Furnaces, automatic damper regulator for boiler, W. A. Kendrick	559,715	1 2 2
ts. J	Fuse, automatic shell, J. Rapieff. Gage. See Mercury test gage. Gage. A. J. & J. B. Haskell. Gas consumer and fuel economizer, J. Price Gas controller, prepayment, W. N. Milsted. Gas fixtures, electric light attachment for, P. W.	559,495 559,450 559,602	8
9,609	Gas controller, prepayment, W. N. Milsted	559,737	
9,639	Gate. See Drive gate. Generator. See Steam generator.		1 5
9,692 9,764 9,678	Glass polishing wheels, automatic feeding up de- vice for, T. F. Gilroy. Glove, J. H. Clark	559,699 559,679	20101
9,787 9,424 9,720 9,523	Glass annealina apparatus, plate, J. A. Chambers Glass polishing wheels, automatic fee ding up de- vice for, T. F. Gilroy. Glove, J. H. Clark Gold from its ores, process of and apparatus for extracting, J. G. Murphy. Grain conveyer, pneumatic, J. B. Schuman. Grain scourer, Huntley & Wolfrom Grater, nutmeg, M. H. Sexton. Gun barrel. F. Tittmann. Hammer, A. C. Beckwith Hanger. See Coat banger. Harvester, corn, W. T. Harris.	. 559,593 . 559,615	20707
9,525 9,537 9,778	Grater, nutmeg, M. H. Sexton. Gun barrel, F. Tittmann. Hammer A C Reckwith	. 559,548 . 559,543 . 559,550	
9,414 59,381 59,546	Hanger. See Coat hanger. Harvester, corn, W. T. Harris.	. 559,777 . 559,480	
9 437 9,535 59,368	Harvester, corn, W. T. Harris. Harvester, grain, H. J. Case Hay carrier apparatus, W. Louden Hay elevator jack, H. B. Witmer Heater. See Electric heater. Feed water beater.	. 559,588 559,653	5
59,761 59,652 59,654	heater. Heel attaching machines, nail block or plate for		8
59,385 59,418	Heal moulding and loading machine F F Ray	. 559 _, 554	٠,
59,698 59,646 59,784 59,790	Hog ringing device, J. P. Honaker	. 559,383	
59,790 59,454 59,703	Hose coupling, A. G. Kiuyon	. 559,484 0, 559,390 0, 559,486 0, 559,590	
59,703 59,594 59,581	Hydrocarbon burner, T. J. Brough Hydrocarbon engine, M. G. Nixon Indexes in paper files, holder for expansible T. J.	. 559,670 . 559,399	
59,506 59,622 59,727	Indicator. See Bowling alley indicator. Speed indicator.	d	
59,726 59,733 59,360	Insulation and making same, composition to electric A. Gentzsch		3
59,360 59,697 59,352	Ing Jack. Steamboat Jack.		
59,451	Japanning and enameling machine, R. H. Bell man. Jars, etc., lid fastener for fruit. J. Bonshire.	. 559,662 . 559,564	. :
	Journal box, W. B. Eichholtz	. 559,091	3

_				
.	559,607 559,434 559,673 559,656 559,631	Key, O. Stoddard Knitting machine stop motion, D. F. Sullivan Lacing book, M. N. Bray. Ladder, adjustable step, W. V. Stephenson Ladder, extension, D. Snell	559,769	Ste Ste Ste Ste
 	559,457 559,494 559,634	Lamp electric arc, A. Jordan Lamp, electric arc, C.!E. Scribner	559,387 559,408 559,412 559,649	Sto
·•·	559,788 559,647 559,351 559,772	Lamp socket, H. C. Wirt. Last, H. G. Locke. Lasting machine, C. P. Lawrence. Latch and lock, combined. A. Watson Latch and lock, combined. A. Watson Latch, automatic, Wells & Wiltsie. Latch, nollow mandrel, J. Harley. Latte tool carriage, D. F. Cornell. Letter carrier's register, J. D. Miller. Lifting jack, L. D. Hathaway. Lifting jack, L. D. Hathaway. Liquid raising apparatus, E. I. Nichols. Lock. See Album lock. Car door lock. Railway switch lock. Sash lock.	559,474 559,492 559,725 559,471	Sto
	559,470 559,431 559,402	Lathe, hollow mandrel, J. Harley Lathe tool carriage, D. F. Cornell	559,578 559,482	Str Str
· · ·	559,436 559,549 559,516 559,541	Lifter and carrier, D. Broderick Lifting jack L. D. Hathaway Lifting jack H. E. & H. Z. Voutz	559,669 559,579 559,475	Str
 n,	559,541 559,365 559,752	Liquid raising apparatus. E. I. Nichols Lock. See Album lock. Car door lock. Railway switch lock. Sash lock.	559,595	Sur Sur Sw
	559,601 559,498 559,445	switch lock. Sash lock. Locomotive tender, W. F. Richards. Loom, A. Monti. Loom take up and drop box governing mechanism, T. A. Brady. Lubricator. See Axle box lubricator.	559,460	Syl Syl Ta Ta
 el-	559,700 559,514 559,735	Match machine, B. T. Steber	559,693 559,759 559,525	Ta Ta Te Tel Tel
	559,735 559,738 559,770 559,667	Measuring device, S. O. Jones	559,386 559,767	Те Те
	559,388 559,628 559,556 559,393 559,610	Military equipment and accounterment, J. Zinn Moulding device, A. M. Thompson. Moulding resolvings author boad for registry.	559,394 559 509 559,635 559,695	Tel
	559,610 559,760 559,731 559,731	W. Fowler Mortising machine, endless chain cutter, C. Loetscher Motor. See Electric motor. Water motor. Music box P. T. A. Rodeck	559,781	Te Te Th
		Music leaf turner, W. H. Frye Music leaf turning machine, Boothman & Bus-		Tb:
И.	559,447 559,534 559,758	hong. Music sheet driving gear, F. E. P. Ehrlich. Musk, making artificial, A. Muller-Jacobs. Napkin bolder, A. Dormitzer. Noodle cutting machine, F. Kahler. Noodle cutting machine, F. Kahler.	559.355 559,773 559,783 559,517 559.713	Tie Til Tir
70,	559,425 559,502 559,371 559,420	Noodle cutting machine, F. Kahler	559.713 559.782	To To
a-	559,657	Not and lock nut, combined, A. Mosley. Nut lock, J. B. Funkhouser. Nut lock, C. Robrbsch. Nut lock, L. D. Spragg. Nuts, machine for manufacturing, J. H. Stern-	559,696 559,464 559,629	To To To To
•	559,391 559,754 559,545 559,548	Ore crushing machinery, G. Johnston	000,000	Tra
	559,547 559,458	Pad. See Copying pad. Pan. See Cake pan. Paper paraffining machine, L. G. Reynolds Paper sheets, cabinet for, Thorn & Austin Paper, spindle for reeling or rolling, W. L. Coul-	559,605 559,469	Tra
 G.	559,776 559,642	Paper, spindle for reeling or rolling, W. L. Coultas, Jr. Pegging machine, W. W. Kelly.	559,682 559,532	Tr
• • •	559,580 559,489 559,716	tas, Jr. Pegging machine, W. W. Kelly. Pen, fountain, L. E. Waterman. Pen guide and finger rest, I. Bergmann Peucil holder, W. R. Kromer. Pessary, H. M. Ryman. 559,405. Photographic burnisher, Fleming & Gennert Photographic case for monuments, H. F. Gray. Photographic fabric, sensitized, R. A. Anthony. Physician's portable case. A. Hoff.	559,422 559,666 559,719	Tu Tw Tv
	559,582	Pessary, H. M. Ryman	559,406 559,694 559,702 559,658	Ty Ty Ty Ty
	559,426 559,511	Photographic fabric, sensitized, R. A. Anthony Physician's portable case, A. Hoff Piano action, grand, J. Herrburger	559,658 559,709 559,706	Ty Un Un
	559.559 559, 723	Physician's portable case, A. Hoff. Plano action, grand, J. Herrburger. Plano case, E. N. Ogden. Picture mouldings, machine for coating, A. Sparr Pipe. See Tobacco pipe. Pipes, tool for expanding ends of lead, J. Ander-	559,742 559,466	Up Va
· · ·	559,559 559,723 559,382 559,600 11,537	Pistol for shooting marbles, spring, W. J. Sleffel.	505,100	Va Ve
· · · · ·	550 448	Jr Planer, C. J. L. Meyer Plant protector. J. G. Peace	559,625 559,396 559,597	Ve Ve Wa
ep	559,419	Planter. E. A. Ovensbire. Platform. See Truck platform. Post. See Fence post.	559,401	Wa Wa Wa
٠	559,676 559,585 559,553	Powder, making smokeless, M. von Forster Power. See Vehicle and motor power.	559,638	Wa
	559,531 559,531 559,584	Precious metals, extraction of, G. A. Schroter Press. See Copying press. Printing press.	559,745	
ng r in.	559,538 559,380	Platform. See Truck platform. Post. See Fence post. Potato digger, G. H. Kidney Powder, making smokeless, M. von Forster. Power. See Vehicle and motor power. Power distributing mechanism, E. H. Probstfield Precious metais, extraction of, G. A. Schroter Press. See Copying press. Printing press. J. Weimar. Propeller, N. W. French. Pulley block, Bisel & Hancock. Pump governor, air, W. H. Green. Pump regulator, G. W. Wright. Push button, electric, G. J. Soper. Puzzle, O. Beisheim. Rack. See Suspender rack. Railway block signaling, J. G. Dixon.	559,775 559,766 559,766	W
ts,	559,586 559,530 559,721	Pump regulator, G. W. Wright. Push button, electric, G. J. Soper. Puzzlo O Rejsheim	559,560 559,416 559,661	
	559,444 559,569			W
	559,539 559.633	for, J. G. Schreuder	559,613 559,357 559,576	W
٠.,	559,528 559,529	for, J. G. Schreuder. Railway, electric, H. Brandenburg	559,481 559,592 559,508	WI WI WI WI WI WI WI Zii
	559,643 559,765 559,438	Recorder See Speed recorder	051.1000	Zii
is-	559,563 559,432	Refrigerating machine, Knox & Sharpneck Refrigerating machine, Sharpneck & Knox Register. See Letter carrier's register. Regulator. See Electric current regulator. Feed		
1S.	559,563 559,432 559,555 559,757	regulator. Feed water regulator. Pump reg-	559,349	Ad Be
•••	559,674 559,497 559,574	ulator. Rheostat, W. S. Andrews. Rheostat, H. P. Davis. Rock and ore pulverizer, C. C. Birum Rock drill rotating device, H. C. Sergeant. Rolling mill feed table. P. Berg Rope clamp, safety, W. H. Duhy. Rug and bed, traveling or campins out, S. E. Walsh	559,685 559,433 559,619	Bo
	559,369	Rolling mill feed table. P. Berg	559,665 559,443	Bu Ca
	559,540 559,590	Walsh. Safe, T. M. Brintnall Sand distriuting apparatus, C. W. Buckley	559,641 559,566 559,671	Ce Co Co
	559,440 559,439 559,704 559,487	Sand papering and buffing machine, T. E. Keavy. Sap gat bering tank, W. E. Burt. Sash fastener, H. A. Bennett	559,491 559,358 559,663	Co
al_		Sash fastener, J. N. Euwer Sash fastener, Fallows & Moore Sash lock, I. W. Lewis	. 559,483 . 559,373 . 559,587	Cu
	559,462 559,527 559,453	Saw locking device D. C. Landon. Saw mill carriage, W. M. Wilkin. Sawmill dog, W. M. Wilkin.	559,428 559,427	Ha Le
	559,715 559,495	Sawmill trin.mer, W. M. Wilkin. Sawmill trin.mer, W. M. Wilkin. Sawing machine, slab, A. W. Goodell. Salia barras triffa day nivot for F. H. Rich.	. 559,429 . 559,430 . 559,524	Le Le Pa
•••	559,450 559,602 559,737 559,403	Rog and bed, traveling or campins out, S. E. Walsh. Safe, T. M. Brintnall. Sand distriuting apparatus, C. W. Buckley. Sand papering and buffing machine, T. E. Keavy. Sap gat bering tank, W. E. Burt. Sash fastener, H. A. Bennett. Sash fastener, J. N. Euwer. Sash fastener, J. N. Euwer. Sash fastener, Fallows & Moore. Sash lock, I. W. Lewis. Saw locking device, D. C. Landon. Saw mill carriage, W. M. Wilkin. Sawmill dog, W. M. Wilkin. Sawmill log turner, W. M. Wilkin. Sawmill log turner, W. M. Wilkin. Sawmill bog turner, W. M. Wilkin. Sawmill bog turner, W. M. Wilkin. Sawmill bog turner, W. M. Wilkin. Sawing machine, slab, A. W. Goodell. Scale beams, knife edge pivot for, F. H. Richards. Scale pan, G. H. Chatillon. Scale, price, G. Flood. Scourer. See Grain scourer.	559,750 559,363 559,374	Re
w.	559,403	Scale pan, G. H. Chatillon. Scale, price, G. Flood. Scourer. See Grain scourer. Screen. See Window screen. Scal hottle, W. D. Eitel.	. 559,520	Re
ie-	559,361	Screen. See Window screen. Seal, bottle, W. D. Eitel Self Jubricating wheel. H. B. Dierdorff Separator mechanism, W. E. Sharples Sewage apparatus. A. S. Glover Sewing machine, L. Muther Sewing machine, L. Muther Sewing machine, L. W. Tracy. Sewing machine feeding mechanism, C. McNeil. Sewing machine feeding mechanism, C. McNeil. Sewing machine pull off device, M. Weiss Sewing machine, Shoe, W. Carey	. 559,573 . 559,465 . 559 522	St
for	559,699 559,679	Sewing machine. W. A. Mack Sewing machine, L. Muther Sewing machine. C. F. Skinner.	. 559.493 . 559,786 559,413	Ti
	559,593 559,615 559,488 559,543	Sewing machine, L. W. Tracy. Sewing machine feeding mechanism, C. McNeil. Sewing machine folding guide, L. Muther	. 559,637 . 559,734 . 559,785	w
	559,543 559,550 559,660	Shade holding device, H. H. & H. H. Forsyth, Jr.	. 559,446	W
	559.777 559,480	Sharpener, scissors, C. B. Corbin. Sharpening machine. razor, Laganke & Marbach. Shaving stand, A. K. Devoe	-	w
er.	559,588 559,653	Sheet metal, treating and annealing, W. E. Har-	. 559.705	
ter for,		Shoo counter finishing machine W H Taylor		A1 Ba
ау-	559,789	Shoe fastener, C. H. Pratt. Sifter, ash, W. J. O'Neill. Sifting machine, W. D. Gray. Signaling apparatus, electric, T. G. Morse.	. 559,596 . 559,378 . 559,377	B
	559,672 559,383 559,484	Signating apparatus, electric, T. G. Moise Silk, making artificial, F. Lehner	. 559,392 . 559,477 . 559,640	Ca Ca Ca
	559,390 559,486 559,526	Silk, making artificial, F. Lehner. Skirt supporter, R. S. Asay. Snap hook, I. A. Walker. Soda water fountain, C. H. Bolend. Sole rounding machine, L. E. Ericson. Speed indicator, G. White. Speed recorder, J. Spence, Jr. Spittoon, A. Rosenberg. Spuil box, C. Christensen. Spring. See Bolster spring. Stacker, nneumatic, Huber & Miller.	. 559,435 . 559,575 . 559,650	Pi
	559,670 559,399	Speed recorder, J. Spence, Jr Spittoon, A. Rosenberg Spool box, C. Christensen	. 559,627 . 559,404 . 559,364	Ti
eed	-	Spring. See Bolster spring. Stacker, pneumatic, Huber & Miller Stage scenery support, T. H. Andrews Stamp, band, P. G. Giroud Stand. See Spaving stand. Supporting stand	. 559,452 . 559,562	W -
for W	. 559, 376			
ift		Stay, dress, J. S. Crotty	. 559,623	of B
ell.	559,662 559,564 559,691	Steam boiler, G. W. Johnson	559,624 559,583 559,741 559,395	176
Ċie.		Steam engine, oscillating, H. Mullen	. 559,591 . 559,591 . 559,591	If
•••	. 500,000		-,	-

7		
	Steamboat jack. S. R. Judd	559,712 559,603
	Steel, manufacture of, J. 11. Carpenter	999,889
		559,687
	Walker.	559,515
	Stone cutting and dressing machine, Davidson & Walker. Stone saws, variable feed for gang, L. T. Cook Stool, R. L. Bent	559,441 559,664
	Stove and water heater, combined, F. L. Rice	559,606
	& Brooks	559,675
	Stovepipe, C. A. Drumm et al	559,442 559,714
	Stovepipe, C. A. Drumm et al. Stovepipe jointing machine, A. Kaiser. Strainer, coffee pot, Massey & Stallings. Strap. See Breeching strap. Straw Stacker, Depumptic A. Fraiger.	559,714
	Strap. See Breeching strap. Straw stacker, pneumatic, A. Fraizer	559,521
	Supporting device, F. H. Chamberlin	559,567
	Surgical instrument, R. A. Bagnall	559,415 559,350
İ	Switch. See Railway switch.	559,655
	Strap. See Breeching strap. Straw Stacker, pneumatic, A. Fraizer Supporting device, F. H. (hamberlin. Supporting stand, A. Sommerfeld. Supporting stand, A. Sommerfeld. Suspender rack, E. K. Zarbr Switch. See Railway switch. Syringe, J. Shearer. Syringe, W. B. Spencer. Syringe, W. B. Spencer. Syringe, See Billiard table. Work table. Tack making machine, G. H. Ryan Tank. See Sap gathering tank. Tap, C. Elterich. Telegraphic relay, C. G. Burke. Telegraphic relay, C. G. Burke. Telegraphic relay, C. G. Burke.	559,620 559,417
	Syringe, vaginal, A. C. Eggers	559,690
,	Tack making machine, G. H. Ryan	559,542
	Tank. See Sap gathering tank. Tap. C. Elterich	559,372
١.	Telegraphic relay, C. G. Burke	559,479 559,689
i	Telephone circuit for police boxes, C. E. Scrib-	559,410
	ner Telephone exchange switchboard, J. P. Davis	559,409 559.366
	Telephone exchange switching apparatus. J. P.	559,367
	Telephone switchboard apparatus, Scribner &	
	McBerty. Telephone transmitter, L. D. A ppleman Telephones, system of current supply for, C. E.	559,411 559,476
		559,616
	Theater apparatus for producing eclipse effects, scenic. Ochring & Tucker.	559.400
	Theater apparatus for producing eclipse effects, scenic, Ochring & Tucker. Thrasher, flax, J. P. Birchall. Ticket, railway, W. J. Perdue	559,400 559.354
	Ticket, railway, W. J. Perdue	559,599
	Tile machine. Vandermolen & Veen	559,739
	Eaton Tobacco pipe, J. M. Grau Toe, box, A. Seaver	559,518 559,485
	Toe, box, A. Seaver	559,618 559,744
	Toilet stand, folding kitchen, W. G. Price Torpedo guard, G. H. Jones	559,490
•	Torpedo guard, G. H. Jones. Torpedo marine, L. F. Johnson et al. Toy bird, flying, J. Nesbit. Trace and holdback and shaft connection therefor combined. I. D. Stepley.	559,490 559,711 559,536
	Trace and holdback and shaft connection there-	
	for, combined, J. D. Stanley	000,011
,	Trap for waste pipes for bowls, etc., T. J. Sullivan. Treadle attachment, hand. D. Curtin. Trolley wheel, J. McKenna. Truck platform for bandling heavy articles, E. H. Turner. Tuh. See Coaling tub.	559,504
	Treadle attachment, hand, D. CurtinTrollev wheel, J. McKenna	559,684 559,461
	Truck platform for handling heavy articles, E. H. Turner.	****
		559,565
į	Type justifying machine, C. F. Hilder	559,707
	Twisting machine, L. Briggs. Type justifying machine, C. F. Hilder. Type writer desk, Tyler & Ohmer. Type writing machine, F. P. Gorin. Type writing machine, C. L. Sholes.559 621, 559.755, Type writing machine attachment, W. E. Der-	559,421 559,449
;	Type writing machine, C. L. Sholes. 559 621, 559.755, Type writing machine attachment, W. E. Der-	559,756
;	rick. Umbrella, F. Hadfield Underskirt, M. J. Colver.	559,571 559,577
	Underskirt. M. J. Colver.	559,681
•	Upper, A. Seaver, N. Sanger, Valve apparatus, J. N. Sanger, Valve, slide gate, J. T. Christie. Vehicle and motor power, automatic, A. B. Andrews.	559,617 559.611
3	Valve, since gate, J. T. Christie	559,677
5	drewsVessel marine W. King	559,561 559,717
3	drews. Vessel, marine, W. King. Vessel, sailing, W. King. Wagon, dumping, J. Neumann. Washer. See window or buggy washer. Washing machine, J. Bany. Washing machine, W. Thornton. Washing machine, woller adjusting mechanism	559,561 559,717 559,718 559,398
Ĺ	Washer. See window or buggy washer.	550 050
	Washing machine, W. Thornton	559,507
3	for, J. Jefferson et al	559,710
,	Watch steady pin, H. J. Cain	559,512
į		
3	Water motor, A. D. Moore	559,740
;	Weather strip. S. S. Denman	559,686
)	Weighing machine, automatic, F. H. Richards Wheel. See bicycle or tricycle wheel. Self lubri-	559,746
i	cating wheel. Trolley wheel.	559 612
	Whiffletree, W. A. Bennett	559,353
,	Window, S. C. Taylor,	559,468
3	Window cleaner's safety support, H. K. Whitner	559,557 559,472
i	Window or buggy washer, C. C. Brid well	559,510 559,499
2	Wire stretcher, W. C. Carr	559,513
ĺ	Wringer. Clothes Wringer.	000,140
3	Water closet tank siphon, T. J. Sullivan. Water motor, A. D. Moore. Weather strip, S. S. Denman. Weighing machine, F. H. Richards, 559,749, Weighing machine, automatic, F. H. Richards. Wheel. See bicycle or tricycle wheel. Self lubricating wheel. Trolley wheel. Wheel rim clamp, C. Schalles. Whiffletree, W. A. Bennett. Windmill, Williams & Bremer. Window, S. C. Taylor. Window, J. Wojton. Window or buggy washer, C. C. Brid well. Window or buggy washer, C. C. Brid well. Window screen, W. Scott. Wire stretcher, W. C. Carr. Work table, folding, J. H. Ormsby. Wringer. Clothes Wringer. Zinc and lead by electrolysis, apparatus for producing, R. O. Lorenz.	559,729
	TRADE MARKS.	
		. 28,216
)	Belting.leather.Charles Munson Belting Com-	90 900
3	Boots and shoes, leather, Little, Maxwell & Com	28,206

TRADE MARKS.
Adhesi ve substances, C. J. Breidbach & Son 28,216 Belting, leather, Charles Munson Belting Company
Boots and shoes, leather, Little, Maxwell & Com-
pany. 28.231 Burlaps and buckram, J. R. Collins. 28.203 Cane mills, L. M. Rumsey Manufacturing Com-
pany. 28,230 Cement. Hercules Cement Company. 28,215 Cognac, Archambeaud Freres. 28,219
Colors in oil and dry colors, A. Rich & Company. 28,207 28,208
Corsets and underwaists for ladies and children, Bay State Corset Company
Culinary articles and tableware, Popes Island
Manufacturing Corporation
ruit especially raisins, dried, J. M. Chapman 28.221
Lead, zinc and ready mixed paint, A. Rich & Com-
pany
Paint and stain rem over and cleaning solution, A. Rich & Company
Remedies for stomach, nerve and blood diseases, J. D. Murphy. 28,217
Remedy for consumption, malaria and general dis-
eases, Whitehall Chemical Company 28,218 Salt, C. C. Andrews
Soda. saleratus and baking powder, J. Dwight & Company
Starch and its preparations, soap, soap powders, soda, blue, borax and the like, Hoffmann's
Starkefabriken
Tires for bicycles and other vehicles, pneumatic, Reading Rubber Tire Company 28,229
Waists and hose supporters, boys' or girls'. Wm.
Waterproof clothing and rubber goods of all
kinds, Z. T. Lindsey
phy
pany

DESIGNS.

Antirattler, S. H. Morton	5,452
Brush, J. K. Robinson 22 Can opener, S. R. Jennings 2	5.466
Carpet, G. Marchetti	5,465 5.464
Cigar box cover, N. Witsch	5.461
Stove fount, oil, C. Lederbos. 2 Stove, oil, C. Lederbos. 2 Tire shield, bicycle, T. Furlong. 2	5,462
Vegetable cutter frame, Joetten & Mittel, Jr	5.456 5,458

A printed copy of the specification and drawing of my patent in the foregoing list, or any patent in print ssued since 1883, will be furnished from this office for 5 cents. In ordering please state the name and number of the patent desired, and remit to Munn & Co., 361 Broadway, New York.

Canadian patents may now be obtained by the inventors for any of the inventions named in the foregoing list, provided they are simple, at a cost of \$40 each. If complicated the cost will be a little more. For full instructions address Munn & Co., 361 Broadway, New York. Other foreign patents may also be obtained.

Mdvertisements.

ORDINARY RATES.

Inside Page, each insertion - - 75 cents a line Back Page, each insertion - - - \$1.00 a line **TF** For some classes of Advertisements, Special and Higher rates are required.

The above are cnarges per agate line—about eight words per line. This notice shows the width of the meand is set in agate type. Engravings may head advertisements at the same rate per agate line, by measurement, as the letter press. Advertisements must be received at Publication Office as early as Thursday morning to appear in the following week's issue.



WOOD OF METAL WORKERS
without steam power can save
time and money by using our

≠Foot and Hand Power Machinery SEND FOR CATALOGUE A-Wood-working Machinery.
B-Lathes, etc.

SENECA FALLS MFG. COMPANY, 695 Water St., Seneca Falls, N. Y.

AMERICAN PATENTS. - AN INTEResting and valuable table showing the number of patents granted for the various subjects upon which petitions have been filed from the beginning down to December 31. 1894. Contained in SCIENTIFIC AMERICAN SUPPLEMENT, No. 1002. Price 10 cents. To be had at this office and from all newsdealers.



FOR BICYCLE MANUFACTURERS **QUINT'S** TURRET DRILLS

Arranged for Tapping with from two to twelve spindles.

A. D. QUINT. A. D. WULL, 4 Clinton St., Hartford, Conn., U. S. A

DEPTH CAUCE. Has 4 in narrow scale which can be used in middle or close to the end, or removed and used separately. Fine finish.

Catalogue of Fine Tools free. The L. S. STARRETT CO. Box 13, Athol, Mass., U.S. A

\$\$ The Curtis Steam . . .



A steam saving appliance of established value. May be used wherever necessary to control or reduce steam pressure. Its employment means a greatsaving in operating expenses.

Send for circular S. A. D'ESTE & SEELEY CO., 29-33 Haverhill St., Boston

A Book of Tools



TOOLS" is the most complete Catalogue ever issued; contains 550 pages, over 2,000 illustrations, prices are given. BA copy of this book sent, postpaid, to any address upon receipt of 25 cents in stamps.

CHAS. A. STRELINGER & CO. Address Advertising Dept., DETROIT, MICH.



Drawing Instruments **Engineers'**

Supplies

Of German, Swiss, and American make. Drawing Boards, T Squares, Colors, Inks, Tracing Cloths and Papers, Thumb Tacks, Rules, Tapes, etc. Blue Process Papers, BEST IN THE WORLD.

FROST & ADAMS CO. Importers 39 CORNHILL, BOSTON, MASS.

Catalogue Free.



Save money! Make money printing for others! Type-setting easy. Printed rules. Write for catalogue, presses, type, cards, etc., to factory.

KELESY & CO.
Meriden, Conn. NEW PATTERN = = = = 16 INCH SWING

ENGINE LATHE Guaranteed for accuracy.

Weight 1835 lbs.

F. E. REED COMPANY P. O. Box 817, WORCESTER, MASS., U. S. A.



Automatic Circular Rib _Knitting Machinery

for all kinds of Ribbed Goods, Vests, Pants Sleeves, Sweaters, Tights, Skirts, and everything known to the trade as ribbed goods.

SNYDER & FISHER,

ABSOLUTELY SAFE

Pennsylvania Iron **W**orks **C**ompany.



BUILDERS OF THE "GLOBE" GAS-

. . . AND . . . **GASOLINE ENGINES**

for Stationary and Marine Service.

VAPOR LAUNCH

Engine and helm controlled from bow. Latest improved and only 12 to 1 motor now ready for the market. 18 to 40 ft. launches 2, 3, 5 and 7 h. p. No licensed engineer or pilot required. Speed and safety guaranteed. No dangerous naphtha or gasoline used.

Catalogues and Prices on application.

Address, 50th Street and Lancaster Avenue, PHILADELPHIA, U. S. A.

SMALL GASOLINE LAUNCHES ALCO Canoe Launch 9 miles per hour Pleasure Boats, Ca

noes, Collapsidie Boats, all sizes and prices. [37] Send for catalogue "S. A." J. H. RUSHTON, CANTON, N. Y.

MONITOR MARINE GAS AND LAUNCHES AND LAU MONITOR VAPOR ENGINE & POWER COMPANY GRAND RAPIDS, MICHIGAN.
EASTERN OFFICE, LUDLOW STATION, YONKERS, N.Y. CATALOGUE FREE.

ICE-HOUSE AND COLD ROOM.—BY R G. Hatfield. With directions for construction. Four engravings. Contained in SCIENTIFIC A MERICAN SUP-PLEMENT, NO. 519. Price 10 cents. To be had at this office and from all newsdealers





Radial Drills and General Line of Machine

Hill, Clarke & Co. 160 Oliver St., BOSTON. We manufacture MINING MACHINERY of every description. 16 S. Canal St., Chicago. Gates Iron Works, Dept. C. 650 Elston Av. Chicago, Ill 160 Oliver St., BOSTON.

Marine Vapor Engine Co., Jersey City, N. J. TAPPING MACHINE 25,000 holes towns NEW IMPROVED 25,000 holes tapped per day. Description mailed. Machinery and Tools. Brass Machine Screw HARVEY HUBBELL, 875 State Street, Bridgeport, FOOT POWER LATHES



W. F. & JOHN BARNES Co., 1999 Ruby St., Rockford, Ill.



DAPER A Revolution in Photographic Printing. When exposed to the same light, prints 500 times quicker than albumen. . .

GLOSSY or MATT. No dull or rainy weather to interfere with your work. No durk rooms nor complicated manipulation.

Developed and toned as fast as the printing framese can be filled. A choice of tones more beautiful than can be produced on anyother paper. Permanent prints. The greatest paper for hot or damp climates. 50 cents in stamps brings two sample dozen cab's, developer and three sample prints. Nepera Platinoid, Enameled and Rough Bromide Papers are the best and most uniform in the market. Nepera POP, an insoluble gelatine paper. Nepera Chemical Co., Sole Manufacturers, NEPERA PARK, N. Y.



🗫 USE GRINDSTONES? If so, we can supply you. All sizes mounted and uninounted always kept in stock. Remember, we make a specialty of selecting stones for all special purposes. The CLEVELAND STONE CO. 2d Floor, Wilshire, Cleveland, O.

ARMSTRONG'S * PIPE * THREADING



CUTTING-OFF MACHINES

Both Hand and Power.

Both Hand and Power.
Sizes 1 to 6 inches.
Water, Gas, and Steam Fitters' Tools, Hinged Pipe Vises.
Pipe Cutters. Stocks and Dressurersally acknowledged to be THE BEST. Ford for catalog

RUSTLESS COATINGS FOR IRON AND RUSTLESS COATINGS FOR IRON AND Steel.—Paints: of what composed, how destroyed, classification as true pigments and inert substances, adulterants, etc.—By M. P. Wood. The essentials of good paint. The characters that a paint should possess for the purpose of protecting structures from decay or corrosion. Natural and artificial asphalt coatings. Iron oxide paints. Ziuc and lead oxides. Carbon paints Inert pigments. A very exhaustive and valuable paper. Contained in SCIENTIFIC AMERICAN SUPPLEMENT, Nos. 1017, 1018 and 1019. Price 10 cents each. To be had at this office and from all newsdealers.



"PEERLESS" PIPE THREADING and **CUTTING MACHINES**

with Die Head for Threading and Cutting ¼ to 3 inch pipe. Most perfect and economical line of machines on the market. ** Write for Circular and Prices.** Bignall & Keeler Mfg. Co. Box 373, Edwardsville, III.

LITTLE GIANT SCREW PLATES



Wire sizes for Jewelers, Dentists, Tool Makers, and Amateurs use. Machinists' sets with Taper, Plug, and Bottoming taps for pipe and bicycle work. Also blacksmiths and carriage situatented extalloque.

Send for fully illustrated catalog WELLS BROS. & CO., P.O. Box B, Greenfield, Mass





STANDARD, SINE, TANGENT, REFLECTING and WIEDEMANN GALVANOMETERS . . .

E. S. Ritchie & Sons, Brookline, Mass.



NICKEL

ELECTRO-PLATING Apparatus and Material. Hanson & Van Winkle Co.

Newark. N. J. 81 LIBERTY ST., N. Y. 35 & 37 S. CANAL ST., CHICAGO.

MANUFACTURE OF BICYCLES.-A very comprehensive article giving the details of construction of every part of these vehicles. With 15 engravings. Contained in SCIENTIFIC AMERICAN SUPPLEMENT, NO. 908. Price ID cents. To be had at this office and from all newsdealers.



Our 10 to 75 light Dynamos are pronounced a success by all who have them in use. High grade, compound wound, self-ciling, self-aligning bearings, high efficiency and great durability guaranteed. Lowest prices. Do your own lighting, no experience required send for calalogue and prices. Complete plants furnished.

plete plants furnished.
ROTH BROS. & CO., Mfrs..
30-34 Market Street,
Chicago, Ill., U. S. A.

ubber Hands and WHICH ARE THE MOST WONDERFUL THINGS ABOUT MARKS' PATENT ARTIFICIAL LIMBS

enable men, women, and children to pursue their daily duties without inconvenience. Durable, comfortable, natural in appearance and motions. Over 17,000 in use throughout the world. Supplied to the U.S. and other governments. Large illus. book and formula for self measurement, free.

LITTLE FALLS, N. Y. A. A. MARKS, 701 Broadway, NEW YORK CITY.

Mechanics; Mechanical and Architectural Drawing; Plumbing; Architecture; Mining; Civil Engineering in all Branches; Steam Engineering (Stat'v., Loco. and Marine).



To Electrical Workers,

Machinists, Miners, Plumbers, Civil Engineers, Draughtsmen, Carpenters, Steam Engineers, Steam Fitters.

References. Free Apparatus. Send for Circular, Stating Subject you wish to Study. you wish to Study.

B 942, Scranton, Pa.

PRIESTMAN SAFETY OIL ENGINE

nenally low in cost of operation."—Franklin Inst. NEITHER Kerosene, NOT Gasoline
STEAM ENGINEER Economical, Simple, Safe, Automatic. For Electric Lighting, Pumping, Milling, etc.

PRIESTMAN & COMPANY, Inc.

Room 530, PHILADELPHIA BOURSE

The Chicago Gas & Gasoline Engine



The simplest gas and gasoline engine on the market. Has no equal for absolute, steady speed and durability. It is a dwarf in size and a Samson in strength. Catalogue sent on application.

MANUFACTURED BY
J. J. NORMAN CO.,
48 "A" South Clinton St.,
CHICAGO, 1LL.

GAS and GASOLINE ENGINES.

Using Natural Gas, Coal Gas, Producer Gas, and Gasoline di-rect from the tank. 1 to 40 H. P., actual. The Springfield Gas Engine Co 21 W. Washington St. Springfield, O.





or \$150, less 10% discount for cash. Built on interchangeable plan. Built of best material. Made in lots of 100, therefore we can make the price. Boxed for shipment, weight 800 pounds. Made for Gas or Gasoline.

Write for Special Catalogue.

WEBATER MFG. CO.

1074 West 15th Street, CHICAGO

THE SUBMERGED PIPE LINE ACROSS the Wilamette River at Portland, Oregon.—By F. and A. S. Riffle. Description of a line of 28-inch cast iron submerzed pipes forming portion of the main line constructed during 1893 and 1894, to supply the city of Portland with pure water from Bull Run, a mountain stream thirry miles distant. With 13 illustrations. Contained in SCIENTIFIC AMERICAN SUPPLEMENT, Nos. 1019 and 1020. Price 10 cents each. To be had at this office and from all newsdealers.

BUY [ELEPHONES_

That Are Good—Not "Cheap Things."
The difference in cost is little. We guarantee our apparatus and guarantee our customers against loss by patent suits. Our guarantee and instruments are both good.

Western Telephone Construction Co. 250 So. Clinton Street, CHICAGO


Largest Manufacturers of Telephones in the United States TELEPHONES

for Long or Short Distance Use. Also Interior or Warehouse Telephones. Sent on trial to responsible parties. Sold thousands during the last two years, every one a success. Send for Circular and Testimonials.

Julius Andrae & Sons Co. MILWAUKEE, WIS.

WE SELL DIRECT TO PURCHASER.

Buy of us and save agent's commission. 10 horse motor or 100 light dynamo. List price, \$450. Price to you, \$225. Long time, easy payments. Other sizes. Write us. State what you want. Hobart Electric Mfg.Co. Troy, Ohio.







🚣 UP TO DATE is our Pipe Covering.

> Proof of this can be had for the asking. N. Y. Fireproof Covering Co. 121 Liberty St., New York.

BUSINESS

The value of the SCIENTIFIC AMERICAN as an advertising medium cannot be overestimated. Its circulation is many times greater than that of any similar journal now published. It goes into all the States and Territories, and is read in all the principal libraries and reading rooms of the world. A business man wants something more than to see his advertisement in a printed newspaper. He wants circulation. This he has when he advertises in the SCIENTIFIC AMERICAN. And do not let the advertising agent influence you to substitute some other paper for the SCIENTIFIC AMERICAN when selecting a list of publications in which you decide it is for your interest to advertise. This is frequently done for the reason that the agent gets a larger commission from the papers having a small circulation than is allowed on

the SCIENTIFIC AMERICAN.

For rates see top of first column of this page or ad-

dress MUNN & CO., Publishers, 361 Broadway, New York.

SCIENTIFIC AMERICAN SUPPLE-MENT. Any desired back number of the SCIENTIFIC AMERICAN SUPPLEMENT can be had at this office for 10 cents.

The . . .

Premo Camera



Styles for 1896 now ready

ROCHESTER OPTICAL CO., Rochester, N. Y.

KEEP YOUR FILM Photo, Negatives in our want to keep negatives Clean. Dry. Flat, and indexed for reference. Pocket Kodak size 20c.; 3½ x 3½ in., 25c.; 4 x 5 in., 25c. Postpaid. No Stamps. Circ. 2c. THE RIGHTER CO., 1013 W. Main St., Decatur, Ill.

N. Y. CAMERA EXCHANGE

50% Saved on all makes of Cameras Headquarters for Buying, Selling, and Exchanging Cameras or Lenses. Large assortment always on hand. Developing, printing, etc. Photo supplies of every description at lowest prices.

Send 2c. stump for bargain list. Address



gain list. Address
N. Y. CAMERA EXCHANGE, 43 Fulton St., NEW YORK.

ONLY PRACTICAL MAGAZINE CAMERA.



SUNART'S VENI, VIDI, VICI, SUNART MAGAZINE. SUNART FOLDINGS.


Send for Illustrated Cata-SUNART PHOTO CO., ROCHESTER, N. Y.



TROLLEY TRACK Parlor, Barn and Fire Door Hangers

All Styles. Latest Improvements. Send for Book. Coburn Trolley Track Mfg. Co.

If you own a good HORSE **AND CARRIAGE** you will be interested



in our BELL ODOMETER

It will tell you honestly how many miles you drive, and announce each mile by stroke of a bell. Keeps a record for 1600 miles and then repeats. Speed horses may be timed very accurately. Fully warranted. Price, by mail, \$5.00. In ordering send height of rear wheel.

Write for Descriptive Circular. Davis, Stebbens & Co., 33 Sudbury St., Boston, Mass.



Durable—Easily Applied. Durable—tasily Applieu.
This roofing is manufactured from natural Trinidad asphalt materials, and will not dry up and become brittle under exposure to the weather as coal-tar roofings do. I Send for free sample of roof 12 years old, with circular and price list to WARREN CHEMICAL & MFG. CO.,

So Fulton Street, New York, U. S. A.

ACETYLENE APPARATUS.—ACETY-ACETYLENE APPARATUS.—ACETYlene number of the SCIENTIFIC AMERICAN SUPPLEMENT, describing, with full illustrations, the most
recent, simple, or home made and commercial apparatus
for generating acetylene on the large and small scale.
The gas as made for and used by the microscopist and
student; its use in the magic lantern. The new French
table lamp making its own acetylene. Contained in
SCIENTIFIC AMERICAN SUPPLEMENT, No. 1057.
Price 10 cents. To be had at office.



IDEAS DEVELOPED. Absolute secrecy. Send for particulars. Advice and suggestions free Correspondence and sample orders solicited. Z years in business. Gardam & Son, % John St., New York.



VANDUZEN STEAM PUMP
THE BEST IN THE WORLD.
Pumps Any Kind of Liquid.
Always in Order, never Clogs nor
freezes. Every Pump Guaranteed.
200 to 12000 Gallons per Hour.
Cost \$7 to \$75 each. Address
THE E. W. VANDUZEN CO.,
102 to 108 E. Second St., Cincinnati, 0.

Machinery for making any articles from

Automatic wire forming machine department is in charge of R. C. Manville. Machinery for making sheet metal goods.

THE WATERBURY MACHINE CO., P. O. Box 1025, WATERBURY, CONN., U. S. A.



The New-Talking Machine

Reproduces Songs, Speeches, Instrumental Music. & & &

Send for Circular.

Records Indestructible. Only 50 cents each &

BERLINER GRAMOPHONE CO., 1032-1036 Filbert Street, Philadelphia, Pa.

Typewriter Patent

This company owns Letters Patent No. 558,428, issued April 14, 1896, covering broadly all machines in which the cylinder turns up to expose the line of print, or in which a duplex or cross ribbon feed is used. The patent also covers many other features of modern typewriter construction. Infringers will be vigorously prosecuted.

Wyckoff, Seamans & Benedict. 327 Broadway, New York.



Eclipse Cream Separators

are Closest Skimmers, Most Durable, Easiest Running, and far the Simplest Hand or Power Separator on the market. C. L. CHAPMAN SEPARATOR WORKS, LITTLE FALLS, N. Y.



The distinctive features of the Yost Machine, permanent alignment, direct inking, beautiful work, strength, simplicity, and durability are shown in perfection in the No. 4 Model, which has been proved by two years' use to be the best on the market.

Yost Writing Machine Co. 61 Chambers St.,

5 o Holborn Viaduct, NEW YORK CITY. LONDON, ENG.

IMPROVEMENT THE ORDER OF THE AGE."



Three New Model

Smith Premier Typewriters

Nos. 2, 3 and 4 HAVE YOU EXAMINED THEM?

Many Improvements Heretofore Overlooked by Other Manufacturers.

Address THE SMITH PREMIER TYPEWRITER COMPANY, Syracuse, N. Y., U. S. A. BRANCH OFFICES IN TWENTY-NINE PRINCIPAL CITIES IN THE UNITED STATES.



Possesses

THE HAMMOND TYPEWRITER CO.,

IMPRESSION—Invariably uniform.
TOUCH—Soft, light and elastic.
SPEED—206 words a minute. $\ensuremath{\mathbf{DURABILITY-}}$ The fewest parts, the best made VARIETY-12 languages, 37 styles of type, paper or cards of any width or size on one machine.

PORTABILITY-Weighs only nineteen pounds complete, with traveling case.

401 East 62d Street, = NEW YORK

Special Offer

American 📢

trial, by depositing \$8.00 with your express agent, to be refunded by him, less expressage, if machine is not satisfactory and is returned to him within that time. Or, the money can be sent direct to us (by registered letter, or money or express order), and it will be promptly refunded on return of machine.

Its immense success, wherever its merits have been tested by actual trial, warrants us in making this special

With every machine we give a written guarantee for on

AMERICAN TYPEWRITER COMPANY 267 Broadway, New York.

Gold Medal for Merit-Atlanta Exposition.

DOLLARS AND SENSE SAVED.

Daugherty Visible Typewriter

The Daugnerty Typewriter Co. P. O. Box 1260 "C", PITTSBURG, PA. 150 Nassau St., N. Y. City, 112 So. 6th St., Phila, Pa

How to Build a Home



Those intending to build will find the very best practical suggestions and examples of Modern Architecture in the handsomest Architectural Magazine ever published .

"The Scientific American Building Edition."

Each number is illustrated with a Colored plate and numerous handsome engravings made direct from photographs of buildings, together with interior views, floor plans, description, cost, location, owners' and architects' names and addresses. The illustrations include seashore, southern, colonial and city residences, churches schools, public buildings, stables, carriage houses, etc.

All who contemplate building, or improving homes or structures of any kind, have in this handsome work an almost endless series of the latest and best examples from which to make selections, thus saving time and money.

PUBLISHED MONTHLY. SUBSCRIPTIONS \$2.50 A YEAR. SINGLE COPIES 25 CENTS. For sale at all news stands, or address MUNN & CO., Publishers, 361 Broadway, New York

Over the hills and far away, The whizzing wheels speed on to-day. As they fly along the glad shouts ring-"Ride MONARCH, the wheel that's best and king." MONARC Beloved by his subjects because he does right by them. There's goodness and merit in every inch of his kingly fame. 4 models. \$80 and \$100, fully guaranteed. dren and adults who want a lower price wheel the **Defiance** is made in 8 models. \$40 to \$75. Send for Monarch book. Monarch Cycle Mfg. Co. Lake, Halsted and



Fulton Sts., CHICAGO.

88 Reade St.





ACETYLENE GAS AND CARBIDE OF ACETYLENE GAS AND CARBIDE OF Calcium.—All about the new illuminant, its qualities, chemistry, pressure of liquefaction, its probable future, experiments performed with it. A most valuable series of articles, giving in complete form the particulars of this subject. Apparatus for making the gas. Contained in SCIENTIFIC AMERICAN SUPPLEMENT, Nos. 998, 1004, 1007, 1012, 1014, 1015, 1016, 1022, 1035 and 1038, The most recent apparatus of simple and more elaborate type described and illustrated in special acetylene Supplement No. 1057. Price 10 cents each. To be had at this office and from all newsdealers.



Bicycies, Watches Gurs, Buggies Harness, Sawing Machine Organs. Pianos Saies, Toolo Saies of all varieties and 1000 other articles Lists free Chicago Scale Co., Chicago II.

"SYLPH CYCLES RUN EASY."



high grade popular priced Overlands, \$45, \$65 and \$75. Agents wanted. Exclusive territory. Estab. 1864. Rouse, Hazard & Co., Makers, 16 G St. Peoria, Ill.

The Name "HUNTER never was put on anything that wasn't first-class. That name has stood for simple, plain, unvarnished integrity, and hence it is put on the . . . nished Integrity, and I. HUNTER CYCLES

For Send for Catalogue.

HUNTER ARMS CO., FULTON, N. Y.

CYCLE SADDLE



for Ladies' use. Broad and comfortable, and guaranteed to hold its shape. Most sensible and serviceable Saddle in the market. Twenty years' experience in working leather enables us to make good this claim.

ALL STYLES GENTLEMEN'S SADDLES also. Ask for the Populal If your dealer will not supply you, we will send, prepaid, on receipt of price: Ladies', \$4.00; Gentlemen's, \$3.50. Furnished with city for T or L seat post.

THE DUGUID SADDLERY CO., Syracuse, N. Y.



CYCLE CHAIN saves wear of chain, prevents rust and increases GRAPHITE send 10 cents for sample. JOS. DIXON CRUCIBLE CO., JERSEY CITY, N. J.

🚁 Howard Chainless Bicycle. The first man in any town who buys one will be allowed an agent's discount and offered an agency when he had a commissions that will pay for hereby he gets commissions that will pay for heel, or at least reduce the cost. Address HOWARD, 771 Summer Av., Newark, N.J.



Set with two pretty MASS. 25 cents III Per dozen, \$2.00. 25 cents in stamps. Jewelry Cat. Free. Founded by Mathew Carey, 1785.

HENRY CAREY BAIRD & CO.

INDUSTRIAL PUBLISHERS, BOOKSELLERS & IMPORTERS S10 Walnut St., Philadelphia, Pa., U.S. A.

Tour New and Revised Catalogue of Practical and Scientific Books, 30 pages, 8vo, and our other Catalogues and Circulars, the whole covering every branch of Science applied to the Arts, sent free and free of postage to any one in any part of the world who will furnish his address.



VENTILATING
Fans are invaluable for Restaurants, Hotels, Meat Marters & Schools kets, Saloons, Lunch Coun-ters, Groceries, Bakeries, Con-fectioneries, and in fact all placestroubled with heat or with heat or flies. The only perfect Fan made that can be driven at any speed without disturbing the belt.

Prices, from \$6 to \$35. Send for circular, to BACKUS WATER MOTOR Co., NEWARK, N. J

"Smooth as if Ironed."

"Smooth as if Ironed."
Trousers are kept so by using the Practical Trousers Hanger and Practical Trousers Hanger and State of the American State of the Am





ARGON, THE NEW CONSTITUENT ARGON, THE NEW CONSTITUENT of the Atmosphere.—A very full abstract of a paper by Lord Rayleigh and Prof. William Ramsay, read before the Royal Society. Reasons for suspecting a hitherto undiscovered constituent in the air. Proof of the presence of argon in the air by atmolysis. Separation of argon on a large scale. Density, spectrum and behavior of argon. Liquefaction and soliditation of argon. Contained in Scientific American Supplement, Nos. 1000. 1001 and 1002. Price 10 cents each. To be had at this office and from all newsdealers.

NOW READY!

Seventeenth Edition of

Experimental Science



REVISED AND ENLARGED. 120 Pages and 110 Superb Cuts added.

Just the thing for a holiday present for any man. woman, student, teacher, or anyone interested in scien 2. In the new matter contained in the last edition will be found the Scientific Use of the Phonograph, the curious optical illusion known as the Anorthoscope, together with other new and interesting Optical Illusions, the Optical Projection of Opaque Objects, new experiments in Projection, Iridescent Glass, some points in Photography, including Hand Cameras, Cane Cameras, etc. Systems of Electrical Distribution, Electrical Ore Finder, Electrical Rocker, Electric Chimes, How to Color Lantern Slides, Study of the Stars, and a great deal of other new matter which will prove of interest to scientific readers.

840 pages, 782 fine cuts, substantially and beautifully bound. Price in cloth, by mail. \$4. Half morocco, \$5.

MUNN & CO., Publishers, Office of the SCIENTIFIC AMERICAN, 361 BROADWAY. NEW YORK.

GRAM-O-PHONE



If there is no dealer in your town, we want one, but meanwhile, to introduce the instrument (for a short time only), we will, on receipt of price and mention of this publication, send it, express prepaid, to any point in the United States east of Colorado. If the instrument is not satisfactory it can be returned immediately, and, if in good order, your money will be refunded, less express charges both ways.

GRAMOPHONE OUTFIT, Complete, include ing Amplifying Trumpet, Case for Machine and Selections, \$15.00, delivered charges prepaid. Extra Selections, 50 cents each.

\$12.00 for Machine alone, at offices

AGENTS WANTED to sell the Gramophone. Everywhere it gets a hearing, and where it's heard it sells, both price and quality placing it entirely beyond all competition.

NATIONAL GRAMOPHONE CO., 874 Broadway, New York,



(See First Page.)

KLINE'S PATENT IMPROVED Boss Jar Holder and Tup Wrench Entirely new-Fits any jar.


No more burned hands in canning fruit—No more broken jars while fill—No more broken jars while fill—No more broken jars while fill—No more brouble to carry hot jars—No more trouble to close them—Made of best steel wire and rubber—Will last a lifetime. Price 50c.per set Kilink & CO. (Mfrs., 4 River Street, Florin, Pa.

PORTABLE SINGLE RAIL SURFACE Railway. — Details of construction and description of rolling stock of a new system of portable railway which may be laid upon ground that has received no special preparation for its reception. With 19 illustrations, Contained in SCIENTIFIC AMERICAN SUPPLEMENT, No. 1014. Price 10 cents. To be had at this office and from all newsdealers.

The Electric Candle

For Magic Lanterns. Absolutely the newest and least expensive device for scientific or popular projection by electricity.

Send for Special Circular. QUEEN & CO. (Incorporated),





BOSTON ELECTRIC RAILWAY SUBway.—Description of a new subway system under certain streets of Boston, by means of which the electric cars will be diverted from the surface of the streets on some of the heaviest lines of travel. With 8 illustrations, Contained in SCIENTIFIC AMERICAN SUPPLEMENT, No. 1017. Price 10 cents. To be had at this office and from all newsdealers.



ilson's Common Sense Ear Drums.

New scientific invention, entirely different in construction from all other devices. Assist the deaf when all other devices fail, and where medical skill has given no relief. Safe, comfortable, and invisible; no wire or string attachment. Write for pamphlet.

WILSON KAIC DRUM MANUFG. CO, Louisville Trust Co. Building, Louisville, Ky. Mention this paper. and 1122 Broadway, New York.

The best manufactured. Sneedally adapted for the strength of
ALLOYS.—A SERIES OF LECTURES devoted to a consideration of the investigations to which alloys have been subjected during the last five years. The light that has been thrown on the particular grouping of associated metals. The available of the end of the control of the various appliances (many of the period of the various appliances (many of the new) used in the investigation of alloys and that possess great scientific investigation of alloys and the new) used in the investigation of alloys and the nethod of using them. Effects of molecular moderate in solid metal and alloys. Effect of pressure on the molecular charge in fusible metal. The profound them, with 20 illustrations. Contained in SCIENTIFIC AMERICAN SUPPLEMENT, Nos. 941. 942, 943. 944. 945. 946. 947 and 948. Price IV cents each. To be had at this office and from all newsdealers. ALLOYS .-- A SERIES OF LECTURES

They have a tone that's all their own THE NEW are the stand-DEPARTURE lence the BELLS over. Made in 16 different styles and prices. Send postal for and prices. Send postal for booklet to THE NEW DE-PARTURE BELL CO. 210 North Main Street, Bristol, Conn., U.S.A.

EDGE TOOLS

are often nearly ruined by using a grindstone not adapted to the work. Our
quarries produce a large variety of grits
suitable for grinding any tool.

If May nee sent you our Catalogue,
wouch will give you some information?
wouch will give you some information?
No. 80 River Street, GRAFTON, OHIO.



A most useful little bound book of 150 pages, comprising, probably, the most extensive variety of standard, practical, condensed information ever furnished to the public for so small a price, only 25 cents.

Among its contents are: The Last Census of the United States (1890), by States, Territories, and Coun-ties; Table of Cities having over 8,000 inhabitants; Map of the United States - miniature outline: The Patent Laws full text); The Trade Mark Law (full text); The Copyright Law (full text); The Principal Mechanical Movements—illustrated by 150 small diagrams—of value to inventors and designers of mechanism: Medallion Portraits of Distinguished American Inventors; Valuable Tables relating to Steam, Electricity, Heat, Metals, Weights, and Measures.

Sent by mail to any address on receipt of price 25 cents.

MUNN & CO., Publishers,

361 Broadway, New York.

COLLARS AND CUFFS MADE OF FINE CLOTH IN ALL POPULAR STYLES.

Equal in Fit and Wear to finest linen

LUXURIOUS and ECONOMICAL.

Sold at alleading Gents' Furnishing Stores, but if not found send twenty-five cents for a box of ten Collars or five new for five maning the size and style. 1837 Sample Collars and pair of Cuffs sent for GCENTS.

REVERSIBLE COLLAR CO. Boston, 77 Franklin St., New York

RARER METALS AND THEIR THE KARER METALS AND THEIR Alloys.—A paper by Prof. Roberts-Austen, discussing certain phases in the life history of metals, with a view to showing the many excellent qualities that they possess. The structure and framework of metals as shown by the microscope. Allotropism. The rarer metals and how they may be isolated. Discriminating action exerted by metals. The electric furnace. Therare infusible metals and their future user unless. Armor plate and irresistible projectiles. With 8 illustrations, Contained in SCIENTIFIC AMERICAN SUPPLEMENT, Nos. 1016 and 1017. Price 10 cents each. To be had at



C. F. SPLITDORF, MANUFACTURING



Induction Coils, Magnets,

REAGAN FEED WATER HEATING, WATER CIRCULATING AND SHAKING GRATES, For STATIONARY. MARINE, and LOCOMOTIVE BOILERS.

A GENTS WANT D in all parts of the United States to manufacture, our Grates on royalty. Send for Catalogue. WATER CIRCULATING SRATE CO., Mfrs. and Sole Props. General Office and Works, 1026-1028 Filbert St., Philadelphia, P.



WESTERN ELECTRICIAN 45.40.5

SCROLL SAWS Foot Power Machinery, Tools, Forges, Drills, etc. Send 4c for catalogue. Wilkinson Co., 88 Randolph St., Chicago

Shorthand by Mail Thoroughly taught by re-lesson Free. Potts Shorthand College, Williamsport, Pa.

MACHINES. Corliss Engines. Brewers' and Bottlers' Machinery. THE VILTER MFG. Co., 899 Clinton Street, Milwaukee, Wis.

STREET TAPE WANTER TREET TO THE LOCK TO THE LOCK THE LOCK TO THE LOCK THE LOCK THE LOCK THE THE LOCK THE THE LOCK THE THE LOCK THE LOCK THE THE LOCK THE LOC

507 MECHANICAL MOVEMENTS by Henry T. Brown. The Copyright of this work has been renewed for 14 years from March 28, 1896. ELECTRICAL 50 cents a year. Instructive to everybody. Sample copy 5 cts. 15 Cortlandt Street, New York.

RAUGHTING or SURVEYING taught by mail. Earn \$50 to \$100 a month. Positions secured. 2c, stamp for catalogue. Black Cor. School, Paterson, N. J.

WELL DRILLING AND PROSPECTING MACHINERY OF HIGHEST GRADE. LOOMIS CO., Tiffin. Ohio.

DEAT NESS & HEAD NOISES CURED by my Invisible Tubular Ear Cushions. Whispers head, warranted to help more cases than all similar devices combined. Help earns at lasses do eyes. Soil by FREE 1, Hiscox only, 953 Briday, N. Y. Seaf for book of proofs

FOR SALE Patent 559,587, on a better Sash Lock to manufacture the same. See or address INVENTOR, 289 Third Avenue, near 23d Street, NEW YORK.

BUCK BROS CAST STEEL Pattern Maker's Gouges, Wood-workers' Chisels, Gouges, Turning Tools, EF Send for Price List.
BUCK BROS., Millbury, MASS.

CONTRACTS WANTED. To manufacture Hardware Specialties, Pat'd Novelties and Sheet Metal Stamping. Lang Mfg.Co., Racine, Wis.

WANTED and metal specialties to manufacture in quan-Send samples for prices on work or tools. L. R. HITCHCOCK, Watertown. Conn.


VOLNEY W. MASON & CO. FRICTION PULLEYS, CLUTCHES, and ELEVATORS



AUTOMOBILE CARRIAGES: THE Paris-Bordeaux-Paris Race of.—Brief account of the performance of the vehicles that obtained the prizes in the competition instituted by the Petit Journal. With 9 illustrations. Contained in Scientific American Supplement, No. 1023. Price 10 cents. To be had at this office and from all newsdealers.

ASBESTOS

STANDARD ASBESTOS MFG. CO., Ltd., Franklin, Pa.



Hawkins' 'Aids'' to Engineers EXAMINATIONS, with Questions and Answers, 5½ x 7½, leather, gilt edge, \$2. postpaid. Send for FREE Descriptive Catalogue of this and other Engineers Books. THEO. AUDEL & CO., 91 Liberty Street, New YORK, N. Y.

ATTENTION! INVESTORS

FOR SALE!

Foreign Patents—Canada, Mexico, England, Germany, Austria, Belgium, France, Italy, one of the most novel and useful inventions of the age. For further particulars address, RYERSON D. GATES, 108 La Salle St, CHICAGO, ILL., U.S.A. CROOKES TUBES AND ROENTGEN'S

CROOKES TUBES AND ROENTGEN'S Photography.—The new photography as performed by the use of Crookes tubes as a source of excitation. All about Crookes tubes. SCIENTIFIC AMERICAN SUPPLEMENT, No. 181, 189, 238, 243, 244, 792, 795, 905, 980, 1050, 1054, 1055, 1056, 1057, also SCIENTIFIC AMERICAN, Nos. 7, 8, 10 and 14, vol. 74. These profusely illustrated SUPPLEMENTS contain a most exhauctive series of articles on Crookes tubes and the experiments performed with them. Among them will be found Prof. Crookes' early lectures, detailing very fully the experiments which so excited the world, and which are now again exciting attention in connection with Roentzen's photography. Price 10 cents each. To be had at this office and from all newsdealers.

STEREOPTICONS.
MAGIC LANTERNS AND
ACCESSORIES, SEND FOR CATALOGUE
TO CHAS BESELERMAKER 218 CENTRE ST.
NEW YORK:

Subscribe for the

Scientific American Supplement.

\$5.00 per Annum.

Better subscribe, as it is not always obtainable on news stands.

Nearly every issue contains the latest reports of discoveries and experiments by leading scientists in Europe and America on

ROENTGEN PHOTOGRAPHY,

Also the latest news in all departments of Science and Engineering, Abstracts and Reports of the leading Scientific Societies all over the world, etc. Address


MUNN & COMPANY,

NEW YORK. 361 BROADWAY,

HYPNOTISM
Sixty methods, \$5; my process \$2.
100 page book, 10c. Key to Power,
30c. Prof. Anderson, S. A. 5, Masonic Temple, Chicago.







bicycling should select



STANDARD OF THE WORLD

\$100

Your knowledge of bicycle making will grow by reading this interesting book.

Free from the Columbia agent or by mail from us for two 2-cent stamps.

POPE Mfg. Co., Hartford, Conn.

HALF A CENTURY OF CYCLES.—AN HALF A CENTURY OF CYCLES.—AN Interesting history of the cycle from its origin up to the present time. The first crank-driven bicycle. The "bone-shaker" and its successors. The tricycle. The modern wheel. Cycle building a science. Points of improvement. The pneumatic tire. A band and foot cycle. With 9 illustrations. Contained in SCIENTIFIC AMERICAN SUPPLEMENT, NO. 1012. Price 10 cents. To be had at this office and from all newsdealers.





The American Bell Telephone Company,

125 Milk Street, Boston, Mass.

This Company owns Letters-Patent No. 463,569, granted to Emile Berliner November 17, 1891, for a combined Telegraph and Telephone, covering all forms of Microphone Transmitters or contact Telephones.

"Taken from the Enemy."

The following is a translation of part of a speech delivered in Switzerland, November, 1876, by M. Edw. Favre-Perret, the chief Commissioner in the Swiss department and member of the International Jury on watches at the Centennial Exhibition at Philadelphia, and is worthy the attention of every good American.

"Gentlemen, here is what I have seen. I asked from the manager of the Waltham Company a watch of a certain quality. He opened before me a big chest. I picked out a watch at random and fixed it to my chain. The manager asked me to leave the watch with them for three or four days, that they might regulate it. On the contrary, I said to him, I want to keep it just as it is to get an exact idea of your workmanship. On arriving at Locle I showed this watch to one of our first adjusters * * * who took it apart. At the end of several days he came to me and said literally: 'I am astonished; the result is incredible. You do not find a watch to compare with that in 50,000 of our make.' This watch, I repeat to you, gentlemen, I myself took offhand from a large number, as I have said. One can understand by this example how it is that an American watch should be preferred to a Swiss watch."

The watch movement M. Edw. Favre-Perret picked out at random was a "RIVERSIDE," and all that he said of it then, and a good deal more, is true to-day.

Do not be misled or persuaded into paying more for a Swiss watch which is not so good as a WALTHAM.

Be sure that the name "Riverside" is engraved on the plate. For sale by all retail jewellers.


Gas and Gasoline Stationary Engines



GASOLINE TRACTION ENGINES COMBINED ENGINES & PUMPS **GASOLINE PORTABLE ENGINES**



POCKET KODAK



Highest Tribute Ever Paid to a Bicycle!

New York, March 25th, 1896.

Mr. W. C. Pawley,

Sec. Jersey City Y. M. C. A.

The National Board of Trade of Cycle Manufacturers hereby sanctions a public exhibition of cycles, accessories and sundries, at the Y.M. C.A., March 27th and 28th. This sanction is granted on the express understanding that no exhibition of VICTOR BICYCLES will be permitted. Yours truly, R. L. Coleman, President.

are the members of the National Bicycle Board of Trade

AFRAID to exhibit their wheels with

VICTORS?

BECAUSE VICTORS

Cost more to build. Are made of better material, Show better workmanship, Run easier and wear longer, Are worth more than other bicycles.

Why Not Ride the Best?

OVERMAN WHEEL CO.,

Boston. San Francisco. Los Angeles. Portland, Ore. ENGINES, Boilers and Machine Tools. New and Second-hand. Send stamp for paper "Machinery & Supplies." W. P. Davis, Rochester, N. Y.



If Inventors and Manufacturers

Having new articles of merit to place on the market will forward samples or description of their goods, they will receive careful attention and consideration by The Elastic Tip Co., 46 Market St., San Francisco, Cal.

TASTES VARY

in bicycles the same as in other things. Some like the peculiar characteristics of one bicycle, some of another. No one make of bicycles can suit everybody,



has gained a larger measure of popularity in proportion to the years it has been on the market than any other wheel in the world. It is of the & & & &

HIGHEST STANDARD OF QUALITY

in every detail and particular, is light, graceful and beautifully finished, and sold to all alike at

\$85 one fair price \$85INDIANA BICYCLE CO. INDIANAPOLIS, IND. Eastern Wholesale Branch, 339 B'way, N.Y.

JESSOP'S STEELTHE VERY FOR TOOLS, SAWS ETC. WM JESSOP & SONS LE 91 JOHN ST. NEW YORK

THE BICYCLE: ITS INFLUENCE IN Health and Disease.—By G. M. Hammond, M.D. A valuable and interesting paper in which the subject is exhaustively treated from the following standpoints: 1. The use of the cycle by persons in health. 2. The use of the cycle by persons diseased. Continued in SCIENTIFIC AMERICAN SUPPLEMENT, No. 1602. Price 10 cents. TO behad at this office and from all newsdealers.

CHRISTY_ Anatomical • Saddle



PRICE \$5.00.

Requirement of the Modern Cyclist.





SPALDING & BROS. 128 Nassau St. NEW YORK.