

SCIENTIFIC AMERICAN

[Entered at the Post Office of New York, N. Y., as Second Class Matter. Copyright, 1908, by Munn & Co.]

Vol. **XCVIII.**—No. 22.
ESTABLISHED 1845.

NEW YORK, MAY 30, 1908.

[10 CENTS A COPY
\$3.00 A YEAR.



This Aeroplane is the First Dynamic Flying Machine to Traverse a Considerable Distance and Carry Two Men at a Speed of 45 Miles an Hour. A Similar Aeroplane to be Built for the United States Government by the Last of August Must Remain in the Air for an Hour and Cover 40 Miles in That Time.

THE WRIGHT 30-HORSE-POWER AEROPLANE IN FLIGHT ABOVE THE NORTH CAROLINA COAST.—DRAWING PREPARED FROM DESCRIPTIONS BY OBSERVERS OF THE EXPERIMENTS.—[See page 808.]

SCIENTIFIC AMERICAN

ESTABLISHED 1845

MUNN & CO. - - - Editors and Proprietors

Published Weekly at

No. 361 Broadway, New York

CHARLES ALLEN MUNN, *President*
361 Broadway, New YorkFREDERICK CONVERSE BEACH, *Sec'y and Treas.*
361 Broadway, New York

TERMS TO SUBSCRIBERS.

One copy, one year, for the United States or Mexico \$3.00
 One copy, one year, for Canada 3.75
 One copy, one year, to any foreign country, postage prepaid, 18s. 6d. 4.50

THE SCIENTIFIC AMERICAN PUBLICATIONS.

Scientific American (established 1845) \$3.00 a year
 Scientific American Supplement (established 1876) 5.00 "
 American Homes and Gardens 3.00 "
 Scientific American Export Edition (established 1878) 3.00 "

The combined subscription rates and rates to foreign countries, including Canada, will be furnished upon application.

Remit by postal or express money order, or by bank draft or check.
 MUNN & CO., 361 Broadway, New York.

NEW YORK, SATURDAY, MAY 30, 1908.

The Editor is always glad to receive for examination illustrated articles on subjects of timely interest. If the photographs are sharp, the articles short, and the facts authentic, the contributions will receive special attention. Accepted articles will be paid for at regular space rates.

GRATIFYING DECREASE IN RAILWAY ACCIDENTS.

It has for so many years been our painful duty to record and deplore the steady growth in the number of accidents on our railroads, that we find great satisfaction in the latest Accident Bulletin of the Interstate Commerce Commission dealing with the last three months of 1907. The statistics show that there is a marked decrease, both in the number of train accidents, and the number of passengers killed or injured. There is a decrease as compared with the previous quarter and with the corresponding quarter in 1906. Out of a total number of 220 persons killed, only 21 were passengers, as against 110 passengers killed in the preceding quarter and 180 killed during the corresponding quarter of the previous year. These results prove that there has been a remarkable improvement in the safety of operating, the chief cause of which is not far to seek. A correspondent has recently asked us whether the greater danger of travel on American roads is not largely due to the frequent congestion of freight traffic, and its consequent derangement of train schedules. We believe that it is. Furthermore, the sudden reduction in accidents occurred simultaneously with the development of the recent panic and the extraordinary falling off which occurred in the freight business of the country. With between three and four hundred thousand cars laid aside, it has become possible for the rest of the freight traffic to be moved on schedule time and with those intervals of spacing which are so conducive to safety of operation. Moreover, the breaking up of the congestion has necessitated the laying off of thousands of employees, and those selected for discharge were, naturally, the inexperienced or incompetent men, taken on in the rush seasons, to whom a large number of the accidents must necessarily have been due. Lastly there can be no doubt that the gradual expansion of the block signal system, and the growing appreciation of the necessity for strict obedience to its mandates, are becoming potent factors in rendering railroad travel reasonably secure.

MR. HILL ON OUR NATURAL RESOURCES.

Particular value attaches to any statement by Mr. J. J. Hill on the subject of the natural resources of this country; for there are probably few, if any, men who have given the subject such deep study, or considered it from so broad and statesmanlike a point of view. As one of the principal speakers of the recent conference at the White House, after drawing attention to the fact that the sum of natural resources of a country is simple and fixed, he asks: How stands the inventory of property for our own people? And he answers his own question categorically, as regards the wealth that may be taken from the sea, the mine, the forest, and the soil to sustain the life of man. The resources of the sea furnish less than five per cent of the food supply of the United States. As to the forests of the country, the most reliable estimates reckon our standing merchantable timber at less than 2,000 billion feet, yet we are cutting annually about 40 billion feet, and the amount of lumber cut rose from 18 billion feet in 1880 to 34 billion in 1905. Compared with other countries, we are using annually 500 feet of timber per capita as against an average of 60 feet for all Europe. The New England supply is gone; the Northwest furnishes only small growths; the

Southern production is declining; and on the Pacific coast alone is there any considerable body of standing merchantable timber. We consume yearly three or four times as much timber as is restored by the annual forest growth. Some varieties will be gone in ten years' time, and unless reforestation is resorted to, other timbers will be exhausted during the present century. So also in the iron industry, the amount of iron ore mined in the United States doubles once in seven years. The figures as here given by Mr. Hill are truly startling. In 1893 less than 12,000,000 tons were mined. This had risen to 24,000,000 tons in 1899; 47,740,000 tons in 1906, and over 52,000,000 tons in 1907. Our stores of coal are similarly threatened with early exhaustion. As to the only remaining resource, the soil itself, we are told that there are but 50,000,000 acres of surveyed, and 36,500,000 acres of unsurveyed land remaining unappropriated, and 21,000,000 acres were disposed of in 1907. Fortunately, there are two well-established remedies for the already greatly exhausted soil, namely, rotation of the crops and the use of fertilizers. In the presence of these statistics, Mr. Hill may well say that the era of unlimited expansion on every side, of having but to reach out and seize any desired resources, provided for us by the hand that made the foundations of the earth, is drawing to a close.

LOWERING THE TRANSATLANTIC RECORD.

Now that the heavy storms of the winter are over, and the Atlantic is settling down to its comparative summer quiet, the two big turbine liners are beginning to reduce the time of the transatlantic passage with remarkable regularity. On her last westward passage to this port the "Lusitania" broke three ocean records, having made the highest average speed of the whole run, the longest single day's run, and the shortest time over the long summer course from Daunt's Rock to the Sandy Hook lightship. The winter course across the Atlantic is 2,781 knots and the summer course measures 2,889 knots. Toward the close of last year the "Lusitania" covered the short course in 4 days 18 hours and 40 minutes, and the "Lusitania" in her recent run over the long course took only 1 hour and 42 minutes longer time than that, her total for the passage being 4 days 20 hours and 22 minutes. Her average speed was 24.83 knots for the entire voyage. The record run for a single day was made from noon on Tuesday until noon on Wednesday, when she covered 632 knots. The steadiness of her running is shown by the successive days' steaming, the total distances run on each entire day being 622, 625, 632, and 628 knots. On the day that she made the record run, the "Lusitania" maintained an average speed of 25.42 knots, which is equivalent to over 29 land miles per hour. Had she traveled over the short course at the speed which she maintained during this trip, she would have covered the distance in 4 days and 16 hours, which would have been 2 hours and 40 minutes better than any previous record.

OUR RANK AS SECOND NAVAL POWER.

When the leading naval annual in Great Britain in estimating the relative strength of the world's navies recently placed the United States in the second position, on the ground that she could put in the battle line more heavy, armor-piercing guns than any navy except that of Great Britain, the estimate was widely accepted both in this country and abroad. Our nearest competitor for second place is Germany, and this in spite of the fact that in her earlier ships that are still reckoned as effective, she mounted the 9.4-inch gun as the main armament. It is the present activity of Germany in the construction of exceptionally powerful battleships of the all-big-gun type, coupled with her ambitious and systematic programme for the future, which renders it certain that if any navy displaces us from second position in the next three years it will be that of our German friends.

As matters now stand the United States possesses twenty-five battleships of a total displacement of 334,146 tons; Germany twenty-three of 276,166 tons. Of armored cruisers the United States has fifteen of 186,545 tons, and Germany ten of 113,528 tons. The total tonnage of American armored ships now afloat is 520,691 tons, and Germany possesses 389,694 tons of armored ships. Of the 25 United States battleships none mounts a gun in the main battery of less than 12 inches caliber. Among the twenty-three German battleships ten carry nothing heavier than a 9.4-inch rifle.

As we have often pointed out in these pages, the fighting strength of the navy lies in its battle line, and since the Japanese war it has come to be well understood that the strength of the battle line lies in the number of heavy armor-piercing guns that can be concentrated in a given length of that line. Although the United States at present holds a decided lead over its nearest rival, the question of future preponderance, unless we maintain our recently-announced policy of building two battleships a year, seems to lie with the German navy, because of

the systematic plan of new construction covering a series of years which that country has adopted. By an act passed in 1900 and amended in 1906 the German navy in the year 1917 will contain thirty-eight battleships, all the newer ships to be of the "Dreadnought" type. Three of these are to be built this year; three in 1909, and three in 1910. Two will be built in 1911, and then one a year up to the year 1917. Three of these "Dreadnoughts" are now under construction, and one of them, the "Nassau," was recently launched. They are of 19,000 tons displacement, and are variously credited with carrying an armament of from twelve to sixteen 11-inch, 50-caliber guns of great power. Two other battleships of the mixed-caliber type, carrying each four 11-inch guns, are also under construction.

Now had the question of future increase of our navy been left to be determined by the haphazard method of previous years, there might well have been some concern for our holding the position of second naval power. Fortunately, the United States Senate, in authorizing the construction of two more 20,000-ton "Dreadnoughts," adopted for the future a definite naval policy of authorizing two battleships a year. If the United States maintains this programme, we shall have by the year 1917 forty-nine battleships, supposing, of course, which is not likely, that some of our earlier battleships will not have been struck off the list as non-effective. The German navy, unless some older ships be struck from the list, will in 1917 possess thirty-eight battleships. At the present time we have under construction four battleships of the "Dreadnought" type, namely, the "Michigan" and "South Carolina," of 16,000 tons, carrying eight 12-inch guns, and the "Delaware" and "North Dakota," of 20,000 tons, carrying ten 12-inch guns. Congress has also recently authorized two additional "Dreadnoughts" similar to the "North Dakota." It was a wise step on the part of the Senate to accompany the authorization of these last two ships by an appropriation for their construction, since this will enable them to be put in hand at once, and will raise the number of the "Dreadnought" type under construction at the present time to six. In this connection it is gratifying to note that one of the new ships will be built by the government at the Brooklyn navy yard, a policy which the SCIENTIFIC AMERICAN has earnestly advocated, on the ground that it will give us a most excellent ship, and will serve to maintain this our leading yard in a constant state of high efficiency.

SEVERE FIRE TESTS FOR SKYSCRAPERS.

There have been several fires in "skyscrapers" within the last few years, but few of them have afforded such a thorough test of modern fireproof construction as that which occurred recently on the eighteenth floor of the Tribune Building in Chicago. It was one of the highest fires, worthy of the name, that has ever occurred in any building. That it was an exceedingly hot one is shown by the fact that it entirely destroyed the asbestos covering of a pipe. The Tribune Building is eighteen stories high, with storage rooms on the Dearborn Street side of the top floor. The fire started, from some unknown cause, in one of these rooms, just under the roof. It had gained great headway before an alarm was turned in. The glass skylight, with reinforcing wire, melted in spots, and in others became so soft that it dropped down in fantastic shapes.

The significant feature of the fire, from the viewpoint of the constructor, was that it was confined to three small storage rooms. The firemen reported that it would probably have been confined to one, had it not been for small windows in the partitions of hollow terra cotta blocks. These partitions were not damaged by the fire, though there was nothing left, afterward, of the asbestos composition covering a six-inch water pipe that ran through the room. The pipe itself was heated to a cherry red, indicating the intensity of the fire. When the fire reached a hollow tile partition without a window, it could go no further. The terra cotta prevented any damage to the steel, and the partitions were intact after it was all over. The floor beams of the same material were found to be uninjured, though the wooden finish flooring was burned entirely through at several places. In an adjoining room were stored the records of the auditing department and the files of the Tribune for the sixty-seven years that have passed since the paper was established. Though the fire raged for some time on the other side of a partition from them, the records and files were not damaged.

A series of researches has been made by Prof. Theodore W. Richards, in conjunction with Messrs. W. N. Stull, F. W. Brink, and F. Bonnet, on the compressibility of a large number of the elements. A very ingenious apparatus was devised for making the measurements, and the results obtained show that the compressibility of an element is a periodic function of the atomic weight, and probably associated with the same causes which determine atomic volume and volatility.

THE HEAVENS IN JUNE.

BY HENRY NORR. RUSSELL, PH.D.

The faint object near Jupiter, discovered last winter at Greenwich, has turned out, as was anticipated, to be a new satellite. It has as yet been followed over so small a part of its orbit, that the exact form of the latter cannot be determined from the existing observations; but its general characteristics can be found, and these are sufficiently remarkable.

The satellite is much more distant from Jupiter than any previously known, apparently about 22 million miles, and its period of revolution is correspondingly long—about three years and eight months. Mr. Crommelin, the English astronomer, who has calculated the orbit, calls attention to the fact that it is merely tentative, being based on the assumption that the orbit is a circle. It may actually be decidedly elliptical; but this, while it may change the figures for the mean distance and period, will still leave the satellite much farther from its primary than any other in the solar system. There is still more confidence to be placed in the other facts which appear from the tentative orbit.

Its plane is considerably inclined to that of Jupiter's orbit, about 30 deg., and, most interesting of all, it goes around backward, like the outer satellite of Saturn, Phœbe, but unlike all the other satellites of Jupiter, even the recently discovered sixth and seventh (which, however, are only one-third as far from the planet as it is).

It is a very faint object, of about the sixteenth magnitude, corresponding to a diameter of perhaps thirty miles. As seen from Jupiter, it would be of the ninth magnitude—wholly invisible to the unaided human eye, and not as bright as a number of the asteroids look to us.

No previously known satellite has a period anything like as long in proportion to that of its primary.

During one revolution of Jupiter about the sun, the new satellite makes between three and four revolutions about him, as against thirteen for our moon, which comes next from this standpoint. The calculation of its orbit will therefore be very complicated, for the perturbations, due to the sun's attraction, will be very large.

To add to the complications, it will usually be impossible to see the planet and satellite in the same field, for the latter may be as much as three degrees away from the former. The photographs which show the satellite will usually not include Jupiter at all. But it will be easy enough to find the position of the satellite, compared with nearby stars, from the photograph, and then to compare these with Jupiter in some other way.

THE HEAVENS.

Our map shows the evening skies as they appear at the hour stated on its margin. Almost overhead is Boötes the Herdsman, with the splendid red star Arcturus, which fully equals any other that is now in sight. The rest of the constellation can be made out from the map. The star ϵ is a very fine double, observable with a small telescope.

South of this is Virgo, a large group containing one bright star, Spica, and another fine double star, γ , which is binary, the two components moving about one another in an elliptical orbit with a period of about 180 years. West of this is Leo, with another first-magnitude star, Regulus. The star γ in this constellation is again a fine double.

Below these groups is the long stream of stars which belong to Hydra. They stretch out fully 90 deg. from the west to the south. The Cup (Crater) which stands on the Sea Serpent's back, is not prominent, but the Crow (Corvus) is a small but conspicuous group, in which the star δ is an interesting double.

Northwest of the zenith the Great Bear appears to advantage. The star (named Mizar) at the bend of the Dipper Handle, has a fifth-magnitude companion

visible to the naked eye, and another, at about 1/50 the distance of the first, which, like those of the double stars previously mentioned, can be seen only with telescopic aid. Recent spectroscopic work has shown that both these companions, as well as Mizar, are themselves double, and in rapid orbital motion, though these pairs are far too close to be separated by any telescope.

Between the Great Bear and Virgo lie two small constellations. The Hunting Dogs (Canes Venatici) have only one bright star (another fine double). Coma Berenicis, to the southwest, consists of a cluster of faint stars, just separately visible to the naked eye.

Cancer, Gemini, and Auriga are setting in the west and northwest. Jupiter is now in the first of these constellations, and Venus in the second. The two planets are not far apart, and they are by far the brightest objects in sight. Of the circumpolar constellations, Cassiopeia is low on the horizon, Cepheus above, and Draco and Ursa Minor above the pole.

In the northeast Cygnus has risen, and Lyra is above it. The latter contains the great white star Vega, which almost equals Arcturus in brightness. Between Vega and the latter are the constellations Hercules and Corona Borealis. The "keystone" formed by the stars ζ , μ , π , and ϵ in the former, and the semicircle which contains all the principal stars of the latter, are easily

Venus is likewise evening star, and is very conspicuous at the beginning of the month, when she sets after 10 P. M. Later on, as she comes more nearly between us and the sun, she is less easily seen, and by the end of June she becomes practically invisible, to reappear as a morning star in a few weeks.

Throughout the month she appears telescopically as a narrow crescent, whose apparent diameter is greater than that reached by any other planet.

Mars is likewise an evening star, in Gemini, and sets at about 9 P. M. in the middle of the month. On the 6th he is in conjunction with Mercury. The least distance of the two planets, 19 minutes of arc, is reached near noon, when they cannot be seen, but they will still be very close that evening. Mercury, which at this time is moving eastward and overtakes Mars, soon turns back, and passes him again on the 17th, and Venus, which follows Mercury, passes Mars on the 22d. All three planets are close together for a week or more, and they will afford a very interesting sight. Jupiter likewise is an evening star, but is higher up than the others, and sets at about 10:30 P. M. on the 15th. Saturn is a morning star in Pisces, and is observable before sunrise. Uranus is in Sagittarius, approaching opposition, and Neptune in Gemini, too near the sun to be observed.


THE MOON.

First quarter comes at midnight on the 6th, full moon at 9 A. M. on the 14th, last quarter at midnight on the 20th, and new moon at 11 A. M. on the 28th, during the eclipse. The moon is nearest us on the 20th and farthest off on the 4th. She is in conjunction with Mars and Neptune on the 1st, Venus on the 2d, Jupiter on the 3d, Uranus on the 15th, Saturn on the 21st, and with Neptune, Mercury, Venus, and Mars on the 30th (all being then too near the sun to be seen).

There is an eclipse of the sun on June 28, visible throughout the United States as a partial eclipse. In the line of central eclipse, where the moon appears exactly in front of the sun, the annular phase may be seen. At this time the sun, whose apparent diameter is greater than the moon's, sticks out as a narrow ring all around the latter. This phase is visible from the city of Mexico, Tampa, Fla., and Bermuda.

In the northern United States a large partial eclipse will be observed, the fraction of the sun's diameter covered by the moon ranging from about one-third for observers in Washington and Oregon to almost the whole in the Gulf States. At Washington, D. C., the eclipse begins at 9:27 A. M. and ends at 12:41, and about three-fourths of the sun's disk is hidden, at the maximum phase. This eclipse, while of little importance to the professional astronomer, since the sun will not be completely hidden and the corona cannot be seen, will be of much interest to the amateur observer. A piece of smoked glass is all that is required to observe it.

- At 9 o'clock: June 7.
- At 8½ o'clock: June 14.
- At 8 o'clock: June 22.



NIGHT SKY: MAY AND JUNE

recognized. South of these are Ophiuchus and Serpens. The figures of the Serpent and his Bearer are not unnaturally much intertwined, but the map will help us to separate them.

Lower down is Scorpio, one of the finest constellations in the sky. The vertical row of three white stars, β , δ , π , is followed by a nearly horizontal row of three, of which the middle one is the fine red star Antares. Below this is a long line of stars which form the Scorpion's tail, but have as yet only partly risen. Scorpio is full of fine double stars. Antares has a faint green companion, too close to be easily seen unless the air is steady. The stars β and γ are also fine doubles, and μ , below Antares in the tail, is a fine naked-eye pair.

THE PLANETS.

Mercury is evening star throughout the month, and can be well seen in its early days about the time of his elongation, which takes place on the 7th. At this time he is in Gemini, and sets about 9:10 P. M. He is lower down than Castor and Pollux, which are the only objects for which he might be mistaken.

Toward the end of the month he gets quite close to Venus, within two or three degrees, and the two planets remain in apparent proximity for several weeks, during most of which time, however, they are too near the sun to be well seen.

Princeton University Observatory.

An official return recently issued by the Board of Trade shows that the total number of persons killed on railways in the United Kingdom in the course of public traffic during the whole year 1907 as reported to the Board of Trade was 1,117, showing a decrease of 52 compared with the previous year, and the number injured 8,794, an increase of 1,582. The number of passengers killed was 120, a decrease of 46 compared with the preceding year, and the number of passengers injured was 2,663, an increase of 83. With regard to the servants of railway companies or contractors, the number killed was 454, an increase of 16, and the number injured 5,804, an increase of 1,439. Trespassers (including suicides) accounted for 447 deaths, compared with 455 in the previous year, and 133 cases of injury, compared with 106.

AUTOMOBILE SLED FOR DR. CHARCOT'S EXPEDITION.

BY THE PARIS CORRESPONDENT OF THE SCIENTIFIC AMERICAN.

The expedition which is headed by Dr. Charcot, the eminent French explorer, will leave for the Antarctic regions on the vessel "Pourquoi Pas" on the 15th of July. It will be remembered that the expedition is under the patronage of the French government and of the Académie des Sciences. Not the least interesting part of the outfit is the new type of motor-sled which was built for this special purpose at the works of the De Dion Automobile Company at Paris. Such a sled will be a great advantage, and the party expect to take three of them on board. The use of dogs for drawing the sleds is often a great disadvantage. Twenty-two dogs were taken on board the "Discovery" in a preceding expedition, and only three or four survived.

In order to make a practical trial of the sled, it was taken to the Lauteret Pass, in the heart of the Alps, and was run over hard and soft snow. A great speed is not desired, as crevasses are to be feared, and the sled must be quickly stopped. Dr. Charcot was greatly pleased with the results of the tests, which were carried out at 7,000 feet altitude.

The propelling machinery is mounted upon the ordinary type of Norwegian sled, such as is used by explorers and drawn by men or dogs. It is composed of two long flat runners about ten feet in length and four inches wide, with the axes of the runners spaced twenty inches apart. Above each of the runners is mounted a side-bar of the same length, which is supported upon the runner by short uprights, while a set of cross-bars serve to connect the runners. It is essential that the ensemble of the chassis should be elastic in order to follow the irregularities of the ground, and this elasticity is obtained by the method which is used for attaching the different pieces of the framework, the assembly being made with tenons and mortises without the use of glue or screws, and the pieces being held together by a flexible binding. At the points, where there is the greatest strain on the framework, strips of chrome-leather, or, better still, of seal or of reindeer leather are used, and in other cases tarred cord is employed for the binding. Thus the chassis is extremely simple, and on account of the material used it is easily repaired. Such a frame can support a weight of 800 pounds.

On the frame is mounted the motor group and the driving wheel, which are the two essential parts of the mechanism. The power for driving the wheel is derived from a 2 $\frac{3}{4}$ -horse-power, air-cooled De Dion gasoline motor having a 3-inch bore and stroke. The carbureter is supplied with warm air from a jacket surrounding the muffler. The speed regulation of the motor is effected by varying the ignition and by changing the air inlet of the carbureter. A speed changing box having gearing for two different speeds is combined with a special set of reduction gearing for the driving wheel. This wheel has spiked teeth which catch in the ice so as to drive the sled. The speed of the sled can be varied from one to six miles an hour. With the group are also mounted the gasoline and oil tanks, the latter being provided with an oil pump for lubricating the motor; other accessories include a spark coil and battery. To protect the parts from the snow, there is placed beneath them an apron of very solid leather, and the sides and top are covered by a hood of stout canvas which is easily removed. The motor group has a three-point support on the chassis so that it will not receive the deformations of the latter, and by taking off the screws the whole group is removed. It is quite necessary to have the parts thus removable owing to the great difficulty of working with the parts in these regions.

It was necessary to design a propelling device for the sled which should be able to work on ice or hard snow as well as upon soft

snow. The driving wheel with paddle blades, which is sometimes recommended for this purpose, will only give good results upon ice and hard snow and on condition that there is no fresh snow upon the surface, for with this type of wheel the loose snow soon clogs up the space between the blades and makes it useless. After some trials, the designers decided upon a new form of driving wheel, taking into account the advice of Dr. Charcot. This new wheel is made up of two parallel rings 2 inches wide, which are mounted on the same axle and spaced about a foot apart. On

manner of snow-shoes, and thus form a kind of cylinder which assures the propulsion when working upon soft snow. The driving wheel thus works on ice and hard snow by means of the toothed wheels, and upon soft snow by the "snow-shoe" frames. This wheel is mounted on a hinged frame so that it can follow all the irregularities of the ground or can be sunk below the surface to the right amount for giving the adherence. The latter is obtained simply by the weight of the wheel, excluding all springs, which are a complication and are likely to break in the cold.

On the front end of the wheel frame is a slide which works in a grooved piece mounted on the back end of the provision case, so as to keep the frame straight.

The trials which were made with the new motor-sled at Lauteret were quite successful. Our engraving shows Dr. Charcot mounted in the rear back of the motor, while a second person is seated in front upon the provision box. The sled could run very well upon hard snow, with the motor giving but two horse-power on account of the altitude, and besides the two persons it carried a third drawn upon a sled which was hitched behind. Such a conveyance is not expected to make high speed, but in the present case it covered six miles an hour, which is a good figure. The total weight of the apparatus in running order is 460 pounds. It also made a very good performance when running upon soft snow. According to these results it cannot be doubted that a practical form of automobile sled has now been constructed, and it will no doubt prove of great value in exploring work.

Heat Stresses and Cracks.

While cracks in cast iron, says Mr. Carl Sulzer, can usually be quickly seen, this is not the case with the tougher mild steel. There such cracks are only formed gradually, and frequently repeated action of these destructive stresses is necessary until finally the flexible material gives way. The writer investigated a typical case of this kind, where a fire-tube boiler failed. This boiler had been forced far beyond its normal capacity for a long time. Cracks appeared in the boiler plate which were not due to tensile stresses due to steam pressure. Assuming a difference in temperature of between 360 deg. and 720 deg. F., an elastic limit for the material for tension and compression of 22,000 pounds per square inch, and a modulus of elasticity of 28,400,000 pounds, the expansion will amount to 0.00075 of the length. The sum of the expansion and contraction (0.0015 of the length) is equal to the linear expansion due to the difference in temperature. Since the coefficient of expansion of mild steel for the difference in temperature, 180 deg. F., amounts to about 0.0015 of the length, therefore when the difference in temperature reaches 180 deg. F., the boiler plates are stressed beyond their elastic limit for tension or compression. A higher difference in temperature causes a corresponding excess over the elastic limit and a frequent repetition of this occurrence, without doubt, leads to the gradual formation of cracks. The question arises whether steel makers cannot produce boiler plate which will better withstand such an excessive strain. The foregoing facts show that better material in the sense of being better able to resist such stresses should have a higher elastic limit or smaller modulus of elasticity. A decrease in the modulus of elasticity is equivalent to decreasing the tensile strength of a material which has a certain ductility or percentage elongation.

The Dominion House of Commons has unanimously passed the following resolution: "The government should, on account of the rapid development of Western Canada and the continued inadequacy of the existing transportation facilities, take early action toward the construction of a railway to Fort Churchill, on Hudson Bay."




Fig. 1.—Side View of the Sled.




Fig. 2.—Plan View of the Sled.

these rings are fitted metal tires which are provided with steel projections of a special kind which allow the sled to be run upon the surface of ice or hard snow. These teeth, or small blades, are two inches long and are mounted in helicoidal fashion so that there is no continuity between them. They have somewhat of a cutting edge and are mounted at about a 45 deg. angle, though oppositely inclined in the inverse sense on each of the rings. This is an essential




Fig. 3.—Rear Elevation.

condition for securing a straight forward movement. It is necessary to have the blades mounted in the helicoidal system instead of having cross paddle-blades, for in the latter case the snow would remain between the blades and hinder the running, while in the present case the snow lying between the blades is broken by each new contact with the surface.

Seven wood frames connect the two rings. These are covered with a cord network somewhat after the



DR. CHARCOT'S MOTOR-DRIVEN SLED FOR ARCTIC EXPLORATION.

The eminent explorer is seen in his shirt sleeves in the chauffeur's seat.

THE BRITISH "DREADNOUGHT" CRUISERS.

BY PERCIVAL A. HISLAM.

The three British "Dreadnought" cruisers of the "Inflexible" type are now rapidly approaching completion, and the first, the "Indomitable," has already carried out her gunnery trials under the supervision of the staff at Whale Island. The "Inflexible" cruisers are the first vessels of their class to carry a one-caliber armament, and in other respects they differ widely from the standard type of their predecessors. Their displacement, 17,250 tons, is larger than that of any completed battleship with the exception of the "Dreadnought," and their designed speed of 25 knots is equal to that of any sea-going vessel with the exception of the American scout cruiser "Chester," which made 26.52 knots on her trials. In anything of a sea the heavier vessel would, of course, be at a considerable advantage over the "Chester," so that it may safely be said that the "Inflexibles" are the fastest sea-going ships in the world.

The "Indomitable" is the only one of the trio to be completed within contract time—which was thirty months from the awarding of the contracts in November, 1905—and the finishing of the "Inflexible" and "Invincible" will probably be still further delayed by the shipbuilding lock-out which commenced in the north of England on May 2 last.

The "Indomitable" (the dimensions for all are the same) has a length between perpendiculars of 530 feet, and over all of 562 feet. The beam is 78 feet 6 inches, and the mean load draft 26 feet. At this draft the ship will be carrying 1,000 tons of coal or oil; the maximum fuel capacity is 2,000 tons, and the full load draft about 29 feet.

All three vessels will be driven by Parsons turbines, the estimated horse-power being 41,000. In the "Indomitable" this is obtained with natural draft, but in the others forced draft is to be applied. The contract speed is 25 knots. It is impossible to say what speed the "Indomitable" attained on her trials, as all the details are being very carefully guarded by the British Admiralty; but it is stated that 27 knots

was maintained for eight hours on the full-speed run.

The armament of the "Indomitable" consists of eight 12-inch Mark X guns, so disposed that all can be

fired on either broadside and six ahead or astern. Two of the guns are mounted in a turret forward on the forecastle deck; four are mounted in two turrets arranged diagonally amidships on the same deck. The other two guns are carried in a turret on the quarter deck. The freeboard forward is about 32 feet; amidships, 29 feet; and aft, 20 feet. In actual fire, therefore, the "Indomitable" is equal to the "Dreadnought," which has ten 12-inch guns; but the battleship has the advantage of two guns in reserve as it were on the unengaged broadside, or available to bring to bear against an enemy on that broadside. The weight of the broadside discharge is 6,800 pounds, with an aggregate muzzle energy of 318,774 foot-tons. The perfection which has been attained in the working and control of the gun turrets is remarkable. With the aid of an ingenious device the gun-layer can follow his object at a creeping pace, almost imperceptible, and yet in an instant can begin to run through the whole arc of training with great rapidity, without the slightest undue pressure on the turret system or the liability of sudden loss of control, even in the roughest seaway. A new motor system for turning the turret has proved a marked advance on the old type of turning engine.


Special attention has been paid to the facility with which the 12-inch ammunition supply can be maintained under unfavorable conditions, and to the rapid replacement of damaged parts. The communication and control systems, which are invariably a source of trouble in warships, have been so designed as to give an application of directness rarely obtained, and which must tend considerably to minimize their chance of rupture, and greatly facilitate their rapid repair when the need arises.

The "Indomitable" is the first warship to adopt the "ring" system of wiring for electrical purposes, thereby effecting a considerable saving of space and weight. By this method it is claimed many defects will be avoided, others partially remedied, and all cable faults more readily located and their repair more simply effected.



The square structure below boat davits is a temporary tank for measuring water on trial trip.

Stern View. Note the Two Tripod Masts.



Length, 560 feet. Displacement, 17,250 tons. Speed, 25 knots. Coal, 2,000 tons. Side armor, 7 inches. Armament: Eight 12-inch; sixteen 4-inch guns.

New 25-Knot British Cruiser "Indomitable."

THE BRITISH "DREADNOUGHT" CRUISERS.

The anti-torpedo armament consists of sixteen 4-inch 25-pounder guns, disposed two on each turret and four on each shelter deck. In this respect the "Indomitable" is superior to the "Dreadnought," which has only 12-pounders for the purpose.

The gun trials of the "Indomitable" were by no means so severe as those to which the "Dreadnought" was subjected, the latter being, indeed, the most severe on record. The hull was, however, subjected to some very severe blast trials, and came through them undamaged. A wooden cutter, however, lying in the wake of the blast from one of the heavy guns was splintered into fragments. Three rounds with full charges and one with a reduced charge were fired from each 12-inch gun, and each turret fired a simultaneous round from both guns at extreme elevation with the recoil shortened. The mountings stood this test very successfully.

The protection of the "Indomitable" consists of a wide belt seven inches thick, but the side above the belt is only one inch thick. The belt tapers to four inches at the ends. In these cruisers, as in the "Dreadnought," the officers are quartered forward and the men aft.

Is Space Curved?

BY J. F. SPRINGER.


The greatest monuments of scientific effort remaining to us from the ancient world are no doubt the Logic of Aristotle and the Geometry of Euclid. For more than two milleniums the latter has been admired and studied. Nearly all of our most modern text-books on the subject follow very closely the system and methods of the great geometrician of the third century B.C. What he assumed as fundamental and irresolvable is, generally speaking, still so regarded. But in this most rigorous and exact body of ancient science are two serious defects. Of these, the eleventh axiom is very celebrated. It is to the effect that one, and but one, straight line can be drawn parallel to a given line through an exterior point. Even in ancient times it was felt that, while this was a true proposition, it was by no means obvious, as an axiom should be. Repeated and strenuous efforts have been made to supply a proof. Some of these attempts were made by men of very high attainment. But it would seem, none of these has been successful. In fact, it appears hopeless to expect a proof based merely on the other axioms and definitions. It would thus appear to be independent of them. Finally, the axiom itself has been questioned. In 1829 Lobatschewsky made this bold step, denied the truth of the axiom, and developed upon this basis a system of geometry consistent with itself. But the truth of the axiom may be denied in more than one way. Instead of assuming—as Lobatschewsky did—that more than one parallel could be drawn to a given line through an external point, we may take the ground that no parallel at all is possible.

At first blush, this may appear preposterous in the very highest degree. But let us examine more closely. Suppose a population of intelligent beings to be confined to a portion of the surface of a sphere. Further, we will assume that neither these beings nor their world has any appreciable thickness. The whole will constitute, then, a universe in two dimensions. Such beings would have no straight line in our sense. Nevertheless, within the limitations of their world, they would have a very exact substitute. For them, the shortest distance between two points would be the arc of a great circle—that is, of a circle whose plane passes through the center of the sphere from which their surface is taken. This would be their "straight line." Euclid's eleventh axiom would to their minds be untrue, for parallels would have no existence in their world.* With us the sum of three angles of a triangle is invariable, being always equal to two right angles. With them the angle-sum would always be greater than that amount, depending on the area of the triangle—the larger the triangle, the larger the excess. A corollary of this is that similarity between triangles of different sizes would be impossible; the angles of the larger could not all be equal to the corresponding angles of the smaller one, for the angle-sum would have to be greater. This leads directly to the proposition that they would know nothing of sameness of shape combined with difference in size. In their world, children would differ frightfully from their parents. Such would be their universe and their knowledge. To us, their contention that the shortest distance between two points is what we know as the arc of a great circle would appear preposterous. And yet it would be the logical result of the limitations of their world. We know an infinite number of more direct, that is shorter, paths. For every circumference passing through the two points and whose radius is greater than that of the given sphere would yield such a path. None of these would, however, be within their world, and so all would be beyond their knowledge. If they could step

*There would be, of course, parallel small circles, just as we have parallels of latitude. But parallel "straight lines" would be impossible. They would have the anomaly of a "straight line" having a parallel which is not "straight." Our equator and a parallel of latitude constitute an illustration of this.

out of their limitations of an existence of two dimensions into our world of three dimensions, they would perceive these other shorter lines. In fact, they would perceive that their "straight line" is curved in the direction of a third dimension, and that this curvature is invisible to those dwelling on the spherical surface. Among these shorter lines, however, they would find one minimum—our straight line. Having experienced such results from the passage of their two-dimensional space into one of three dimensions, they might readily be excused if they considered whether there might not be a four-dimensional universe, the passage into which would disclose that this line which we so confidently call "straight" is in reality curved, but in a direction invisible to our minds, limited to the experiences of but three dimensions. This would appear to be very strict analogical reasoning—not conclusive, of course, nor having, it may be, a high degree of probability. They saw how, in our world of three dimensions, we possessed an infinity of paths connecting the two given points, all of which lines are shorter than their minimum line. They might infer from this, then, that in four-dimensional space there would be one single shortest line, absolutely straight—unless curved in a still higher dimension. If they made comparisons between the lengths of their "straight line" and ours, they might readily expect that in the space just higher than ours two of our points might be not only nearer, but considerably so. Thus New York and Constantinople, which are distant, on the surface, about 5,400 miles, but by a straight line through the crust of the earth about 4,700 miles, might in reality be no more than 4,000 miles or even less from each other, if the measurement were made along a line which was the shortest path in a world of four dimensions.

Again, we may suppose that our surface dwellers had investigated their own world sufficiently to learn that their "straight lines" returned to themselves, so that an individual setting out in any given direction and pursuing it without deviation would come back to the starting point. Their expectation then, upon being awakened to our world, might reasonably be that our straight lines might have the same property. If their telescopes were sufficiently powerful in their space, they would be able, as I think some one has suggested, to see the backs of their heads. And so they might look for similar results with us. Notice, that



Deck Plan of the "Indomitable."

in order to secure this result it would not be necessary for them to know anything about a third dimension. A telescope pointed in any one of their directions would be successful, if powerful enough.

Now, while their "straight lines" cannot be parallel, still at a distance from their intersections they might appear so to one possessed of means of measurement somewhat inexact. This raises the question whether our parallel "straight lines" are absolutely so, in fact. If measuring instruments of an extreme degree of refinement should disclose that we have parallels which are not everywhere equally distant, then the troubles of geometricians as to the eleventh axiom of Euclid would, from the point of view, be over. It would be shown to be untrue.

Now, since on a sphere no two parallel "straight lines" can be drawn, if it shall hereafter appear absolutely certain that we have some parallel straight lines, this would be sufficient to differentiate our space from the analogue of spherical space of two dimensions. However, there are different styles of bending, and while our space may not have a spherical curvature, it may possibly have a different sort.

Now, on the surface of the sphere the inhabitants might find out that more than one "straight line" could be drawn connecting two given points. They could scarcely have found out this, however, without having extended their experience to a complete circuit of their space—the second line being, of course, the remainder of the great circle. Supposing, now, that this had been ascertained, they would be surprised that with us but one straight line connected two points. They would, however, naturally expect that this was simply due to the incompleteness of our knowledge, to our space's not having been sufficiently explored. They would also be surprised, no doubt, that we regarded the angle-sum of triangles as invariable. Since with them the triangle-sum increased with the size of the triangle, they would probably think that when we had investigated sufficiently large triangles we should find the sum of the three angles larger than two right angles.

It may be inquired right here, whether there have been found in the course of scientific exploration and research any indications confirmatory of the hypothesis of space which is curved in a fourth dimension. To this must be answered, No. There are mysteries in science which four-dimensional space might conceiv-

ably tend to solve. But hard-headed thinkers will want something more convincing than this before their consideration becomes anything more than good-humored tolerance. However, one of these mysteries is as to the method of action of gravitation. The law of its action is well known. Schoolboys, in fact, know that it varies directly with the mass and inversely as the square of the distance. But this is merely descriptive, and gives no insight into the mystery of how the attraction is accomplished. How, for instance, does the sun, ninety-five million miles away, exert any force whatever upon the earth? This is the mystery of action at a distance. But if, in reality, there is a fourth dimension in the direction of which our space is so curved that the sun and earth are actually in contact, the enormous apparent distance being due to our measurements being taken under the limitations of three dimensions, then this riddle of the action of gravitation would disappear.

If one seeks for confirmation, he might suppose that this would be furnished by astronomy. Thus we might expect that in such an enormous triangle as would result from connecting the members of a group of three fixed stars, we should have reached the point where the angle-sum might be expected to vary from two right angles. But as we look into the methods to which astronomy is at present limited, we shall readily see that we can obtain no assistance here. Thus, it would be possible to observe a star simultaneously from opposite sides of the earth, and ascertain the base angles of the triangle whose base connects the points of observation and whose vertex is the star. But the angle at the star is beyond direct measurement. The method, at present, would be to add the base angles and subtract from the angle sum (180 deg.). But this method assumes the invariability of this angle-sum. To determine the question, we should have to set up one instrument on the star itself, and make observation of the angle subtended by the terrestrial diameter. The obvious objection to this, that we could not distinguish the ends of such a small length as the diameter of the earth, could be met by replacing the small base line by the 190-million-mile diameter of the earth's orbit, taking our observations six months apart. But the difficulty of making the observation from the star itself could not be met.

Radio-Activity of the Leaves of Conifers.

Costanzo and Negro discovered some time ago that leaves of plants placed in the cylinder of an electro-scope used in researches on radio-activity gave to the air within the apparatus a certain conductivity, or in other words, ionized the air. They then undertook a more profound study of the phenomenon, using leaves of *Cedrus deodara* and *Cedrus Libani*. Their results are reported in the memoirs of the Accademia dei Nuovi Lincei. With the leaves of these species the ionization of the air, which is a maximum immediately after their introduction into the apparatus, diminishes very rapidly. Dr. Russell had already proved that the wood and resins of conifers and various other trees have the property of affecting photographic plates, and that one could thus obtain, by contact in the dark, very fine photographs showing the alternate light and dark rings and lines produced in the wood in spring and autumn. Nevertheless it is not evident that this effect is attributable to the radio-activity of the wood, for a thin sheet of glass or mica interposed between the wood and the sensitive plate prevents the action entirely. Carnazzi has undertaken a study of the ionization of air by resins.

The Current Supplement.

There was successfully launched at the Brooklyn navy yard on May 19 the first collier to be built especially for the service of the navy. This vessel is described in the current SUPPLEMENT, No. 1691, and her launch pictured. The nitrogen problem is once more agitated by George M. Heath. In an excellent paper he carefully summarizes all the attempts which have been thus far made to extract nitrogen from the air for agricultural and other uses. The eighteenth installment of Prof. Watson's "Elements of Electrical Engineering" is published. The subject discussed is current reorganizers. Some late improvements in compressive riveters are described by Chester B. Albree. The Austrian coefficients for the transmission of heat through building materials are discussed by W. W. Macon. James L. Davis writes on the water-proofing of cement structures. Many parts of this country have been generously endowed by nature with striking and curious natural monuments. Some of these are illustrated and described by Charles Goodman. Prof. Edmund Beecher Wilson sums up the researches which have been made by modern biologists, and discusses with simplicity the work of Mendel and his school. The various forms of buoys and beacons used throughout the world are described by Max Buchwald. William P. Seal contributes an article on fishes in their relation to the mosquito problem.

Correspondence.

A Very Simple Mode of Making Magic Squares.

To the Editor of the SCIENTIFIC AMERICAN:

I have just read in your issue of May 2 a letter from Mr. Albert R. Gallatin in which he illustrates the well-known principle of "casting out the nines," as follows:

$$\begin{aligned} 111 \text{ residue} &= 3 \\ 11 \text{ residue} &= 2 \\ \text{Product } 1,221 \text{ residue} &= 6 \end{aligned}$$

the "residue" being the remainder after deducting the highest multiple of 9.

He ends his article by saying: "I should like very much to see an explanation of this remarkable property"; viz., that the residue of the product of any two numbers is equal to the residue of the product of the residues of the said numbers.

We will take any two numbers; $m + x$ and $n + y$. m and n are multiples of 9 and x and y are the respective residues. Multiplying, we have:

$$\begin{aligned} \text{Residue of } m + x &= x \\ \text{Residue of } n + y &= y \end{aligned}$$

Residue of $m n + n x + n y + x y =$ residue of $x y$ Q.E.D. since the residue of each of the first three terms of the left side of the equation equals zero.

The rules of magic squares to which your correspondent refers as very abstruse may be very briefly stated and easily remembered; one of which I give herewith.

Start in the square next below the center, proceed diagonally downward and to the right one column at a time. When the last column is reached, begin afresh at the first (left or top, as the last happens to be the right or bottom, respectively). Whenever you find your next square taken, drop two squares below and proceed as before. This rule will work out a magic square of any number of odd figures, as 3, 5, 7, 9, to a billion and one. I give a few illustrations.

4	9	2
3	5	7
8	1	6

Adds 15 each direction.

11	24	7	20	3
4	12	25	8	16
17	5	13	21	9
10	18	1	14	22
23	6	19	2	15

Adds 65 each direction.

22	47	16	41	10	35	4
5	23	48	17	42	11	29
30	6	24	49	18	36	12
13	31	7	25	43	19	37
38	14	32	1	26	44	20
21	39	8	33	2	27	45
46	15	40	9	34	3	28

Adds 175 each direction.

37	78	29	70	21	62	13	54	5
6	38	79	30	71	22	63	14	46
47	7	39	80	31	72	23	55	15
16	48	8	40	81	32	64	24	56
57	17	49	9	41	73	33	65	25
26	58	18	50	1	42	74	34	66
67	27	59	10	51	2	43	75	35
36	68	19	60	11	52	3	44	76
77	28	69	20	61	12	53	4	45

Adds 369 each direction.

56	117	46	107	36	97	26	87	16	77	6
7	57	118	47	108	37	98	27	88	17	67
68	8	58	119	48	109	38	99	28	78	18
19	69	9	59	120	49	110	39	89	29	79
80	20	70	10	60	121	50	100	40	90	30
31	81	21	71	11	61	111	51	101	41	91
92	32	82	22	72	1	62	112	52	102	42
43	93	33	83	12	73	2	63	113	53	103
104	44	94	23	84	13	74	3	64	114	54
55	105	34	95	24	85	14	75	4	65	115
116	45	106	35	96	25	86	15	76	5	66

Adds 671 each direction.

79	164	67	152	55	140	43	128	31	116	19	104	7
8	80	165	68	153	56	141	44	129	32	117	20	92
93	9	81	166	69	154	57	142	45	130	33	105	21
22	94	10	82	167	70	155	58	143	46	118	34	106
107	23	95	11	83	168	71	156	59	131	47	119	35
36	108	24	96	12	84	169	72	144	50	132	48	120
121	37	109	25	97	13	85	157	73	145	61	133	49
50	122	38	110	26	98	1	86	158	74	146	62	134
135	51	123	39	111	14	99	2	87	159	75	147	63
64	136	52	124	27	112	15	100	3	88	160	76	148
149	65	137	40	125	28	113	16	101	4	89	161	77
78	150	53	138	41	126	29	114	17	102	5	90	162
163	66	151	54	139	42	127	30	115	18	103	6	91

Adds 1,105 each direction.

Louisville, Ky., May 1, 1908.

F. L. SPIDEN.

Another Magic Square.

To the Editor of the SCIENTIFIC AMERICAN:

The square shown below is made up of the numbers 1 to 16 which are so arranged that their sums vertically, horizontally, and diagonally equal 34, and any four numbers forming a rectangle within the square sum up to 34. The numbers are arranged in pairs following the move of the knight on the chessboard: 1 and 2, 3 and 4, 5 and 6, etc.

1	8	13	12
14	11	2	7
4	5	16	9
15	10	3	6

The following are some of the various ways in which the numbers may be added to equal 34:

1	8	8	13	14	11	11	2	2	7	4	5
14	11	11	2	4	5	5	16	16	7	15	10

5	16	16	9	13	12
10	3	3	6	2	7

1	13	1	12	11	2
4	16	15	6	15	3

8	12	11	7	11	7
5	9	15	6	10	6

1	8	8	13	13	12
15	10	10	3	3	6

8	13	1	12	1	12
4	9	15	6	15	3

1	8	1	12	1	12
14	11	14	11	14	11

8	13	1	12	1	12
4	9	15	6	15	3

1	8	1	12	1	12
14	11	14	11	14	11

1	8	1	12	1	12
14	11	14	11	14	11

1	8	1	12	1	12
14	11	14	11	14	11

1	8	1	12	1	12
14	11	14	11	14	11

1	8	1	12	1	12
14	11	14	11	14	11

1	8	1	12	1	12
14	11	14	11	14	11

1	8	1	12	1	12
14	11	14	11	14	11

1	8	1	12	1	12
14	11	14	11	14	11

1	8	1	12	1	12
14	11	14	11	14	11

1	8	1	12	1	12
14	11	14	11	14	11

1	8	1	12	1	12
14	11	14	11	14	11

1	8	1	12	1	12
14	11	14	11	14	11

1	8	1	12	1	12
14	11	14	11	14	11

1	8	1	12	1	12
14	11	14	11	14	11

1	8	1	12	1	12
14	11	14	11	14	11

1	8	1	12	1	12
14	11	14	11	14	11

1	8	1	12	1	12
14	11	14	11	14	11

1	8	1	12	1	12
14	11	14	11	14	11

1	8	1	12	1	12
14	11	14	11	14	11

1	8	1	12	1	12
14	11	14	11	14	11

1	8	1	12	1	12
14	11	14	11	14	11

1	8	1	12	1	12
14	11	14	11	14	11

1	8	1	12	1	12
14	11	14	11	14	11

1	8	1	12	1	12
14	11	14	11	14	11

1	8	1	12	1	12
14	11	14	11	14	11

1	8	1	12	1	12
14	11	14	11	14	11

1	8	1	12	1	12
14	11	14	11	14	11

1	8	1	12	1	12
14	11	14	11	14	11

1	8	1	12	1	12
14	11	14	11	14	11

1	8	1	12	1	12
14	11	14	11	14	11

Ancient Records Bearing on Alaska's Boundary.

Documents, which would have been of great importance at the time of the conference in London in regard to the Canadian boundary question, have been recently unearthed in Alaska by Leo Nabokoff, a friend of Count Leo Tolstoi. They are ancient Russian papers showing how Russia managed to lay claim to the entire northern coast of North America.

Nabokoff has forwarded some of the documents to the Governor-General of Canada and they will in all probability be exhibited in the Dominion building at the Alaska-Yukon-Pacific exposition, which will be held at Seattle in 1909, as they would have played an important part in the history of the countries the fair will be held to exploit had they been brought to light sooner.

It was while in Sitka, where he was sent by his government to put in order the archives kept by the Russian authorities, that Nabokoff discovered the papers. They were written in old Russian, which he had studied. One of the records was an order from the Russian government to the Czar's governor of Alaska to bury tablets bearing the Russian coat of arms at different points along the coast, which were to be carefully noted so that in after years when the country became valuable they could be dug up and used by Russia to claim the territory. This was done in part and the purport of some of the documents is that Russia appropriated the whole of the Alaska coast. Had these records been brought to light before the boundary decision some five years ago, they might have affected it, but now that the coast line is forever settled they are chiefly of interest as relics.

Nabokoff located some of the tablets and they will be secured for exhibition at the Alaska-Yukon-Pacific Exposition. They were buried as far south as British Columbia. Had they been unearthed and claim laid to that territory, the United States, by the purchase of Alaska, would now own the entire Pacific coast from Mexico to the Arctic Ocean.

The Use of Ozone in the Transportation of Live Fish.

Ozone is an energetic oxidizing agent which is continually finding new industrial applications. This allotropic form of oxygen is a bluish gas of strong and characteristic odor. Its density is 1.5 times that of oxygen, its molecular formula being O₃ while that of oxygen is O₂.

The oxidizing and germicidal power of ozone has been utilized in sterilizing air and water, aging liquors, preventing fermentation in fruit juices, refining sugar, and bleaching and preserving flour. It is also employed as an oxidizing agent in bleaching textiles, the manufacture of artificial camphor, artificial silk and dyestuffs, and in the preparation of certain oils. Ozone is usually obtained by the action of the silent electrical discharge on oxygen.

A new use for ozone has been found in the transportation of live fish. Fish decompose so rapidly after death that they cannot be transported to great distances without the use of refrigerator cars and great expense for ice or other refrigerants. Hence it is desirable to keep the fish alive during transit, but here another difficulty is encountered, for fish of the more delicate species soon die in tanks in which the water is not continually renewed.

In practical trials which have been made in France and other countries, however, it has been found possible to keep fish alive on long journeys by forcing a properly regulated stream of ozone into the water of the tanks in which they are imprisoned.

An international mining exposition will be held at Madison Square Garden from May 25 until June 20, 1908. One of the features of this exposition will be the installation of a complete mine, equipped with a cage, operated by electric motor, and those who desire can descend eighty feet and witness various "levels," "tunnels," "cross-cuts," "a stop," "winze," hanging and foot walls, and by an object lesson receive a lifelong impression of a very good representation of a gold mine. Another equally attractive demonstration will be the rock-drilling contest with hand drill and sledge. The miners in drilling for blasts become very proficient, as there are many existing conditions where there are no facilities to permit the use of power drills. These contests are so important, and such an exhibit of physical endurance and skill, that international rules are observed for governing them throughout the West. There will be exhibits in this line of down-hole, backhole, and uphole, which last being overhead, naturally requires greater skill and endurance. A somewhat pathetic and interesting deviation in this line will be a team of drillers from Butte, Mont., miners who lost their sight in a mine accident, but who were so proficient in their calling that they are still able to support themselves, although both are positively blind. Moving pictures of mining scenes will be exhibited in the concert hall. Many of the mining States are exhibiting their mineral resources. Carloads of mineral representing nearly every county in Nevada are now en route to New York.

In fact, the arrangements are endless. Observe, the arrangements are not chance, but follow definite rules. The square fairly yells 34 at you. It is one of the queerest freaks I ever stumbled over in my mathematical investigations.

A SUBSCRIBER.

More Curious Facts About Figures.

To the Editor of the SCIENTIFIC AMERICAN:

In the SCIENTIFIC AMERICAN of May 2 A. A. Laughlin, under the heading "Curious Facts About Numbers," shows that if we add the odd numbers beginning with 1, the sum is equal to the square of the number of numbers added.

This may be carried at least two steps farther; that is, we may derive all cubes and all fourth powers from this same series.

The first term of the series is the cube of 1. The sum of the next two terms (3 + 5 = 8) is the cube of 2. The sum of the next three terms (7 + 9 + 11 = 27) is the cube of 3, and so on. It will be found that the middle term in any addition or the even number between the two middle terms if the number of terms is even will be the square of the number to be cubed. So we may write the rule: The cube of a number is equal to the sum of a natural series of odd numbers whose number of terms is equal to the number to be cubed and which has for its middle term or includes between its middle terms the square of the number to be cubed.

FIRST FLIGHTS OF THE AERIAL EXPERIMENT ASSOCIATION'S SECOND AEROPLANE.

Although in its first test the second aeroplane to be constructed by the Aerial Experiment Association covered a distance of but 279 feet at a height of but about 10 feet, on May 18, this flight is considered by Dr. Alexander Graham Bell, and by Lieut. T. E. Selfridge, U.S.A., and the other members of the Association, to have been the first really successful flight of the second heavier-than-air flying machine of this particular pattern. A number of other aeronauts who are at Hammondsport, N. Y., where the tests are being conducted, and who are building other types of flying machines, gave praise to the new machine.

The Association's first aeroplane, the "Red Wing," which flew 318 feet above Lake Keuka on March 12 last, was illustrated in the SCIENTIFIC AMERICAN of March 21. This machine had a horizontal single-surface tail, which buckled in the first flight. The tail was changed to a double-surface box shape, like that used on the Farman aeroplane, and in a subsequent flight in the rain a few days later, the aeroplane tipped to one side and, crashing to the ice, was demolished.

The new aeroplane—the "White Wing"—is practically the same as the former one, save that it is

There are two distinctive features in the design. The first is the general principle and arrangement of the truss which supports the two surfaces, and the second is the shape of the surfaces themselves.

In this machine the truss differs radically from ordinary designs, being a double bowstring truss, which was found to have structural advantages over the flat bridge design commonly used. The other features which distinguish the machine from the usual type of double-deck machines lie in the shape of the supporting surfaces, which are very much like a bird's wing in plan, tapering toward the tips, and at the same time decreasing in curvature.

A wooden propeller is used, with an eight-cylinder 40 horse-power Curtiss air-cooled motor. The propeller's diameter is 6 feet 2 inches. The pitch is about equal to the diameter. At about 1,200 R. P. M., with the motor developing 25 horse-power, the propeller develops some 245 pounds thrust. The aeroplane is 42 feet 6 inches long from tip to tip and 4 feet deep at the outside panel. It has a total supporting surface of 408 square feet, while its weight is 431 pounds.


The flight on the 18th was an excellent one. The machine left the ground readily after a run of about 200 feet, and alighted at the end of the flight without

cellent flight which, although his first, is reported to have extended over a total distance of 1,017 feet, and to have been accomplished in 19 seconds, or at a speed rate of about $36\frac{1}{2}$ miles an hour. During this flight the machine touched ground once after covering 615 feet, but it immediately rose again and continued in the air until the aviator caused it to land near the edge of a plowed field. Mr. Curtiss appeared to have excellent control of the aeroplane, which rose and fell during the flight, varying in height from 5 to 25 feet.

Finding the Specific Gravity.

The usual way of finding the specific gravity of an insoluble body is, as laid down in the text books and carried out in practice, to weigh the body first in air and then in water, find the difference in the two weights, and then divide the weight in air by that difference. Thus, a body weighing 10.32 pounds in air and only 1.25 pounds when fully immersed in water will lose $10.32 - 1.25 = 8.07$ pounds in weight when buoyed up by the water; its specific gravity will therefore be $10.32 \div 8.07 = 1.278$.

A better way is to weigh the object in air, then after immersing it in water and leaving the original weight untouched, to put in or on weights enough on




Front View of the Aerial Experiment Association's New Aeroplane.

The pointed wing tips have been made flexible so they can be twisted to aid in steering. The propeller and the frame of the box tail can be seen at the back, and the horizontal rudder in front.




The Aeroplane in Flight.

The "White Wing" making its first flight of 279 feet at a speed of about 30 miles an hour.



The Motor and Propeller at the Rear of the Main Planes.

One corner of the rectangular box tail is visible at the end of one of the long bamboo poles which attach it to the aeroplane proper.



Three-quarter Front View of Aeroplane.

This view shows the horizontal rudder, the steering wheel, and the running wheels.

THE SECOND AEROPLANE OF THE AERIAL EXPERIMENT ASSOCIATION.

mounted upon pneumatic-tired bicycle wheels instead of runners. A rectangular box tail has been fitted. For experimental purposes, so that the machine could obtain a start before ascending, a half-mile track was built. By running along on this track, proficiency in handling the steering gear and other mechanism was attained. In a trial on the ground the day previous to the successful ascent, a slight defect in the steering gear was detected and remedied. The experimenters had thought that the aeroplane could be guided by the rudder alone when running on the ground, but they found it was also necessary to turn the wheels. Besides the horizontal rudder in front for controlling the elevation of the aeroplane and maintaining its fore and aft equilibrium, there is the usual vertical rudder for side steering in the middle of the box tail, while in addition to this the wing tips are pivoted horizontally about their forward edges and made to move up and down slightly in turning a corner by means of a cord which runs through pulleys at the rear corners of the upper plane and which is attached to the aviator's body. The instinctive leaning to one side of the aviator in making a turn is thus used to set the wing tips properly.

The new aeroplane has double superposed surfaces.

serious shock. A good idea of its appearance in flight can be had from the photograph reproduced above, from which it can be seen that the transverse stability was apparently excellent. The propeller was slightly damaged during this flight, but repairs were soon made, and the following day two more short flights were executed. The first of these could hardly be called a test, as the machine remained in the air but two seconds and traveled about a hundred feet. When it descended on its wheels it ran 201 feet on the ground before stopping. In this run a guy wire broke, which impeded slightly the action of the propeller. In a few minutes the damage was repaired and the second ascent was made in a quite heavy rain. In a few seconds sufficient velocity was attained and a rapid rise was made to a height of 30 feet. The aeroplane then dipped slightly to the right, slowly dropped about 12 feet, and then came to earth. The front rudder wheel was broken considerably, and several hours were required to repair the damage. Notwithstanding this, Dr. Bell was pleased with the trial. Lieut. Selfridge acted as aviator on this day, while F. W. Baldwin piloted it on the first trial.

On May 22 Mr. G. H. Curtiss, after some changes had been effected in the new aeroplane, made an ex-

cellent flight which, although his first, is reported to have extended over a total distance of 1,017 feet, and to have been accomplished in 19 seconds, or at a speed rate of about $36\frac{1}{2}$ miles an hour. During this flight the machine touched ground once after covering 615 feet, but it immediately rose again and continued in the air until the aviator caused it to land near the edge of a plowed field. Mr. Curtiss appeared to have excellent control of the aeroplane, which rose and fell during the flight, varying in height from 5 to 25 feet.

Where possible, it is still more simple to weigh out in the first case a given even quantity of the material to be tested—as of potatoes or beets in beet-sugar or potato-alcohol manufacture; there being used for this purpose two baskets, one above the other, of which the lower one is completely immersed in water. The material being weighed in the upper basket while the lower one hangs free in the water, is then transferred to the lower basket, and the weight added on that side of the balance to restore equilibrium is divided into the original sum, to obtain the specific gravity.

As an example: 100 pounds of beets are weighed out in the upper basket and then transferred to the under one; then 87.5 pounds are added on the same side with the beets to bring back the equilibrium; then the specific gravity is $100 \div 87.5 = 1.14$.

In handling such materials as beets and potatoes, any that swim should be thrown out before weighing, as they are hollow and contain air, and are useless for industrial purposes.

THE WRIGHT AEROPLANE TEST IN NORTH CAROLINA.

Upon the return of the newspaper correspondents and photographers from North Carolina, considerable more information was obtainable regarding the recent flights made by the Wright brothers in testing their aeroplane than has hitherto been available. Unfortunately, not one of these men is a qualified technical observer, for which reason we are little better off for details than we were before.

In addition to the frontispiece showing the aeroplane as it appears in flight, we are enabled, owing to the courtesy of P. F. Collier & Son, to show our readers two photographs taken at long range of the aeroplane in flight around Kill Devil Hill. These photographs, while quite minute, nevertheless when magnified give some idea of the actual appearance of the machine in flight; but their greatest value lies in dispelling all doubt as to the ability of the Wright machine to fly and to make good its designers' claims. All those who witnessed the flights agree that the performance of the machine was marvelous, and that the speed attained with the small motor of 30 horse-power was remarkable. As already noted in our last issue, the speed in question appears to have been from 45 to 48 miles an hour, although the last flight was timed in 7 minutes and 40 seconds, during which the life savers claim that the machine traveled slightly over 8 miles. The distances are said to be fairly accurate, since they were gaged by the known space between telegraph poles and the number of poles in the course. The probability is, however, that the speed of the machine did not at any time exceed 48 miles an hour. In fact, the Wrights do not claim a speed of much over 40 miles. Still, according to report, they state that before the flights witnessed by outsiders, they made three flights of 18, 24, and 32 miles respectively. In their final flight they had intended to remain in the air an hour and twenty minutes, or a third longer

than is required in the government test; but a false movement of one of the operating levers caused them to plunge downward. Not more than \$50 worth of damage was done to the machine, and save for a few scratches the aviator was uninjured.

A close study of the photographs which we reproduce shows that the horizontal rudder in front of the

there is little doubt that more will be heard from them in the near future. Upon hearing of their flights, Henry Farman sent a challenge for them to come to France and fly in competition with him. The Wrights paid no attention to this challenge. Their confidence in their machine is such that they do not believe it necessary to make a public trial either here or abroad

in order to interest the other governments, which may yet purchase machines from them. Since their trial flights in North Carolina have been witnessed by newspaper men, and photographs of these flights have been secured, there is no longer any doubt of the pre-eminence of America in aviation. We hope that before the end of the year we shall be able to arrange for a public contest near New York, in which all the prominent foreign and American aviators will compete, and endeavor to win for the first time the SCIENTIFIC AMERICAN trophy.



The imagination of the artist who drew this picture eighty years ago was prophetic and daring. He graphically foretold the modern department store, the elevator, the military airship, the pleasure and military automobile, and the heavier-than-air flying machine (drawn by birds). He did not hesitate to build a bridge between Calais and Dover or to draw vehicles along the ground with the aid of kites.



"THE MARCH OF INTELLECT." FROM A PRINT MADE IN 1828, PREDICTING MANY MODERN MECHANICAL ACHIEVEMENTS.

machine is of the double- or triple-surface type. The vertical rudder also can be seen well out at the rear, as well as the two propellers, half of each of which is in sunlight, and the other half in shadow. The aviator is seen sitting in the middle of the lower plane, while there are several radiating tubes for the cooling water of the motor running vertically upward to the upper plane from the motor, which is located in a fore-and-aft direction in the center of the lower plane, and which drives each of the two propellers through chains. A second lever in front of the aviator operates the vertical rudder, and a third one twists the planes to aid in steering.

In the tests recently made, the Wright brothers were trying out their new form of steering and control by means of levers and with the operator in a sitting position. In their former flights in 1905, the operator lay prone, and the change to a sitting position necessitated a different method of control. The brothers are quite satisfied with the results they have obtained, and

and tannate of lime. A solution of tannin is first prepared, either by dissolving tannin in water or boiling Chinese gall-nuts in water and straining the fluid. Clear lime is gradually added to this solution till precipitation ceases and red litmus paper, dipped in the fluid above, is colored blue. The fluid is then decanted and the precipitate dried. The dried product, designated chemically tannate of lime, is then mixed with casein and the mixture ground and sifted. The proportion in which the ingredients are mixed depends upon the purpose to which the mixture is to be applied; as a rule, 90 parts of casein and 10 of tannate of lime are taken. When required for use, a sufficient quantity of water is added to the cement. A tenacious binding material of the requisite consistency is thus obtained. When completely dry, the cement is very hard and tough, and absolutely insoluble in water, petroleum, or oil; hence it is admirably adapted for a large variety of purposes.

Casein cement consists of casein



Copyright 1908 by P. F. Collier & Son. Photographs by J. H. Hare.

End view of aeroplane which is traveling to the left. The horizontal rudder can be seen in front and the vertical rudder behind. The inclined lines in front of latter are the propellers.

Three-quarter front view of aeroplane. The horizontal rudder is seen in front. The black spot in the center is the aviator and motor, and the dark line connecting the two surfaces, the radiator.

The Aeroplane Encircling Kill Devil Hill—the Gigantic Sand Dune at the Wrights' Experimental Grounds on the Coast of North Carolina.

FIRST PHOTOGRAPHS OF THE WRIGHT BROTHERS' AEROPLANE IN FLIGHT.

CHINESE PIGEON WHISTLES.

BY DR. BERTHOLD LAUFER, COLUMBIA UNIVERSITY.

Traditions imbibed in school, through education and by reading, are apt to sway our lives and our thoughts, and to influence strongly our judgment of other peoples. An almost fixed standard of attributes involuntarily arises in our minds when the names of French, Spaniards, Negroes, Indians, strike our ears, and it is often hard to see why such and such an adjective, expressing such and such a quality, became inevitably linked in our thoughts with the names of certain nations. Thus, we are wont to speak of the Chinese as a sober, practical, and prosaic people, and to view them throughout in that light. Immensely rational they are (this cannot be gainsaid), secular, and worldly-minded, bestowing all their efforts on useful temporal affairs; but nevertheless these people are by no means lacking in purely emotional matters of great attractiveness. It is needless to turn to their poetry and art, in which they are at their best, regarded from this viewpoint; even in affairs of minor importance their soul reveals to us traits of poetical quality of no small degree.

As early as the eleventh century one of their greatest poets sang:

"Upon the bridge the livelong day
I stand, and watch the goldfish play."

The domestication of the goldfish, the first species of which reached England only in 1691, and of the wonderful paradise-fish as well, is justly ascribed to the Chinese; and it is remarkable to notice that their attempts in this direction and the amazing results achieved

so that when the birds fly the wind blowing through the whistles sets them vibrating, and thus produces an open-air concert, for the instruments in one and the same flock are all tuned differently. On a serene day in Peking, where these instruments are manufactured with great cleverness and ingenuity, it is possible to enjoy this aerial music while sitting in one's room.

There are two distinct types of whistles—those consisting of bamboo tubes placed side by side, and a type based on the principle of tubes attached to a gourd body or wind-chest. They are lacquered in yellow, brown, red, and black, to protect the material from the destructive influences of the atmosphere. The tube whistles have either two, three, or five tubes. In some specimens the five tubes are made of ox-horn instead of bamboo. The gourd-whistles are furnished with a mouthpiece and small apertures to the number of two, three, six, ten, and even thirteen. Certain among them have, besides, a number of bamboo tubes, some on the principal mouthpiece, some arranged around it. These varieties are distinguished by different names. Thus, a whistle with one mouthpiece and ten tubes is called "the eleven-eyed one."

As to the materials and implements used in the manufacture of pigeon-whistles, there are small gourds that serve for the bodies; halves of large gourds (a particular species imported from Shantung to Peking for this industry), from which stoppers are made that fit into them; and four kinds of bamboo—cylindrical pieces of a large species that grows in the south, for making the mouthpieces of the large tubes; thin sticks for making those of the small ones; hard bamboo for


A New Italian Method of Preserving Eggs.

Consul D. I. Murphy, of Bordeaux, forwards the following synopsis from a French journal on a new method of preserving eggs, which, he says, appears to have the double merit of cheapness and simplicity. The article was based upon the experiments of Doctor Campanini, as reported by him in a bulletin issued by the Italian minister of agriculture.

Dr. Campanini, after reviewing the various known means of preserving eggs—by salt water, lime water, silicate of potash, vaseline, and cold storage—described his experiments, which showed better results than all others.

His theory is that to preserve eggs some system must be adopted that will absolutely prevent the exchange between the air outside and that inside the egg—for it is this continual exchange that causes putrefaction.

Dr. Campanini selected perfectly fresh eggs and covered them with lard, so as to effectually stop up all the pores. The shells were thus rendered impermeable, the exchange of air was prevented and, the obstruction of the pores not permitting the evaporation of the water, there was no loss of weight. The whites and yellows of the eggs retained their color perfectly and the taste was not modified in the slightest degree. When properly coated with lard—not too thickly—the eggs are put in baskets or boxes upon a bed of tow or fine odorless shavings and so arranged that there will be no point of contact between them—otherwise a mold will develop and putrefaction result. The packing room should be perfectly dry, the question of temperature not being important. By his process Dr. Campanini kept a quantity of eggs for a whole year



A Pigeon With a Whistle Wired to Its Tail. The Whistles Look Clumsy But Are Very Light.

Pigeon Whistles, With the Gourds and Bamboos From Which They Are Made; and the Tools Used in Making Them.

CHINESE PIGEON WHISTLES.

were not prompted by any utilitarian views they had in mind, as neither fish is of any practical advantage. On the contrary, their skillful breeding, so eagerly pursued, is due solely and exclusively to the æsthetic tendency of the Chinese in their art of living, and to their highly cultivated sense of beauty, which delights in the bright coloration of the skin of these fishes, the graceful form of their bodies, and the restless motions of their long, flowing fins. This is the more worthy of note, as the only fish among us which has been placed within the range of domestication, the carp, is granted this privilege merely from its prosy connection with the kitchen.

While the almost Darwinian experiments to which Chinese breeders have subjected the goldfish, and their unbounded admiration of this little creature in its hundred and one forms and variations, illustrate well the intimate relation of the people to the element water, their friendly associations with the world of birds are no less close and sympathetic. The lover of birds does not permanently confine his pet in its prison-cage, but he takes it out with him on his walks, carrying it on a stick, to which one of its feet is fastened by means of a thread long enough to allow it ample freedom of motion. Where the shade of some stately tree bids him welcome, he makes a halt, and permits the bird to perch and swing on a supple twig, watching it for hours.

One of the most curious expressions of emotional life is the application of whistles to a flock of pigeons. These whistles, very light, weighing hardly a few grammes, are attached to the tails of young pigeons soon after their birth, by means of fine copper wire,

the large tubes themselves, and a soft kind for the smaller ones. The separate pieces are fastened together by means of fish-glue, which is applied with an iron nail. A razor-like knife is used for splitting the bamboo sticks, and a chisel to break the harder pieces. For the general work a dozen spatulas are required, and awls are used for drilling the small mouthpieces. There is also a whetstone for grinding the implements, the same as is employed in other industries and by professional knife-grinders, and a saw with a slightly curved blade for cutting the gourds. The smallest whistles are of course most difficult to produce. One workman is said to be able to turn out about three specimens a day, which shows that the work requires some time and skill.

The explanation of the practice of this quaint custom which the Chinese offer is not very satisfactory. According to them, these whistles are intended to keep the flock together, and to protect the pigeons from attacks of birds of prey. There seems, however, little reason to believe that a hungry hawk could be induced by this innocent music to keep aloof from satisfying his appetite; and this doubtless savors of an after-thought which came up long after the introduction of this usage, through the attempt to give a rational and practical interpretation of something that has no rational origin whatever; for it is not the pigeon that profits from this practice, but merely the human ear, which feasts on the wind-blown tunes, and derives æsthetic pleasure from this music. And here, again, it seems to be a purely artistic and emotional tendency that has given rise to a unique industry and custom applied to nature-life.

—through a very hot summer and a very cold winter—and they were perfectly preserved. He says that 4 cents' worth of lard suffices to coat 100 eggs, and that anyone could easily prepare that number of eggs in one hour's time.

Wasting Water Assets.

California has learned, says the California Cultivator, not only that the ground may become water-logged by over-irrigation, but that ill-considered drainage and the inconsiderate use of water from wells may so lower the underground water-plane as to threaten the reversion of large areas to unproductiveness.

The Geological Survey has demonstrated that all the subterranean waters of 775 square miles in southern California are connected, and that every well taps a common supply; and on this the water-plane, which was twenty-three feet below the surface of the soil in 1898, is now fifty feet below.

People can live beyond their means in respect to water, as well as timber, oil, natural gas, fish, and game.


The output of copper in the Ural district in 1906 amounted to 4174 tons, as compared with 3,610 tons in the preceding year, thus showing an increase of 564 tons. These figures cannot be considered as satisfactory from the Russian point of view, taking into consideration the high prices which prevailed last year for copper. Moreover, on comparing the total output of copper in 1906 with that of the years 1904, 1903, and 1902, a decrease in the production is noticeable.

A NEW AUTOMATIC VIOLIN PLAYER.

BY THE ENGLISH CORRESPONDENT OF THE SCIENTIFIC AMERICAN.

One of the most novel and ingenious automatic musical instruments devised within recent years is now on exhibition in England. This is the Mills automatic violin player, which, as may be seen from the accompanying illustration, is a delicately constructed and remarkably designed automatic violin, in which the fingers of the player are supplanted by mechanical agency. The instrument is the result of several years' experiment and scientific research, and although played by electro-mechanical agency, the rendering of the music is so delicate that it is difficult to distinguish it from that of a master hand. The sweetness is remarkable, as are also the harmony and volume of tone.

The instrument, as may be seen from the accompanying illustration, comprises the ordinary type of violin, complete in every detail, with the usual strings and facilities for tuning. The instrument is held firmly at the neck, to secure the same position as if held under the chin, while the opposite end is held by a solid support. Above the strings is mounted an intricate and elaborate mechanism, with lever rods, which act as fingers, and by depression upon the strings in the correct positions give the required notes. The bow, or rather series of bows, since there are many in order to secure full chord effects, is represented by a number of revolving disks, which in their rotating passage strike the strings as they are depressed upon them according to requirements, and in conjunction with the mechanical fingers sound the required notes. There is a complete absence of harshness, such as might naturally be expected in a mechanically-operated instrument, while the diminuendo and crescendo effects are faithfully reproduced. The mechanism is operated by a small but powerful electric motor driven by batteries; the control is effected by means of an ingenious arrangement of electro-magnets. The whole of the mechanism is in motion at one and the same time, each composite part performing its allotted function in accordance with the musical score, at the correct moment.



AN AUTOMATIC MACHINE FOR PLAYING THE VIOLIN

Every person familiar with the instrument is fully acquainted with the difficulties attending its mastery, and the many musical impressions peculiar to violin playing. Yet all such, as staccato, legato, pizzicato, arpeggio, shake, trill, thirds, fourths, octaves, tenths, portamento, are marvelously produced. It renders with complete accuracy and striking execution the most difficult classical passages as readily as the more simple popular airs.

Moreover, it exceeds the capabilities of the human player. Duets and even quartets are given with as much facility and delicacy as solos, it merely being a matter of coupling up the mechanical actions. In this manner a single instrument can render the full effects of a stringed orchestra, while moreover, in order to complete its possibilities, it will play its own accompaniments, to solos, and very often the four strings are brought into requisition at the same time.

AN ORAL SYSTEM OF TELEGRAPHY.

BY GUSTAVE MICHAUD, COSTA RICA STATE COLLEGE.

The automatic player has been investigated by many of the leading violinists, who have listened to its renditions of the most intricate and difficult music, and have pronounced them to be musically perfect, while time, melody, harmony, and expression are produced with such distinctive skill as to testify to the precision of the mechanical arrangements. The invention has aroused the greatest interest in England and Europe, since it is to the violin what the pianola is to the piano, and demonstrates to a striking extent the musical qualities of the instrument when developed to its fullest extremity.

We are accustomed to think of the tongue as a transmitting instrument, but it serves very well as a receiver in the novel system of oral communication described below. With the exception of the wire, all that is needed for this oral telegraph may be had at the dinner table. The battery, two senders, and two receivers are made up, ready for use, in less than one minute. The apparatus works well, and does not get out of order. After dinner it will afford a pleasant pastime, and may prove useful to those teachers who have to teach with few or no apparatus.

Lay two parallel wires from one room to another, avoiding contact between them. At each end of the telegraph line, place an operator holding two spoons or forks in his mouth. One of these culinary implements must be made of silver, the other of aluminium. A silver quarter may conveniently be used instead of the silver utensils, and any aluminium object may be substituted for the other spoon or fork. A wire which bears a silver object at one end must have aluminium at the other end, and vice versa. Operators should keep the silver well in the mouth on one side, and the aluminium in full contact with the fore end of the tongue on the other side of the mouth. No contact should take place between aluminium and silver.

The operator who wishes to send a message breaks

AN ORAL SYSTEM OF TELEGRAPHY.

one of the two wires, and keeps both ends in his hands. To send a dot of the Morse alphabet, he brings into contact, during a short time, both ends of the broken wire. A long contact is a dash. At the other end of the line, dots and dashes are perceived as short or long spells of a strong, pungent taste, which ceases at once when the current is interrupted. There is no uncertainty in deciphering the message; on the contrary, most operators will say that, so far as their own taste is concerned, they would rather have a weaker current. After sending his message, the operator twists the ends of the broken wire together and waits for the answer.

The current is the result of the chemical action of alkaline saliva over the aluminium. The two cells are connected in series, and the E.M.F. is twice greater than in the case of a single cell. So is the internal resistance, but that of the wire is not, and the current strength is therefore somewhat increased.

A New Chinese Steamship Line.


According to the Board of Trade Journal, the Registrar of Imports and Exports at Singapore (Mr. A. Stuart) reports that a new steamship company, with a capital of 3,000,000 ticals (about \$1,125,000) is being organized by Chinese and Siamese merchants with the object of entering the carrying trade between Bangkok, Singapore and Hong Kong in opposition to the North

German Lloyd, who have recently come to an agreement with the Japanese owners of the vessels on the Bangkok, Hong Kong and Swatow service. As the promoters include several large rice merchants who have usually done a chartering business on their own account, the company's success, says Mr. Stuart, seems to be assured. Meantime six vessels will be chartered and new boats built in England or Japan.

Europe has demonstrated that a country can be prosperous and develop on a very small amount of lumber. Practically speaking, there is not a wooden shingle in the whole of Europe, while frame houses are rare. Lumber yards in some countries of Europe hardly exist.



Reading a Telegraphic Message by Taste.



Sending a Telegram With Current Generated in the Mouth.

INCANDESCENT GAS LAMP WITH SELF-GENERATED FORCED DRAFT.

The light of a gas flame is due to imperfect combustion. The heat of the flame liberates some of the carbon in the gas, and the particles of carbon are heated to incandescence by the combustion of the rest of the gas. If air is mixed with the gas, as in a Bunsen burner, a more perfect combustion takes place and a greater heat is generated, but the flame loses its luminosity to a corresponding degree.


Twenty-three years ago it occurred to Baron Carl Auer von Welsbach that instead of depending upon unconsumed carbon for light, better results could be obtained by generating all the heat possible in the gas flame, and using this heat to render incandescent some mineral substance that would not be consumed by the flame. Thus, the Welsbach mantle was evolved.

Unfortunately, the ordinary Bunsen burner does not furnish sufficient air to produce a perfect combustion of the gas. The air is drawn up into the burner mainly by the injector action of the gas. The chimney of the lamp also produces a draft, due to thermal expansion of the air about the mantle, but most of this air plays upon the outside of the mantle instead of being intimately mixed with the gas before burning. It is stated that to obtain the highest temperature of flame, the mixture should consist of one part gas and five to six parts of air, whereas the ordinary burner furnishes less than three parts air to one of gas. A larger volume of air is sometimes furnished by using a forced draft, but heretofore this has entailed the use of special apparatus to compress the air which, aside from encumbering the lamp, increases the cost of maintenance.

Recently a German inventor, Herr Paul Lucas, of Berlin, has devised a new type of gas lamp, which operates automatically to supply the requisite forced draft. The lamp gives a very brilliant light. A small electric motor at the bottom of the lamp drives a fan, which draws the air into the mixing chamber of the lamp. No expense is involved in driving this motor, for by an ingenious arrangement the lamp is made to generate its own current from the excess heat, which goes up the chimney. The heat is directly converted into electricity by means of a thermopile placed in the upper part of the lamp. The thermopile is shown in one of our engravings. It consists of a series of electropositive and electronegative metal strips, joined in pairs and radially disposed about a common center. The lamp heats the inner ends of the couples to a high degree of temperature, while the opposite ends project out of the lamp, and are kept comparatively cool by radiation. There are about seventy couples in the thermopile we illustrate, and the combined current produced by the difference of temperature in each couple is ample to operate the electric fan at a speed of 2,000 revolutions per minute. Ordinarily thermo-electric couples are made of bismuth and antimony, or sometimes of tin and an alloy of antimony and zinc. But in this lamp, where the elements are subjected to a high temperature, it is found necessary to use such heat-resisting metals as copper, aluminium, and nickel. This form of electrical generator is admirably suited to the lamp, as it contains no moving parts, and hence is not liable to require any repairs or other attention. Not only does it make use of the waste heat of the lamp, but it cools the lamp as well; thus at the same time overcoming and putting to service an objectionable feature of the ordinary incandescent gas lamp.

One of our illustrations shows a section of the lower part of the lamp, revealing the motor and fan and the mixing chamber. The current generated by the thermopile is conducted by means of brushes *A* to the armature *B* of the motor. Permanent magnets *C* are used for the field magnets of the motor. Beneath the armature proper is a plate, on which the fan blades *D* are formed. The fan is thus an integral part


of the armature, and turns with the motor. The armature is mounted on a spindle, which rotates in a socket in the lamp frame, and is kept well lubricated by means of the oil cup *E*. As the motor rotates, and the fan serves to draw air through openings *F* in the lower part of the casing. A sleeve *G* is mounted in such manner that it may be adjusted to open or close the openings, and thus regulate the volume of air sucked in by the fan. The supply of gas is fed into the mixing chamber *H*, through the tubes *I*, and the air drawn in by the fan is also forced with the gas into this chamber. Projecting into the mixing chamber is a perforated cup *K*, through which the




The Thermopile Which Generates the Current for the Electric Fan.

combined air and gas must pass before issuing out of the screened top *L* of the burner. In passing through the perforated cup the air and gas are intimately mixed, and thus produce an ideal combustion, which heats the mantle *M* to a far more brilliant incandescence than is obtained with the ordinary burner.

The lamp here illustrated burns 33 cubic feet of gas per hour and to enable one to adjust the gas supply properly a small regulator *N* is provided. When installing the lamp this regulator is attached to one of the gas supply pipes *I*, and the gas issuing from the tube of the regulator is ignited. The gas cock is then adjusted until the flame of the regulator just reaches the gage wire *O*, which indicates that requisite amount of gas is supplied to the lamp. The gas cock may



The Lamp Gives a Light of 1,300 C. P. and Burns 33 Cubic Feet of Gas.



Section Showing the Electric Fan Which Produces the Forced Draft.

AN INCANDESCENT GAS LAMP WITH SELF-GENERATED FORCED DRAFT.

then be locked at this adjustment because further regulation will not be required. The lamp is adapted particularly for use in large stores and for street lights. It measures three feet over all, and has a reflector two feet in diameter. It gives a light of from 1,250 to 1,300 candle-power, and as it consumes but 33 cubic feet per hour, its cost per hour is but little more than three cents. The lamp is being exhibited by Mr. F. A. Imandt of 27 West Thirty-third Street, New York, N. Y.

It is estimated that South America furnishes about 63 per cent of the world's supply of India rubber.

Successful Cultivation of Mexican Pearls Carried On in Lower California.

Consul W. D. Shaughnessy, of Aguascalientes, transmits an article to the Department of Commerce and Labor from the Mexican Herald, of February 16, 1908, wherein it is claimed that the honor of being first to discover and put into successful operation the secret of cultivating pearls belongs to a Mexican company. The following paragraphs are taken from this article:

"Under the old system the pearl industry was an uncertain one. Bushels of shells might yield but a few gems or possibly none at all. But this company, which is working under a concession from the Mexican government, has taken up the cultivation of pearls as a practical industry, and is now operating the largest pearl farm in the world, employing in the harvesting season more than 1,000 people. They are operating in the Gulf of Lower California. The present markets for the company's products are Paris, London, and Berlin, and Hamburg and Bremen for the mother of pearl, which is exported in large quantities.

"Two years are required for the growth of an ordinary shell, which forms slowly in layers, like an onion. After two years the shell loses its gem, and, unless opened at the proper time, there is nothing of value within. Mr. Vives, who spent twenty-five years in studying and experimenting, discovered this fact, and thereupon he devised the system whereby the shells are cultivated until the proper time and then opened.

"In the first place, the shells are gathered in the season when the eggs are being deposited. These eggs are carefully placed in little artificial channels like the natural bottom of the sea, care being taken in these channels to protect the little animals from their natural enemies. At the proper stage they are transplanted into deeper water, where larger boxes continue to protect them. The stock is also inspected and the dead ones removed and replaced by live shells. In the deeper channels the shells are left to develop, and at the end of two years the harvest is ready. In the deep-water cages, where the pearls develop, the divers can descend without risk.

"Three distinct kinds of pearls are produced in the California Gulf, the most valuable, black pearls, ranging close to \$300 per carat gold. The next in point of value are the white pearls, about \$250 a carat, the price varying with the size and perfection of the gem. The yellowish pearl, although ranking third in value, is, as a rule, first in favor among the feminine admirers because of the brilliancy of the gems. These prices are for the rarest and most perfect pearls."

Vice-Consul Ernest Santi, of Milan, sends a report on the correct way to introduce American soldering preparations in Italy. He states: Many different mixtures are used in Italy at the present time for soldering preparations, but they are nearly all primitive. There are some patented articles on the market, but they do not seem promising, as the Italian user in general would rather use a mixture containing muriatic acid, which he has always used, than risk novelties. The success of the American article depends on its price and its results, and to exploit it correctly on the Italian market the American firms must send a full line of samples to each user with directions for

use, together with prices and terms of sale. Italians should be induced to try the article at the expense of the American firm, and instructions for use should also be given.

The Italian consumption of these goods is not great, but it is large enough to be worth while for some American firm to establish a good business in Italy after the various consumers have tried the soldering preparations and they have proven satisfactory in every way.

Solder wax in sticks pays \$1.93 duty per 220 pounds entering Italy, and wrappers or cardboard boxes containing them pay separately \$13.51 per 220 pounds.

RECENTLY PATENTED INVENTIONS.

Pertaining to Apparel.

GARMENT-CLOSING DEVICE.—IDA J. CALHOUN, Tampa, Fla. The purpose in this case is to provide novel details of construction for a device which will enable the quick and convenient closing and separation of opposing edges on a body, or a waist of a woman's dress, or any garment that requires a detachable connection of its lapped edges when donned.

SKIRT.—B. COHEN and W. EPSTEIN, New York, N. Y. In this patent the invention has reference to wearing apparel, and its object is to provide a new and improved skirt arranged to properly and accurately fit women having different sized waists, at the same time insuring the proper hang of the garment.

SKIRT.—W. EPSTEIN and S. EPSTEIN, New York, N. Y. The object of the improvement is to provide a skirt or petticoat, provided with a waistband having an expansible and contractible portion, arranged in such manner that the waistband readily fits different sized waists, and at the same time insures a proper hang of the garment.

Electrical Devices.

ELECTRICAL CUT-OUT.—P. T. McNALLY, Mandan, N. D. The device is for use in operating at a distance electrical switches in branch lines of electric lamps whereby the current may be cut-in or cut-out in said branch lines either from the power house or any remote station, thus controlling the current on the branch lines without shutting off the current in the main line leads.

Of Interest to Farmers.

THRUSHING-MACHINE.—T. S. HAYNES, Bay City, Texas. The machine is especially adapted for the cutting and threshing of small grain, as rice and the like, and is so constructed as to perform its functions satisfactorily when the grain is wet as well as when dry, as also to work well in marshy and water-covered fields, which is essential to a practical rice threshing machine.

STALK-CUTTING ATTACHMENT FOR VEHICLES.—R. B. HUMAN, Chickasha, Oklahoma. The purpose of the inventor is to provide an attachment complete in itself, and which can be applied to the forward or rear axles of an ordinary farm wagon, or similar vehicle, and to provide means for raising and lowering the cutter, and means for counteracting the rebound of the cutter when in use, thus preventing severe injury to the blades of the cutter should it meet with an obstruction in its path.

Of General Interest.

CUSPIDOR, DRAINAGE-BOWL, OR THE LIKE.—A. R. CANDY, Urbana, Ill. The invention is an improvement in cuspidors, drainage bowls, or other like devices of the type that occupy a fixed position in the floor and are connected with a sewer or other suitable drainage or discharge into the open, especially designed for cars, hotels, and public places.

TRESTLE.—M. WHITE, Portsmouth, Ohio. The invention relates to improvements in trestles such as are used by plasterers, carpenters, and other artisans, and has for its object to provide a trestle that can be made at a small cost and one which can be quickly and easily set up, moved, and taken down.

NAME-HOLDER FOR UMBRELLAS OR OTHER PORTABLE ARTICLES.—W. N. REYNOLDS, Litchfield, Conn. One purpose of the invention is to provide a name plate adapted for attachment to an umbrella handle or stick, a cane or other portable object, and to so construct the device that a card bearing the name and address can be readily introduced into the device in such manner that it will remain until purposely removed, and when so desired the card can be quickly released.

GAS ANALYSIS APPARATUS.—J. F. SIMMANANCE, 17 Ravenscourt Park, Chiswick, London, S.W., and J. ABADY, Fountain Court, Temple, London, E. C., England. According to the present invention the gas or gaseous mixture to be tested (whatever the pressure at which it reaches the apparatus) is always and automatically brought to the same pressure, so that a series of volumetric tests, if performed under identical conditions as regards temperature, will yield results having a uniform degree of accuracy and value.

AMALGAMATOR.—F. B. SANFORD, North Yakima, Wash. In this instance the invention has for its primary object the provision of means for treating auriferous wash by gravity unaided by mechanical force, and without reducing the ores to a finely pulverized pulp, as is necessary with the devices now in common use.

CLOTHES-HOLDER.—S. S. SMITH, New York, N. Y. The more particular intention in this improvement is to provide a device suitable for supporting garments, bed clothes, and other articles made of cloth, so as to facilitate the bleaching of such articles by aid of the dew and grass, yet without allowing the articles to rest directly upon the ground.

TYPE-CASE.—J. G. GALLEMORE, Washington, Mo. The object of this inventor primarily is the provision of a case in which no opportunity is presented for the type to work or slide under the partitions from one compartment of the case to another, or to be in any

wise caught or lodged under the partitions. The bottom of each type receptacle is preferably perforated for the purpose of permitting dust to sift therethrough and thus prevent its accumulation in the several type compartments.

WELL-BUCKET DUMP.—H. R. ANDERSON, Gainesboro, Tenn. Broadly stated the invention consists of a hollow stock or tubing, with its interior providing passage-way for ordinary form of bucket, having a gravity, or other suitable form of downwardly seating discharge valve in its bottom, means whereby to lower the bucket down the well, to be filled with water, and also adapted for use in elevating the bucket of water and whereby to draw it upward on the stock, and when so elevated, permitting closure of the passage-way through the stock, by adjustment of a slide-valve.

Hardware.

WRENCH.—H. N. ROTHWEILER, Seattle, Wash. The object of the inventor is to provide a tool, which shall not only be novel in its general makeup but improved over similar wrenches as hitherto constructed, and at the same time render the parts adapted not only to be cheaply constructed, but with the wearing parts interchangeable, whereby a worn part may be readily replaced.

MOWER.—T. M. CREPAR and ROSETTA W. CREPAR, Fargo, N. D. The object here is to provide a mower for the cutting of lawns, grass-plots, and the like, and having a clipper arranged to be operated by the movement of the mower itself. Also to provide a mower having an automatically operated clipper which can be adjusted to cut to any degree of closeness, and which is mounted upon a wheeled frame and co-operates with a brush similarly operated by the mower, for advancing the severed grass to a receptacle.

DEVICE FOR DRESSING SAWS.—T. W. ROACH, Lyman, Wash. The purpose of the invention is to improve upon the construction for which Letters Patent were formerly granted to Mr. Roach, to the extent that the device is rendered more simple and will be more accurate under long usage, since the adjusting device may be used indefinitely without loss of action.

Heating and Lighting.

LAMP.—W. S. RYAN, Viola, Ill. It is especially designed to have the oil tank in the form of a street lamp post, which connects with a small feed tank for supplying the lamp for a predetermined length of time. By this construction the feed tank can be filled from the reservoir to feed the lamp for any period, and when the fuel is consumed in the feed tank the lamp will automatically go out.

Household Utilities.

DEVICE FOR OPERATING WINDOW-BLINDS.—D. F. LONERGAN, Morristown, N. J. The object of the present invention is to simplify the construction and provide in connection with the principal bearing thereof, a stop which is adjustable relative to the shutter, whereby the latter may be prevented from swinging beyond the desired point in its opening movement. It is an improvement in shutter closers and openers of the character described in Letters Patent formerly granted to Mr. Lonergan.

WINDOW-CLEANER.—O. CAESAR, New York, N. Y. In the present patent the object of the inventor is to provide a new and improved window cleaner, arranged to permit convenient and thorough cleaning of the window sash, both on the inside and outside, and without the slightest danger to the operator.

TRAP.—P. AYRES, Ocean Side, N. Y. The object in this invention is to provide a trap, arranged to permit the plumber to quickly connect a sink, basin, or like fixture with the soil or waste pipe, and to make a perfect joint with the soil or waste pipe without requiring the tedious and expensive work of wiping a joint.

Machines and Mechanical Devices.

STEERING-GEAR.—C. J. SCHOENING, Honolulu, Hawaii. The object here is to provide a gear, more especially designed for use on automobiles, motor boats, air ships, and other vehicles, and arranged to bring the steering wheel into position for convenient manipulation by the driver of the motor vehicle and to allow of adjusting the steering column, to permit convenient access to or egress from the driver's seat.

MEAT-CUTTING MACHINE.—E. W. RUSK, Callaway, Neb. In the slicing of meats for retail, the butcher uses his knife to slice the flesh until the bone is reached and then discarding the knife takes up the saw and saws through and then, resuming the knife, proceeds to sever the still connecting flesh. Rotary machines have been devised, but for various reasons the knife and saw are still used. This invention provides a practical machine for doing the work without constant change of implements.

SPEED-INDICATOR.—J. G. FIELD, Thompson, Iowa. The invention has in view the provision of suitable mechanical means for indicating the relationship between the speed of the device of which the speed is to be determined, and the speed of means, as a motor, moving at a predetermined velocity.

SAMPLE-TAKING MACHINE.—A. FENSTERMAKER, Colton, Cal. In this patent the invention relates to mechanism for taking samples from time to time, of a manufactured material or product, and is especially useful for the purpose suggested in connection with the manufacture of granular or pulverized material such as powder or flour. It may be used to effect the taking of samples through a number of spouts, carrying different materials, by simply duplicating the downwardly extending sample chute and the operating lever connections controlling the valve thereof.

MACHINE FOR MOLDING PLASTIC MATERIAL.—J. L. CAMPBELL, Roebuck street, West Adelaide, South Australia, Australia. Mr. Campbell's invention is an improved machine for use in molding plastic material into lengths of any desired section, and it has been designed especially for manufacturing lengths of core as used in foundry work and lengths of clay adapted to be cut into bricks.

VARIABLE FLOAT-SHAFT BEARING FOR COTTON-SEED-LINTING MACHINES.—J. L. ROSSON, Athens, Texas. The inventor provides a variable shaft bearing for use in regulating and maintaining the density of the roll of cotton seed carried by the float shaft of the linting machine. The machine is provided with a float drive shaft, the latter being provided with a fluted drum for drifting the cotton seed against the saws of the saw shaft.

AUTOMATIC ASSEMBLER.—W. L. AINSLIE, Jacksonville, Fla. The machine makes fruit packages, such as crates and the like. The assembler is designed as a feeder for the package-making machine and is arranged to automatically assemble the several members of the side or top in such manner that the assembled members can be readily fastened together in the machine by the use of nails, staples, rivets, or like fastening devices.

WORK-BOX FOR SEWING-MACHINE TABLES.—ANNIE H. DANIEL and R. P. DANIEL, San Antonio, Tex. The invention relates to cabinets of the drop type, and the aim is to provide a work box for removable attachment to a sewing machine table, and arranged to require no remodeling of the machine cabinet to allow of readily placing it in position or removing it therefrom without injury to the cabinet, to blend harmoniously with the other wood-work when in use, and to be wholly inconspicuous when closed.

STEAMING APPARATUS.—J. HALL, Fresno, Cal. The object of this inventor is to provide a steaming apparatus of simple, strong, and durable construction in which the fruit is subjected to the action of dry steam for a suitable period, and from which the same is subsequently discharged in a proper condition for removing the seeds or pits.

Prime Movers and Their Accessories.

PRESSURE-REGULATING VALVE.—S. YBARRA, St. Louis, Mo. Fluid admitted to the valve through an inlet, passes through a passage into a recess, thus acting to force the plunger upward. Since the passage connecting the oppositely arranged recesses is restricted only a certain amount of motive fluid may pass, and excess of pressure acts upon the bottom of the plunger to move it upward against resistance of the spring. Means regulate the pressure through the passage between the recesses. Pressure remaining constant, the plunger is not acted upon, a spring retaining it in lowermost position. On material increase of pressure the plunger is moved upward to partially cut off inlet and outlet, thus reducing pressure in the casing.

ROTARY ENGINE.—G. H. TUTTLE and E. A. KENT, Atlanta, Ga. The object here is to produce a prime mover economical in steam consumption and efficient in operation. More specifically, the invention concerns itself with an abutment which projects into the piston chamber and which is automatically controlled to allow the piston head to pass.

ROTARY MOTOR.—A. SAUER, Pittsburg, Pa. This invention relates to improvements on that class of motors or turbines in which a rotary piston is driven by the impact, and reactionary force of steam or other motive fluid. It is more particularly an improvement upon a motor for which Mr. Sauer formerly received Letters Patent. The inventor has put into successful use several improved features of the construction and obtained superior results.

Railways and Their Accessories.

SWITCH MECHANISM.—C. F. GAY, Spokane, Wash. The invention refers to improvements in mechanism for operating switch tongues of railways, and the object is to provide a mechanism which shall be simple in construction and that may be moved from inoperative position to a position for moving the switch tongue into its positions.

STATION-INDICATOR.—C. F. BILLINGS, Zion City, Ill. One purpose here is to provide an indicator so constructed that the upper and lower rollers carrying the apron upon which the stations are indicated are operated by independent mechanisms, so that no matter which roller is operated a name will appear at the display opening in the indicator at each complete operation of the mechanism brought into action.

Pertaining to Vehicles.

VEHICLE-BRAKE.—H. M. VANDERBILT, Suffern, N. Y. The brake is designed for use

primarily as an emergency braking means for motor vehicles, especially avoiding undue wear of the tires. A clamping shoe is attached to a flexible band or other connection adapted to be drawn under the wheel of the vehicle when the shoe is thrown into engagement with the tire. Means are provided to automatically draw the band and shoe to normal or inoperative position after the braking action has been accomplished and the vehicle backed to release them.

TRACE-SECURING MEANS FOR SWINGLETREES.—T. MORCOM, Graham, N. C. The object in this case is to provide details of construction for a device which will in a convenient manner secure traces on the ends of a swingletree, and permit a release of the traces quickly, their accidental displacement being impossible unless the parts are broken.

ATTACHMENT FOR DIRT PUSH-CARS.—J. W. GRUBBS, Shenandoah, Va. The patentee secures a frame to a car body in mounts at each side of inclined adjustable deflecting boards on which the dirt is dumped from the hoppers mounted on the car, the arrangement being such that the deflecting boards can be adjusted so that the dirt will be carried beyond the track ballasting.

Designs.

DESIGN FOR A COVERED DISH.—A. PAROUTAUD, New York, N. Y. The design includes a dish and a cover for the same capped with an ornamental lifter in the form of an olive leaf wreath. The dish is oblong, the whole very gracefully balanced on a neatly curving base configuration.

NOTE.—Copies of any of these patents will be furnished by Munn & Co. for ten cents each. Please state the name of the patentee, title of the invention, and date of this paper.



HINTS TO CORRESPONDENTS.

Names and Address must accompany all letters or no attention will be paid thereto. This is for our information and not for publication. **References** to former articles or answers should give date of paper and page or number of question. **Inquiries** not answered in reasonable time should be repeated; correspondents will bear in mind that some answers require not a little research, and, though we endeavor to reply to all either by letter or in this department, each must take his turn. **Buyers** wishing to purchase any article not advertised in our columns will be furnished with addresses of houses manufacturing or carrying the same. **Special Written Information** on matters of personal rather than general interest cannot be expected without remuneration. **Scientific American Supplements** referred to may be had at the office. Price 10 cents each. **Books** referred to promptly supplied on receipt of price. **Minerals** sent for examination should be distinctly marked or labeled.

(10779) G. A. D. asks: Will you kindly mail me the answer to the following question, which is a branch of electro-plating? I wish to know how the color termed "verdigris" is produced on the surface of brass, or, in other words, how I am to produce a color which looks as though brass has been buried and verdigris has formed thickly on the same. I have a number of brass wall plates on which are set electric push buttons. The plates are 6 inches by 10 inches. A green coating is obtained upon brass by the use of verdigris, which is called in chemistry acetate of copper, or by carbonate of copper, or by a mixture of the two in the tint desired. This is mixed with a light-colored varnish and applied to the article with a brush, and the high parts are immediately wiped off with a rag wet with the liquid in which the varnish was dissolved. This may be alcohol. A smooth coating should be left. A coating of clear lacquer is put over the whole when the varnish is dry. There is no need of electricity in doing this. It is a process in lacquering. It is more fully described in Van Horne's "Modern Electroplating," which we send for \$1.

(10780) H. F. W. asks: In thinking of the power of gravitation and the resultant weight of objects and incidentally of the power of magnetism, electricity, etc., the query arose in my mind: "How is weight affected by distance from the earth?" I wondered if this had ever been experimented with. I queried what is the proportionate loss of weight of objects carried to the greatest height attained by balloons, say approximately five miles. Of course, in determining this balances or steel-yards could not be used; but spring scales probably could be used so as to determine the loss of weight and the percentage thereof. A. Sir Isaac Newton, who died March 20, 1727, fully investigated the action of gravitation, and determined the law of the weight of bodies at all distances from the center of the earth. It is that the weight decreases at the same rate as the square of the distance from the center of the earth increases. If anything weighs 100 pounds at the level of the sea on the earth, at twice the distance from the center of the earth that body will weigh only one-quarter as much. Taking the surface of the earth as 4,000 miles in round numbers from the center, twice as far would be 8,000 miles; at 8,000 miles from the center of the earth, the weight which was 100 pounds at sea level

will have decreased to 25 pounds. At 5 miles above the surface of the earth, the change of weight will be in the ratio of 4,000² to 4,005². This decrease is very slight for short distances. As you say, it cannot be detected with a steelyard. A spring balance would give the change of weight if it were delicate enough. A pendulum is, however, the instrument actually employed for the purpose, since its time of swing depends upon the force of gravitation.

(10781) W. H. D. asks: Have you a SUPPLEMENT which fully gives the cubical difference in pipes and their capacity for delivering water under given pressure or fall, say 10 feet to 100 feet to run? I confess the most abject ignorance of a principle, and I know there is one; for instance, the difference in the carrying capacity of a $\frac{3}{4}$ and $\frac{1}{2}$ pipe, $\frac{3}{4}$ and $\frac{1}{2}$, etc. I notice my pipe, $\frac{3}{4}$ new lead, 35 rods, 67 feet fall, gave me (old-fashioned milk measure) 1 quart in 19 seconds; the decline continuous, but I am not helped out on the point I am after, for the $\frac{1}{2}$ -inch lead pipe, same fall, only favors me about 5 seconds. A. We refer you to an article on the flow of water through pipes, in SUPPLEMENT No. 791, price ten cents mailed. The question of determining a quantity of water which will flow under a given head from a long pipe is a very complicated one, because the coefficient of friction is not constant, but varies with the size of the pipe and the velocity of flow. The formula which is usually used to determine the velocity at the further end of the pipe is as follows:

$$h = \frac{v^2}{2g} \times (l + 4f \frac{l}{d})$$

Where h = the head in feet.

v = the velocity in feet per second.

$g = 32.2$.

l = the length of the pipe in feet.

d = the diameter of the pipe in feet.

f = the coefficient of friction.

The value of f varies from 0.008 to 0.006 for a 3-inch pipe, as the velocity of flow in the pipe increases from 1/10 of a foot per second to 20 feet per second; while with a half-inch pipe it varies from 0.0150 to 0.006 under the same circumstances. From the above you can roughly estimate the proper coefficient of friction for a given pipe and a given velocity. Substitute this coefficient of friction in the formula given above, and determine the velocity with which the water will issue from your pipe at the further end by solving the equation for v . When the velocity is known, the quantity may be determined by the formula:

$$Q = 0.785d^2v$$

Where Q = the flow of water in cubic feet per second, and d = the diameter of the pipe in feet.

(10782) M. H. H. says: Will you please inform me through your "Notes and Queries" column, whether or not glass can be sensitized so as to print upon it from a negative, and how to sensitize it? A. A glass photographic plate may be used for making a positive from a negative just as it is for making the original negative. The sensitive material is a silver salt imbedded in gelatine or collodion. Glass itself cannot be made sensitive so as to have a photograph taken upon it directly.

(10783) M. M. says: Will you kindly answer by letter the address of all the trade schools outside the one at First Avenue, 67th and 68th Streets, New York, which is filled? A day school where plumber's trade is taught. Please answer as soon as possible. A. The New York Trade School is the only trade school that we are certain has a day course in plumbing. We would advise you to write for catalogues, however, to Pratt Institute, Brooklyn, N. Y.; St. George's Evening Trade School, New York; McAlpin Trade School, New York; Baron de Hirsch Trade School, New York city; Highland Falls Trade School, Highland Falls, N. Y.; North End Trade School, Boston, Mass.; Charitable Mechanics' Association Trade School, Boston; Williamson Free School of Mechanical Trades, Williamson, Pa.; California School of Mechanical Arts, San Francisco, Cal.; Wilmerding's School of Industrial Arts, San Francisco, Cal.

(10784) H. J. H. says: In the physics class recently a discussion arose concerning the direction or directions in which the explosive power of dynamite is exerted. The teacher contends that the explosive force is exerted equally in all directions; the students, that the greater part of the force is exerted in a downward direction. Will you please decide which is correct? If force is exerted in a downward direction, why? Students base their contention on the fact that the textbook says: "Dynamite placed and exploded on a rock will shatter the rock." A. Replying to your question, we would say that your teacher is right; the force exerted by any explosive is one caused by a large volume of gas suddenly liberated, and a gaseous pressure is always exerted equally in all directions. The opinion which you hold is a very common one, which arises from not fully understanding the nature of an explosion. When a large amount of gunpowder placed on the surface of the earth is exploded, a very large volume of gas is suddenly liberated by the burning of the powder. In this case, however, the liberation of the gas is not instantaneous, and there is sufficient time for the gas to escape upward into the atmosphere before the pressure, which acts

equally in all directions, is sufficient to greatly affect the surface on which the gunpowder was set off. If the powder could have been burned ten times as rapidly, the same amount of gas would have been liberated; but because it was liberated more rapidly, the pressure would have been many times greater, and sufficient in all probability to scatter the earth or rock beneath it in all directions. When dynamite is exploded exactly the same effect takes place, excepting that in the case of dynamite, the gas is liberated almost instantaneously. In this case there is not time for the gas to escape upward before such an enormous pressure is exerted in all directions that whatever is near it, either above or below, is shattered.

(10785) J. K. says: 1. I want to make a sounding box 10 inches in diameter and 4 inches high. What material should I use, and of what thickness for top, bottom and sides? A. A sounding box may be made of any kind of wood, excepting the part which gives the resonance. This should be made of clear pine or spruce, very resonant woods. The resonant side may be from an eighth to a quarter of an inch, depending upon the kind of instrument upon which it is put. No general answer can be given. The back and belly of a violin are not usually as thick as an eighth of an inch. 2. What is meant by tensile strength? When the quantity of lumber is expressed in feet, which is meant—square or cubic feet? A. Tensile strength is the force required to pull open a wire or bar or rod of any given material, when the piece has a section of a square inch. When lumber is given in feet, the square foot or superficial foot with a thickness of one inch is understood. Thus a plank two inches thick has twice as many feet in it as a piece one inch thick. 3. Why is it that a locomotive with 1,500 or probably little more horse-power can attain a speed of 80 or 85 miles an hour, with a train of 250 or 300 tons, whereas a racing automobile with 90 horse-power and weighing about 3,500 pounds, which represents a much greater power per pound of weight moved, attains only the same speed as the locomotive does, and in some cases even smaller? A. The statement of the speed of automobiles hardly represents the latest records. However, the locomotive has the momentum of the heavy train to help it. A light weight cannot be given so great a velocity as a heavy one. A very light ball cannot be batted so far nor sent so fast as a heavy ball.

(10786) S. F. B. asks: Please be so kind as to inform me what alteration should be made in the winding of the 8-light dynamo in order to make it suitable for lighting 110-volt 16-candle-power lamps. Also which of the two armature cores is the better, and do you consider this dynamo a practical electric lighting machine, and do you have the plans for a more up-to-date machine for electric lighting of about the same capacity? A. The 8-light dynamo is a practical machine, even now, twenty years since it was designed. Many of them are in operation and doing their work well. We have not published the plans for any other machine of this size. The armature composed of sheet iron disks is much to be preferred to a wire-wound armature core. Some very good alterations have been made in this dynamo by certain parties who have built it. These are described in answers to queries No. 8250 and 8316. These you may have if you have kept the back numbers of the paper. To make a 110-volt shunt-wound machine from the same castings for the armature use No. 22 B. & S. cotton-covered magnet wire, 24 coils of 25 turns each; for the field use No. 23 B. & S. cotton-covered magnet wire, 3,640 turns on each magnet. A resistance box to regulate voltage should have about 200 ohms.

(10787) H. G. R. says: Can you tell me what is generally considered to be the proper degree of humidity for rooms in a dwelling house? The hygrometer in my house varies from 20 to 40, even when I evaporate water on the registers. The house is heated by a hot-air furnace in which is a receptacle for evaporating water, but this does not seem to have much effect. Can you suggest an easy and practical method of getting the right degree of moisture in the air and of maintaining same? A. There is no recognized degree of humidity which is regarded as better than any other. It is usually considered that a very dry atmosphere is more healthful than a damp one, and the opinions of physicians differ regarding the value of increasing humidity in dwelling houses during the winter by the evaporation of water. The only ground on which the practice can be justified is that it may tend to make the variation of humidity in the atmosphere of the dwelling less from day to day than would otherwise be the case.

(10788) C. K. K. asks: I want to silver-plate on wood or other substances. Have you any reasonably-priced book on this subject? Electro-plating, I presume it is termed. A. Electro-plating on wood does not differ from plating on any other material electrically. It is necessary to coat the wood with some material impervious to water, and then cover it with plumbago to render the surface a conductor of electricity. Soaking the wood in hot paraffine may close the pores so that it will not soak water, and the paraffine will take the plumbago very well. The plating process is well described in the book "Modern Electro-plating," by Van Horne, which we

can send for \$1. Another method for coating a surface and making it a conductor is given quite fully in answer to Query No. 8661, Vol. 87, No. 7.

(10789) J. E. W. asks: Would you please explain through your columns how an incandescent lamp is made, and what materials are used in electric lamps, and how is the vacuum put in the globe? A. The making of an incandescent electric lamp involves a great many processes. The glass bulb is blown, and the several parts which can be seen from the outside are each made by different hands and fastened in their several places, thus forming the lamp as it is finally used. Upon the large end of the bulb is a piece of glass tubing by which the lamp is connected to an air pump, and the air in the bulb is finally pumped out, thus producing the vacuum. The vacuum is not put into the lamp, but the vacuum is made in the lamp by removing all the air. A full description of the making of a lamp may be found in our SUPPLEMENT No. 1377, price ten cents.

(10790) G. W. N. asks: Will you kindly inform me if there is a non-freezing solution for cooling gasoline engines? I have $4\frac{1}{2}$ horse-power with 25 gallon tank. Also what chemical effect, if any, same has on the castings? A. There are three common methods of keeping water in the cooling coils of automobiles from freezing. 1. Use a mixture of four parts water and one part wood alcohol. The difficulty with this method is that the wood alcohol tends to evaporate out from the water and has to be replaced from time to time. 2. Use a nearly saturated solution of calcium carbonate. The difficulty with this solution is that it has a slight tendency to corrode the metal it comes in contact with. 3. Use a mixture of four parts water and one part glycerine, to which should be added about one pound of ordinary washing soda for every ten gallons of the mixture, to correct a slight tendency toward acidity from the glycerine. It is possible to freeze any one of the above mixtures if the temperature is sufficiently lowered, but none of them is likely to freeze at a temperature above about zero Fahr. Any one of the three mixtures will give satisfactory results, but in our judgment perhaps the third is the best. If a mixture is desired for a temperature below zero degree, we would recommend adding wood alcohol to the third mixture. While we have had no experience with this, we believe it would give good results.

(10791) D. L. G. asks: Being a subscriber to your paper, I will ask a few questions. We receive a bundle of paper here every week, and once in a while it becomes electrified, it attracts other paper. How does this become electrified? Where does it get its electricity? Does the turbine wheel resemble a Pelton wheel? Are the turbines they use in boats like the Pelton waterwheel? A. Paper is easily electrified by friction in cold and dry weather, so the paper bundle by being tossed about and rubbing against other things becomes electrified. It does not need to get electricity from anywhere outside of itself. There is electricity in everything, and anything we do to produce electricity, as we call the operation, only causes the *manifestation* of electricity, which was in the thing before we made it manifest itself. We do not call any electricity into existence, we can only make visible the presence of electricity which was not visible before. The steam turbine acts on exactly the same principle as the Pelton waterwheel, the only difference being that the steam turbine has a very large number of small buckets, and the steam which acts on them enters the buckets at an angle instead of at right angles to the axle of the wheel, and at as many different points as there are buckets in the circumference of the turbine. Also with the steam turbine there are a number of rows of buckets mounted on the same shaft, and the steam after leaving one set of buckets passes fixed vanes which alter its direction before it reaches the second row of buckets. In this way the steam turbine is like a compound Pelton wheel having a number of wheels parallel with one another on the same shaft, arranged in such a way that the water passes through one after leaving another.

(10792) G. C. E. asks: Have you any back numbers telling how a telephone transmitter is made, both carbon and induction, and which is counted the best, say for a two-mile line, and why? Same in regard to receiver. Could a battery be used in place of magnets for call, and how many cells with twelve galvanized line wire? Same with copper wire? Is metallic circuit necessary, or can one wire grounded at each end do? I mean for the telephone. Are both receiver and transmitter necessary, or can one be used for both purposes for that distance? Also, I wish to know how to make a microphone, or number of paper describing same. A. We have published in our SUPPLEMENT, No. 966, and in the SCIENTIFIC AMERICAN, Vol. 72, No. 4, full descriptions for the making of a carbon telephone transmitter and induction receiver. The two are not used at present, interchangeably; the receiver can be used as a transmitter, but the action is so poor that no one would think of relying upon it in regular service. A bell rung by a battery can be used for a call, as well as to ring the bell by a magneto. The number of cells will depend upon the manner in which the line is put up. Probably four to six will ring the bell; if not, add more.

One would not put up a copper line for so short a distance and not very frequent service. In the country, away from other electric lines, a return wire is not needed; but if the line passes near other electric lines, a metallic circuit is necessary. A microphone is made by arranging two pieces of carbon so that they are loosely in contact. A current of electricity sent through the poor joint is varied by the changing pressure of the pieces of carbon upon each other. A great many forms of this have been devised. SUPPLEMENT No. 163 gives figures and description of several forms. SCIENTIFIC AMERICAN and SUPPLEMENT copies are mailed on receipt of 10 cents each.

NEW BOOKS, ETC.

THE STORY OF IRON AND STEEL. By J. Russell Smith, Ph.D. New York: D. Appleton & Co. 16mo.; cloth; 193 pages, illustrated. Price, 75 cents net.

This handy little volume is an attempt to present the main facts of iron and steel making so that any intelligent person can grasp the conditions of the complex technical phenomena of the industry, without even having to meet technical terms. Every paragraph has been made intelligible to the lay reader, and, in addition to presenting an understanding of the main technical facts, the major object has been to point out the economical significance of iron and steel, and lay the fundamentals of the present industrial state. To combine and condense in a small volume the gist of a subject of the magnitude of the making and, to a certain extent, the use of steel and iron, is a feat worthy of no small praise. The history of the subject alone provides material from which books to fill a library might be written. The author, by judicious selection of matter, gives a very good view of the art without burdening the reader with an overwhelming mass of facts.

HOW TO MAKE AND USE INDUCTION COILS. By Edward Trevert. Revised by B. Edmunds. Lynn, Mass.: Bubier Publishing Company. Illustrated. 16mo.; cloth; 74 pages. Price, 50 cents.

A great deal has been written on induction coils, and a book, to be absolutely novel, must contain features that are startling in their nature. Although this work contains nothing startling, it does contain directions and drawings, together with expositions of principles, and space devoted to batteries, by a thorough assimilation of which any one should be able to make and intelligently operate an induction coil of such spark-producing size as he may see fit to build.

HYDRAULIC ENGINEERING. A Treatise on the Properties, Power, and Resources of Water for All Purposes. By Gardner D. Hiscox. New York: The Norman W. Henley Publishing Company. 8vo.; cloth; 300 illustrations, with 36 practical tables; 315 pages. Price, \$4.

The need of a general yet compact treatise on hydraulic engineering, has long been recognized by students and engineers. The writer supplies such a volume, presenting first, a brief technical sketch of the development of hydraulic engineering from the earliest times. A systematic and progressive statement of the mechanics of water and fluids in general follows, including hydrostatics or the equilibrium of fluids, hydrodynamics, which treats of the laws of liquids in motion, and hydraulics, in which the motion of water in pipes and canals is considered. The writer makes every detail perfectly clear, and cites the necessary formulas in their simplest expression, explaining them further by figured examples. The air-lift method of raising water has been allotted an entire chapter for its complete presentation, especial prominence being given the Pohlé Air-Lift, which is fully described, including single and multi-stage applications, with illustrations showing the arrangement of air and water pipes, rules for calculating the volume of air required for raising the water being also included. A number of tables, some thirty-six in all, will be found useful for reference, including the properties of water, coefficients for hydraulic grades, discharge of water from orifices and nozzles, pressure loss by friction in fire hose, velocity, discharge and horse-power of nozzles, and volume of water over weirs, loss of head by friction of water in pipes, etc.

PROFIT MAKING IN SHOP AND FACTORY MANAGEMENT. By Charles N. Carpenter. New York: The Engineering Magazine. 12mo.; cloth; 146 pages. Price, \$2.

"Profit Making in Shop and Factory Management" is a concise expression of the methods which Mr. Carpenter has developed and which he constantly uses in his own practice. The head of a great manufacturing plant, the Herring-Hall-Marvin Safe Company, he has arrived at his position through various steps, holding, in the course of his promotion, the position of supervisor, manager, and head of the labor department of the National Cash Register Company. The material from which the book has been compiled appeared first in the Engineering Magazine during the year 1907 in the form of a series of articles. As they are now presented, they have been carefully revised, enlarged, and, to a certain point, rearranged.

The division of chapters has also been introduced. All alterations are only in details, more effectively adapting to permanent form the sections which previously were produced serially.

DECORATION OF METAL, WOOD, GLASS, ETC. A Book for Manufacturers, Mechanics, Painters, Decorators, and all Workmen in the Fancy Trades.

Although, quite naturally, we have not tried all or in fact any of the recipes contained in this volume, upon reading them over each one seems to be drawn up in a manner to give the best results for the purpose for which the particular recipe is desired.

LECTURES ON SCIENCE, PHILOSOPHY, AND ART. A series of twenty-two lectures in untechnical language indicating the present status of science, philosophy, and art, as concepts of human knowledge, delivered at Columbia University during the academic year 1907-08.

The lectures in this series which naturally interest us most are those delivered by Prof. C. J. Keyser on Mathematics; Prof. Ernest Fox Nichols on Physics; Prof. Charles F. Chandler on Chemistry; Prof. Harold Jacoby on Astronomy; Prof. James Furman Kemp on Geology; Prof. Edmund B. Wilson on Biology; Prof. Frederic S. Lee on Physiology; Prof. Herbert Maule Richards on Botany; Prof. Henry E. Crampton on Zoology; Prof. Franz Boas on Anthropology; Prof. James Rignall Wheeler on Archaeology; and Prof. Robert S. Woodworth on Psychology.

SECONDARY STRESSES IN BRIDGE TRUSSES. By C. R. Grimm. New York: John Wiley & Sons. 8vo.; cloth; 140 pages, illustrated. Price, \$2.50.

A comprehensive treatise on secondary stresses with numerous numerical examples involves an extraordinary amount of time and labor in its preparation, so the writer confined himself to a narrower field. It is owing to these circumstances that the most important secondary stresses, namely, those which are due to riveted joints in trusses, are discussed principally.

STATIONARY ENGINEERING. A Reference and Text-Book Written Expressly for Stationary Engineers and Firemen, Also Mechanical Engineers, Consulting Engineers, Electrical Engineers, Universities, and Schools.

Not long ago we reviewed the first edition of this work, giving a brief statement of its merits. As we have not the first edition at hand we can make no accurate comparison of the two, so all that we have to say is based upon the three volumes that are now before us.

THE TRANSMISSION OF MILITARY INFORMATION. By Lieut.-Col. George P. Scriven, U. S. A. Governors Island, 1908. 8vo.; pp. 153.

These papers, which were originally prepared for the Journal of the Military Service Institution and republished by order of the Chief Signal Officer of the Army, present a survey of the field opened by modern science to that corps of the army which is entrusted with what are technically known as Lines of Information.

organization, both of signal troops and armies in the field, and of all future systems of coast defense are concerned, the conclusions arrived at in these papers are based more upon the ideal than the probable conditions. They outline the whole from which a necessary part, agreeable to existing conditions, may be subtracted.

TOLHAUSEN'S TECHNOLOGICAL DICTIONARY IN ENGLISH, GERMAN, AND FRENCH. Containing All of the Technical Terms Used in Industries, Crafts, Arts, and Sciences. Fifth edition.

This valuable work by Alexander Tolhausen, Ph.D., translator to the Great Seal Patent Office of Great Britain, first published in 1877, is now issued in a fifth edition revised and brought down to date by Louis Tolhausen, former consul-general of France to Great Britain.

A SCRAP-BOOK OF ELEMENTARY MATHEMATICS, NOTES, RECREATIONS, ESSAYS. By William F. White, Ph.D. Chicago: The Open Court Publishing Company, 1908. 12mo.; cloth; 128 pages. Price, \$1.

Pure Arithmetic, that is, arithmetic for its own sake, is full of interest and charm. It provides the mind with recreation which strengthens and sharpens its powers at the same time that it furnishes rest and amusement.

LE PEROU D'AUJOURD'HUI ET LE PEROU DE DEMAIN. Par Em. Guarini. Paris: H. Dunod et E. Pinat, 1908. 8-16 pp.

NEPHILIM. By William J. H. Bohannon. New York: Reeve A. Silk. 12mo.; cloth; 236 pages. Price, \$1.50.

INDEX OF INVENTIONS

For which Letters Patent of the United States were Issued for the Week Ending May 19, 1908.

AND EACH BEARING THAT DATE

[See note at end of list about copies of these patents.]

Table listing inventions such as Abrasive material, manufacture of, F. J. Tone, Addressing machine, E. S. Molyneux, Advertising and other air ship, J. C. Burnell, etc.

Main table listing inventions such as Animal trap, W. Z. Pierce, Arsenoaluminum, Ehrlich & Berthelm, Automobile gearing, L. V. Lochner, Auxiliary heater, W. C. Richman, etc.

Main table listing inventions such as Draft and buffing rigging, R. D. Gallagher, Jr., Drafting instrument, garment pattern, G. V. Valentine, Drawers, M. Galland, etc.


"Star" Lathes
Automatic Cross Feed
FOR FINE, ACCURATE WORK
Send for Catalogue B.
SENECA FALLS MFG. CO.
695 Water Street,
Seneca Falls, N. Y., U. S. A.



Engine and Foot Lathes
MACHINE SHOP OUTFITS, TOOLS AND SUPPLIES. BEST MATERIALS. BEST WORKMANSHIP. CATALOGUE FREE
SEBASTIAN LATHE CO., 120 Culvert St., Cincinnati, O.

Foot and Power and Turret Lathes, Planers, Shapers, and Drill Presses
SHEPARD LATHE CO., 133 W. 2d St. Cincinnati, O.

Veeder Counters
to register reciprocating movements or revolutions. Cut full size.
Booklet Free
VEEDER MFG. CO.
18 Sargeant St. Hartford, Conn.
Cyclometers, Odometers, Tachometers, Counters and Fine Castings.



Manufacturing Engineers
We design and build special machinery of every description. Let us develop your ideas.
CHAS. E. DRESSLER & CO.
141-149 East 23d St., New York City
ESTABLISHED 1884

A SUBSTITUTE FOR A COSTLY TOOL
Our Key Seat Clamps as shown in cut are designed to transform any common steel scale into a Key Seat Rule. Made from steel, case hardened, accurately ground. One pair weighs only one ounce. Can be put on or off almost instantly. May be used with any straight rule with accurate results. Price per pair 60c. Send for 232 page catalog No. 18-B.
THE L. S. STARRETT CO., Athol, Mass., U. S. A.



"Porox" Ignitor Storage BATTERIES
High Capacity. Light Weight.
Proved as the best for both ignition and light. No loss of current. It stores and returns the power to your machine. You can see and examine the interior without exposure and digging, because it is made up in transparent celluloid jars. No danger of breakage like hard rubber. Plates and jars are guaranteed for one year.
Send for catalog.
Albert Muller, 145 West 49th St., New York



Concrete, Reinforced Concrete AND Concrete Building Blocks

Scientific American Supplement 1543 contains an article on Concrete, by Brysson Cunningham. The article clearly describes the proper composition and mixture of concrete and gives results of elaborate tests.

Scientific American Supplement 1538 gives the proportion of gravel and sand to be used in concrete.

Scientific American Supplements 1567, 1568, 1569, 1570, and 1571 contain an elaborate discussion by Lieut. Henry J. Jones of the various systems of reinforcing concrete, concrete construction, and their applications. These articles constitute a splendid text book on the subject of reinforced concrete. Nothing better has been published.

Scientific American Supplement 997 contains an article by Spencer Newberry in which practical notes on the proper preparation of concrete are given.

Scientific American Supplements 1568 and 1569 present a helpful account of the making of concrete blocks by Spencer Newberry.

Scientific American Supplement 1534 gives a critical review of the engineering value of reinforced concrete.

Scientific American Supplements 1547 and 1548 give a resume in which the various systems of reinforced concrete construction are discussed and illustrated.

Scientific American Supplement 1564 contains an article by Lewis A. Hicks, in which the merits and defects of reinforced concrete are analyzed.

Scientific American Supplement 1551 contains the principles of reinforced concrete with some practical illustrations by Walter Loring Webb.

Scientific American Supplement 1573 contains an article by Louis H. Gibson on the principles of success in concrete block manufacture, illustrated.

Scientific American Supplement 1574 discusses steel for reinforced concrete.

Scientific American Supplements 1575, 1576, and 1577 contain a paper by Philip L. Wormley, Jr., on cement mortar and concrete, their preparation and use for farm purposes. The paper exhaustively discusses the making of mortar and concrete, depositing of concrete, facing concrete, wood forms, concrete sidewalks, details of construction of reinforced concrete posts.

Each number of the Supplement costs 10 cents.
A set of papers containing all the articles above mentioned will be mailed for \$1.80.
Order from your newsdealer or from
MUNN & CO.
361 Broadway, New York City

Insulator and lamp banger, combined, J. M. Borge	887,996
Insulator, third rail, L. H. Delloye	888,318
Insulators, means for attaching line wires to, C. J. Elliott	887,930
Irrigating system, C. Beville	887,911
Irrigating system, J. E. Bishop	888,217
Jack, L. G. Maitland	888,245
Jaws, device for repairing fractured, P. Stukey, reissue	12,794
Jewelry, C. P. Barney	888,056
Journal bearing, G. Kuper	888,101
Journal box guard or closure, G. F. Godley	887,787
Kitchen, portable field, L. Hobnke	887,940
Kitchen rack, B. L. Bailey	888,295
Knob attachment, G. Cooper	888,315
Labeling machine, H. M. A. Harders	887,797
Lace hook, G. T. Houghland	887,942
Ladder, A. S. Asch	888,383
Lamp burner, A. H. Handlan, Jr.	888,162
Lamp, incandescent electric, M. D. Jones	887,943
Lamp sockets, adapter for incandescent, M. N. Wood	888,378
Lamp tubular, C. L. Betts	888,139
Lamps and lanterns, burner fastening for, Everett & Schindewolf	888,150
Lantern, projection, C. F. Dutton, Jr.	887,928
Lantern, signal, G. H. Rolfe	888,038
Last demonstrator, E. A. Eastman	888,149
Last, hinged, C. F. Pym	888,261
Latch, W. E. Sparks	888,268
Latch, refrigerator, C. Stotz	888,364
Lightning arrester, E. S. Halsey	888,235
Lime, manufacture of chlorinated compounds of, H. Schultze	888,122
Linenmen's climbers, safety attachment for, J. D. O'Connell	888,254
Linotype machine, D. S. Kennedy	888,176
Linotype machine, T. S. Homans	888,402
Liquid atomizing apparatus, P. Kestner	888,091
Liquids, centrifugal fan or machine for atomizing, P. Kestner	888,090
Liquids in centrifugal fans or drums, distribution of, P. Kestner	888,092
Lock, H. P. Keil	887,817
Locomotive speed recorder, J. Livitschak	887,823
Logging machine, E. D. Swan	887,869
Logs, choker hook for bauling, C. & R. Colfelt	888,308
Loom, automatic filling replenishing, Stimpson & Ambler	887,977
Loom filling replenishing mechanism, G. O. Draper	887,927
Loom shuttle, C. H. Carr	887,920
Looms, automatic stop motion mechanism for power, F. Blumer	888,300
Looms, thin place detector releasing means for, A. E. Rhoades	887,963
Lubricating device, L. S. Watres	887,881
Lumber, artificial, K. Hengerer	888,399
Magnet winding, field, J. A. Stratton	888,050
Mail bag catcher and crane, Rogers & Kane	887,849
Mail bag catcher and deliverer, H. H. Akers	888,414
Mail bag catching and delivering apparatus, White & Meyer	888,283
Mail bag delivering and catching device, J. H. Whitaker	888,284
Mail bag receiving and delivering apparatus, H. J. Hedrick	887,799
Mail crane, F. B. Reed	888,452
Manure spreader, C. W. West	888,134
Match box, E. J. Anderson	887,747
Match box, E. J. Hawkins	888,328
Match safe, G. Harris	887,937
Measure, comparing yard, C. O. Gammon	888,233
Measuring the heights of persons, coin-controlled machine for, W. B. Bartram	887,994
Mechanical movement, A. H. Neureuther	887,835
Merry-go-round, ferris carriage, J. De la Mar	888,247
Metal wool, A. Shedlock	888,123
Metal wool and fiber mixture, A. Shedlock	888,125
Metallurgical furnace, W. S. Dempsey	887,777
Mica trimmer, E. G. Shepherd	888,197
Milk, condensing, J. A. Just	888,017
Milk cooler and aerator, C. Skidd	888,048
Milk, producing dried, J. A. Just	888,016
Milling tool, B. Wondery	887,992
Mines, system for ventilation of, Elliott & Wilson	888,073
Miter box, C. Solemslie	888,430
Moistening device for stamps, labels, and stickers, J. T. Rider	888,193
Molding apparatus, sand, W. D. Berry	887,756
Molding machine, A. T. Drysdale	888,004
Molding machine, W. Welsh	888,133
Molding machine, Lefferts & Simcox	888,242
Moldings, etc., with metal, casting wooden, A. Berry	887,995
Motor controlling means, electric, H. W. Leonard	888,447
Music ladder for teaching notes, mechanical, L. A. Jaros	887,811
Music roll marking device, P. Wuest, Jr.	888,290
Musical instrument, stringed, C. S. Weber	888,372
Musical instruments, adjustable support for music rolls for automatic, C. Freborg	888,395
Musical instruments, balanced swell for, S. W. Clark	888,307
Musical instrument, special actuated stop mechanism for, R. S. Hill	888,400
Nail inserting machine, W. H. Taylor	887,870
Needle separator, detachable, F. F. Witkus	887,895
Nose guard, adjustable, L. F. Adt	887,904
Nut, lock, Thomas & Blackwell	888,051
Ore concentrator, G. T. Cooley	887,922
Oscillation receiver, G. W. Pickard	888,191
Oven, G. R. Moon	888,108
Oven, bake, G. Repp	888,034
Oven carriers, actuating mechanism for, Mill & Copland	887,828
Oyster carrier, R. C. Bender	888,298
Package and banger for garments, combined shipping, M. M. Strauss	888,201
Packing and wiping waste, M. Samuel	888,042
Pan, A. E. Grochau	888,160
Paper box machine, F. E. Kuster	887,820
Paper serving or distributing device, M. Ehrlich	888,072
Paper tube perforating machine, Gohy	888,222
Papering machine, wall, B. M. Charon	887,919
Pen filler, fountain, H. N. Carpenter	887,919
Percentage table, tax assessor's, S. F. & B. B. Kennedy	888,020
Permutation lock, D. Churchill	887,771
Phonograph repeating attachment, J. H. Stinson	887,978
Phonograph reproducer, J. T. Mygind	887,833
Photography, H. L. Reckard	887,845
Phototelegraph, automatic, A. Kern	888,098
Piano, E. E. Walter	888,209
Piano, automatic, R. B. Fowler	888,152
Piano frames, capo-tasto bar for, C. C. Chickering	888,065
Piano hammers, means for repairing the felted heads of, R. R. Bode	888,141
Piano key board, F. Kuba	888,100
Pianos, divided action for, T. Danquard	887,773
Pianos, pressure device for the strings of, W. D. Sumlin	888,305
Pianos, self-playing attachment for, G. H. Davis	887,774
Picture and topepipe holder, combined, A. Mantenfel	888,182
Picture frame, extensible, J. A. & A. W. Watt	888,280
Picture molding bracket, J. G. Peterson	888,032
Pictures, apparatus for viewing panoramic, A. Hattu	888,236
Pie pan, B. C. Sabin	887,852
Piling, metal, J. J. Harold	888,085
Piling, metal sheet, R. B. Woodworth	888,135
Pipe coupling, automatic train, N. F. Niederlander	888,189
Pipe coupling, E. B. Witte	888,289
Pipe coupling, middle ring for, F. N. Smith	887,859
Piston, J. E. Thompson	888,273
Plastic material into charges, machine for dividing, C. A. Thomson	888,412
Plow, J. H. Moore	888,184
Plow, rotary, J. E. Liebhart	888,103
Plow, sulky, G. W. Jessup	888,815
Plug, duplex testing, T. Deasy	888,146
Pneumatic drill, M. Harsock	888,164
Pole and shaft for vehicles, combined, A. J. Martin	888,025
Pole, tent, G. A. Bateman	883,137
Poles, piles, and posts from decay, means for protecting, E. B. Harang	887,796
Pool table attachment, P. F. McAuley	888,186
Potato masher and spoon, combined, H. J. Griswold	887,790
Powder holder, tooth, P. S. Hay	888,011

For Real Economy Get a CADILLAC



MODEL T 4 Passengers \$1000

Repair Cost, 50 Cents a Week—Over 18 Miles per Gallon of Gasoline

Actual figures are the strongest argument for economy. Here they are—averages obtained from the sworn reports of a large number of single-cylinder Cadillac owners, taken at random from all over the United States, covering all imaginable road conditions—mountains, hills, sand, snow, mud. The story they tell is of vital interest to every prospective purchaser. Read it in

"The Truth About the Automobile and What it Costs to Maintain One"

sent free on request for Booklet No. 47.

These figures—by disinterested people—conclusively prove Cadillac economy. The cars themselves prove their service and durability. You see these sturdy, rugged little machines everywhere—always thoroughly alive to any test or requirement—*always going.* There are 16,000 in daily use; many of them in their sixth season, yet they are just as smooth, powerful and reliable as ever, with never even a suggestion of failing.

Capable of thirty miles an hour; offers the fullest complement of that pleasure, convenience and recreation which only a car like the Cadillac can afford. Described in catalog T47.

Prices include pair dash oil lamps, tail lamp and horn.

CADILLAC MOTOR CAR CO., Detroit, Mich.
Member A. L. A. M.



MODEL S Runabout \$850

Engineering News
(ILLUSTRATED)
214 Broadway, New York


The leading weekly Engineering paper of the world, devoted to the interests of Civil, Mechanical, Mining, and Electrical Engineers. 100 to 125 pages weekly. Send for free sample copy.

KEROSENE MARINE MOTORS

This motor uses kerosene, vaporizing it by an entirely new method from heat of exhaust pipe, and does not draw charge into base of engine. Uses 20 per cent. Less Fuel than on Gasoline, and gives 10 per cent. More Power.


Uses regular jump spark ignition. Write for catalog. A motor that will save you money. Specially adapted to work boats. Unusual opening for agents. Ten sizes, 1, 2 and 3 cylinders, 2 1/2 to 27 H. P.

DUBRIE MOTOR CO. 6 H.P. \$125.00
421 Guoin Street, Detroit, Mich.



THE EUREKA CLIP

The most useful article ever invented for the purpose. Indispensable to Lawyers, Editors, Students, Bankers, Insurance Companies and business men generally. Book marker and paper clip. Does not mutilate the paper. Can be used repeatedly. In boxes of 100 for 25c. To be had of all booksellers, stationers and notion dealers, or by mail on receipt of price. Sample card, by mail, free. Manufactured by Consolidated Safety Pin Co., Box 121, Bloomfield, N. J.



Manufacturers should investigate "The Rockford" Machine Tools before placing orders. The Tool here illustrated is our 20-inch Drill, and we have many other sizes to make a very complete line, including Multiple Spindle Drills. If interested in the latest Tools for reducing costs of production, let us tell you what we have. Ask for Catalog S.

ROCKFORD DRILLING MACHINE CO.
Rockford, Ill.
European Branch
149 Queen Victoria St., London, E. C.

Magical Apparatus.
Grand Book Catalogue. Over 700 engravings
25c. Parlor Tricks Catalogue, free.
MARTINKA & CO., Mfrs., 438 Sixth Ave., New York

WORK SHOPS
of Wood and Metal Workers, without steam power, equipped with **BARNES' FOOT POWER MACHINERY**

allow lower bids on jobs, and give greater profit on the work. Machines sent on trial if desired. Catalog Free.
W. F. & JOHN BARNES CO.
Established 1872.
1999 RUBY ST. ROCKFORD, ILL.



Pipe Cutting and Threading Machine
For Either Hand or Power

This machine is the regular hand machine supplied with a power base, pinion, countershaft, etc., and can be worked as an ordinary power machine or taken from its base for use as a hand machine. Pipe 1/2 in. to 1 1/2 in. diameter handled easily in small room. Illustrated catalogue—price list free on application.


THE CURTIS & CURTIS CO.
6 Garden St., Bridgeport, Conn. Branch Office, 60 Centre St., N. Y.



USE GRINDSTONES?
If so we can supply you. All sizes mounted and unmounted, always kept in stock. Remember, we make a specialty of selecting stones for all special purposes. Send for catalogue "I."
THE CLEVELAND STONE CO.
2d Floor, Wilshire, Cleveland, O.




Motors
for airships and other purposes where light and powerful engines are required.
1 to 40 H. P. Air Cooled.
50 & 100 H. P. Water Cooled.
Adopted by War Department. Send for catalogue B.
G. H. CURTISS MANUFACTURING CO.
Hammondsport, N. Y.



Scientific American Index of Manufacturers

NEWLY REVISED EDITION of 1908
64 PAGES, 2500 ENTRIES, FREE

SOME ten years ago the publishers of the SCIENTIFIC AMERICAN issued an index of leading manufacturers. This book has proved so popular that the demand has warranted an entire new edition. This invaluable list tells where to buy almost any article, and buyers who fail to find the information they desire can have their wants specially looked up without charge, and if necessary we will advertise their wants in our inquiry column without expense. The first edition of this index is only 15,000 copies, so that early application is necessary.



MUNN & CO., Publishers Scientific American
Office 361 Broadway, New York

Important Books

The Scientific American Cyclopaedia of Receipts, Notes and Queries

15,000 RECEIPTS 734 PAGES
Price \$5.00 in cloth

This splendid work contains a careful compilation of the most useful Receipts and Replies given in the Notes and Queries of correspondents as published in the SCIENTIFIC AMERICAN during the past sixty years, together with many valuable and important additions. Over Fifteen Thousand selected receipts are here collected, nearly every branch of the useful arts being represented. It is by far the most comprehensive volume of the kind ever placed before the public.

Industrial Alcohol ITS MANUFACTURE AND USES

A Practical Treatise based on Dr. MAX MAEPCKER'S "Introduction to Distillation" as revised by Drs. DELBÜCK and LANGE. Comprising Raw Materials, Making, Mashing and Yeast Preparation, Fermentation, Distillation, Rectification and Purification of Alcohol, Alcoholometry, the Value and Significance of a Tax-Free Alcohol, Methods of Denaturing, Its Utilization for Light, Heat and Power Production, a Statistical Review and the United States Law.

By JOHN K. BRACHVOGEL, M.E.
528 Pages 105 Illustrations Price \$4.00

GAS, GASOLINE and OIL ENGINES

Including Gas Producer Plants
By GARDNER D. HISCOX, M.E.
Price \$2.50

The only complete American book on the subject for Gas Engine Owners, Gas Engineers, and intending purchasers of gas engines, treating fully on the construction, installation, operation and maintenance of gas, gasoline, kerosene, and crude petroleum engines.

The new rewritten, enlarged, and revised 15th edition of this work has been prepared to meet the increasing demand for a thorough treatise on the subject. Its 450 pages give general information for everyone interested in this popular motive power, and its adaptation to the increasing demand for a cheap and easily managed motor requiring no licensed engineer. It is fully illustrated by 351 engravings and diagrams.

Modern Machine Shop Construction

Equipment and Management
By OSCAR E. FERRIGO, M.E.

Nearly 400 Large Quarto Pages. Illustrated by over 200 Engravings Specially Made by the Author. Price \$5.00

A work designed for the practical and every-day use of the Architect who designs, the Manufacturers who build, the Engineers who plan and equip, the Superintendents who organize and direct, and for the information of every Stockholder, Director, Officer, Accountant, Clerk, Superintendent, Foreman, and Workman of the Modern Machine Shop and Manufacturing Plant of Industrial America.

American Tool-Making and Interchangeable Manufacturing

By J. V. WOODWORTH
544 Pages 600 Illustrations Price \$4.00

A practical treatise on the Art of American Tool Making and System of Interchangeable Manufacturing as carried on to-day in the United States. It describes and illustrates all of the different types and classes of small Tools, Fixtures, Devices and Special Appliances which are in general use in all machine manufacturing and metal-working establishments where economy, capacity, and interchangeability in the production of machined metal parts are imperative. It is a practical book by an American Toolmaker, written in a manner never before attempted, giving the 20th century manufacturing methods and assisting in reducing the expense and increasing the output and the income.

Gas Engines and Producer-Gas Plants

By R. E. MATHOT
320 Pages Fully Illustrated Price \$2.50

A practical treatise setting forth the principles of Gas Engines and Producer Design, the Selection and Installation of an Engine, Conditions of Perfect Operation, Producer Gas Engines and their Possibilities. The Care of Gas Engines and Producer-Gas Plants, with a Chapter on Volatile Hydrocarbon and Oil Engines. Thoroughly up-to-date in its treatment of the subject, the work discusses at considerable length the generation of producer-gas and its utilization in gas engines. No other book in English presents anything like as full a discussion of this most important phase of the gas engine. Indeed, no other book devotes even a chapter to producer gas, despite the fact that it is the coming fuel for gas engines of high power.

Any of these books sent prepaid on receipt of price. A special circular of these books will be sent to anyone on application.

MUNN & COMPANY
Publishers of Scientific American
361 Broadway New York

Power transmission mechanism, N. Ruland	888,265
Power transmitting mechanism, J. E. Tuttle	887,878
Primary battery, C. B. Schoenmehl	888,407
Printing machine, S. Brown	887,763
Printing machinery for simultaneous multi-color printing, rotary web, F. von Eulenfeld	888,231
Printing press, multicolor, H. F. Bechman	888,384
Projection apparatus, dissolving attachment for, W. L. Patterson	887,839
Propeller, steering, H. L. Ward	887,986
Propelling apparatus, vessel, A. Ahlbrecht	888,053
Propelling machinery, vessei, G. Dalen	888,390
Proportional meter, E. E. Clark	887,772
Protective device, K. Kuhlmann	888,241
Pulley, T. A. Jones	888,171
Pulp flow box shower device, G. H. Blanchard	888,060
Pulverizing or grinding mill, J. W. Fuller, Jr.	888,077
Pump, F. H. Whitcomb	887,892
Pump, P. Yver	887,993
Pump and turbine, centrifugal, E. S. G. Rees	888,192
Pumping apparatus, oil well, G. L. Cusac	888,316
Punching and spacing machine, M. M. Beasley	887,910
Push button switch, P. A. Paul	887,840
Rack. See Kitchen rack.	
Radiator, heat, Woods & Sipes	888,413
Rail clamp guard, W. B. Cooke	888,314
Rail joint, W. H. Grosse	887,792
Rail spike supporter and protector, J. Murray	887,830
Rail track, R. Heinen	888,167
Railway frog, E. N. Strom	888,203
Railway frog or crossing, Reinöehl & Weaver	887,847
Railway, pleasure, J. F. Morrissey	888,111
Railway rail joint, W. E. Johnson	888,441
Railway switch operating mechanism, electrically controlled, Stoffels & Weenen	887,980
Railway switch throwing device, E. N. Strom	888,409
Railway system, electric, S. C. Frey	887,932
Railway system, third rail electric, C. Kozesnik	888,099
Railway tie, J. A. Swope	887,983
Railway tie, J. B. Depriest	888,227
Railway tie, S. H. Deihl	888,317
Railway tie and rail fastening device, J. J. O'Donnell	888,030
Railway, double necked rail for, J. A. Myers	887,832
Ratchet wrench, A. J. Campbell	888,420
Razor, A. Kastor	888,019
Rock drilling machine, Hellman & Bayles	887,801
Rocking chair, A. H. Ordway	887,959
Rollers, dust guard for, E. J. Muth	887,831
Rotary engine, W. J. Tekippe	887,872
Rotary engine, T. J. Quirk	888,433
Rotary engine, J. Scipie	888,323
Rotary engine, J. P. Fox	888,344
Rotary engine, J. W. Mooney	888,415
Rotary reaction motor, G. W. Barber, Sr.	888,297
Rubber dam and tooth backing punch, combined, H. M. Bell	888,297
Rubber overshoe, low cut or sole, F. C. Hood	887,941
Rubber shoe holding device, F. P. McAtuly	888,252
Rig rack, W. G. Gadd	888,472
Sad iron, electrically heated, F. Kuhn	887,947
Safe jacket, burglar proof, Vaughan & Bryan	888,052
Salt shaker, A. Cohencius	888,066
Sash fastener, A. Van Duzer	888,369
Sash window, E. W. Selkirk	887,968
Sausage stuffer spout, W. J. Bussinger	888,305
Saw handle, Patterson & Dickinson	888,258
Scale, automatic weighing, C. L. Bond	887,913
Scale, indicators, attachment for, B. E. Butler	887,917
Scow, J. H. Gerrish	887,934
Sculptor's reproducing machine, J. B. Salo	888,041
Seal, C. Barbieri	887,750
Seal, J. C. Davis	887,926
Sealing envelopes and affixing stamps thereto, means for, Moylan & Tracy	887,829
Seaming machine for cans, double, C. J. Rhodes	888,204
Seat frame, E. G. Gadd	887,914
Seat of stool, H. Sutton	888,366
Seed grading machine, cotton, J. W. Conner	888,000
Seeders or grain drills, cover retaining mechanism for hoppers of, N. R. Nelson	887,834
Sewing machine, shoe, J. T. McIsaac	887,957
Sewing machine, shoe, E. W. Winkley	887,991
Shade and curtain bracket, window, S. R. Seybold	888,356
Shaft and pole, combined vehicle, Acker & Glossop	888,379
Shaft, vehicle, G. G. Gay	887,786
Sharpener, drill steel, J. Sopp	888,361
Sharpening machine, knife, P. Behrens	887,754
Shaving device, safety, O. Kamppe	888,174
Sheet feeding mechanism, L. E. Morrison	888,028
Ship elevating apparatus, K. Lohle	887,951
Shock absorber, D. M. Davis	887,925
Shoe polishing device, S. W. Sims	887,857
Shoe protector, Beck & Teltschik	887,752
Shovel tooth, J. A. Parsons	888,256
Shovel tooth, excavating, F. J. Thomas	887,984
Shovel tooth, excavating, J. M. Sherrerd	888,047
Shrubbery cutter, C. Berg	888,058
Sieve cleaner, E. Kulp	888,445
Sifter box, G. W. Rowe	887,851
Sign displaying device, Z. T. and E. Uhill	887,879
Sign, lighted, S. Grimson	888,082
Signaling system, G. Babcock	887,748
Sleigh knee, J. A. Heintz	888,168
Smelting cup, A. Steinhart	887,917
Snap fastener, G. A. Thomas	888,401
Soap shaver, J. H. Williams	888,287
Soda fountain, W. A. Sexton	887,969
Sound reproducing machine, L. T. Haile	888,084
Spark arrester, P. M. & C. M. Wickstrum	887,893
Speed mechanism, variable, F. G. Gauntt	887,785
Spigot and escape valve, combined, R. S. Wiesenfeld	888,212
Spinning machines, roll stand for, E. D. Libby	888,102
Spoke setter, G. B. Gadd	888,010
Spoke setting machine, E. E. Foxworthy	888,394
Sprayer, color and dye, H. Mikorey	888,449
Spraying nozzle, chemical, H. Sieben	887,856
Spring fastening, F. Schindewolf	888,121
Spring motor, L. M. & H. F. Kerus	887,946
Square and calipers, combined, W. Dissell	888,070
Square, miter, try and bevel, C. M. Justice	888,173
Stacker, hay, G. L. Curtis	888,003
Stacker, hay, J. F. Bruhn	888,219
Stamping clip, J. E. Tomquist	888,357
Stamping machine, H. E. Johnson	888,333
Stanchion, cattle, E. W. Johnson	888,014
Stand. See Switch stand.	
Stationery supply case, C. Fraas	888,005
Steam boiler, L. S. Watres	887,880
Steam heater, G. R. Nixon	888,451
Steam tight joint for rotary rods, J. S. Chambers	888,064
Steel and like metal, making articles of manganese, W. B. Nichols	888,253
Stitch separating machine, J. B. Hadaway	888,083
Stock dipping device, W. K. Crapnell	888,001
Stove, G. R. Moon	888,109
Stove lid, G. W. Shoemaker	888,357
Stove or range, cooking, C. R. Hanson	888,163
Stoves, means for supplying fuel to, W. Glenk	888,324
Strainer, bling, W. E. Grigg	888,081
Street scraper, H. T. Toy	887,874
Structure made of bricks for recreation towers, heat compensation apparatus, and the like, R. Scherfenberg	888,120
Stuffing box, A. G. Heggem	888,166
Stump puller, R. B. Barrow	888,296
Surgical bandage, M. A. Willot	887,886
Swingletree antirattler, W. Mehn	888,183
Swingletree attachment, S. D. Riegel	888,194
Switch base, W. R. Atkinson	887,907
Switch points, adjustable connecting bar for, W. M. Henderson	887,802
Switch stand, E. N. Strom	888,410
Table for meat, sausage, and the like, W. B. Atteck	888,294
Table top protector, J. L. McKay	888,113
Tabulator, M. C. Mosher	887,954
Talking machine attachment, W. A. Chapman	888,300



1A Folding Pocket Kodak Special

Just as good as a camera can be made—so small as to never be in the way.

There has never before been so much quality put into so small a camera—in lens and shutter and mechanical precision it is right. Makes the popular 2½ x 4¼ pictures, the camera itself measuring but 2 x 3½ x 8 inches. Rapid Rectilinear lenses. Automatic Shutter. A perfect combination of convenience and efficiency.

Price, \$15.00.

EASTMAN KODAK CO.
Rochester, N. Y., The Kodak City.

Proven Permanent Profits

The Original Vacuum Cleaning Machine



The above wagon will prove a mint to you. Making money at the rate of \$40.00 per day. It cleans Residences, Stores, Hotels, Halls, Clubs, Theaters, Schools, without wear and tear on persons or places.

Reliable, durable and most efficient Portable Plant in the world. On a small investment you can realize \$3,000 to \$5,000 a year in Proven Permanent Profits.

Free bulletins and catalogues to all that are in earnest.

A full line of Stationary Vacuum Cleaning Plants are also made by us.

Send for illustrated booklets.

Gen'l Compressed Air & Vacuum Machinery Co.
479 Olive Street, Dept. "D," ST. LOUIS, MO.

MENNEN'S BORATED TALCUM TOILET POWDER

for After Shaving.



Insist that your barber uses Mennen's Toilet Powder after he shaves you. It is antiseptic, and will prevent any of the many skin diseases often contracted. A positive relief for Prickly Heat, Chaffing and Sunburn, and all affections of the skin. Removes all odor of perspiration. Get Mennen's—the original. Sold everywhere, or mailed for 95 cents. Sample Free.

GERHARD MENNEN CO., Newark, N. J.

THE Nulite Vapor Lamps

For Home, Store and Street



We also manufacture Table Lamps, Wall Lamps, Chandeliers, Street Lamps, Etc. 100 Candle Power seven hours ONE CENT. No Wicks. No Smoke. No Odor. Absolutely safe. THEY SELL AT SIGHT! Exclusive territory to good agents. Write for catalogue and prices.

Chicago Solar Light Co., Dept. G. Chicago

ELECTRIC LAUNCH MOTOR.

— THE design in this paper is for a motor of unusual simplicity of construction, which can easily be built by an amateur at small cost. It is intended for a boat of about 24 feet over all and 4 feet 6 inches beam, drawing 18 inches, and is capable of propelling such craft at a speed of 7 miles per hour. Illustrated with 21 cuts. See SCIENTIFIC AMERICAN SUPPLEMENT, No. 1202. Price 10 cents by mail, from this office and from all newsdealers

MAKE YOUR BICYCLE INTO A MOTORCYCLE

at small cost by attaching the ERIE. This includes all parts so that anyone can make a strong, durable machine that will climb steep hills. Send 4c. in stamps for either bike Attachment catalog S, or Motorcycle catalog C.

Motorcycle Equipment Co., Hammondsport, N. Y.

GILSON MFG. CO.


GOES LIKE SIXTY SELLS LIKE SIXTY \$60

GILSON GASOLINE ENGINE

For Pumping, Cream Separators, Churns, Wash Machines, etc. FREE TRIAL. Ask for catalog—all sizes

GILSON MFG. CO. 308 Park St. Port Washington, Wis.

The ARDREY Vehicle Washer



Washes CARRIAGE or AUTO Perfectly. Easily attached to hose. Won't scratch varnish. No splashing of water. Dry hands. Dry clothes. For a limited time \$2.00. Express prepaid. Booklet free.

181 E. Main Street, Rochester, N. Y.

Keystone Well Drills

for Artesian and Ordinary Water Wells; Mineral Prospecting and Placer Testing for Druggers; Deep Drilling for Oil and Gas Contractor's Blast Hole Drilling, River and Harbor Exploration, etc. Our five catalogs are text-books on these subjects.

KEYSTONE WELL WORKS
Beaver Falls, Pa.
New York Office, 170 Broadway

Science for the Evenings

The Heavens Without a Telescope

A MOVING PICTURE OF THE UNIVERSE

The Only Combination Sun, Moon, Star and Planet Map



Every Stellar body accurately placed for any date for the next twenty years, in the Northern Hemisphere. Indorsed by leading scientists. Requires no technical knowledge to use it. Complete mastery of the heavenly bodies in a few hours.

Most graphic way of interesting all in the wonderful planetary system of the Universe. Chart is 15 inches square, with revolving disk map showing all stars. Made of heavy cardboard.

Special Offer. For a limited time only, we offer our readers this splendid Planisphere at a special reduced price of \$3.00, postpaid. Send for descriptive circular.

MUNN & COMPANY, 361 Broadway, New York

Classified Advertisements

Advertising in this column is 75 cents a line. No less than four nor more than ten lines accepted. Count seven words to the line. All orders must be accompanied by a remittance. Further information sent on request.

READ THIS COLUMN CAREFULLY.—You will find inquiries for certain classes of articles numbered in consecutive order. If you manufacture these goods write us at once and we will send you the name and address of the party desiring the information. There is no charge for this service. In every case it is necessary to give the number of the inquiry. Where manufacturers do not respond promptly the inquiry may be repeated.

MUNN & CO.

BUSINESS OPPORTUNITIES.

START A MAIL ORDER BUSINESS of your own, but not with a cheap trick or novelty. I made \$50,000 in five years and began small. I will show you how to start right. Send for free booklet. Heacock, Box 953, Lockport, N.Y.

Inquiry No. 8594.—Wanted spring suitable for spring motor.

WANTED.—Useful Novelties, practical tools, labor saving devices for use in shipping and packing departments. Any good articles which will facilitate shipping, packing or branding goods. Address B. & S. Co., Box 773, New York City.

Inquiry No. 8596.—Wanted to buy printed pillow tops for sofa pillows.

WE HAVE A LARGE FACTORY and are looking for something to manufacture. Prefer to buy an established business at a reasonable price. Louis Bastetter & Sons, Fort Wayne, Ind.

Inquiry No. 8597.—Wanted to buy an alcohol furnace to heat a hot water system.

WANTED.—Chemist with blast furnace and cupola experience, to manage test department in addition to analytical and experimental work. Give experience and references. D. A. C., 1009 N. Y. Life Bldg., Chicago.

Inquiry No. 8598.—Wanted to buy water turbines.

WANTED address of manufacturer of small (1/2-inch) red composition balls, with inside numbers. For further particulars address Manufacturer, Box 773, New York.

Inquiry No. 8599.—Wanted to buy a 12-inch copper cylinder head.

PATENTS FOR SALE.

PATENT FOR SALE.—Bank deposit vault at your home. Fireproof, lbs., 80. Diam., 14x10x9 inches. \$16. Treasury lock. Joergensen, 323 Paterson Ave., W. Hoboken, N. J.

Inquiry No. 8606.—Wanted to buy a cutting and winding machine for narrow fabric bias binding.

PATENT FOR SALE.—Auxiliary car seat connecting to side seats. No more standing up. Seats for all. N. Joergensen, 323 Paterson Ave., W. Hoboken, N. J.

Inquiry No. 8607.—Wanted to buy an electric incubator.

TILTING GATE.—Patent No. 822,746. Will sell outright or lease on royalty my tilting gate. Demand will be enormous. Address C. H. Lovering, Sidney, Mont.

Inquiry No. 8608.—Wanted to buy broom machinery. broom corn, broom handles.

FOR SALE.—Patent No. 885,023, April 21, 1908. New and useful improvements in door check. Simple, cheap, tried and proven. E. G. Deloe, 3129 Cedar St., Phila., Pa.

Inquiry No. 8610.—Wanted addresses of manufacturers of collapsible tube machinery.

FOR SALE.—Patent right, combination column support and sill fastener. Only practical support ever patented. Address Perry & Perry, Kansas City, Kansas.

Inquiry No. 8611.—Wanted to buy springs for light power purposes.

HELP WANTED.

CLERICAL AND TECHNICAL MEN. No matter what experience or position desired, we can interest you. Information free for the asking. Write, Haggoods, 305 Broadway, New York.

Inquiry No. 8612.—Wanted to secure locomotives propelled by vapor engines.

CAPITAL WANTED.

WANTED CAPITAL or manufacturer to take up my new sewing machine cabinet just patented, No. 871,354. I. P. Daniel, 328 Nagadoches St., San Antonio, Texas.

Inquiry No. 8613.—Wanted to buy smoke consumers for house heaters.

BOOKS AND MAGAZINES.

WIRELESS TELEGRAPHY.—Send 10 cents for special number of Electrician and Mechanic, devoted to this subject. Articles on how to make a 4-inch induction coil, magnetic detector, independent interrupter, indoor wireless, adjustment of detectors on tuned circuits, wireless telephony, storage batteries. Also half size, 16-foot launch, model engine, telephone installation, mechanical drawing etc. List of electrical and mechanical hooks free. Sampson Publishing Company, 151 Beacon Building, Boston, Mass.

Inquiry No. 8614.—Wanted to buy pearl button machinery.

GRE-SOLVENT.

GRE-SOLVENT instantly dissolves Machine-grease, Paint, Ink, etc. from hands. Beneficial to skin. Sells like wildfire to every mechanic. Agents wanted. Big profits. Free sample. Do it now. Utility Co., 646 W. 44th St., N. Y. City.

Inquiry No. 8615.—Wanted to buy a machine for breaking the hull of the almond nut without breaking the fruit.

HOUSEHOLD NEEDS.

BUTCHER'S BOSTON POLISH is the best finish made for floors and interior woodwork. Not brittle; will not scratch or deface like shellac or varnish. Send for free booklet. For sale by dealers in Paints, Hardware and House Furnishings. The Butcher Polish Co., 366 Atlantic Avenue, Boston, Mass.

Inquiry No. 8616.—Wanted to buy for export to Porto Rico perforated metal shelving.

BUNGALOWS.

THE MAY NUMBER of American Homes and Gardens contains photographs and plans of big and little, costly and inexpensive bungalows, as well as articles on the furnishing of bungalows. Double number. Price, 50 cents. Order from your newsdealer or from Munn & Co., 361 Broadway, New York City.

Inquiry No. 8617.—Wanted to buy for export to Porto Rico complete-baking plant for 1,000 loaves daily.

Inquiry No. 8620.—Wanted to buy aluminum cans.

Inquiry No. 8621.—Wanted to purchase coal briquetting machinery.

Inquiry No. 8622.—Wanted to buy automobile engines and supplies.

Inquiry No. 8623.—Wanted to buy electric cooking stoves with battery attached.

Inquiry No. 8624.—Wanted to buy portable river heaters.

Inquiry No. 8625.—Wanted to buy small sized channel iron, also leaf springs for experimental work.

Inquiry No. 8626.—Wanted to buy lacquered and plain sheet steel for sign making, also paraffining outfit for signs, presses for wood signs and sheet rubber.

Inquiry No. 8627.—Wanted to buy an alternating current generator of 2 K. W. capacity, or smaller.

Inquiry No. 8628.—Wanted to buy paving block machines for use with partly fluid substances.

Inquiry No. 8629.—Wanted to buy rubber specialties and coiled brass springs.

Inquiry No. 8631.—Wanted to buy fruit evaporators.

Inquiry No. 8632.—Wanted to buy machine for perforating music rolls.

Inquiry No. 8633.—Wanted to buy show cases.

Inquiry No. 8634.—Wanted to buy brass, bronze and china novelties.

Inquiry No. 8635.—Wanted to buy mica chimneys and smoke tops.

Inquiry No. 8636.—Wanted to buy household brushes.

Inquiry No. 8637.—Wanted to buy lawn mower grinders.

Inquiry No. 8638.—Wanted to purchase mica or porcelain insulation.

Inquiry No. 8639.—Wants stencils for decorative borders such as are used around half tones.

Inquiry No. 8640.—Wanted to buy alcohol lamps for lighting purposes.

Inquiry No. 8641.—Wanted to buy a self-lighting gas burner.

Inquiry No. 8642.—Wanted to buy a gasoline motor inspection car standard gage.

Inquiry No. 8643.—Wanted to buy concrete post machines.

Inquiry No. 8644.—Wanted address of glass tube manufacturer who does bendzins.

Inquiry No. 8645.—Wanted to buy parts for curling irons.

Inquiry No. 8646.—Wanted to buy cheap small motor from 1/4 to 1 horse power, single phase 60 cycle, 110 volts.

Inquiry No. 8647.—Wanted to buy steel hat pins 8 inches pointed at both ends.

Inquiry No. 8648.—Wanted to buy small steam saw mill using lumber waste for fuel. Western manufacturer preferred to save freight.

Inquiry No. 8649.—Wanted to buy non-inflammable celluloid.

Inquiry No. 8650.—Wanted to buy file cutting machinery.

Inquiry No. 8651.—Wanted to buy apparatus for making gas from oil.

Inquiry No. 8652.—Wanted address of manufacturers of drop forged wrenches.

Inquiry No. 8653.—Wanted addresses of dealers in sheet steel, New York city preferred.

Inquiry No. 8654.—Wanted addresses of case-hardeners in New York.

Inquiry No. 8655.—Wanted to buy leather for motor cycle mud guards.

Inquiry No. 8656.—Wanted to buy parts of models and gear wheels.

Inquiry No. 8657.—Wanted to buy a small water motor.

Inquiry No. 8658.—Wanted to buy cooking stoves and lamps using denatured alcohol as fuel.

Inquiry No. 8659.—Wanted to buy ground corn cobs in large quantities.

Inquiry No. 8660.—Wanted to buy cresote making machinery.

Inquiry No. 8661.—Wanted to buy machinery for making cutlery.

Inquiry No. 8662.—Wanted to buy small machine for drawing thread from cotton and machine for making lozenges.

Inquiry No. 8663.—Wanted to buy file cutting machines.

Inquiry No. 8664.—Wanted to buy game boards.

Inquiry No. 8665.—Wanted to buy comb making machinery.

Inquiry No. 8666.—Wanted to buy screw making machinery.

Inquiry No. 8667.—Wanted to buy needle pin and pen machinery.

Inquiry No. 8668.—Wanted to buy water power washing machine.

Inquiry No. 8669.—Wanted to buy machinery for making rifle barrels.

Inquiry No. 8670.—Wanted to buy a low-cost or second-hand lathe to be operated by foot power.

Inquiry No. 8671.—Wanted to buy wetting and machinery for making same.

Inquiry No. 8672.—Wanted to buy 2,500-pound gasoline traveling crane.

Inquiry No. 8673.—Wanted to buy folding umbrellas.

Inquiry No. 8674.—Wanted to buy machinery for cultivating rice and making Yuca starch.

Inquiry No. 8675.—Wanted to buy machinery for making sawdust into bricks for fuel.

Inquiry No. 8676.—Wanted to buy flat irons heated by denatured alcohol.

Inquiry No. 8677.—Wanted to buy model safety razors.

Inquiry No. 8678.—Wanted to buy cheap sewing machines.

Inquiry No. 8679.—Wanted to buy cheap guns.

Inquiry No. 8680.—Wanted to buy cheap watches.

Inquiry No. 8681.—Wanted to buy envelope making machines.

Inquiry No. 8682.—Wanted to buy model of old battleship "Maine."

Inquiry No. 8683.—Wanted to buy plant for making cassava starch.

Inquiry No. 8684.—Wanted to buy fountain pens in quantities.

Inquiry No. 8685.—Wanted to buy 1 1/2 to 2-inch No. 13 to 18 tempered spring steel.

Inquiry No. 8686.—Wanted to buy machine for dusting talcum on sheets.

Inquiry No. 8687.—Wanted to buy motor plows.

Inquiry No. 8688.—Wanted to buy for export to Cuba a producer gas plant for supplying 800 I. C. P. lamps.

Inquiry No. 8689.—Wanted to buy alcohol engines for same amount of power as 8688.

Inquiry No. 8690.—Wanted to buy coppered wire (No. 7) in lengths 13 to 26 inches, threaded on one end.

Inquiry No. 8691.—Wanted to buy for export to British Guiana alcohol motors.

Inquiry No. 8692.—Wanted to buy kerosene oil motors for export.

Inquiry No. 8693.—Wanted to buy meteorological instruments.

Inquiry No. 8694.—Wanted to buy fly wheels and ball bearings.

Inquiry No. 8695.—Wanted to buy bathing suits.

Inquiry No. 8696.—Wanted to buy toy balloons.

Inquiry No. 8697.—Wanted to buy zinc can screw tops.

Inquiry No. 8698.—Wanted to buy a hydrochloric acid plant.

Inquiry No. 8699.—Wanted to buy two-stranded soldered wire for heddles.

Inquiry No. 8700.—Wanted to buy burglar proof door fasteners.

Inquiry No. 8701.—Wanted to buy solar engines.

Inquiry No. 8702.—Wanted to buy machinery for filling and sealing paper boxes.

Inquiry No. 8703.—Wanted to learn address of music printers.

Inquiry No. 8704.—Wanted address of kaolin expert.

Inquiry No. 8705.—Wanted to buy double shaft engines for automobiles.

Inquiry No. 8706.—Wanted to buy ink and mucilage bottles and labels.

Inquiry No. 8707.—Wanted to buy hand power vacuum cleaner.

Table listing various scientific and mechanical items for sale or inquiry, including talking machine records, telegraph printing, telephone systems, and various tools and machinery.

DESIGNS.

Table listing designs for various items such as badges, buttons, and mechanical parts.

TRADE MARKS.

Table listing trade marks for various products including abrasives, alloys, and beverages.

Home-Made Experimental Apparatus

In addition to the following articles, the Scientific American Supplement has published innumerable papers of immense practical value, of which over 17,000 are listed in a carefully prepared catalogue, which will be sent free of charge to any address. Copies of the Scientific American Supplement cost 10 cents each.

If there is any scientific, mechanical, or engineering subject on which special information is desired, some papers will be found in this catalogue, in which it is fully discussed by competent authority.

A few of the many valuable articles on the making of experimental apparatus at home are given in the following list:

ELECTRIC LIGHTING FOR AMATEURS. The article tells how a small and simple experimental installation can be set up at home. Scientific American Supplement 1551.

AN ELECTRIC CHIME AND HOW IT MAY BE CONSTRUCTED AT HOME, is described in Scientific American Supplement 1586.

THE CONSTRUCTION OF AN ELECTRIC THERMOSTAT is explained in Scientific American Supplement 1566.

HOW TO MAKE A 100-MILE WIRELESS TELEGRAPH OUTFIT is told by A. Frederick Collins in Scientific American Supplement 1605.

A SIMPLE TRANSFORMER FOR AMATEUR'S USE is so plainly described in Scientific American Supplement 1572 that anyone can make it.

A 1/2-H.-P. ALTERNATING CURRENT DYNAMO is described in Scientific American Supplement 1558.

THE CONSTRUCTION OF A SIMPLE PHOTOGRAPHIC AND MICRO-PHOTOGRAPHIC APPARATUS is simply explained in Scientific American Supplement 1574.

A SIMPLE CAMERA-SHUTTER MADE OUT OF A PASTEBOARD BOX, PINS, AND A RUBBER BAND is the subject of an article in Scientific American Supplement 1578.

HOW TO MAKE AN AEROPLANE OR GLIDING MACHINE is explained in Scientific American Supplement 1582, with working drawings.

EXPERIMENTS WITH A LAMP CHIMNEY. In this article it is shown how a lamp chimney may serve to indicate the pressure in the interior of a liquid; to explain the meaning of capillary elevation and depression; to serve as a hydraulic tourniquet, an aspirator, and intermittent siphon; to demonstrate the ascent of liquids in exhausive tubes; to illustrate the phenomena of the bursting bladder and of the expansive force of gases. Scientific American Supplement 1583.

HOW A TANGENT GALVANOMETER CAN BE USED FOR MAKING ELECTRICAL MEASUREMENTS is described in Scientific American Supplement 1584.

THE CONSTRUCTION OF AN INDEPENDENT INTERRUPTER. Clear diagrams giving actual dimensions are published. Scientific American Supplement 1615.

AN EASILY MADE HIGH FREQUENCY APPARATUS WHICH CAN BE USED TO OBTAIN EITHER D'ARSONVAL OR OUDIN CURRENTS is described in Scientific American Supplement 1618. A plunge battery of six cells, a two-inch spark induction coil, a pair of one-pint Leyden jars, and an inductance coil, and all the apparatus required, most of which can be made at home.

SIMPLE WIRELESS TELEGRAPH SYSTEMS are described in Scientific American Supplements 1363 and 1381.

THE LOCATION AND ERECTION OF A 100-MILE WIRELESS TELEGRAPH STATION is clearly explained, with the help of diagrams, in Scientific American Supplement 1622.

THE INSTALLATION AND ADJUSTMENT OF A 100-MILE WIRELESS TELEGRAPH OUTFIT, illustrated with diagrams, Scientific American Supplement 1623.

THE MAKING AND THE USING OF A WIRELESS TELEGRAPH TUNING DEVICE, illustrated with diagrams, Scientific American Supplement 1624.

HOW TO MAKE A MAGIC LANTERN, Scientific American Supplement 1546.

THE CONSTRUCTION OF AN EDDY KITE, Scientific American Supplement 1555.

THE DEMAGNETIZATION OF A WATCH is thoroughly described in Scientific American Supplement 1561.

HOW A CALORIC OR HOT AIR ENGINE CAN BE MADE AT HOME is well explained, with the help of illustrations, in Scientific American Supplement 1573.

THE MAKING OF A RHEOSTAT is outlined in Scientific American Supplement 1594.

Good articles on SMALL WATER MOTORS are contained in Scientific American Supplement 1494, 1049, and 1406.

HOW AN ELECTRIC OVEN CAN BE MADE is explained in Scientific American Supplement 1472.

THE BUILDING OF A STORAGE BATTERY is described in Scientific American Supplement 1433.

A SEWING-MACHINE MOTOR OF SIMPLE DESIGN is described in Scientific American Supplement 1210.

A WHEATSTONE BRIDGE, Scientific American Supplement 1595.

Good articles on INDUCTION COILS are contained in Scientific American Supplements 1514, 1522, and 1527. Full details are given so that the coils can readily be made by anyone.

HOW TO MAKE A TELEPHONE is described in Scientific American Supplement 966.

A MODEL STEAM ENGINE is thoroughly described in Scientific American Supplement, 1527.

HOW TO MAKE A THERMOSTAT is explained in Scientific American Supplements 1561, 1563, and 1566.

ANEROID BAROMETERS, Scientific American Supplements 1500 and 1554.

A WATER BATH, Scientific American Supplement 1464.

A CHEAP LATHE UPON WHICH MUCH VALUABLE WORK CAN BE DONE forms the subject of an article contained in Scientific American Supplement 1562.

Each number of the Scientific American Supplement costs 10 cents by mail.

Order from your newsdealer or from

MUNN & CO., 361 Broadway, New York

PATENTS

Our Hand Book on Patents, Trade-Marks, etc., sent free. Patents procured through Munn & Co. receive free notice in the

SCIENTIFIC AMERICAN MUNN & CO., 361 Broadway, N. Y. BRANCH OFFICE: 625 F St., Washington, D. C.



Needraw
BOSTON GARTER
DESIGNED TO BE WORN WITH KNEE DRAWERS
NON-ELASTIC TUBULAR KNIT LEG BAND
ELASTIC ADJUSTABLE PENDANT
NO METAL TOUCHES THE LEG
Made with the Celebrated **Velvet Grip**
CUSHION RUBBER BUTTON CLASP
Of your haberdasher or sample pair on receipt of 25c.
GEO. FROST CO.
Sole Makers, Boston
GOOD ALL THE YEAR ROUND

A MONEY MAKER
Hollow Concrete Building Blocks Best, Fastest, Simplest, Cheapest Machine. Fully guaranteed.
THE PETTYJOHN CO.
615 N. 6th Street, Terre Haute, Ind.

GARDNER 1 H.P. GASOLINE ENGINES
Simplest, safest, lightest running, most compact and durable engine built. Always ready to run; never out of order. The ideal engine for driving motor boats, dynamos, lathes, water and air pumps, and for every practical purpose where light motive power is required. Engine complete as shown here with, shipped anywhere in the world. Gasoline engines of any H. P. for every purpose built to order. Write for catalog and prices.
GARDNER MOTOR CO.
5011 Delmar Ave., St. Louis, Mo.

BARGAINS—New and Second-hand Automobiles
AT 30 TO 75 PER CENT. REDUCTION
We have all makes constantly on hand, American and Foreign, and every automobile we sell we absolutely guarantee. We are the largest dealers in the world in new and second-hand automobiles and receive first call from manufacturers and individuals wishing to realize quickly. We save you money on tires, apparel and supplies. Send for latest price list of new and second-hand automobiles and new supply catalog No. 129. Times Square Automobile Company, 1589 Broadway, New York, 1332 Michigan Avenue, Chicago, Ill.

The Universal Cabinet
for Machinists, Electricians, Merchants, For Business Houses and Homes. For everyone with many small articles. It's a systematizer and the most convenient article ever possessed. The cabinet is substantial and well finished. The drawers are 8x3x 2 1/2 inches. Three movable partitions in each drawer. Cabinet with 25 drawers, \$5. Cabinet with 50 drawers, \$10.
The American Fixture and Mfg. Co., Troy, Ohio

ITALIAN LABOR SUPPLIED FREE OF CHARGE
For railroad building, water works, quarries, and all kinds of construction work by
THE LABOR INFORMATION OFFICE FOR ITALIANS, Inc.
59 Lafayette (formerly Elm) St., N. Y. City
No charge either to applicants for help or to the laborers.
Send for circulars and application blanks.


HOW Manufacturers Can Increase Their Business
Read carefully, every week, the **Classified Advertising Column** in the **SCIENTIFIC AMERICAN**
Some week you will be likely to find an inquiry for something that you manufacture or deal in. A prompt reply may bring an order.
Watch it Carefully

Chocolate and cocoa, H. O. Wilbur & Sons 69,053
Chocolate and cocoa, George Liss & Co. 69,063
Chocolates, Brenner Candy Co. 69,034
Chocolates, Imperial Chocolates Co. 69,040, 69,041
Cigars, A. Rosendahl 69,096
Clothing, certain, Conhaim & Co. 69,085
Coffee, Meyer Brothers Coffee and Spice Co. 69,047, 69,050
Coffee, C. H. Comrad 69,060
Colloidal silver, Heyden Chemical Works 69,134
Corsets, H. H. Treffer 69,089
Cotton batting, Walker & Hays Mfg. Co. 69,126
Cotton ducks, drillings, and sheetings, J. Spencer Turner Co. 69,153
Engines, steam, Gaar, Scott & Co. 69,062
Evaporators, fruit and vegetable, B. L. Ryder Co. 69,057
Feed, stock, North-West Mills Co. 69,101
Fertilizers, Virginia-Carolina Chemical Co. 69,051
Flavoring extracts, food, E. M. Chase Co. 69,106
Flour, wheat, Bowersock Mills & Power Co. 69,083
Food, cereal breakfast, L. Coltrin 69,084
Foods, certain, Crocker Grocery Co. 69,104
Foods, certain, George Liss & Co. 69,107
Gas burners, mantels for incandescent, Ramie Co. 69,112
Gas generators and lamps and parts thereof, acetylene, E. M. Rosenbluth 69,113
Glue and glue pitch, marine, Jeffery's Patent Marine Glue Works 69,042
Hair tonics, Southern Medicine Co. 69,139
Hams and bacon, Street and Corkran Co. 69,069
Harness and whips, George Worthington Co. 69,108
Hats and caps, cloth, B. Solash 69,088
Horse blankets, Burlington Blanket Co. 69,088
Hosiery, Paramount Knitting Co. 69,087
Malt and hops, extract of, Anheuser-Busch Brewing Association 69,092
Meats and sausage, cured, salted, and canned, Kingan & Co. 69,077
Meats, cured, Jacob Doid Packing Co. 69,064
Medicine, certain, Evans Chemical Co. 69,151
Medicine, horse, Elliott & Sharp 69,150
Medicines in capsule form, certain, Grape Capsule Co. 69,132
Menthe and creme de menthe, L. A. M. Lapostolle 69,078
Metal bars for reinforcing concrete construction, William B. Hough Co. 69,071
Oil, cotton seed, Aspegren & Co. 69,103
Paint, enamel, Rinald Bros. 69,079
Paints, Submarine Paint Co. 69,082
Paper, packages, toilet, Albany Perforated Paper Wrapping Paper Co. 69,091
Paper wall covering, J. Davis 69,093
Perfumery, face powders and tints, E. Wertheimer & Cie. 69,141, 69,145, 69,163
Perfumery and face tints, E. Wertheimer & Cie. 69,142, 69,143
Periodicals, La Hacienda Co. 69,099
Pianos and player pianos, George Steck & Co. 69,094
Pipe stocks and dies, Ashcroft Manufacturing Co. 69,055
Plastic preparation, certain, Knowlton Dandridge Co. 69,135
Plumbers' tools and appliances, Wolverine Brass Works 69,072
Plumbing supplies, certain, Standard Sanitary Mfg. Co. 69,097
Powder, antiseptic, Red Cross Powder Co. 69,150
Powder, toilet, E. Wertheimer & Cie. 69,144
Powders and pastes, tooth, L. E. V. Rhein 69,160
Precious metal ware, certain, Savard & Fils 69,114
Pumps, pumps, etc., Ashcroft Manufacturing Co. 69,056
Razor strops, George Worthington Co. 69,123
Remedies, certain, Chemische Werke Hansa Gesellschaft mit beschränkter Haftung 69,128
Remedies for certain diseases, Chemische Werke Hansa Gesellschaft mit beschränkter Haftung 69,147
Remedy, certain, D. A. Maxwell 69,156
Remedy for bronchitis and cough, G. Benjamin 69,127
Remedy for certain diseases, H. & J. Company 69,133
Remedy for certain diseases, N. C. Polson 69,138
Remedy for certain diseases, E. E. Philbrick 69,158
Remedy for scalp diseases, Dr. J. J. Kron Co. 69,131
Revolvers, pistols, rifles, and shotguns, Harrington & Richardson Arms Co. 69,039
Rifles, shotguns, pistols, and revolvers, M. E. Johnson, trustee 69,065
Rubber sheeting, Dextine Patent Packing and Rubber Co. 69,122
Sardines, salmon, and herrings, E. Shivel Seeds, certain, Albert Dickinson Co. 69,116
Shoes, leather, King Bros. Shoe Co. 69,154
Shoes, leather, Krippendorff-O'Neal Co. 69,155
Shoes, leather, Wagner Brothers 69,162
Soap, D. R. Bradley & Son 69,130
Soap, Swift & Co. 69,140
Soap, toilet, W. Cooper & Nephews 69,129
Soda fountains, Decatur Fountain Co. 69,061
Storage tanks and parts of same, Leader Iron Works 69,100
Stove polish, United States Graphite Co. 69,125
Syrup, maple, George Liss & Co. 69,074
Tea, Delano, Potter & Co. 69,035, 69,036
Tea, Standard Import Co. 69,081
Teas, Great Atlantic and Pacific Tea Co. 69,037
Thread, cotton, Blodgett & Orswell Co. 69,117, 69,121
Tonic preparation, S. Moffitt 69,137
Water gages, Detroit Lubricator Co. 69,105
Woolen and worsted cloth, Downing, Clark & Company 69,149
Yeast, fig. F. Wedebase 69,090

LABELS.
"Cabinets," for cigars, G. Dottling 14,195
"Columbia Brand Evaporated Product of Apples," for evaporated product of apples, J. W. Teasdale & Co. 14,202
"Daggett's Chocolates," for chocolates, F. L. Daggett Co. 14,201
"Damiana," for a cordial, Mezcal Tequila Distillery Co. 14,199
"Dr. Bizmat's Celery Tonic," for a medicinal tonic, G. Sapiro 14,206
"Flor-Fina," for cigars, G. Dottling 14,196
J. Clavel Company Vermont, for vermouth, J. Clavel Wine & Cordial Co. 14,204
"Leon De Lis," for cigars, American Lithographic Company 14,198
"Magic Twins Inky Racers," for liquid ink erasure, Dr. Wm. R. Wales 14,208
"McFadden's Dan-Do," for a hair tonic, R. M. McFadden 14,207
"Mezcal Tequila," for a liquor, Mezcal Tequila Distillery Co. 14,200
"Prepared Blue Process Paper," for blue-print paper, Keystone Blue Paper Co. 14,209
"Serpentine Crepe," for crepe cloth, Pacific Mills 14,210
"Silver Star," for herring roe, E. C. Geyer 14,203
"Sonamor," for placket fasteners, William Prym, Gesellschaft mit beschränkter Haftung 14,211
"The Sun Glow Cigar," for cigars, American Lithographic Company 14,197
"Tomahawk Brand," for orange bitters, J. Clavel Wine & Cordial Co. 14,205

PRINTS.
"High Grade," for beer, Galveston Brewing Co. 2,276
"Lest We Forget," for a breakfast food, Cream of Wheat Co. 2,277
"McArthur's Fire Escape Ladder," for fire escapes, M. J. McArthur 2,278

A printed copy of the specification and drawing of any patent in the foregoing list, or any patent in print issued since 1863, will be furnished from this office for 10 cents, provided the name and number of the patent desired and the date be given. Address Munn & Co., 361 Broadway, New York.
Canadian patents may now be obtained by the inventors for any of the inventions named in the foregoing list. For terms and further particulars address Munn & Co., 361 Broadway, New York.



You can blow through it, But you can't wear through it.

Men who wear "Porosknit" Underwear don't suffer that "stiffing" feeling and "sweaty" discomfort on hot days. It's the open knit texture of "Porosknit" Underwear that cools you off—that allows fresh air to reach the body and the perspiration and heat to escape.

It's the Logical Summer Underwear for Men

It's important that you buy and wear "Porosknit" Underwear for the following reason: The yarn used in "Porosknit" is from best long fiber stock and not from cheap, short stock, just one reason why they give satisfaction. If you don't find our trade-mark label on each garment, you haven't found the real thing.

"Porosknit" underwear comes in long sleeve, short sleeve and athletic shirts and ankle length and knee length drawers—at all dealers—50c. the garment.

"Porosknit" Union Suits for Men, \$1.00. If you can't find "Porosknit" write for our booklet, "Inside Information."

CHEALMERS KNITTING COMPANY, 21 Washington Street, Amsterdam, N. Y.

"Porosknit" UNDERWEAR
TRADE MARK REG. U.S. PAT. OFF.

LET US BE YOUR FACTORY
STAMPINGS, MODELS, EXPERT WORK
THE GLOBE MACHINE AND STAMPING CO.
370 Hamilton St., Cleveland, O.

ICE MACHINES Corliss Engines, Brewers' and Bottlers' Machinery, THE VILTER MFG. CO., 899 Clinton St., Milwaukee, Wis.

MODELS & EXPERIMENTAL WORK.
Inventions developed, Special Machinery.
E. V. BAILLARD, 24 Frankfort Street, New York.

RUBBER Expert Manufacturers Fine Jobbing Work
PARKER, STEARNS & CO., 228-229 South Street, New York

Experimental & Model Work
Cir. & advice free. Wm. Gardam & Son, 221 Fulton St., N. Y.

ELECTRIC GOODS.—Big Cat. 3 cts. Want Agents. Ohio Electric Works, Cleveland, O.

MODELS & CHICAGO MODEL WORKS
ESTABLISHED 1867 179 E. MADISON ST. CHICAGO, ILL.
WRITE FOR CATALOGUE OF MODEL SUPPLIES

INVENTORS, MANUFACTURERS. SPECIAL TOOLS—DIES—METAL SPECIALTIES—FIGURE METAL NOVELTY WORKS 69-85-91 W. LAKE ST. CHICAGO

INVENTORS We manufacture METAL SPECIALTIES of all kinds, to order; largest equipment; lowest prices. Send perfect sample for FREE estimate and best expert advice
THE EAGLE TOOL CO., Dept. A, Cincinnati, O.

LEARN WATCHMAKING
We teach it thoroughly in as many months as it formerly took years. Does away with tedious apprenticeship. Money earned while studying. Positions secured. Easy terms. Send for catalog.
ST. LOUIS WATCHMAKING SCHOOL, St. Louis, Mo.

A Russian Import House would like to enter into communication with houses of the American industry and export houses. Suitable articles will be purchased for own account. Please address letters and patterns to KOGON & LIPETZ, Odessa, Avcinikowsky Pereul No. 1.

FACTORY FOR SALE
Suitable for Model Making, etc. Equipped with one 10 H. P. gas engine, five punch presses, three lathes, one forge, two sq. shears, four spinning lathes, one shaper, one drop hammer, vises and nickel plating plant. Inquire of J. D. HARPER, 247 Van Brunt St., B'klyn, N. Y.

KWITURFIGURWURY RED BOOK ON FIGURES FREE
32-page book. Simplified figuring on Rapid Calculations. The Only book of its kind. Be a Rapid Calculator. Ten cents for mailing charges.
Frank Malone, 28 Mills Bldg., St. Louis, Mo.

NOVELTIES & PATENTED ARTICLES
MANUFACTURED BY CONTRACT. PUNCHING DIES, SPECIAL MACHINERY.
E. KONIGSLOW STAMPING & TOOL WORKS, CLEVELAND, O.

MASON'S NEW PAT. WHIP HOIST
For Cuttler hoists. Faster than Elevators, and hoist direct from teams. Saves handling at less expense.
Manfd. by **VOLNEY W. MASON & CO., Inc.** Providence, R. I. U. S. A.

DIE WORK | SPECIAL TOOLS | MODELS NOVELTIES
Experimental Work for Inventors
H. TURNER TOOL CO., 215 S. Clinton St., Chicago

MODELS Designing and Experimental Work. Inventions developed. Manufacturing. Louis Friedenberg, 216 Centre Street, New York, N. Y.

DIE WORK | MODELS | SPECIAL TOOLS | MACHINERY
If made in metal, we can make it.
NATIONAL STAMPING AND ELECTRIC WORKS
153-159 S. Jefferson Street, Chicago, Ill.

THE SCHWERDTLE STAMP CO.
STEEL STAMPS, LETTERS & FIGURES.
BRIDGEPORT, CONN.

A Home Made Alternating Current Motor

small lathe, or a 50-watt dynamo for generating direct current for charging storage batteries, and in fact will do almost any kind of work that can be done by one-man power. Order from your newsdealer or from

READ SUPPLEMENT 1688 for a good, clear article by F. E. WARD, E. E., on the making of a 1/8 horse power alternating current motor. The motor can be constructed by anyone of ordinary skill in the use of tools, who has access to a screw-cutting lathe with a swing of 9 inches or more. The motor is designed to run on the 100 to 120 volt, 60-cycle, single-phase alternating current circuit, now in widespread use for the lighting of dwellings. The motor will drive a 16-inch brass fan, a

MUNN & COMPANY, 361 Broadway, New York, N. Y.

Garden Hose

Rubber Belting
Steam Packing
Rubber Specialties

N. Y. BELTING & PACKING CO.
LIMITED

91 and 93 Chambers Street
NEW YORK

WRITE FOR CATALOGUE

Everything for the Automobile

SUPPLIES AND PARTS
AT LOWEST PRICES
Our 1908 Catalog just out—200 pages, 1,000 illustrations, 5,000 descriptive prices. Sent Free.
NEUSTADT AUTOMOBILE AND SUPPLY COMPANY
3932 Olive Street, St. Louis, Mo.

LEARN TO BE A WATCHMAKER

Bradley Polytechnic Institute
Horological Department
Peoria, Illinois
Formerly Parsons Horological Inst.
Largest and Best Watch School in America
We teach Watch Work, Jewelry, Engraving, Clock Work, Optics. Tuition reasonable. Board and rooms near school at moderate rates. Send for Catalog of Information.

CRUDE ASBESTOS

DIRECT FROM MINES
PREPARED ASBESTOS FIBRE for Manufacturers use
R. H. MARTIN, OFFICE, ST. PAUL BUILDING
220 B'way, New York.

THE BRISTOL CO.

Manufacturers of
Bristol's Recording Instruments for Pressure, Temperature and Electricity.
ALSO
The Wm. H. Bristol Electric Pyrometers and Patented Smoked Chart Recorders
The most complete line of Recorders in the world for all uses.
Send for Catalogue

THE BRISTOL CO., Waterbury, Conn.
Branch | 114 Liberty St., New York
Offices | 45 Vesey St., New York

Second-Hand Bargains

Automobiles of every standard make at half their values.
Runabouts \$100 to \$350;
Touring Cars \$250 to \$1500;
Limousines \$500 to \$2500; Roadsters \$750 to \$1500. All makes and models including '08 cars. Packard, Peerless, Pierce, Pope-Toledo, Rambler, Ford, Reo, Cadillac and many other makes. Every car guaranteed. Shipped on approval. Special proposition to good agents. Complete Catalog on request.
MISSISSIPPI VALLEY AUTO CO., Dept. B St. Louis, Mo.

GIANT STEAM SHOVELS

Toledo Ohio, U.S.A.
125 The Vulcan Iron Works Co.


PATENTS

60 YEARS' EXPERIENCE
TRADE MARKS, DESIGNS, COPYRIGHTS & C.
Anyone sending a sketch and description may quickly ascertain our opinion free whether an invention is probably patentable. Communications strictly confidential. HANDBOOK on Patents sent free. Oldest agency for securing patents. Patents taken through Munn & Co. receive special notice, without charge, in the
Scientific American.
A handsomely illustrated weekly. Largest circulation of any scientific journal. Terms, \$3 a year, four months, \$1. Sold by all newsdealers.
MUNN & Co. 361 Broadway, New York
Branch Office, 225 F St., Washington, D. C.

RADIUM STORAGE BATTERIES

WITH OR WITHOUT INDICATORS
Indicator removes all doubt as to working condition of your battery. No Automobile is properly equipped without it. No more Ignition Troubles. Simple construction, positive in action. Can be used for Lighting and hundreds of other purposes, in fact wherever a small source of electrical power is required. Write for valuable booklet, facts and Price List.
GENERAL ACCUMULATOR AND BATTERY CO., 128 Second Street, MILWAUKEE, WIS.

Woven into the Fabric of Trade



The Remington Typewriter

Indispensable to it
Inseparable from it

Remington Typewriter Company
(INCORPORATED)
New York and Everywhere

The Actual Worth

Of an adding and listing machine is in what it does, how it does it, and how long it will do it. The Universal Adding and Listing Machine will produce the maximum of nice, clean, clear-cut, accurate work with the least effort, and it will last longer under any kind of use than any other adding and listing machine ever built.

The Universal always adds what it prints and prints what it adds—it prints in just as perfect alignment after years of hard use as the day it left the factory.


The key action is light; the handle pull is smooth and easy; the adding register is in plain view, just above the keyboard; items to be added are printed in black, blue or purple, and the totals and sub-totals are always printed in red, right next to the last item. No blank stroke of the handle is necessary before taking a total.

There are so many other important features on the Universal that are advantageous for you on your work that you ought to write and tell us about your class of work and learn what the Universal will do for you, and how it will do it easier and faster than you are doing it at present.

There is no charge or obligation attached to your getting all this information. Can you afford not to write us now?

Universal

Adding Machine Company
3835 Laclede Avenue
ST. LOUIS



FOR SALE

One American Well Works Air Compressor, 13x12x5 1/4 x12, compound air, 500 pounds air pressure. Machine is in good order. Reason for selling, deep well played out. The machine will be sold at a snap.

CITY OF WEBSTER L. & W. Dept.
Webster, S. D.
O. B. RANDALL, Superintendent

Vanadium Steel Castings

STRONG—TOUGH—UNIFORM
All up-to-the-minute casting buyers are alive to the fact that for connecting rods, crank shafts, cut gears and other parts requiring great strength and toughness, there are none superior to VANADIUM STEEL CASTINGS.
Better than bronze or drop forgings.
We can use wood or metal patterns. Patterns should be made with double shrinkage allowed. All castings are subjected to heat treatment to insure ductility and uniformity. If desired, metal can be case-hardened or furnished suitable for tempering. Our metal has a strength of 70,000 to 80,000 pounds to the square inch. Price quoted upon your specifications. We can ship promptly. Write us today for our booklet on Vanadium Steel.
New Process Steel Co., 100 River Street, Marshall, Mich.

TRAVELING SALESMEN

EARN \$2,000 TO \$10,000 A YEAR
when qualified. Why not be an Expert Salesman? We will teach you to be one by mail in eight weeks and assist you to secure a position with a reliable house. We have helped hundreds of men secure good positions and our schools are endorsed by leading wholesalers and manufacturers all over the United States. Hundreds of calls for our graduates. Write for our free catalog "A Knight of the Grip," and testimonials from graduates placed in good positions. Address Dept. 880
NATIONAL SALESMEN'S TRAINING ASSOCIATION
OFFICES: Monadnock Block, Chicago, Ill. Scarritt Building, Kansas City, Mo. Lumber Exchange, Minneapolis, Minn.
Write nearest office and mention paper.

16 Ft. Steel Launch with 2H.P. Engine complete \$96

18-21-25 foot launches at proportionate prices. All launches fitted with two-cycle reversing engines with speed controlling lever; simplest engine made; starts without cranking; has only 3 moving parts. Steel rowboats, \$20.00. All boats fitted with water-tight compartments; cannot sink, need no boat house. We are the largest manufacturers of pleasure boats in the world. Orders filled the day they are received. We sell direct to user, cutting out all middlemen's profits. Free catalogue.
MICHIGAN STEEL BOAT CO.
1332 Jefferson Ave., Detroit, Michigan

"SINTZ"

2 Cylinder Opposed Marine Engine
Simple, durable, economical, light weight, perfectly balanced. All parts interchangeable, always under perfect control. 8 to 20 H.P. Absolute guarantee for one year.
Catalog F sent free.
GUY L. SINTZ CO.
34 Court Street
Grand Rapids, Mich.

City Conveniences in Country Homes

All the comforts of hot and cold water in the house, and running water at the barn, now possible for country residents and farmers. The
Niagara Hydraulic Ram
will pump water from any stream just where you want it. Cheaper than a gasoline engine or windmill. Write for booklet: AA and guaranteed estimate. We furnish Caldwell Tanks and Towers. NIAGARA HYDRAULIC ENGINE CO.
140 Nassau St., N. Y. Factory, Chester, Pa.

BUILD YOUR OWN SMALL ENGINE

We sell sets of castings up to 2 horse power. Also boilers, locomotives, gas engines, etc. 32-page catalogue for 10c. 12 stamps. This amount refunded on order amounting to \$1.00 or over. Contractors for light machinery of every description.
SIPP ELECTRIC AND MACHINE COMPANY
Keene Street, Paterson, N. J.

SEND FOR SAMPLE FREE
LUBRICATES ANYTHING
15-21 S. CLINTON ST.
C.H. BESLY & CO. CHICAGO, U.S.A.

Mullins

Makes Everything In
Art Architectural Sheet Metal Work
Statuary—Ornamental Sheet Metal Work—Skylights—Fireproof Windows—Art Metal Tile Roofing—Steel Ceilings—Finials—Wrought Iron Grilles—Cornices, etc., etc. Estimates, models and designs submitted for architects, builders and contractors.
Our 120-Page Catalogue of stock designs will be sent on request.
The W. H. Mullins Co., 203 Franklin Street, Salem, Ohio.

The Latest and Best A. W. FABER "CASTELL" DRAWING PENCILS

Made of the purest graphite in 16 degrees of hardness, 6B to 8H, of the utmost delicacy of tone, permanency, durability and intensity of color.
They take the finest point obtainable of any lead pencil, are least liable to wear, therefore more lasting than any others.
Sold by all stationers and dealers in artists' materials. Sample sent to all parties interested on receipt of 10 cents in postage stamps.
A. W. FABER, 49 Dickerson Street, Newark, New Jersey