

GRIZZLY INDUSTRIAL, ING.

PURVEYORS OF FINE MACHINERY

MEMPHIS, TENNESSEE
NOW OPEN

100,000 SQ. FT.

OF SHOWROOM AND
WAREHOUSE PACKED TO
THE RAFTERS WITH TOOLS!



We have the best prices and selection of stationary tools in the country!

COMBINATION SANDER SERIES 6" X 48" BELT — 9" DISC

Pertect for the mid to large scale workshop, the G1014Z offers our new quick release for lightning fast belt changes.

- · Cast iron table, disc and body
- · Bell driven

10

- 3450 RPM, 3/4 H.P., 10/5 amps
- · Free Z Series Hat!
- Free G6683 Combo Pack
 6" x 48" Sanding Belt
 (a \$9.95 value)

MODEL G1014Z SPECIAL OFFER 1169%

F.O.B. OUR WAREHOUSE




A good-sized, heavy-duty planer at an affordable price.

- All ball bearing construction with 2 H.P. single phase motor 3450 RPM, 12 amps at 220V
- 3 knife cutterhead
- Cutterhead speed 5000 RPM
- 4 heavy-duty support columns
- Up/down calibrations are both inch and metric
- Cast iron table is precision ground to mirror-like finish.

MODEL G1021
Planer '765"
Planer w/ stand '795"

F.O.B. OUR WAREHOUSE



Effective dust collection not only keeps your shop cleaner and more pleasant to work in — it can also keep you healthier.

- · 2 H.P., 10 amps at 220V
- 2 · 4" intake holes
- 21-1/4" x 33-1/2" Portable Base
- · Can handle 2 mechines
- Free 4" x 10' Hose
- Free "Dust Collection
 Basics" Book

MODEL G1029 ONLY '279" SALE '254"

F.O.B. OUR WAREHOUSE



Colombia

16" BANDSAW


THE BEST 16" BANDSAW ON THE MARKET!

One-piece cast iron body Balanced cast iron wheels with rubber tires


- Micro-adjustable
 blade guides
- Cast iron table
- 1-1/2 H.P., 110V/220V
- motor (prewired for 220V) 2-1/2" dust collection port

MODEL G1073

F.O.B. OUR WAREHOUSE







- Heavy-duty, center-mounted fence 4" x 29-1/4"
- Free Z-Series Hat!

FO.B. OUR WAREHOUSE

10" HEAVY-DUTY TABLE SAW

Never before has such a high quality saw been offered at such a low price!

- 3 H.P., 220V, motor
- Solid cast iron table with T-slots
- Extra large hand
- wheelsMagnetic safety
- Magnetic safety
 switch

MODEL G1023

PRESIDENT'S SPECIAL 1695**

F.O.B. OUR WAREHOUSE

3 H.P. SHAPER

This machine is the hottest shaper in the U.S.A.!
PROVEN QUALITY!

- 3 H.P. motor single phase,
 220V w/ reversing switch
- 3 interchangeable spindles: 1/2", 3/4" & 1"
- 2 spindle speeds:
 7,000 & 10,000 RPM
- Table is precision-ground cast iron
- Miter gauge & fence w/ hold down springs

MODEL G1026

FO.B. OUR WAREHOUSE



14" x 40" SWIVEL-HEAD WOOD LATHE

By far the best value in a wood lathe!

SERIES

- · 1/2 H.P., TEFC motor, 1725 RPM, 110V, 8 amps
- Ball bearings in motor and spindle assemblies
- Precision-ground cast iron bed
- 13-3/4" swing over bed
- 40" gap between centers
- M.T.#2 spindle taper
- Pre-formed steel stand
 Push-button ON/OFF
- Headstock can be locked
 at any location on bed
- · Free Z-Series Hat!



OSCILLATING SPINDLE SANDER

The sander's 25" x 25" table makes cabinet doors and other large panels a breeze to edge sand.

- Heavy-duty 1 H.P.,
- 110/220V TEFC motor
- 1720 RPM, spindle speed
 Built-in 4" dust port
- Cast iron 25" x 25" table tilts to 45"
 Includes pre-formed

steel stand

MODEL G1071

ONLY '495** SALE '475**

F.O.B. OUR WAREHOUSE



CALL TODAY FOR YOUR FREE 1998 WOODWORKING CATALOG - ORDER 24 HOURS A DAY!

169398658.r

74T

MEDIA CODE

1 - 8 0 0 - 5 2 3 - 4 7 7 7

CUSTOMER SERVICE: (717)326-3806 FAX: (800)438-5901 WEBSITE: http://www.grizzlyindustrial.com



1821 Valencia St., Bellingham, WA — 4651 Hickory Hill Rd., Memphis, TN — 2406 Reach Road, Williamsport, PA





Page 40

Page 58

Better Homes and Gardens®

THE WORLD'S LEADING WOODWORKING MAGAZINE

CONTENTS

- 31 Wood profile: red pine
 This Great Lakes wood finds use in construction.
- 35 Shaker's Maine man

 Tour Thomas Moser's furniture workshop and read about his secrets for success.
- 44 Push your way to safety
 Get the lowdown on commercially available pushsticks, pushblocks, and pushshoes.
- 46 Woodworking glues

 Check out our comprehensive chart on eight common glues and see how to apply each one.
- 58 Benchtop mortisers
 Discover the advantages of owning a mortiser and what models took top honors in our test.
- 64 What a bunch of characters
 Enjoy the wit and humor of top caricature
 carvers as they re-create an Old West saloon.
- 68 Hardwood shopper
 Buy smarter with our board-foot calculator and guide to common woodworking woods.



- 40 Nautical knickknack
 Use our full-sized patterns to make this outstanding 46"-long boat shelf.
- 52 Have a ball

 Build this colorful gum ball dispenser and watch the kids crowd around to give it a try.
- 56 Scrollsawn basket
 Cut out and assemble one of the neatest scrollsaw projects you'll see anywhere.
- 70 Summer sensation Beautify your deck with this pleasing railing design. It includes louvered post lights for entertaining out of doors after sundown.



Page 64



Page 46



Page 70

SHORT-SUBJECT FEATURES

- 2 The Editor's Angle
- 4 Talking Back
- 8 What Woodworkers Need To Know
- 12 Router Bit Review—Window Sash Set
- 20 Tips From Your Shop (And Ours)
- 26 Ask WOOD
- 78 Products That Perform
- 94 Great Ideas For Your Shop

100 Finishing Touches

Better Homes and Gardens®

THE WORLD'S LEADING WOODWORKING MAGAZINE

AUGUST 1998 . Vol. 15, No. 5 . Issue No. 107

Editor LARRY CLAYTON Managing Editor JIM HARROLD Art Director C. L. GATZKE Design Editor JAMES R. DOWNING Senior Editor/Features PETER J. STEPHANO Senior Editor/How-To MARLEN KEMMET Assistant Managing Editor/Products BILL KRIER Senior Editor/Special-Interest LARRY JOHNSTON General-Interest Editor DAVE CAMPBELL Associate Art Director PERRY A. McFARLIN Assistant Design Editor/Project Builder JAN HALE SVEC Project Builder CHARLES I. HEDLUND Senior Graphic Designer CHERYL A, CIBULA Production/Office Manager MARGARET CLOSNER Administrative Assistant SHERYL MUNYON Art Business Office Secretary BARBARA HELPS Correspondence Writer ROBBY PEDERSEN Contributing Editors KIM DOWNING, DAVE HENDERSON, LORNA JOHNSON, ROXANNE LEMOINE, BOB McFARLIN

> ©Copyright Meredith Corporation 1998 All rights reserved. Printed in the U.S.A.

Better Homes and Gardens® WOOD® magazine (ISSN-0743-894X) is published nine times a year in January, February, March, April, June, August, October, November, and December by Meredith Corporation, 1716 Locust St., Des Moines, Ia 50309-3023. Periodicals postage paid at Des Moines, Iowa, and additional mailing offices. Better Homes and Gardens trademark registered in Canada and Australia. Marca Registrada en México. ONE-VEAR SUBSCRIPTION PRICES: U.S. and its possessions, \$27; Canada, \$39; other constructs, \$47. Canadian GST Reg. #IBN 12348 2887 RT. POSTMASTER: Send address changes to Better Homes and Gardens WOOD Magazine, P.O. Box 55050, Boulder, CO 80328-5050.

CUSTOMER SERVICE INFORMATION: For service on your magazine subscription including change of address, phone toll-free 800/374-9663. Or, write to Better Homes and Gardens WOOD Magazine, P.O. Box 55050, Boulder, CO 80328-5050. Please enclose your address label from a recent issue.

address label from a recent issue.

EDITORIAL INFORMATION: Address letters and questions to THE EDITOR, WOOD Magazine, 1912 Grand Avenue, Des Moines, IA 50309-3379.

ATTENTION RETAILERS: To carry WOOD magazine in your store, call 800/659-5990, or write: Select Title Program, WOOD Magazine, 900 Kingsland, Batavia, IL 60510.

Better Homes and Gardense



at http://www.woodmagazine.com

You'll find some great new features now appearing on WOOD ONLINE®. Our 103-issue cumulative index makes it easier than ever before to find all the goodies in previous issues of the magazine. And, you can print it out to peruse at your leisure. (Of course, you can still rely on our up-to-the-issue searchable online index, too.) And our handy Drill-Press Speed Chart stands ready to answer your boring questions. Be sure, also, to visit WOOD magazine's Woodworking Hall of Fame to learn about some stars of woodworking.



WOOD magazine staffers Jim Harrold, Chuck Hedlund, Pete Stephano, and I look on as three residents of The Homestead Living and Learning Center enjoy posing behind The Snow Family.

About a decade ago, my in-laws had a death in their family that required them to be away for Christmas. After some discussion, the rest of us decided to wait and celebrate when they returned. Doing that turned out to be the luckiest thing we have ever done.

Sitting around the kitchen table, we decided we'd like to somehow make Christmas less commercial. I forget who it was, but someone mentioned going to a local residential care facility on Christmas Eve to spread some cheer. We baked some cookies, the kids made and then decorated enough greeting cards for all of the facility's residents, and then we piled into my brother-in-law's van.

How could we have known what we were about to experience that day? As we met and chatted with the people at the facility, we all were filled with a sense of joy that had eluded us for the past several years. We've gone back every year since then, and seeing our newfound friends continues to be the best part of our Christmas.

Recently, the WOOD® magazine staff and I had a similar experience. For some time now, we have been wanting to do something to make a difference in our community, and this year, out of

the blue, a former secretary of mine called. Marge now works for The Homestead Living and Learning Center near Des Moines. (This organization operates an agricultural-based living and learning community for adult Iowans with autism.) She wanted to know if we had any extra outdoor Christmas ornaments that were looking for a new home.

As it turns out, we did have, but they were in pretty rough shape. So several of us spent some time one afternoon touching up and repairing the ornaments.

As you can see in the photo, the residents reacted favorably to the colorful ornaments that we presented to them. And according to Steve Mueller, executive director of The Homestead, the ornaments helped raise the spirits of families and staff, too.

I relate these experiences to you because I'd like to encourage you to use your woodworking talents to bring joy to those you know, and even those you don't. There are plenty of opportunities to do good. And believe me, by getting involved, you will receive much more than you give.

Farry Clayton

IT WON'T LET YOU CONQUER THE WORLD, BUT YOU CAN SURE BLOW THROUGH SUB-DIVISIONS.



The new Bosch 14.4 volt cordless T-handle drill/driver gives you unprecedented power and run time. It's lighter than the competition, too. Who knows, maybe now Rome can be built in a day.







Publisher WILLIAM R. REED
Advertising Director MARK HAGEN
Manager, Marketing and New Business Development
CATHERINE BJORK

Asst. Advertising Services Supervisor PAT HENDERSHOTT

Display Advertising: 333 N. Michigan Ave., Suite 1 101, Chicago, IL 60601 Phone: 312/853-2890 FAX: 312/580-7906
Eastern Advertising Manager JAMES N. FORD
Western Advertising Manager WILL MURPHY
Administrative Assistant GERALLIE LEGASPI

Direct Response Advertising: 1912 Grand Ave., Des Moines, IA 50309-3379 Phone: 515/284-3785 FAX: 515/284-3343 Direct Response Advertising Manager RICH RAINFORTH Direct Response Advertising CINDY ANDERSON,

PATRICK MADDEN

Administrative Assistant: KRISTI HASEK.
Classified Advertising: Phone: 800/424-3090 FAX: 312/464-0512.

Circulation Director LIZ BREDESON
Associate Circulation Director KATHI PRIEN
Business Manager JANET DONNELLY
Senior Product Manager RICK GROW

Publishing Director JERRY WARD

MEREDITH PUBLISHING GROUP

CHRISTOPHER M. LITTLE, President
JERRY KAPLAN, Group Sales; BILL MURPHY, Strategic Marketing;
NAX RUNCIMAN, Finance; BRUCE HESTON, Manufacturing;
HAL ORINGER, Circulation; DEAN PIETERS, Operations



WILLIAM T. KERR, President and Chief Executive Officer
E. T. MEREDITH III, Chairman of the Executive Committee

TALKING BACK

A screwy difference between countries


After reading in issue #103 of WOOD magazine about "Robertson" and "square-drive" screws, I decided to do some research. To my surprise, I discovered that they are actually two different products.

It turns out that when Canadian Peter Lymburner Robertson patented his screw head and driver, he specified that they only be manufactured in Canada. After its introduction, though, U.S. woodworkers discovered the advantages of the Robertson screw and began requesting it.

Because of trade limitations, U.S. manufacturers developed the

"square-drive" screw and driver. The two products are just slightly different. The Robertson's socket has a slight inward taper, and the square-drive screws have square-cornered sockets as shown below.

-Tom Rawley, Cambridge, Ontario




It's better to shim than punch tailstock

I was shocked when I read the article, "Tuning Your Lathe" in issue #101. Shocked, because it's a bad idea to center-punch the tailstock to raise it. I have been in machine repair for 37 years, and believe this a temporary fix at best. Those sharp center punch marks will eventually score the ways, and create bigger problems than what you started with. It

would be far better to raise the tailstock with brass shims. Shimstock is available in .0015" and thicker for this purpose. I suggest leaving the stock long, bending the material up on the ends as illustrated below, and fastening the brass to the tailstock using 1/8" pop rivets or metal screws.

-Ken Klass, Orchard Park, N.Y.



Let us know what's on your mind

We welcome your comments, criticisms, suggestions, and yes, even compliments. We'll do our level best to publish letters of the great-

est benefit to all of our readers. Write to us at: Talking Back, WOOD Magazine, 1912 Grand Ave., Des Moines, IA 50309-3379.

Turning scraps into teaching tools

Pete Stephano's article in the January 1997 issue, "Woodworkers to the Rescue," made me want to share a way that almost any woodworker can help others.

Many woodworkers have saved small pieces of hardwood—pieces too big to throw away and too small to ever use. These scraps, along with ¼" dowels, can become indispensable by turning them into alphabet blocks for kids trying to learn Braille.

-Ray Duffee, Boone, Iowa

Ray, we were so intrigued by your idea that we contacted Nancy Lavack, of the Texas School for the Blind and Visually Impaired. Nancy told us that while there is some need in the U.S., other countries need these materials even more. One school in Nigeria has over 400 unsighted children and virtually no teaching tools.

Readers, if you're interested in helping out, write to Nancy and she will send you a Braille chart with the 27 symbols you need to know. Every Braille symbol consists of different combinations of dots placed on a six-point grid. With 27 combinations, your set

will help a child learn all the letters and numbers. Making extra blocks for some of the letters, like vowels, will allow the kids to spell simple words. If you want to spend an afternoon making a set, here are some tips that will help.

I. Make the blocks: Gut the scrap into 3/3×23/8×31/2" blocks. Each block will require from one to five 1/4" dowel pins. Drill the necessary 1/4" boles 3/8" deep, using the grid shown in the illustration right. Round the edges, and sand each block.


2. Make the pins: Cut the 1/4" dowels into pieces 7/8" long. Sand the tops to a round shape so they will better simulate the actual Braille type children will

eventually read. Then, glue the dowel pins in the holes.

3. Leave the blocks unfinished: Blind children must "see" with their fingers, noses, and ears. Leaving the blocks unfinished gives the children an opportunity to feel and smell the differences between wood varieties. Consequently, not only will they be learning to read, they will begin to understand and appreciate wood. So, feel free to use a wide variety of woods in a set. Of course, avoid potentially toxic woods, such as cocobolo.

4. Mark the blocks: So the kids will know which end is the top, saw a 1/8" kerf in the top of the block. Also, write the kind of wood and the character represented on the back of each block. This way, even teachers who don't know Braille or wood can help kids learn with your blocks.


To receive a Braille chart and additional information, write to Braille Blocks Project, Texas School for the Blind and Visually Impatred, 1100 W. 45th St., Austin, Texas. Remember, postage and materials are tax deductible, and you just might belp someone learn to love wood as much as you do.





Fourdard.








Ram Quad Cab's four doors open to a remarkably spacious interior, a newly redesigned instrument panel, and a new, standard passenger-side airbag!



Dodge Ram has received the J.D. Power and Associates award for "Most Appealing Full-Size Pickup" three years in a row.* Building
better bodies
through
computers: our
new four-door
Quad has the
same structural sour

same structural soundness as our two-door Club.

Nothing matches the powerful line of Magnum® engines, with a V-6, a choice of two V-8s, the largest, most powerful gas engine on the market—a 300-horsepower







WHAT WOODWORKERS NEED TO KNOW

Woodworking's Greatest Hits

You'll be in the swing with these handy hammers

Drive nails, tacks, and brads with a lightweight nail hammer like this 12-oz. model. Grip the handle near the end for a powerful swing, and lay your thumb along the top for better control.

Woodworkers accustomed to putting pieces together with screws and glue might not think of a hammer as an essential tool. But even if you don't drive 16-penny nails, here are two hammers and a mallet that will earn their keep in your shop.

Nail hammer: the old woodworking standby

While most carpenters rely on a 16- or even 20-oz. nail hammer, a lighter one, say 12 or 13 oz., often serves cabinet-makers and furnituremakers best. One like the 12-oz. claw hammer, shown *left*, fills the bill for general woodworking use.

If you drive a lot of small brads or escutcheon pins, try a Warrington pattern hammer as your nail hammer. Instead of the usual nailpulling claws, this one has a straight cross peen, shown right. The narrow face makes starting small nails easy, as shown.


We like a hardwood handle—particularly hickory or northern ash—for a nail hammer. Wood absorbs shock for more comfortable use, and it's replaceable.

Grab a nail hammer for:

- Driving nails, brads, and tacks.
- Setting nails with a nailset.
- Tapping a centerpunch to mark drill centers on wood.

Don't use it for:

- Striking woodworking chisels, cold chisels, or star drills.
- •Driving masonry nails. (A heavier hammer is better.)
- Pounding metal against an anvil.



You won't smash your fingers when starting small brads or nails with the straight cross peen on this 6-oz. Warrington pattern hammer. Choke up on the handle for a lighter swing.

Dead-blow hammer: a solid hitter with a gentle touch

The dead-blow hammer's hollow head, filled with steel shot, deliv-

The dead-blow hammer, left, minimizes marring when striking wood—this 14-ouncer didn't mark the soft cedar. A lighter nall hammer dimpled the surface, right, when swung with the

same force.

ers a solid blow without rebounding. Some dead-blow hammers feature replaceable steel or plastic faces. For woodworking, however, we prefer a 14-oz. urethane-encapsulated type, shown below.

The resilient covering, coupled with the no-bounce hit, minimizes

surface marring when you use this hammer against wood. There's no better tool for tapping joints together or knocking them apart. You usually won't have to take mighty swings with this hammer, which also prevents damage to project parts.

Use a dead-blow hammer for:

- Assembling/disassembling joints.
- · Aligning parts.
- Setting dowels or splines.
- Adjusting/tuning tools.

Don't use it for:

- ·Striking chisels.
- · Driving nails or other fasteners.
- Hitting sharp objects that could damage the covering.

Continued on page 10



The Mirage® Hearing Aid... So Small It's Virtually Invisible...


The Mirage® hearing aid is so advanced and compact it fits completely into the ear canal. In fact, the Miracle-Ear® Mirage® is designed to maximize your natural ability to hear sounds. Yet within this tiny hearing aid we've incorporated some of our latest technology.

• So tiny that it's virtually invisible to those around you.

 Available with advanced compression circuitry that automatically controls the volume in loud environments, so you don't have to fiddle with volume controls.

 Reduced likelihood of phone feedback because of its special design.

To receive details about the Mirage® hearing aid, as well as other helpful hearing information, mail the attached postage-paid card today, or call toll-free: **1-800-896-6400**.



Information Library



Discover important facts about hearing loss ... and the Miracle-Ear® Mirage® hearing aid. Simply mail the attached postage-paid card, or call our toll-free number, 1-800-896-6400, for your free Hearing Loss & You Information Library. You'll receive a special booklet and an educational videotape without charge or obligation. It's easy to get answers. The information's free. And you're under no obligation whatsoever. Do it today!

Circle No. 1984

New FEIN "Multi-Master" Saws Flush to any **Surface**



Now you can saw flush to any surface with your FEIN "Triangle" Sander. The newly named FEIN "Multi-Master" comes equipped as a Detail Sander, but now also includes a Flush cutting blade, and a Scraper blade.

When you combine the value of the Detail Sander, Saw blade, and Scraper, you've got a complete package to handle multiple tasks.

Oscillating Technology Revealed

The FEIN Multi-Master uses a patented Oscillating movement. Tools mounted onto your Multi-Master pivot around a central point, back and forth in a rapid motion that appears as a blur to the naked eye. The movement is gentle; so gentle in fact if the saw blade touches your skin, it won't cut you. But it will cut wood, fiberglass, plastics, and even metal. This is the same technology doctors have been using for years to remove casts from broken limbs.

It's easy to get more information, simply call: (800) 441-9878 and ask for a free color brochure

FEIN Power Tools Inc.

1030 Alcon Street Pittsburgh, PA 15220 (412)922-8886 Fax: (412)922-8767



WHAT WOODWORKERS NEED TO KNOW

Continued from page 8

Woodworking's Greatest Hits

Wooden mallet: your best bet for striking a chisel

If you own woodworking chisels, you need a wooden mallet like the one shown below. It's the tool best suited to driving chisels.

The mallet's large, flat, angled faces ensure that you'll hit the chisel squarely every time. Hitting the end of a chisel with a nail hammer's small face calls for unerring aim and concentration—which means

chisel handle when you should be paying attention to the sharp end. (A steel hammer head can clobber up a wooden chisel handle pretty badly, too.)

Count on a wooden mallet for:

- Striking woodworking chisels—the tool's main purpose.
- Assembling or disassembling joints.
- · Aligning parts.

Don't use it for:

·Striking anything metal or sharp.




A wooden mallet excels at driving woodworking chiscls. The large striking face is angled to hit the chisel squarely.

Check out these commonsense hints for hammering

Hammering is practically instinctive. Nonetheless, observing a few rules will make it safer and easier.

- ✓ Always wear eye protection. Any number of things can start flying around when you're wielding a hammer, many of them sharp. And most of them will fly right toward your eyes.
- ✓ Strike only on the face or peen of the hammer. Never hit with the side of one.
- For greatest power, grip the handle near the end, placing your thumb along the top of the handle. Take a long swing, using your arm, not just your wrist.
- For more control on delicate jobs, choke up toward the hammerhead, and take a shorter swing. Here you can swing from your wrist.
- Don't use a hammer with a damaged handle, loose head, or chipped face. Beware of old hammers, too. Some may have cast-iron heads, which can shatter. Virtually all hammers manufactured today feature forged, heat-treated heads.

Photographs: Hetherington Photography



Create beautiful edges, from a classic round over to a multi-pass cut, Freud bits can turn your router into a real dream machine.

Freud router bits cut super smooth profiles that you never have to sand. The relief angle of each bit is ground precisely to prevent the friction that causes rough edges and burning. Proper grinding also extends the life of your bit.

Our micro-grain carbide tips are the thickest in the industry. This makes them less prone to chipping and insures a long resharpening life. Tri-metal brazing is flexible enough to allow the carbide and steel to contract without any residual stresses.

Your safety is always most important, so we've made every Freud router bit with a special **anti-kickback design** that really works. It doesn't interfere with the speed or performance of your bit, but it does help keep you safe.

When you need just the right profile to turn your project into a masterpiece, Freud offers the widest selection

of bits for any woodworking application (Including hard to find architectural and complex moulding profiles). Try one and you'll see why Freud is precisely what you need.

Precisely what you need.

Call us for a free catalog 800-472-7307.

Window Sash Set


We shed some light on how to use these tricky bits


f you've considered making your own custom windows or french doors, but thought the task was a little too involved, here's a bit set that helps you get great results without a lot of fuss. Window sash sets consist of two bits like those above. With them you can make traditionally styled rail-and-stile frames with coped joints and a rabbeted side for accepting glass. You can also make the narrow sash bars and muntins for holding multiple panes of glass (our window right shows four panes, but your window or door may have many more depending on its size). All of the coped joints are reinforced with tenons for long-lasting durability.


Because you will plow these bits through 13%"-thick stock, they come with sturdy ½" shanks. For safety and good results, use them with a router rated at 1½ hp or more mounted in a table. All set? Let's go through the easy steps in using this bit.


Cut your stiles, rails, sash bars, and muntins to width and length from 13%"-thick stock. Here's how to calculate the lengths of your parts, using an 18×24" window with 3"-wide rails and stiles as an example.

First, cut the stiles to the full height of the window (24"). To figure rail length, subtract the combined width of the stiles (6") from the finished width of the window (18"). To this number (12"), add the length of two tenons (14" + 14")










Continued on page 14



ROUTER BIT REVIEW


Continued from page 12

and ½" (for the coped joint). So, for our example we cut the rails 15" long. Cut the sash bars and muntins ¾" wide and calculate their lengths as you did the rails. (Plan to cut 1¼"-long tenons on both ends of the sash bar and muntins; you'll trim the muntin tenons that intersect with the sash bars to ½" long later.)


Mark the face side of your workpieces (the inside surface of your window or the mostviewed side of your door). Also mark the outside edges of the rails and stiles, and place marks centered on the rails and stiles where they intersect with the muntins and sash bar, and on the sash bar where it intersects with the muntins.

To cut 1½" tenons on both ends of the rails, sash bars, and muntins, install a full-width dado set in your tablesaw and adjust it for a ¾"-high cut. Position the saw's fence 1½" from the side of the dado set farthest from the fence. Place the workpiece on the tablesaw face down with one edge against a miter gauge, and one end against the fence. Make the cut in multiple passes as shown below.

Position the rail, sash bar, or muntin face side up on the tablesaw. Place a 1/8" spacer between the workpiece and tablesaw top as shown below, and make the same cut as described in the previous step. Your tenons should be 1/4" thick.





Install the coping bit in your router table. Place the face side of a rail on the table and adjust the coping bit up so the tops of its cutters contact the tenon. With the fence adjusted so the coping bit cuts ¼" past the tenon shoulder, cut both ends of the rails, sash bar, and muntins. (For a 1¼"-long tenon, set the fence 1½" from the cutter tip with the tip rotated to its farthest distance from the fence.)




Complete the tenon cuts on the rails by placing them outside edge down on the tablesaw. Make multiple cuts with the dado set \(\frac{3}{8} \) high as before


Mark the positions of the mortises on the stiles by using the tenon that mates with it. First, as shown below, stand the stile inside edge up on a work surface







Continued on page 18



Hold everything.


Here's the third hand you always wanted: the revolutionary QUICK-GRIP® Bar Clamp.

Its unique pistol-grip handle lets you hold the clamp and adjust jaw pressure with just one hand an easy solution to even the most demanding clamping problem.

For wood, plastic or other materials, the QUICK-GRIP Bar Clamp makes any job easier and faster.

You'll know why, the first time you hold one in your hand — it's light, strong, quick to use. It's just what you'd expect from the makers of VISE-GRIP® Tools.

OUICK-GRIP





Catalogs for Craftsmen select the catalogs you want



ACCENTS IN PINE—Huge variety of top-quality plans...Over 1500 full-size patterns! Illustrated catalog PLUS sample pattern. \$2.00



2 ADAMS WOOD PRODUCT8-Wood table legs, bases, and furniture components-no minimum. FREE



ADVANCED MACHINERY— Craft and woodworking catalog of top-quality tools and acces-sories. HEGNER Scroll Saws, blades and accessories. NEW &



AMERICAN FURNITURE DESIGNS-The finest furniture plans on the market, 36" x 48" CAD generated designs, pictures and detailed finishing instructions, \$3.00



5 ANDERSON MFG. CO. Specializes in all sizes of ready-to-assemble underbed dressers. 48 page catalog.



6 BALDWIN TOY CO.-New Catalog. Plans and kits for collectors' and childrens' toys. \$3.00



IB DAKOTA ALERT-A bell rings in your house anytime someone walks or drives into your place. FREE



14 ECON ABRASIVES—We make abrasive belts, any size, any grit; plus hundreds of abrasive specialties. FREE



FELDER-54 page catalog of quality European woodworking machinery for the demanding hobbiest and the professional, \$4.00



THE FURNITURE DESIGNS INC .- Since 1968. Full-size plans for making fine furniture. \$3.00



GARRETT WADE-Catalog of the finest woodworking tools, finishing supplies and machinery. FREE



IB GRIZZLY INDUSTRIAL-Free 208 page woodworking catalog with over 5000 products! FREE



型 LIGNOMAT—"Mini-Ligno" moisture meter reads surface or core moisture. Works on rough sawn lumber, curved or round pieces. Catalog describes complete line. FREE



26 McFEELY'S—Specializes in square drive screws and other woodworking essentials. Full-color catalog, \$2,00



27 MEISEL HARDWARE SPECIALTIES-100 page full color catalog of plans to build over 1,000 woodworking projects. Catalog and sample plan (\$9.99 value) \$2.00



20 MINUTEMAN—Discover complete, easy, efficient furniture restoration business ideal for men, women, families Successful for 28+ years; 3,000+ shops. FREE



MLCS—Has the products and information to make your woodworking projects easy! Huge selection! Carbide tipped router bits, clamps, tools and supplies. Free Shipping. FREE



30 BUILD A WOODEN SHIP MODEL—Museum quality replicas, up to 4 feet long. Kits contain pre-cut wooden parts. metal and brass fittings, easy Instructions, \$1.00



RED HILL CORPORATION-Supergrit® Abrasives 32 page catalog & close-out sheet on fine abrasives and refinshing products. FREE



S. LaRose—Our Keen Book has the most comprehensive selection of supplies for clockmakers, \$2.50



SCM—Specializes in high speed engraving and sandblast-ing equipment. No artistic ability needed. In-house stencil making capability. Engrave on wood, glass, metal, stone. FREE



10 SUPERSHOP—Have a complete home shop today with the SuperShop — it's 10 tools in ft



SPECIALTY FURNITURE
DESIGNS—NEW '98 color catalog. Our plans offer a wide range of skill level from beginning child handicraft to advanced adult woodworker. \$3.00



22 STEELMASTER-Free catalog. Custom Built arch style steel buildings, 100% clear-span. Perfect outdoor



TOYS & JOYS-Executive wood toys — patterns and parts, wheels, pegs, for all your toy making needs. \$1.00



WILDWOOD DESIGNS-Amazing scrollsaw fretwork patterns and supplies-clock movements, blades, hardwood-48 pages. FREE



WODDCRAFT-Woodcraft catalog features the finest quality woodworking tools, books, and an extensive selection of hardwoods and hard-

ware! FREE



WOODLINE JAPAN-TWO year subscription for a complete catalog of Japanese woodworking tools. \$2.00



MOODLINE ARIZONA -Offers lowest prices for high quality super carbide tipped router bits and shaper cutters, FREE



51 WOODMARK—Traditional liard maple workbench, complete shop air filtration, and downdraft system for sanding, carving, etc. \$1.00

from these 54 listings!



BEREA-Mechanisms for wooden barrel pens, pencils, rollerbalts and fountain pens. \$1.00




B CMT UTENSILI-The original orange router bits, boring bits, and drill bits made in Italy. Full color 116 pages. FREE



9 CONSTANTINES—Veneers, lumber, inlays, adhesives, hardware, tools, books, plans and more. Over 5000 hard-to-find products. 100% guaranteed.



TOOLS—Professional quality equipment for America's woodworking enthusiasts since 1953. FREE



T CRAFT INDUSTRIAL GLASS-High quality glass shipped to you from the finest manufacturers. All types, shapes & sizes available, FREE



TE CRAFTS SUPPLIES USA-Offers the finest quality pen kits, project kits and woodturning supplies available, FREE



19 HARBOR FREIGHT-Thousands of quality brand name tools for the do-it-yourselfer or professional. 115 pg.



20 HIGHLAND HARDWARE More than Just a list of manufacturer's specs, Highland Hardware's giant catalog explains each woodworking tool in detail. FREE



21 INDUSTRIAL ABRASIVES CO .- Full line of quality abrasive products. Bells (any size, any grit), Sheets, Discs and Much More! FREE



22 INTERNATIONAL TOOL CORPORATION-Features the finest quality power tools at the lowest prices anywhere!



W JESADA TOOLS—Fullcolor catalog. Router bits, shaper cutters, saw blades planer and jointer knives and more, FREE



24 KLOCKIT—Clockmaking kis, plans, quartz and mechanical movements, clock inserts, dials, hands, hardware and more. For all skill levels. Color catalog. FREE



NYLE DRY KILNS—Free booklet answers your questions on affordable lumber drying right in your own shop. Comes with complete product literature, FREE



32 OLD WORLD MACHINERY—Extensive line of European combination machines, band saws and morel Highest quality and value! Information packet. \$1.00



PACE EDWARDS CO.-Roll-Top Cover for pickups easily rolls out to keep conlents secure and dry. Retracts automatically when not required. Great product! FREE



PENN STATE INDUSTRIES—Unique products, projects and kits for the woodworker. Specializing in dust collection equipment and acces-



FERFORMAX PRODUCTS, INC.-Brochures on complete line of drum sanders for abrasive planing, thickness dimensioning, and fine finishing sanding. 50¢



ET RB INDUSTRIES-1998 catalog-HAWK Precision ULTRA scroll saws, Universal wood planers, drum sanders, Panelmaster II, router tables, & more, FREE



TERRCO INC.—Produces Tool Catalog. Yurning & carving tools, planes, chisels, sharpening equipment for all your sign carving & wood engraving supplies, books and videos.



TOOL CRIB OF THE NORTH—108 pages of the most requested woodworking and power tools from top name manufacturers. FREE

Catalogs for Craftsmen ORDERFORM

Better Homes and Gardens® WOOD Magazine, August 1998 Dept. AGCS98 P.O. Box 14411

TO ENSURE PROMPT HANDLING OF YOUR ORDER

- Enclose check or money order for cost of booklets plus \$2.00 service charge (no stamps accepted)
- Send coupon and remittance to address above
- **ALLOW 4-6 WEEKS FOR DELIVERY**
- Coupon expires July 26, 1999

Des Moines, IA 50309-3411

FOLLOW THESE INSTRUCTIONS:

- Circle your choice

WOOD SUBSCRIPTION A 1 year subscription (9 issues) for \$27.00 (U.S. price—a \$26.55 savings off newsstand rate. Allow 6-8 weeks for first issue. Be sure to include payment with total helow



52 WOODMASTER TOOLS INC .- FREE FACTS on Woodmaster 12-in., 18-in. and 25-in. planer/molder/ sander/saws. Made in USA.



THE WOODWORKERS' STORE-Over 4.500 products including hardware, wood, tools and know how. Exclusive, hardto-find specialties! FREE




PARAGRAPHICS-NOW YOU can engrave too — Ultra High Speed Handpiece with easy to use patterns and video. \$1.00


1, \$2.00	8. FREE	15. \$4.00	22. FREE	29. FREE	36. FREE	43. FREE	50. FREE
2. FREE	9. FREE	16, \$3,00	23. FREE	30, \$1,00	37, FREE	44. \$2.00	51. \$1.00
3. FREE	10. FREE	17. FREE	24. FREE	31. FREE	38. \$2.50	45. FREE	52. FREE
4, \$3.00	11. FREE	18. FREE	25. FREE	32, \$1.00	39. FREE	46. \$1.00	53. FREE
5. FREE	12. FREE	19. FREE	26, \$2,00	33. FREE	40. FREE	47. FREE	54. \$1.00
6. \$3.00	13. FREE	20, FREE	27, \$2.00	34. FREE	41. \$3.00	48. FREE	
7. \$1,00	14. FREE	21. FREE	28. FREE	35. 50¢	42. FREE	49. \$2.00	


Name	I AM ENC		LOSING:
Address		\$	for priced items
City	State	\$ 2.00	for handling
ZIP	Phone	\$	total remittance

ROUTER BIT REVIEW

Continued from page 14







and position the rail to mark the length of the mortise. Then, rest the rail on top of the stile as shown above to mark the mortise width. Use the same steps to mark the position of the mortises that hold the sash bar and muntin tenons.

Cut the mortises 36" deeper than the length of the tenons. The mortise in the sash bar will go completely through it.

Install the profile bit in your router table and adjust it as shown below. With the face side down, mold the inside edges of the rails and stiles.

To perform the same operation on the sash bar and muntins, clamp a secondary fence onto the router table as shown above. Make this fence from 1¼"-thick stock, and position it so the sash bar and muntins slide snugly between it and the main fence.

Mold both edges of the sash bar and muntins. Use pushsticks to pass the stock between the fences.

Use a fine-toothed saw to remove the small amount of material on the outside end of each stile mortise as shown in the illustration above and in the Stile Detail drawing on page 12. If you make more than one window or door you may want to set up a router table with a straight bit to do this more quickly.

Now's a good time to trim the muntin tenons that intersect the sash bar. Cut them to \%" long.

Assemble the project without glue to check for fit and squareness. Disassemble, apply glue to all mating surfaces, and clamp. Check for square again before the glue sets up.

Install the glass in the rabbeted openings on the back face of the door or window. Each pane should be 1/8" smaller in width and length than the rabbeted opening it fits into. Mount the glass in place with glazing points and glazing putty, or with quarter-round strips of wood mitered on their ends and nailed down (see the Glass Stop Detail drawing on page 12).

ADJUST PROFILING BIT SO BOTTOM EDGE OF RABBETING CUTTER RESTS ON TENON.

INSIDE FACE OF WINDOW DOWN

Written by Bill Krier with Chuck Hedlund Illustrations: Kim Downing, Brian Jensen Photograph: John Hetherington

Makita 30% LONGER RUN TIME NEW Nickel Metal Hydride (Ni-MH) Battery Powered Cordless Drill **Highest Capacity and Longest** Run Time of Any Rechargeable 2.2 Ah Battery Available. Longer Run Time Ni-MH **Power Source** LONGER RUNTIME Number of 1/4" x 3-1/2" Lag Bolts Driven in a 4 x 4 Number of 2" Drywall Screws In a Treated 4 x 4 MAKITA 14.4V Ni-MH 0000000000 349 Competitive models tested: N-Alth Makita 62330WBE, Ni-Cd Makita 62330WAE, DeWalt DW991K2 2,2/A/h

Nickel-Metal Hydride 14.4V



For more information, call 1-800-4-MAKITA.



Top Tip winner Allan Kruger enjoys some time at the scrollsaw.

Most of us can only dream of the life Allan Kruger has made for himself. His 28×30' workshop, nestled into the side of the White Mountains of Arizona, overlooks the high desert. When Allan and his wife Olga aren't making wooden crafts to sell at shows, he likes to make furniture.

Living this way has disadvantages, though. Allan can't harvest material from the woods surrounding his home (most of it is national park land). And because he's miles from "civilization," just running to the hardware store is a major time commitment. So, when he needed a hold-down clamp, Allan found it faster to make his own. And we're glad he did because we've chosen his clamp right as this issue's Top Shop Tip.

Like Allan, you've probably come up with your own unique solutions to woodworking problems. If so, your idea may be worth \$40. And if we select it as the Top Shop Tip, you'll win a valuable tool prize. To submit a tip, send a letter, including your daytime phone number, and a photo or drawing of your idea, to:

Tips From Your Shop (And Ours) WOOD® Magazine 1912 Grand Ave. Des Moines, IA 50309-3379

GENERAL-INTEREST EDITOR

Hold it! These holddowns are homemade

While building a project, I found myself needing a hold-down clamp. Because I live over 200 miles from the nearest home improvement center, I thought I'd try to make my own. The clamp shown below works so well, I've made several more since.

I cut the handle, arm, and base from scraps of hard maple. To make the shoe, I ground the head of a carriage bolt flat and epoxied a faucet washer to the head.

As our Top Shop Tip winner, Allan receives a Makita 3521 1½-hp plunge router. Thanks for the tip, Allan!




The clamp screws to a jig or fence from the bottom, but when that's a problem, I bolt it to a larger plate, then screw the plate to my work surface. You can also accommodate

thicker workpieces by making a taller base, or by inserting a spacer to raise the clamp height.

-Allan Kruger, Eagar, Ariz.

WOOD MAGAZINE AUGUST 1998



TOP

SHOP THP





It's never been easier to get a beautiful, professional-looking finish. Olympic Wood Stain, with its exclusive Absorption Control Formula, minimizes blotching, streaking and lapmarks. Complete the job with Olympic Polyurethane (Oil or Water Based) and you'll achieve the look—and the satisfaction—you worked for.

INTERIOR PRODUCTS

Visit our web site at www.ppgaf.com

Great Clamps – Low Prices

Clamps From Garrett Wade

These are German made with the expected high quality design and workmanship—and at less than \$4.50 each, they are a phenomenal value.

Light, strong and easy to use (throat depth 2½") with vinyl capped swivel ends and wooden handles. It's terrific to have a bunch around the shop. The Clamp size (listed below) is the maximum opening.

We cannot recommend these enough. Ten of each saves you considerably. Real value doesn't come any better than this.


Regular Sale

37F02.10 4" Cab. Clamp(10) \$59.95 \$42.50 37F02.20 8" Cab. Clamp(10) \$65.95 \$46.75 37F02.30 12" Cab. Clamp(10) \$71.95 \$49.95

Combo. Set consists of 10 of each of the 3 sizes of clamps. 30 Clamps total-only \$4.40 each.

37F20.10 Combo. Set \$197.85 \$132.25

Garrett Wade 161 6th Avenue New York, NY 10013 Shipping Charges Sets of 10 are \$6.95 Sets of 30 are \$9.95



FREE GARRETT WADE CATALOG

Our high quality Woodworking Catalog has thousands of tools to choose from. Visit our web site at www.garrettwade.com or call us at the numbers below.

CALL TOLL-FREE 800-221-2942 or fax 800-566-9525

Circle No. 44

The Better Scroll Saw: HEGNER Thousands of HEGNER owners, as well as major woodworking publications agree that HEGNER saws offer many advantages over all brands. Try one yourself and discover how HEGNER makes it better: Multimax 149 clean, accurate cuts with no sanding easy blade TOP TOOL change · smooth, quiet operation long blade life Safety-Stop upper arm Space-saving design ADVANCED MACHINERY Call or write for a FREE catalog 1.800.322.2226 Dept. 808 • P.O. Box 312 • New Castle, DE 19720

TIPS FROM YOUR SHOP (AND OURS)

Continued from page 20


Speedy sorter for mixed nuts (and bolts)

I collect nuts and bolts like a magnet. But I couldn't use them if I couldn't find them, so I needed a way to quickly size and sort them.

In a piece of scrap lumber, I mounted T-nuts of the most common thread sizes, and wrote the size of the nut next to it. I drilled a hole at the top of the sizer, and hung it on the pegboard over my workbench.

Whenever I have bolts left over from a project, I try them in each hole of the sizer until I get a fit, then store them according to size. It works so well, I made another one to sort nuts, by putting bolts through the T-nuts from the back.

-Jim Jaffe, Hawthorne, NJ.



HEGNER makes it better!

www.advmachinery.com

(tell your operator your code is: 808)


Rack keeps extension cords at the ready


After watching me wrestle with a 50' extension cord to wind it back onto a flimsy plastic holder, my wife suggested a more convenient

solution—a wall-mounted rack next to the electrical outlet. The rack I built, shown below, leaves both hands free to wrap up the

cord. To make the cord easier to remove, I installed "latches" that swivel out of the way.

-Michael Ward, Spring Valley, Ill.





Custom pushblock safer for small pieces

I needed to chamfer the edges of a small block of wood to make a decorative post cap. But when I tried to use my regular pushstick, the tablesaw blade twisted the


block away from the fence, gouging the workpiece

beyond repair.


To keep the workpiece under control, I built a custom pushblock from 2×4 scrap, as shown at *right*. By cutting a notch in the scrap to fit the workpiece, the pushblock holds the work

Pushblock Workpiece FRONT VIEW firmly when making the cut, and prevents the saw blade from twisting and pulling the stock away from the fence.

-Richard Rosencrans, Cody, Wyo.



Continued on page 24



REE SANDING BELTS BUY A DOZEN GET A DOZEN FREE

FULL MONEY BACK GUA	ARAI	VTEE!!
1x3017.95/doz +	- 12	2 free
1x42 18.50/doz +	- 12	2 free
3x1818.95/doz +	- 12	2 free
3x2119.95/doz +	- 13	2 free
3x24 21.25/doz +	- 12	2 free
4x2124.95/doz +	- 13	2 free
4x2425.95/doz +	- 12	2 free
4x3635.95/doz +	- 12	2 free
6x4840.95//doz	+ (free
6x89 66.95/Vdoz	+ 6	free

Grits available: 36X to 320X

All belts A/O Resin Bond Cloth w/bl-directional butt splice

Full Line of 9x11 Sheets

ALSO AVAILABLE: Stroke Sanding Belts; Belt Cleaning Sticks; Inflatable Drums and Sleeves; Cloth/Paper Discs (PSA/Hook & Loop) Drum Sanding Rolls; Wide Cloth and Paper Belts or any size belt you may require and MUCH MUCH MORE!!

Call For Price Quotes • Orders • Free Catalog

Please add \$5.00 S & H / PA Residents add 6% Sales Tax

• Money Orders • Checks

1-800-428-2222

Mon. - Fri. 8am - 4:30pm EST

Fax:1-610-378-4868 Anytime

NDUSTRIAL BRASIVES CO. 642 N. 8th St. Dept. W P.O. Box 14955 Reading, PA 19612

Circle No. 1238

Unfinished To Finished IN HALF THE TIME

Now wood finishing is twice as fast, twice as easy with Minwax* Polyshades*. That's because Polyshades combines stain and polyurethane in one. Stain to

add rich color and enhance wood's natural grain, and polyurethane for long-lasting protection and a warm luster.

Polyshades comes in a variety of colors, and can be used over raw wood or even previously finished wood, without having

to strip away the old finish. Polyshades. A beautiful finish in a lot less time.

STAIN & POLYURETHANE IN ONE





Makes And Keeps Wood Beautiful'

www.minwax.com

Minwax and Polyshades are registered trademarks. 9 1998 Minwax, All rights reserved.


TIPS FROM YOUR SHOP (AND OURS)

Continued from page 23

Powder prevents stuck spindle sleeves

I love my oscillating spindle sander, but when I wanted to change grits, the sanding sleeve invariably stuck to the rubber drum. My wife Lyn suggested I put a little talcum powder on the drum before I slipped the sleeve on. Sure enough, I haven't had a stuck sleeve since.

> -Peter (and Lyn) Hurney, Kailua, Hawaii




A FEW MORE TIPS FROM OUR WOODWORKING PROS

·For projects requiring a smooth graceful curve, try using a fairing strip as shown on page 40.

· Making louvers is a snap using our jig and process described on page 74. The jig allows you to make mating pieces with perfect consistency.

·Instead of smashing your fingers or trying to hold small brads with a comb, try a Warrington pattern hammer. Read about it on page 14.

·To make thin, narrow stock safely, read how we cut the springs for the pinball gum ball machine on page 54.4



Locksmithing pays top dollar for trained individuals. Even established locksmiths are quick to point out that a definite shortage of skilled locksmiths exists in almost every town and city in the United States.

Few professions offer such income freedom and flexibility as locksmithing. It can provide you with a substantial fulltime living or it can be the source of welcome extra earnings.

You can work for yourself or for someone else. You can work from your home as easily as you can from a shop. Locksmithing can be a profitable addition to an existing business as well as a complete business in itself.

State and local governments need trained locksmiths for hospitals, institutions, universities, colleges, public works departments, office buildings and police and fire departments. Private industries also seeks full-time locksmiths, for construction firms, factories and plants, hotels and motels, housing and apartment complexes and airports, to name just a few.

"I earned 4 times the cost of the course before I graduated from basic Locksmithing. L.H., St. Louis, MO

"The course was good and everything you said was true."

W.Y., Denver, CO

"After taking the Foley-Belsaw course anyone should be able to easily make \$50,000 a year." S.B., Cleveland, OH



World leader in training since 1926, provides at-home, "hands-on" training in high demand fields.

Pro Locksmiths Make Big Money!

Locksmiths now charge an average of \$40.00 an hour for shop work according to "The National Locksmith".

YES... There's no better time, no easier way, to start your own money-making full or part-time business!

REE! OPPORTUNITY KIT CALL TODAY: 1-800-487-2100

Or complete this coupon and mail to Foley-Belsaw Institute. 6301 Equitable Road, Kansas City, MO 64120-1395

Yes! Send me the following opportunity kit:

- Check one FREE opportunity kit only
- □ Locksmithing, Dept.13116
- ☐ Small Engine Service and Repair, Dept. 52988
- Professional Saw and Tool Sharpening, Dept. 21922
- □ VCR/DVD Service & Repair, Deot. 62813 NEW!
- □ Computer Repair, Maintenance, Upgrade, Dept. 64715
- ☐ TV/Satellite Dish Service and Repair, Dept. 31584
- ☐ Professional Gunsmithing, Dept. 92618 NO RISK TRIM!
- ☐ Woodworking, Dept. 43854
- □ Upholstery, Dept. 81525
- □ Vinyl Repair, Dept. 71458
- Electrician, Dept. 95390
- ☐ Personal Computer Specialist, Dept. 38355
- ☐ Professional Computer Programming, Dept. 35531
- □ Networking Specialist, Dept. 39342
- ☐ Home Inspection, Dept. 76026 NEW!

I understand there is no obligation and no salesman will ever call.

Name

Street

City

State Zip

ASK WOOD


A surefire way to free frozen screws


It never fails: Every time I want to remove a screw from a piece of wood, I strip the head before I get the dang thing to budge. Is there something I can do to help free these frozen screws?


-Jason Bane, Dallas

With time, Jason, wood tends to swell and settle in around the threads of a screw, and 99% of the time, that's exactly what we want. But for those other occasions, try this.

Slowly heat up the screw head with a soldering iron. Be careful, though. Too much heat, too fast, will scorch the wood and finish around the screw. As the screw gets hot it will expand and push the wood away from it. This heat will also







break up glue, finish, and other chemicals sticking to the threads. Keep the heat on for a couple of minutes, allowing time for it to work. Then, quickly hold an ice cube on the screw until the ice quits steadily dripping. The metal will shrink, the wood will swell, and the screw should turn right out.

Repairing a mirror image

I've just finished restoring an antique dresser with a round, beveled mirror on it. The wood looks so good now that the flaws in the mirror really stand out. There are places where the silvering has come off the mirror, leaving spots of clear glass. Is there something I can do to fix the mirrored look, or am I going to have to replace the whole thing?

-Robert Boulineau Sr., Wrens, Ga.

Since we're talking about an antique, Bob, replacement should always be the last choice. Other options exist that you should explore first.

If the spots aren't too bad, you can touch them up. There used to be a product on the market for home resilvering, but it has since been pulled from the shelves for environmental and safety reasons. Instead, try applying silver fingernail polish in place of the missing silver. You won't get a perfect match, but the spots will be much less noticeable, for not much money.

If the mirror is beyond touch-up, resilvering is a second option, though there aren't many businesses that provide this pricey service anymore.

As long as the glass itself isn't etched or discolored, you can fix that antique mirror yourself. Start by removing all the old silver. Use paint remover, and carefully scrub it away with steel wool. Then have a thin, flat mirror cut at a glass store to exactly the same size. Mount the new mirror behind the now clear beveled glass, and for half the cost of resilvering, it'll look like new.



Have a question for our woodworking experts?

No matter how simple or perplexing your woodworking problem, we would love to hear from you. We'll do our level best to publish

answers to questions that interest the greatest number of our readers. You can write to us at: Ask WOOD, 1912 Grand Ave., Des Moines, IA 50309-3379. Or, visit our internet page and ask your question in one of our discussion groups at: http://woodmagazine.com

Homemade ornamental tools


I plan to turn some Christmas tree ornaments on my lathe, and the plans call for them to be hollowed out to reduce the weight of each ornament. What material should I use, and how can I make hollowing-out tools that can fit into small holes?


-Rudy F. Hrlevich, West Allis, Wis.

To make your own small turning tools of any kind, Rudy, we suggest starting with Allen wrenches. They're inexpensive, made from good steel, and are readily available in a wide range of sizes.

Start with the largest Allen wrench that fits into your project. This will help dampen vibrations and lead to a smoother cut. Grind a beveled scraper-type end as shown below that forms a profile to meet your needs. Then, grind flat a reference surface for the cutting edge that's two or three wrench diameters long and parallel to the wrench axis as shown below. Now, grind a bevel. This relief is called the rake angle. On inside work of a small-diameter vessel, such as a Christmas tree ornament, you'll need a rake angle greater than 10°.

To help control and hold your new turning tool, grind the bottom flat where it sits on the tool rest, and make a wooden turned handle for it.






Continued on page 28



HOME CRAFTSMANSHIP

Interest In New Dual Functional Staple+Nail Guns Is Building







A 68-year-old company known for its quality tools has hit the nail on the head with a new staple+nail gun that shoots six different size staples and can drive a 5/8-inch nail as well (far left). Also shown is a new model staple gun that shoots both round crown staples and flat crown staples (far right).

(NAPS)—Interest from homeowners to professional handymen is building in two remarkable new multifunctional tools.

One can shoot six different size staples and drive a 5/8-inch nail as well.

The other shoots flat crown staples for general usage and round crown especially for all the cable and wires that need to be tucked away at home.

The new staple plus nail gun product, from Arrow Fastener Co., is reported to allow a user to accomplish a wide variety of jobs because of its six different size staples: 1/4-inch, 5/16-inch, 3/8-inch, 1/2-inch, 9/16-inch and 17/32-inch ceiling tile. Jobs that can be done range from delicate upholstery work to installing carpeting, carpet padding, ceiling tile and more.

When the staples are removed and a strip of 5/8-inch nails are loaded into the machine, users can trim and decorate door panels, install moldings, fix table edging, or build doll houses and toys for the youngsters.

The Arrow T50*PBN is all steel with high carbon hardened steel working parts to give it added years of dependable performance. The tool is quickly identified by its high visibility cushioned non-slip grip.

The company has also released a new Dual Purpose staple gun called the T2025. The new model shoots both round crown staples and flat crown staples. Round crown staples are used to install wire and cable, while the familiar flat crown staples are used for every routine stapling job from putting down carpet padding to installing installation.

Arrow Fastener, a 68-year-old American company, manufacturers a variety of products, for professionals, handymen and hobbyists, that are sold throughout the world in hardware stores, lumber-vards and home centers.

For All Your Woodcarving & Sign Carving Needs

Terrco provides a full line of machine carving and sign carving equipment. Beginning models are the T-110 single spindle bench carver and our CM614 single spindle sign carver.

Intermediate models include the K-Star, a two-spindle heavy duty bench model, and the Northstar, a heavy duty floor model available in one to eight spindles.

Our advanced model is our Master Carver series, which is an extremely heavy duty floor model with from eight to forty spindles.

Write or call for more information.

Terrco, Inc.

222 1st Ave. NW Watertown, SD 57201 USA (605) 882-3888

(605) 882-3888 Fax (605) 882-0778



Model CM614 Sign Carver



Model T-110 Dupli-Carver



Multi-Spindle Carving Machine

Andy Lucas Country Sisters in Erie, PA

Circle No. 2175

"SAVE TIME CUTTING... WITH NO SANDING!"



Andy and Joan Lucas were tired of bulky band saws and other cheap scroll saws that only made their craft business unproductive.

Their business had suffered with bulky cuts, continuous blade breakage, labor intensive sanding and slow blade changing systems.

Andy claims...It was crazy. Whenever these saws would break down.

there was no real customer support! Being frustrated, I read about the RBI Hawk Ultras and their quality service and high performance cutting.

Since then the Lucas' made an RBI Hawk Ultra 226 saw purchase. Andy now believes, "We save time cutting with no sanding required. RBI is also much more pleasant than other saw companies in the service dept. You really need to experience it to believe it!"



Andy & Joan Lucas

READ MORE ABOUT THESE HAWK ULTRA FEATURES...

- •SMOOTH CUTS •CLOCK TENSION SETTING
- •FAST & EASY BLADE CHANGE HOLDER
- •No SANDING REQUIRED •FRONT TENSION RELEASE
- •TOP-TO-BOTTOM 5 YEAR WARRANTY

Visit the RBI Home page at

www.rbiwoodtools.com





Call 1-800-487-2623 for your FREE RBI CATALOG Today!

rbindustries, inc.

America's Woodworking Machinery Manufacturer 1801 Vine Street • Harrisonville, MO 64701

H106

ASK WOOD

Continued from page 27

A dye-hard finish

I'm thinking of trying aniline dyes, but am not sure which type to try. I am wondering when it is best to use the kind that is mixed with water, and when to use those that are mixed with alcohol.

-Mark Nelson, via internet



Aniline dyes come in a powdered form, and in a wide variety of colors.

There are some definite advantages to using aniline dyes as an attractive alternative to premixed pigmented stains. Pigmented stains coat the wood. Aniline dyes completely dissolve and soak into the wood. The color is "in" the wood, not on it, and you'll see the grain like never before! With six or seven basic colors available, you can mix about any tone you like.

Most anilines are water soluble because of their ease in mixing. But, different bases will give a different color. For instance, alcoholsoluble anilines give colder, greenish tones when mixed with the same dye that gave warmer, reddish tones in water. Dyes are inexpensive enough that you can afford to experiment.

A couple of points to be careful about when working with water-

based dye. One is that the water from the solution will probably raise the grain of the wood. You can remedy this by dampening the wood and sanding before you dye, or fine sanding (220 grit) after you dye. Also, a water-based sealer will react to the water-based dye. So, apply an oil-based sealer coat after the dye, and then you can finish

with whatever you like.

Looking for THE REAL THING?

If it's CMT you are looking for, you want the orange one. No name change, no change in color, just true CMT like always.

It's the only router bit with 30 years worth of reputation of quality production behind it - and that's the way it remains today - top notch router bits and boring bits made in Italy using only the best materials around

premium bar stock Swiss steel

not cast in molds, so you get strength and support in every router bit shank and body

exclusive micrograin carbide

of our own exact specifications to last longer and give you many more resharpenings than the average bit and the

most technologically advanced machinery

in the world so you get bits that are concentrically machined, perfectly balanced and laser sharp

The quickest way to find us?
Ask for the orange one
everyone knows only CMT applies
orange non-stick PTFE coating at
750° F so your bit works smoother
without gumming up and burning.

CMT and orange our trademarks

So, if you want the best results from your workshop, demand the best bit on the market—

CMT, made in Italy.



3 1997 CMT Utensill Sri - Thi: CMT, the CMT lago and the orange color applied to tool surfaces are trademarks of CMT Utensill

For more information and a free catalog, call Toll Free 1-888-CMT-BITS or e-mail cmtusa@aol.com

Create Classic Raised Panel Doors

with your 1/4" or 1/2" Router, or your 1/2" or 3/4" Shaper.

Our professional production quality Carbide router bits make it quick and easy to produce attractive raised panel


Tipped!

doors. Our reversible combination bit makes a matching rail and stile frame. The panel raising bit with ball bearing guide makes a perfect raised panel every time!

Includes instructions and Professional Tips!

RAISED PANEL DOOR SETS				
SET#	BIT STYLE	LRG. DIA.	SET PRICE	
#1301	1/4" Shank Router	* 2"	\$69.95	
#1302	1/2" Shank Router	* 3-1/2"	\$79.95	
#1303	1/2" & 3/4" Shaper	4-5/8"	\$99.95	

*Ball bearing included



*Raised Panel Router Bit




*Reversible Combination Rail & Stile Bit Works with stock from 11/16" to 7/8"



1/4" Shank Carbide Tipped Router Bits

Professional Production Quality Guaranteed!



OGEE RAISED PANEL #1423 2" Large Diameter\$29.95

2 TONGUE AND GROOVE #1333 Straight\$29.00 #1335 Wedge\$29.00

BULL NOSE #1330 1/2" Dia. of Circle\$16.00 #1331 3/4" Dia. of Circle\$21.00

LOCK MITRE BIT #1433 2* Dia., Stock thickness: 1/2*-3/4* ..\$37.50

5 RABBETING KIT

Ball bearing guides allow 4 depth of cuts: 3/8", 7/16", 5/16", 1/4". Set: 1/4" shank rebbeting bit, 4 bearings (3/8", 1/2", 5/8", 3/4") & hex key.

#1425 1:1/4" Large Diameter....\$25.00

6 BRASS PILOTED

Rout into tight spaces and sharp corners. These bits have Brass Pilots, measuring only 5/32" in dia., Instead of the usual 1/2" ball bearing.

#1428 1/8" R Round Over\$16.00 #1429 1/4" R Round Over\$17.00 #1430 3/8" R Round Over\$19.00

7 PATTERN/FLUSH TRIM

#1340 1/2" Dia., 1" Cutting length.\$15.00 3/4" Dia., 1" Cutting length\$17.00

When ordering 3 or more router bits deduct \$1.00 from each!

STATE OF THE PARTY OF THE PARTY

25 piece Brad Point **Drill Bit Set**

Drill accurate holes in wood, plastics & composites.

Bit sizes from 1/8" to 1/2" by 1/64" increments. Bits are deep fluted to clear chips quickly.

ITEM #1413

REG. \$34.95SALE \$1895



Biscuit Joining Set

5/32" Slot Cutter-1/4" Shank and 250 #20 Biscuits

"Biscuit Joining with your Router", Instructional sheet included.

ITEM #1385

REG. \$35.00SALE \$2995



American

Woodworker

CORNER CLAMP

 Adjustable, uniform clamping pressure on all corners . Great for wide cabinet frames (for center or edges)

· Forces a frame into perfect square · Almost NO capacity limitation, ships with 23 ft. reel of steel banding . Aluminum & Steel construction

ITEM #1420

REG. \$39.95......SALE \$2495

1/4" Shank Carbide Tipped Round Over/Beading **Bit Set**

Set includes: 4 Round Over Bits with 1/2" OD bearing. (1/8", 1/4", 3/8", 1/2"), plus 3/8"OD bearing & allen wrench.

\$72 Individually.. SALE \$3995



This production quality set includes 4 Cove Bits: (1/8" R, 1/4" R, 3/8" R, 1/2" R).



ITEM #1435 \$65 Individually.. SALE \$3795 SOLID Brass Router Inlay Set Makes perfect fitting recesses and inlays!

Easy to use inlay kit follows a 1/4" thick pattern template of almost any shape to produce the recess. Fits Porter Cable*, Black & Decker* or any router with an adaptor for Porter Cable bushings. Kit includes 1/8" solid carbide downcut spiral bit, brass bushing, brass template guide, brass retainer nut & instructions.

Expert Technical Help Before & After Sale





NEW!







Order by Fax (215) 938-5070 Rydal, PA 19045

Circle No. 1350, 2250

RED PINE

The lake states' lumber tree

nyone who has spent time hiking the northern shores of Lake Superior and Lake Huron or in Michigan's Upper Peninsula finds memorable the vast stands of pine. Much of the spectacular scene, though, results from extensive plantation plantings by forest products companies, state forestry departments, and the U.S. Forest Service. And, while Mother Nature traditionally mixes white pine with red, spruce with fir, and adds dashes of birch, ash, and aspen, men planting forests for future timber production feel no such compulsion. That's why after the turn of the century's great log harvests, foresters replenished much of the felled forests with seedlings of red pine, a hard-wooded conifer trusted to grow quickly and straight.


That's the reason the standing volume of sawtimber today in the Great Lakes states consists of great quantities of red pine. In Wisconsin, nearly 34 million board feet of red pine saw logs were harvested in 1995, a figure greater than that for any other of the state's timber species. The wood meets the needs for strong dimensional stock in construction and for flooring, door and window frames, and other millwork. Red pine logs are also popular for rustic homes and cabins.

Wood identification

Commonly called Norway pine because of an early mistaken association with a similar-looking species found in that country, red pine (Pinus resinosa) is truly a tree of the North. Its primary range extends from eastern Canada to northern-most Minnesota and south

to Pennsylvania and southwest Wisconsin. It thrives in the sandy soils of the Great Lakes region and does well in the dry gravels of New England. In prime conditions, red pine annually grows a foot in height for its first 60 years, then growth tapers off to maturity at 100 years. The tree can attain a height of 140' with a diameter of 4'. The average tree, however, runs 60-80' tall with a diameter of 2-3' at breast height.

The most recognizable feature of the red pine is its reddish brown bark divided into flat, irregularly shaped, flaky scales. This thick bark protects the tree from fire and insects. Red pine's dark green, glossy needles of 4-6" in length appear in pairs. In the spring, small purple blooms occur near new growth followed by round, red flowers. Conical seed cones are produced every two to four years, and





Natural range

remain high in the tree's crown. Where the tree is grown for timber, the hard-to-gather seed cones fetch a good price.

Although red pine's Latin name implies large amounts of resin, its wood is comparatively non-resinous. At 33 pounds per cubic foot air-dry, it's a bit heavier than either Douglas fir or eastern white pine. Bordered by a thick layer of light yellow sapwood, the light red heartwood is both straight- and close-grained, and moderately strong. When seasoned, the wood remains stable in use.

Uses in woodworking

Use red pine for the same projects as eastern white pine, with which it was once marketed. That means furniture and cabinets as well as doors, sash, shutters, and trim. Don't use outdoors unless treated.

Availability

As dimension lumber and boards, you'll find red pine at most outlets throughout its range. Boards in common grades (Nos. 1, 2, etc.) cost about \$1.25 per foot. Wide boards (over 12") and clearer finish grades (C, C&Btr.) cost more.

Continued

PERFORMANCE PROFILE

red pine

(Pinus resinosa)

Flatsawn red pine

Although red pine will grow to 4' diameter, such a large tree is rare today. That's because most of the harvest comes from plantation plantings where trees run smaller. Therefore, wide boards prove scarce. But at the same time, plantation trees growing close together produce wood with fewer knots and straighter grain. With those positives in mind, pick boards for your project that contain the smallest amount of light-colored sapwood (unless you like contrast).

You'll be lucky if you run across red pine that's been kiln-dried to 6 percent moisture content. In the construction industry, where most of this wood goes, 12 percent is considered dry. Look for the stamp "KD15" or "MC12" on boards that indicates a moisture content averaging 15 or 12 percent.

Be sure to stack and sticker the wood in your shop for a week or two so it can acclimate before working it. Then, keep the following tips in mind.

Machining methods

- Red pine may be strong and stiff, but as a softwood, it's not hard. So you can work it with either hand or power tools.
- If you have worked white pine, expect more pitch in red. This means that to avoid burning and blade wander caused by pitch buildup during ripping or routing, you'll have to occasionally clean cutting edges with acetone or other solvent. A Teflon-coated blade or cutter also works well.
- This wood will also chip and splinter on cross-grain cuts—always use a backing board.
- Because of the pitch, drilling can also cause burning. Drill this wood at a faster speed than hardwood, but be sure to back the bit out of the hole every so often.
- Only sap pockets in a joint will

hinder adhesives. If you can't avoid it, wipe the pocket or knot with acetone before gluing.

- Seal all knotholes or sap pockets with shellac before painting.
- To reduce chances of blotchy staining, first seal the wood with a washcoat of thinned shellac, use wood conditioner, or rely on gel stains for even coloring.
- Under a clear finish, red pine will darken and yellow with age.

Carving comments

- Red pine has departures in softness between early wood and late wood, making detail work difficult.
- Remember to clean gum buildup from power tool cutters.
- Limit long cuts with the grain due to this wood's tendency to splinter.

Turning tips

• Should resin droplets emerge on your work, let them dry, then scrape off before finishing.

SHOP-TESTED TECHNIQUES THAT ALWAYS WORK

Any exceptions, and special tips pertaining to this issue's featured wood species, appear elsewhere on this page.

- For stability in indoor projects, always try to work wood with a maximum moisture content of 8 percent. A 12 percent moisture content suits those projects built for the outdoors.
- Feed straight-grained wood into planer knives at a 90° angle. To avoid tearing, feed figured wood or that with twisted grain at a slight angle of 15°, and take shallow cuts of about ½2".
- For clean cuts, rip with a ripprofile blade that has 24–32 teeth. For crosscutting, use a blade with about 40 teeth.
- Avoid drilling with twist drills. They tend to wander and cause breakout. Brad-point bits work better. Always use a backing board under the workpiece.
- Drill pilot holes for screws.
- Rout with sharp, preferably carbide-tipped, bits and take shallow passes to avoid burning.
- Carving softwoods generally means fairly steep gouge bevels— 20° or more—and deeper cuts.



Compiled with woodworker David Lewis Illustrations: Steve Schindler

Take your hobby on the road. WOD"PRO **NEW!** Enviro-Plus@ Stripping & Refinishing WOOD"PRO


As a Guardsman WoodPro franchise partner, you'll have confidence knowing you're backed by the largest producer of furniture finishes in North America, supplying over 500 furniture manufacturers. Your customers will also have peace of mind knowing that the same company who made the finish on their furniture is repairing and restoring it.



Finish Repairs



Structural Repairs




Furniture Enhancing



Upholstery Repairs



Cabinet Refurbishing



Initial Advantages

- Low Overhead
- Exclusive Territories
- Inventory Packages
- Training Programs
- Marketing Programs

Ongoing Advantages

- Field Support
- Regional Workshops
- National Advertising
- National Service Accounts
- R & D on New Products and Services



The most trusted name in furniture repair.TM

For information, call: (800) 496-6377

In Canada: (888) 966-3232 www.guardsmanwoodpro.com

1998 Target Markets! Dallas • Houston • San Francisco • Portland Seattle • Las Vegas • Chicago • Miami • St. Louis Kansas City • Nashville • Atlanta • Cincinnati Pittsburgh • Baltimore • New York City • Boston


Investment range: \$12,000 - \$22,000. Offer made by Prospectus only. Unit & Master Franchises available worldwide.



LILLY A division of Lilly Industries, Inc.



A Leatherman Tool is no stranger to a firefighter's or police officer's belt. Because it's always ready when you need it. And you will need it. P.O. Box 20595 Portland, Oregon 97294. (800)-762-3611 www.leatherman.com



f it weren't for Thomas Moser, the furniture designs of the Shakers would probably still be residing mostly in museums. True, a few discerning craftsmen did and still do reproductions. But for the past 25 years, more of the straightforward chairs, desks, stools, tables, and other furniture reminiscent of 1800s Shaker style have made their way into homes from Moser's shop than from any other.


In 1998, though, the term "shop" is a misnomer. Rather, it's a 60,000-square-foot facility neatly nestled on the outskirts of Auburn, Maine. Yet, the gilt-lettered sign outside reads "Thos. Moser Cabinetmakers" rather than "Moser Manufacturing." And that alludes to the secret of Thomas Moser's successful rise from a lone woodworker building pieces one at a time to head of a furnituremaking business that continually satisfies the demands of customers numbering in the thousands.

Moser's philosophy: sales allow creation

Thomas Moser was born in 1935 in suburban Chicago. His father was a stereotyper who laid out printing plates for newspaper presses. Tom, though, became a college professor at Bates College in Lewiston, Maine.

"After 10 years of that, I was feeling a sense of incompleteness. I had always enjoyed making things," Tom says, the twinkle in his brown eyes indicating that he still does. "My wife, Mary, and I for years restored old houses and antique furniture. That's how I got interested in woodworking. I learned by taking apart antique furniture—so my tutors were 18th-and 19th-century craftsmen. I had to teach myself their skills. Because of them, my work has always had a historical side."

When Tom finally started a woodworking business, it admittedly wasn't much. "Mary and I began it in an old Grange hall in New Gloucester, Maine, in 1973. I had a 10" Sears tablesaw, a Skil belt sander with a 4"-wide belt, a 24"



"When I started in woodworking, I had no ambition to build a big company. I only wanted to rediscover the craft."

bandsaw, and some hand tools. That was it."

Today, Tom is still learning. And it just may be the learning that keeps up his enthusiasm for the business. However, he'll give you other reasons.

"I believe there are four reasons we're in business. One is that we like to spend our days here. Almost half a person's waking life is spent working, so it better be enjoyable," Tom says reflectively, then continues. "The second is the furniture and the quality that we build into it. What we're making should last for generations. The third is efficiency. How do you make stuff?

Are there ways to build it more efficiently? And the last reason we're in business is to make a profit. That's a by-product. I sell furniture in order to make it. I don't make it in order to sell it."

Little boards from big boards: factory efficiency

"When I started in woodworking, I had no ambition to build a big company," Tom explains as he inspects a batch of chairs destined for a university library. "I only wanted to rediscover the craft. I made furniture and Mary sold it. Then I hired a helper. Pretty soon there were four. Next, we grew to six. Why did we grow? Because the possibilities were there."

The growth of Tom's furniture-making wasn't without detractors, he points out. "The minute you grow you're going to lose quality. The second you start dividing labor you'll get mediocrity.' But I proved that none of those things are true."

Despite its size—Thos. Moser Cabinetmakers now numbers 58 in production and another 25 or so in administration—quality indeed gets attention. It's evident everywhere, but begins with the wood.

"Our furniture cherry comes from the Allegheny Mountains in Pennsylvania, where the best cherry grows," comments Tom. "We specify 100% red on one face, 95% red on the second face. That means very little sapwood. We don't want sap streams running through the furniture. That specification alone triples the cost."

The company also inventories white ash for chair spindles, stool legs, and other round pieces, and walnut and maple for custom work. The stock runs from 16/4 (4") to 4/4 (1") in thickness.

"This is where the business is made or broken," says Tom with a sweep of his arm around the wood-storage room. "If the wood selection isn't proper from the very git-go, the furniture is going to be mediocre. When wood is pulled for a project, it is laid out, color matched, and grain matched. If a guy lost interest for three

Continued






Photo left: Today, Tom's major role in the furniture company is to design pieces to add to the line. Here he works on a clock prototype with associate Rick Foss to get out the wrinkles for production.



Each continuous arm for a chair is built up of 10 1/10"-thick pieces of cherry. Larry Mosqueda frees the arm lamination from one of the machines that bent it to shape under 20,000 pounds of hydraulic pressure.




To create the final shape of a continuous arm, Eric Simons first routs the edges. Then, over the course of an hour, he works the wood by hand with a rasp.



Glen Dehetre, one of the 58 hands-on craftsmen at Thos. Moser Cabinetmakers, takes pride in the small cherry chest he's just completed. He and the other cabinetmakers use pneumatic tools for accuracy. Photo right: The division of labor is evident at the Moser facility. This area, marked by wood parquet floors, is where the cabinet-makers assemble furniture. The parts production area sits on concrete.



Cindy Morin rubs boiled linseed oil into the post of a bed. When the coats of applled oil have dried, she'll rub on a coat of paste wax, then buff the entire piece.



Final sanding on Moser furniture is done with 400-grit. The platform on which the chair stands adjusts up and down to eliminate bending by the employee.



The dovetail joints on this cherry blanket box are representative of the detailed, fine joinery in Thos. Moser furniture.



hours he could destroy \$2,000 or \$3,000 worth of lumber."

In what Tom calls the parts department, workers make little boards out of bigger ones. "We get our efficiencies here," he says. "This is almost like a factory. But the concept is serial production, not mass production. We replicate parts to capture efficiencies in setup time. Set up once, make parts for 40 or 60 or whatever. We don't make furniture from lumber. We make furniture from components.

"We have enough parts on hand to build certain amounts of what we produce," he adds. "The worst thing is to not have one part and make it by hand. There goes the profit right out the door!"

Consistency adds quality to the product

The Continuous Arm Chair is the benchmark of Thos. Moser. It has changed little in over 20 years. One secret to the enduring popularity of this signature piece is the flowing, curved back.

Most furniture factories would turn the wood on a lathe, then steam-bend it to shape. At Thos. Moser Cabinetmakers it's made from 1/10"-thick cherry laminations, then bent to shape by machine. It looks one-piece.

Tom explains: "We knife-cut the cherry, then lay it up as it came from the board. When the pieces are glued back together with aliphatic resin glue, then hydraulically pressed at 20,000 pounds pressure, no one will ever know that the wood was ever apart."

While the rough, laminated chairarm blank is in the press, a radio frequency modulator sends a 5,000 megahertz signal through the wood. This aligns the glue molecules like metal filings on a magnet. "That's how we get absolute consistency from one bend to another, through all the arms. We actually change forever what this wood wants to do," Tom says. "If we do it right, when we rasp these arms—an hour of handwork per arm—you won't see the seams."

The division of labor at Thos. Moser Cabinetmakers is obvious.

Tom has separated the workplace into a "machine" area with a concrete floor and a "people" area with a wooden floor, both equally important in creating truly fine furniture. But it's in the people area where the craftsmen at their own workbenches assemble the furniture. "These are the men and women who actually have their hands on the work that is going to people's homes," he notes. "They're my cabinetmakers."

To ensure more accuracy, such as in drilling, workbenches have three air lines to power pneumatic tools. "With air, they have more

"Well-designed furniture is a piece that nothing can be added to or taken away from."

control, and it makes the workplace a lot quieter. Plus, there's no vibration," Tom says.

"We use very low-tech finishing methods," Tom explains as he strides through the rows of naked furniture awaiting final finishing. "Lots of sandpaper, boiled linseed oil, and wax. Every piece is sanded to 400-grit, which polishes the wood. Then, we spray the oil on and let the piece sit before wiping off the residue. That's done three times. When the piece is dry, it's waxed with wax mixture, then buffed by hand."

But before a piece is oiled, it's signed by one of the cabinetmakers. "It's in ink and should last as long as the furniture."

Furniture that's worth more as it ages

The Shakers have noticeably influenced the designs of Thomas Moser, and he gives them due credit. "I like the work that they did between 1830 and 1850—the Golden Age of Shaker design," Tom comments. "I also respect the Scandinavian designers of the 1950s. To me, the economy of form and materials is important. I like quiet performance, and the Shakers and the Scandinavians understood this. Well-designed furniture is a piece that nothing can be added to or taken away from. It's a perfect balance."

Tom also believes that a well-designed piece of furniture will still look "at home" 100 years from now. And it should be worth more then. "I can't think of any major American furniture manufacturer whose products are worth more today than they were 20 years ago," he says. "But I would say that our furniture is. In fact, I'll buy back our furniture for three times what people bought it for—and be glad to because it appreciates. The chairs we now sell for \$800 to \$900 I used to sell for \$240."

In Tom's view, of all the furniture in the Thos. Moser line, the Continuous Arm Chair probably fits his design parameters best. Sitting back in his desk's armchair, he almost seems to be thinking aloud: "If any piece of furniture goes on into the next century as kind of a symbol of what we are, it will be that. Maybe 100 years from now, somebody, someplace, is going to say, 'Oh yeah, there was a guy, there was a company in Maine, that made that chair."



Get a catalog from the cabinetmakers

For a copy of Thomas Moser's 38-page color catalog, send \$3 to cover postage and handling to:

Thos. Moser Cabinetmakers Customer Service P.O. Box 1237 Auburn, ME 04211-1237

Written by Peter J. Stephano with Larry Clayton Photographs: John Kane/Silver Sun Studio Graphic Design: Perry McFarlin



NAUTICAL

Looking for the perfect home accent to match your seafaring tastes? How about our novel boat shelf? Designed by Jim Shotwell, an accomplished boatbuilder and woodworker from Nescopeck, Pennsylvania, this folk art project lets you display a variety of unique collectibles—from antique fishing reels to miniature lighthouses. Jim refers to his boat shelf as the "Pooles Island Skiff."

Let's begin with the curved-sided boat bottom

Note: This project requires several thicknesses of mahogany and ash. Plane or resaw your own stock, or see the Buying Guide for our source of a hardwood kit.

1 Cut the bottom blank (A) to the size listed in the Bill of Materials from %" stock (we used mahogany; ¾" mahogany plywood would also work).

2 Working on the bottom side of the bottom blank (A), mark the transom (B) and shelf locations (C, D). See the Bottom drawing on the Parts View on the WOOD PAT-TERNS® insert in the center of the

A

Trace along the inside edge of a flexible strip of wood to mark the curved edges to form the bottom piece.

magazine for reference. Now, mark the three nail-hole center-points for bending the fairing strips against in step 4. The fairing strip (a thin bendable piece of wood) allows you to mark a long smooth curve.

3 Cut a strip of wood to 1/4×1/2×48" for use as a fairing strip.

4 Drive the nails about 1/4" into the bottom blank at each marked nail centerpoint dimensioned on the bottom (A) of the Parts View drawing. Bend the fairing around the outside of the the nails, and clamp the ends of the strip to the bottom blank where shown in photo A. Now, mark a line along the inside edge of the strip as shown in photo A. Remove the nails and repeat the process to mark the opposite edge.

5 Mark the screw-hole centerpoints on the bottom side of the bottom for attaching the transom and shelves later. Drill a counterbored screw hole through each screw-hole centerpoint.


6 Form the 15° bevel along the side edges of the bottom by tilting your bandsaw table 15° from vertical and making the cuts; or you can make a square cut on the side edges with your bandsaw or jigsaw, and disc-sand them at 15°.

Add the transom and shelves


1 Cut the transom (B) and shelves (C, D) to the sizes listed in the Bill of Materials plus 1" in length.

2 Add a wood extension to your miter gauge. As shown on step 1 of the Miter-Cutting the Transom and Shelves drawing, angle the gauge 15° from center and tilt the blade 8° from vertical. Make the cut shown in step 1 to mitercut one end of the transom (B). Tilt the miter gauge 15° in the opposite direction as shown in step 2. Mark the cutline and hold the transom against the bottom (A) to ensure the outside edges of the transom will be flush with

KNICKKNACK



NAUTICAL KNICKKNACK




the outside edges of the bottom (A). Adjust your cutline if necessary. Then, make the second compound miter cut.

3 For the center shelves (C), leave the miter gauge at 15° and tilt the blade to 4°. Again, check your cutline before making the second cut. For shelf (D), tilt the blade back to 8° to make the cuts.

4 Glue and clamp the transom in place, and use the previously drilled holes in the bottom (A) as guides to drill a pair of pilot holes into the bottom edge of the transom. Drive the screws. Repeat for the remaining shelves (C, D). (We cut an 8"-wide spacer to position the shelves exactly 8" apart and keep them parallel to each other when driving the screws.)

Now, bend and secure the topsides in place

1 From ¼" mahogany, cut the topside blanks (E) to the size listed in the Bill of Materials.



With the boat bottom secured in a bench vise, clamp the topsides in place, drill the holes, and drive the screws.

topside blank where dimensioned on the Topside drawing on the pattern insert.

3 Mark the nail-hole centerpoints, drive the nails, and use the fairing strip to mark the curved top and bottom edges on the topside blank.

4 With the edges and ends flush, use double-faced tape to adhere the two blanks together. Then, cut and sand the topsides to shape. Separate the pieces and remove the tape. (We used a splash of lacquer thinner to weaken the bond between the pieces.)

5 Clamp the bottom, transom.


5 Clamp the bottom, transom, and shelf assembly to your workbench vise as shown in photo B. (We found it critical to hold the assembly steady when attaching the topsides in the next step.)


2 Mark the angled bow line on one


6 Using rubber-tipped clamps (they slide less on the curved surfaces than their metal counterparts), clamp one topside to the bottom, transom, and shelf assembly, making sure the front edge of the topside (E) is flush with the front edge of the bottom (A), and the back end of E is flush with the back surface of the transom (B).


7 Use a combination square to mark a reference line up the sides of the topsides. Then, drill counterbored mounting holes, and glue and screw the topside in place as shown in photo B. Repeat for the opposite topside.

8 Cut two pieces of stock to 1/4×3/4×5" to act as clamp blocks. Adhere these to the front of the topsides with hotmelt adhesive, and use these to clamp the front ends of the









Use a sanding block to sand the top edge of the gunwale assembly flush.

topsides together. Without the blocks, the clamps tend to slide off the topsides. With the topsides squeezed together, run a fillet of epoxy on the inside along the mating joint between the topsides.

And now for the gunwales and spacers

1 Cut the gunwales (F) to the size listed in the Bill of Materials plus 2" in length. Then, cut the spacers (G, H) and inner rails (I) to size. Cut four extra spacers (G) also.

2 Cut or sand an 8° bevel across one end of each rear spacer (G) and inner rail (I) to mate flush with the transom where shown on the Spacer detail accompanying the Exploded View drawing.

3 As shown in photo C, glue and clamp the gunwale, spacers, and inner rail to one side of the boat, keeping the top edges flush. To keep a continuous curve to the inner rail when clamping it in place, use an extra spacer (not glued in place) and clamp between the glued-in-place spacers. Repeat on the opposite side.

4 Trim the rear ends of the gunwales (F) flush with the back surface of the project.

5 Sand the bow to the shape shown on the Bow detail.

6 Cut the foredeck blank () to size. 7 As shown in photo D, hand-sand the top edge of the gunwale assembly flush. Toward the front of the boat, you'll need to sand the gunwale assemblies flush with each other, so the foredeck blank sits flush with both assemblies and that no gap exists between the foredeck blank and gunwales.

8 Mark and cut a 3¼" radius on the wide end of the foredeck blank where shown on the Foredeck drawing. Rout a ¼" round-over on the foredeck where shown on the Exploded View drawing.

9 Hold the foredeck blank against the front top surface of the project where shown on the Foredeck drawing, and trace around the gunwales onto the foredeck blank. Cut the foredeck to shape. 10 Glue and clamp the foredeck to

10 Glue and clamp the foredeck to the boat. Then, sand the edges of the foredeck flush with the edges of the gunwales and bow.

You're almost there, mate; just fill the holes and add the finish

1 Using wood putty, car-body filler (we used Bondo), or Zar latex wood filler, fill the counterbored screw holes. Later sand the filled holes flush. Finish-sand the entire boat project.

2 Apply a clear finish to the boat interior and gunwales (we used satin polyurethane). Then, mask off the clear-coated areas, and prime and paint the topsides' (E) and bottom's (A) exterior with spray enamel or paint with a foam brush. (We sprayed on three coats of Krylon Burgundy, being careful to avoid runs. Later, remove the masking.)

Buying Guide

Hardwood kit. All the individual pieces shown on the Cutting Diagram cut oversized from the thickness and species listed in the Bill of Materials. Kit no. W1071, \$89.95 ppd.. Heritage Building Specialties, 205 North Cascade, Fergus Falls, MN 56537. Call 800/524-4184 to order.

Boat and brochure. To order a finished Pooles Island Skiff Shadowbox (signed and numbered), a kit for the same, a copy of Jim Shotwell's newest book (Building the Sunrise Dinghy), register for a boatbuilding class, or a free brochure of his work, contact Jim Shotwell-Boatbuilder, 100 Diana's Cove Road, RR 2, Box 2718, Nescopeck, PA 18635; call him at 717/759-1290, or visit his website at www.jimshotwellboats.com

43

When you rip narrow stock PUSH YOUR If it's never happened to you, count yourself lucky. The scenario goes like this: You're trying to rip a board barely a few inches wide on your tablesaw. There's the whirling blade, the fence, the workpiece, and your hand. You grab a scrap to use as a pushstick to move the workpiece through the cut and beyond the blade. You push, guide, then suddenly WHAM! Flying wood. Shaking, you shut off the saw and examine yourself for injury. What went wrong?

How pushstick accidents happen

Here's why such accidents happen: The pushstick hits the blade and breaks or gets kicked back. Simple enough. But the pushstick wouldn't have contacted the blade if it hadn't been too thick, or if it hadn't slipped off the workpiece. There are contributing factors, too, such as having the blade raised too high through the workpiece (½" to ½" of teeth should extend above the wood). To avoid accidents with pushsticks, it's good to understand why and where you should use them.

Saw-Aid pushshoe of fiber-filled nylon

Stock less than 5" wide is considered narrow stock, and your hand guiding it across the tablesaw while ripping won't pass safely between the blade and the fence. That's

where a pushstick comes in. But there are a few guidelines to keep in mind.

So that it won't hit the blade, your pushstick should always be thinner than the distance between the saw blade and the fence. That is, it should never be thicker than the width of the stock you're ripping. Ideally, you should have several pushsticks on hand—each of a different thickness—to use with wood of varying widths.

Choose a pushstick style that works best for you

A pushstick can take many a shape. The most common shopmade, wooden pushsticks appear as extensions of your index finger, but angled to exert pressure on the stock. The business end has a notch to engage the end of the wood; the

grip end is rounded to comfortably accommodate your hand, and usually has a hole for hanging at or near the tablesaw.


There's another type of pushstick that takes a saw-handle or shoe shape, as shown in the homemade example, opposite page. This type provides greater contact with the surface of the workpiece and offers a surer grip for your hand.

The shopmade pushbox takes the handle or shoe shape another step. This type rides the fence, contacts a greater area of the workpiece, and positions your pushing hand well away from the blade. Shown opposite page, it's suited for thinstrip ripping.

Of course, you can buy readymade pushsticks in several shapes, styles, and made of various materials. The models shown on these

Know the proper way to push

Just as a refresher, here's how to rip narrow stock: Standing to the left of and out of the way of the blade, use your right hand to push the board forward and your left (or a feather board) to hold it firmly against the fence to start the cut. When the workpiece clears the front edge of the tablesaw, grab the pushstick with your right hand and use it to complete the cut, as shown left. Don't remove the pushstick until you have moved the stock beyond the blade. Turn off the saw and retrieve the wood. Never ever reach across the blade to pick up the workpiece.



Written by Peter J. Stephano

Photographs: John F. Schultz; Wm. Hopkins

WAY TO SAFETY

pages are available from woodworking supply dealers at prices ranging from \$6 to \$20.

Pushblocks, in both one- and twohand styles, hold the workpiece firmly against the saw table with downward pressure. A friction pad on their sole keeps them in contact with the wood. Pushblocks, however, normally find more use at your router table, shaper, or joiner than at the tablesaw.


The difference that material makes

Most shopmade pushsticks are of standard 3/4" or thinner plywood rather than cut from a board of solid stock. That's because


grain direction presents a breakage hazard in other than a straight stick. However, Baltic birch plywood proves a stouter, safer choice because it has no voids and more plies. Another good, solid material from which to make pushshoes is medium density fiberboard (MDF). It cuts, shapes, and sands easily, and takes abuse. Although it comes in several different thicknesses, use %" or thicker for durability and strength.

Store-bought, molded pushsticks made of hard plastic are inexpensive and well designed. But when a blade hits them, they can fragment or even shatter. More durable are ones manufactured from ABS plastic—a softer, resilient material—or of fiber-filled nylon. Aluminum pushsticks, while they won't harm your saw blade if they contact it, can throw flak back at you.

Ready-made pushsticks and -blocks shown available from Eagle America. Call 800/872-2511 for a free catalog.



WOOD MAGAZINE AUGUST 1998



With all of the gluing products on the market today, choosing the right type for your needs, and using it correctly, can get tricky. For help, we turned to the WOOD magazine staffers who design and build the projects featured in our publication: Jim Downing, Jan Svec, and Chuck Hedlund. We'll tell you about the eight types they rely on, and share their tips for using each successfully.

First, choose the glue that's right for the job

The first time you glued two pieces of wood together, you probably reached for your bottle of good ol' yellow woodworker's glue. It worked, so you stuck with it. But if you've ever wondered if there's a better glue for a particular job, check our chart at right, and be confident in your choice. Make a copy of this chart and post it near where you store your glues, and you'll never again scratch your head over which glue to use.

Our pros' best gluing tips

One sure way to gauge the expertise of a woodworker is to examine the joints on his projects. Are they free of glue squeeze-out and rock-solid, even after many years of use? If so, he probably learned (the hard way, in some cases) many of the tips we'll share here. Beginning on page 48, you'll learn how to use each of the eight glues in the chart, but since yellow, white, and water-resistant glues are similar in the way you apply, work, and clamp them, we'll discuss them together.

WOODWORKING

GIL MES

	V	VHAT'S	WHAT IN	WOODW	ORKING (GLU	ES	
GLUE TYPE	OPEN TIME (1)	MINIMUM CLAMP TIME	CLEANUP (2)	COLOR WHEN DRY (3)	SHELF LIFE (4)	APPROXIMATE COST	KEY PROPERTIES	TYPICAL PROJECTS
YELLOW (ALIPHATIC RESIN)	5 - 10 minutes	30 minutes	Water, damp cloth.	Yellow*	1 year	\$.36	Fast tack time. Excellent for general use.	Indoor furniture and cabinets.
WHITE (POLYVINYL ACETATE)	10 - 15 minutes	60 minutes	Water, damp cloth.	Clear	2 - 3 years	.24	Longer open time than yellow glue. Inexpensive.	Cribs, galley rails, and complex casework.
WATER-RESISTANT	5 - 10 minutes	60 minutes	Damp cloth before setting, scrape or sand after setting.	Yellow	1 year	.37	Fast tack time. Water resistant.	Sheltered outdoor furniture and outdoor riding toys.
POLYURETHANE	30 minutes	4 hours (less in high humidity)	Tools: mineral spirits. Hands: soap and water before cured.	Yellow	1 year unopened, 6 months opened	1.11	Waterproof. No mixing required. Gap-filling.	Exposed outdoor projects and planter boxes.
EPOXY	5 minutes - 12 hours (depending on formulation)	Varies	Tools: acetone. Hands: Nitro-Kleen,* rubbing alcohol.	Clear (can be changed with (iller)	1 year	1.25	Waterproof, High strength, Bonds even oily woods such as teak. Excellent for end-grain joints. Gap-filling.	Boatbuilding, threaded parts on shop jigs, and furniture repair.
INSTANT (CYANOACRYLATE)	15 seconds	0 - 1 minute	Acetone	Clear	1 year unopened, 6 months opened?	5.00	Bonds Instantly (with accelerator). Works well for bonding solid-surface materials.	Model building, and fragile carvings and turnings.
HOTMELT	2 - 45 seconds	0 - 15 seconds	Let harden, then gently scrape. Rernove residue with mineral spirits.	Clear or yellow	2 years	.53	Excellent for crafts. Sets quickly without clamping. Good temporary bond.	Crafts, temporary fastening of parts, and holding small parts for routing.
CONTACT CEMENT	15 minutes - 3 hours	Clamping not necessary	Mineral spirits.** Soap and water when wet, xylene solvent when dry.***	Clear	1 year	.16*	Adheres large surface areas.	Plastic-laminate countertops and flexible veneers.

Why not hide glue?

Antique furniture restoration experts and some woodworking purists may wonder why we don't use hide glue in our shop. Historical considerations aside, hide glue's chief advantage—its

extremely long open time—is also its chief disadvantage. Jan says, "We just never use it. White and yellow glues allow enough open time for virtually any assembly you're likely to run

across, and you won't need to wait overnight for every joint you clamp. Also, unlike joints made with hide glue, joints made with these glues won't weaken over time."

Water-resistant glue White glue Yellow glue Yellow, white, and water-resistant

and water-resistant glues: the old standbys

You probably use one or more of these three similar glues more often than any other type—with good reason. They are versatile, easy-to-use, and affordable, and they provide strong bonds. The next time you reach for one of these glues, consider trying the following:

•For the strongest bond, make sure your pieces fit together well. Then cover both joining surfaces with a thin layer of glue. You can



spread it with a brush, a paint roller, or Jim's favorite—the plastic core of a disposable foam paintbrush as shown above.

•Clamp with even pressure all along the joint, but not too hard or you'll squeeze all the glue out and make a weak joint.

•For small areas, mask the wood adjacent to the joint with masking tape to prevent the squeeze-out from getting on your work. For longer joints, remove the squeeze-out with a damp cloth while it's

Woodworking Glues

still wet, "rolling" the cloth as you go to keep from smearing the excess glue on the adjacent surfaces.

•To minimize squeeze-out on the face side of your projects, Chuck suggests you bring the two pieces together at a slight angle, joining the face edges first as shown *right*. As you lay the pieces flat to clamp them, most of the squeeze-out will be on the back side.

Here are a couple of tips that apply only to water-resistant glue:

- •It tends to separate, so mix it well before each use.
- •Wear your shop apron when using water-resistant glue—it doesn't wash out of clothing.





Polyurethane glue: the promising newcomer

Before this glue debuted on the market a few years ago, you had to mix two components together to create a waterproof glue. Not any longer. For your outdoor projects, give this glue a try and you'll like it—just keep the following points in mind:

- •This product needs a little moisture to make a strong bond. So before applying polyurethane glue to dry woods, wipe the area to be joined with a damp cloth.
- ·After clamping, the squeeze-out

will appear as a brownish foam. Chuck says, "Resist the temptation to wipe it off when it's wet, or you'll end up with a sticky mess." After this foam hardens it can be cleaned up by slicing it off with a sharp chisel, bevel side down, working the edge across the joint. Buy only as much as you'll use in a year because humidity can cause this glue to prematurely turn to a useless gel. Extend the shelf life by keeping the glue bottle closed as much as possible.





Epoxy: tough-as-nails

If you need to join different materials such as metal or glass to wood, or if you're working with an oily wood such as teak, use epoxy. Just follow the mixing instructions on the package and these tips:

- •Most epoxies mix to a thick, gooey consistency. But for more versatility choose a thin, two-part epoxy to which you can add silica thickener—it's the strongest thickener you can add.
- •Keep lots of waxed paper handy when using epoxy. Use it to protect surrounding work areas from accidental bonding.
- •Use just enough clamping pressure to keep the joint from moving while it sets. Too much clamping force starves the joint of glue, and the remainder absorbs into the wood.
- *Por strong end-grain joints, Jim says, "First, saturate the wood on both sides of the joint with a coat of the thin epoxy. Then mix up another batch, this time adding silica thickener. Apply the thickened epoxy over the thin layer, and clamp."
- •Warm temperatures cause epoxy to set faster. So if you need more working time, keep the mixture cool by placing your mixing container in an ice bath as shown in the photo *left*.

Continued

Woodworking Glues

Instant (cyanoacrylate) glue: holding fast

This glue has been around since the guy on TV glued his head to the bottom of a steel girder, but you may not have thought about using it in your woodshop. Here are some "instant" ideas:

·For joining wood, pick an instant glue with a thick or gel consistency—a thin instant glue absorbs into the wood, robbing the joint of glue.

·Use a drop or two of a thin instant glue on fragile parts of wood turnings or carvings. It quickly absorbs into the wood and fortifies it.


·You can use a spray-on "accelerator" that makes the bond instantaneous. To do this, apply accelerator to one side of the joint, instant glue to the other, and join them. But, use just a light spray because too much accelerator will actually weaken the bond. Most stores catering to the needs of modelbuilders carry instant glue accelerators.

·For tough-to-clamp pieces that require precise positioning, like the broken letter in the scrollsawn sign below, try this. Apply

instant glue, position the pieces while the glue is still workable, then hit the joint with a spritz of accelerator. The accelerator will seep into the joint and bond the

·Instant glues work well for joining solid-surface materials, such as Corian. But, the joint requires just the slightest moisture for full strength, and solid-surface materials are bone-dry.

To get the best joint, clean the surfaces to be joined, then wipe one of the surfaces with a damp paper towel (or you can simply breathe on the surface—there's adequate moisture in your breath). Apply instant glue in a thin, even coat to the other piece, then position and clamp the joint as tightly as you can with a screw-type clamp. Leave the pieces clamped for 10 minutes. After 20 minutes, you can machine the joint.






Crafters have used these little sticks of hotmelt glue for years because it sets fast without clamping, and easily joins dissimilar materials that aren't under a lot of stress. So, grab your gun and remember these tips:

·Hotmelt glues are great for temporarily holding workpieces in position so you can join them with fasteners. For example, Jim positions false drawer fronts with the help of two spots of hotmelt glue as shown below. Then, he fastens the front to the drawer with screws.

•The hotter the glue, the better the bond. So give the glue gun at least five minutes to warm the glue fully before you begin, and work quickly—the glue begins to cool right after it leaves the gun.

·If you need more open time, warm your shop and materials to around 90°—maybe with a heat gun on a low setting. You'll gain a few seconds.







Contact cement: for the really big job


When gluing together two large surfaces, such as veneer to plywood, you can't beat contact cement. Spread the cement on both pieces, let them set, touch them together, and they're bonded! Here are a few things to keep in mind when working with contact cement:

- •If you have a choice, buy the low-solvent (water-based) type. It's more expensive than the solvent-based formulas, but it covers about twice as much surface area. The fumes are nonflammable so you won't risk an explosion, and cleaning hands and tools is a snap with just soap and water or a citrus-based solvent.
- •Jan uses a small short-nap paint roller to apply the cement. It provides a smooth and consistent layer, which is especially important when gluing flexible veneer.

And, he says, buy the best roller you can. "Inexpensive rollers fall apart when used with solvent-based cements."

- •The cement is ready when it appears dull and becomes just slightly tacky to the touch (from 5 to 15 minutes).
- As the name implies, contact cement bonds on contact, so have

a helper handy to keep the veneer off the substrate until you can position it. Starting from one end, press it down with a 3" rubber Jroller, rolling down the center first as shown in the photo below, then rolling out to the edges from there. Roll the entire surface to make sure the two surfaces make good contact.



WHERE TO CALL FOR MORE INFORMATION

If you'd like more information about glues, contact these manufacturers:

ARROW, botmelt glue, 201/843-6900 DAP/WELDWOOD, contact cement,

800/327-3339

DEVCON, epoxy and instant glues,

800/375-2525

ELMER'S, yellow, white, water-resistant, polyurethane, epoxy, instant, and con-

tact cement, 800/848-9400

EXCEL (from AmBel Corp.), polyurethane glue, 800/779-3935

FORMICA (from TACC International),

516/623-6000

GORILLA GLUE, polyurethane glue,

800/966-3458

LOCTITE, instant and polyurethane glues, 800/562-8483

LOKWELD, contact adhesive,

800/433-3222

SYSTEM THREE, *epoxy*, 206/782-7976

TITEBOND (from Franklin International),

yellow, white, water-resistant, polyurethane, and contact cement,

800/347-4583

WEST SYSTEM, epoxy, 517/684-7286

MAIL-ORDER SOURCES:

CONSTANTINE'S,

800/223-8087

CRAFT SUPPLIES, USA,

800/551-8876

GARRETT WADE,

800/221-2942

GRIZZLY,

800/523-4777

500/725-1///

TOOL CRIB OF THE NORTH,


800/358-3096

WOODCRAFT,

800/225-1153


THE WOODWORKERS'

STORE, 800/279-4441



WOOD MAGAZINE AUGUST 1998

This gum ball machine delivers excitement



Bil		lateri	No.		
Part		shed	The same of the sa	Matl.	Oty.
	T	W	-	Σ	O
A sides	3/4"	3"	173/4"	P	2
B base	3/4"	5"	13"	P	1
C back	1/8"	10"	173/4"	Н	1
D face	1/2"	10"	173/4"	PW	1
E* loading ramp	1/4"	21/4"	93/4"	Р	1
F* bevel block	11/2"	2"	3"	P	1
G fower ramp	1/4"	3/4"	79/16"	Р	1
H lower guide	1/4"	3/4"	15/18"	P	1
I upper guide	1/4"	3/4" .	111/16"	Р	1
J upper ramp	1/4"	3/4"	61/8"	Р	1
K middle ramp	1/4"	3/4"	61/4"	P	1
L* flippers	5/8"	5/8"	2"	P	3
M* spinner	5/a"	3" (dia.	P	1
N° delivery ramp	3/4"	3%*	81/4"	P	1
O* loop	3/4"	51/2"	91/2"	P	1
P' loading block	5/e"	1"	415/16"	ρ	i
Q* firing block	5/8"	10	17/16"	Р	1
R upper spring	1/16"	3/4"	91/2"	0	1
S lower spring	1/18"	3/4"	77/8"	0	1
T spring support	3/4"	13/4"	115/16"	Р	1
U spring block	3/8"	3/4"	3/4"	Р	1
V* delivery cup	3/4"	11/4"	17/8"	P	1
W arch front	3/4"	4"	11"	Р	1
X top	9/4"	21/4"	11"	P	1
Y plug	3/4"	7/8"	91/2"	Р	1

*Make oversize initially, then cut to finished size in accordance with how-to instructions.

Materials Key: H-hardboard, O-oak, P-pine, PW-plywood

Supplies: 1/8" clear acrylic sheet, 1/4" dowel rod, #5×1" flathead wood screws, #8×11/4" panhead sheet-metal screw, #8×11/2" flathead wood screws, flat washers, paint, decorative stickers.

6 Bandsaw the opening in the face. 7 Dry-assemble the sides (A), back (C), and face (D). Clamp together, and position on the base (B) where shown. Mark and drill \(^3/2\)^2 holes through the base and 1" deep into

the sides (A). Enlarge the holes through the base to 3/2", and countersink them on the bottom. Disassemble, and sand all parts.

8 Glue and screw the sides (A) and base (B) together. Slide the back

(C) and face (D) into place for spacing, but don't glue them yet.

9 Cut a piece of \(\%''\) acrylic to 9\\\ \%\ \%\ \%''\). Drill \(\%\ \%\ \%''\) holes at the centers shown on the Full-Size drawing, then cut the slots.













Harve a Ball

Add the ramps and flippers

1 Adhere a copy of the part E Top View Pattern to a piece of ½×2½" stock about 10" long. (Rubber cement or spray adhesive will hold the pattern.) Scrollsaw or bandsaw the notches. Sand three bevels and a radius where shown on the Front View Pattern.

2 To make part F, tilt your tablesaw blade to 45°, and bevel-rip one edge of a piece of $1\frac{1}{2}\times2$ " stock about 12" long. The Top View Full-Size Pattern for part F shows the profile. Refer to the Front View Full-Size Pattern, and trim the part to length, beveling the end.

3 Cut the lower ramp (G), lower guide (H), upper guide (I), upper ramp (J), and middle ramp (K) to the sizes shown. Round one end of the lower guide (H) and both ends of the others.

4 Now, fashion the three flippers (L) and the spinner (M).

To make them, plane a piece of 34×3" stock about 12" long to 58" thick. Cut blanks from the stock for the flippers and spinner, and adhere the patterns to them.

Drill and countersink a hole through each part where shown. The holes must run straight through the flippers and spinner, so drill them with a drill press. Scrollsaw each piece to shape.

5 Adhere the pattern for the delivery ramp (N) to a 34×4½×8½" blank. (We positioned the pattern to place the long upper surface of the ramp along the straight edge of the stock.) Bandsaw the part slightly outside the line. Sand to the line.

6 Cut out the loop (O), following a similar procedure. Sand all parts.

Prepare for launching

1 Make the loading block (P) and firing block (Q).

Start by ripping two 1"-wide blanks from the remaining 5%"-thick stock. Crosscut one piece to the length shown for each part. Drill a ¼" hole in each where shown on the Full-Size drawing.

P, and scrollsaw it. Sand the depression in one end of part Q. Glue a 1½" length of ¼" dowel rod into the hole in each part. Sand the blocks to slide freely in the channels.

2 Cut the two spring leaves (R, S) to the dimensions shown.

Here's an easy way to make them. Start with a piece of oak measuring $3/4 \times 3 \times 9 1/2$ ". Position your tablesaw's fence $2^{13}/6$ " from the blade (assuming a 1/6" strip on the outside of the blade, as shown *below*. Move the fence to $2^{13}/6$ " from the blade, and rip another strip.

Trim one strip to 7%". Drill a %2" hole through the center of each.

3 Cut the spring support (T) and spring block (U) to the sizes shown. Drill a 3/32" pilot hole 7/8" deep in the center of one end of part T. Radius that end of the piece to the contour shown on the Full-Size drawing. Drill a 5/32" hole through the center of part U.


4 Center the spring support (T) from side to side on the base so it will sit about 1/16" in front of the acrylic. Drill 3/12" holes 13/4" deep up through the base into the support. Enlarge the holes through the base to 5/32", and countersink them on the bottom.

5 Make the delivery cup (V).


Here's how to do that. With a compass, draw a 1%"-diameter circle on a piece of 34"-thick stock about 2×4". Draw the circle tangent to one end of the stock, as shown by the pencil circle in the photo on the opposite page.

At the center of the circle, bore a 1¼" hole ¼" deep. A Forstner bit chucked in a drill press will do the job easily.

Using a try square, draw a cutting line straight across the stock, 14" from the end, shown opposite page. (You could draw it on the back, if that is easier.) Bandsaw or scrollsaw the part to shape. Sand the flat face true. Sand all parts.



Rip the $\frac{1}{16}$ "-thick spring leaves (R, S) on the outside of the blade for safety. Install a zero-clearance table insert when sawing the thin pieces.



Lay out the delivery cup (V) on overlength stock for more convenience.

Top it off and paint it up

1 Cut the arch front (W) to the size shown. Transfer the arch outline from the Full-Size Half Pattern to the workpiece. Bandsaw or scrollsaw the part. Sand the sawn edge as necessary. Rout a 1/4" round-over along the front of the arch. Sand a similar round-over on the ends.

2 Cut the top (X) to size. Rout a 1/4" round-over along both ends and the back on the upper face.

3 Cut the plug (Y) to size. Sand parts W, X, and Y.


4 Glue the arch front (W) to the front edge of the top (X). Keep the bottom surface and both ends flush. Clamp the assembly.

5 Glue the plug (Y) to the bottom of the arch front/top assembly where shown. Center the plug from side to side, and clamp.

6 Paint the side/base assembly and the top assembly. (We primed the wood, then sprayed on several coats of Krylon no. 1910 True Blue, sanding between coats.)

7 Mask gluing areas on the face (D) for the guides and ramps (E, G, H, I, I, K, and N) and loop (O). Then, prime the back (C) and face (D), and paint them. (We sprayed on several coats of Krylon no. 2103 American Beauty Red, sanding between them.)

8 Paint the remaining parts, except the spring leaves, gloss white.



(Don't apply any finish to the spring leaves.) Leave gluing surfaces unpainted.

Finally! Time to play pinball

1 Slide the back (C) and face (D) into their grooves in the sides without gluing them. Glue parts G, H, I, J, K, N, and O to the face where shown. (We laid out the parts without glue first.)

2 Mark where the top of the delivery ramp (N) meets the left side (A). Measure 5/16" up from there, and center a mark between the front and middle grooves. Transfer that point to the outer face of the side, and drill a 34" hole through the side. Sand the hole, and touch up the paint with a brush.

Project Design: David Ashe Illustrations: Roxanne LeMoine; Lorna Johnson Photographs: Marty Baldwin; Hetherington Photography

3 Attach the flippers and spinner to the face with #5×1" flathead wood screws. Place one or two washers between each piece and the face to allow free movement.

E

(0)

1/8 x 915/16 x 173/4"

clear acrylic

TOP SECTION VIEW

F

0

(A)

Front

4 Glue the back and face into their grooves. Glue the loading ramp (E) and bevel block (F) into place.


5 For a flashier look, you can add stickers, as we did. (We bought a sheet each of red and white Coverite Graphics stars for model airplanes from a hobby shop.)

6 Put the loading block (P) and firing block (Q) in place, and slide the acrylic front into its grooves.

7 Screw the spring support (T) to the base. Slide the spring leaves (R and S) under the dowels on the loading and firing blocks. Center the springs on the support, and secure them with a screw through the spring block (U).

8 Glue the delivery cup (V) to the side, just below the hole. Scrape away some paint for better gluing.

9 Finally, fill the machine with gum balls. (We bought bags of them at a Walgreen's drugstore.) Pour them into the top, between the face and back panel. Don't overfill—a few dozen is enough.



1 Using the Full-Size Half Patterns in the WOOD PATTERNS® insert, make patterns for the top, parts B, D, and F, and parts C and E. Make two copies of the Parts B, D, and F pattern. Note that each one shows nested parts for baskets of three different sizes. Cut apart the three pieces on one copy of the parts B, D, and F pattern to make individual patterns for the bottoms (F). Photocopy the handle patterns.

2 To make the set of three baskets, cut blanks A-G to the sizes shown


in the Bill of Materials. Cut bottom blanks (F) to all three sizes shown. (A ½×6½×55" piece of walnut and a ½×6½×27" piece of maple will yield all the blanks.)

3 Temporarily laminate the part B and D blanks with double-faced tape. Do the same with the two part C and E blanks.

4 Adhere each pattern to its blank or stack of blanks, using rubber cement or spray adhesive. With spray adhesive, follow the label instructions for temporary bonding. 5 Drill blade start holes where indicated. Starting with the Toppatterned piece (A), insert the blade through the innermost hole. Scrollsaw the inside of the smallest top piece. (A #7 blade, .045×.018" with 11½-14 teeth per inch, will handle the cutting.)

Then, put the blade through the next hole outward. Saw around the outside line of the smallest top piece. Set the piece aside, then cut around the inside of the middle-size top piece. As before,

These baskets may look woven, but they aren't. Instead, they're stacked scrollsawn sections that are so easy to cut that even a novice will achieve great results.



SEE THE WOOD
PATTERNS®
INSERT FOR
FULL-SIZE
PATTERNS

cut around the outer line of that piece, then cut out the inside and outside of the largest top.

6 Following a similar strategy, cut out the stacked basket sides, parts B and D and C and E.

7 Scrollsaw the basket bottoms (F) and handles (G).

8 Sand all parts as necessary. Sand slight round-overs on the handle, top, and bottom where indicated.

9 Referring to the Exploded View drawing, glue parts B, C, D, and E to the bottom (F). Glue the basket

top (A) to the top of the stack. Clamp the glued assembly between two pieces of scrapwood.

10 After the glue dries, unclamp the basket. Apply glue to the handle slots in the top (A), and slide the handle (G) into the slots. Clamp with spring clamps.

11 To finish the baskets, spray on a coat of semigloss polyurethane or other clear finish.

Project Design: John Nelson for Scroller Ltd. Illustrations: Kim Downing; Lorna Johnson Photograph: Hetherington Photography

Bill	of N	lateri	als		
	В	=	·		
Part	T	W	L	Matt	Qty
A* top	1/2"	61/2"	944"	W	1
B* side 1	1/2"	61/2"	93/4"	M	1
C'side 2	1/2"	61/2"	93/4"	M	1
D' side 3	1/2"	61/2"	934"	W	1
E* side 4	1/2"	61/2"	- 9¾"	M	1
F bottom (lg.)	1/2"	61/2"	9¾"	M	1
F bottom (med.)	1/2"	51/4"	73/4"	W	1
F bottom (sm.)	1/2"	41/4"	61/2"	W	1
G" handle	1/2"	5"	61/2"	M	3

"Blank size shown yields tops and sides for all three baskets or the large one built separately. To make the medium or small basket only, cut top and side blanks to the size shown for the medium or small bottom (F).

"Blank size shown yields all three handles or large one only. For medium or small handle, measure pattern to determine blank size.

Materials Key: M-maple, W-walnut



Mortisers

Fast Facts

•You can buy a ½-hp mortiser that makes mortises up to ½" wide for less than \$300. Such a mortiser amply handles the needs of most home woodworkers.

•Depending on how many mortises you make, a drill-press mortising attachment may make more sense for you.

You'll spend less money and still get clean mortises.

•Regardless of the mortiser you choose, the key to clean and low-effort mortises is an accessory: the hollow chisel and bit set used to make the cut. We'll tell you which sets make the grade—and which ones don't.

A few words about our test

We concentrated this review on six benchtop mortisers costing less than \$300. These units have ½-hp motors and handle chisels up to ½" wide. They accommodate stock up to 2½-3½" thick (this varies depending on the model) under their hold-downs. Some models will mortise to the center of 9"-wide workpieces—others reach only to the center of 6½"-wide stock.

For those of you who need something with more power, we also tested a ¼-hp model that powers chisels up to ¾" wide, and a 1-hp model that accommodates 1" chisels.

The mortisers made holes in pine with ease, so we pushed them to their limits by cutting mortises up to 1½" deep in white oak and hard maple. We cut mortises into the edge of ¾" stock to determine how well each machine's fence and hold-down work with thin material. And, to see how well these components handle thick material, we mortised 2½"-square stock.

To put the machines on a level playing field, we tested all of them with ½" Clico-brand chisels and bits. We also conducted a series of cutting tests with the other

brands of chisel/bit sets sold by the various mortiser manufacturers. Among other things, these cutting tests revealed much about the relative hardness of the chisels and bits (turn the page to see "Chisel/bit sets: The key components in mortisers").

But with a mortiser, the bit spins inside a hollow chisel that does not rotate. As the bit hogs away mortise material, the sharp edges of the chisel shear off the flat mortise walls. The debris spews out the open sides of the chisel.

Continued


The hole story of how mortisers work

Mortisers look and function much like drill presses.

Both have a rotating chuck that holds a drill bit that plunges into a

when you pull down on a lever arm.

workpiece



Motor Depth-stop clamping screw Lever arm Depth-stop bar ON/OFF switch Chuck guard Lift cylinder Chuck-Lever arm clamping screw Fence clamping lever Chisel clamping Hold-down clamping lever Chisel bushing Depth-stop Chisel adjustment screw Adjustable Adjustable fence hold-down ANATOMY OF A

HOLLOW-CHISEL MORTISER

WOOD MAGAZINE AUGUST 1998

Benchtop Mortisers


Because of the chisel's shearing action, you exert considerable downward pressure on the lever (1"-wide chisels may take all the strength you can muster). A depth-stop bar controls how deep the bit and chisel cut, and a fence assures that each successive cut falls on a line parallel to the edge of the workpiece.

When you raise the lever to withdraw the bit, the chisel tends to grab the walls of the mortise, especially if the workpiece lifts or twists. A sturdy, properly adjusted hold-down prevents this.

Comparing these machines to other mortising options

If you cut a mortise-and-tenon joint only once in a blue moon, by all means, don't plunk down upwards of \$200 for one of these machines. (A good set of chisels and bits could double your investment.) Rather, stick to your trusty drill press and conventional drill bits for hogging out the mortises, and hand chisels for cleaning them up.

If neither the idea of hand chopping with chisels, nor spending \$200-plus for a mortiser appeals to you, there's one more option. Drill-press mortising attachments



Drill-press mortising attachments cost less than dedicated mortisers, but you'll spend more time setting them up.

like the one shown below left cost surprisingly little—\$25 to \$40 for most Taiwanese-made versions. (Again, a good set of chisels/bits will double or triple your total investment.) You'll save some money going this route, and in our tests the mortising attachments were just as effective as dedicated mortisers in making clean, accurate mortises.

Also, drill presses afford you more workpiece capacity because you can mortise to the center of wider pieces (the largest machine in our test mortises to the center of a 9"-wide piece, a 14" drill press drills to the center of 14"-wide glue-ups). And, because the table of a drill press tilts, you can cut angled mortises.

Despite those advantages, a dedicated mortiser still makes the most sense if speed and ease sit atop your priority list. Why? It's a snap to set up a mortiser, but you'll spend about 10 minutes installing a mortising attachment.

Although installation time doesn't matter if you dedicate an extra drill press to mortising, you'll still spend more time adjusting the fence on a drill-press attachment. That's because these fences—unlike a mortiser's fence—don't stay square to a chisel when you move them.

And, every cutting plunge takes longer with a drill-press attachment. For example, you rotate the long lever arm on a mortiser only 140° of arc for 4" of bit travel. With a drill press you rotate one of three short arms nearly 360° for 3" of travel, and you usually have to regrip to complete the stroke.


If a drill-press mortising attachment sounds right to you, be careful to buy one that's compatible with your drill press. Its yoke must fit your drill press' quilt diameter. And, its fence should mount to the slots in your drill-press table—some slots run parallel front to rear, and some radiate.

How our test units compare in key areas

• Hold-downs. This critical component must be rock-solid. If it flexes upward when you withdraw the chisel from the work-piece, the chisel will bind against the mortise. Besides the frustration this causes, such binding can pull the chisel loose and damage the cutting edges of the chisel or drill bit.

As you can see in the chart at the end of this article, the Multico mortisers earned "excellent" ratings for hold-down effectiveness. They showed almost no flex because of their stiff, I-beam-like construction, and their solid connection to the machine's post (see the anatomy illustration based on a Multico machine on the *previous page*).

The hold-downs on the other mortisers attach to the fences as shown below. Although this



This side view of the Delta mortiser shows a fence-mounted hold-down and a chuck with access from two sides.

Chisel/bit sets: The key components in mortisers

No single feature of your mortiser will affect the quality of your mortises, and your level of enjoyment, as much as the chisel/bit set. With the standard ¼", ¾", and ½" sets available for our tested machines, we cut mortises up to 1½" deep. We tested one brand, Multico Premium, that has extra long chisels and bits that permit mortises up to 4" deep in the ¾" and ½" sizes. You can cut mortises 3¼" deep with standard ¾" and 1" sets.

As you can see in the chart below, the chisel/bit sets included in our testing ranged greatly in quality and price, costing as little as \$10, and as much as \$68, for a single 36" set.

Why such a wide range? In our tests we found that the expensive bits held up much better than their low-cost counterparts. As shown above right, the low-cost Taiwanese chisels had shank barrels made of thin, soft steel that dented easily under the force of the setscrew that holds the chisel square to the workpiece. The cutting edge of the chisel, although sharp from the factory, dulled after only a few mortises.

The problems of low-cost bits became especially evident in the 1/4" size. During deep cuts, when bits jam from time to time, the Taiwanese bits would actually distort—the flutes "unraveled," causing the bits to enlarge in diameter and not fit properly into the chisel. The Austrian-made 1/4" bit

shown in the photo was made of harder steel, but snapped when jammed (the other sizes of Austrian bits performed well).


The Clico ¼" bits, also made of hard steel, did not snap because they were the only two-flute bits in that size. Two-flute bits are inherently stronger because they have more steel mass in the flutes. Single-flute bits have precious little steel holding them together at their thinnest points.

Because the more-expensive bits are made from harder steels, you can expect them to go longer between resharpenings. And, you can buy accessory resharpening kits (about \$70-\$80) for the two higher-cost sets in our test—Clico and Multico Premium. These come in handy because few professional sharpeners have the necessary equipment to do the work. These sharpening kits are not compatible with many Far East chisels, which you may have to throw out when they dull.

In the chart we rate the various sets for "cut quality" and "cutting ease." The sets that scored higher in these areas had sharper factory-ground cutting edges on the chisels and bits. A sharp chisel will cleanly shear a mortise wall with minimal effort from you. A dull or incorrectly ground chisel will tear the wood fibers and make you bear down heavily on the mortiser's lever arm.

Our advice: If you make a lot of

mortises, invest in Clico chisel/bit sets. If two or three Clico sets stretch your pocketbook too far, buy just the Clico ¼" set simply because of the tendency of bits of any other brand in this size to self-destruct. The Delta sets, thanks to the hardness of their steel, represent the best buy of the lower-cost products. And, regardless of brand, check the bits for straightness. We came across several bent bits, especially in the ¼" size.



AN UP-CLOSE COMPARISON OF 3/8" CHISEL/BIT SETS PERFORMANCE (1) MANUFACTURE PRICE OF A CUTTING CUT 817 CLICO G 2 E DELTA G F GRIZZLY G E 16 HARBOR FREIGHT 1 G P C 13 MULTICO (WHITE BOX) . E F G MULTICO PREMIUM (GREEN BOX) 1 E E E J 68" WOODTEK 3.7

NOTES: 2.

1. Excellent
G Good
F Fair

(A) Austria (C) China (E) England (J) Japan (T) Talwan

P Poor (C/T) Grizzly 1/4" set made in China;
1/4" and 1/4" sets made in Taiwan.
Mail order prices, Shipping charges not included.
Other sizes available.

61

Other sizes available:

(*) These sets available when supplied with Multico mortisers. Not available for purchase separately.

(**) Require a special 13/16" chisel bushing. Chisels are extra long.

Continued

arrangement worked adequately on all but the Harbor Freight mortiser, slight hold-down flexing occasionally led to binding. The Harbor Freight hold-down was ineffective because we found it impossible to keep the hold-down or the fence from sliding upward in normal use.

Although not quite on a par with the Multico hold-downs, the Delta hold-down was the best of the rest in the test. Like the Multico, the bottom surface of the Delta hold-down (that contacts the workpiece) is flat and parallel to the table. This helps keep the workpiece firmly on the table.


Benchtop Mortisers

*Ease of use. Since you buy a mortiser to help you work faster and with less effort in the first place, don't settle for a machine that's not easy to use. To determine the "overall ease of use" rating in the chart right, we considered such factors as the effort required to plunge the chisel into the stock, the work required to change chisels and bits, and the number of tools and effort necessary to adjust and tighten the mortiser's various components.

To ease the effort of plunging the chisel, these machines have long lever arms ranging from 16½" to 23" long. Among the ½-hp units, the 19" Multico arms were the longest. This extra leverage contributed to their having the easiest plunge.

All of the machines have some means by which you adjust the starting point of the lever arm's arc. Depending on the height of the mortiser, your own stature, and the depth of the cut, you need to adjust the arc of the lever arm for comfortable operation.

The Delta arm proved easiest to adjust. As shown below, it has a spring-loaded pivot point that adjusts to any of six positions



You can quickly adjust the springloaded Delta lever arm by pulling it out, turning it, and releasing.

instantly by pulling out on the pivot and letting it go at the correct position. All of the other arms require a wrench or screwdriver for adjustment. The Harbor Freight mortiser gives you only two possible arm positions; the others give you four or six (see chart for specifics).


If you frequently change chisels and bits, take a look at the "chisel changing ease" and "chuck access" columns in the chart. The Delta proved tops in these areas because, like the Multicos, you can quickly access the chuck from two sides. (The Harbor Freight is open on two sides, but smaller openings inhibit access.) And, like the Harbor Freight, the Delta comes with a long chuck key that helps prevent you from skinning your knuckles on the housing that surrounds the chuck.

Mortisers have plenty of adjustments, so we appreciate that the Delta and Multico units have onboard storage for the chuck key and adjustment wrench. This may seem like a small point, but it sure cuts down on chuck key and wrench searches. The Delta also has onboard chisel/bit set storage.

• Chucks. The English-made Multico units have German-made Rohm-brand chucks that we prefer over the Taiwanese-made chucks on the other units. The Rohm chucks tighten and release in about a ¼ turn, whereas the other chucks require up to a ¾ turn. Other than just the obvious time savings, the ¼ turn saves on skinned knuckles in the tight quarters around the chuck.

• Speed. All of the tested motors turn the chuck at or around 3450 rpm except for the Delta, which goes half as fast at 1725 rpm. In our trials we found pros and cons to both speeds.

The 3450 rpm units had better debris ejection from the chisel on



most species. Chisels stayed cooler with the Delta, but we had to slow its feed rate compared to the other units. Because of the extra heat, the chisels on the 3450-rpm machines tended to turn blue and scorch the walls of the mortises.

The moment of truth: where to put your money

Among the ½-hp mortisers priced near or under \$300, two units were clearly better than their

100						A	FE	W M	OR	EM	IOF	ITI	SE	R	MOF	RSE	LS							
	1			MOT	OR			APACITY		-	10	l A	VER RM	-		PERFO	RMAN	CE (4)		4.5	1	10	1
BRAND	MODEL	HORSCOL	AMPERAG	SPEED (Ross.	MAX. Spirit	DEPTH	MAX. FENCE.TO	CHISEL SHANK BY METERS AC	MAX. RECOMME	MIN. STOCK HEIGH	LENGTH (III)	NUMBER (INCHES)	CHISEL C.	CHUCK ACC	DEPTH STOP EASE OF USE AND EASE	HOLD-DOWN EFFECTIONN	HOLD-DOWN	OVERALL SE	QUALITY OF USE	CHISEL WIDTHS	WARD (INCHES)	COLINT (MONTHS)	1.	(8) COMMENTS
DELTA	14-650	1/2	5	1725	41/4	31/2	31/4	5/8	1/2	2	163/4	6	E	E	E	G	ш	Е	E	None	24	τ	\$250	Sturdler construction an extra features make this a better value than the other Taiwanese-made mortisers.
GRIZZLY	G3183	1/2	6	3450	·4¹/2	3	31/2	5/8, 3/4	V ₂	15/8	161/2	6	G	F	E	G	E	G	E	None	12	T	225*	A respectable performer overall. Nearly Identical the Woodtek machine.
HARBOR FREIGHT	35570	1/2	2.3	3598	41/2	21/2	31/4	3/4	1/2	13/8	171/4	2	F	G	Р	P	Р	P	F	1/4, 3/8,	1	C	170**	Lowest priced machine test. Performance leaves much to be desired.
MULTICO	PM10	1/2	4.8	3450	41/4	23/4	41/2	5/8, 3/4	1/2	15/8	19	4	E	E	E	E	G	E	G	None	12	E	299*	The original benchtop mortiser. The best-made machine in its class.
	PM12	1/2	5.2	3450	41/4	23/4	41/2	5/8, 3/4	1/2	15/8	19	4	E	E	E	E	G	E	G	1/2	12	E	459*	Like the PM10 but with continuous-duty motor, magnetic switch, and comes with three chisele sets, Also \$160 more.
	PM16SP	3/4	7	3450	41/4	23/4	41/2	5/8, 3/4	3/4	15/8	19	4	ш	Е	E	Е	G	ш	G	1/4, 3/5,	12	E	639*	Well-made like other Multicos. Handles chise up to ¾" wide. Pricey. Comes with drill conversion kit.
WOOOTEK	876-775	1/2	6	3450	41/2	3	31/2	5/8, 3/4*	1/2	15/a	161/2	6	G	F	E	G	E	G	G	None	12	T	240"	A respectable performer overall. Nearly identical the Grizzly machine.
	900-881	1	12	3450	5	4	33/4	5/8, 3/4, 11/8	1	15/8	23	4	G	F	E	G	E	G	G	None	12	T	390*	Lots of power for the money. Handles chisels up to 1" wide.
gain mor hold-dow reversing 2. (*) Holds purchase another s 3. Lowest p	ended positi e helght by ins upside d column on 3/4* shanks 3/4* bushing supplier.	on. Yourning town, base if you from old-do	ou car ig the and b	y [Exc Geo F Fai P Poo	r			s; not el	n ction	ecurely		8. Car ar (*	ticle's Ship	and	n. addition:	66.00	Delt 800 Griz 800 Harl	a /438-24	777 ght	Ma (A ca ca	ultico vailal II 800 II 888 oodte vailal	ole throu 0/221-29 8/593-24	igh Woodworker's Supply

competitors: the Delta 14-650 and Multico PM10. Most woodworkers will be perfectly happy with the \$250 Delta. For about \$75 more (\$299 plus \$25 shipping) the Multico offers more-refined construction and a stouter hold-down.

Multico mortisers are available in the U.S. only from Garrett Wade (New York, N.Y.) and Injecta Machinery (Altadena, Calif.). Both outlets will ship your order—see phone numbers at the *bottom* of the chart *above*. You can buy the Delta from many local and mail order distributors.

Among the machines capable of making mortises more than ½" wide, the Woodtek 900-881 offers lots of value. Although not as well


made as the Multico PM16SP, it has more power (making mortises up to 1" wide versus ¾" for the Multico), and costs about \$250 less. If you opt for one of these large machines, be forewarned that you can't buy inexpensive chisel/bit sets in sizes over ½". Expect to pay \$70-\$160 per set in sizes from %6" to 1".

Written by Bill Krier Technical consultant: Dave Henderson Photographs: William Hopkins Illustration: Kim Downing

WOOD MAGAZINE AUGUST 1998 63

What a bunch of

Carvers take us back to the



Peering into the window at the Caricature Carvers of America's Full Moon Saloon, we spot the Cowboy at the Bar (foreground) and The Cowboy's Sidekick (behind), both by Pete LeClair. Far-fetched facial features give the improbable pair real-life personalities.

Caricatures always top woodcarving's "most fun" charts. On the respect scale, though, caricatures thud to the bottom. A talented, fun-loving group of carvers is aiming to change that.

Whether you're chuckling over Pete LeClair's Cowboy at the Bar and The Cowboy's Sidekick, through the window above, or hewing our some crazy character of your own, comical caricature carvings bring nothing but pleasure. So, it's anybody's guess why so many people—including lots of woodcarvers—hold caricature carvings in low regard.

It may be because the carvings violate so many rules of formal, realistic sculpture, with their ridiculously exaggerated poses and proportions, as in the figures on the opposite page.


You'll certainly never meet people who look just like Joe Wannamaker's The Dancing Couple, Dave Dunham's The Saloon Piano Player, or Rich Wetherbee's Sleazy Girl on the Piano. But chances are, at least one of these figures reminds you in some way of some real person.

Too funny to take seriously?

The humor that makes these carved cartoons such fun sometimes works against them. People who believe art should be serious stuff think anything that tries so

CHARACTERS!

thrilling days of yesteryear



hard to make them smile can't be worthy of their respect.

Design and workmanship are often underappreciated because the carvings aren't true to life. Granted, some caricatures are crude. Yet, to do one well calls for the same kind of planning,

design sense, and carving skill exhibited by "more serious" work. Beyond that, the caricaturist must invest additional effort into incorporating exaggerations that help tell a story or give a character personality, as in Marv Kaisersatt's The Seated Cowboy, on page 66.

CCA rides to the rescue

To help dispel the myth that a caricature carving is just a realistic figure that didn't turn out quite right, a group of leading wood-carving caricaturists banded together several years ago. Tagging themselves the Caricature Carvers of America (CCA), they set out to educate other carvers and the general public about the art and techniques of caricature carving. They hope to increase appreciation for caricatures, and to entice others to join in the fun.

In carrying out this goal, the group has in recent years mounted two tableaux—the Full Moon Saloon and the CCA Circus, both populated with figures that show woodcarving at its lighthearted best. The examples here came from the saloon. To see them in that setting, along with the rest of the saloon crowd, turn the page.

Buying Guide

Books. See the Full Moon Saloon and the CCA Circus in detail, with carvers' comments and figure patterns, in Carving the Full Moon Saloon and Carving the Caricature Carvers of America Circus, available at local bookstores, or at \$19.95 each plus \$2.50 postage and handling from Fox Chapel Publishing Co., 1970 Broad St., East Petersburg, PA 17520. Call 717/560-4703. When ordering from the publisher, mention WOOD® magazine to receive a free CCA Circus poster.

CCA on the Web

Learn more about the Caricature Carvers of America (including demonstration schedules) at http://www.cca-carvers.org

Continued



The Seated Cowboy, slouched down with his shoulders turned, head tilted, and legs crossed, emerged after two months of sketching, clay modeling, and carving by Marv Kaisersatt. Everything you see is carved from a single block of basswood.

THE FULL

The Caricature Carvers of America's first group effort, a 4'-long Old West saloon, includes pieces from 21 carvers. The figures and their carvers are: The Hanging Drunk by Keith Morrill on the coatrack at left, The Rail Rider by Randal Landen sliding down the banister, and crawling along the beam, The Lamp-

lighter by Steven Prescott. Surveying the scene from the balcony are, from left, The Old Coot by Keith Morrill; The Drunk by Bob Travis; and The Reverend and Mrs. Farkus by Peter Ortel. Hanging Harley by Harley Schmitgen commands attention above

the bar. Flat on His Back by Harold Enlow lies on the saloon floor at left, attended by Tom Wolfe's Man's Best





MOON SALOON

Friend. Behind them, Dave Dunham's The Saloon Piano Player pounds out a tune and Rich Wetherbee's Sleazy Girl on the Piano warbles while Joe Wannamaker's The Dancing Couple takes a whirl.

Marv Kaisersatt's The Seated Cowboy sips sarsaparilla or

sips sarsaparilla or something as Doug Raines' Sweet Betsy and Ike head for the exit with different degrees of enthusiasm. The Janitor by Dave Rasmussen wrings his mop behind the card table, where *The Lady Card Shark* by Bob Travis seems to have garnered all the chips from an unnamed Travis figure and Garry Batte's *Card Player with a Bottle*. Tex Haase's *The Bartender* presides over the left end of the bar while at the other end Claude Bolton's *The Assistant Bartender* chats with *The Cowboy's Sidekick, Cowboy at the Bar* (both by Pete LeClair), and the suspiciously horsey-looking *Flirty Gertie* by Desiree Hajny. They seem to

be keeping an eye on Joe Wannamaker's pooch, who simply doesn't believe there's No Free Lunch.

Amidst all the frivolity, The Moose Hanger by Dave Stetson struggles to finish up his interior decorating chores and Sal and Igoo (the local mortician, Sal Monilla, and his assistant) by Jack Price try to drum up orders for pre-need headstones. And if looks could kill (not to mention that hatchet), Claude Bolton's Carrie Nation would be making business for them.



You, too, can be a savvy HARIXAOD



Buying wood can be just as much fun as working it, if you're informed. The basics here will get you started.

Understanding hardwood grades

No two hardwood boards look alike. That's why each hardwood board is assigned a grade at the mill by a lumber grader. Each grade, *right*, is based on a percentage of yield in clear face cuttings as seen from the clearest side of the board.

Easy board foot Calculation

Hardwoods sell in grades by the board foot, a basic unit of measurement that equals a 1"-thick board that's 12" wide and 12" long. That's because hardwoodsunlike softwoods-aren't cut and milled as dressed, sized lumber in standard nominal dimensions $(2\times4, 1\times6, 4\times4, etc.)$ to only be cut to length for construction. Instead, mills saw hardwoods into random widths and lengths to best take advantage of the clear wood in a log. Hardwoods do come in nominal thicknesses, such as I", 11/4", etc. (often referred to as four-quarter, five-quarter, and so on), that actually are a bit shy of the stated thickness. Therefore, you'll pay for a 1"-thick measurement but actually be getting about 3/16" less. Board widths aren't standardized. Typically, the dealer will "round up" to the next inch of width and charge you for it. To help you in estimating stock and cost for the projects you want to build, the chart right gives you the amount of board feet in a range of common hardwood dimensions you'll likely come across where you shop for wood.

	GRADING TERMS
GRADE	CHARACTERISTICS
FAS (First and seconds)	The best grade. Boards 6" and wider, 8' and longer. Almost clear. Yields 83% percent clear face cuttings 4" or wider by 5' or longer and 3" or wider by 7' or longer.
Selects	Boards 4" and wider, 6' and longer. One side is FAS, the other is No.1 Common. Yields 83% percent clear face cuttings.
No. 1 Common	Boards are 3" and wider, 4' and longer. Yields 66% percent clear face cuttings 4" or wider by 2' or longer and 3" or wider by 3' or longer.

BOARD FOOT CA	ALCULATOR
---------------	-----------

		1"-	THIC	K LUI	ИВЕ	R	
П			L	ENGT	1		
		6'	8'	10'	12'	14'	16'
X	3"	1.5	2	2.5	3	3.5	4
WIDTH	4"	2	2.66	3.33	4	4.66	5.33
WID	6"	3	4	5	6	7	8
	8"	4	5.33	6.66	8	9.33	10.66
	10"	5	6.86	8.33	10	11.66	13.33
3	12"	6	8	10	12	14	16


		11/4	"-TH	ICK L	UMB.	ER	-17								
U	000	LENGTH													
. 0	161	6'	8'	10'	12'	14'	16'								
	4*	2.5	3.33	4.16	5	5.83	6.66								
_	6"	3.75	5	6.25	7.5	8.75	10								
WIDTH	8.	5	6.66	8.33	10	11.66	13.33								
W	10"	6.25	8.33	10.41	12.5	14.58	16.66								
	12"	7.5	10	12.5	15	17.5	20								

×		2"-	THIC	K LUN	/BEI	R								
ij.	LENGTH													
		6'	8.	10"	12"	14"	16							
	6"	6	8	10	12	14	16							
Ŧ	8"	8	10.66	13.33	16	18.66	21.33							
WIDTH	10"	10	13.33	16.66	20	23.33	26.66							
	12"	12	16	20	24	28	32							

SHOPPER A guide to wood, its uses, grades, and board feet


Puzzled by which wood to taste, then cost and avail		But un	itil you kn						acquai	nt you	with the	woods				confus	ing. Use the chart below
WOOD SPECIES	PRICE (1)	AVAILABILE	HARDNESS	STRENGTH	WEIGHT	STABILLTY	ROT	SPLIT	MACHINING	-,-	CARVING	Ť	GLUING	SANDING	STAINING	PAINTING	USE/COMMENTS
ALDER, RED	SS	R	Medium	Weak	Light	G	F	F	G	G	F	G	E	F	E	G	Cabinets, furniture, millwork
ASH, WHITE	SS	N	Hard	Strong	Heavy	G	F	G	E	F	P	G	G	E	G	F	Cabinets, furniture, doors
BASSWODD	SS	N	Soft	Weak	Light	G	P	G	Е	Р	G	G	E	E	G	E	Best for carving
BIRCH, YELLOW	SS	R	Hard	Strong	Heavy	G	F	G	E	G	P	G	G	F	G	G	Cabinets, furniture, flooring
BUTTERNUT	SSS	R	Soft	Weak	Light	Е	F	F	F	G	G	G	G	F	G	F	Carving, furniture
CEDAR, RED	SS	N	Soft	Weak	Light	G	E	P	F	Р	P	F	G	Р	F	G	Outdoor furniture, decks
CHERRY	SSSS	N	Hard	Strong	Medium	G	F	F	E	E	G	E	E	E	G	G	Fine furniture, cabinets
CYPRESS	SS	R	Medium	Medium	Medium	G	Е	F	P	Р	P	G	F	F	F	G	Outdoor furniture, decks
DOUGLAS FIR	SS	N	Medium	Strong	Medium	F	G	F	G	P	P	G	G	F	F	G	Strong utility wood
HICKORY	SS	A	Hard	Strong	Heavy	G	P	F	G	G	Р	G	G	Е	G	F	Chairs, tables, sporting good
LAUAN (PHILIPPINE MAHOGANY)	SS	N	Medium	Medium	Medium	E	G	P	F	F	P	G	E	P	G	E	Furniture, boats
MAHOGANY	SSSS	N	Medium	Medium	Medium	E	G	P	E	E	G	G	E	G	E	E	Fine turniture, boats
MAPLE, SUGAR	SSS	N	Hard	Strong	Heavy	G	P	F	E	G	F	G	F	G	G	G	Durable for hard use
OAK, RED	SSS	N	Hard	Strong	Heavy	F	P	F	G	G	P	E	G	E	E	G	Indoor furniture, floors, trim
OAK, WHITE	SSS	N	Hard	Strong	Heavy	F	Е	G	G	G	P	E	G	E	Ė	G	Indoor and outdoor furniture
PINE, WHITE	sss	N	Soft	Weak	Light	G	F	Р	G	G	G	G	E	G	F	G	Alf-around indoor use
PINE, YELLOW	SS	N	Hard	Strong	Heavy	F	F	P	G	G	G	G	F	F	F	G	Carpentry
POPLAR, YELLOW	SS	N	Soft	Weak	Medium	G	Р	G	F	F	F	G	E	Р	G	Е	Toys, drawer sides, utility
REDWOOD	SSS	N	Medium	Weak	Light	E	E	G	G	Р	Р	G	Е	Р	F	G	All autdoor projects
TEAK	ssss	N	Hard	Strong	Medium	E	E	G	E	G	F	E	G	G	G	F	Boats, outdoor furniture
WALNUT	\$\$\$\$	N	Hard	Strong	Heavy	E	G	F	G	Е	G	G	E	E	G	F	Fine furniture

Written by Peter J. Stephano Photograph: Marty Baldwin



This summer, move your woodworking outdoors by building and installing this deck delight. Our railing system relies on few visible fasteners, using instead tenoned rails and stiles to provide strength and support. Better still, it features lighted posts that accent your handiwork in the evenings while allowing for safe movement around your new or remodeled deck.

Note: If you're building a new deck, install the 4x4 corner posts first, and then center the other 4x4 posts between the corner posts. We kept our posts at or below 4' on center. Then, whether using new or existing posts, review the four-step Railing Installation drawing and the



instructions in this article for the overall method of fitting the railing system between the posts before you begin crosscutting the rails (D, E) to length.

We recommend having a licensed electrician install the wiring for your deck lighting to meet codes in your area.

Determine the part sizes to fit your deck posts

1 Cut your 4×4 posts so they protrude 28½" above the surface of the deck where shown in *step 1* of the Railing Installation drawing located on *page 73*.

2 Attach a porcelain light fixture centered on the top of each interior

post (not the corner posts). Have the fixtures wired as shown on the Deck Wiring drawing located on page 72. Put bulbs in the fixtures and test the wiring. Then, unplug the system and remove the bulbs until the construction is completed.

3 Measure the thicknesses and widths of your posts, and adjust the


Continued



size of the post covers (A, B, C) accordingly. Then, cut the post covers to size to fit your posts. Our posts measure 31/2" in thickness and width. Note that only the corner posts incorporate part C.

4 Cut a 34" groove 38" deep, centered along the inside face on one part A for each post, to house the wiring. (We did this on our tablesaw fitted with a dado blade.)

DECK WIRING



5 Lay out and cut the mortises in parts B and C where shown on the Railing Installation and Exploded View drawings and the Mortise detail accompanying the Exploded View. (We used a ¾" drill bit to drill a blade start hole. Then, we cut the mortise to shape with a jigsaw.) Mark the hole centerpoints, and drill the holes for screwing the louvers in place later.

6 Tape parts A, B, and C to the posts as shown in step 1 of the Railing Installation drawing.

Add the rails and balusters between posts

1 Using step 2 on the Railing Installation drawing for reference, determine the lengths of railing parts D and E. Cut the rails (D, E) to the determined lengths.

2 Cut a 1×3" tenon on each end of the mid and bottom rails (E) to fit snug into the previously cut mortises in the post covers B and C.

3 Use the equation in step 3 of the Railing Installation drawing to determine if you'll need an even or odd number of balusters (F) between the posts. Next, locate and mark the centerpoints for the balusters (F). Drill a 1" hole at each centerpoint. (To speed up the process, we used a fence on our drill-press table to keep the holes centered.)

4 Crosscut the balusters (F) to length. (We ripped our balusters to thickness and width from 2×8 stock. We also cut a few extra balusters for making test cuts when forming the tenons on the ends in the next step.)

5 Fit your tablesaw with a dado blade, and cut 1"-square tenons 34" long on the ends of each baluster. Attach a 45° support to your miter gauge, and cut a chamfer on each tenon of the balusters as shown in the photo below. Test-cut the extras first to verify the setting. The octagonal ends on the balusters should fit snug inside the 1" holes in the rails (E).

6 Clamp the tenoned balusters between the rails.


7 With the post covers still taped in place, screw the As and the nonmortised Cs to the posts. Do not secure any of the mortised pieces to the posts yet. Remove the mortised pieces (B, C), and glue and screw each section of railing together in the configuration shown on step 4 of the Railing Installation drawing. Slide each railing section between the 4×4 posts, and screw the sections in place.

8 With the post covers (A-C) and ralling (D-F) in place, bevel-rip one face of the stock that will be used for the base pieces (G) at 20°. Then,

Continued



Using a 45°-angled support secured to your miter-gauge extension, trim the corners off the square-cut tenons to fit into the 1" holes in the rails.





miter-cut the post base pieces (G) to length from the long strip. Drill mounting holes, and secure the pieces to the cedar-covered posts.

Try a jig for massproducing the louvers

1 To make the louvers, start by cutting the louver sides (H) to size. Cut a few extra for verifying the dadoes cut with the jig later.

2 For ease in cutting the dadoes in the side pieces, build the jig shown in the Louver Jig drawing.

3 Fit your tablesaw with a 14" dado blade, and raise it 1/8" above the surface of the saw table. Angle your miter gauge 45° from the blade, and clamp (no screw yet) the jig to your miter gauge and make the cut for the index pin.

4 Remove the clamp, and position the jig so the second cut will be 31/32" away from the first cut. Once you have accurately positioned the

notch from the blade, screw the jig to your miter gauge where shown on the Louver sig drawing.


5 Position one end of one side piece (H) against the stop. Make the first cut as shown in photo B.

6 Place the angled dado on the index pin, and make the second cut. Continue the process until all six dadoes are cut in the side piece. Check the location of the dadoes against the Louver Dado Location drawing. Cut the dadoes in half of the pieces as shown in photo B.

7 Angle the miter gauge 45° the other direction, and switch to the opposite side of the blade. Remove the jig from the miter gauge, and put the side that was down up as shown in photo C. Dado the remaining louver sides.

8 Hold the louver sides (H) in place, and measure the distance between the dadoes. Then, cut the louvers (I) to size

od mare decimate	y positioned the	(1) to 312c.	Continued
LOUVER JIG	11		
Tablesaw 3/4"_	13/4"	1/4" dado 1/e" deep cut at 45°	
#8 x 11/4" F.H. wood screw	XX	18"	
	Guard		Miter gauge
1/8 x 1/4 x 21/8" index pin	1	NO.	Wile gauge
		6"	
		5"	3/4 x 21/4 x 3" stopblock
TOP VIEW			3/4 x 21/4 x 18" fence





Bi	I of M	lateri	als		
	Fini	shed :	Size	#	
Part	T	W	L	Matl.	Oty.
Sent of Suns	POST C	OVERS	(4n)		
A post covers	3/4"	31/2"	281/2"	C	TD
B post covers	3/4"	5"	341/2"	C	TD
C corner post covers	3/4"	31/2"	341/2"	С	TD
Ty against a	RAI	LING	No.		
D top rails	11/2"	31/2"	TD	C	TD
E mid & bottom rails	11/2"	31/2"	TD	С	TD
F balusters	11/4"	11/4"	TD	C	TD
G post bases	11/4"	2"	71/2"	C	TD
No. of Section	LOU	VER			Sing O /
H sides	1/4"	3/4"	6ª	С	TD
I louvers	1/4"	1 ⁴	31/4"	C	TD
	TOP	RAIL			
J rails	11/2"	61/4"	TD	C	TD

TD-To Be Determined. Initially cut parts marked with a TD oversized. Trim to finished size according to the how-to instructions and Railing Installation drawing.

Materials Key: C-cedar

Supplies: 11/2", 2", and 21/2" deck screws; #8×7/4" brass wood screws; 1/2"x19-gauge wire nails, aluminum flashing; porcelain fixtures; Romex 14/2 UF wire; wire nuts, weather-proof junction boxes; exterior linish.







Sensation

9 Nail each louver assembly together, checking for square. Screw (no glue) the louver assemblies in place between the post cover pieces B. The louver assemblies need to be removable, allowing you to replace burned-out bulbs later.

Here's how to finish your masterpiece


1 To reflect the heat and light from the light bulbs (don't use more than a 60-watt bulb) make a reflector for each light box. To do this, bend aluminum flashing in a Ushape where shown on the Exploded View drawing. Fit the heat/light reflector over each bulb.

2 Rip and crosscut the top rails (J) to length (we cut them from 2×8 stock). Rout and sand ½" roundovers along the top edges. (We miter-cut the top rails, centering the miter above the corner posts. Then, we cut and glued a double biscuit joint to connect straight lengths of the top railing and also to join the mitered corners.)

3 Drill angled holes through the D rails, and screw the top rails in place. The holes need to be angled, allowing you access to work from the bottom side of the D rails.

4 Leave the railing unfinished and it will age naturally. Or, seal the posts and railing with a quality outdoor finish. (We recommend a penetrating oil finish. A good finish will also minimize splitting and cracking.)

5 When a bulb burns out, simply remove one of the louver assemblies and replace the bulb.



Position one end of a louver side piece against the stop, and make the first cut. Place the angled dado on the index pln, and continue making the cuts until all six dadoes are cut in half of the louver sides. Check the location of the dadoes against the drawing at right.




To cut the dadoes in the other half of the louver side pieces, angle the miter gauge 45° the other direction and switch the jig to the opposite side of the blade. Remove the jig from the miter gauge, and put the side that was down in photo B up as shown in photo C.

Written by Marlen Kemmet

Project Design: James R. Downing

Wastrations: Lorna Johnson



Photographs: Bill Hopkins; Hetherington Studio

JESADA IO

Picture Frame Set

Collect your instant rebate now! \$15 rebate on any \$150 purchase

\$30 rebate on any \$250 purchase

\$50 rebate on any \$350 purchase

> Includes instructions to make six moldings!

Includes 8 bits you'll use every day!



90º V-Groove Item #615-690



Bowl & Tray Item #651-502



1/4" Round Nose Item #614-564



1/2" Cove Item #637-850



Edge Beading Item #602-500

1/4" Roundover Item #638-754

3/8" Roundover Item #638-817

1/2" Roundover Item #638-880

Set includes

our fitted hardwood case,

This new set is a guaranteed winner in your shop, even if you never make a pic-

a trademark of Jesada Tools. ture frame! You get eight bits that every woodworker can use: V-Groove, Round Nose, Cove, Edge Beading, Bowl and

Tray plus three Roundovers. We also include complete instructions for milling the six beautiful picture frame molding profiles shown above right.

8 bit, 1/2" shank Picture Frame Set

After Instant Rebate: \$174.

e Set includes these 1/2" shank, carbide tinned hits

Item	Description Description	Cutting Diameter	Cutting Length	Overall Length	Price
602-500	Edge Beading, 1/4" bead	7/8"	3/8"	2-7/16"	\$34.90
614-564	Round Nose, 1/8" radius	1/4"	5/8"	2-1/4"	\$24.70
615-690	90° V-Groove	3/4"	5/8"	2-1/4"	\$27.80
637-850	Cove, 1/2" radius	1-3/4"	3/4"	2-5/8"	\$35.90
638-754	Roundover, 1/4" radius	1"	1/2"	2-7/16"	\$28.90
638-817	Roundover, 3/8" radius	1-1/4"	9/16"	2-1/2"	\$34.30
638-880	Roundover, 1/2" radius	1-1/2"	3/4"	2-5/8"	\$39.60
651-502	Bowl & Tray, 1/4" radius	1-1/4"	5/8"	2-5/16"	\$29.90

Complete online catalog! http://jesada.com

Call for our Free Catalog









\$5.90 shipping & handling on all orders

To order, call toll-free 24-hours:

Toll Free FAX: 1-800-870-7702

Export orders: (813) 891-6160 FAX: (813) 891-6259 JESADA TODES,

310 Means Boulevard, Oldsmar, FL 34677



In Canada: 1-800-387-7005




In the U.K: 0800 371822



In Australia: 1 300 301335





PRODUCTS THAT PERFORM



Gas blast keeps finishes fresh for future use

What a waste! You've just opened a can of polyurethane—one that's darn near half full—only to find a thick skin over the surface. You know that once you break through the congealed varnish, you'll probably have to strain the product, if there's any that's usable at all.

You don't have to put up with that. A spurt of Bloxygen into the can before closing it keeps the finish from curing during storage.

When sprayed into a container, Bloxygen, a heavierthan-air blend of inert gases, settles on the surface of the contents. It forms an oxygen-free blanket to keep the finish from hardening.

To test Bloxygen, I poured about an inch of polyurethane varnish into each of two jars one Monday morning. I screwed the lid tightly on one, and sprayed a two-second burst of Bloxygen into the other before screwing the lid on.

I opened both jars every Monday morning thereafter for six weeks and allowed them to sit open for 20-30 minutes. After this simulated use, I sprayed Bloxygen into the test jar and recapped both containers. The varnish in the untreated jar (left in photo) thickened and skinned over within a few weeks; that in the Bloxygen-treated jar (right in photo) remained skin-free.

A can of Bloxygen feels empty right from the start (net weight of contents is a mere 0.6 oz.). But, it contains enough gas for about 75 two-second bursts, the prescription for treating quart-size or smaller cans. (A

gallon can requires a four-second spritz.)

Bloxygen keeps finishes fresh and helps reduce waste. It's just the ticket for infrequently used materials-the stuff you sometimes end up throwing out after only one use.

-Tested by Jan Svec

PRODUCT SCORECARD

Bloxygen

Price

Performance \$8.95. Available through wood-

working stores and catalogs. Value * *

IronWood Designs, P.O. Box 13838, San Luis Obispo, CA 93406. Call or fax 805/542-9219. Visit: www.bloxygen.com or E-mail: IronWood.Designs@pobox.com



Continued on page 82

WOODLINE Bits & Cutters feature:

- Tough European Carbide
- Euro Anti-Kickback Design
- Super-click Non-stick finish

WOODLINE ARIZONA, Inc.

P.O. Box 1530 • Payson, AZ 85547

Great Router Bits & Shaper Cutters! 🗸

"Why pay more or accept less!"



SHAPER CUTTERS

• Supe	r-sli	CK N	on-stick	(fini	sn.
Roundove	r Bits		Cove Bits	(conti	nued)
with Bearing	g		1/2" Shank		
1/4' Shank	Radius		WL-1169	1/8"	*10.
WL-1040	1/16"	¥9.	WL-1170	1/4"	*11.
WL-1041	1/8"	19.	WL-1171	3/8"	113.
WL-1042	3/16"	19.	WL-1172	1/2"	44.
WL-1043	1/4"	19.	WL-1173	5/8"	118.
WL-1044	5/16"	\$10.	WL-1174	3/4"	120.
WL-1045	3/8*	*11.			
WL-1046	1/2"	113.	Chamfer	Bits	
1/2" Shank			1/4" Shank	· Deg	ree
WL-1049	1/8"	19.	WL-1180	15°	110.
WL-1042-5	3/16	19.	WL-1181	25°	110.
WL-1050	1/4"	19.	WL-1182	45°	112.
WL-1044-5	5/16	110.	WL-1183	45°	114.
WL-1051	3/8"	112	(for up to	3/4" ma	aterial)
WL-1052	1/2"	113.	1/2" Shank		
WL-1053	5/8"	\$16.	WL-1184	45°	110.
WL-1054	3/4"	¹ 18.	WL-1185	11-1/2	112.
WL-1055	7/8"	125.	WL-1186	15°	112.
WL-1056	10	127.	WL-1187	22-1/2	112
WL-1057	1-1/8"	130.	WL-1188	30°	\$14.
WL-1058	1-1/4"	130.	WL-1189	45°	115.
mt			WL-1190	45°	22.
1111	(17)		(for up to 1	-1/4" ma	terial)
			m	+	
14				1	
					March .
· The	-		4.33		111
ATT &)		-		III
T. C				-	Ш
		IJ			1 (3)
Bullnose I	Bits		D	4 =	
with Bearin	g .	1	The state of		
1/4" Shank	• Bead	1 .	, III		
Opening			Rabbetin		-n +
WL-1100	1/4"	112.	1/4" Shank		
WL1101	3/8"	114.	WL-1220	1/2"	*11.

116.

¥19.

114

¥18.

122.

\$10. 1/8" 3/16" \$10.

111.

113.

1/4"

3/8"

1-1/8" \$25.

1-1/4" \$28.

1-1/2" \$32.

1/2"

5/8" 118.

1/4" 112.

3/8"

1/2" 516.

5/8"

3/4" 419.

WL-1102

WL-1103

WL-1104

WL-1110

WL-1111

WL-1112

WL-1113

WL-1114

WL-1115

WL-1116

WL-1117

WL-1118

Cove Bits 1/4" Shank . Radius WL-1159

WL-1160

WL-1161

WL-1162

1/2" Shank



Roman O 1/4" Shank		
WL-1230	5/32"	¥13.
WL-1231	1/4"	115.
1/2"Shank		
WL-1235	5/32"	\$13.
WL-1236	1/4"	*15.

Ask ahr	., .		
WL-1246	1/4"	120.	
WL:1245	5/32"	\$18.	
1/2" Shank			
WL-1241		120.	
WL-1240		- 773	+
1/4" Shank			
Double R			

"Does It All "

ROUTER TABLE

Dado & Planer Bit

1/4" Shank . Diameter

3/4"

3/4"

1-1/4" 116. 116.

1-1/2"

14

112.

42.

\$14.

\$28.

Classical Ogee Bits	Pattern Cutting Bit
1/4" Shank • Radius	1/4" Shank • Diameter
WL-1250 5/32" *18.	WL-1400 1/2" 12.
WL-1251 1/4" '20.	WL-1401 5/8" 12.
1/2" Shank	WL-1402 3/4" 12.
WL-1252 5/32" 18.	1/2" Shank
WL-1253 1/4° 20.	WL-1405 3/4" 15.
	WL-1406 1-1/8" 48.
Core Box Bits	
1/4" Shank • Diameter	
WL-1370 1/8° 10.	1
WL-1371 1/4" '8.	+-0-
WL-1371-1 3/8' '9.	Straight Bits
WL-1372 1/2 10.	1/4" Shank • Diameter
WL-1373 3/4" 12.	WL-1001 1/8" 10.
2012	WL-1002 3/16" 5
Roundnose/Core Box	WL-1002-5.5 5.5mm '5.
1/2" Shank • Diameter	(for undersized 1/4" phywood)
WL-1375 1/4" '8.	WL-1003 1/4" 5.
WL-1375-1 3/8" 11.	WL-1004 5/16" 5.
WL-1376 1/2° 12.	WL-1005 3/8" 5.
WL-1377 3/4" 114.	WL-1006 15/32 5.
WL-1378 1" 16.	(forundersized 1/2' plywood)
	WL-1007 1/2" 6.
III. m	WL-1008 9/16 48.
	WL-1009 5/8" 17.
	WL-1010 23/32" *8. (for undersized 3/4" plywood)
	WL-1011 3/4" *9.
Hala-Language and the same and	WL-1012 1" 40.
1.00	1/2" Shank
	WL-1020 15/64" 15.
0	(for undersized 1/4" plywood)
-0	WL-1021 1/4" 5.
Bowl & Tray Cutter	WL-1019 5/16 15.
1/4° Shank • Diameter	WL-1022 3/8" *5.
WL-1380 7/16" 413.	WL-1023 7/16 15.
WL-1381 3/4" 415.	WL-1024 15/32" 15.
1/2" Shank	(for undersized 1/2" plywood)
WL-1385 3/4" 15.	WL-1025 1/2" 16.
WL-1386 1-1/4" 18.	WL-1027 5/8" 18.
	WL-1028 23/32" 18.

WI-1390

WL-1392

WL-1393

WL-1394

WL 1395

1/2"Shank WL-1391



(for undersized 3/4" plywood)

WL-1029 3/4°


Corner Lock Mitres	
For up to 5/8" material WL-1420-2: 1/4" shank	25.
For 1/2" to 3/4" material WL-1420-1 1/2" shank	30.
For material 3/4" to 1-1/4" WL-1420: 1/2" shank	38.

For the Shaper Lock Mitre WL-1581 40.



2-plece l	Rail & Stile Cutt	er Sets
1/2" Shan	k	Set
WL-1360	Ogee Profile	*59.
WL-1361	Roundover	¹ 59.
WL-1362	Cove & Bead	*59.

i bican .	idir de ottilo odittoi	000
Just raise t	he cutter to make the	malch-
ing cut. N	to changing or rev	ersing.
1/2" Shan	k	
WL-1365	Ogee Profile	£49.
WL-1366	Roundover	\$49.
WL-1367	Cove & Bead	£49.
WL-1368	Wedge	149.
WL-1374	Dbt Roundover	·49.
	TWO CONTRACTOR	



Finger Joiner Router Bit WL-1429 139. For the Shaper WL-1580 *89.

Reversib			
WL-1430	1-3/4"	Dlam	435.
For the S	haper	WL-170	·35.
1	3	Γ	
	1		

		-	7
	- 1	L	
	1	244	
Drawer (treation
		eparationivi	rtually
Impossible			
1/2" Shan	k.		

WL-1435 For 1/2" material "30.

3/4" BORE		
Corner R	ound	
WL-1509	1/8"	122.
WL-1510	1/4"	124.
WL-1511	3/8"	126.
WL-1512	1/2"	128.
WL-1513	3/4"	130.
WL-1514	1 ^a	*32.
WL-1515	1-1/4"	\$38.
IL		
Bead	1	1
WL-1520	1/4"	124.
WL-1521	3/8"	\$26.
WL-1522	1/2"	126.
WL-1523	3/4"	\$28.
WL-1524	1"	130-
Flute		
WL-1530	1/4"	\$24.
WL-1531	3/8"	126.
WL-1532	1/2"	*28.
WL-1533	3/4"	128.
WL-1534	1/11	30.
	1	
Rabbetin	g/Straigh	nt
WL-1540	1/4"	124.
WL-1541	3/8"	26.
WL-1542	1/2"	126.
WL-1543	3/4"	128.
WL-1544	fire	130.



1-1/2"

\$32.

WL-1545

WL-1546

	CUTTERS 3/4" BOI	4E
1-plece	Rall & Stile	
Just raise th	e cutter to make the	match-
ing cur. No	changing or reversi	ng.
WL-1500	Roman Ogee	189.
WL-1501	Roundover	189.
WL-1502	Cove & Bead	189.
WL-1503		189.
WL-1	600	

1503 DDIH	anudoset ,88
WL-1600	
WL-1601	
WL-1602	
WL-1603	7
WL-1604	7
WL-1605	1
Charles Control	

71000	11010	501	
WL-1605	Waya	169.	
with	Quarter Round	159.	
WL-1604	12º Facecut	Charles .	
WL-1603	Convex (Cove)	*59.	
3 14 1 1 1 1 1 1 1 1 1 1 1 1 1	18° Traditional	¥59.	
	CONTRACTOR OF THE PROPERTY OF THE	1000	
WL-1601	15° Facecut	159.	
WL-1600	Ocea	159.	
3/4" Bore			
Panel Ra	alsers (Shaper C	utter)	
- management			

7 days a week

\$14. WL-1163 1/2" Cards Accepted • Shipping is only \$3.75 per order Most items in stock • Same-day shipping!! • 24 hours a day

100% SATISFACTION GUARANTEED! HIPPING! FOR ALL ITEMS SHOWN BELOW!

BOR FREIGH







- Precision milled 14-1/2" x 8" table tilts 0° to 45° • 1/8 HP, 110V, 83 amps
 • Uses pin end blades, 5-1/2" long
 • Heavy duty cast iron frame and base
- reduce vibration 7/8" blade stroke
- · 1750 SPM blade speed

36392-3FEA

5 PC. 5-1/2" SAW BLADES

· Pin end type

ITEM 35024-0FEA

CUT 2x



ROUTER SPEED CONTROL

Get better results and longer bit life when routing tough woods, plastics, even aluminum. Plug your router into the control unit and you instantly have a variable-speed tool. Works with any universal AC/DC brush type motor, 15 amps and under. Will not work with soft or slow start motors

ITEM 37359-1FEA



A slight hammer tap could give you perfect corners every time. Self-aligning design makes a crisp 90° angle with just a few hammer taps. Saves hours of work. Perfect for hinge plates.

Spring loaded
5/8" working depth
3/8" cutting edge

ITEM 37041-4FEA



CENTRAL MACHINERY

Speeds: 620, 1100, 1720, 2340 and 3100 RPM

1/3 HP motor moves at 1720 RPM

Table: 8-1/4" square • 1/2" chuck
 8-1/4" maximum distance spindle to table

· 22-1/2" high, 47 lbs.

ITEM 05901-0FEA

> DRILL PRESS WITH KEYLESS CHUCK

No more lost chuck keys

ITEM 34231-6FEA





SAW BOSSTM

- Power enough to cut wood, masonry, stone and tile • 6" blade size (A)
 Motor: 9 amp, 120V
- Includes: 6" thin Kerl combination blade
- Cutting capacity @ 45°: 1-9/16"
 @ 90°: 1-15/16" \$9979
- Net weight: 8 lbs.
- Factory reconditioned, factory perfect

ITEM 51702-1FEA



Constructed from heat-treated cast iron, these durable clamps keep your work rock steady. Just screw the handle side onto a 3/4" threaded pipe and slide the spring loaded end on. You're ready to go! Pipe not included.

- Handle screw operating range: 2-1/8"
- 1-1/2" throat depth
 Weight: 2-7/16 lbs.
- \$699\$ 31255-1FEA

1/2" PIPE CLAMP

- · 1-1/2" throat depth
- Weight: 1-4/5 lbs.

37056-2FEA



Perfect for painting or air tools. 2 horsepower motor works great in the home or workshop

- 11 amps, 115V, 60 Hz, 2800 RPM
- 3.4 CFM @ 70 PSI
- · Oil lubrication 2.6 CFM @ 115 PSI 3

ITEM 36625-4FEA

1/2" AIR F.R.L. UNIT

Filters, regulates, and lubricates your air supply.

54299 ITEM 07358-3FEA



5/8"-11 spindle with 7/8" arbor adapter
 Motor: 3/4 HP, 115V, 5.18 amps

- RPM: 10,000 Spindle lock
- 11-7/8" long

\$3979 ITEM 31135-6FEA

4-1/2" FLAP DISCS

7/8" arbor
 13,300 maximum RPM

ITEM GRIT

24	37306-0FEA	\$549
60	37307-0FEA	\$549
120	37308-0FEA	\$549

ADELTA®

Delta 36-040

8-1/4" COMPOUND MITER SAW

Full 9 amp motor powers through stock a full 5" wide. Electric brake stops blade in seconds. Built-in arbor lock for single 0

- wrench blade changes.

 9 amp, 115V, motor

 11" diameter cutting surface
 Includes two 2" table extensions
 Miter cut from 0" to 45° right and left with positive stops at 0", 15°, 22-1/2", 30°, and 45° Bevel cut 0" to 45°
 Copacities; 2-1/8" x 5-1/8" crosscut; 2-1/8" x 3-1/2" compound cut 45° miter and 45° bevel; 1-1/2" x 3-1/2" as 1-1/2" x 3-1/2" to 45° miter and 45° bevel
 Factory reconditioned, factory perfect

 15-3/4 lbs. tool weight 39999

ITEM 51623-3FEA



W/ KEYLESS CHUCK Powerful heavy duty battery means long run times between charges T-handle design balances drill for more accurate drilling.

Variable speed, reversible; 0 to 900 RPM
 Includes 6 pc. drill bit set, 6 pc. screwdriver bit set, magnetic bit holder, charger, battery, Jacobs® keyless chuck,

& carrying case • 6 torque settings
• Maximum torque: 200 in. lbs. \$6009 \$4 ITEM 36387-6FEA

BATTERY ITEM 36390-0FEA

16.8 VOLT REPLACEMENT

PORTER+CABLE. **WORK ON MOLDING** AND RAISED PANELS





NEW!

1-1/2 HP PLUNGE ROUTER AND FIXED BASE

Dual purpose router gives you the advantage of both a plunge router and a standard router with a fixed base.

- 0 to 2-1/2" micrometer depth of cut control • 115VAC
- High torque 10 amp motor
 Includes: 1/4" and 1/2" collets
 No load speed: 23,000 RPM
- Net weight: 9-3/4 lbs.

31**89**99 37311-2FEA

CENTRAL MACHINERY

DRILL 1/4", 3/8", & 1/2" SQUARE HOLES

MORTISING MACHINE

Make a square hole in the frac-tion of the time it takes by hand! Easier layout for professional mortise and tenon joints in furniture, cabinets, and restoration projects. Fence

with hold down clamp keep workpieces from lifting off the toble. Large capacity—up to 5" maximum height. Includes lence, work-piece clamp, and 1/4", 3/8", and mortising chisels and bits

- 10-7/8" x 7-3/4" base
 13-3/8" x 6" table
 3580 RPM spindle speed
- 60 lbs. shipping wt.

- 5" max. workpiece height 5" throat Accepts .745" chisel shanks 1/2 HP, 110V, 2.3 amps

ITEM 35570-5FEA

Within the 48 States / \$3.95 handling on all orders. No per item shipping and handling charge.

Call To Order or Ask for Free Cataloa: Order 24 Hours a Day/7 Days a Week Most Phone Orders Shipped in 48 Hours



FAX TOLL FREE: 1-800-905-5220

CHARGE IT!



Or Send Check or Money Order to: Harbor Freight Tools 3491 Mission Oaks Blvd. Box 6010, Camarillo, CA 93011

Circle No. 46

FREE SHIPPING!

FOR ALL ITEMS SHOWN ON THESE TWO PAGES!

LOW PRICE GUARANTEE! • PRICES EFFECTIVE THRU 12-1-98

WE'LL BEAT ANY COMPETITOR'S PRICE ON ANY IDENTICAL ITEM - EVEN IF IT'S AN ADVERTISED SPECIAL



VISE-GRIP

Vise-Grip® 248

3 PC. LOCKING WRENCH SET WITH POUCH



- Locks to three sides of a hex fastener Tremendous force can be applied without marring or slipping off the fastener
- Each wrench adjusts to over 16 different standard and metric wrench sizes
- Includes a wire cutter
- Jaw tips knurled for better gripping
- Built to last a lifetime

Set includes 4"/100mm locking wrench with wire cutter, 7"/175mm locking wrench with wire cutter, 10"/250mm locking wrench with wire cutter, and kit pouch.

52999 5 ITEM 36259-1FEA



Compact high leveler projects a round dot visible up to 600 feet away. Solid brass construction. Built-in spirit (bubble) level. Locking on/off switch. 4-1/4" long x 3/4" diameter

ITEM 36535-2FEA

B. HI-OUTPUT LASER POINTER Make sure people get your point. Perfect for supervisors, teachers, product

- Includes two AAA batteries
- 5-1/2" long

demonstrators

57499 \$ ITEM 37431-4FEA



Remove the belt back plate and sand all types of curves and odd shapes. With the back plate in place, you can apply pressure for faster stock removal.

- Molor: 1/3 HP, 2.4 amp, 66 Hz, 110V, 3450 RPM Dust collection Table: 5" x 5", tills to 45" Bell length: 30", 3450 RPM bell speed Shipping weight: 19 lbs.

\$5999 ITEM 34951-1FEA BOSCH. TOP-HANDLE HOSAW

LIMITED



50TH ANNIVERSARY EDITION VARIABLE SPEED JIGSAW KIT (

Four position orbital action combined with 500 to 3100 SPM variable speed gives steady cuts in all kinds of materials. Three position dust blower keeps your line of cut clear - turn off for metal cutting. Limited edition features gold front gear housing and cover, carrying case with gold leaf logo. Includes one blode with 50th anniversary logo, 2 Progressor blades, standard three-blade pack, antisplinter, steel and plastic inserts

- Foot plate tilts to 45° \$149
- 5 amp, 120V motor
 1" stroke length
- 5-1/2 lbs. tool wt.

ITEM 51484-4FEA

PORTER+CABLE.

LIMITED QUANTITIES


MADE IN JACKSON TENNESSEE



333 **DUSTLESS** RANDOM ORBIT FINISHING SANDER

- Swirl free finishes w/ random 3/32" orbit
- 1.7 amps; 120V; 12,000 RPM Accepts 5" hook & loop abrasives
- with five holes
- Includes canister dust collection system
 6-1/4" tool height
- 3-1/2 lbs. tool weight
- Factory reconditioned, factory perfect

ITEM 51663-2FEA



NEW!

12" DIRECT DRIVE BENCH TOP DISC SANDER

Large diameter disc sander attaches direcity to a boll bearing induction motor fno brushes! for balanced, even motion. Sander produces sharp, clean cutting action for accurate finished pieces. Table tilts to 45°; 2" dust collection inlet; fan-cooled motor; miter gauge, rubber pads on base; safety switch. Includes 60 grit, 12" sanding pad.

- 1 HP, 120V, 14.0 amps
- No load speed: 1793 RPM . Bose: 13" x 10"
- Wheel diameter: 12" Shipping wt.: 92 lbs

ITEM 37297-0FEA

LIMITED

CENTRAL MACHINERY

LIMITED QUANTITIES

10" PLANER

- 2 HP, 110V, 1 phase, 11 amp, 8000 RPM 5-1/8" working distance 10-1/8" x 9-1/8" feed table 19" x 16-5/8" x 16" overall dimensions

- 10-1/8" blade size
- 2-blade cutter head
- 61 lbs. shipping weight
- · Stand sold separately

06935-4FEA

PLANER STAND

- 20" x 10" x 27
- Shipping wt.: 20 lbs.

ITEM 32969-2FEA



HAND HELPER-HOLDER

The second pair of hands you've always needed have arrived. 17" long flexible metal tube with two 6" long clips hold objects for you. Use to hold objects for soldering. Clamp small pieces together for gluing. Great for small woodworking projects or plastic model pleces.

ITEM 36599-2FEA

CENTRAL MACHINERY



Free accessories: steel stand, 2 table extensions, rip fence, blade guard and miter gauge.

10" INDUSTRIAL TABLE SAW

Motor: 2HP; Depth of cut: 3-1/8" @ 90° 2-1/8" @ 45°; Maximum rip: 25"; No load speed: 3450 RPM; Arbor: 5/8"; Table: cast iron 20-1/8" x 27"; Table extensions: steel 10-1/8" x 27"; Shipping weight: 233 lbs.

DEWALT

DeWalt DW952K-2R





3/8" 9.6 VOLT VSR CORDLESS DRILL KIT

- Dual range reversible 0-400/0-1100 RPM Adjustable clutch torque control
- Equipped with a keyless chuck and an
- electric brake Shipping wt.: 11-3/4 lbs. Includes: 1 hour charger, TWO batteries, heavy duty carrying case, and a double
- ended screwdriver bit Factory reconditioned, factory perfect

51587-3FEA

TUNGSTEN CARBIDE TIPPED ROUTER BIT SET

Ground to close tolerances. 1/4" shanks. Includes storage case

1/4" shanks. Includes storage case.

15 PC. ASSORTED BITS
Includes: 1-1/4" robbetings, 1-3/8" cove*,
1-1/16" roman ogee*, 1-1/4" rounding over*,
1/2" flush trimming*, 1-3/16" 45" chamler*,
1/2" dovetoil, 3/4" straight, 1/2" straight, 3/8"
V-graove, 1/4" combination panel, 1/4" straight,
1/2" mortising, 1/8" straight, and 1/4" cove
*Includes pilot bearing

\$4579 ITEM 31164-3FEA

4 PC. ROUNDING OVER BITS

- 1-5/32" long shanks
 2 flutes each
 Sizes: 1/8", 1/4", 3/8" & 1/2"
 Set includes 4 rounding over

Set includes 4 rounding bits w/ pilot bearing tips \$2579 ITEM 33078-5FEA



MULTIPURPOSE **CLAMPS**

Keep your work together. Great for metal or wood. Clamps have a steel sheet body with zinc plating. Thandle makes it easy to hold.

SIZE	ITEM	PRICE
1"	37387-OFEA	\$ 299
2"	37388-1FEA	\$399
3"	37389-1FEA	\$499

Within the 48 States / \$3.95 handling on all orders No per item shipping and handling charge.

Call To Order or Ask for Free Catalog: Order 24 Hours a Day/7 Days a Week Most Phone Orders Shipped in 48 Hours



FAX TOLL FREE: 1-800-905-5220

CHARGE



IT! Or Send Check or Money Order to: Harbor Freight Tools 3491 Mission Oaks Blvd. Box 6010, Carnarillo, CA 93011

STEVE WALL LUMBER CO.

Quality Hardwoods and Woodworking machinery For The Craftsman and Educational Institutions

	W. W. L. L. W.		
Ash 4/4	Select	2.25	
Basswood4/4	Select	1.95	\$61.00
Birch4/4	Select	2.40	
Butternut	10	2.00	\$67.00
Cherry 4/4	Select	3.75	
Hickory - Pecan 4/4	Select	2.00	Specials \$69.00
Mahogany (Genuine) 4/4	Select	3.70	
Maple (Hard) 4/4	Select	2.80	
Maple (Soft) 4/4	Select	2.20	
Poplar4/4	Select	1.55	
Red Oak 4/4	Select	2.40	
Walnut 4/4	Select	3.35	
White Oak 4/4	Select	2.40	
Cedar (Aromatic Red) . 4/4	1C+Btr.	1.65	
Cypress 4/4	Select	2,25	
White Pine 4/4	F.G.	1.15	
Yellow Pine4/4	Clear	1.80	
Above prices are for 100' quan		1000	Above prices are 20 bd. ft. bundles of
rough lumber sold by the Bd.		Inton -	clear kilndried lumber 3"-10" wide • 3'-7"
FOB Mayodan, NC.			long (Random widths & lengths) Sur-
Call for quantity discounts.		and	faced 2 sides or rough. Delivered UPS
grades available.			prepaid in the Continental U.S.
			Circle No. E00

NOW AVAILABLE Thin Craft Wood

> 1/4" • 3/8" • 1/2" Sizes Available

4/4 Log Run 00 bd. ft. \$145

Also Available **Exotic Lumber**


STEVE H. WALL LUMBER CO.

BOX 287 MAYODAN, N.C. 27027 336-427-0637 1-800-633-4062

FAX 336-427-7588 Email: wallwood@netmcr.com Website: www.walllumber.com

Send \$1.00 For Lumber Catalog

Circle No. 592



shop of your dreams. Get the protection and work space you need with an affordable SteelMaster Building - the strongest, most flexible clearspan protective shelter money can buy. Expertly crafted and easily assembled for years of maintenance-free enjoyment.

FREE Storage

- Immediate Delivery
- 100% financing available
- Heavy Wind & Snow Loads
- FREE State Certified Blueprints
- · Superb Quality 20 Year Guarantee

· Easy do-it-yourself construction

HUGE **FACTORY** DISCOUNTS GOING ON NOW!

FREE SUBSCRI

9 FREE ISSUES

BETTER HOMES & GARDENS



with your purchase.

RESIDENTIAL & COMMERCIAL USE

SAVE ON **SELECT SIZES** 25x24 · 30x46

40x56 . 50x116



Call Toll Free: 1-800-888-4606

EELINDSTER. for a FREE COLOR CATALOGUE

Circle No. 2030

PRODUCTS THAT PERFORM

Continued from page 78

E-Z Read Tape ends fractional fumbling

The E-Z Read Tape ranks as one of those products that's so simple, you wonder why it's taken so long to reach the market. Instead of just lines to divide up the inches, this tape has fractions in 1/8" increments printed right on it.

Now before you laugh it off as too simple or unnecessary, I'd venture a guess that few of us have never cut a board the wrong length because we misread the tape. I found the E-Z Read Tape eliminated that quick mental calculating we all do to figure out if it's 38" or 36", for example.

As shown in the photograph below, the tape also contains foot and inch numbering, as well as standard stud markings for 16" centers. While this seems like a lot of information, the tape's yellow background and bold numbers make it easy to read.

In addition to these special features, the E-Z Read Tape has the usual qualities you expect in a good tape measure including a smooth retraction mechanism and sturdy tape with triple-riveted end hook. I tested a 1"x25' model, but the company also offers 1/2"×12', 34"×16', and 1"×33' models. Prices range from \$5.99 to \$14.99.

-Tested by Dave Henderson



PRODUCT SCORECARD

E-Z Read Tape, 1"x25' model

* * * Performance Price \$10.99 * * *

Olympia Industrial, 505 South Seventh Ave., City of Industry, CA 91746. Call 818/336-4999

FORREST'S BUY ONE & SAVE - BUY MORE & SAVE MORE SALE 5/30/98

Buy any sawblade or dado in this ad and save 10% off the sale price! Buy additional sawblade(s) or dado(s) and save even more! 15%-20%!

Call Forrest now for details — (800) 733-7111 or (973) 473-5236

Value!

144 pages full of photos! Checklists to help you keep every power tool in your shop working perfectly. A find-itfast troubleshooting chart tells you how to identify and fly



problems. Easy-to-follow photo sequences show you how to get exact alleament every time.

OR Measure Twice, Out Once or 300 Great Shop Tips or Forrest Logo cap FREE with any saw blade or Dado listed & purchased from this ad. You must mention you saw this offer in Popular Woodworking Magazine, when ordering.

Offer Expires Sept. 30, 1998. One book per order. ORDER NOW SUPPLIES ARE LIMITED.

CHOPMASTER FOR SLIDING COMPOUNDS & MITER SAWS

New specs, 5º Neg. Pts. & flat, runs TAKE EXTRA out less than .002 for perfect, tight, 10% - 20% OFF smooth, splinter-free miter joints. COMBO SALE!

NEW SIZES AVAILABLE \$ 89 Delta Sidekick 6-1/2"x40Tx5/8" \$149 Sears 8-1/4" & Delta 8-1/4"x60Tx5/8" \$170 Hitachi 8-1/2"x60Tx5/8" \$109 DeWalt 8-1/2" & Ryohi 8-1/2"x60Tx6/8" \$179 \$119 Delta 9"x80Tx5/8" \$204 Ryobi-Makita & all 10"x80Tx5/8" \$207 \$129 DeWalt, Makita, B&D, Hitschi 12"x80Tx1" \$229 Ryobl-Makita 14'x100Tx1" \$266 \$179 Hitachi 15'x100Tx1" \$277 \$189

For good general purpose cuts use Woodworker II 30T & 40T or Woodworker I. Use small stiffener where possible.

FREE shipping thru 9/30/98

FREE \$45 in sharpening coupons with each order placed by 9/30/98

Mention Popular Woodworking to receive discount and free coupons and free shipping Coupons valid thru 6/30/99 and good on all makes of carbide blade and dado set sharpen

WOODWORKER II— 6" - 7 1/4" - 14"

With this one ALL PURPOSE blade you can RIP & CROSSCUT 1"-2" ROCKHARDS and SOFTWOODS resulting in a SMOOTH AS SANDED surface, PLY-VENEERS of OAK and BIRCH will crosscut with NO SOTTOM SPLINTER at moderate feed rates.

- DOUBLE HARD and 40% STRONGER C-4 CARBIDE
- Ends blade changing
- . Ends second-step finishing
- Ends cutting 1/16" oversize to allow for RESURFACING . RUY AND SHARPEN
- 1 BLADE INSTEAD OF 3

6/8" holes, boring thru 1-1/4" add \$7.50. Larger at Time Basis - Shipping \$4.50

WOODWORKEAJI	LIST	SALE	10%	20%	
14"X40TX1"	\$215	\$149	\$134	\$119	
14"X30TX1"	\$195	\$139	\$125	\$111	
12"X40TX1"	\$183	\$129	\$116	\$103	
12"X30TX1"	\$162	\$119	\$107	\$ 95	
10"X40TX1/8" or 3/32"	\$158	\$119	\$107	\$ 95	
30T 1/8' or 3/32'	\$135	\$ 99	\$ 89	\$ 79	
9"X40T	\$146	\$109	\$ 98	\$ 87	
30T	\$125	\$ 99	\$ 89	\$ 79	
*8-1/4"X40TX 3/32"	\$136	\$ 99	\$ 89	\$ 79	
8"X40T 3/32"	\$136	\$ 99	\$ 89	\$ 79	
30T	\$115	\$ 89	\$ 80	\$ 71	
7-1/4'X307 3/32'	\$112	\$ 69	\$ 62	\$ 55	
**6*x40T 3/32*	\$136	\$ 89	\$ 80	\$ 71	

*NEW for Bears & Makita Table Saws **New For Saw Boss

THE ONE BLADE

THAT LEAVES A

SMOOTH-AS-

SAVE ANOTHER

SANDED SURFACE! SHARPENING COUPONS

WOODWORKER I - CROSSCUT -- 7 1/4" - 14" For TABLE and RADIAL SAW - 10% to 20%

NON-SPLINTERING PLYS 14'x60Tx1" 12"x60Tx1" or 5/8" 1/8"K 10"x60Tx5/8" 3/32"K 8-1/4"X60T 8"X60T

7-1/4"X60T

OTHER SIZES AVAILABLE - 7 1/4" - 14"

LIST SALE \$159 \$139 \$224 \$198 \$162 \$129 \$109 \$150 \$150 \$109 \$150

PORTABLE & **DURALINE HI-A/T FOR TABLE & RADIAL SAWS** PANEL SAWS

5/8" HOLES. Boring up to 1-1/4" \$7.50 extra. Larger holes-time basis. Shipping \$4.50.

TAKE 10% TO 20% MORE OFF THESE PRICES Faster feed rates & absolute splinter control. Stops splintering on OAK/BIRCH PLY VENEERS & MELAMINE

SIZES AVAILABLE SIZES AVAILABLE 300mm × 100T × 1/8" × 30mm 7-1/4"×60T×3/32" K \$149 \$129 8"×80T×1/8" & 3/32" K \$202 \$169 12"×100T×1-1/8" K \$253 \$232 \$197 220mm × 80T × 1/8" & 30mm 14"×80T×1" "×80T×1/8" & 3/32" K \$207 \$179 14"×801×1" \$266 10"×80T×1/8" & 3/32" K \$207 16"×100T×1" \$262 \$223 12"×80T×1-1/8" K 16"×100T×1" \$212 \$181

SPECIAL COMBO SALE

EXTRA 10%-20%

CARBIDE IS THE HARDEST OF THE C-4 GRADES AND 40% STRONGER, NOT WEAKER!

FOR 50% TO 300% LONGER LIFE.

Standard C-2 Carbide (below, left) and FORREST still sharp Oxidation and Corrosion Resistant Sub-Micron C-4 Carbide (below, right). Each shown after cutting 3,500 feet of MDF. Similar results obtained cutting particle



STILL SHARP OF CUTTING

FREE 10" ORANGE PLASTI BLADE RUNNER-CARRIERI SHIPPED WITH 6", 8" & 10" DADO SETS. HOLDS UP TO 10 BLADES, 5 PER SIDE ON CENTER BOLT OR DADOS. VALUE

DELUXE DADO-KING!

AS LOW AS \$184 NET AFTER USING SHARPENING COUPONS

WORLD'S NO. 1 DADO - NO CHIP ON PLYS & MELAMINE



C-4 Carbide Tips — 4 on each chipper with special

magarisa reco mones.	minis or	3/02	omphon.	Outo	
1/8" to 29/32" wide!!	LIST	SALE	10%	15%	
6" D. 5/8" Bore NEW				\$229	
8" D. 5/8" Bore	\$321	\$289	\$260	\$245	
10° D. 5/8° & 1° Bore				\$297	
12" D. 1" Bore	\$499	\$449	\$404	\$382	

(Bore up to 1-1/4" Add \$25 - Plus \$5.50 S&H)

PROBLEMS?

Call the factory for FREE technical help!! 1-800-733-7111 201-473-5236 FLASH NEWS!!

OUR \$79 - \$89 30T & 40T OUTPERFORMED (E-EXCELLENT) 23 other 401 & 501 premium blades both foreign & domestic on Ply, Melamine, MDF and Oak/Rip!

Editors' Choice and Top Rating over 18 competing combo saw blades! The 10" × 40T earns our Editors' Choice award for the best performance, regard-less of price. The 10"×40T produced super-smooth ripped edges in ¼ in. pine visible to the eye ... we also got excellent and oak, with absolutely no saw marks crosscuts, surpassed only by an 80-tooth dedicated crosscut blade. See American Woodworker April 1998, pp. 64-69.

BLADE DAMPENERS-STIFFENERS

FOR BETTER CUTS on all brands of blades. use our large 1/8" DAMPENERS-STIFFENERS against one side.

> 4" \$21 5" \$24

7" AND LARGER AVAILABLE REDUCES NOISE 50%-75%

WE RECOMMEND OUR FACTORY SHARPENING as some local sharpening creates problems with MICRO-CHIPPED EDGES reducing blade life & outring quality.

2-4 DAYS ON THESE AND ALL MAKES OF FLAT FACE & CONCAVE CARBIDE TIP SAWS. Ship via UPS. Typical 10x40T \$17.00, 60T \$19.00. Add return UPS \$5.00, \$1.00 each additional blade.

FOR SPECIAL PRICE COUPONS MENTION Popular Woodworking.

PHONE TOLL FREE! 1 (800) 733-7111 (In NJ: 973-473-5236) FAX: 973-471-3333

Fine American saw making & sharpening since 1946. DEALER INQUIRIES WELCOME


Quality is why we're different!

CANADA SALIES: CMA RON COLLIER 3646 SCHUMANN RE BAY CITY, MI 18705 800-229-4814

\$197


WESTERN CANADA: CALL EUROPEAN SHARPENING

0



BUSINESS OPEN ACCOUNTS AVAILABLE

Shipping Charges with book: Sawblades S9; Oodo S10; Stiffener S2 SATISFACTION GUARANTEED OR FULL CASH REFUND. (800) 733-7111 or (973) 473-5236



You can get useful ideas and product information by mail.
Use the envelope in this section to order your choice of literature listed below.
Each company mails the catalogs or information directly to you.

No.

POWER TOOLS

SCROLL SAW, CRAFTS & WOODWORKING CAT-ALOG—Our 1998 catalog leatures Hegner scroll saws, Apollo HVLP sprayers, Zyliss vises and Plano glue presses. ADVANCED MACHINERY. \$1.00. Circle No. 3.

FREE WOODWORKING TOOL CATALOG—Tool Crib of the North's catalog features the finest and most requested woodworking and construction tools available. TOOL CRIB OF THE NORTH. Free. Circle No. 6.

TRANSPOWER, CP TOOLS INC.—A fine line of quality woodworking machinery, saws, shapers, planers and more. Send for free catalog. CP TOOLS INC. Free. Circle No. 15.

INCA MACHINERY & MULTICO MORTISERS— Complete information on Inca Woodworking Machines and English-made Multico Mortising Machines. Designed for quality, precision work by hobbyists or professionals. GARRETT WADE CO. Free. Circle No. 44.

HARBOR FREIGHT TOOLS CATALOG—Carries over 4,000 tool and machinery items, all orders over \$50 are shipped free, lowest prices guaranteed. Free catalog subscription. HARBOR FREIGHT TOOLS. Free. Circle No. 46.

INTERNATIONAL TOOL CORPORATION CATA-LOG —Features the finest tools and accessories at the guaranteed lowest prices. Free freight and same day shipping on most orders. INTERNATIONAL TOOL CORP. \$2.00. Circle No, 49.

GRANBERG INTERNATIONAL—Manufacturers of portable chain saw tools—the Alaskan Saw Mill, Mini-Mill, Small Log Mill and sharpening accessories. Mill your own quality tumber! GRANBERG INTERNATIONAL Free. Circle No. 52.

AWARD-WINNING DUST COLLECTION—Air cleaners, dust collectors, cyclone systems, hose, connectors, adaptors, hoods, remote switches, etc. 40-page free catalog. PENN STATE INDUSTRIES, Free. Circle No. 75.

HUGE VARIETY OF PENCRAFTING PROD-UCTS—including: 24 kt kits, lathes, duplicator and templates, wood and finishing supplies. 40-page free catalog. PENN STATE INDUSTRIES. Free. Circle No. 75.

RBINDUSTRIES—Hawk scroll saws, Universal wood planers, drum sanders, Panelmaster II, all American made, 5 year warranty. Buy factory direct. Free catalog. RBINDUSTRIES, INC. Free. Circle No. 84.

TOOLS ON SALE™—Offers a catalog of over 500 pages of the most popular brands of power tools available anywhere at discounted prices. SEVEN CORNERS ACE HARDWARE, INC. \$1.00. Circle No. 92.

PORTABLE SAWMILLS—Convert logs into valuable lumber, whether you're a novice or experience sawyer, using a Wood-Mizer portable bandsaw mill. Personal sawmills start at \$4,495. Send for our catalog. WOOD-MIZER PRODUCTS. \$2.00. Circle No. 94.

10 TOOLS IN 1!—Make the most of your workshop space with the easy to use Supershop. Free info pak. SUPERSHOP. Free. Circle No. 100.



HAND TOOLS

JAPAN WOODWORKER CATALOG—Woodworkers have discovered the secret of better quality work. 2 year subscription to 88 page catalog, THE JAPAN WOODWORKER, \$2.00. Circle No, 190.



PLANS

PLANS! PATTERNS!—Huge assortment of popular, shop-tested designs... over 1,500 full-size patterns! Illustrated catalog plus sample pattern. ACCENTS IN PINE. \$2.00. Circle No. 310.

AMERICAN FURNITURE DESIGN CO.—Furniture plans by America's leading craftsmen. 36x48 CAD format and comprehensive instructions. Morris chairs, rolltop desk, 80+ designs. Catalog. AMERICAN FURNITURE DESIGN CO. \$3.00. Circle No. 314.

ARMOR CRAFTS—Woodworker's plans and supplies. Over 100 high-quality plans, specialty hardware and other supplies offered by Armor. Catalog. ARMOR PRODUCTS, \$1.00. Circle No. 315.

HEIRLOOM WOOD TOY PLANS—New full-color catalog of original designs by professional toymaker—train, cars, tractors, trucks, Noah's Ark. BALDWIN TOY COMPANY, \$3.00. Circle No. 320.

FURNITURE DESIGNS, INC.—Since 1968, foremost designers of plans for fine furniture. Furnish your house, build for customers. Catalog. FURNITURE DESIGNS, INC. \$3.00. Circle No. 345.

MEISEL HARDWARE SPECIALTIES—100-page, full-color catalog of plans to build over 1,000 woodworking projects. Catalog and sample plan (\$9.99 value). MEISEL HARDWARE SPECIALTIES. \$2.00. Circle No. 401.

COLOR CATALOG OF UNIQUE PLANS—Deck & patio furniture, picnic tables, Adirondack designs, garden benches, arbors, Irellises, bridges, wishing wells, children's furniture, futon designs, futon bunk. SPECIALTY FURNITURE DESIGNS. \$3.00. Circle No. 445.

TOYS AND JOYS, INC.—Executive wood toys, patterns, parts, wheels for making cars, trucks, trains, construction equipment. New 32-page catalog for the advanced toymaker. TOYS AND JOYS, INC. \$1.00. Circle No. 465.

SCROLLSAW PATTERNS—Up to 74" clocks, 300+ patterns, books, clock parts, saw blades, tools, wood, and more. WILDWOOD DESIGNS, INC. Free. Circle No. 475.

WOODY GLIDER SWING PLANS AND HARD-WARE KITS—Make building a beautiful. high-quality

glider swing fast and simple, Brochure, WOODY**
GLIDER SWINGS, Free, Circle No. 498.



LUMBER

QUALITY EXOTIC LUMBER—Turning wood, burls, figured wood. Hand selected for your needs. Also manufacturer of pen kits. BEREA HARDWOODS CO. \$1.00. Circle No. 510.

STEVE H. WALL LUMBER CO—Quality hardwoods, plywood, and exotic lumber. Will ship UPS or motor freight, wholesale prices. Catalog. STEVE H. WALL LUMBER CO. \$1,00, Circle No. 592.



VIDEOS

FELDER BF 6-3-1 WOODWORKING CENTER— See the versatility and precision of a Felder combination machine on real woodworking projects video for \$10, FELDER USA, \$10,00, Circle No. 608.



EPOXIES/ GLUES

REPAIR, REBUILD WITH QUIKWOOD EPOXY PUTTY STICK—Hand-mix, apply, shape. Hardens in minutes, Drill, carve, sand, finish, POLYMERIC SYS-TEMS, INC. Free. Circle No. 690.



GENERAL WOODWORKING CATALOGS

WOOD, VENEERS, INLAYS, CARVINGS—Pius hardware, glues, finishes, tools, books and more—all 100% guaranteed. Fast, friendly service, too. Where? Constantine's, of coursel CONSTANTINE'S. Free. Circle No. 820.

THE WOODTURNERS CATALOG—Offers a complete line of pen and pencil kris along with the widest selection of turning tools and supplies anywhere—all at the best prices. CRAFT SUPPLIES USA. \$2.00. Circle No. 830.

GRIZZLY INDUSTRIAL, INC.—208 pages packed with thousands of woodworking machines, tools, and accessories—all at unbeatable prices. Catalog. GRIZZLY INDUSTRIAL INC. Free. Circle No. 860.

HIGHLAND HARDWARE WOODWORKING CATA-LOG—Giant catalog of hard-to-find woodworking tools loaded with detailed product descriptions and informative techniques. HIGHLAND HARDWARE, Free, Circle No. 870.

KREG TOOL CO.—If you thought biscuit joinery was great, you'll love pocket hole joinery. Stronger, faster, simpler, better! KREG TOOL COMPANY. \$0.50. Circle No. 877.

WOODCRAFT—Our free catalog features over 6,000 woodworking tools, books, lumber and hardware. Same day shipping and an unconditional guaranteel WOODCRAFT SUPPLY CORP. Free. Circle No. 955.

THE WOODWORKERS' STORE—Our catalog helps woodworkers do it right! New products, innovative tools, and hard-to-find specialties. Satisfaction guaranteed! Catalog. THE WOODWORKERS' STORE. Free. Circle No. 965.



QUEEN ANNE KITS—Dining chairs & occasional tables, ready to assemble & finish, plus furniture components—solid cherry, oak, mahogany, walnut. Free catalogue. ADAMS WOOD PRODUCTS. Free. Circle No. 1002.

HICKORY FRAME, INC.—Buy direct and create beautiful furniture from our 100% solid hardwood furniture kits, or buy just the partial components. Hundreds of styles. HICKORY FRAME, INC. Free. Circle No. 1043.

SHIP MODELING CATALOG—Museum quality replicas you build yoursell. Laser cut wooden parts, metal fittings, easy instructions. 120-page color catalog. MODEL EXPO, INC. \$1.00. Circle No. 1075.



SHOP ACCESSORIES

ECON-ABRASIVES—Complete line of sandpapers and woodworking-related accessories, custom-made abrasive belts, any size or grit. Catalog. ECON-ABRASIVES. Free. Circle No. 1229.

INDUSTRIAL ABRASIVES CO.—Quality, low-priced sanding belts, discs and sleeves made to your specificiations. Associated specialty woodworking items. Catalog. INDUSTRIAL ABRASIVES CO. Free. Circle No. 1238.

MOISTURE METERS FOR WOOD—Pin-type meters that measure moisture in veneer to logs. Send for free catalog, LIGNOMAT USA, LTD, Free. Circle No. 1250.

SUPERGRIT® SANDING/REFINISHING CATALOG & CLOSE-OUT SHEET—Belts, discs (PSA or Hook & Loop), sheets (aluminum oxide, garnet, silicon carbide), rolls, pads, etc. RED HILL CORP. Free. Circle No. 1267.

WOODMARK—A commercial-style downdraft workbench for the home workshop. A very powerful ambient air-filtration system. In a spacious traditional-style maple workbench. WOODMARK. \$1.00. Circle No. 1295.



BITS, BLADES, CUTTING TOOLS

ROUTER BITS & SAW BLADES—The only orange one. New products in free catalog—order yours. CMT USA, INC. Free. Circle No. 1312.

FREUD—Premier carbide-tipped sawblades, router bits and shaper cutters. A full-line of anti-kickback carbide-tipped router bits. Catalog. FREUD. Free. Circle No. 1321.

JESADA TOOLS' FREE CATALOG—Packed with bits, blades, cutters, knives and more; plus accessories, project ideas and safety tips. JESADA TOOLS. Free. Circle No. 1335.

PRODUCTION QUALITY CARBIDE TIPPED ROUTER BITS—Large discounts. Also, raised panel door sets, shaper cutters, solid carbide bits, Forstner bits, the Merle Clamp and a variety of woodworking toots and supplies. FREE shipping. MLCS LTD. Free. Circle No. 1350.

SUPER CARBIDE TIPPED ROUTER BITS AND SHAPER CUTTERS—Offered at the lowest prices for items of such high quality. Catalog. WOODLINE ARIZONA INC. Free. Circle No. 1395.



INCOME OPPORTUNITIES

RESTORE FURNITURE—Complete system features stripping, repair, finishing, parts duplicating, veneering, resilvering, Wholesale products, free classes. Catalog, MINUTEMAN. Free. Circle No. 1861.



MISCELLANEOUS

ANDERSON MANUFACTURING UNDERBED STORAGE DRESSER—Top quality, solid wood, ready-to-assemble kits provide convenient spacesaving storage, 3-16 drawers. Starts at \$159. Free 48-page catalog. ANDERSON MFG. CO. Free. Circle No. 1795.

WIRELESS DRIVEWAY ALARM—An alert sounds in the house when someone enters the drive. Be sure to order our free literature. DAKOTA ALERT, INC. Free. Circle No. 1914.

LEARN HOME INSPECTION—Big profits in a partor full-time business. Avoid a costly mistake on a home purchase. Free kit. FOLEY-BELSAW INSTI-TUTE. Free. Circle No. 1930.

NATIONAL FLOOD INSURANCE PROGRAM— Most homeowner's policies don't cover flood damage. NFIP's "Never Say Never" brochure describes how to cover from a devastating loss. NATIONAL FLOOD INSURANCE PROGRAM. Free. Circle No. 1982.

MIRACLE EAR—Get your free educational video and information booklet from Miracle Ear today! See our ad in this issue! MIRACLE EAR. Free. Circle No. 1984.

TRUCK OWNERS, THE ROLL-TOP COVER™ IS QUICK AND EASY!—Secure your truck bed with our retractable tonneau cover. PACE-EDWARDS CO. Free. Circle No. 1985.

PLANNING TO BUILD?—We manufacture a complete range of steel buildings, tested and built to withstand wind, snow, rain and seismic conditions. PIONEER STEEL MFG., LTD. Free. Circle No. 1986.

CUSTOM ENGRAVED BRASS NAMEPLATE— Personalize all your woodworking projects in style with a custom engraved brass nameplate. Send for a personalized sample. SIGN DESIGN CUSTOM PRODUCTS, INC. Free. Circle No. 2005.

STEELMASTER BUILDINGS—The leader in archtype steel buildings. Ideal for backyard shops, garages and much more. STEELMASTER. \$1.00. Circle No. 2030.

RESTORING ANTIQUES?—292-page catalog packed with everything needed for woodlinishing related tools, books. Essential items for antique restoration including brass hardware and lamps. Wholesale prices. VAN DYKE'S RESTORERS. \$1.00. Circle No. 2077.

WHOLESALE GLASS BROKERS—High-quality glass shipped to you from the finest manufacturers. Table tops, tempered glass, shelves, beveled glass, tinted, custom shapes; 1/4" to 3/4" thick, etc. Catalog. WHOLESALE GLASS BROKERS. Free. Circle No. 2079.

PEN AND PENCIL PRODUCTION SYSTEMS— State of the art mini-lathes, all components, including wood, at best prices. WOODWRITE, LTD. Free. Circle No. 2098.



CARVING SUPPLIES

ADD VALUE TO ANY WOODWORKING PRO-JECT—Ultra high speed engraving with stencil patterns insures professional results. Engraves on any surface. PARAGRAPHICS. \$1.00. Circle No. 2160,

HI-SPEED ENGRAVING—400,000 RPM's. Engrave on wood, glass, metal, eggs. It's as easy as drawing

with a pen. No artistic talent needed. Send for information, catalog. SCM ENTERPRISES. \$1.00. Circle No. 2165.

WOOD CARVING & WOOD SIGN MAKING MACHINES—Make wood signs and wood carvings easy, quickly and accurately. Signs, gun stocks, decoys or furniture parts. TERRCO, INC. \$1.00. Circle No. 2175.

TURNERS AND CARVERS—Largest selection of Henry Taylor turning and carving tools in USA. Also Sorby, OneWay, Foredom, Stewart, Glaser & Sherline. THE CUTTING EDGE, INC. \$1.00. Circle No. 2180.

ULTRA SPEED PRODUCTS—The ultimate in precision carving, engraving & inlaying. As simple as tracing lines. Affordable, \$170.00 package, includes everything you need to get going. Video & catalog available. ULTRA SPEED PRODUCTS, INC. Free. Circle No. 2185.



WOODTURNING SUPPLIES

WOODTURNING TOOLS, PROJECTS, & SUP-PLIES!—Best selection anywhere. Sorby, Oneway, Della, Glaser. Complete line Sorby turning, carving, and woodworking tools. WOODCRAFTERS OF OKLAHOMA. Free. Circle No. 2195.



CLAMPS

MERLE ADJUSTABLE CORNER CLAMP—Large discounts. Also, raised panel door sets, shaper cutters, solid carbide bits, Forstner bits, the Merle Clamp and a variety of woodworking tools and supplies. FREE shipping. MLCS LTD. Free. Circle No. 2250.



CLOCKS

KLOCKIT—The leading supplier of clock-making supplies for over 25 years: Quartz and mechanical movements, clock inserts, dials, easy-to-follow plans and kits for all skill levels. KLOCKIT, Free. Circle No. 2335.

CLOCK PARTS CATALOG—Clock parts, kits, dials, hands, tools, hardware, quartz and mechanical movements, inserts, watches, gifts and novelty items. Your satisfaction guaranteed. S. LAROSE, INC. Free. Circle No. 2375.



FASTENING PRODUCTS

SQUARE DRIVE SCREWS—Can make your woodworking easier. Over 80 color pages of the best fasteners and other woodworking supplies. McFEELY'S. \$1.00. Circle No. 2450.



SHOWS & SEMINARS

THE WOODWORKING SHOWS MACHINERY, TOOLS AND SUPPLIES—Hundreds of products for the woodworker demonstrated and sold at discount prices at every 'Woodworking Show'. In-depth seminars and free workshops on a variety of woodworking topics. Shows are scheduled in 27 cities. Send for tree brochure. 'THE WOODWORKING SHOWS'. Free. Circle No. 2900.

Woodworker's Marketplace

This section features advertisers offering products by mail. Additional information can be found in the Woodworker's Resource section. Please contact the advertiser directly or use the Circle No. to the right of each ad to request information through the Woodworker's Resource envelope.





Lathes by JET, CarbaTec, & Sherline Henry Taylor Turning/Carving Tools · Power Carving & Wood Burning · Sorby, Stewart, Glaser Turning Tools ONEWAY 2436 Lathes, Bowl Chucks, Live Centers, Grinding Jigs Project Supplies • Books • Videos

Call for Free Catalog 7123 SouthWest Fwy Houston TX 77074

The

713/981-9228 CUTTING EDGE, fax 713/981-6104

www.cuttingedgetools.com



NOW! Plane, Mold, Sand and Saw with Infinitely Variabie Power-Feed! FREE FACT KIT

WOODMASTER TOOLS, INC., DEPT. PW29 1431 N. TOPPING, KANSAS CITY, MO 64120



Do-It-Yourself Construction Saves You Time & Money

27'x48'\$6,539

\$12,760 Value

Pckqs. include steel frames & endwalls, galv. sheeting, trim & complete assembly plans. Some other sizes available

16 COLORS TO CHOOSE FROM!

MIRACLE TOUSS An ICBO approved manufacturer 1-800-663-0553

> FAX 612-544-1835 www.miracletruss.com

WOOD

P.O. Box 70 W

Mound, MN 55364



Call Today! 1-800-441-9870

100 page plan catalog send \$2.00 (or FREE with order). Meisel Hardware Specialties







3M 4' Diam. Paint & Rust Stripper Reg. \$7.50 ea. Sale \$4.50 ea.

DRUM SANDER ABRASIVE ROLLS

Hook & Loop Cloth/Paper Width 1' to 6'



PC PROFILE SANDER SUPPLIES **H&L Diamonds** \$15.00/50 2½° x 5 yd. P.S.A. Rolls \$4.75 ea./2+

GOLD MIRKA® PSA DISCS WHITE A.O. RESIN RHYNO® DISCS as low as \$16.00/100





RED HILL CORP. FREE 32 PAGE CATALOG P.O. BOX 4234 & Incredible close-out sheets. GETTYSBURG, PA 17325 800-822-4003

FREE TOOL CATALOG!

Your Best Work Starts With Us...

With over 6,000 of the finest woodworking tools in the world, Woodcraft can help you work more efficiently and skillfully than ever.
Call for your Free copy today!

1-800-542-9115 WODCRAFT

http://www.woodcraft.com

210 Wood County Industrial Park Dept. 97WI08T PO Box 1686, Parkersburg, WV 26102-1686

Full-Size Professional Plan MORRIS CHAIR

Build this comfortable Bow-Arm Arts & Crafts chair with 3-position back. Footrest Included,

Plans (postpaid)....\$22.50 Catalog (Free with order) Catalog only......\$3.00

33" W 381/4" H 335/4" D



cle No.

Fine Furniture pians since 1968 FURNITURE DESIGNS, INC., Dept. BC-88 1827 Elmdale Ave., Glenview, IL 60025

M/C - VISA orders call: 1-800-657-7692

Glider Swing Plans and Hardware Kits



- Smooth Glider-Rocker Action.
- Unique Twin Ball-bearing Design.
- Easy to Build!

A GREAT WEEKEND PROJECT!

Step-by-step instructions with full-size patterns & professionally drawn diagrams - plus plans for matching chair. Kit includes 16 ball-bearings, nuts, bolts and woodscrews.

Call for a free brochure: 1-800-510-9997.

Woody™ Glider Swings 16630 Longview Dr. • Smithfield, VA 23430

Woodworking on the World Wide Web

Better Homes and Gardens®



A WOODWORKING INFORMATION SERVICE FROM THE EDITORS OF WOOD* MAGAZINE

http://www.woodmagazine.com

Anderson TM BEDROOM ORGANIZER



PUT A DRESSER UNDER ANY BED

Increase drawer storage with this beautiful, top quality, solid wood, dust proof, underbed dresser. Fits under any mattress. Shipped UPS ORDER 48 PAGE CATALOG 621

1-800-782-4825

Save Money saw your own lumber



1-800-553-0219

Be a Furniture Restoration Specialist Discover Minuteman

Complete Strip • Repair
Touch-Up • Fake Grain
Marbelize • Resilver • Refinish
Duplicate Parts • Repair Frames • Veneer

Why Minuteman?

- · Proven, Low-Risk, Cash Return
- · Low Start-Up Costs; Expert Training
- Environmentally Friendly System
- Wholesale Supplies
- Handy Sample Kits Available
- Systems From \$1,500-\$11,000
- 28 Years Experience; 3,000+ Shops

No Experience Necessary

♦ Part-Time, Full-Time ♦ Ideal for Men & Women

FREE 2-Day Business Exploration Seminar

No Obligation to buy!

Register Now – Limited Seating!

Call For FREE Catalog

MINUTEMAN, INC.

Ste. 17, P.O. Box 8, Waterloo, WI 53594 1-800-733-1776

1-000-333-0219

New TRIMMER ON WHEELS!

rolls light as a feather on two BIG WHEELS!

• TRIMS far easier than hand-held trimmers, because the wheels carry the weight.

• Plus, MOWS whole lawns, waist-high grass and weeds, even rough, rocky areas that would destroy any ordinary steel-bladed mower!

The DR® TRIMMER/MOWER"

 A delight for anyone to use! -high grass
even rough,
that would
ordinary

Patented
1/800


TRY FOR 30 DAYS RISK FREE

Please mail this coupon today for FREE DETAILS about the Revolutionary DR* "RIMMER/MOWER*" including prices of Manual and Electric-Starting Models, "Off-Season" Savings now in effect, and 30-Day Risk-Free Home Trial.

Name	Telephone III	The state of the s	WOO
Address		174.5	
City	State	ZIP_	

Meigs Road, P.O. Box 25, Vergennes, VT 05491

YOU CAN BUILD A WOODEN SHIP MODEL!



Send \$1.00 for our 96 page color catalog showing the finest selection of historic ship model kits, fittings, tools and books. There's something for everyone- from beginners to expert modelers. Choose from elegant clipper ships to magnificent warships, some over four feet long. Prices from \$50.00 to \$700.00.

MODEL EXPO, sec	Send \$1.00 to:
Model Expo, Inc. Dept. W P.O. Box 229140, Hollywo	/D78 ood, FL 33022
Name:	20.67
Address:	
City:	ortel at most a file
State: Zip:	1000 May 11 11 11 11 11 11 11 11 11 11 11 11 11
N. A.	

http://www.modelexpoinc.com

© Model Expo, Inc. 1997

ircle No. 1075

The Amazing Walk-Behind Brush Cutter! **NEW DR® FIELD and**

CLEARS & MAINTAINS meadows, pastures, woodlots, wooded and rough non-lawn areas with ease. CUTS tall grass, weeds, brambles, tough brush and even hardwood saplings up to 1" thick.

CHOPS/MULCHES most everything it cuts. Leaves NO TANGLE of brush to pick up like hand-held brushcutters and sicklebar mowers. Perfect for low-maintenance wildflower



Please mail this coupon TODAY for complete FREE DETAILS of the DR' FIELD and BRUSH MOWER including prices, specifications, and "Off-Season" Savings now in effect. There is no obligation.

To: COUNTRY HOME PRODUCTS*, Dept. 3776F Meigs Road, P.O. Box 25, Vergennes, VT 05491



Shapes like modeling clay; sets like wood in 1/2 hour Easy to sand/carve, drill/tap, paint/finish Solvent-free; won't stink or shrink! Bonds to wood, metal, masonry, ceramics and most rigid plastics

AVAILABLE www.polymerics.com

FREE BROCHURE | 888-4-FIX WOOD (ext. 2209) AVAILABLE (434-9966) Polymeric Systems, Inc.





Silhouettes

Clocks Photo frames Jewelry boxés Candle holders Furniture

Clock movements

catalog

1-800-470-9090

woo

FREE

Christmas religion farming western nature transportation & more. Books

Saw blades Hardwoods VILDWOOD DESIGNS

P.O. Box 676-WD Richland Center WI 53581



Square Drive Beats Driver Slippage Deep Thread for Super Grip Hardened Steel for Superior Strength Made in the US or Canada!

Send \$5 for Samples, Catalog, & \$5 Off Coupon

PO Box 11169 • Dept WD Lynchburg • VA • 24506-1169 Call Toll Free: 1-800-443-7937

BUILD A BETTER BUILDING

- Easy to Assemble
- Quick Delivery
- · Built to Last · Straight Sides
 - Trussless
- All Steel

TEED LOWES

20 Year Guarantee



FACTORY DIRECT

Sizes 500-20,000 sq. ft.

Strongest for Wind & Snow

Heavy 22, 20 & 18 ga. steel

FOR EXAMPLE-30' X 40

ENDS OPTIONAL

Maintenance Free

STEEL BUILDINGS http://www.pioneersteel.com

VAN DYKE'S RESTORERS®

Finally, a quality reproduction of the popular and justly famous J & P Coats

spool cabinet. Easy to assemble solid red oak kit comes complete with pulls and decals. Finished cabinet provides lots of organization & storage.

See main catalog. WBS6226 - Spool Cabinet...\$299.95

Order Toll Free 1-800-558-1234 VAN DYKE'S RESTORERS

Dept. 60048, P O Box 278 Woonsocket, SD 57385



Call NOW for FREE FACTS!

TIMBERKING, INC. Dept. \$W53 1431 N. TOPPING, KANSAS CITY, MO 64120



Call 1-800-403-9736

http://woodworkerstore.com

Since 1954 The

Woodworkers store Hardware, Wood, Tools & Know How



WOODCRAFTERS

LARGEST & BEST SELECTION ANYWHERE:

- · Turning Tools
- Pens & Pencils
- Turning Blocks & Squares
 - · Pen Blanks

also

many separate

component parts such as legs to use

on your own pro-jects. Delivery is fast and satisfaction

Call or FAX lodey for FREE LITERATURE

(804)847-8984 - FAX

is guaranteed.

(804)847-8489



Our Heirloom-Quality kits are produced from the finest grade 100% SOLID Maple, Oak, Cherry, and Mahogany. Many varieties of tables, desks, computer butches and

there's even a design-your-

are

own-kit program.

Queen Anne Contemporary Ball-N-Claw

available, and

HICKORY FRAME

CORPORATION

P.O. Box 11585

Lynchburg, VA 24508-1585

116 S.E. 74th • Oklahoma City, OK 73149

TOLL FREE 888-333-7513

FURNITURE KITS • COMPONENTS

Classic Heirloom Cradle

GRANBERG

PO BOX 425

RICHMOND, CA.

-MAIL granberg@aol.com

94807-70425

INTERNATIONAL http://www.granberg.com

CUT LUMBER ON

SITE WITH THE

ALASKAN MKIII:

BEAMS, BOARDS, SIDING AND

CUSTOM CUTS

You can easily bulld this clascradla which will become a cher-Ished family heirloom to pass from generation to gen-eration. Two able... Baby or



PHONE

FAX

OUTSIDE CA.

Two Cradle Plans

800.233.6499

510.237.1667

Baby size Plan (21 x 35) \$14.95 ppd. Doll size Plan (10 x 18) \$8.95 ppd.

Spindles available in Oak or Maple. See our catalog which is sent free with your order.

FROM LOG TO LUMBER

with the Alaskan Saw Mill attachment

(available in 24", 30", 48" and 56" sizes) As seen in June 97 issue of Wood Magazine

RIPPING CHAIN

AND OILER KITS


ALSO AVAILABLE

M/C VISA orders call toll-free 1-800-292-8296



With Money Back Guarantee!

- Unique air support cradles your entire body for better sleep comfort!



Select Comfort Direct Corporation 6105 Trenton Lane N., Minneapolis, MN 55442

Select Comfort Direct Corp., 1998

FREE Video and Brochure!

Clockmaking Catalog

Your Handcrafted Clocks Make Treasured Gifts!

Your complete source of clockmaking supplies. Classic designs available in kits or easy-to-follow plans. New intarsia kits and plans, gear clocks, and the **HOT Radio Controlled**

Win a Hawaiian trip for two or a 5-Day shopping spree in New York City in our Create-A-Clock contest!

Movements! Projects available for every skill level!



For Your FREE CATALOG

Call 1-800-556-2548

No.



P.O. Box 636, Lake Geneva, WI 53147 http://www.klockit.com

ARMOR Box 445 A, East Northport, NY 117

90-Night In-Home Trial

- Customize mattress firmness for each side with the touch of a button!
- Reduces uncomfortable pressure points!



The DRº46 LAWN MOWER combines the speed, power, and width of a rider with the agility of a walk behind! · BIG THREE-BLADE DECK cuts 46" wide - as

wide or wider than most riders! . Mows over 1.5 acres per hour! • 4-SPEEDS, POWER REVERSE! 10.5 to 14 HP. Has the POWER to mow overgrown grass with ease! 1(800) · PIVOTING MOWER DECK helps climinate scalping! 714-7300 · MOWS SLOPES 100 steep for riding mowers. . Mows close to trees, fences, and borders, so there's less clean-up trimming to WET, SOFT LAWNS that a rider would sink into and damagel So, WHY STRUGGLE with a narrow-cutting walk-behind mower. or a cumbersome

Please mail this coupon TODAY for complete FREE DETAILS of the DR*46 LAWN MOWER including prices, specifications of Manual and ELECTRIC-STARTING Models, and "Off-Season" Savings now in effect. There is no obligation.

Name WOO Address To: COUNTRY HOME PRODUCTS®, Dept. 3776D

Meigs Road, P.O. Box 25, Vergennes, VT 05491

WOOD MOISTURE METERS

- For the Woodworker -Moisture problems such as shrinking or warping can ruin the best piece ever built. Measure the moisture with a moisture meter to be sure the wood is dry. Call for new color brochure. Lignomat USA Po Box 30145 Portland, OR

97294 -- USA Lignomat :: 800-227-2105

WorkSaver... **BackSaver!**

You too can haul heavy 800 lb. loads with INCREDIBLE EASE with the DR® POWERWAGON™!

The DR® POWERWAGON" is great news for homeowners who are tired of straining their backs and muscles carrying heavy loads with inadequate wheelbarrows and garden carts. DR" is POWER-DRIVEN so it does the work - not your arms and back. MULTIPLE SPEEDS for powering up hills! DISC BRAKES control your speed going down Fasy DUMP BED eliminates hand unloading. So, WHY RISK straining your back?

TOUL FREE 1 (800) 714-7300 Please mail this coupon today for FREE DETAILS about the Revolutionary DR* POWERWAGON* including prices and specifications of Manual and Electric-Starting Models, and "Off-Season" Savings now in effect. There is no obligation.

WOO Addrass

COUNTRY HOME PRODUCTS®, Dept. 3776N Meigs Road, P.O. Box 25, Vergennes, VT 05491

It's Your TURN To Make Pens In 2 Minutes



The Wood Write Mini-Lathe Model 160 (shown) comes assembled, mounted, aligned and ready to run. Complete with: 1/3hp AC Induction motor; 400-5700 rpm; 16-1/2 inches between centers; 5-1/2 inch swing over bed; E-Z Glide crank; tool mount & carbide tipped cutting tool; exclusive high efficiency dust collection manifold. Model 260 - all of the above PLUS a motorized saddle drive. Model 360 - same as the 260 PLUS automatic stop switches on head & tail stocks. Call, write, or Fax for details.

2121 Abell Lane, Sparks, MD 21152 USA Tel: 1-888-966-3974 or 410-771-4444 Fax: 410-771-4879 e-mail: woodwrite@worldnet.att.net

Wood White Ltd.



We've got quartz and mechanical clock movements, fit-ups, hardware, plans, tools and more! Call or write for your FREE catalog, #BHW2

S.LaRose, Inc. 3223 Yanceyville St. Greensboro, NC 27405 Phone: (336) 621-1936 * www.slarose.com E-Mail: SLAROSE@worldnet.att.net

FELDER Woodworking Machines

Order now! \$ 10,-.584

MOODWORKING VIDEO

See the benefits European Woodworkers have enjoyed for years on this 100 min Video

Find out what difference the use of a

- · precision sliding table saw
- tilting shaper · tilting router spindle and
- · the latest planer technology

will add to your woodworking.

Real life examples performed on a FELDER combination machine with minimal space requirements.

Heavy Glass

FELDER USA

4003 Seaport Blvd. - W. SACRAMENTO, CA 95691 Phone 800-572-0061 - Fax 916-375-3194 www.felder.co.at

FACTORY DIRECT DISCOUNT 8



SATISFACTION **Entertainment Centers** GUARANTEED! **Tempered Glass** WOB GLASS - SHAPES - THICKNESSES - EDGE DESIGNS

FOR FREE IDEA CATALOG AND PRICE LIST SEND POST CARD TO: 19785 W. 12 MILE RD., STE, 357 SOUTHFIELD, MI 48076 WGB GLASS

TO PLACE ORDERS: CALL 1-800-288-6854

WIRELESS DRIVEWAY ALARM



A bell rings in your house anviime someone walks or drives into your place.

- Free Literature -

A complete line of wireless security equipment.

DAKOTA ALERT, INC. **BOX 130, ELK POINT, SD 57025** Ph: 605-356-2772

Saw your own lumber & save!

Baker sawn boards have nea planer finish – boards are worth more! Produce beautiful boards from logs up to 24' long

Save money with the Baker Portable Band Sawmill! Turn your trees into high-dollar boards, producing all the lumber you need for any woodworking project.
Call today for your free
information kill

P.O. Box 128 Ellington, MO 63638 573-663-3133 www.baker-online.com



Mystic Wishing Well Plan #53 (90"H) \$12.95 Garden Wishing Well

Plan #185 (61"H) ... \$12.95 Full Size Templates



Specialty Furniture Designs 797 W. Remus Rd. Dept. W-51 Mt. Pleasant, MI 48858 1-800-892-4026

Add \$3.00 S & H (Per Order)

Pick from our most popular pattern sets & order today! ☐ 125 Pattern BEGINNER'S BONANZA plus "Shop Secrets"

Full Size Patterns

SHOW STOPPERS II - 22 Craft Show best-sellers 25 lun & profitable "wind-action" WHIRIGIGS.

YARD CHARACTERS Amish, Outch, bending lady, morel Eye-catching DUTCH WINDMILL - Steet tall. COUNTRY CRITTERS - 100 Patterns, decorative projects COUNTRY CRITTERS 100 Patterns, decorative project
Over 30 CHRISTMAS decorations & centerpieces!
200 CREATIVE CUT patterns for scrott, band or jigsaw.


 Decorative country SHELF ASSOFTMENT, many options!
 COUNTRY CLASSICS-25 top-selling country designs.
 Create over 20 "Quick & Easy" BIRD HOUSES. 100 YARD ORNAMENTS - Animals, bird, signs & more!

ACCENTS Dept. MA88 P.O. Box 7387 Sonic, NH 03839



"Cuts project time in half, eliminates the need for an expensive arsonal of clamps and is simple to use. The Krea Jlg outperformed its competition by a wide margin. It's worth the investment." Wood Magazine, Jan. 1996

DISCOVER THE POCKET HOLE ADVANTAGE



THE POCKET HOLE PROFESSIONAL Discover the pocket hole secret for yourself, 30 day trial. Order today! Free catalogi

800-447-8638

FREE TOOL CATALOG

Helping You Become a Better Woodworker



Visit us on the Internet at http://www.hlghland-hardware.com

Serving Woodworkers for 186 years Dept. 35808, 2050 Eastchester Rd., Bronx NY 10461

CALL TOLL FREE 1-800-223-8087

Quality MECHANISMS For Making WOODEN BARREL

- & Pens
- Pencils
- A Roller Balls
- Fountain Pens

plus other related Items.

Wholesale/Retail

Call or Write:

Bereattard Woods.

6367 Eastland Rd. Brookpark, Ohio 44142 440-234-7949 Master Card/Visa

FACTORY-DIRECT WHOLESALE PRICES!!

Many Models & Sizes Available

Ideal Multi-Purpose Structures

All-Steel 100% Clear-Span Interior

Easy Self-Assembly for the "De-It-Yourselfer"

FUTURE STEEL





Or send refundable \$14 + \$3 shipping for video

WOODWORKING Shows *

tools • supplies • education

Visit the Show Near You!

- Baltimore · Chicago
- Detroit Kansas City Milwaukee
- · Cleveland Columbus
 - New Orleans
- Dallas Denver Phoenix
- Portland Seattle
- · So. California Twin Cities
- · No. Catifornia · Winston-Salem plus others!

Call 1-800/826-8257 for free brochure Monday - Friday 8:30 am - 5 pm Pacific Time e-mail: woodshow@earthlink.net

The Portable Sawmill

The "affordable portable one man band sawmill. Weighs only 45 lbs. Cuts 20" diameter logs into lumber. Minimum 1/8" to maximum 9" thickness. 14"W x 9"H throat capacity Write or call for free brochure. Videos also available

789 Wobum St., Dept. WD08, Wilmington, MA 01887 Fax: (978) 658-0444

Better Built (978) 657-5636



ARTS & CRAFTS STYLE CHAIR & FOOTSTOOL Introducing the finest plan on the market today! Pages of directions and 36 by 48 CAD generated plun. This comfortable

Dim. - 34 inches wide by 40 inches high by 39 inches deep



chair has a 4 position back with wide bowed arms.





Your Best Work Starts With Us!

With over 6,000 of the finest woodworking tools in the world, Woodcraft can help you work more efficiently and skillfully than ever. Call for your Free copy today.

210 Wood County Industrial Park Dept. 98Wi08S PO Box 1686, Parkersburg, WV 26102-1686

Helping You Make Wood Wor www.woodcraft.com

No.

highland hardware Our glant tool catalog gives more than just manufacturer's specs. We provide detailed tool descriptions, useful techniques, as well as a schedule of educational seminars. Call toll free for FREE catalog 1-888-500-4466

Over 5000 products to BUILD, REPAIR, RESTORE, REFINISH anything made of wood! 104 pages jam-packed with fine woods, veneers, tools, finishing supplies and more - shipped fast and fully guaranteed, at discounts of 5% to 15% on orders of \$50 or more! **CONSTANTINE**

FROM

MAGAZINE



MEM TRIO OF PENGUINS #OFS-1045 (3' high) \$12.95

EASY TO MAKE!

SHOP

TESTED

- Exploded-view drawings for quick, accurate assembly
- Complete, step-by-step instructions Easy-to-use, full-sized patterns
- Can be completed in a weekend or less

100% Money-Back Guarantee!

For fastest service, call toll free 1-800-572-9350

Or fax your order 1-515-265-2995 7 a.m.-9 a.m. CST, Monday-Friday, Visa and MasterCard accepted. Please have your order ready when calling. You may also send your name, address and the name of plan(s) you want, along with your check or money order to:

WOOD PLANS, P.O. Box 9255, Dept. WD 898 Des Molnes, IA 50306

Trips to the lumber yard will never be the same with the...



DWARDS

ROLL-TOP-COVER™

This durable hard tonneau cover gives your truck added security with style and retracts in seconds to give you full use of your truck bed whenever additional space is needed. Roll-Top...We've got you Covered!

www.pace-edwards.com for more information call toll free 1 888 ROLL-TOP

Circle No. 1985

Design Breakthrough!

It's the ultimate workbench! It's a downdraft table! It's a complete air filtration system!

- •360° Air Collection
- Unique Filter Lock System
- Flourescent Light
- •1100 CFM
- •12' Power Cord
- •Filters to 0.5 Micron



Overhead Mount Special Introductory Offer! Only \$599 + S&H



Deluxe 30"x69" ·Generous Maple Worktops

- Powerful 930,1600, or NEW 2850 CFM Motor
- GFI Convenience Outlet
- All Benches Shown with Optional Accessories
- Three Stage Filtering to 0.5 Micron



Original 30"x54" Only \$999 + S&H



Ultra Grand 33"x95 Call now to find out about our Specials

Visa Mastercard Amex

P.O. Box 211434 Bedford, TX 76095

1-800-845-4400

Free Catalog!

PRODUCTS THAT PERFORM

Continued from page 82


Gritty compound gives screwdriver greater grip

Stick a screwdriver tip into the slot of a rusty screw you want to remove from a piece of hardwood, and you have the makings of an ugly workshop episode. All too often the screwdriver tip slips out of the slot, chewing up the screw head and making removal even more difficult.


Craftsman GripDoctor goes a long way toward preventing such hardware horror. Applied to the tip of your screwdriver or the screw head, the thick, gritty liquid gives the blade enough traction against the sides of the screw slot to resist cam-out. In our tests, GripDoctor also proved useful in turning worn bolt heads or nuts with an open-end wrench.

If you repair or restore old furniture, live in an old house, or just seem to encounter a lot of situations where you need to apply a lot of torque to a screw head, you'll want to keep a tube of Grip Doctor nearby whenever you pick up a screwdriver.

-Tested by Randy Zimmerman



PRODUCT SCORECARD GripDoctor * * * * Performance Price \$4.99, 1/2 oz. tube Value * * * Available at Sears and Sears Hardware stores nationwide.



00L GRIB

In honor of our 50 years in business, Tool Crib will beat any printed price in this magazine by 5% on products we stock.



our competitor's prices

5% offer good for 50 days - May 26 through July 14.

Not valid with any other offer. Past orders excluded.

- BOSCH PORTER CABLE DEWALT DELTA MAKITA JET PANASONIC •
- FREUD HITACHI RYOBI MILWAUKEE SENCO POWERMATIC EMGLO
 - BOSTITCH PASLODE AIRY And Many More...




Customer Service 1-800-884-9132 / Fax 1-800-343-4205











GREAT IDEAS FOR YOUR SHOP


Saw-Top Dust Collector Catch the dust before it falls



Two of our favorite topics in the WOOD® magazine shop are dust collection and safety, and this nifty apparatus combines both. It works so well you'll never want to remove the blade guard again.

Dust and chips thrown forward from the saw blade bounce off the acrylic deflector and get pulled into the flexible vacuum hose. Hang the hose directly above the blade and connect it to your shop vacuum or dust-collection system.

Seal the joint between the blade guard and the hardboard adapter with a bead of silicone sealant. Hold the acrylic deflector in place with silicone sealant or acrylic adhesive.



CP TOOLS, INC. 611 DUGGAN AVE., Azusa CA 91702

EUPER Own the ultimate home shop 10 tools in 1 machine

The SuperShop® and Shopsmith® are the world's most popular multipurpose wood tools and both are quality tools—we invite you to compare features and consider which machine can bring the most value and function to YOUR workshop.

Call today for your FREE SuperShop info pak and special limited-time offer. Now is a great time to get a deal on a SuperShop!

Call now— (800) 345-6342

Ask for operator WDW

or write:

SuperShop • Dept. WDW, PO Box 1517 Ann Arbor, MI 48106-1517



"This isn't the Cadillace, this is the Mercedese of combination woodworking tools. My old 5-in-1 is going to be very lonely over in the corner."

Tool mount: Self-centering, industrial R-8 collet

Metalworking capabilities: Yes Optional powerfeed: Yes

Vertical lift: Lift by hand with LiftAssist torsion spring Speed range: 32–7200 rpm

Weight: 180 lbs. Casters: Optional (Cost extra) Spindle: 2-1/4" 2-bearing Carriage travel: Push by hand Vertical lift: Lift by hand Speed range: 700-5200 rpm Tool mount: Setscrew Metalworking capabilities: No

Optional powerfeed: No

Shopsmith Mark Ve

"I looked closely at both machines before buying. The Shopsmithe is a toy compared to the SuperShop®. My SuperShop has taken everything I've thrown at it."

FAX US YOUR

ORDER AT

1-954-792-3560

-Joe Galgoci (PA)

*Current prices at time of publication.

Circle No. 100

3" X 21" VS DUSTLESS BELT SANDER 1275DVS 3" X 24" VS DUSTLESS BELT SANDER 213 4" X 24" VS DUSTLSS BELT SANDER 224 12 76 DVS 1278VSK COMPACT BELT SANDER KIT 128 1295DH 5" RANDOM ORBIT SANDER/POLISHER 1584VS CLIC BARREL HANDLE JIG SAW, VS . 1507AVSK SOSOTH ANNIV JIG SAW KIT WITE BLADES TOP HANDLE JEG SAW, VAR SP 2 HP VAR SP PLUNGE ROUTER 1613EVS 3315K 12V CRDLS WIT HANDLE WIZ BAT, CS & CHRG 159 3615K 14.4V COLS DRILL KIT W/Z BATTERIES 5' DUSTLESS VS RANDOM ORBIT SANDER 144 3725FWS 6' DUSTLESS VS RANDOM ORBIT SANDER 149 3727E#\$ 10' SLIDE COMPOUND MITER SAW 538 3915

HD3400 10' TABLE SAY WICARBIDE BLADE & STAND 198 7 1/6 WORM DRIVE CIRCULAR SAW HD77 7 IM" WORM DRIVE MAGNESIUM CIRC SAW ... 169

STYLE 37 2 1/2" THROAT 1/4" x 3/4 3706 6" 38.98 42.75 46.50 3712 3786 9 ONY CLAMP FIXTURES
450 JAP BLACK PIPE CLAMPS BOX OF 12 \$94.95

8 1/2" SLIDE COMPOUND MITER SAW 458 CHOFC 10" COMPOUND MITTER SAW ... CHOPS NEW 16" SLIDE COMPOUND MITER SAW 714 3 HP VAR SPEED PLUNGE ROUTER

ALL	PRICES INCLUDE FREIGHT! IN CONTIGUOUS	U.S.A.
115	15' PLANER	1295
54	6" JOINTER WIENCLSD STAND	545
64	1 1/2 HP TABLE SAW W.ACCU- FENCE	745
66	3 HP, 1 PH 10" T.A. SAW W/50" FENCE	1995
66	5 H P, 1 PH 10" T.A. SAW W/50" FENCE	. 2095
73	1 1 /2 HP DUST COLLECTOR	398

BUSINESS HOURS:

•2590 DAVIE RD., DAVIE FLORIDA 33317

-Edward Zych (TN)

FREE FREIGHT & SAME DAY SHIPPING ON MOST UPS ORDERS OVER \$50 MINIMUM PURCHASE WITHIN CONTIGUOUS U.S.A. ANTITIES LIMITED

NSF

315

330

332

333

360

3621

VISIT OUR WEBSITE AT HTTP://WWW.INTERNATIONALTOOL.COM

Model 9444 Profile Sander Kit **OUR PRICE** includes 17 pc sandpaper assortment & case

25	18 GA. BRADNAILER KIT 5/8" - 1 1/4"	556
00	18 GA. BRAD NAILER KIT 3/4" - 2"	557
50	15 GA. ANGLE FINISH NAILER KIT 1 1/4" - 2 1/2" 199	690
50	4 15 GA. ANGLE FINISH NAILER KIT 1 1/4" - 2 1/2" 238	691
50,	4 16 GA. FINISH NAILER KIT 1" - 2 1/2"	697
50	FRAMING NAILER W/CASE 3 1/2" CAPACITY 289	698
00	NARROW GROWN STAPLER KIT 1/2" - 1"	6931
50	NARROW CROWN STAPLER KIT 1/2" - 1 1/2" 157	7116
1	7 1/4" TOP HANDLE CIRCULAR SAW	7335
	SPEED BLOCK FINISHING SANDER	7336
	QUIKSAND 5" ANDM ORB WISTIKIT PAO 62	7518
	OUIKSAND W/HOOK & LOOP, DUSTLS	7519
	OUIKSAND WISTIKIT, DUSTLESS	7536
	8' QUICKSAND WIREVERSIBLE PAD	7539
<	7 1/4" FRAMERS SAW, 15 AMP WITH CASE 128	7549
VS	3" X 21" BELT SANDER DUSTLESS WIVAR SP., 174	7810
	3' X 24' BELT SANDER WIDUST BAG	9444
VS	3" X 24" BELT SANDER, VS WITH DUST BAG 232	9444VS
	4" X 24" BELT SANDER W/DUST BAG	9737
VS	4" X 24" VAR SPD BELT SANDER WIDUST BAG 238	9862
1	8 1/4" TOP HANDLE CIRCULAR SAW	9872
	1/2 SHT FIN SANDER	97310

12V KIT WIKEYLESS CHUCK, 2 IRONMAN BAT, CHARGER & CASE, 15.6V CORDLESS KIT COMPLETE ... 208 SUPER SPECIALI SCILLATING TRIANGULAR SANDER MCLUBES CASE & PAPER ASSORTMENT TURBOR VACUE

Most tools under 70 lbs. shipped Fed Ex

FEIN TUREIO II VACUUM

DELUXE PLATE JOINER KIT .. I 1/2 HP ROUTER W/1/4" & 1/2" COLLETS 1 1/2 HP 'D' HANDLE ROUTER SHAPER TABLE W/ 1 1/2 HP ROUTER 232 SHAPER TABLE 138 PLUNGE ROUTER BASE 82 NEW 24" OMNUIG 317 5' RANDOM ORBIT SANDER 130 6' RANDOM ORBIT SANDER 142 3 1/4 HP FIXED BASE ROUTER-5 SPEED 288 3 1/4 HP PRODUCTION ROUTER 234 2 1/2 HP ROUTER 3 1/4 HP PLUNGE ROUTER-5 SPEED ELECTRONIC SPEED JIG SAW POWER TOOL TRIGGERED WET/DRY VAC PROFILE SANDER KIT WITH ACCESSORIES S VAR. SPEED PROFILE SANDER KIT RECIPRO TIGER SAW, 9:6A, QUICK CHING CHUCK 167 12V CORDLESS DRILL KIT W/2 BATT & CASE 174 14.4V CORDLESS ORILL KIT W/2 BATT, & CASE 198

LAMANT TRIMMR KIT W/3 BASES 8 CS 0232SP 18 GA BIRAD NAILER 3/8" - 1 1/4" 18 GA BRAD NAILER 3/8"-1 9/16" KIT. 0241NK 18 GA BRAD NAILER 5/8'-2' W/CS & BRADS. 118 0249NK ANGLE FINISH NAILER 1"-2 1/2" 0566T NAILER/STAPLER KIT 5/8" CAPACITY NAILER/STAPLER KIT ... EZ-2

6095DWE 9.6V CDLS DRILL KIT W/2 BAT 129 6213DWAE 12V CDLS KIT W/2 BATTERIES 179 6233DWAE 14.4V CORDLESS KIT W/2 BAT 199 12" COMPOUND MITTER 10" DUAL COMP MITER SAW ... 578 S1013


22-560	NEW 12' PORTABLE PLANER	219
23-710	SHARPENING CENTER	174
28-185	BENCH TOP BAND SAW	1\$7
31-460	4" BELT/6" DISC SANDER	124
31-780	B.O.S.S. OSCILLTNG SPINDLE SNDR	193
37-070	NEW 6' VS BENCH JOINTER	269
40-540	16" SCROLL SAW, VAR SPEED	178


DEWALT

8.0
121
28
19
54
-43
12
-44
18
20
-34
12

A 400 TO 100 TO	The state of the s
OBJ50	DETAIL BISCUIT JOINER68
HT20VSK	MULTIROTARY TOOL WICS & 101 PC AST 45
DC500K	DC500 KIT WICS & 5 PC CHISEL SET 62
AP12 DC500K	12" PORTABLE PLANER

	Market Control of the
JS100	BISCUIT JOINER
J\$102	BISC. JOINER WAVAR. ANGLE PENCE . 118
FT2000E	3 1/4 ho VS PLUNGEROUTER 25
LU84M010	10" X 50T ATB COMBO BLADE 40
LU85M010	10" X 80 T ATS FOR MIRROR FINISH \$
SD308	B' SAFETY DADO WITH CASE 116
SD508	NEW 8" SUPER DADO SET 154
TR215	8 1/2" SLIDING COMP MITER SAW 238
THE CHARLES AND SECURE	THE RESERVE OF THE PROPERTY OF THE PARTY OF





WOOD® LASSIFIED MAR

AUTOMOTIVE

SEIZED CARS FROM \$175. Porsches, Cadillacs, Chevys, BMW's, Corvettes. Also Jeeps, 4WD's. Your Area. Toll Free 1-800-218-9000 Ext. A-14094 for current listings.

BUSINESS OPPORTUNITIES

\$100.00 PER HOUR, woodworking from your garage, full or part-time, no selling. Free Brochure: Sathwood 1-800-456-4987.

FINANCIAL SERVICES

FREE CASH GRANTS! College, Scholarships, Business, Medical bills, Never repay, Toll Free 1-800-218-9000 Ext, G-14094.

FINISHING/RESTORATION

LINE BOXES EASILY. Spray-on suede. 31 colors. Free Brochure. DonJer Products, Ilene Court-Bidg. 8W, Bellemead, NJ 08502. 1-800-336-6537.

HELP WANTED

EASY WORK! EXCELLENT PAY! Assemble Products at Home. Call Toll Free 1-800-467-5566 EXT. 11856.

\$1000'S POSSIBLE TYPING Part Time. At Home. Toll Free 1-800-218-9000 Ext. T-14094 for Listings.

INVENTIONS

IDEAS, INVENTIONS, NEW PRODUCTS! One of America's leading invention firms can help you submit to industry. Patent services. Call 1-800-288-IDEA.

MUSIC/SUPPLIES

PLANS, KITS, SUPPLIES for musical instruments: harps, dulcimers, psalteries, banjos, gultars, more. Musicmaker's Kits, Dept. 898, PO Box 2117, Stillwater, MN 55082. 612-439-9120.

PLANS/KITS/PATTERNS

ANTIQUE SPINNING WHEEL plans. Full size. Working. \$19.95 MC/VISA/DIsc/AExp. RR Plans. PO Box 1554, Taylors, SC 29687. FAX 864-292-5029. E-mail DRobe@IBM.net

FURNITURE PLANS. Rolltop desk, Cradle, Winerack, and many conventional designs. Catalog \$3.00: Lake Superior Design, Box 751, Grand Marais, MN 55804-0751.

WOOD RUBBER-BAND RIFLE! Full set, easy-to-follow plans. Send \$9.95: Tasko-A1, PO Box 820933, Dallas, TX 75382.

TOOLS/EQUIPMENT

DRY YOUR OWN LUMBER. Ebac's user friendly dry kilns 200BF-40,000BF. Mix species in same load, Great 3-year warranty. Over 6000 systems worldwide. Call Today, 1-800-433-9011.

CUSTOM BRANDING IRONS, As low as \$56.25! Any design, logo, signature. HOLLOWOOD. Tubular plywood! Many diameters, species. VENEER ASSORTMENT. 20 square feet \$19.95. BrandNew. 800-964-8251. VISAMC.

BAND SAW BLADES: Low tension Swedish Silicon Steel "TIMBERWOLF" bands. 1/16" thru 1 1/4". FREE CATALOG 1-800-234-7297. Email-timberwolf2@worldnet.att.net HOME PAGEtimberwolf1.com

Start Your Own Business CUSTOM ENGRAVI

No Experience Necessary . No Artistic Ability Needed

• 400,000 RPM **Engraving Tool** Unlimited **Potential**

 Complete Stencils









There is no experience necessary because SCM has developed a business opportunity that will have you producing professional engraving in a few short hours - just by tracing lines! It's That Easy!

Engrave on... • Glass • Wood • Metal • Stone • Marble • Eggs

To Find Out Just How Easy It Is Call Now For Details...

W140 N5946 Lilly Road . Menomonee Falls, WI 53051 (414) 252-3989

Deposit Required

Circle No. 2165

SUBSCRIBERS: PLEASE NOTE!

Many of our customers are mail-order buyers. These consumers are interested in receiving offers for other products and services from our company (Meredith Corporation) and for products and services offered by other reputable companies.

In order to promote our other products, we retain your name and address in a prospective customer file. We also provide that name and address to other reputable companies who offer products we consider to be of value and interest to our customers.

However, we also respect the rights of those customers who prefer not to receive additional mail-order offers.

Should you prefer to have your name restricted, please fill out the coupon (below), clip it out, and mall it to the address shown. Please be sure to indicate whether you wish to restrict all offers or just those from other companies.

☐ I will accept offers from Meredith Corporation only.

☐ I prefer not to receive any offers.

Include a current magazine address label with this coupon, and mail your request to:

> Magazine Customer Service P.O. Box 10263 Des Moines, IA 50336-0263

Econ-Abrasives WE MAKE ABRASIVE BELTS ANY SIZE, ANY GRIT!

Standard Abrasive Sheets CABINET PAPER

SECTION AND DESCRIPTION OF THE PERSON OF THE	50/pk	100/pk
60D	\$16.70	\$30.00C
80D	15.60	27.80C
100 thru 150C	14.50	25.60C

FINISHING PAPER


\$ 11.15 \$18.90C 100 thru 280A 10.00 16.70C

NO LOAD PAPER(white)

100 thru 400A \$12.25 \$21.25C "C" = 100 SHEETS

Velcro® Vacuum Discs 8 Hole pattern for Bosch sanders

Dia.	Grit	Price Price
5"	60	Price \$.48ea
5"	80	.46
5" 10	0 thru 3	20 .45



*Wide Belts*Rolls*Flap Wheels
*Pump Sieeves*PSA Discs *Router & Wood Bits*Wood Glue

*MasterCard, VISA, C.O.D. or Check *SATISFACTION GUARANTEED!!!

*CALL FOR FREE CATALOG


TX & NV add appropriate sales tax Continental U. S. shipping add \$5.50

ABRASIVE BELTS

Belts are resin bond cloth with a bi-directional splice, specify grits. 1X30 \$.81 ea | 3X24 \$.93 ea .81 ea 3X27 .96 ea 1X42 1X44 .81 ea 4X21 3/4 1.06 ea 2 1/2X16 .85 ea 4X24 1.10 ea 3X18 .86 ea 4X36 1.35 ea .90 ea 6X48 3.50 ea 3X21 3X23 3/4 .93 ea 6x89 6.24 ea OTHER SIZES ON REQUEST

HEAVY DUTY SPRING CLAMPS

Clamps come w/PVC tips and grips.




JUMBO ROUTER PAD(24" x 36")

It will not allow small blocks of wood to slip out under router or sanding **ROUTER PAD** applications. ONLY \$8.95ea.

JUMBO BELT CLEANING STICK ONLY \$8.80

Econ-Abrasives



TOLL-FREE ORDERING LINE (800)367-4101


ORDER 1-800-328-0457 MAIL ORDER HOURS M-F 7:00-5:30 C.S.T. SAT 8:00-1:00 DELTA TOOLS PORTA NAILER 401 Porta Nailer complete 295 209 501 Face Nailer complete 295 209 Model Description 224-4859 31-695 6" Bell/9" Disc Sander 441 299 28-710 New Sharpening Center 217 DAVID WHITE 23-680 6" Bench Grinder 1/4 HP 80 DW236 1/2° Drill, 0-850 rpm, 7.8 amp with 264 149 LP6-20 Sight Level package - 20x...329 215 LP6-20XL LP6-20 w/9056 tripod & 7620 rod ML900 Incandescent Flashlight 9.6V. 14.95 31-460 4" Bell/Disc Sander...... 198 125 $\mathbf{\omega}$ (612) 40-560 16" 2 speed Scroll Saw...... 230 155 40-540 16" var/spd Scroll Saw...... 249 179 LT8-300 Level Transit - 26x .. ERS ACE HD 11-990 12" Bench Drill Press........... 255 184 11-090 32" Radial Bench Drill Press 405 279 Call (43-505 1/2" Bench Router/Shaper... 398 299 DW810 1-1/2 HP 2 handle Router . 266 182 0W411K1/4 sheet Palm Sander w/ cse88 .68 0W662K8iscuit Joiner with case....... 448 199 0W705 12* Compound Mitre Saw . .734 359 0W625 3 HP v/ spa PlungoRouter. Sale 279 DW625 router comes with DW6913 Minn. ALTP6-900 above Level with tripod & rod 22-540 12" Bench Top Planer Sale 329 28-195 10" Band Saw 390 CHECK-MONEY ORDER-WEST CHECK-MONEY ORDER-WEST CHECK-MONEY ORDER-WEST 216 West 22-560 12-1/2" Bench top Planer..... 995 <u>_</u> COROLESS DRILLS G 36-885 Versa Feeder Stock Feeder odge gulde ! DW621 2 HP Plunge Rouler 400 DW621 comes with Free DW6956 JET TOOLS 36-220 10" Compound Mitre Saw 294 199 JJ60S 6" Jointer - open stand Sale 429 JJ6CSX 6" Jointer - closed stand 38-240 NEW 10" Sliding Compound Miltre line height Adjuster ! 589 439 DW676K 3-1/6* Planer with case 292 DW677K NEW 3-1/4* Planer w/ case 268 292 164 JJ&CS 8" Jointer - closed stand ... 37-070 6" v/spd Bench Jointer...... 351 265 Sale 1189 14-650 Hollow Chisel Mortiser...... 380 239 DV/431 9 x 21 v/spd Belt Sander....338 DW421 5 Palm Ran. Orb Sander... 144 DW423 Palmgrip Random Orbit Sander JWP124P 12" Benchtop Planer... Sale 339 33-990 10" Radial Arm Saw........... 981 799 JWB\$140\$ 14" Band Saw 3/4 HP - open 36-905 30° Unifence 348 255 .. Sale 499 stand. variable speed...... 170 DW421 & DW423 come with Free ... 170 JWBS14CS 14" Band Saw 1 HP - closed JWTS10JF 10" Contractor Table Saw with .. Salo 579 DW4317 case 1 DW873KLaminate Trimmer Kit ... 38-285 8-1/4" Builders Saw w/ standSale 268 .. 364 188 80" Jet fence 1-1/2 HP Sale 599 DW272 Drywell Gun, 0-4000, 6.3 amp160 95 DW276 Drywell Gun, 0-2500, 6.5 amp160 95 DW935K 14.4V 5-3/8" Trim Saw Kit...444 227 36-210 10" Compound Mitre Saw ... 344 219 JWTS10CWPF 10" Contractor Table Saw 24-555 Sliding Table ____.487 289 with 30" Exacta fence 1-1/2 HP 36-250 10" Slide Compound Saw.... 825 489 .. Sale 749 31-780 Oscillating Spindle Sander . 253 194 DEWALT CORDLESS DRILLS JTAS10X501 10" Tilting Arbor Table Saw with 50° Exacta lence - 3 HP ... Sale 1399 34-445 10" Contractors Table Saw with JDP17MF 16-1/2" Drill Press 3/4 HP 1086 599 362 182 Miter Saw... XR batteries. .. Sale 429 16 speed..... DW972KQ-2 Above drill kit with 15 minute 28-275 14" Band Saw 3/4 HP Sele 595 DC-650 Oust Collector, 1 HP, 650 CFM 28-280 14" Band Saw 1 HP motor with ...319 219 enclosed standSale 739 JWP-16HO 15" Planer with stand and DW991K-2 3/8 variable speed w/ two 14.4V 28-280Z 14" Band Saw 1 HP w/ 50-274 mobile We are one XR batteries 415 209 DW991KO-2 Above drill kli visit 15 minute charger 5ale 245 DW994KO 1/2" variable speed w/ one 14.4V XR hatteries casters _____1699 1229 SENCO AIR NAILERS base, 28-843 rip fence, & 28-266 cool blocksSale 839 of the last PORTER CABLE 40-850 Q3 18" Scroll Saw.....Sale 479 22-675 DC380 15" Planer.....Sale 1175 mail order 31-280 Sanding Center w/ stand Sale 789 companies DW991K9-2 DW991K drill, DW935 trim saw, NEW Single Stage Dust Collectors to provide 50-840 1 HP, 650 CFM270 225 50-850 1-1/2 HP, 1200 CFMSale 309 BOSTITCH AIR NAILERS DEWALT 18 VOLT CORDLESS TOOLS 50-851 2 HP, 1500 CFMSalo 455 FREE N60FN-2K Finishing Nailer w/ case . 557 276 BT35-2K Brad Tacker 5/8" - 1-3/8" with case, FREIGHT! 6527 NEW Sawzall with case 343 169 6537-2 6527 w/quick lok blade change224 175 oil. & brads..... CWC100 1 HP Pancake Compressor 440 305 MIIIFS Flooring Stapler 15 gauge 902 529 \$32\$X-1K Finish Stapler-1/2" · 1-3/8" with 0407-2212V Orill w/kyls chuck82 batt 980 175 Sele 386 0224-1 3/8" Drill 4.5 amp magnum .. 236 132 Order with 375 0234-1 1/2" Drill 4.5A mag 0-850 rpm255 134 14.4V recipro saw.& case...... 3 DW995KC-2 DW995K 18V drill kit, DW908 confidence 0235-1 1/2" Drill w/keyless chuck 255 142 0244-1 1/2" Drill 4,5A mag 0-600 rpm255 134 395 from 0222-1 3/8" Drill 3.5 amp 0-1000 rpm213 119 18V recipro saw, & case 415 0228-1 3/8" Drill 3.5 amp 0-1000 rpm207 109 Tools On 0375-1 3/8" close quarter Drill 255 148 0379-1 1/2" close quarter Drill 288 165 DEWALT BENCH TOP TOOLS Sale™. DW708 12" Dual Compound Slide Milre 8546-1 odls Serwdyr 200 & 400 rpm 150 6547-1 6546-1 w/bits, 1/4" chuck & cs185 108 Saw..... Salo 649 20" Scroll SawSale 469 PONY CLAMP FIXTURES 5399 1/2" D-hdle Hammer Drill Kit 356 219 Model Description Usl Sale of 12 50 3/4" Black Pipe 15.45 8.50 92.50 52 1/2" Black Pipe 12.65 6.95 74.95 DW733 12' Planer Sale 435 5397-1 3.8" v/ spd Hammer Drill Kit 275 10" Portable Table Saw... Sale 499 DW744 5371-1 1/2" v/ spd Hammer Drill Kit 360 194 There are DW756 NEW 6" Bench Grinder.... 164' 75 DW758 NEW 8" Bench Grinder.... 184 116 3107-1 1/2" v/spd right angle Orill Kit411 234 3300-1 1/2" v/ spd right angle Drill... 378 no hidden PANASONIC CORDI ESS 6142 4-1/2" Grinder w/cse & acc.. 224 129 EY6100FOKW 12V 3/8" Drill kit w/ 2 fronman BOSCH 10" Mitre Saw 496 265 charges. 6490 batteries, 15 min. charger, & case 6490 w/ carbide blade & bag 594 328 EY6101FQKW 12V 1/2" Drill w/ 2 fronman 6494 10" Compound Mitre Saw.... 585 315 batteries, 15 min. charger, & case 10" Slide Compound Saw., 1050 569 EY6230FQKW NEW 15.6V Drill Kit with 2 Bosch Metal Case for above Jig Saws ... 24 Bosch 30 blade assortment for Jig Saws 28.99 1584VS or 1587VS FREUD CARBIDE TIPPED SAW BLADES 5/8" Bore - Industrial Grade Description Teeth List Sale Batteries for above are NEW 2.0 amp-hr ITEM 79 Production Lam. Imminer 79 184 347K 7-1/4" Framers" Circ Saw with plastic case 250 129 743K 7-1/4" Framers" Circ Saw with case - left hand version 250 129 9737 Tiger Recipro Saw 307 158 LU72M010 Gen Pur. A.T.B.10"40 69 LU82M010 Cut-off 10" 60 93 PRICED TOOLS EY3503FQWKW NEW 5-3/8" 12V Wood LU84M011 Comb 10" 800 259 THE V EVERY I Cutting Saw Kit LU85M010 Super Cut-off10" 80 115 LM72M010 Ripping 10" 24 69 LU73M010 Cut-off 10" 60 84 1275DVS 3"x24" v/s Beil Sndr.......... 379 1276DVS 4"x24" v/s Beil Sndr......... 408 B-50 50" Commer Saw....443 325 T-SQUARE 52 52" Homeshop........360 275 T-SQUARE 40 40" Homeshop.......335 255 T-SQUARE 28 28" Homeshop.......325 245 New Porter Cable Cordless Nallers 1347AK 4-1/2" Grinder w/cs & acc... 172 1194VSR1/2" v/ spd Hammer Drill ... 272 LU73M010 Cut off 10" 49 CDA250 Angle Finish Nailer 1-1/4" 10 2-1/7 500 279 CFN260 Finish Nailer 1" 10 2-1/2" 500 279 CMS200 Medium Crown Stapler 1" 10 2" 500 279 LU87M010 Thin Kerl 10" 72 24 45 5 N LIBRMOTO LIllimate 10" 80 128 68 STATES (EIGHTT RECORD WOODWORKING VISES LU91M010 Compnd Mitre 10" 60 1616EVS 3 HP v/s Plunge Router... \$38 1634VSK Recip Saw 10.5 amp.... 335 3315K 12V7-handle Drill Kit 345 3615K 14.4V Drill Kit 354 Quiet Blade 10" 40 95 7-1/4" Finishing 40 38 Model JawWildth Opening List Sale 53E 10-1/2715' Quick release 248 125 52D 7%' Quick release with dog 169 85 52-1/2D 9713" Quick release with dog 231 99 IICA'S LOWEST ! FREE FREIGHT 49 Porter Cable Pneumatic Nallers TK303 25 SO308 8" Dado - Carbide SD508 8" carbide w/case & shims 344 168 3107DVS 5" Random Orbit Sander ... 165 FB100 16 piece Forstner Bit Set 338 3107DVSK 3107DVS with case...... 195 37250VS 5" Aandom Orbij Sander . 256 37270VS 6" Random Orbij Sander . 266 B3915 10" Slide Compound Saw. 1050 94-100 5 pc. Router Bit Door System 320 169 SIDILY TOOLS FT2000E Plunge RouterSale FJ85 Top Hdl Jig SawSale 205 99 11224VSR 7/6" SDS Rotary Drill..... 404 1703AEVS 5" Grinder - 8.5 amp 245 229Sale 125 JS102 Riscuit Jointer ... Porter Cable Compressors CONT 790VV 5" Sander w/ Venturi vacuum313 179 CF1400 1 HP, 4 gal, Pancake...........Sale 195 CF1540 1-1/2 HP, 4 gallon Side StackSale 295 CF2400 2 HP, 4 gal, Side Stack......Sale 319 Introducing (ne NEW Bosch Routers STABIL A LEVELS HITACHI TOOLS 1-3/4 HP Router - 2 handle HTIACH TOOLS CBPB2 8-1/2" Slide Compound Saw1169 449 C10FS 10" Slide Compound Saw 1627 699 C15FB 15" Mitre Saw 1346 65 N45AB C0! Roofing Nailer 935 379 C10RA NEW 10" Table Saw 632 319 25010 10" die casi Torpedo Level43 29 21990 10" Torpedo Level Sale 13.95 1617EVS 2 HP Router w/ variable speed - 2 48 Porter Cable Cordless Dritts 24840 24* Level w/ hand holes....62.20 24870 48* Level w/ hand holes....79.70 24610 48* Level w/ angle setter vial.80 handle 9862 12V Drill Kit w/ 2 batteries 382 169 9862F 9862 Drill Kit w/ 1 batteries ... 381 169 9872 14.4V Drill Kit w/ 2 batteries .. 424 205 1-3/4 HP Router - "D" handle Call for special pricing on above routers FREE FREIGHT TO THE CONTINENTAL STATES ON EVERY ITEM • GIFT CERTIFICATES NOW AVAILABLE

FINISHING TOUCHES


In New England, trees once were married

In his renowned book, A Reverence for Wood, author Eric Sloane cites the fact that in the early days of the nation, people living in Connecticut's Berkshire Hills cleared the land of hardwood trees about every 35 years. This "coaling," as it was called, provided wood for charcoal to fire the area's many iron furnaces.

After such a clearing, the only trees to be seen for miles were the large "husband and wife" trees that farmers traditionally planted on each side of the entrance to their newly built homes. Even today, you can spot some of these matrimonial landmarks across the New England landscape.



Get some low-cost help identifying trees



For \$3 postage-paid, you can buy an easy-to-use, pocket-size tree identification booklet. Choose either What Tree Is That? A guide to the more common trees found in the Eastern and Central U.S. (72 pages), or What Tree Is That? A guide to the more common trees found in the Western U.S. (84 pages). Each is a comprehensive field guide that uses leaf, flower, fruit, and twig characteristics, among other things, to help you tell which tree is which. Order the one that covers the area where you live. If you travel a lot, order both (\$6 ppd.). Send your check or money order to The National Arbor Day Foundation, 100 Arbor Ave., Nebraska City, NE 68410.

Photographs: Carving, Jack A. Williams; Hetherington Photography Illustration; Jim Stevenson Dollywood's master carver

You don't have to be a woodcarver to enjoy watching Lee Warren at work. He's the master carver at Dollywood Entertainment Park in Pigeon Forge, Tennessee. And for six months of the year, park visitors get to see him carve while listening to his tales of carving history and explanation of techniques as he employs them.

Lee, 56, wasn't born with a carving knife in hand. In fact, he was a movie stunt man before he took up carving in 1977. But since 1982, he's been at it full-time, learning as he worked. He even spent 1990 in Austria and Switzerland studying traditional European Nativity carving.


At Dollywood, Lee has taken on a number of challenges. He replicated several of the animals featured on the park's turn-of-the-century Dentzel carousel, and sold one horse for \$10,000. And he has become adept at creating cigar-store-Indians, now his trademark.

His most challenging project to date, though, is "Jesus, the Good Shepherd," shown *right*, one result of his European study. The 7'-tall (with base) figure cradling a lamb took him two seasons to complete. "That's because in a 10-hour day, I'll spend seven hours talking," he laughs. Carved from laminated basswood blocks that totaled over 700 pounds and colored with oil stains, it (and two

Lee Warren's carving "Jesus, the Good Shepherd" was done using only a mallet and chisels. He carved it in front of visitors over two seasons at Dollywood Entertainment Park in Tennessee.


child figures in progress at press time) will occupy a commanding spot outside the park's Robert F. Thomas Church.

Visit Lee and see him and others demonstrate in Craftsmen's Valley during October, which is Crafts Festival month at the park. Dollywood is open May through October. Call 800/DOLLYWOOD. Or write Dollywood Information, 1020 Dollywood Lane, Pigeon Forge, TN 37863-4101.



MITER STOPS THAT MAKE FINISH WORK AS EASY AS PAINT BY NUMBERS.

As anybody knows, getting the right measurement is key to making a precise cut. That's why the stops on the Craftsman Compound Miter Saw are color-coded for crown molding, rafter and miter cuts. If you want to know more, like the fact it packs a 12" carbide-tipped blade and powers up to 3.5 HP, go to our Web site at www.sears.com/craftsman. You'll find everything you need to finish any job with unflinching exactness.



IUTN A Projects In Minutes

NEW! 3 Year Warranty

For less than \$5.00 and in just minutes you can make unique hand turned projects that sell for \$20,00 and up. Our selection of lathe projects includes over eighty 24kt gold plated kits that are easy to turn and make wonderful gifts. Select from a wide assortment of

pencrafting projects that includes: pens, pencils, keychains, letter openers, penlights, perfume applicators and more. Every pencrafting kit comes with detailed instructions, a lifetime guarantee and customer support from our knowledgeable staff.



The perfect lathe for pencrasting and turn-

ing small projects. We're so confident of the reliability of this new lathe, we're offering a 3 year warranty! The new Carba-Tec 3XL is compact, portable, and can be used anywhere. With the purchase of the lathe you'll receive a FREE 35 minute instructional video "Turning Pens and

Other Small Projects"- a \$19.95 value! This informative video tape describes everything you need io know about making popular

Specifications

pencrafting kits.

· Variable speed 1/4 HP motor

· Cast iron construction

• 3/4" x 16 tpi Spindle w/ #1 MT

• 12-1/2" between centers

• 6" swing over bed • Weighs 37 pounds

Includes extras worth \$65: · Video tape · toolrest · 4 prong spur center

• 2" faceplate • 2 belts • Live tailstock center w/ cup & point insens

Carba-Tec 3XL Mini Lathe

#CML3XL Regular Price\$289.95/SAVE \$151ONLY \$27495/UPS \$19

PEN MAKING AND MINI LATHE STARTER SETS

Carba-Tec 3XL Mini Lathe or Jet" Mini Lathe

7mm Drill Guide

• 1/2" Penmaking Gouge

• 7mm Pen Kits-Pk of 10 7mm Pencil Kits-Pk of 10

"Pen Turning" Instructional Video
Mandrel w/ bushings & drill bit

Clear Pen Pouches - Pk of 20

#CML-SS Corbo-Tec Set ... \$35790 UPS \$19 #JMINI-SS for Latine Set .. \$41385 UPS \$29 If you already own a lathe and want to start crafting pens 7MM "SLIMLINE"

STARTER SE

INDIVIDUAL PRICE 198 3/4" x 16 tpi mandrel kit #PKSS-AL

1" x 8 tpi mandrel kit #PKSS-BL

/8" drill chuck mandref kit 570 SET

10 Pencil Kits • 10 Pen Kits Drill Guide • Long Mandrel Bushings • Drill Bit 575 SET 5/8" mandrel kit \$75 SET Duplicating Attachment For Carba-Tec and Jet™ Lathes SALE PRICE

Turn your pencrafting projects more quickly, accurately, and easily. This ingenious and practical accessory will help you turn your work like a pro

every time. It works like copying a key-just follow the pattern and you'll make a perfect turning. It duplicates from a hand cut pattern, 3-D original, or from PS1 pre-cut

Profile Templates. Template sets are available for many kits, including: "Slimline" 7mm pens and pencils, "Designer" Mont Blanc™ style twist pens and pencils, "Classic" Parker™ style twist pens, perfume pens, and perfume atomizers.

The Duplicator Attachment fits all Carba-Tec and Jet™ style mini-lathes. Duplicates up to 10" long with a depth of cut up to 3/4". The cutter is

HSS ground on both ends. Order now and receive a FREE instructional video, "Duplicating Attachment Projects and Techniques"- a \$19.95 value!

#CML-DUP #CML-DUPJ Duplicator (for Carba-Tec) w/Video\$119.95/UPS \$5.95 Duplicator (for Jet") w/Video\$129.95/UPS \$5.95

CARBA-TEC 3XL AND DUPLICATOR PACKAGE SAVE \$25! #CML3-PAK Carba-Tec 3XL tathe & Dualicator .. ONLY \$384.90/UPS \$16


Call or write for a FREE CATALOG to see our complete product line. Dealer inquiries invited. Visit us at booth #41412 at the National Hardware Show.





30 DAY MONEY BACK GUARANTEE.

E-Mail: psind@pennstateind.com / Web Site: www.pennstateind.com




Better Homes and Gardens®

WOODS PATTERNS

For your woodworking convenience

AUGUST 1998 ISSUE 107



Dear Reader: As a service to you, we've included full-sized patterns on this insert for irregular-shaped and intricate project parts. You can machine all other project parts using the Bill of Materials and the drawings accompanying the project you're building.

- Nautical Shelf
- Scrollsawn Basket
- Gum ball Machine



Page 40 Page 56
© Copyright Meredith Corporation,1998. All rights reserved. Printed in the U.S.A.

