
BEVEL-EDGE CHISELS See which ones outperform the competition Page 76





AWESOME DUST COLLECTORS!

Effective dust collection not only keeps your shop cleaner and more pleasant to work in, it can also keep you healthier. Our systems feature powerful motors and convenient collection bags — so they're ideal for just about any-sized woodworking operation.

SPECIAL OFFER!

2 H.P. DUST COLLECTOR MODEL G1029

REG. \$27995

FREE W/G1029 2 STAGE CYCLONE SEPARATOR





- Motor Size: 2 H.P., Single Phase
- Number of Intake Holes (All 4"): 2
- Height (With bags inflated): 78"
- Bag Size (Dia. x depth): 19" x 33" (2)
- Approx. Shipping Weight: 130 lbs.
- Ship anywhere in 48 states for only \$40

$\mathsf{EE}^{\,\,\mathsf{W}}$ /purchase of $\mathsf{G1029}$ 2 STAGE CYCLONE SEPARATOR



Converts your single stage dust collector into a 2 stage dust collection beast! Removes heavy wood chips and other debris before it reaches the dust collector, saving loads of time emptying bags and trips to the dumpster.

DUST COLLECTION BASICS MODEL G2525

ONLY \$595

This incisive book skillfully guides the woodworker through all the steps necessary in the design and construction of an efficient central dust collection system and tells you what you need to know for easy installation. Fifty pages of concise, carefully illustrated text. A MUST!

1 H.P. DUST COLLECTOR MODEL G1032 ONLY \$ 14995

- · Motor Size: I H.P., I 10V
- Height
- (with bags inflated): 57"
- Approx. Shipping Weight: 75 lbs.
- Ship anywhere within

48 states for only \$20



1 H.P. DUST COLLECTOR

MODEL GI163 ONLY \$ 14995



- Motor Size: 1 H.P., 110V
- · Height (with bags inflated): 191/2"
- Wall Mountable
- · Approx. Shipping Weight: 70 lbs.
- Ship anywhere within 48 states for only \$20



1 H.P. DUST COLLECTOR MODEL G1028 REG. \$265.00 NOW \$23995

- Motor Size: I H.P., 110V/220V
- Can Handle 2 Machines
- Height (w/bags inflated): 78"
- Approx. Shipping Weight: 115 lbs.
- Ship anywhere within 48 states for only \$40

www.grizzlyindustrial.com



3 H.P. DUST COLLECTOR

MODEL G1030 ONLY \$44900

- Motor Size: 3 H.P., 220V
- Height (With bags inflated): 78"
- Ship anywhere within 48 states for only \$40

FREE 4" X 10' HOSE "IG1030 DUST COLLECTOR PURCHASE

5 H.P. INDUSTRIAL DUST COLLECTOR

MODEL G5954 ONLY \$99995

Our most powerful dust collector yet, is designed for industrial use.

- Detachable Base
- . 5 H.P. Motor
- · Overall Height: 11'-4"
- Shipping Weight Approx. 403 lbs.
- Ship anywhere within 48 states for only \$60



82P MEDIA CODE

VISA

207199658R

CUSTOMER SERVICE: (570)326-3806 FAX: (800)438-5901 3 GREAT LOCATIONS: Bellingham, WA · Memphis, TN · Williamsport, PA



Circle No. 860



Page 47

Better Homes and Gardens®

THE WORLD'S LEADING WOODWORKING MAGAZINE

NTENTS

43 Dovetail keys

See how easy it is to beef up mitered corners with this good-looking joinery accent.

47 Antique mystique

Meet one of New York City's finest furniture restorers and pick up a few valuable tips.

58 Instant glue

Watch a Georgia woodturner combine instant glue and micro-sanding for a fabulous finish.

70 Exterior projects that last, part 2

Discover construction tips, glues, and finishes that offer tough, long-term, weather resistance.

76 Bevel-edge chisels

Make smart choices when purchasing these invaluable hand tools using our test results.

88 Well-aged woodworking machines

Want to buy a used stationary power tool? Read this before you reach for your wallet.



Page 70

Woodworking projects

52 Garden arbor

Attach a swing or hammock to this showy cedar project and enjoy the great outdoors.

62 Arts and Crafts bookcase

Build our oak cabinet featuring reproduction hardware and glass-paneled doors.

82 Cool carrier for a hot dish

Serve lasagna and other steamy entrées in style with this decorative baking-dish holder.

84 In orbit lazy Susan

Snacks never looked better than in our futuristic, four-compartment, turned bowl.



Page 58





SHORT-SUBJECT FEATURES

- 4 The Editor's Angle
- 6 Talking Back
- 12 Great Ideas: Sheet Goods Mover/Lifter
- 14 Hot Off The Internet
- 16 Workshop Puzzler

- 18 Need To Know: Anchoring Projects
- 22 Tips From Your Shop (And Ours)
- 92 Ask WOOD
- 100 Products That Perform
- 115 Wood Anecdote: Basswood

119 Finishing Touches









-MECHANICS TOOLS



-DOORS



-AIR TOOLS



-HYDRAULIC TOOLS



-AUTOMATIC DOORS





You'll need more than a standard level.

Draft beer and gutter balls eighty vertical feet above the Pacific Ocean? Why not? Mankind is already building space stations hundreds of miles above the earth. With Stanley®'s full line of IntelliTools,™ the most technically advanced electronic measuring products available, there's no such thing as an impossible blueprint. As a matter of fact, bring it on. 1-800-Stanley. www.stanleyworks.com.

STANLEY

MAKE SOMETHING GREAT™

NTRODUCING

The Latest Weapon In Our Tool-Testing Arsenal

When asked their opinion, readers of WOOD® magazine almost always give high marks to our tool-testing articles. Most everyone likes the fact that we personally take a close look at each tool covered in a given article and put it through its paces before rendering our opinion. In addition, they appreciate hearing about the good and not-so-good features and the performance of the various tools.

We also like to think we have the most complete tool-comparison charts in the woodworking-publication field. It's not uncommon, for example, for us to include no-bonesabout-it grades in six or seven performance categories, in addition to all the other helpful data accompanying each tool. Suffice it to say, we approach these articles with the resolve to supply you with the very best and up-to-date recommendations. That way, you can make an informed decision if you're in the tool-buying mood.

For this issue's article on chisel sets, Bob McFarlin, one of our independent product testers, and Bill Krier, our senior staff tool authority, approached me with a suggestion. They thought this might be just the right time to spend the money to purchase a hardness testing device. And, as it turns out, they were right.

In the course of their investigation of 24 sets of bevel-edge chisels, they found out that there are large differences between the various brands. And, on occasion, the steel hardness differs from chisel to chisel in the same set. I invite you to read the chisel article on page 76. It's the first



Bill Krier (in back), our senior resident tool authority, and Bob McFarlin, independent tooltester extraordinaire, testing the hardness of a chisel with our newest piece of equipment.

time we've ever taken a good hard look at this tool category. If you're like me, you'll learn a lot from reading the piece.

By the way, if you have thoughts or suggestions about our testing procedures or suggestions on which tool categories you would like to see us take a look at, here's how to make your wishes known. Just write to Bill Krier at WOOD magazine, 1716 Locust Street, GA310, Des Moines, IA, 50309-3023. He'll be happy to get your input.

Farry Clayton

Better Homes and Gardens®

THE WORLD'S LEADING WOODWORKING MAGAZINE

AUGUST 1999 . Vol. 16, No. 5 . Issue No. 116

Editor LARRY CLAYTON Managing Editor JIM HARROLD Senior Design Editor JAMES R. DOWNING Senior Editor/Features PETER J. STEPHANO Assistant Managing Editor/Products BILL KRIER Senior Editor/Special-Interest LARRY JOHNSTON Senior How-To Editor WILLIAM LAHAY General-Interest Editor DAVE CAMPBELL Senior Associate Art Director PERRY A. McFARLIN Assistant Art Director CHERYL A. CIBULA Assistant Design Editor/Project Builder JAN HALE SVEC Project Builder/Supervisor CHARLES I. HEDLUND Production/Office Manager MARGARET CLOSNER Administrative Assistant SHERYL MUNYON Art Business Office Secretary BARBARA HELPS Correspondence Writer ROBBY PEDERSEN Contributing Editors KIM DOWNING, DAVE HENDERSON,

LORNA JOHNSON, ROXANNE LeMOINE, BOB McFARLIN

©Copyright Meredith Corporation 1999

All rights reserved. Printed in the U.S.A.

Better Homes and Gardens® WOOD® magazine (ISSN-0743-894X) is published nine times a year in January, February, March, April, June, August, October, November, and December by Meredith Corporation, 1716 Locust St., Des Moines, Ia 50309-3023. Periodicals postage paid at Des Moines, Iowa, and additional mailing offices. Better Homes and Gardens trademark registered in Canada and Australia. Marca Registrada en México. ONE-YEAR SUBSCRIPTION PRICES: U.S. and its possessions, \$27; Canada, \$39; other countries, \$47. Canada Post Publications Mail Sales Product Agreement No. 1369350. Canadian BN 12348 2887RT. CANADIAN RETURN ADDRESS: Better Homes and Gardens WOOD magazine, 2744 Edna Street, Windsor, Ontario, N8Y 1V2. POSTMASTER: Send address changes to Better Homes and Gardens WOOD magazine, P.O. Box 55050, Boulder, CO 80328-5050.


CUSTOMER SERVICE 800/374-9663: Use this number for subscription services, changes of address, billing questions, questions for our editorial staff, questions about how to reach an advertiser, or to place an advertisement in our magazine. To order back issues 800/572-9350. Subscription mailing address: Better Homes and Gardens WOOD magazine, P.O. Box 55050, Boulder, CO 80328-5050. Please enclose your address label from a recent issue. Editorial mailing address: The Editor, WOOD magazine, 1716 Locust Street, GA310, Des Moines, IA 50309-3023. Reprints are \$5 per article.

Better Homes and Gardens



www.woodmagazine.com

Want to be part of a great community of active woodworkers? Just drop in on WOOD ONLINE, where you'll find 10 fun and stimulating discussion groups. You can post questions about woodworking in general, finishing and refinishing, tools, scrollsawing, turning, carving, or where to find plans for a project. And you can help others by answering their questions. You'll even find a group where you can share your best ideas or pass on a humorous shop story. Then, visit the Woodworking Neighborhood to find out more about your new friends and post your own home page.



Want your nails done?

IT'S A NAIL GUN. IT'S A STAPLE GUN. AND IT'S FROM ARROW.

Polish off just about any job with Arrow's versatile T50PBN hand stapler. This amazing gun shoots six sizes of staples as well as 5/8 inch brad nails.

Plus, it's jam-proof and slip-proof.



It's made in the U.S.A. with solid steel components, not plastic parts like some other staple guns. Where can you get this handy little tool? Where else? The Home Depot.







Advertising Director MARK HAGEN Ancillary Sales and Internet Manager MARLEN KEMMET Asst. Advertising Services Manager PAT HENDERSHOTT

Display Advertising: 333 N. Michigan Ave., Suite 1101, Chicago, IL. 60601 Phone: 312/853-2890 FAX: 312/580-7906 Advertising Manager JAMES N. FORD

Western Advertising Manager WILL MURPHY Marketing Specialist GERALLIE LEGASPI Sales Assistant MARGARET TRAVIS

Direct Response Advertising: 1716 Locust St., GA204, Des Moines, IA 50309-3023 Phone: 515/284-3785 FAX: 515/284-3343 Senior Salesperson RICH RAINFORTH Direct Response Advertising CINDY ANDERSON,

NATASHA KUCHERENKO Classified Advertising: Phone: 800/424-3090 FAX: 312/464-0512

Publishing Director JERRY WARD Circulation Director LIZ BREDESON Associate Circulation Director KATHI PRIEN **Business Manager JANET DONNELLY** Senior Product Manager RICK GROW

MEREDITH PUBLISHING GROUP

CHRISTOPHER M. LITTLE, President BILL MURPHY, Strategic Marketing; MAX RUNCIMAN, Finance; JERRY KAPLAN, Group Sales; HAL ORINGER, Consumer Marketing: ELLEN de LATHOUDER, Creative Services: DEAN PIETERS, Operations; BRUCE HESTON, Manufacturing; THOMAS L. SLAUGHTER, Licensing and New Media; KARLA JEFFRIES, Controller; BOB MATE, Integrated Marketing

eredith

WILLIAM T. KERR, President and Chief Executive Officer E. T. MEREDITH III, Chairman of the Executive Committee

TALKING BACK

How to properly dispose of Ni-Cad batteries

We printed some information on charging and storing Nickel-Cadmium (Ni-Cad) batteries in issue #105. We'd like to add to that article, while also doing our part for the environment, by telling you how to properly dispose of dead rechargeables.

A nonprofit organization known as the Rechargeable Battery Recycling Corporation (RBRC) was established in 1994 by the Rechargeable Power Industry. The RBRC was created to educate the public about the benefits of recycling the Ni-Cad rechargeable batteries found in many consumer products, such as cellular phones and cordless power tools.

When you throw away Ni-Cad's, they contribute to toxicity levels in landfills or incinerator ash. To prevent this, the RBRC has a Charge Up to Recycle program that helps establish drop-off locations for your used Ni-Cad's.



To locate the drop-off location nearest you, or to set up a business that can help in the Charge Up to Recycle program, call 800/8-BATTERY, or log on to: www.rbrc.com

You also can obtain tips on recharging batteries for extended life, as well as information on local recycling laws, through the RBRC.

Never strike two striking tools together

I enjoyed the article "Wood by the Yard" in issue #113. However, I would like to caution readers regarding the photo on page 68 that shows the striking of an ax head with a sledge hammer. The metal in striking tools such as these is harder than the steel in splitting wedges.

Striking one hardened tool against another can literally cause one or both to send sharp metal fragments flying at high velocity. So, always use wedges for splitting wood, and don't forget to periodically file off the mushroomed part of the wedge.

-Mike Berry, Trinidad, Calif.

Editor's note: Our sincere thanks to Mike and to the other readers who brought this oversight to our attention.

Article brings about planer improvements

I just received issue #115 with the article on stationary planers. I want to thank you for doing an objective and practical review.

Based on your article we are doing the following: 1.) All future shipments of our planers will have jackscrews for adjusting knives instead of springs. 2.) We will be introducing a new 15" planer, the G1021Z, that will be similar to the Jet JWP-15CSW and Powermatic 15, with a 3-hp motor, one-piece stand, rollers on top, and jackscrew knife setting. It will be made in the same factory as the Jet and Powermatic models.

The great thing is that ours will sell for around \$900. We can sell it at this price because there is no dealer network between us and the customer.

> -S. Balolia, president, Grizzly Industrial, Bellingham, Wash.

We would like to hear from you

We welcome your comments, criticisms, suggestions, and yes, even compliments. We'll publish letters of the greatest benefit to our readers. Write to: Talking Back, WOOD Magazine, 1716 Locust St., GA310, Des Moines, IA 50309-3023.



CAN YOUR TABLE SAW PASS THE NICKEL TEST?

RIDGID

Try it. See if a nickel will stand on your saw while it's running.*

Odds are it can't.

But on a RIDGID TS2424, the nickel won't budge. Because the vibration-absorbing cast iron construction, heavy-gauge steel stand and precision machined pulley/poly-v-belt drive system are engineered to deliver unmatched, smooth-running performance.

But there's more. For instance, the heavy-duty, dual-voltage, thermallyprotected motor from Emerson—the world leader in motor technology for more than one hundred years. The state-of-the-art front and rear locking, seamless extruded aluminum rip fence system for easy, secure set ups and accurate rips up to 24 inches right and left of the blade.

Ind-I-Cut" for precise crosscuts and a caster platform to help move this 250-lb. workhorse around the shop.

Plus, each one is built in the USA and backed by the RIDGID lifetime warranty against defects in material and workmanship.

So see for yourself what RIDGID quality is all about. It only takes a nickel.







Catalogs for Craftsmen select the catalogs you want



A&I SUPPLY—172-page catalog for woodworking and more. FREE in the USA, \$4.00 outside the USA.



2 ACCENTS IN PINE—Huge variety of top-quality plans...Over 1500 full-size patterns! Illustrated catalog PLUS sample pattern. \$2.00



3 ADAMS WOOD PRODUCTS—Wood table legs, bases, and furniture components-no minimum. FREE



4 AMERICAN FURNITURE
DESIGNS—The finest furniture plans on the market, 36" x 48" CAD generated designs, pictures and detailed finishing instructions, \$3.00



5 ADVANCED MACHINERY-Craft and woodworking information of top-quality tools and accessories. HEGNER Scroll Saws, blades and accessories



6 ARMOR CRAFTS-Over 100 high-quality plans, specialty hardware and other sup-



IE EMPEROR CLOCK—Clock kits, clock plans, furniture kits, mechanical movements, fitups, quartz movements. FREE



14 FURNITURE DESIGNS -Since 1968. Full-size plans for making fine furniture.



15 GRIZZLY INDUSTRIAL-Supplying woodworkers since 1983 with top quality tools and accessories. 244-page catalog with thousands of items. FREE



16 HARBOR FREIGHT Thousands of quality brand name tools for the do-it-yourselfer or professional. 115 pg.



THIGHLAND HARDWARE-More than just a list of manufacturer's specs, Highland Hardware's giant catalog explains each woodworking tool in detail. FREE



18 INTERNATIONAL TOOL CORPORATION—Features the finest quality power tools at the lowest prices anywhere!



25 LIGNOMAT—"Mini-Ligno" moisture meter reads surface or core moisture. Works on rough sawn lumber, curved or round pieces. Catalog describes complete line. FREE



26 THE WOODWORKERS LIBRARY-Thirty pages of the best books on woodworking. Two-year subscription. \$1.00



MLCS—Has the products and information to make your woodworking projects easy! Huge selection! Carbide tipped router bits, clamps, tools and supplies. Free Shipping. FREE



28 McFEELY'S-Specializes in square drive screws and other woodworking essentials. Fullcolor catalog. \$2.00



2 MEISEL HARDWARE SPE-CIALTIES—100-page, full-color catalog of plans to build over 1,000 woodworking projects.



30 MINUTEMAN—Discover complete, easy, efficient furniture restoration business ideal for men, women, families. Successful for 28+ years; 3,000+ shops. FREE



37 THE ROUDEBUSH CO.-Buckboard bench kit with real springs, full-size instructions and matching trestle table, 50¢



38 S. LaRose-Our Keep Book has the most comprehensive selection of supplies for clockmakers. \$2.50



39 SCHLABAUGH & SONS-Kits, innovative jigs & clock parts for woodworking professionals & hobbyists. FREE



SCM-Specializes in high speed engraving and sandblasting equipment. No artistic ability needed. In-house stencil making capability. Engrave on wood, glass, metal, stone, FREE



TOOLS ON SALE"-Division of Seven Corners Hardware Inc. Complete 550 page catalog of the most popular power tool brands at discounted prices, FREE



DESIGNS-NEW '98 color catalog. Our plans offer a wide range of skill level from beginning child handicraft to advanced adult woodworker, \$3.00



45 THE CUTTING EDGE-Hand Tool Catalog. Turning & carving tools, planes, chisels, sharpening supplies, books and videos. \$2.00



46 TOOL CRIB OF THE NORTH—116 pages of the most requested woodworking and power tools from top name manufacturers. FREE



47 TOYS & JOYS—Executive wood toys — patterns and parts, wheels, pegs, for all your toy making needs. \$1.00



48 WILDWOOD DESIGNS-Amazing scrollsaw fretwork patterns and supplies-clock movements, blades, hardwood-48 pages. FREE



49 WOODCRAFT—Woodcraft catalog features the finest quality woodworking tools, books, and an extensive selection of hardwoods and hardware! FREE



50 WOODLINE JAPAN-Two vear subscription for a complete catalog of Japanese woodworking tools, \$3.00

from these 52 listings!



Mechanisms for wooden barrel pens, pencils, rollerballs and fountain pens.



8 CMT UTENSILI—The original orange router bits, boring bits, and drill bits made in Italy. Full color 116 pages. FREE



CONSTANTINE'S—Veneers, lumber, inlays, adhesives, hardware, tools, books, plans and more, Over 6000 hard-to-find products. 100% guaranteed.



III CRAFTS SUPPLIES USA-Offers the finest quality pen kits, project kits and woodturning supplies available.



III DAKOTA ALERT-A bell rings in your house anytime someone walks or drives into your place. FREE



IZ ECON ABRASIVES-We make abrasive belts, any size, any grit; plus hundreds of abrasive specialties. FREE



19 JAMESTOWN DISTRIBU-TORS-144 pages of over 10,000 fasteners, tools, abrasives, adhesives and building supplies for woodworking, boatbuilding and construction. FREE



20 JESADA TOOLS—Fullcolor catalog. Router bits, shaper cutters, saw blades, planer and jointer knives and more. FREE



KLINGSPOR—Klingspor's Sanding Catalogue is a must for every woodworker and is offered free of charge to all who are interested. FREE




KLOCKIT—Clockmaking kits, plans, quartz and mechanical movements, clock inserts, dials, hands, hardware and more. For all skill levels. Color catalog. FREE



KREG TOOL COMPANY-Specializes in tools & supplies for pocket hole joinery, KTC high-quality router bits and other cabinet & furniture making tools & supplies. 50¢



24 LAGUNA TOOLS—Catalog and demonstration video on the finest bandsaws and best selling combination machine in the world. FREE



31 BUILD A WOODEN SHIP MODEL—Museum quality replicas, up to 4 feet long. Kits contain pre-cut wooden parts. metal and brass fittings, easy instructions. \$1.00



32 NYLE DRY KILNS—Free booklet answers your questions on affordable lumber drying right in your own shop. Comes with complete product literature. FREE



BE PACE EDWARDS CO.—Roll-Top Cover" for pickups easily rolls out to keep contents secure and dry. Retracts automatically when not required. Great product! FREE



34 PENN STATE INDUSTRIES-Unique products, projects and kits for the woodworker. Specializing in dust collection equipment and accessories FRFF



85 PERFORMAX PRODUCTS. INC.—Brochures on complete line of drum sanders for abrasive planing, thickness dimensioning, and fine finishing sanding, 50¢



86 RB INDUSTRIES-1998 catalog-HAWK Precision ULTRA scroll saws, Universal wood planers, drum sanders, Panelmaster II, router tables, & more, FREE

48 STEELMASTER—Free catalog. Custom built arch style steel buildings. 100% clearspan. Perfect outdoor shop.



equipment for all your sign carving & wood engraving needs.

WOODS OF THE WORLD

FOLLOW THESE INSTRUCTIONS:

- Enclose check or money order for cost of booklets plus \$2.00 service charge (no stamps accepted)

Name		
Address		
City		State
ZIP	Phor	ne
	I AM ENCL	OSING:
	\$	_ for priced items
	\$ 2.00	_ for handling

total remittance

Catalogs for Craftsmen

Better Homes and Gardens® WOOD Magazine August 1999 Dept. AGCS99 P.O. Box 14411 Des Moines, IA 50309-3411

TO ENSURE PROMPT HANDLING OF YOUR ORDER

- · Circle your choice
- Send coupon and remittance to address above
- ALLOW 4-6 WEEKS FOR DELIVERY

	Ple	ase include
	1\$4.00	14\$3
	2\$2.00	15FF
	3FREE	16FF
_	4\$3.00	17FR
	5FREE	18FF
	6\$1.00	19FR
	7\$1.00	20FF
-	8FREE	21FR
	9FREE	22FF
	10FREE	23\$0
	11FREE	24FF
	12FREE	25FR

WOOD SUBSCRIPTION

A 1 year subscription (9 issues) for \$27.00 (U.S. price—a \$26.55 savings off newsstand rate. Allow 6-8 weeks for first issue. Be sure to include payment with total below.

Circle numbers below corresponding to items in this issue. \$2.00 for handling charge.

	1\$4.00	14\$3.00	27FREE	40FREE
	2\$2.00	15FREE	28\$2.00	41FREE
	3FREE	16FREE	29FREE	42\$3.00
	4\$3.00	17FREE	30FREE	43FREE
	5FREE	18FREE	31\$1.00	44FREE
	6\$1.00	19FREE	32FREE	45\$2.00
•	7\$1.00	20FREE	33FREE	46FREE
	8FREE	21FREE	34FREE	47\$1.00
1	9FREE	22FREE	35\$0.50	48FREE
	10FREE	23\$0.50	36FREE	49FREE
	11FREE	24FREE	37\$0.50	50\$3.00
	12FREE	25FREE	38\$2.50	51\$1.00
	13FREE	26\$1.00	39FREE	52\$1.00
ı				



31 WOODMARK—Traditional hard maple workbench, complete shop air filtration, and downdraft system for sanding, carving, etc. \$1.00



WOODWORKERS SOURCE-Over 100 domestic and imported hardwoods from around the world. Lumber, turning blanks veneer. Quantity discounts. \$1.00




Dakota comes with an option no other pickup in its class offers. A V-8 engine. And a Magnum® V-8, at that. Count the 250-horsepower R/T, and there are two Magnum V-8s.

We've got the roomiest compact Club Cab out there. And it's filled with conveniences like a mini-business console with a hidden storage compartment.

No toy truck load limits here. Dakota has more available towing capacity than any pickup in its class:

up to 6,700 lbs. So when friends who own those little pickups need to move something big, chances are they'll be borrowing your Dakota.





Appealing Compact Pickup Truck," based on responses from the people in the best position to know: Dodge Dakota owners.* It's a prestigious award and, to us, one that seems to pretty clearly separate the roomy, comfortable Dodge Dakota from its more diminutive brethren in the class. And it's just as clear that Dakota is heading down the same proud career path as its older brother Ram, which has received the "Most Appealing Full-Size Pickup" award four years in a row. Dakota. It's full of surprises. And trophies.



800-4-A-DODGE or www.4adodge.com

*J.D. Power and Associates 1995-1998 <u>Automotive Performance</u>, <u>Execution</u>, and <u>Layout</u> (APEAL) Studies, SM 1998 study based on 97,907 consumer responses. www.jdpower.com
Always use seat belts. Remember a backseat is the safest place for children.

EASY-DOES-IT

Sheet Goods ver/Lifter

Few shop chores rival the awkwardness of moving large sheet goods by yourself. And it's nigh on impossible to get them up on sawhorses without help (or the horses skittering across the floor). You'll never again have to cajole reluctant family members into helping if you use this system, designed by WOOD® magazine reader Iim Forney.


Build the dolly from 3/4" plywood or medium-density fiberboard (MDF), and solid stock, as shown in the drawings at right. Carefully position the casters so they run parallel to one another-otherwise, the dolly can shimmy like a bad shopping cart.

Each sheet lifter consists of a pair of hinged 2×4's. One attaches temporarily to the top of your sawhorse; the other guides the stock from vertical to horizontal.

To work the system, slide the angleiron of the dolly under the edge of the sheet you want to move (it works best if you store your sheet goods standing on their long edge, raised up on 2× stickers). Grab the top of the sheet and tip it toward you. This lifts the material off the stickers and shifts its weight to the dolly. Now wheel the sheet to your work area, steering it by tilting and pivoting the dolly on one caster.

To lay the sheet on sawhorses, roll it into position over the angle iron of the lifters, and tip the sheet toward the sawhorses to free the dolly (the sheet should be resting only on the lifters). Pull the dolly away and set it aside. Now, raise the material by tilting the top toward the sawhorses the lifters will drop down to the floor once the weight of the sheet has transferred to the horses.

Project Design: Jim Forney, Bricktown, N.J. Illustrations: Roxanne LeMoine Photograph: Baldwin Photography



Preud. Precision.

The Fine Cut of Perfection.

Freud's Thin Kerf "TK" line of saw blades has many of the industrial performance features Freud is known for worldwide. "TK" blades produce the same super smooth cuts, same precision, same reliable performance. Our "TK" blades require less cutting power, particularly important for under powered saws. Less material waste is also a benefit with the "TK" design. Have you experienced the Thin Kerf revolution? Contact your favorite source for premium woodworking products, or contact Freud directly for a dealer near you. "TK" blades are available with or without DuPont Teflon® coating.

- Precision Laser Cut Blade Bodies allow a premium grade steel hardened 40-45Rc.
- Laser Cut Expansion Slots eliminate distortion from centrifugal force/thermal expansion.
- Anti-Kickback Design* chip limitators restrict tooth bite, reducing the effects of kickback.
- DuPont Teflon® Coatings reduce friction, heat and resin build-up and protects from corrosion.
- Precision Ground and Tensioned for consistent long lasting accuracy and true balance.
- Freud's Super Micrograin Carbide Teeth for durable, long lasting tips that really hold an edge.
- Advanced Tri-Metal Tip Brazing creates a stronger, more impact resistant bond between the carbide and the bit.
- ISO 9002 Certification represents Freud's continuous commitment to quality products.
- * Some Freud saw blades do not feature anti-kickback design.

For the name of your nearest dealer, call: 1-800-472-7307 e-mail: freudinc@aol.com • In Canada, call 1-800-263-7016

ISO 9002

Art. No. TKR406

10" Fine Cut-

PREMIUM QUALITY HOOK CARBIDE BLA

60 TEETH



5/8 LA

CROSSCUTS & LAMINAT

Rip Wood
Crosscut Wood
Chip Board
Plywood
Melamine
Non-Ferrous
Metals

Not Recommended

Fair Good
Copyright of Freud Inc. 1990
ALWAYS WEAR SAFETY GLASSES
AND USE SAFETY GUARD

Art. No. Tricolo

Includo Se 10" Ripping

PREMIUM QUALITY CARBIDE BLADE

24 TEETH
THIN KERF
THIN KERF
TADVANIGED ANTI-KICKED/OK DESIGN

AND TRANSPORTED TO THE TRANSP

Precisely what you need.

HOT OFF THE INTERNET

WOODWORKERS TO THE RESCUE

Comments, answers, and ideas from our WOOD ONLINE® discussion groups

Note: If you would like more information on the woodworking-related subjects featured here, visit our *WOOD ONLINE* discussion groups at www.woodmagazine.com We have edited all entries in the interest of brevity and clarity while preserving the message. Opinions expressed here are those of our online participants, as well as *WOOD* magazine.

GENERAL WOODWORKING

Why shouldn't I glue the drawer bottom?

While finishing some drawers, I had to wonder why almost everyone says that you should just slide the ¼" plywood drawer bottom into the grooves in the sides and front and nail to the back without any glue. I would like to use a little glue because the ply is slightly less than ¼" thick, but my dado is ¼" wide. That leaves the bottom a little loose.

Also, I would think that a rigidly fixed bottom would add strength to a drawer and offer resistance to racking. Any pros or cons on this?

-Myron Backbaus, Pleasant Hill, Calif.

• I always glue my drawer bottoms, which I normally make out of ¼" tempered hardboard or plywood. Once you glue the drawer bottom in place and make sure the drawer is square, it will stay that way. If the bottom is allowed to move, it is possible to rack the drawer and break the glue bonds at the corners. That causes the drawer to get out of square.

-Dave Temple, Waukesha, Wis.

• Dave Temple makes a good point. You always should ensure that the bottom is square and fits somewhat snugly before gluing. The only time you need to be concerned about wood movement is when the bottom is made from solid stock instead of plywood or hardboard. In these cases, run the grain parallel to the drawer front and glue the front end of the bottom in place, letting the rest float in the groove.

-WOOD magazine



In search of the perfect dust mask

I want a dust mask that won't fog up my glasses. I'm looking for a good, effective one for general sanding that allows me to breathe.

-Jim Ditzler, Wooster, Obio

• I use the DustFoe 66, which I understand has been replaced by the DustFoe 88. It is effective for dust, but not fumes.

I wear prescription glasses and this mask does not fog up. I am also really happy with the dust protection it provides with replaceable filters.

When cutting or milling stock, I cannot even smell the wood—only a minor problem if you enjoy the wonderful smell of fresh-cut stock. Be good to your lungs.

[The DustFoe 88 can be purchased mail-order from Highland Hardware, 800/241-6748. The item, no. DF88, costs \$29.95, plus \$5.95 for shipping.]

-John Rauch, Mt. Airy, Md.

HOME IMPROVEMENTS

Can I paint wood paneling?


We bought an older house with dark wood paneling in the family room and kitchen. I want to lighten the room up. Can I apply paint over the wood paneling?

-Alice Mullins, Stone Mountain, Ga.

- Before you paint, wash the paneling thoroughly with trisodium phosphate (T.S.P.). Lots of places sell this product—home centers, paint stores, and hardware stores. T.S.P. removes airborne grease that tends to stick to paneling. Next, use a good primer and then paint in the normal fashion. [T.S.P. comes in a powder form and mixes with water. You can purchase it in one- or five-pound boxes, the latter costing under \$7.]
 —Steve Walls, Littleton, Colo.
 - oves or holes. Let dry. With
- Take spackling compound and fill any grooves or holes. Let dry. With coarse 80- or 100-grit sandpaper, roughen the surface of the whole area and put on a good oil-based paint primer. (I normally apply two coats.) Let dry, then paint or cover with wallpaper.
 —Raymond Holsopple, Somerset, Pa.
- Wood filler actually works better than spackling and lasts much longer. To prepare the surface of glossy paneling, you need to first wash it, then either sand it with 120- to 220-grit sandpaper or wipe it down with a deglosser, found at paint stores, home centers and hardware stores. Finally, apply an oil-based or latex primer and follow with two top coats.

-Jed McDermett, Sherwin Williams paint store, Des Moines, Iowa





Circular Logic

Looking for a circular saw? Then the logical place to go is Lowe's. Lowe's has a huge selection of top name-brand circular saws, in stock everyday at guaranteed low prices. And circular saws are just one of the dozens of categories of tools you'll find at Lowe's. So when you need tools, go to the place that has more of them – Lowe's.



LOWE'S TOOS Home Improvement Warehouse

WORKSHOP PUZZLER

Does your woodworking vocabulary cut it?

Across

- 3 You pull this two-handled knife toward you to slice through the wood.
- 7 Pins and tails make up this traditional woodworking joint, often favored for drawers.
- 8 The component of a tool, usually removable, that does the cutting.
- 11 128 cubic feet of wood, frequently firewood.
- **12** This could be a thick shingle or a separation between growth rings in a board.
- 14 What's the name for this type of saw?



- 16 Linden trees yield this light-colored wood, a popular one with woodcarvers.
- 17 A common woodshop hazard for your fingers.
- 19 A pointed tool for scribing layout marks.

- 20 To make a sizing cut that yields thinner stock.
- 21 This softwood from West Coast forests is well suited for outdoor projects.
- 23 This wood flaw is a crack that doesn't go all the way through the board.
- 26 What's this old-time tool?



- 27 An axe with its cutting edge crosswise to the handle.
- **28** The unit of size for nails, abbreviated as *d*.
- **30** A stationary tool for forming edge profiles.

16

18 19

Down

- 1 Count on this machine to drill holes accurately.
- 2 To mount a blank on a lathe for bowl turning, screw this to the back.
- 4 Hawaiian hardwood with a golden glow.
- **5** A shorter way to specify medium-density fiberboard.
- **6** A soft Arkansas or coarse India, for instance.
- 9 Great for resawing, this machine also can cut curves.
- 10 A pointed punch with a dimpled tip for hiding nail heads.
- 13 Axes, chisels, and planes are examples of _ _ _ tools.

20

28

25

22

- 15 These letters identify material that can stand up to the heat of friction, as in turning tools or twist drills.
- 18 This dimension.



22 To mark layout lines with an awl or knife. Claw



- 25 Wood that has a moisture content of 19 percent or less.
- 26 Of the "colors" of oak, this coarser-textured one ranks as less durable.
- 29 The tissue that covers a tree's cambium.

ACROSS:

20 RESAW

11 SOUTH ST PANK

12 SHAFER

13 SHAFER

14 SASWOOD

15 SHAFER

16 BASSWOOD

17 SOUTH SA PANK

18 BIT

18 BASSWOOD

19 BASSWOOD

10 SA PENNY

10 SA PENNY

10 SA PENNY

10 SA PENNY

11 SA PANK

12 SA CHECK

13 PEDWOOD

14 PANK

15 PANK

16 PANK

17 PANK

18 PANK

19 PANK

19 PANK

10 PA

SHEWSNA

58 BYBK 58 BED 58 DBA 54 CHEEK 55 SCHIBE

SSH SI

DRILL PRESS FACEPLATE

10 NAIL SET

6 OIL STONE 9 MASUNAW



WHAT WOODWORKERS NEED TO KNOW

Anchor's The Way

Steel bases give your outdoor projects solid moorings

After investing your time and money in building a great outdoor project like the arbor on page 52, the last thing you want to do is watch it topple in the wind. Here's some hardware that will help you firmly anchor yard and garden projects.

Just pound this anchor's 24"-long spike into the ground for easy post-setting.

The steel solution

The old, reliable method for setting a post—dig a hole, stand the post in it, then pour in some concrete—may be fine for fences. But it's not necessarily the best way to anchor an arbor or some other yard or garden structure.

For one thing, the surface of the fill around the base of the post often comes out lower than ground level. This allows water to pool around the post base, which can lead to rot. Also, the extra bury length required for the posts usually makes prebuilding a structure impractical.

Steel post bases and anchors offer a simple, effective means of mating a 4×4 wooden post to a concrete footing. And one variety of anchor, the GroundTech post installation device, shown *above*, doesn't even require pouring concrete. You just drive the steel fixture into the ground, and tighten two bolts to clamp the post into its collar.

You'll find two kinds of bases for attaching posts to concrete footings—those that you can fasten to concrete that's already cured (shown at *right*) and the ones made to be embedded in wet concrete (shown *inset, far right*).

Bolt a base to cured concrete

For outdoor structures, bolt-down post bases like those shown *below* provide solid post mounting. They establish a standoff distance of about 1" between the bottom of the post and the concrete, which keeps the foot of the post above ground moisture and puddled water.

The base attaches to an existing concrete footing with a ½" anchor bolt 5" long, like the one shown. To install the bolt, drill a hole for it in the concrete; then cement it into the hole with mortar or an epoxy masonry adhesive, such as Simpson Epoxy-Tie. Set the bolt so that the end extends about ¾" above the surface.

After the mortar or epoxy cures, secure the base with a nut and washer. Then, position the post, and nail or screw it in place.

Put in a base when you pour

When you're pouring new concrete footings for a project, you can take

Attach a post to existing concrete with a bolt-down base. For new work, embed an anchor bolt for the base in the concrete when you pour. You can nail these bases to wood, too. Both provide 1" standoff height for weather exposure.

your choice between the post bases designed to be embedded in the concrete or the bolt-down variety. Deciding which to use is largely a matter of preference or convenience.

Embedment bases, shown below, offer simplicity. After pouring the concrete, you just stick the base in place, level and align it, then let the concrete cure.

But beware: If you're anchoring a prebuilt project that has several posts, such as the arbor on *page 52*, putting one base even slightly out of alignment can cause untold woe.


For projects like these, you'll do better using the bolt-down anchors. To

Continued on page 20

Embedded bases like these go into the concrete as you pour your footing. Outside, use the one in the foreground, which provides 1" moisture-protection standoff when installed. The base behind it sits flush with the surface; so it's best suited to use in dry, sheltered places.



NOBODY ELSE GIVES YOU A FULL LINE OF FOUR DOORS STANDARD. ONLY F-SERIES.



SOME TRUCKS ARE CONTENT WITH OFFERING THREE DOORS. NOT FORD TRUCKS.
F-SERIES IS THE ONLY COMPLETE LINE OF FULL-SIZE TRUCKS THAT COMES WITH
FOUR DOORS STANDARD. AMERICA'S TOUGHEST TRUCKS NEVER GO JUST HALFWAY.

FORD COUNTRY



WHAT WOODWORKER'S NEED TO KNOW

Continued from page 18

Anchor's The Way

save the effort of drilling a hole in the footing, though, embed the bolt in the concrete when you pour it. Set the bolt in the center of each post location; post base designs allow some leeway for proper positioning when you bolt them down.

You also can take advantage of steel anchors when joining posts to another wooden structure, such as a deck or porch. Just nail or screw the base to the mounting surface. A simple, U-shaped base like the one *right* will suffice in situations where no moisture-protection standoff is necessary.


Advice on using anchors

When building and anchoring a structure, keep these points in mind:

- Check local building codes for particular requirements or limitations.
- The post bases shown are recommended for anchoring posts that have a supporting top structure. (The arbor on page 52 is an example of a top-supported structure.)
- Always use the number and size of fasteners specified for the base.

800-234-1976 2265 Laguna Canyon Rd., Laguna Beach, CA

(949) 494-7006 • FX (949)-497-1346



A plain U-shape base doesn't raise the bottom of the post above ground level, so water could puddle around it. Avoid using this style for outdoor projects.


- Don't substitute drywall screws for nails; use screws of the type and size specified by the base manufacturer.
- Outdoors or where water may splash onto the foot of the post, install a base that stands the bottom of the post about 1" above the surface. This prevents water from puddling around the bottom of the post and wicking into the end grain.

Photographs: Hetherington Photography


800-234-1976

100 Central Ave. #40F, So. Kearny, New Jersey (973) 491-0102 • FX (973) 491-0591

Circle No. 615



E Mail: lagunatools@earthlink.net Web: www.lagunatools.com



You've arrived at that moment. The design, the joinery, every surface on the piece is just the way you'd envisioned. Now it's time to bring it to life. Make it look as good as it did in your mind. Protect it for years to come.

lyurethane

Wood Stain

When you open that can, it's reassuring to know that you're not alone. That our reputation is

right there on the line with yours, at this moment of truth.

Olympic® Interior Products are a group of professional quality stains and finishes that give you

more control during that final step in the process.
We've engineered these stains with our exclusive
Absorption Control™ formula, so you won't have to

contend with blotching or streaking or lap marks.

Top off your work with Olympic® Antique Oil Finish or your choice of Oil or Water Based Polyurethane, engineered with our Smooth Flow™ formula and you've created a piece that begs to be touched. Call 1-800-441-9695 for a retailer near you.



Visit us at www.olympic.com.

TIPS FROM YOUR SHOP (AND OURS)



Rusty Bentzinger married a caulking gun to a panel-cutting jig and claimed honors as Top Shop Tip winner for this issue.

Rusty Bentzinger must have been paying particularly close attention in kindergarten the day they taught "sharing." First, he helped his neighbor build a house; then they combined their woodworking tools into one well-equipped shop on that neighbor's property.

While they were shooting the breeze in their co-op shop one day, Rusty came up with this issue's Top Shop Tip, at *right*. Soon, he and his neighbor will be building another home—this time for Rusty—and all of the cabinets and moldings will be made in the shared shop.

Take a tip from Rusty and share a great idea with your fellow readers. If we publish your solution to a woodworking dilemma, we'll pay you \$75. We could choose your tip as our Top Shop Tip, in which case we'll kick in a tool prize worth at least \$250. Send your suggestion, along with your name, address, and daytime telephone number to:

Tips From Your Shop (And Ours) WOOD® Magazine 1716 Locust St., GA-310 Des Moines, IA 50309-3023

We only use original shop tips, so please send your ideas only to *WOOD* magazine. Please note that we cannot return your submissions. Thanks!

GENERAL-INTEREST EDITOR

Caulking gun makes a sure-shootin' holddown

When designing a panel-cutting jig for my tablesaw, I wanted a way to firmly clamp a workpiece in the jig. The solution was in the paint department of the local discount store.

I bought an ordinary bar-style caulking gun for less than \$3, threaded off the nylon nut that holds the plunger pad to the rod, and attached the clamp to a hardwood block as shown in the Clamp Detail drawing below. The block moves back and forth in a channel on the panel jig, which I built as shown.




Top Shop Tip winner Rusty Bentzinger can use his new Accuset 18-gauge brad nailer, compressor, and accessories when building his new house.

To use the clamp, I simply slide it over my workpiece. A few quick squeezes of the trigger secures the piece for a safe cut.

-Rusty Bentzinger, Leighton, Iowa

शाकिस





So that's what we did...along with dozens of other major tool innovations!





Craftsman leads the way in innovation, both big and small. Whether it's a major design breakthrough or just a small time-saving feature, Craftsman power tools keep getting better year after year!



Craftsman mortise and tenon fixture lets you make beveled, mitered and straight joints with just a single

router bit. It's fast, easy and the results are amazing.



deluxe dovetail fixture

takes time and guesswork out of making solid, secure dovetail joints. It clamps down stock up to 16-in. wide and guides your router to make precise cuts that would impress a master cabinetmaker.

Discover more innovative tools at www.sears.com/craftsman



THE DO-IT-ALL DADO!

Craftsman 3-blade dado can be infinitely adjusted to cut grooves from 1/4 to 13/16-in. Just dial the width you need. Carbide tipped blades last longer than regular blades.

No need to change or remove blades! Dial the width of cut you desire



Produces a true flat bottom groove.

THE FUTURE OF TOOLS,

Craftsman® innovation backed by 70 years of







When Craftsman tools were first introduced, the goal was to make the most dependable, innovative yet affordable tools ever made. 70 years later, we've never stepped back off that lofty goal.

The **Craftsman Multi-saw** gives you the ability to perform a wide range of tough cutting tasks, anywhere! It cuts like a reciprocating saw with



Craftsman 24-in.


scroll saw with two speed motor is ideal for intricate high-speed cutting. Capacity is greater than ever. Cuts up to 1 3/8-in. deep at 45° or 2-in. deep at 90° Perfect for larger, more detailed



Our Craftsman low profile vac breaks the mold for wet/dry vacs. It has a wider, shorter design that is dramatically more stable, putting an end to accidental tipovers.



Discover more innovative tools at www.sears.com/craftsman



RATED THE #1 QUALITY

American men have rated Craftsman® the best



*Source: Jan. 1998 Equitrend® Brand Survey conducted by Total Research® Corporation. Top 5 quality brands as rated by American men: 1. Craftsman. 2. Mercedes Benz. 3. Kodak. 4. Chiquita 5. Hallmark.


COVERING ALL THE ANGLES!

Craftsman 15-in. drill press with an adjustable worktable that tilts up to 40 degrees. The powerful 12 speed motor gives you ultimate flexibility. Built-in worklight has its own separate switch.



BRAND BY AMERICAN MEN

quality brand in a leading consumer research study





Craftsman oscillating spindle sander is designed for delicate sanding and shaping of curved areas. The spindle simultaneously turns at 2,000 rpm and oscillates up and down 58 times per minute.



MAKES ANYTHING POSSIBLE™

SAVE ON OVER 2,000 CRAFTSMAN POWER TOOLS

Special coupon savings for Wood Magazine readers when you use your Sears Card!



Craftsman portable power tool purchases over \$50





when you present this coupon and use your Sears Card.

Valid Feb. 1 thru Dec. 31, 1999.
One coupon per purchase. Good on both sale & reg. priced merchandise at Sears and Sears Hardware stores. Not valid with other offers. Void where prohibited. Cash value 1/204. @ 1999, Sears, Roebuck and Co. Sales Associate: If unable to scan, select single item markdown.



R5779800313\$500

\$10 OFF

Craftsman stationary power tool purchases over \$100





when you present this coupon and use your Sears Card.

Valid Feb. 1 thru Dec. 31, 1999.
One coupon per purchase. Good on both sale & reg. priced merchandise at Sears and Sears Hardware stores. Not valid with other offers. Void where prohibited. Cash value 1/204. © 1999, Sears, Roebuck and Co. Sales Associate: If unable to scan, select single item markdown.



R5779800314\$1000

\$10 OFF


Craftsman wet/dry vacs or air tool purchases over \$100





when you present this coupon and use your Sears Card.

Valid Feb. 1 thru Dec. 31, 1999.
One coupon per purchase. Good on both sale & reg, priced merchandise at Sears and Sears Hardware stores. Not valid with other lifers. Vold where prohibited. Cash value 1/204. ⊚ 1999, Sears, Roebuck and Co. Sales Associate: If unable to scan select single item markforw.



R5779800315\$1000

15% OFF

all Craftsman power tool accessories





when you present this coupon and use your Sears Card.

Valid Feb. 1 thru Dec. 31, 1999.
One coupon per purchase. Good on both sale & reg. priced merchandise at Sears and Sears Hardware stores. Not valid with other offers. Void where prohibited. Cash value 1/20¢. © 1999, Sears, Roebuck and Co. Sales Associate: If unable to scan, select single item markdown.



R 5779ANN 316215

CRAFTSMAN

EXCLUSIVELY AT SEARS AND SEARS HARDWARE STORES

© 1999 Sears, Roebuck and Co. Sears Card is issued by Sears National Bank

TIPS FROM YOUR SHOP (AND OURS)

Continued from page 22

To joint long pieces of material, tune in to J-channel

I needed to put a nice straight edge on a long piece of stock, but because the piece was longer than my jointer's tables, I wasn't having much luck. I headed to the hardware store and bought an 8' length of aluminum J-channel (normally used with aluminum siding).

I sawed off the flange as shown *below*, and attached the J-channel to my board with cloth-backed double-face tape. Keeping the channel against my tablesaw's rip fence, I then cut a straight edge on the opposite edge.

With this one 8' piece of J-channel, I've found I can joint stock up to 10' long. The tape will keep its tack for many boards if you wipe the dust from the wood before applying the channel.

- Ron Radecki, Grand Rapids, Mich.


Give your tools a modular home with this drawer organizer


For years, I've pondered how to keep existing tools in place in drawers and still leave room for new tools. Finally, I devised a modular system that gives me a solution.

First, I cut a sheet of ¼" perforated hardboard to fit into the bottom of each drawer. Then, I drew an outline of each tool on another piece of perforated hardboard, and cut a rectangular module around each tool outline. I cut out each tool's shape with a scrollsaw, and glued ¼" dowels into two corners of each module.

The dowels pin the modules into place in the drawer, and the cutouts keep the tools in their place. For maximum organizational flexibility, cut all the module dimensions to even 1" increments—that way they'll more easily interchange.

— Jonathon Sommer, Roy, Utah






TIPS FROM YOUR SHOP (AND OURS)


Continued from page 29

Router pad storage solution: roll and tuck

To keep my router pad at the ready when I need it (and out of the way when I don't), I built the simple system shown at *right*. A 1" dowel attached to the loose end provides just enough weight to keep the pad taut as it hangs over the front of the bench. When I'm done, I simply roll the router pad around the dowel and hang it on the wall brackets.

-Jim Teixeira, Edgartown, Mass.








More mileage for detail discs

I've noticed that the outer edges of discs on my detail sander wear more quickly than the center area. To get better "mileage" out of each disc, I move the disc forward on the pad, trim off the worn areas and proceed to use the fresh sandpaper. Moving the disc forward twice triples its life.


-Bill Bartz, San Jose, Calif.




Yet another use for milk jugs

Here's a simple way to temporarily support workpieces: Fill plastic gallon jugs with sand and set them as shown below. The plastic won't mar the wood, and you also can use the jugs as weights for gluing.

-Victor Bang, Mesa, Ariz.



Continued on page 34





MAR. 20	HOMESTEAD MOTORSPORTS COMPLEX HOMESTEAD, FL	ABC
MAR. 27	PHOENIX INTERNATIONAL RACEWAY PHOENIX, AZ	ESPN
APR. 3	EVERGREEN SPEEDWAY MONROE, WA	ESPN
APR. 10	MESA MARIN RACEWAY BAKERSFIELD, CA	ESPN
APR. 17	MARTINSVILLE SPEEDWAY MARTINSVILLE, VA	ESPN
MAY 8	MEMPHIS MOTORSPORTS PARK MEMPHIS, TN	ESPN
MAY 16	PIKES PEAK INTERNATIONAL RACEWAY COLORADO SPRINGS, CO	ESPN
MAY 22	I-70 SPEEDWAY ODESSA, MO	ESPN
JUNE 5	BRISTOL MOTOR SPEEDWAY BRISTOL, TN	ESPN2
JUNE 11		ESPN2
JUNE 18	PORTLAND INTERNATIONAL RACEWAY PORTLAND, OR	ESPN
JUNE 26	WATKINS GLEN INTERNATIONAL WATKINS GLEN, NY	ESPN
JULY 3	THE MILWAUKEE MILE WEST ALLIS, WI	CBS
JULY 10	NASHVILLE SPEEDWAY USA NASHVILLE, TN	CBS
JULY 18	NAZARETH SPEEDWAY NAZARETH, PA	CBS
JULY 24	MICHIGAN SPEEDWAY BROOKLYN, MI	ESPN
AUG. 1	NEW HAMPSHIRE INT'L SPEEDWAY LOUDON, NH	ESPN
AUG. 5	INDIANAPOLIS RACEWAY PARK INDIANAPOLIS, IN	ESPN
AUG. 20	GATEWAY INTERNATIONAL RACEWAY ST. LOUIS, MO	ESPN
AUG. 28	HEARTLAND PARK TOPEKA TOPEKA, KS	ESPN
SEPT. 9	RICHMOND INTERNATIONAL RACEWAY RICHMOND, VA	ESPN2
SEPT. 24	LAS VEGAS MOTOR SPEEDWAY LAS VEGAS, NV	ESPN
OCT. 8	LOUISVILLE MOTOR SPEEDWAY LOUISVILLE, KY	ESPN
OCT. 15	TEXAS MOTOR SPEEDWAY FORT WORTH, TX	ESPN
OCT. 30	CALIFORNIA SPEEDWAY FONTANA, CA	ESPN
	SCHEDULE TENTATIVE — SUBJECT TO CHA	ANGE

THE NASCAR CRAFTSMAN TRUCK SERIES. TOUGHNESS RIGHT OUT OF THE BOX.

The NASCAR Craftsman Truck Series. Only one brand of tools is tough

enough to bring it to you. And only one pit box is tough enough to hold them.

Made in America with heavy-duty, slam-shut construction. Smooth-glide

ball bearings for long life and durability. And with over 25,000 cubic inches

of drawer space, storage by the truckload. Craftsman pit boxes and the

NASCAR Craftsman Truck Series. The toughest things on wheels.



MAKES ANYTHING POSSIBLESM

Exclusively at Sears and Sears Hardware Stores






TIPS FROM YOUR SHOP (AND OURS)

Continued from page 31

Compact organizer for sanding discs

After buying a combination-pack of 5" sanding discs, I puzzled over how to organize the ten different grits included in the package. A soft-sided compact disc holder from the mall music store solved the problem. The CD pockets each hold 5-10 sanding discs, and I labeled each pocket with the grit inside.


- Dean Hallal, Sumter, S.C.



A wheel of a solution for dragging rip fences

The rip fence on my Powermatic 66 tablesaw didn't glide as smoothly across the tabletop as I liked, so I made a \$5 improvement. I bought a 2" fixed rubber caster at the hardware store and attached it to the bottom of the far end of the fence, as shown *below*. The wheel rolls on the angle iron attached to the back of the saw. I put a spacer between the caster and the fence to give me ½2" clearance above the tabletop. The fence now glides effortlessly across the table.

— William Marazita, Santa Barbara, Calif.




A few screws cut shelf-finishing time in half

I recently built a bookcase and wanted to spray lacquer on both sides of the shelves. I could have set the shelves on nailpoints, but I wanted to keep the fresh finish absolutely untouched. So, I came up with a touchless method.

Fasten a frame of 2×2s, spread 1" wider than the length of the shelves, to a pair of sawhorses as shown *below*. Into the center of one end of each shelf, predrill a shallow hole, and drive a 2½" deck screw into the hole, leaving about 1¾" of the screw sticking out. Using the same process, put two screws into the other end of each shelf.

To finish the shelves, lay them across the frame, resting them on the screws. When one side is finished, grab the shelf by the two screws and flip it over, rotating it on the single screw on the other end. If your frame won't hold all of your shelves, lean the finished shelves against a wall—two-screws down—to dry.


-Kevin Bevins, Summerville, S.C.



RAPID LOAD




RAPID CHANGE.





RAPID FINISH.





Introducing the first quick change accessory system designed for woodworkers. It's Rapid Load™ from DEWALT, and it lets you change bits up to 50% faster than standard keyless chucks. The Rapid Load system features a heavy-duty holder and a wide selection of professional-grade, Guaranteed Tough™ accessories. The bits easily slide in and out of the holder while the universal 1/4" hex shank design prevents slipping. Even better,

the Rapid Load holder fits all brands of 3/8" and 1/2" cordless and corded drills. So get your Rapid Load system today, and see how fast you finish your work tomorrow.




TIPS FROM YOUR SHOP (AND OURS)

Continued from page 34

Window shows when dust collector gets full

When I ran a bunch of lumber through my 15" planer, I never knew how full the bottom bag on my dust collector was until it overflowed. To solve this problem, I cut a 3×6" hole near the top of the bag and sewed in a 15-mil plastic "window" that lets me see when the bag gets full.


-Don Bacik, Clay, N.Y.



Endust polish renews ragtag tack cloths

I've tried using commercially available tack cloths, but found they sometimes leave a sticky residue on the workpiece. They're also expensive for their limited useful lifespan.

For a simple, inexpensive alternative, I use Endust furniture polish sprayed onto a lint-free cotton rag. The Endust helps capture the dust, but doesn't leave any residue on the wood. When the rag gets too dirty to shake clean, I throw it in the wash and reuse it.



Preferred By Professionals 3 To 1


The least expensive item in your workshop just might be the most important. With all the time and money you've invested in your project, why trust anything else?





Technical Service 1-800-347-GLUE

www.franklini.com



Now you can immediately recognize a CMT saw blade just as quick as you can a CMT router bit.


Because they're orange.

Introducing the new Teflon® coated saw blades from CMT. Now you get the same non-stick Teflon® protection and resistance to heat and friction with your saw blades that CMT has been giving you on router and boring bits.

The exclusive formula micrograin carbide tipped teeth together with the new Teflon® blade body will give you smoother cutting performance with noticeably superior results compared to standard blades. And unlike unprotected blades, the new CMT Teflon® coated blade won't gum up or get rusty. Instead the self-lubricating Teflon® helps you glide through your cuts while it minimizes wear and tear on your saw.

Call CMT USA today to find out more about our new line of orange Teflon® coated saw blades and other CMT products. Don't forget to ask for a free full color catalogue and the name and location of a CMT distributor nearest you.





cmtsrl@pesaro.com

www.cmtutensili.com

CMT USA, Inc. 307-F Pomona Drive Greensboro, NC 27407 Tel. 1-888-CMT-BITS Fax 1-800-268-9778 cmtusa@aol.com www.cmtusa.com CMT Utensili Srl Via della Meccanica 61020 Chiusa di Ginestreto PS - Italia

Sharpen Router Bits




Quickly sharpen router bits and shapers on DMT Diamond Whetstones[™]. Compared to standard sharpeners, DMT Diamond Whetstones:

- Eliminate Grinding Service Cost and Excessive Carbide Removal
- Extend Tool Life 5-7 Times
- Make Clean Cuts No Burn Marks!

Diamond Machining Technology, Inc. Marlborough, MA 1-800-666-4DMT www.dmtsharp.com

Circle No. 112




TIPS FROM YOUR SHOP (AND OURS)


Continued from page 36

A new angle on cutting cove moldings

I like to make my own cove molding on my tablesaw, but I found myself spending a lot of time in trial and error setting up the auxiliary fence for the cut. To make it easier to find the exact location for the diagonal fence, I cut a piece of cardboard the same diameter as my tablesaw blade and mount it on the arbor. Then, I draw the exact radius of the cove on the end of the stock and raise the cardboard template "blade" to the full depth of the cove. By sighting around the template and aligning the stock to match the marked cove, I can quickly position the fence.

—Michael Burton, Ogden, Utah







Long tenons and deep dadoes make strong frames


When building frame-and-panel doors, I make them extra strong by making the tenons extra long. Rather than chisel out a deep mortise, here's how to cut them on a tablesaw.

In the stiles, center a ¼" deep groove for the panel with your dado blade. Then, raise the tablesaw blade up to 1". Measure the width of your tenon, and clamp a stopblock to your tablesaw fence as shown *below*. Run the stile groove-side down into the dado blade again until it contacts the stopblock.

- Erv Roberts, Des Moines, Iowa









Make Elegant Pencrafting Projects In I

For less than \$5.00 and in just minutes you can make unique hand turned projects that sell for \$20.00 and up. Our selection of lathe projects includes over eighty 24kt gold plated kits that are easy to turn and make

wonderful gifts. Select from a wide assortment of pencrafting projects. Every kit comes with detailed instructions, a lifetime guarantee and customer support from our knowledgeable staff.

Mini Lathes

Turn your pen-

crafting projects

Duplicate from a hand cut

pattern, 3-D

more easily.

quickly, and

accurately.

Duplicating Attachment

original, or from PSI pre-cut Profile

Templates. Template sets are available for twelve

project kits. The

Attachment fits all

Duplicates up to 10" long with a depth of cut up to

3/4". The cutter is

HSS ground on both

instructional video,

ends. Includes a FREE

ONLY \$364.90/ UPS \$20

"Duplicating Attachment Projects

and Techniques"- a \$19.95 value!

Duplicator for Jet* mini-lathe w/video #CML-DUPJ 109.95/UPS \$5

Carba-Tec, Ryobi® and

let® style mini-lathes.

SALE PRICE

for Carba-Tec and Jet®

The Carba-Tec 3XL Variable Speed Mini Lathe WINTER SALE

for peneralting and turning small turning small projects. Both beginners and experienced turners will appreciate the quality and convenience of this easy to use, full featured mini-lathe. With the purchase of the Carba Tec lathe you'll receive a ? FREE 35 minute instructional video "Turning Pens and Other



Small

\$19.95

value!

Projects"- a

- Variable speed 1/4 HP motor
- · Cast iron construction
- · 12-1/2" between centers 3/4" x 16 tpi Spindle w/#1 MT
- · 6" swing over bed Weighs 37 pounds

Includes extras worth \$65:

- Video tape 3" toolrest 4 prong spur center
 2" faceplate 2 belts Live tailstock center w/ cup
- & point inserts

Everything PEN MAKING AND MINI LAIHE STARTER SETS

Carba Tec 3XL Mini Lathe SAVE \$15 #CML3XL Reg Price - \$289.95 ONLY \$27495 / UPS \$14

30 DAY MONEY BACK GUARANTEE!

www.pennstateind.com/e-mail:psind@pennstateind.com

1-800-377-72

Carba-Tec 3XL Mini-Lathe and Duplicator Package

 Carba-Tec 3XL or Jet Mini Lathe 7mm Drill Guide • / 72 Pennaking Gouge • 7mm Pen Kits-10 pk • 7mm Pencil Kits-10 pk • "Pen lurning" Instructional Video
 Mandrel w/ bushings & drill bit • Clear Pen Pouches - 20 pk

#CML-SS Carba-Tec Set ONLY \$35790 UPS \$19 ONLY \$41385 UPS \$29 #JMINI-SS Jet Lathe Set

If you already STARTER SET • 10 Pencil Kits • 10 Pen Kits • Drill Guid · Long Mandrel · Bushings · Drill Bit #PKSS-EL #1 MT (Carba-Tec/Sears)

\$75 SET \$75 SET \$75 SET #PKSS-FL #2 MT (Delta). #PKSS-CL 5/8" (Shopsmith) mandrel kit #PKSS-DL 3/8" drill chuck mandrel kit.

#CML3-PAK SAVE \$251

ORDER TOLL FREE

FREE CATALOG! For more information about pencrafting equipment, kits, and supplies, order by phone or email.

TIPS FROM YOUR SHOP (AND OURS)

Continued from page 39

Need a handy finish applicator? It's in the can!

Like other woodturners, I use a lot of different finishing materials-sanding sealer, oils, stains, etc.-on my projects. My turnings are small and don't require much finish, so until recently, I was spending more time cleaning applicators than applying finish.

Now, to save time (and finish), I keep a tied-off ball of cotton cloth cut from an old t-shirt in each can of finishing material. I just grab the cloth from the bottom of the can with wooden tongs, daub on the finish, then drop it back in the can, where it stays until I need it for the next bowl or candlestick.

Bob Edwards, San Antonio




A FEW MORE TIPS FROM **OUR WOODWORKING PROS**

- ·You can have new brass hardware and mounts cast to match missing antique parts. Find a foundry with the boxed information on page 50.
- On page 71, learn how to make your own marine-grade plywood. It will help fragile filligree last longer and match the rest of your outdoor project.
- ·Machine screws and nuts reinforce stressed joints, but may detract from a project's appearance. On page 82, see how we hid the hardware on our casserole carrier.

FROM

Better Homes and Gardens®

MAGAZINE



SCAREDY CATS #0FS-1056 (26" & 36" tall)



GHOSTLY GATHERING #0FS-1057 (32" tall)



ALL NEW! FUN-TO-DISPLAY ORNAMENTS!

EASY-TO-USE PLANS

Turn your yard into a Halloween haven with these easy-to-make project plans from the editors of WOOD® magazine.

- All projects are fully SHOP-TESTED for your quaranteed success
- Easy-to-use, full-sized patterns
- Exploded-view drawings for quick, accurate assembly
- Complete, step-by-step instructions
- Can be completed in a weekend or less

All Better Homes and Gardens® WOOD PLANS® are fully guaranteed. If you're not completely satisfied, just let us know. We'll give you a full refund or quick exchange.



Only \$12.95 each!

SPECIAL MULTI-PLAN DISCOUNT!

\$2.00 OFF total order on 2 plans \$4.00 OFF total order on 3 plans

For more WOOD PLANS®, visit us at www.woodmagazine.com


ORDER TODAY!

No added charges! Postage, handling, state and local taxes are included in prices!

For fastest service, call toll free 1-800-572-9350

or fax your order 1-515-265-2995 7 a.m.—9 p.m. CST, Monday—Friday Visa and MasterCard accepted. Please have your order ready when calling. You may also send your name, address and the name of plan(s) you want, along with your check or money order to:

WOOD PLANS, P.O. Box 9255, Dept. WD899 Des Moines, IA 50306



WE PUT EVERYTHING WE KNOW ABOUT CLAMPING INTO ONE HAND—YOURS.

Presenting the QUICK-GRIP® Bar Clamp — one convenient tool for all your clamp-



Spring Clamp 1", 2", 3" Jaw Openings



Micro Bar Clamp 4 1/2" Jaw Opening



Mini Bar Clamp 6" and 12" Jaw Openings




6", 12", 18", 24", 36", 50"



revolutionary one-handed QUICK-GRIP clamps provide an easier, faster way to help complete

your projects (which means you can start on

the next one even sooner).



DEVELOP YOUR SHOP SKILLS

Easy-to-make and great-looking

Dovetail Keys

They add character and strength to mitered corners


Perhaps no other joint has more strength or better looks than a corner joined by through dovetails. But here's a much simpler joinery process that comes pretty close. With just a router table and a bare-bones homemade jig, you can crank out terrific-looking box corners like the one at *right*.

The jig at *right* mounts to a miter gauge that slides in the miter slot of a router table. Built to the length shown, on most router tables it will handle boxes with sides up to about 24" wide. You can tailor the length to better suit your router table and to accommodate smaller or larger boxes.


The miter slot-to-router bit spacing on your table may affect the exact placement of the screws. Be sure to put them where the router bit will not cut into them. (Before you build this jig, please read the next step and note.)


Mount a dovetail bit in your table-mounted router. We used an ¹¹/₆"-diameter bit with an 8° cutter angle and a ½" shank for the dovetails shown in the ¾"-thick stock of the corner shown *top*. Most dovetail bits will work, and you may want to consider using smaller bits for thinner stock. Raise the bit so it will cut to the correct approximate depth through your workpiece sitting in the jig.

Mark the location where the shank of the dovetail bit will pass through the jig in the following steps. You









need to remove the stock in this area of the jig so the bit can pass through it. We did so with a dado set as shown. Make this cut through only the "V" portion of the jig—do not cut through the vertical piece that mounts to the miter gauge. You also could make this cut by sawing a series of kerfs with a handsaw and chiseling out the waste.

Note: If your table has a plunge router, it may be impossible to raise the bit high enough to make a full-depth cut. Also, the shorter shanks on smaller bits may prevent the bit from cutting high enough. In that case, you may have to make the jig from ½" plywood.

Pass the jig through the spinning dovetail bit as shown. The bit's shank should prevent the bit from passing through the back side of the jig.

Assemble a mitered corner from scrap stock of the same thickness as the wood used in your box. Use this test piece to fine-tune the height of the router bit. Then, on the inside of the "V," mark the center of the dovetail cut as shown.

Continued on page 44

DEVELOP YOUR SHOP SKILLS

Continued from page 43

5 On a piece of paper that's as long as your box corners, lay out the position of the dovetails. You can space the dovetails evenly or unevenly, but it usually looks best to have a symmetrical arrangement. For our box, we put one dovetail in the exact center, with equal spacing between the dovetails. The space between the end dovetails and the ends of the corner equal half of the space between the dovetails. Mark the dovetail centers.


Position your layout on the inside of the jig's "V" as shown, with the center of the right-most dovetail aligned with the center mark on the jig. Position and clamp the block at the end of the paper layout.

6 Place your box in the jig, butt it against the stop, turn on the router, and pass the V portion of the jig through the bit as shown. After making the cut, lift the workpiece off the jig and pull the jig back through the bit. Do not leave the box in the jig when you pull the jig back—doing so may enlarge the dovetail cut. Make this cut on each of the box corners (four total cuts).


Rotate the box 180° so its bottom faces in the opposite direction it faced in the previous step. Butt the box against the stop, and again cut each of the four corners. Rotating the box in this fashion ensures symmetrical spacing. Move the clamped stop-block as necessary to make the remaining cuts.

Measure the depth of the dovetail cuts as shown. Your dovetail key stock should be 1/16" thicker than the depth of the dovetail cut. Rip this stock so it's 1/16" wider than the widest part of the dovetail cut.

Using the same dovetail bit as before, adjust it 1/16" higher than the thickness of your dovetail-key stock. Adjust the fence on







your router table so the bit just barely cuts into the key stock at table height as shown.

Pass the stock through the bit. At the end of the cut you will get a small amount of snipe—you'll cut this off later.


10 Rotate the key stock end for end, keeping the same face down. Cut the other edge.

Test the fit of this stock in the dovetail cuts. (Slide the unsniped portion of the stock into the dovetail cut.) The stock should be slightly too wide. Adjust the fence forward just a hair and recut the stock. Do this until the stock fits tightly in the dovetail cuts. Cut off the sniped ends.


11 Cut the key stock into lengths about ¼" longer than the dovetail cuts. Apply glue to the dovetail cuts and slide the keys into them, leaving about ½" extra key length at both ends of the dovetail cuts.

After the glue sets, saw off the excess key stock. A special flush-cutting handsaw works well, or you can use a typical handsaw if you protect the box with a sheet of card stock as shown.

Written by Bill Krier with Chuck Hedlund Illustrations: Brian Jensen










Makita

20th cordless Anniversary

1999 marks the 20th Anniversary of the introduction of Makita's first Cordless tool.



Special 20th Anniversary Kits

12V & 14.4V 3/8" Driver-Drill & Flashlight Kits

- World's First
 Nickel-Metal
 Hydride (Ni-MH)
 powered drills
- Environmentally friendly Ni-MH battery
- High performance "Makita" motor lasts up to 5 times longer
- Heavy-duty torque for maximum performance
- Kits include Flashlight, Charger, Tool Case & 2 Batteries

FREE LABOR

on all repairs of Makita Cordless Tools through December 31, 1999 at all Makita U.S.A. Factory Service Centers.

Call 1-800-4Makita for the nearest Makita U.S.A. Factory Service Center. www.makitatools.com

30% LONGER RUN TIME

Make your own Raised **Panel Cabinet Doors**

with your 1/4" or 1/2" Router, or your 1/2" or 3/4" Shaper.

Plus make many other types of doors and projects:

- Flat Panel Doors
 Kitchen Cabinet Doors
- Cathedral Doors
 Entertainment Center Doors Glass Doors
 - Wainscotting

It's simple, inexpensive, and easy with professional production quality MLCS carbide tipped door sets! Sets include Combinbation Rail and Stile bit, Raised Panel bit plus instructions, professional tips and techniques.

Raised Panel Door Sets *Ball bearing included

SET#	BIT STYLE	LRG. DIA.	SET PRICE
#1301	1/4" Shank Router	*2"	\$69.95
#1302	1/2" Shank Router	* 3-1/2"	\$79.95
#1303	1/2" & 3/4" Shaper	4-5/8"	\$99.95

Raised Panel Door Instructional Video

#1438 Special Sale Price\$9.95



*Raised Panel Router Bit



*Combination Rail & Stile Bit



The **NEW** Merie Clamp now features pivoting jaws that adjust to any angle!

The new flexible jaw inserts are made of non-marring high impact ABS plastic and are easi-

Performance ly removed. The NEW dual pivot Value feature allows the Merle to clamp virtually any size or shape securely! 23 ft. of steel banding included.

- · Clamp circles, ovals, rectangles, and with additional corners (see below*) 5, 6, 7, 8 or more sides.
- · Ideal for clamping drawers, doors, picture frames, boxes, cabinets, etc. Holds firmly in square.
- Adjustable, uniform clamping pressure on all sides
- · Durable cast aluminum and steel construction
- Clamps as small as 2-5/8" x 2-5/8" to 69" x 69", or 23' around, but can be extended to any length by using standard 3/8" steel banding or strapping.

Merle Clamp and 23 ft. of steel banding #1439 REG. \$39.95SALE \$2695

*4 Additional Aluminum Corners and Jaw Inserts #1440 Set of 4SALE \$1495

1/4" Shank Carbide Tipped Router Bits

Professional Production Quality!

II OGEE RAISED PANEL

#1423 2" Large Diameter\$29.95

TONGUE AND GROOVE

#1333 Straight #1335 Wedge..... \$29.00 T-SLOT CUTTER

#1305 3/4" lrg. dia, 3/8" sm. dia. ..\$17.00

1 LOCK MITRE BIT

#1433 2" Dia., For 1/2"-3/4" Stock ..\$37.50


■ RABBETING KIT 4 depth of cuts: 3/8", 7/16", 5/16", 1/4". Set: 1/4" shank rabbeting bit, 4 bearings & hex key. #1425 1-1/4" Large Diameter......\$25.00

BRASS PILOTED BIT SET

Rout into tight spaces and sharp corners. These bits have Brass Pilots, measuring only 5/32" in dia., instead of usual 1/2" bearing. #1441 1/8", 1/4", 3/8" Round Over ..\$44.95

SOLID CARBIDE UPCUT AND DOWNCUT SET

Upcut spiral ideal for mortise and tenon joints. Downcut will plunge cut and plane edges #1437 1/4" dia., 3/4" cutting length Special Set Price



Solid Brass Router Inlay Kit

Follow template of almost any shape to make the recess. Fits Porter Cable, Black & Decker or any router with Porter Cable bushings adapter. Includes 1/8" solid carbide downcut spiral bit, brass bushing, brass template guide, brass retainer nut & instructions.



ITEM #1426 REG. \$35.95.....SALE \$2195

16 pc. Forstner Bit Set

High Quality Steel for heavy use

Sizes: 1/4", 3/8", 1/2", 5/8", 3/4", 7/8", 1", 1-1/8", 1-1/4", 1-3/8", 1-1/2", 1-5/8", 1-3/4", 1-7/8", 2", 2-1/8".



ITEM #1418 REG. \$141.20...

SALE \$4395

Round Over-Beading Bit Set

1/4" shank. Carbide Tipped, 4 Round Over Bits with 1/2" OD bearing: (1/8", 1/4", 3/8", 1/2"), plus 3/8"OD bearing and allen wrench.

ITEM #1434

\$72 IndividuallySALE \$3995

Biscuit Joining Set

5/32" Slot Cutter-1/4 Shank and 250 #20 **Biscuits**

Instruction sheet included.



ITEM #1385

REG. \$35.00SALE \$2995







ORDER TOLL FREE

Shipping is FREE! *IN CONTIGUOUS USA FOR ALL ITEMS








Order By Credit Card or Send Check To: MLCS, P.O. Box 4053DM, Rydal, PA 19046

ntique Dominick Coiro restores what's good about our furniture past



From trashy to flashy: Before the craftsman began restoring this pair of chairs, the nearly-completed one on the right



Who do well-heeled Manhattanites call on to redo or renew their high-end antique furniture? Those in the know look to the master—Dominick Coiro, a very special woodworker whose skills span centuries.

Antique Mystique

As Dominick pulls his minivan away from the just-closed Madison Avenue art gallery with the gallery's owner in the front seat, a white stretch limousine stops out front. He asks his matronly passenger if she'd like to reopen the gallery to accommodate the obviously well-to-do guest. "No, it's just [60's music icon] Diana Ross. She'll come back later. I've got to get you while I have the chance." So off they go, leaving Ms. Ross and company cooling their heels.

What is it about Dominick Coiro that places him in greater demand than a world-reknowned pop diva? The gallery owner could answer this question in a New York minute: This guy has the rare talent to restore her collection of Boulle-work furniture.

Hey kid, are you old enough to be doing this?

He's only 38 years old, but Dominick already has two decades of high-end furniture restoration experience under his belt. "A lot of times, when I meet people for the first time, they aren't expecting me at the door. They're waiting for some older fella in his 50s or 60s," he chuckles.

For light clamping, Dominick makes clamps from old seat springs. A scrap of veneer protects the furniture from the clamp's sharp points.



Long before he married his childhood sweetheart Marianne, he learned furniture restoration at the side of her father Clem, who repairs and prepares furniture for sale at a major New York auction house.

More than teaching woodworking techniques, Dominick credits Clem with teaching him how to think through the restoration

process for himself. "It was hard to get some of his secrets out of him," the craftsman says. knew that he knew how to make a particular repair, but when I'd ask him what to do, he'd just look at me and smile. I made a lot of mis-

takes, but he was always there to guide me along."

By the time Dominick was 20, he had set up a small shop in his attic (equipped with a 10" bandsaw and a few hand tools) and began restoring furniture on his own. "I restored a couple of small pieces for friends, my name got around, and people started bringing me things," he says.

These days, his 1½-car garage-size shop sports a huge array of old block planes, clamps, and a mainstay of stationery power tools. "I prefer to use hand tools," he says, "but I wouldn't want to cut through 3" mahogany by hand. I'll rough-out a pediment on my bandsaw, then do all my finish-work by hand. Some of the most precious tools in my shop are the spring clamps (shown at *left*) that I make from the seat springs of old sofas," he says enthusiastically. "They're pretty much like my third hand."

While Dominick's business still comes entirely from referrals, the value of the pieces he restores continues to grow exponentially. The priciest piece he's restored to date, the stunning kidney-shaped desk shown

below, displays the quality of his work. The owner paid more than \$43,000 for it, then brought it to the expert for restoration.

Fix only what needs fixing

Some people define an "antique" as anything over one hundred years old. But Dominick says the value of a piece of old furniture lies more in its

Dominick carefully restored this pricey beauty—a William IV kidney-shaped library desk, circa 1840.

uniqueness than antiqueness. "A lot has to do with the provenance of the piece—who owned it and where it came from."

Before tearing into that old library table or any other piece you think might be valuable, he suggests you hit the books. "Auction house catalogs give an idea of the style, age, and origin of a piece." Dominick also uses the Lyle Price Guide to American Furniture, by Anthony Curtis (Perigee Books), which tells how much similar items have sold for. Bear in mind, the age and origin of a piece can be elusive. "Unless the chair can talk to you and tell you where it was made, you may never know for sure," he advises.

Whether value comes from a price guide or memories of sitting in grandma's parlor, Dominick recommends a careful assessment before restoration begins. "The less work you have to do, the better off the piece is." That means leaving patina, and the little dings and dents that give the furniture character.

So what should you fix? Dominick says broken parts, including hardware and veneers, need to be repaired or replaced. Look for signs of previous restoration, especially around joints. He notes, "If somebody tried to tighten up a table leg by driving screws from behind, they may have done more damage than good." Deep water rings may require complete stripping.

On some pieces, you can get away with major restoration and not hurt the value, but you have to be careful. "When you get into a good Early American piece, you can lose half the value if you refinish it," he cautions. However, if an antique piece has a modern finish on it, such as a polyurethane, strip it and restore it.

In most cases Dominick can tell what kind of finish was used on a piece just by eyeballing it. When he's not certain, though, he uses a 3-part test. Starting with a little denatured alcohol on a cloth, he rubs the finish in a hidden area. A shellac finish will get gummy. If the surface doesn't soften, he repeats the test, this time using turpentine. A sticky finish now means a varnish. If neither solvent has softened the finish, he tries lacquer thinner. If the finish softens, it's lacquer.

Antique renewal begins with the hardware

Dominick's school of restoration abides by the three R's: remove the hardware, repair the wood, and renew the finish. He'll go to the fourth "R"—refinish—only if necessary, "I'd rather keep the old finish intact by cleaning it and polishing it back to its original color," he says.

To begin, he carefully removes the hardware and mounts (metal decorations attached to the furniture) and notes the location of each piece by marking its back with a scribing tool. Even the screws must go back into the same holes. "Before they were massproduced, screws had hand-cut threads so they can vary," he explains. "If you put a hand-cut screw in the wrong hole, it can cross the threads and damage the hole." To keep them in order, the restoration expert pushes the screws through a 3×5" index card showing their locations.

Dominick cleans small parts in an ultrasonic cleaner, as shown at *right*,

Continued

A fleet of vintage planes, above, lines the ceiling of Dominic's shop. While some are rare and collectible, most are used for replicating antique moldings.

Dominick's **Top 6** Antique Abuses

(or: "What NOT to Do to Your Antique.")

1 Water and alcohol rings.

Mom always nagged, "Use a coaster," and she was right. Today's polyurethanes stand up to moisture, but not so antique shellacs. Put a pan under the plant, too.

2 Vacuum cleaner damage.

See those worn areas on Grandma's buffet, about an inch above the floor? Your upright vacuum can scratch the finish, break off a pediment, or pop off veneer. Go gently.

3 Oily wax buildup.

Spray polishes put on a fast shine, but they also make it difficult to repair the finish if need be. Instead of spraying, every 6 months or so give the piece a nice coat of paste wax.

Missing bardware.

You never got around to putting that pull back on the drawer, so you put

American drop-leaf table, circa 1795.

it in a safe place—now you can't find it. Tape it to the back or bottom of the piece. Maybe the person who buys it from you will do the work.

5 Misbandling.

The leaves of a drop-leaf dining table were made to carry plates and food, not the table itself. Lift the table by the fixed top or apron. Going by truck? Put down a furniture pad and transport it legs-up.

6 Poor repairs and restoration. Resist the temptation to "quick fix" loose joints or damaged finishes. Do the job right the first time, and you'll likely not need to do it again.



An ultrasonic cleaner provides heat and agitation to clean hardware while you work on other things. Convenience has its price: Dominick paid about \$600 for this toaster-size unit (available from McMaster-Carr, 630/833-0300, or online at www.mcmaster.com).

Antique Mystique

using a solution of 1 part ammonia to 2-3 parts warm water. He soaks larger pieces in the same solution, brushing them with a soft-bristle brush to loosen the soil. Finally, he rinses the hardware with clean water and toweldries it to prevent spotting.

When faced with a missing mount, knob, or pull, Dominick has a new piece made to match the originals. A jewelry maker makes the rubber mold and metal casting for him (see "Casting Call," below, to find a partmaker near you). Isn't it expensive? "I find it cheaper than buying a whole new set of knobs," he says. And, making one new part rather than replacing them all fits with Dominick's credo of doing as little as necessary. Hardware and mounts go back on last, a few days after the finish on the piece dries.

Casting Call

If you'd like new parts cast and don't know where to go, call the American Foundrymen's Society at 800/537-4237. The communications department will gladly help you. Or you can search for a foundry using their Casting Source Directory online at www.castingsource.com.

Repairing water damage? Hold the mayo

One of the more common problems Dominick encounters is water damage, such as the nasty ring shown on the drop-leaf table at *right*. The owner tried to repair the finish by smearing in a mixture of mayonnaise and cigarette ashes. "She certainly did more harm than good," he says. Instead of folk remedies, first try to dry the ring out with a blow dryer on the "warm" setting.

If the damage has penetrated the finish, Dominick first removes the finish. He then scrubs the damaged area with a brush dipped in denatured alcohol or acetone, being careful not to remove too much of the wood's color. Water stains also can be bleached out. But, because this process removes the patina and can stain the piece, he considers it a last resort.

Like bad magic, a water stain that seems to be gone can reappear when the craftsman applies a finish. "Some rings never come out completely," he says. "Get the stain as light as you can, but if it comes back on you a little bit, just look at it as character," he grins.



Due to deep water damage, Dominick had to remove the finish of this American table to repair it. The restored piece is shown on the *previous page*.


Putting the best face on a piece

Dominick sees bubbled, broken, and missing veneers everyday in his shop. For example, the turn-of-the-century rosewood cabinet being repaired in the photo *opposite*, "was probably left outside in a barn where it was damp, and much of the veneer popped loose," he speculates. "Somebody tried to tape the veneer to keep it from falling off. But a good portion of the veneer was pretty much gone."

Still, Dominick repairs as little as he must, excising only the injured portions with a chisel or veneer punch, slicing with the grain. To fill the gaps, he takes a scrap of the old veneer to the hardwood store to match the color and grain. Because today's veneers are thinner (at about 1/40") than the veneers he replaces (which could be anywhere from 1/16 to 1/8"), he frequently resaws veneer from solid stock. "I'll usually cut several pieces to see which one looks best," he says.


Before gluing, he wets the new piece to get an idea of how it will look when finished. "Sometimes when you glue a piece in there, it looks great. Then, you apply the finish, and it's like: Where did I get *this* piece from?" Dominick uses hide glue, he says, "not to make the piece historically correct, but because repairs made with hide glue can be undone if need be."

Loose veneers are easy to find and fix. Dominick taps the veneer with his fingernail, and when the sound goes









Inject hide glue to end of tenon with syringe. 1/8" feeder hole Tenon Air space Chair leg or stile

from solid to thin, he's found a loose spot. "I save it by heating up the glue underneath," he advises. He wets and wrings out a piece of clean cheesecloth folded to about 8 layers. Placing the damp cloth over the loose spot, he presses an old steam iron on the cloth for 5-10 seconds. "Once the iron hits the cloth, it's shooting steam through that veneer, softening the glue," he states. After removing both iron and cheesecloth, he rubs the veneer with a veneer hammer or rubber roller until the wood cools.

A shot in the leg cures joints

"Some people think they're doing good to a piece by driving screws and brackets into [loose joints]," laments the artisan, "but there's a tremendous amount of damage done." Dominick's mantra of joint repair is disassemble, clean, and reglue. That's fine for parts that wobble on both ends, but what if disassembling the bad joint means weakening another joint? He advises, "I wouldn't separate the joint completely, I'd just loosen it enough to get glue in behind it."

To accomplish this, Dominick first softens the old glue by injecting a little warm water around the joint, letting it stand for awhile. He then drills a 1/8" "feeder" hole into the bottom of the mortise as shown in the drawing above right. "I know I've hit the gap when the drill gives just a bit," he says.

Using a syringe, Dominick injects hide glue into the feeder hole and clamps the joint. Some places, such as where rails meet at a chair leg, share the ends of the mortises. In this case, one shot strengthens both joints.

Renew if you can; refinish only if you must

After completing repairs, Dominick's first choice is to restore, rather than refinish. He starts by washing the entire piece with #0000 steel wool dipped in naphcarnauba wax that keeps the chemical penetrating into the wood). "I don't want to go deep into the pores, I just want to remove the varnish on the surface," he says. To prevent damage to the wood when removing the finish, he gently scrapes it off with a modified putty knife; a radius ground on each corner keeps it from gouging.

After scraping, he washes the entire piece-including new veneer-with a 2:1 solution of wash thinner (lowgrade lacquer thinner) and denatured

alcohol. On a varnish finish, he uses naphtha




probably Biedermeier, circa 1845.

tha, which deep-cleans the old finish. If a non-shellac finish is extremely soiled, he sands lightly with 600-grit wet sandpaper. After wiping with a tack rag, he French-polishes the piece using a padding lacquer.

Because removing the old finish also strips much of the piece's charm and beauty, Dominick does it only as a last resort. He begins with a wax-free stripper (most stripping solvents contain instead of alcohol. This removes the stripper's residue and spreads the color of the original finish over the entire piece to help new and old veneer blend.

When the piece is dry, Dominick wipes it with denatured alcohol. Then, using a badger or sable brush, he brushes on a 50 percent cut of shellac, followed by a French polish. His restoration, at last, is complete.


Written by Dave Campbell Photographs: John Kane Illustration: Kim Downing



Garden Getaway

Swing a bit (or catch a snooze) at our relaxation station

For pure relaxation, nothing beats a garden swing—except, perhaps, a hammock. Pick your favorite; you can build our arbor to provide your preferred brand of comfort.



Note: The end assemblies are identical for the swing arbor, shown at left, and the hammock arbor, above right. The only difference between the arbors is in the length of the rafters. The swing shown left is from WOOD PLANS® WP-OFS-1002. To order the \$9.95 plan, call 800/572-9350.

Start out on solid footings

1 Lay out the locations for the eight post footings. The drawing below

shows where to put the footings for the swing arbor. For the hammock arbor, change the 5' 9½" center-tocenter distance shown on the drawing to 12' 8½".

2 Dig holes, and pour the concrete footings, taking care to level and align them. Incorporate provisions for attaching 4×4 posts to the footings. (See *What Woodworkers Need to Know* in this issue for more information on anchoring outdoor projects.)


Put posts and rails together to get the project underway

1 Cut the 4×4 posts (A) and 2×4 rails (B, C) to the lengths specified in the Bill of Materials.

2 Mark the locations of the side rails (B) and the end rails (C) on the posts. (See the drawing on the *next page*.)

3 Drill two pocket holes in the underside of each end of each rail (B, C). Set the pocket-hole jig back 1" from

Continued



Garden Getaway

the end as shown below. This centers the screw on the end of the 2×4 rail. allowing the use of longer screws.

4 Assemble two posts and two side rails (B) with screws, as shown in the Arbor End drawing. (We drove a 3½"-

A piece of scrapwood 1" wide (painted yellow here) serves as a spacer when drilling the rails with the pocket-hole jig.


long deck screw into each pockethole.) To make assembly easier, brace the rail against a handscrew clamped to the post, and clamp it in position, as shown below. Construct three more A/B assemblies this way.


A handscrew and a bar clamp help hold the rail (B) in position when attaching it to the post (A).

5 Rip 3/8" strips for the lattice (D, E, F) from the 2×4 stock. The thickness of the 2×4 yields the proper width for the strips. Cut the lattice to length.

6 Rip more 2×4 stock to 38" for the lattice stops (G, H, I, J, K, L). Rip and crosscut the resulting 3/8×11/2" stock to the dimensions shown for the stops.

7 Rip and crosscut enough stock for





Garden Getaway

- **4** Lay the vertical lattice in place, centering it along with its 5¼" spacers.
- **5** Nail the lattice spacers in place with 3d galvanized finishing nails. (A pneumatic brad nailer does a great job here, too.)
- **6** Position the outside stops (I, J), and nail them in place. Press them snugly against the lattice while nailing.
- **7** Install the stops, lattice, and spacers in the remaining three A/B assemblies, following the same procedure.
- **8** Stand two completed assemblies upright and parallel to each other, inside facing inside. Position the end rails (C) between the corner posts, and fasten them in place with pockethole screws. Set the pockethole jig back 1" when you drill the holes in C.
- **9** Install the inner stops (G, K), the lattice strips (D, E), the spacers, and the outer stops (I, L) as you did in the side panels. In the same way, assemble the other end and install the lattice.
- 10 Where the lattice strips cross, nail them together with #16×¾" escutcheon pins. Drive the pins from the inside while holding the head of another hammer or a heavy piece of metal against the joint on the outside.

You've just about earned your rest; but first, raise the roof

- **1** If not already done, install the post bases on the footings.
- **2** Stand the assembled end sections in the post bases, with their open ends facing each other. Ensure that the units are plumb and level, then secure them to the bases.
- **3** Cut the crossbeams (M) and rafters (N) to the lengths shown. Cut the ends to the shape shown on the Parts View drawing.


For the hammock arbor, refer to the Hammock Arbor drawing. Cut the three pieces for each rafter to the dimensions shown there. Cut one end of each short outer rafter to the shape shown in the Parts View drawing for the single-piece rafter.


- 4 Drill ½" bolt holes where shown in the four crossbeams and two of the rafters. The rafters with holes drilled in them will go on the outside of each arbor end, as shown in the Exploded View drawing.
- **5** Position the crossbeams (M) where shown on the posts (A). Make sure they're level and aligned across the tops; then clamp them in place. Drill

- ½" holes through the posts, guiding through the holes in the crossbeams.
- **6** Position the two outer rafters (N) where shown. Drill bolt holes, and bolt the rafters to the posts.


For the hammock arbor, first position the long central rafter section. Then, install the two ornamental end pieces on each rafter.

- **7** Space the remaining three rafters evenly across the top of the crossbeams as shown. Toenail them to the crossbeams, or attach them with screws in pocket-holes, drilled from the back side.
- **8** Cut the top cleats (O) to the dimensions shown. (We cut them from the remaining 2×6.) Position them across the tops of the rafters where shown on the Parts View drawing. Attach the cleats with screws, driving one into the top of each rafter.
- 9 Install the necessary hardware to hang your swing or hammock. For the hammock arbor, drill holes in the top end rails (C) where shown, and install 36" eyebolts through them. For additional strength, install heavy steel corner brackets between rails B and C on the inside.






Instant Glue A Fabulous Finish For Small Turnings



With a wet cloth, Bill dampens the wood to raise the grain for fine sanding.



Bill begins preparing the surface for the instant-glue finish by thoroughly sanding with 320-grit abrasive.

Georgia woodturner Bill Hug applies a super-adhesive finish to make his finest small pieces sparkle. And it's literally a sticky process.

William E. (Bill) Hug, a retired professor of botany in Athens, Georgia, has turned more than 5,000 vessels since he began woodturning 16 years ago. And while he has finished a lot of his work traditionally—with lacquer or oil—Bill has perfected the application of a quite unusual one: cyanoacrylate.

"Instant glue [Krazy Glue, Zip Grip, and others] was once promoted by turners as a quick, high-luster finish for turned objects that could be applied in one coat," Bill comments. "But while the result was immediately spectacular, it was short-lived. Turners overlooked the fact that instant glue, like most good finishes, has to be applied to a carefully pre-

pared surface, you have to put on more than one coat, and you should protect it with a quality wax. It's the perfect finish for small turnings."

Sand, sand, and sand some more

As a rule, Bill dons a dust mask and sands the turned object with progressively finer grits of abrasive—

100, 150, and 220.

Then, to get the surface exceptionally smooth for the cyanoacrylate finish, he raises the grain of the wood. "I moisten the

wood with a wet towel," he explains. "But with the lathe off. If the workpiece was spinning, centrifugal force would drive the water deep into the wood, making it take longer to dry.

"When the wood has dried, I sand again with 320-grit," the turner continues. "Then, I repeat the wetting and sanding until I can feel that the grain no longer rises and the wood is absolutely smooth. While all this preparation takes a lot of time, I find it time well spent in getting a beautiful finish."


The Georgia craftsman, like all turners, loves to work spalted wood and burls as well as normal stock. But finishing such wood requires extra preparation. "Spalted wood commonly contains soft spots. Burls often have bark inclusions and voids," notes Bill. "Then, there's end grain to deal with. But no matter the problem, the pieces must be turned to the point of sanding before you can deal with it.

"End grain and soft spots in spalted wood you can cut clean with a gouge if you first apply spray lacquer," he advises. "With the lathe turned off so the lacquer won't splatter, soak

the problem area. Allow it to dry, then make shallow cuts with a sharp gouge until the area becomes smooth."



After three coats of quickly and carefully applied instant glue, plus a final sanding with 3,200-grit micro abrasive, Bill is satisfied with the finish.



Multi-coats of instant glue and micro-sanding give Bill's turnings a high-gloss finish. He protects them with wax, too.

read and clean f

Bark inclusions and voids require different treatment. "Mix fine sawdust of the same or a contrasting color with white woodworking glue," Bills says. "Then, with the lathe off, force the mixture into the bad spots with a pallet or putty knife and let it dry. When it's dry, turn on the lathe and remove the excess glue mix with a surface cut. Next, with the lathe at low speed, apply a first coat of water-thin instant glue without using the accelerator. When it's dry, proceed through the normal sanding steps."

Apply the finish—carefully

"Instant glue must be carefully handled," cautions Bill. "First, be sure to

read the label, wear eye protection, and have some acetone on hand for cleanup. Also, have a good amount of facial tissue for application.

drops on a tissue and touch it to the work-piece while the lathe turns at slow speed," he explains. "And do it quick-ly—in just a few seconds. Then immediately discard the tissue because it will set in 4-5 seconds and

"To apply it, place of few

because it will set in 4-5 seconds and the tissue may stick to your finger and burn the skin, stick to the workpiece, or both!"

Following the application, Bill quickly sprays the instant glue just applied with accelerator, then sands the area with 320-grit. "Following the sanding, I go over the piece with 0000 steel wool to remove the dust prior to adding a second coat. And I occasionally turn off the lathe to see if the work needs additional sanding and that I'm applying the glue evenly."

Bill repeats the sanding, glue application with accelerator, and steel wooling two more times, progressing from 320-grit to 400, then 600 grit. Finally, he speeds up the lathe and polishes the finish lightly with 2,400, 2,600, and 3,200 Micro-Mesh abrasives (from Klingspor, 800/228-0000). Then, he tops off the finish with a thin coat of a good paste wax, allows it to dry, and gives the piece a final buffing.

When you have problems

"Open-grained wood usually requires two or more coats of instant glue between sandings to completely fill up the pores," says Bill. "Another problem is uneven application. In that case, you have to return to 320 or 220 grit, sand the finish off, and refinish. Also, if you notice a dust buildup in spots on the piece when you're using the steel wool, that indicates roughness. You'll have to go to a coarser grit, like 220, and resand. Then go to finer and finer grits as you reapply the finish."

Written by Peter J. Stephano with William E. Hug Photographs: Hetherington Photography




FIVE TONS. WHERE

THE TRUCK can move mountains. 10,500 pounds? No sweat. Not when you've got the most powerful V8 you can get in a pickup: the new 300-hp Vortec 6000. In fact, a powerful new line of Vortec V8s give The Truck its pull. In addition to the Vortec 6000, choose the 5300 or the 4800 – both of which crank out more horsepower than our previous engines and do it over a longer, flatter torque curve.

That means power to get heavy loads moving, power to pass, power to spare.

Push a button and engage the only Tow/Haul mode of any pickup. Tow/Haul mode actually lengthens the automatic transmission shift points so that the transmission shifts less and you hit the gas less. Making towing easier for you and The Truck.

Stop and think about this: The Truck is the only



DO YOU WANT IT?


pickup that makes 4-wheel disc/antilock brakes with Dynamic Rear Proportioning (DRP) standard on every model. DRP recognizes rear-brake lockup and balances the pressure applied to the front and rear brakes. And The Truck is pre-wired for your trailer's brakes. Just hook up and haul away. Proof positive that the new Silverado isn't just any truck. It's The Truck. From Chevy. The most dependable, longest-lasting trucks on the road.

SILVERADO



Bookcase

Simple, yet stunningly elegant



opefully, we've enticed you to build one or more of our mission-style furniture pieces in previous issues of WOOD® and shown below. Now, add to the set with this stately bookcase. We embellished ours with cutouts in the side panels, reproduction hardware, and glass-framed doors to capture the quality and ambience of furniture from this era of craftsmen.

Let's start by laminating and machining the legs

1 To form the 2½"-square legs (A), cut 8 pieces of 1½6" stock to 2½" by 68". (Using these dimensions, the pieces are ½" oversized in width and 1" in length so you can trim flush the edges and ends of the laminated legs later.) See the Legs drawing for reference.

2 Spread an even coat of glue on the mating surfaces of two pieces making up each leg. With the edges and ends flush, glue and clamp the pieces faceto-face to form the front and rear legs.

3 Cut or plane an equal amount off both edges of each leg for a 21/8" fin-



Appearing in the February 1999 issue of WOOD_®, the Morris chair shown *above* was the first in a series of mission pieces. Continuing the set, the ottoman and coffee table appeared in the March 1999 issue.

ished width. Then, trim both ends of each leg (A) for a 67" finished length.

4 Using the Legs drawing for reference, lay out the mortises and grooves on each leg where dimensioned. Note the location of the joint lines when marking the mortises and grooves, and be sure the right and left legs are mirror images.

5 Attach a fence to your drill-press table. Using a %6" brad-point bit, drill holes inside the marked mortise outlines. Then square-up the mortises with a chisel.

6 Working from the top end down, mark the location of the shelf-hole centerpoints. The center of the top hole must be 16" from the leg tops so the top shelf will be hidden behind the door rails (T) later. Drill a 1/4" hole ½" deep at each marked centerpoint. (As shown in Photo A, we used a scrap strip of pegboard as a guide when drilling the holes. The holes in the pegboard are exactly 1" apart. Notice that after drilling the first hole, we slid a 1/4" piece of dowel through the pegboard into the leg to help ensure the pegboard wouldn't move on the leg.)

7 Mount a ¼" dado blade into your tablesaw, and cut a ¼" groove ¼" deep along the edges of each leg where marked, or use a ¼" slot cutter in your router fitted with a fence.

8 Rout 1/8" chamfers along the bottom end of each leg.

Machine and assemble the side frames

1 Cut the lower side rails (B) and the top rails (C) to the sizes listed in the Bill of Materials.

2 Using the Right Side Frame drawing and accompanying detail for reference, cut tenons on the ends of the rails to fit snug inside the leg mortises. To do this, fit your tablesaw with a dado blade, and attach a long wooden extension to your tablesaw's miter gauge. Square the extension to the blade. Using a stop for consistency, cut rabbets to form tenons on the ends of the rails. (We test-cut scrap stock first to ensure a tight fit of the tenons into the leg mortises.) Keep

Continued

9/32 1/2" mortises 27/8 11/8" deep 53/8 LEGS (Right legs shown, left legs are a mirror image) (A) 67" REAR **FRONT** LEG LEG Ten 1/4" holes 1/2" deep spaced 3" apart 1/4" groove 1/4" deep stopped at mortises 53/8" 53/8 1/2" mortises 1/8" deep 9/32 9/32 1/2" Joint lines 1/2" 8 Inside corners of legs These surfaces have identically placed 1/8" chamfer 1/8" chamfer holes, grooves, and mortises. 21/8"

Using a piece of pegboard, tape off the holes that won't be used, and use the remaining holes as guides to drill the holes in the legs for the shelf-support pins.



Bookcase

the long extension on the fence; you'll use it again when machining the tenons on rails (F, G, H) later.

- **3** Cut a ¼" groove ¼" deep along one edge of each rail (B, C) where shown on the Tenon and Groove detail.
- 4 Cut the center side rails (D) to size.
- **5** Edge-join ½"-thick stock to form the side-frame panels (E). Make them extra long, and then crosscut the ends to finished length.
- 6 Rout a ½" rabbet ½" deep along the *inside* edges and ends of each side panel (E) where shown on the Right Side Frame drawing.
- **7** For adding the center side rail (D), mark the centerpoints, and drill a pair of %4" shank holes on each side panel where shown on the Right Side Frame drawing.
- **8** Using the full-size pattern on the WOOD PATTERNS® insert in the back of the magazine, lay out the groove and shaped ends on each panel, centered from side to side and 6¼" from the bottom end of each panel. Drill a ¾6" hole at each end of the marked groove. (We applied Continued

Part	Fin	#			
Part	Т	T W L		Mati	ğ
	SIDE F	RAMES			
A* legs	21/8"	21/8"	67"	LO	4
B side rails	11/16"	57/8"	11%"	0	2
C side rails	11/16"	51/2"	117/8"	0	2
D side rails	17/32"	11/4"	93/4"	0	2
E* side panels	1/2"	101/8"	48"	EO	2
	RAILS AN	D CLEA	TS		
F back rails	11/16"	57/8"	361/4"	0	2
G front rails	11/16"	3"	361/4"	0	1
H front rails	11/16"	27/8"	361/4"	0	1
	SIDE F	RAMES			
I cleats	3/4"	3/4"	34"	0	3
J cleats	3/4"	3/4"	95/8"	0	4
K back	1/4"	347/8"	48"	OP	1
ВОТТ	OM, SHE	LVES, A	ND TOP		
L* bottom	11/16"	11%"	361/8"	EO	1
M* shelves	11/16"	127/16"	3515/16"	EO	3
N* top	11/16"	161/4"	423/8"	EO	1
O corbels	11/16"	13/8"	53/4"	0	6
P corbels	11/16"	11/2"	3"	0	4

Q stiles	11/16"	21/2"	53"	0	4					
R rails	11/16"	21/2"	17"	0	2					
S rails	11/16"	23/4"	17"	0	2					
T rails	1/2"	11/4"	121/2"	0	2					
U mullions	1/2"	1/2"	121/2"	0	2					
V mullions	1/2"	1/2"	101/4"	0	4					
W glass stops	3/8"	3/8"	48¾"	0	4					
X glass stops	3/8"	3/8"	13"	0	4					
Y stop	3/4"	23/8"	41/2"	0	1					
*Cut parts marked with an * oversized. Trim to finished size according to the how-to instructions. Materials Key: LO-laminated oak, O-Oak,										
EO-edge-joined	2240 (20	100 10 17								
Supplies: #8×11/2" flathead wood screws, #8×11/2"										

Finished Size

T W

Matl.

Buying Guide

terials

Part


Hardware. 2 Mission style vertical door pulls (#123876), 3 pair of barrel hinges (#123872), 12 bracket style shelf pins (#27116), 4 adjustable brass ball catches (#27H39), ¼* oak dowel stock (#50A01). For current prices, contact Woodcraft, 210 Wood County Industrial Park, P.O. Box 1686, Parkersburg, WV 26102-1686 or call 800/225-1153 to order.


oundhead wood screws with washers, #6x3/4"

flathead wood screws, 2 pieces of 121/8×485/6" double-strength glass, 3/4"×18 brads, stain, finish.

CUTTING DIAGRAM

*Plane or resaw to the thicknesses listed in the Bill of Materials.





Bookcase

masking tape to the panels, and made our marks on that. We removed the tape after all the routing and cutting was done.)

9 Fit your table-mounted router with a ¼" straight bit and double fence. Position the panel so the ¼" bit fits into one of the ¾6" holes. Start the router, and rout to the opposite hole, as shown in *Photo B*. The double fence secures the workpiece to ensure a straight groove.

10 Scrollsaw the ends of the groove to shape.

11 Finish-sand and stain the panels. Do this to prevent unstained areas from showing should the panels shrink in the frames later.

12 Screw the rails (D) in place.

13 Assemble (no glue) the side frames (A-E) to check the fit. Then, glue and clamp the pieces together, as shown in *Photo C*.

Machine the rails, and connect the end frames

1 Cut the back rails (F) and the front rails (G, H) to the sizes listed in the Bill of Materials.

2 Cut rabbets to form tenons on the ends of the rails. See the Tenon detail accompanying the Exploded View for reference.


3 Glue and clamp the rails (F, G, H) between the side frames. For proper-fitting doors later, check carefully for square.

4 Cut the cleats (I, J) to size from ¾" square stock. Drill the countersunk mounting holes and form the slots now where shown on the Parts View drawing on the pattern insert. Screw the cleats in place where shown on the Exploded View drawing.

5 Rout the back of the cabinet to receive the ¼" back (K), using a ¾" rabbeting bit. Square the corners with a chisel. Cut the back panel to size. Drill the countersunk mounting holes, and screw the back in place.


Form the edge-joined bottom, shelves, and top

1 Edge-join 11/16"-thick stock for the bottom (I), shelves (M), and top (N).





Position the side-frame panel on your table-mounted router so the $\frac{1}{4}$ " straight bit fits into one of the $\frac{5}{16}$ " holes in the panel. Start the router, and rout to the opposite hole. The double fence secures the workpiece to ensure a straight groove.



An acid brush works great for brushing glue on the mating pieces when gluing and clamping the side frames together. Use a damp cloth to wipe off excess glue immediately after clamping.

(We made our laminations extra long and wide to start, and then trimmed them to size after the glue dried.) Use the Shelves drawing to cut the bottom and shelves to shape.

2 Attach the top and bottom with screws, as shown on the Exploded View drawing.

3 Using the full-size patterns on the WOOD PATTERNS® insert, cut the corbels (O, P) to shape. Glue and clamp the corbels in place, centered on each leg where shown on the Exploded View drawing. Glue the corbels to the legs only, not to the rails (B, G) or top (N).

Cut the parts for the half-lapped doors next

Note: The front opening of our assembled project measures 341/s" by 531/s". The assembled doors have a 1/16" gap top and bottom, between the doors, and between the doors and legs. The no-mortise binges create the gap between the legs and doors.

1 Cut the door stiles (Q) and rails (R, S) to the sizes listed in the Bill of Materials.

2 Cut laps on the ends of the stiles and rails where shown on the Door drawing. Note that the laps on the rails (R, S) are %6" deep while the mating laps on the stiles (Q) are only ½" deep. (We didn't cut a true half-lap because of the ½" rabbet ½" deep routed on the back side of each door later. The depth of the laps must be the same as the depth of the rabbet for the glass. We test-cut scrap pieces first to verify the depth of cut before cutting the stiles and rails.)

3 Cut a ½" rabbet ½" deep along the inside edge of each stile and rail where shown on the Door drawing.

4 Mark and cut a pair of mortises on the inside edge of each stile (Q) where shown on the Mortise detail accompanying the Door drawing. Machine a pair of mortises in the top edge of each middle rail (T).

5 Cut rabbets across the ends of the middle rails (T) to fit into the bottom mortise of the stiles.

6 Cut the door mullions (U, V) to size. Using the dimensions on the Parts

Continued

Bookcase

View drawing, mark the dadoes on the pieces. Using a tablesaw and a miter gauge fitted with an auxiliary fence and stop for consistent cuts from piece to piece, cut the dadoes in the mullions (U, V).

7 Machine tenons on the ends of the mullions. Glue and clamp the mullions (U, V) together, checking for square. Wipe off any excess glue with a damp cloth. (We clamped the pieces together on a piece of sheet goods to keep the grid flat.)

Assemble the doors and hinge them to the cabinet

1 Dry-assemble the door frames (Q, R, S) with the middle rail (T) and mullions (U, V) in place. Verify the fit, then glue and clamp each door together, checking for square.


2 Cut the glass stops (W, X) to size, and predrill the brad holes through each. (We used one of the brads for a drill bit.)

3 Lay out and mark the centerpoints for the ¼" oak dowels on the front of each door where dimensioned on the Door drawing. Drill the ¹¹¼6"-deep holes, plug with ¼" dowel stock, and sand the ends of the dowels flush with the front of each door.

4 Fit the doors to the opening. (Without decreasing the width of the doors, we ripped a 2° bevel on the outside edges of the stiles [Q] to provide clearance between the doors when opening and closing, and to allow each hinge to come together without springback.)

5 Mark the locations, drill the pilot holes, and attach the barrel hinges to the doors where shown on the Exploded View drawing. (We used nomortise hinges.)

6 Cut the stop (Y) to size. Drill a pair of shank holes in it where shown on the Parts View drawing. Mount the stop to the cabinet; then secure the ball catches to the stop. Secure a second set of ball catches to the bottom shelf. To locate the catch strikes precisely, insert a strike in the ball catch and loosen the catch until the strike can be easily pulled out. Repeat for the other catches. With the strikes in the catches, adhere a small piece of





A piece of tablet-back cardboard protects the glass when nailing the oak glass stops to the door frame.

double-face tape to the back of each strike, and close the doors. Now open the doors, taking care not to pull the strikes loose from the doors, and mark the mating locations on the back side of the doors. Attach the strikes using the Stop detail accompanying the Exploded View drawing for reference.

7 Mark the centerpoints on the doors, and drill the holes for the pulls. See


the Door drawing for reference.

8 Remove all the hardware from the cabinet and doors.

9 Cut the glass for the doors. (We recommend taking the doors to a glass shop and having the glass cut to fit.)

10 Finish-sand all the parts. Stain as desired (we used Minwax Provincial #211 a good choice for imitating that time period), or see our arts-and-crafts fumeless finish article in the November 1998 issue of *WOOD*. Apply the finish. (We brushed on several coats of satin polyurethane.)

11 Position the door frames with the good face down, and set the glass pan-



Building Exterior Projects That Last Part 2


Choose the right glues and finishes, then assemble your project to survive many years.



SIX CONSTRUCTION TIPS


Most exterior glues can't overcome poor workmanship, so build your exterior projects with the same care you would use on your finest interior pieces: Make tight-fitting joints; work the glue while it's still wet; and clamp. Beyond that, building for the great outdoors calls for a little extra thought at the design and assembly stages. Here are six things you can do to keep your project from falling prey to the rain:

Build to shed water. Birdbaths and planters should catch rainwater; your patio table should not. Instead of edge-joining lumber for a large, flat tabletop, leave 1/8" gaps between each piece. The gaps allow rain to drain, and let the wood move. Likewise, leave the spaces between slats open so water falls through, or caulk to prevent trapped water (see drawing below).





THAT DEFEAT THE DRIPS

Minimize end-grain exposure. Moisture moves through end grain like soda through a straw, so plug up end grain by sealing it with finish or caulk, or capturing it in a joint. For end grain that points to the stormy sky or touches the ground, consider covering it with a cross-grain cap, as shown below. Also, keep the edges of laminations from facing up, and fill the edges of plywood with epoxy, or primer and paint.



Use mechanically sound joinery. Locked rabbets and splined miters (see drawing top center) are more durable than butt joints and non-reinforced miters and bevels because they rely less on adhesive alone to make the connection. Scarf and finger joints, like those shown below, provide lots of gluing surface for long workpieces or when gluing up an arch.





Fasten with care. The key to using fasteners in your outdoor project is to avoid any stress that damages the wood or leaves a dimple that holds water. That means pre-drilling screw holes and driving fasteners just below the surface. Avoid counterboring for bolt heads and nuts unless there's a danger of injury from the jutting fastener. (Counterboring opens up more end grain to moisture.)

5 Allow for shrinking and swelling. Weather-exposed wood changes size more often than a lottery jackpot. Use tongue-and-groove or shiplap joints (shown top right) for broad vertical surfaces to keep the inevitable wet/dry cycles from tearing apart your project.

For fragile fretwork or parts, such as wheels, that must endure stress from multiple directions, you can fabricate your own marine-grade plywood as shown below. Resaw and plane an odd number of thin pieces of your project stock (the more the better), then laminate them back together using polyurethane, epoxy, or resorcinol adhesive, and rotating the grain 90° each layer. The parts will be stronger and more stable than solid stock, and will match the wood in your project.



SCARF JOINTS
Use to "lengthen" boards, especially in structural applications. The strongest joints are made with a 1:12 ratio; minimum is 1:8.

FINGER JOINTS
Use to join shorter pieces end-to-end in non-structural applications.

Exterior Projects

USE ADHESIVES THAT TAKE A LICKIN' AND KEEP ON STICKIN'

A number of adhesives make weatherproof claims, and each has its place in the sun (and rain). But no single glue can address all your needs when building for the outdoors, so determine how much moisture your project will be subjected to and what types of joinery you'll use. Then, choose a glue to match your requirements.

Exterior-rated yellow glue. Like regular yellow woodworking glue, this product sets up fast, giving you about 5–10 minutes between application and clamping. Workpieces should remain clamped at least 1 hour. This type II glue (see box at *right*) is appropriate for screwed or bolted joints on projects that will sometimes see rain, but rarely venture underwater.

Epoxy. Because so many varieties exist, epoxies are tough to pin down. Some are type-I waterproof, while others (mostly the fast-curing 5- and 10-minute formulations) are not. Some are thick enough to use as mixed, others must have a thickener, such as fumed silica (shown below left), added before they can be used as an

adhesive. Boat builders like epoxy because it fills gaps in joints, and doesn't require clamping. Most epoxies can even join such materials as glass, plastic, or metal to wood.

Polyurethane. Since coming on the U.S. market about eight years ago, this one-part, type II glue has proven itself as versatile as epoxy without the messy mixing. Although a bead of polyurethane will expand two to three times its size to fill gaps, that foamy lattice has no strength—joints must be tight for a strong bond. Polyurethane cures better in the presence of moisture, making it the ideal adhesive for pressure-treated lumber.

Resorcinol. Traditionally considered one of the best type-I adhesives for laminating, resorcinol withstands submersion in salt water better than other glues, so it's a great candidate for projects constantly exposed to salty sea air. However, as you can see in the photo below, resorcinol leaves a visible dark red or purple glue line that can be unattractive on projects made from light-colored wood.

By the numbers: Type I vs. Type II glue

You've probably read of waterresistant glues being rated as "type I" or "type II," but wondered what that means. Is one more waterproof than the other?

Well, the government tags type I honors on an adhesive that survives strength-testing after repeated cycles of drying and dunking in boiling water. Glues earning a type II rating were not strength-tested, but showed virtually no separation or delamination after repeated wet/dry cycles in room-temperature water.

In the real world, most of the type IIs are as weatherproof as the type Is. However, a type I rating can give you an extra measure of confidence that your project will stay together, especially if it will spend long periods of time underwater.



Adding a thickener, such as the mound of silica shown, turns some epoxies from a coating to a strong, paste-like adhesive.



Resorcinol glue lines are virtually invisible in the walnut lamination on the right. However, the dark purple lines can be a distraction, or a stunning design feature, in lighter-colored woods.

APPLY A FINISH THAT WON'T DIMINISH

If you're looking for the perfect outdoor finish, you'll probably find it right next to Bigfoot because they're equally elusive. Any coating you choose will be a compromise of one kind or another, so choose the best exterior finish for your needs with the help of the chart *on page 75* and the tips that follow.

Whatever coating you decide on, remember these tips:

•Many products designed for exterior use contain a mildewcide, which can produce a severe allergic reaction. Don't use a paint or stain containing mildewcide on surfaces that may be in direct contact with food.

•Let pressure-treated lumber dry out before applying a finish. In warm, dry summer weather, it will take only two to three weeks.

Like you, your project needs sunscreen and a raincoat

Despite the hype and the myriad of coatings marketed for exterior use, selecting the right one for your project boils down to two basic facts: (1) wood in the weather has two chief enemies—the sun and the rain and (2) short of keeping your outdoor project *indoors*, no finish on Earth can completely protect it from either.

The ultra-violet (UV) rays of the sun begin to destroy a wood surface almost immediately, giving it the silver-grey color you're familiar with. The degradation accelerates as the wood begins to crack and check, allowing moisture to penetrate deeper into the wood.

So what's a woodworker to do? Ideally, keep your exterior project out of the elements by placing it out of direct sunlight, say in a porch or covered deck, or by storing it in a shady spot when not using it. That's fine for lawn furniture and other small, easily movable projects, but you can't just pack away the front door or garden arbor every sunny day.

For projects that must endure the sun day in and day out, take Mom's advice and apply a good sunscreen—a pigmented finish. Paint and solid-color stain contain enough pigments to be

ENTERO THE SHOWING	RAC	ETC	O THE	FIN	IISH		Burge		ama.	10 011
PERMIT			Yea	irs Be	ween	Re-app	licatio	n	114 75	IN THE REAL PROPERTY.
Coating	1	2	3	4	5	6	7	8	9	10
Marine/Spar varnish	6-1	nonth	s – 1 ye	ar	FU					
Water-repellent preservative		1-	-2 years		1	13-	19411	1		
Penetrating oil		1-	-2 years		10	ninfa l	777 AS	29/15	9 14	S III
Semi-transparent stain				3	-7 yea	rs			AGE IN	
Solid-color stain				3	-7 yea	rs				
Paint							7-	-10 yea	irs	

opaque, so both offer good protection from the sun.

Mom also made you wear your raincoat outside when the weather turned nasty, and your project deserves the same shelter. Any coating that encases the wood in a protective film will keep water from going in like a raincoat. But sooner or later, moisture will find its way beneath the film and cause it to fail. So, you want to cover your project with a soft coating that repels water.

Another real option is one seldom considered by most woodworkers: to put your project out into the elements with no coating at all. The most rotresistant species of wood, as long as they're not in constant contact with the ground or water, will weather away only about ½" in a century. However, without a mildewcide



applied, your project will grow dark splotches at best, and a thick (albeit UV-blocking) fuzz at worst.

Opaque coatings block sun best

Let's apply what we've learned to the task of choosing the proper finish for your project. In a perfect world, the



Semi-transparent stains

ultimate outdoor coating would contain a mildewcide and loads of pigments, prevent moisture penetration without forming a hard shell, and be easy to maintain.

Paint and solid-color stain (essentially thinned-down paint) come pretty close to that ideal because both are thick with pigments so the wood beneath never sees the light of day. That's a good part of the reason why wood siding on properly painted and maintained homes can last more than a hundred years. This kind of longevity is even more likely today because a good acrylic latex paint remains flexible enough after curing to stretch with the wood as it expands and shrink back as it contracts.

That's not to say that paint and solid-color stain are perfect. Even if you coat each piece individually before assembly, water eventually will work its way through the wood and come up beneath the paint, causing the coating to blister and peel off. Puddles on horizontal surfaces accelerate this kind of bubbling finish failure—one reason why these coatings are a poor choice for decks.

Continued

Exterior Projects


Here are some ways to get the most out of paint and solid-color stain:

• Prime first. Conventional wisdom says that an oil-based primer is the best preparation for latex paint, but it's not so anymore. Environmental concerns and improved technology have put water-based primer on a par with its oil-based brother under both paint and solid-color stain. The only exception: Oil-based primer bonds better with weathered wood.

•Acrylic latex paint performs as well as oil-based but is easier to clean up, so make it your first choice for projects that won't be handled, such as a birdhouse or arbor. However, it tends to be sticky when warmed by the sun, so on furniture and toys, brush on an oil-based enamel. Start with a high-quality primer and follow with two coats of paint.

•Seal exposed areas of end grain, especially at joints and places where a piece will make ground contact, such as the leg bottoms of a table or chair. These spots are highly prone to coat-

Clear film-forming finishes adhere only to the top layer of wood cells. When the sun destroys those cells, the wood sheds them, along with the finish.



•Repair cracked paint by first daubing paintable WRP in the fissures. Wipe away any WRP from previously painted surfaces before applying primer and paint to the damaged area.

• Two commonly used outdoor woods, redwood and cedar, excrete water-soluble components that can bleed through a latex paint. To avoid the problem, prime with a stain-blocking latex primer, such as Kilz Total One (800/325-3552), before painting.

Want to see the wood grain? The solution is not so clear

Finishes that allow you to enjoy the beauty of the wood grain in your deck or porch swing fall into one of two categories. They either form a hard film over the wood, or they absorb into the wood's surface.

Because clear film-forming finishes, such as varnish, polyurethane, and epoxy, contain no sun-blocking pigments, they allow damaging UV rays to pass through to the wood unchecked, degrading the wood's surface. The wood soon sloughs off that damaged top layer of cells, taking the finish with it, leaving you with a cracked, flaking project, as shown



below, top left. To repair this kind of damage you need to sand down to bare wood and start all over again.

Clear film-formers work best where they're sheltered from direct sunlight and rain. For instance, a North-facing wooden entry door will hold up well with a few coats of spar varnish—especially if further protected by a storm door—because it will never feel the effects of the sun or rain.

On the other hand, penetrating oils, oil-based semi-transparent stains, and WRPs absorb into the wood instead of forming a hard shell on it, so they don't crack as the wood shrinks and swells. Compared to film-forming finishes, renewing a penetrating finish is a stroll on the boardwalk. Simply clean the surface with a detergent and an oxidizer (many commercial deckcleaning solutions contain both), then brush the new finish over the old. But unpigmented or lightly pigmented penetrating finishes provide virtually no defense against UV rays, meaning your project will still suffer in the sun.

Some penetrating oils, such as Penofin 550 (Performance Coatings, 800/736-6346), Ready Seal (Ready Products, 972/434-2028), and Total Wood Preservative (Gemini Coatings, 800/262-5710), appear clear to the eye, but in fact contain loads of ultraviolet inhibiting pigments, ground to near-microscopic levels. These tiny pigments, in sufficient quantities, effectively block the bulk of the UV rays from reaching the wood. How can you tell if a penetrating oil uses finer pigments? Look for trans-oxide pigments in the labeled ingredients.

Oil-based, semi-transparent stain combines a low price with the better features of both paint and penetrating oil. It contains enough coarse pigment to partially shield your project from UV rays, and because the finish doesn't form a hard film, you're free



Treating the end grain of these two pieces of wood siding with a water-repellent preservative before painting would have reduced the moisture penetration

that caused the paint to fail.

from the drudgery of sanding away the peeled coating at renewal time.

Whether you choose a penetrating or a film-forming finish, get clearly better results by following these tips:

•The labels of some inexpensive clear finishes brag about having "UV protection added," but these products provide only a marginal barrier to the sun. The protectants aren't pigments, but mostly synthetic UV blockers, which are more fragile than pigments and work only for a few months after being applied.

·Maintain a "wet edge" when brushing on a penetrating stain. That means finishing boards their full length before stopping, because

fresh finish applied to already-dry finish leaves a doubly dark

area where the two overlap (see lower right photo, opposite page). This no-lapping rule also makes it more difficult to repair and blend high-traffic areas later.

· For a glossy look, apply a semi-transparent stain first; then top it off with a varnish. The stain protects the wood from UV damage and at least triples the life of the varnish. The Sikkens Cetol finishing system (800/833-7288) operates on this principle.

·You say you can't bear to add any color to the wood? We don't recommend it, but if you insist on a clear finish, use an untinted water-repellent preservative. Commit yourself to reapplying every six months or so, and remember that the sun will continue to degrade the wood.

·On rough-sawn or weathered wood, oil-based semi-transparent stains last

> longest because the pigments nestle in among the coarse wood fibers, rather than lie on the smooth surface, where they can be knocked

off easily. By the same token, a light sanding of smooth wood activates the surface to accept any finish, water- or oilbased, more readily.

Penetrating oils with finely ground pigments



Finish fast, or is it better with age?

You may have heard that you should leave your project unfinished for several months before applying a finish, but don't. Film-forming finishes don't bond well with weathered wood, so you'll need to thoroughly clean and possibly even sand before you prime and paint. On the other hand, a penetrating finish actually appreciates a little vintage.

The Forest Products Lab suggests applying a WRP to your project right away to slow the weathering while still allowing some cracking and checking. Then, a year later, choose and apply a pigmented penetrating finish to your project.

Coating	Type (1)	Cost (2)	UV Blocker (3)	Application	Finished Appearance	Periodic Maintenance	Comments
Water-repellent preservative	Р	\$6-7	None	Brush or dip.	Grain visible; wood color fades with age.	Clean with detergent and oxidizer; reapply.	Readily available. Not an effective finish by itself, but an excellent pre-treatment when used under paint or solid-color stain.
Marine/spar varnish	F	\$20-30	None*	Brush 3–10 coats.	Grain and natural wood color visible; yellows with age.	Clean and sand when finish begins to peel or dull; apply two new coats.	Soft film-finish flexes well with wood movement. Not recommended for projects exposed to direct sunlight or rain.
Penetrating oil	Р	\$25-37	None, to finely ground pigments	Brush, roll, or spray 1–2 coats, or dip.	Grain visible; slightly colored as desired.	Clean with detergent and oxidizer; reapply.	Easy to apply. Requires frequent reapplication to remain effective. Oils with finely ground pigments are the best finish for decks.
Semi- transparent stain	Р	\$9-16	Light pigment	Brush or roll 1–2 coats; maintain wet line.	Grain visible; colored as desired.	Clean with detergent and oxidizer; reapply.	Good combination of UV- and moisture-protection. Traffic areas are tough to repair and blend with old finish.
Paint and solid color stain	F	\$12-25	Heavy pigment	Apply WRP, then brush on primer and 2 top coats.	Grain and natural color hidden.	Clean and reapply topcoat when primer begins to show; sand if finish is flaking.	Best overall protection for outdoor projects. Use oil-based enamel on furniture; otherwise choose an acrylic latex. Stain performance is much improved with primer. Do not use on horizontal surfaces.

offer only short-term protection from UV rays.

(F) Film-forming Written by Dave Campbell

(P) Penetrating

Photographs: Baldwin Photography, Forest Products Society Illustrations: Kim Downing

2. Approximate cost 3. (*) Marine varnish contains UV absorbers, which

per gallon



A hardness tester helped us determine if the metals in the 24 chisels we review here have the mettle to hold up over time.

Bevel-edge Classification of the second seco

Our tests give you an advantage in choosing the right model

A good-quality, properly sharpened chisel is a joy to use. It feels like a natural extension of your hand as it slices through wood with ease, faithfully delivering just the cuts you need. Its hard edge stays razor-sharp cut after cut.

If you know this sensation—good for you. If not, or if it's been awhile, stay tuned as we tell you which of today's bevel-edge chisels are capable of transporting you to this woodworking paradise.




First, a few words about the chisels in our test

In this article we focus on generalpurpose bevel-edge chisels like the ones *above*. As their name implies, these chisels have beveled edges that help you maneuver the cutting edge into tight spots. They may not be perfect for every task, but they're just the thing for general use. If you can own just one set of chisels, look no further.

We investigated 24 different models of bevel-edge chisels in sets with four to nine pieces each. The typical

set has five pieces with ¼"-, ¾"-, ½"-, ¾"-, and 1"-wide blades. Some of the larger sets include ¾"-wide models, and blades up to 2" wide. Most of the chisels are European imports in metric widths that are close to their stated size in inches.

Prices vary considerably. Some of the less-expensive five-piece sets on today's market can be had for about \$30, but the best chisels will set you back over three times that much for the same number of pieces.



Fast Facts

- The best chisels in our test cost close to \$100 for a fourpiece set. But, you can buy many high-quality four-piece sets for under \$70.
- Most of the tested chisels work well for furniture making, but some are best for construction tasks—although you won't find them branded that way. You may want a set of each.
- Even the least-expensive chisel with a well-honed edge will outperform the best chisel with a dull edge.
- Choosing a chisel with a wooden or plastic handle is largely a matter of aesthetics.
 We found little difference in performance between the two.

How we pounded and prodded the chisels

We put each of the chisels through a battery of trials to determine how well they will perform for you. Before slicing into wood, though, we inspected each of the chisels for factory-edge sharpness. (It was all over the place—more on that later.) We recorded key blade geometries, such as the angle of the cutting bevel (see illustration below left) and the profile of the edge grind. With the hardness tester shown on the opposite page, we checked the Rockwell hardness of each blade at various locations along its length.

Next, we brought each of the cutting edges up to an equal sharpness and added a micro-bevel (see illustration below left). We checked their cutting performance with across-the-grain and with-the-grain cuts in red oak and pine. (With properly sharpened edges they all cut well.) To gauge the durability of the handles, we drove each chisel into a heavy block of wood with 100 heavy mallet blows.

And because of the subjective nature of determining handle comfort, we put the chisels in the hands of four staffers, with hands ranging from small to large. Not surprisingly, each of them preferred a different handle.

Continued.

Chisels

Key points to consider when choosing a chisel

· How it will be used

Most of us need a good chisel for typical woodworking tasks, such as cleaning up joints and hardware mortises. For this type of delicate work that doesn't require a mallet, choose a chisel with a low bevel angle on the cutting edge and a comfortable handle. (The chart at the end of this article has bevel angles for all of the chisels.) The lower bevel angle helps the edge slice through hard woods with less resistance.

If you envision doing these tasks and heavier-duty furniture-making work, such as chopping deep mortises, select a chisel with a hard blade and a durable handle that stands up to mallet blows. If you prefer wooden handles over plastic, select one with ferrules (the metal bands at both ends of the handle). These help prevent the handle from splitting when struck.

On the other hand, if you intend to use the chisels for more-abusive carpentry tasks, such as removing large amounts of material in softwood 2×, 4×, and 6× stock, opt for a chisel with a plastic handle with a strike plate on its end. Why? Chances are you'll reach for the nearest striking tool, generally a steel hammer, when doing carpentry. Such handles—found on less-expensive chisels from Craftsman, Nicholson, and Stanley—hold up well to blows from steel hammers.

These chisels also have relatively high cutting bevels—another advantage for abusive work. The high angle

ACIO ACIDA ACO ACIO MAI	Н			IN	A HARD	D CHISELS I NESS TEST RDNESS C SCA			D		
CHISEL	To leave	CFAITE	SHAMI	CONSISTENCY OF THE	HARDNESS CONSISTENCY ACROSS SET (2)	CHISEL	100	CENTE	SHAMI	CONSISTENCY OF TIP CENCY	HARDNESS CONSISTENCY ACROSS SET (2)
SWISS MADE	62	62	49	E	E	MARPLES Splitproof	59	60	17	E	G
SORBY Rosewood Handled	61	60	37	E	*	NOOITGEDAGT	59	59	42	G	G
WOODWORKER'S SUPPLY	61	60	25	G	G	SANDVIK Wood Handled	59	60	38	F	F
German Bevel-Edged		i i	IO.			SORBY Boxwood Handled	59	59	26	E	E
WOODWORKER'S SUPPLY	60	58	54	E	G	ASHLEY ISLES	59	59	25	E	E
Rosewood Handled MARPLES	2 1					FOOTPRINT 85 Series	58	60	26	G	G
Blue Chip	60	60	17	E	G	BUCK BROS.	57	60	35	E	G
WOODCRAFT Private Labeled	60	61	42	G	G	CRAFTSMAN	57	58	59	G	G
FREUD	59	60	59	G	G	FOOTPRINT 565 Series	57	58	24	F	Free
GARRETT WADE	59	61	56	G	G	STANLEY	57	23	23	F	F
HIRSCH	59	59	31	G	G	16-180 STANLEY	0				
TWO CHERRIES Plastic Handled	59	60	53	E	E	16-902	57	33	23	E	F
TWO CHERRIES	165					WOODCRAFT Butt Chisel	57	55	39	F	F
Wood Handled	59	60	34	E	E	NICHOLSON	54	55	55	G	G

puts more steel mass behind the cutting edge, so it holds up better if you strike a nail or other hard object. These less-expensive chisels have blades made of softer steel, so they dull faster, but that's not all bad in this case. You can quickly grind the softer steel back to a sharp edge if you seriously damage the edge.

The beveled edge on Sorby's Boxwood Handled chisel (right) helps it get into tight spots with greater ease than the Nooitgedagt chisel (left).



• The profile of the edge grind

Although all of the chisels in this test have beveled edges, the amount of bevel, and the thickness of the blades, varies by brand. As the chart at the end of this article shows, some edges are thin for the length of the blade, most taper from thin at the blade to thick near the handle, and some are thick for their full length.

How does this affect you? If you need to clean out tight corners like those on the dovetails at *left*, choose a model with a thin edge near the business end of the blade. The Sorby chisels were tops in this regard, and the chisels from Woodworker's Supply also earned high marks. The following makes also proved adequate for tightcorner work: Alshley Isles, Marples, Hirsch, Two Cherries, and Footprint.

And what about chisels with thick profiles all along their edges, such as Craftsman, Nicholson, Nooitgedagt, Stanley, and Woodcraft's Private-Labeled model? They prove the most durable under abusive circumstances.

• Blade bardness

As the chart at *left* shows, the chisels varied considerably in the hardness of their steel. Of the three readings we took along the length of the blade—near the tip, center, and shank—pay careful attention to the tip rating. Simply put, the higher the hardness rating, the longer the cutting edge will retain its sharpness.

Also, look for a chisel that is consistently hard across the width of its tip (we took three readings at each of three locations as shown by the dimples in the photo *above right*). And, note that some models showed better hardness consistency from chisel to chisel within a set.

Although the hardness of the shank end isn't incredibly important if you use the chisel properly, take this rating into consideration if you think someone (not you of course!) may use the chisel for prying something (a paint can lid, perhaps?). The softer shanks could bend under such abuse.

Factory sharpness


Most of the tested chisels require some honing on your part before they will cleanly slice wood fibers with just hand pressure. Of the tested chisels, only three models—Ashley Isles, Sorby Rosewood Handled, and Swiss Made—were well honed upon delivery and earned an "excellent" rating under "factory sharpness" in the chart at the *end of this article*. Of these three, the Swiss Made were exceptionally sharp; they had been honed *and* stropped at the factory to razor-like sharpness.

Handle comfort

To judge this area we asked four staffers—frequent chisel users with various hand sizes—to try each chisel and rate their top four. See the information *above right* for the results.

· Blade finish

Manufacturers add either a thin layer of oil or a plastic coating to these chisels to prevent rust. We prefer oil because it doesn't gum up honing stones the way that plastic does. However, the oil does wear off, so



HOW OUR JUDGES RATE HANDLE COMFORT

Jim Downing, Senior Design Editor

SMALL HANDS

- 1. Hirsch
- 2. Two Cherries Plastic Handled
- 3. Marples Blue Chip
- 4. Nooitgedagt

Jan Svec, Assistant Design Editor/ Project Builder

MEDIUM HANDS

- Sorby Rosewood Handled
- 2. Footprint 85 Series
- 3. Marples Blue Chip
- 4. Swiss Made

Chuck Hedlund, Project Builder


MEDIUM HANDS

- 1. Woodcraft Butt Chisel
- 2. Marples Blue Chip
- 3. Two Cherries Plastic Handled
- 4. Swiss Made

Lee Gatzke, retired Art Director

LARGE HANDS

- 1. Footprint 85 Series
- 2. Sorby Rosewood Handled
- 3. Marples Blue Chip
- 4. Swiss Made



Jan Svec (left) prefers a thicker handle than Jim Downing (right).

Judges' Comments:

Footprint 85 Series

The flattened oval shape has no sharp corners and fits comfortably in the hand. Even narrow sizes don't roll when you put them down.

Hirsch

Relatively skinny handles fit nicely into smaller hands.

Marples Blue Chip

Has good feel and balance. Another handle with a flattened oval shape. Not quite as roll resistant as the Footprint 565 Series.

Nooitgedag

Round handle has lip near shank to which you can gently apply pressure with your thumb and index finger.

Sorby Rosewood Handled

The length and thickness of the handle are just about perfect. Its round shape fits comfortably in your hand, but narrower chisels tend to roll.

Swiss Made

Good balance. The round handles have a bulge that fits comfortably in the hand. Its wood surface has no finish-I would finish it myself.

Two Cherries Plastic Handled

Has good feel and balance. Fits hand well for hand use or with mallet.

Woodcraft Butt Chisel

Not appropriate for mallet use. Short, stubby handles feel good in hand and help chisel fit into tight spots.



Some of the tested chisels come in a protective and showy wood box.

you need to reapply it every now and then; the plastic stays on permanently unless you remove it with abrasives.

· Packaging

When doing tool reviews, we usually don't pay much attention to packaging. But when it comes to chisels, packaging makes a difference because a well-honed chisel needs a protective home. And we found big differences in packaging quality. Most of the chisels come in a soft plastic pouch, hard-plastic case, or cardboard box that adequately protects the tips during storage. The nicest packages were the wooden boxes like the one from Freud shown at *left*.

Continued .

Chisels

We feel these chisels have an edge on the rest of the field

In the course of this review, we put our hands on a lot of really fine chisels. Making a choice was no easy task, and none of the chisels truly disappointed us. Nevertheless, the Swiss Made chisels stood at the head of the class. Not only were they made of the hardest steel we tested, they also showed the best consistency of hardness across the widths of their tips and from chisel to chisel. And no other brand matched the sharpness of their factory edges. Working with these chisels was a pure pleasure. The only improvement we would make is to add our own oil finish to their bare-wood handles.

Both of the Sorby chisels also were finely made with top-notch materials. And we really liked their thin edge profiles for cleaning up dovetails.

If the Swiss Made and Sorby chisels put too much strain on your wallet, don't be too concerned—we tested lots of other chisels that were nearly as good, but cost considerably less. In this group our favorites were the Ashley Isles chisels from Jesada and the German Bevel-Edged chisels from Woodworker's Supply.

If you're looking for a low-cost set that you can subject to abuse, the Stanley 16-902 chisels delivered good results overall. The Craftsman chisels proved the toughest of this lot because their blades were relatively hard from shank to tip. The unique Nicholson line of Woodchuck chisels have a top face that serves as a rounded rasp, the bottom face as a flat rasp—a handy combination at carpentry sites.




				Į IMI
			HAN	DLE
MANUFACTURER/	MODEL	MATERIAL (4)	SHAPE (2)	
ASHLEY ISLES	Beech Handled	W-BE	R	
BUCK BROS.	1040	Р	R	
CRAFTSMAN	36857	Р	ROF	Q
FREUD	WC Series	W-S	ROF	
FOOTPRINT	565 Series	W-BE	ROF	
mb adove in	85 Series	Р	ROF	
GARRETT WADE	Cabinetmaker's Set	W-BE	ROF	
HIRSCH	Hornbeam Handled	W-Н	0	
MARPLES	Blue Chip	Р	ROF	
MANFLES	Splitproof	Р	ROF	
NICHOLSON	Woodchuck	Р	R	
NOOITGEDAGT	Wood Handled	W-BE	R	
SANDVIK	Wood Handled	W-BE	R	ď.
SORBY	Boxwood Handled	W-B0	0	
	Rosewood Handled	W-R	R	
STANLEY	16-902	Р	R	
	16-180	Р	R	et v
SWISS MADE	Balabum :	W-H	R	-
TWO CHERRIES	Wooden Handled	W-H	ROF	
per un d'un situa	Plastic Handled	Р	ROF	9
WOODCRAFT	Butt Chisel	W-R	R	
	Private Labeled	W-S	R	
WOODWORKER'S SUPPLY	German Bevel-Edged	W-H	R	
ad No late	Rosewood Handled	W-R	R	I



CU	TTING	à-El	oG	EIN	IF (ORN	OITAN	N (NC	BE	VE	L-	ED	GE	CH	IISEL	S	
				BI	ADE				180		PERF	DRMA	NCE	(7)		/	P. D. Stanton S. C.	
LENGTH (INCHES) (3)	LENGTH (INCHES)	FINISH (A)	BEVEL AND	MICRO BEVEI	BEVEL GRILL	EDGE GRIND (5)	STORAGE ACCESS. SETS (8) WITH	HAND (ISE		FORT	FACTORY	EASE OF S.	STRIKING	STRIKING TO STRIKI	APPROX. STREET	COUNTRY OF MANUE. (10)	NOTES: 1. (P) Plastic (W-BE) Wood - Beechwood (W-B) Wood - Boxwood (W-H) Wood - Hornbeam (W-R) Wood - Rosewood (W-S) Wood - Species unknown	6. (A) Thin profile for length of blade (B) Thin tapering to thick (C) Thick for length of blade 7. Excellent Fair G Good P Poor
61/8	55/8	0	24°	N	Н	В	Plastic Pouch	F	E	G	E	E	G	E	\$15	E	2. (0) Octagonal (R) Round	(N/A) Not applicable
35/8	43/4	0	25°	N	Н	В	Plastic Rack *	F	G	F	G	G	E	G	8	U	(ROF) Round or oval with flattened areas	8. (*) Includes plastic tip protectors
51/8	41/8	None	34°	N	Н	C	Plastic Pouch	F	G	F	G	G	E	G	6	U	Measured from end of handle to end of ferrule.	Some chisels are available in sets only. For chisels not available
5	41/2-53/8	0	24°	N	F	В	Wood Box	F	G	G	F	G	F	G	10	1	4. (M/O) Mirror polish	individually, we calculated an average price per chisel.
47/8	53/4	PL	26°	Y	Н	В		G	G	G	G	G	F	G	11	E	with oil coating (M/PL) Mirror polish	10. (C) Czechoslvakia (E) England
41/4	53/4	0	25°	Υ	Н	В	Plastic Pouch *	G	G	G	G	E	E	G	10	E	with plastic coating (0) Oil coating	(G) Germany (H) Holland
5	45/8-53/8	0	24°	Y	F	В	Wood Box	F	G	G	P	F	F	G	10	С	(PL) Plastic coating 5. (F) Flat grind	(I) Italy (S) Sweden
51/4-6	51/4-6	M/PL	26°	N	Н	В	Plastic Pouch	E	F	G	G	G	E	G	20	G	(H) Hollow grind	(SZ) Switzerland (U) United States
43/4	5-7	0	25°	Υ	Н	В	Wood Box *	G	G	G	G	E	G	G	11	E		
43/4	5-7	0	25°	Υ	Н	В	Wood Box *	F	G	G	G	E	E	G	14	E	Where to call for more infor	The state of the s
33/4	41/4	None	31°	N	F	С		F	G	F	G	G	E	G	10	U	Ashley Isles Available from Jesada Tools	Nooitgedagt Available from Constantine's at 800/223-8087
43/4	43/4	PL	25°	N	F	С		F	F	G	G	F	G	F	10	Н	at 800/531-5559	Sandvik
51/4	55/8	0	25°	N	Н	В	Cardboard Box	F	G	G	G	F	G	G	19	S	Buck Bros. Available at Home Depot	For a dealer near you call 800/828-9893
51/2	47/8-51/8	0	22°	N	Н	A	Cardboard Box *	G	E	E	G	E	G	G	25	E	Craftsman Available at Sears	Sorby Available from Garrett Wade
41/2	55/8	0	22°	N	Н	Α		E	G	G	E	E	P	F	30	E	Freud For a dealer near you	at 800/221-2942 and Woodcraft
41/2	41/4	PL	28°	N	Н	С	Plastic Case	F	G	F	G	F	E	E	9	U	call 800/472-7307 Footprint	at 800/535-4482 Stanley
31/2	41/4	PL	28°	N	Н	С	ELIVE ST	F	G	F	G	F	E	E	7	U	For a dealer near you call 905/564-6007	For a dealer near you call 800/648-7654
53/8	43/4-6	0	25°	Υ	Н	В	inaci	E	G	E	E	E	G	G	20	SZ	Garrett Wade Available at 800/221-2942	Swiss Made Available from Woodcraft
43/4-51/4	51/4-53/4	M/PL	27°	N	н	В	Plastic Pouch	G	G	G	G	G	G	G	19	G	Hirsch Available from	at 800/535-4482 Two Cherries
41/4-45/8	51/4-53/4	M/PL	30°	N	Н	В	Plastic Pouch	F	G	G	G	G	E	G	19	G	Highland Hardware at 800/241-6748	For a dealer or mailorder source call the Robert Larson Co. at
21/2	31/2	M/0	28°	N	F	В	Cardboard Box *	G	P	G	F	G	N/A	N/A	14	Е	Marples For a dealer near you	800/356-2195
5	6	0	25°	N	Н	С	multi-Si	G	E	G	G	G	G	G	15	Н	call 905/428-1077 Nicholson	Woodcraft Available at 800/535-4482
51/4	53/8-53/4	M/PL	25°	N	Н	В	Cardboard Box	G	G	E	G	E	G	E	10	G	For a dealer near you call 919/387-0099	Woodworker's Supply Available at 800/645-9292
51/2	43/4-51/2	M/0	25°	N	Н	В	Cardboard Box	E	G	G	F	E	Р	F	14	E	5moe (ii	all a the pieces, do
beyo Nils	*					SY NI		101)	PRINCE PALSO PALSO	7)	0	THE STATE OF THE S		





Getting that lovely lasagna or comfort-food casserole from the oven to the table poses one problem: How to serve up a too-hot-to-handle dish. Here's a simple-to-make casserole carrier that solves the problem, and looks good doing it, too.

Note: Our holder takes a 9×13" Pyrex baking dish. You can modify it to accommodate other styles or sizes.

Pattern the pieces, drill some holes, and cut out the bases

1 Cut two ½×2¹¹/₁₆×16¼" pieces of maple for the base and two ½×2½×7" pieces of cherry for the handles.

2 Photocopy the Full-Size Handle and Base patterns. You'll find them in the WOOD PATTERNS® insert in the back of the magazine. Make two copies of the Handle pattern.

Adhere the Base pattern to one of the maple blanks, using spray adhesive. (Follow the manufacturer's instructions for temporary bonding.) Adhere the Handle patterns to the handle blanks the same way. **3** Bore the counterbores in the base blanks where shown. To do this, transfer the counterbore centerline to the edge of the patterned blank.

Then, chuck a %" Forstner bit in your drill press, and position a fence on the drill-press table to center the bit on the edge of the blank. Clamp a stopblock to the fence to center the bit over the mark. Bore the counterbore to %" deep, and set the drill-press depth stop. Now, drill the remaining three counterbores, as shown in *Photo 1* on the *opposite page*.

4 Center an ¹/₄" hole in each counterbore. To drill these holes, leave the fence and stopblock where you set them to drill the counterbores—just change the bit in the drill press.

5 Bore counterbores in the handles, and drill screw holes through them where indicated on the pattern.

6 Temporarily laminate the base blanks with double-faced tape, placing the patterned piece on top. Keep the edges flush and the counterbored edges together.

7 Bandsaw the bases, as shown in *Photo 2*. Cut slightly outside the line; then sand to the line with a drumsander. Separate the parts.

Scrollsaw the handles, and complete the carrier

1 Scrollsaw the design on each handle, as shown in *Photo 3*. To do so, drill ½6" blade start holes inside the cutout areas on each handle. Then, insert the scrollsaw blade through each hole in turn, and make the inside cuts. (We sawed the designs with a #4 blade, .035×.015" with about 18 teeth per inch. We cut out the leaves first, then cut out the stems.)

2 Scrollsaw or bandsaw the handles to shape. Sand the sawn edges smooth, as necessary. Remove the pattern.

3 Rout a ¼" round-over along the top edge of each handle (the side with the counterbores). A table-mounted router does the job safely and easily, as shown in *Photo 4*.

4 Finish-sand all parts, using progressively finer grits from 100 to 220.

5 Shorten four #8-32×3" flathead machine screws to 2%". To shorten them, thread a nut onto the screw first. Then, cut the screw with a hacksaw. Remove the nut to clean up the thread at the cut.

6 Press a #8-32 nut into each base counterbore. To do this easily, thread the nut about halfway onto one of the




A fence and stopblock on your drill press will locate the counterbores and holes in the base accurately.



Bandsaw both bases at once by laminating the blanks with double-faced tape.



Scrollsaw the handle pattern first; then cut the handle to shape.



Round over the handle edge safely and easily on a table-mounted router.



Tap nuts into the base counterbores to ease assembly.




Clamp the bases to hold them square while assembling the carrier.

#8-32 machine screws. Pilot the end of the screw into the hole through the base; then push the screw head to seat the nut in the counterbore. (We drove ours in with a tap from a dead-blow mallet, as shown in *Photo 5*.) Remove the screw.

7 Assemble the handles and bases, as shown in the Exploded View drawing. To keep all the parts square, cut a scrap of ½" plywood 4¾" wide by about 11" long. Stand a base alongside each edge of it, align the ends of the bases with a framing square, and clamp the bases, as shown in *Photo 6*. Then apply glue to the base tips, and screw on the handles. Keep the assembly clamped until the glue dries.


8 Plug the base and handle counterbores. Sand the plugs smooth; then apply a durable clear finish, such as a semigloss polyurethane.



CUTTING DIAGRAM

1/2 x 31/2 x 24" Cherry

1/2 x 31/2 x 36" Maple



Though it brings to mind extraterrestrial objects, such as space stations and flying saucers, our turned lazy Susan boasts down-to-earth practicality. At any gathering, you only have to fill the four compartments with snacks, and this beauty becomes the center of the universe.

Turn the bowl in the body

Note: If your lathe won't swing 15"-diameter work over the bed, you can turn outboard (if your lathe permits) or scale down the turning.

Locate the center on one face of your 2×15×15" mahogany stock. Draw a centered 15" circle on the stock, and bandsaw the blank.

Chuck the blank so the surface that will be the top of the lazy Susan faces out. (See the box at the *right* for a hint on chucking lathe work.) If you don't have a lathe chuck, glue a wasteblock to the back face of the blank, and screw your faceplate to it.

Adjust your lathe to a slow speed, around 400-500 rpm. Turn the blank to 14¼" diameter, and true the face.

Hold a pencil against the face of the spinning blank 1¾" from the edge. Inside the circle drawn, form a flatbottomed bowl 1¼" deep. A bowl gouge and a heavy scraper will accomplish the job. Slope the side slightly inward at the bottom, and curve it into the bottom as shown on the Section View drawing.

Draw another circle on the face, this one 1½" from the edge. Then draw a line around the edge of the blank 1¼" from the face. Form a sloped surface between these lines, as shown in *Photo A*, *next page*. You can rough it out with a gouge, and clean it up with a bowl scraper.

Make a clean-up cut along the flat surface between the sloped face and the bowl. Sand the interior, the sloped face, and the top. Maintain fairly sharp edges for a crisp look.

Continued

You'll need...

Stock: Mahogany, $2\times15\times15$ " (or narrower stock edge-glued to this size) and $3/4\times21/2\times21/2$ ", one piece each size; wenge, two pieces 1/4" $\times31/2\times18$ ".

Lathe equipment and tools: Chuck, faceplate, ½" bowl gouge, parting tool, bowl scraper, 1" skew.


Get off to a quick start by routing a recess for the chuck

Jerry Selover, a Des Moines woodworker who turned our lazy Susan, showed us how to save a few steps when mounting a blank on an expanding-jaw woodturning chuck.

The method relies on a routing template made from a piece of ½"- or ¾"-thick plywood or particleboard. (A piece about 12" square would be about right.) At the center of the piece, bore a hole that's a little larger than the diameter of the dovetail recess required for your chuck jaws. (The hole needs to be large enough, that when used with your guide bushing and dovetail bit, you can rout a recess of the proper size. A 2½" hole in our template produces a dovetail recess that's 2¾6" in diameter.) Bore the hole with a circle cutter or holesaw to ensure a smooth edge.

To prepare a blank for mounting, draw a circle the size of the template's hole at the center on one side of the blank. Position the template on the blank, locating the hole over the drawn circle, as shown *below*. Clamp the template to the blank or secure it with double-faced tape.

Fit your router with a pattern bushing, and install a dovetail bit, as shown in the photo. Adjust the cutting depth to suit the chuck's requirement. Then, rout the dovetail recess in the blank, guiding around the inside of the template hole.



You can rout a chucking recess in your blank using a scrapwood template and a template bushing on your router. Rout the recess with a dovetail bit.

Put Your Snacks

In Orbit

Kerf the body for the dividers; then turn the bottom recess


Saw two ¼" kerfs 90° apart across the diameter of the turning, using a dado blade and tablesaw. Set the cutting depth to make the kerfs ½" deep across the center of the bowl. To saw the kerfs safely and accurately, build a fixture like the one shown in the illustration below. Saw the kerfs as shown in Photo B.

Next, turn the bottom of the bowl, using a jam chuck like the one shown in *Photo C*. To make the chuck, attach a ½"-thick, 12"-diameter disc to your lathe faceplate. (We laminated two pieces of ¾" particleboard scrapwood for the one shown.)

True the face and edge. Then turn the disc to fit snugly into the bowl recess. Fit the lazy-Susan body squarely over the jam chuck. Bring up the tailstock to stabilize the turning.

Draw a line on the bottom face ½" from the edge of the body. Referring to the Section view, form a sloped surface between the line and the lower edge of the top face. Draw four equally spaced lines along the sloped lower surface, and cut the V-grooves where shown on the half-pattern. The tip of a skew forms the grooves nicely.

Complete the lazy-Susan body by turning a ¼"-deep recess 95%" in diam-



Run the lathe at a slow speed, 500 rpm or less, when turning the chamfered top edge. The guideline on the edge shows the chamfer's limit.


eter to receive the lazy-Susan bearing. Work as close to the tailstock center as possible; then slide the tailstock back to complete the recess. Sand the bottom of the body. Dismount the body from the lathe.


Install the winged dividers, and cap them with a turned knob

Transfer the Divider Full-Size Pattern onto two pieces of ¼"-thick wenge (or another contrasting stock). Lay out

one divider with a notch from the top and the other with a notch from the bottom. Scrollsaw or bandsaw the parts, staying slightly outside the lines. Sand to the pattern lines. Fit the dividers into the kerfs in the body, and glue them into place.

Now, turn the knob that will sit atop the junction of the two dividers. To do this, attach a scrapwood wasteblock about 1½" thick to your 3-4" lathe faceplate. Turn a 2½"-diameter





A simple sliding table carries the body when cutting the kerfs for the dividers. Saw the kerfs with a 1/4" dado blade.



Fit the partially turned body over a jam chuck so you can tur the chamfered bottom corner and the bearing recess.

tenon about ¾" long on the face of the wasteblock.

Bandsaw a 2¼"-diameter disc from ¾"-thick mahogany. Glue the disc to the tenon on the wasteblock. Then, turn the disc to 2" in diameter, form the knob, sand it, and part it off.


Install a ¼" straight bit in your table mounted router. Then, employing a sled fixture similar to the one used to kerf the lazy-Susan body, rout two grooves ½" deep across two diameters 90° apart on the bottom of the knob. Glue the knob to the dividers.

It's about time for a spin

Apply a clear finish. (We sprayed on several coats of lacquer, sanding with 320-grit sandpaper between coats.)

Position the lazy-Susan bearing in the recess on the bottom of the body. Take care to center the bearing. Mark the locations for the bearing's mounting screws, and drill pilot holes for the screws. Be careful not to drill through into the bowl. Screw the bearing to the body, driving in the screws slowly to make sure they don't poke through.

Project Design: Jan Svec Photographs: Steve Struse; Hetherington Photography Illustrations: Roxanne LeMoine; Lorna Johnson Lazy Susan turned by Jerry Sclover



FOR SALE:

Well-Aged Woodworking Machines

Maybe you've dreamed of stepping up to a heavier-duty woodworking machine through the "used" route. It's possible, but beware the pitfalls, advises our expert.

According to Chuck Wolfe, owner of Wolfe Machinery Company in Johnston, Iowa (800/345-6659, www.wolfemachinery.com), you can find bargains in used woodwork-

If you're looking to buy one, read this first

Where not to buy used tools

Besides a local newspaper's classified ad section and garage sales, where can you buy used woodworking machines? Chuck seems to find them everywhere. He gets trade-ins; buys from other dealers; and goes to city, county, state, federal, and school-district sales and auctions. He also buys direct from businesses that no longer need the equipment. Yet there are places where he won't buy.

"I usually never buy anything out of a sawmill or pallet operation because it's just been beaten to death," says the machine trader. "Other places I watch out for are manufacturing operations and production shops. That's because they'd still be using that machine if it was good enough to use. The main reason those places get rid of a machine is because they've blown that one out and put in a new one. You can, though, get a good machine when a company sells it due to automation of that part of the operation." (For more tips on shopping used equipment, see Chuck's buying guide in the box on page 90.)

Chuck especially likes to shop at schools. He's selective, however. "With schools, it depends a lot on where it's located. I've taken some machines out of a shop in a large school in Atlanta, Georgia, and they were literally beaten up. On the other hand, I've purchased machines from small town schools where it seems

ing machines. But you also can spend as much as a new one costs getting an old one in good working order. Of course, it's Chuck's business to rebuild used woodworking machinery and resell it. And he has the shop, equipment, and skilled personnel to do it. As a result, his customers pay two-thirds of what they'd pay for comparable new equipment. They get a warrantee, too. If something goes wrong in 90 days, he'll take care of it.

Most woodworkers wanting to upgrade through used equipment don't have Chuck's first-hand knowledge acquired over 20 years, or the backup to handle major repairs. Nevertheless, knowing what to look out for—and how and where to buy—can help even the novice used-machine shopper. And Chuck's advice applies not only to the commercial-quality machines he deals with, but all stationary woodworking machines.



Chuck Wolfe began fixing woodworking machines as a kid when he worked for his dad, who dealt in DeWalt radial-arm saws like the vintage ones shown below.



the kids were taught to take care of things. So I evaluate the area."

Almost a sure bet for finding good used machines is a two-man cabinet shop, says Chuck. "You can usually count on the machines being well-maintained until they're upgraded. No matter where you find them, though, if a machine has been pulled from service and is gathering dust, be wary. If a guy has a woodworking shop, and he's not using the machine anymore, it's probably worn out."

Even used machinery dealers sometimes try to pass on a problem, according to Chuck. "Beware of the pretty paint job, because it might be all that was done. In the business I'm in, it's called a 'DuPont rebuild.'

A question of power

The ad is appealing—a cabinet shop offers some used commercial equipment at great prices. Chuck cautions that you do a power check. "All commercial and industrial machines are built to run on three-phase electric power because it's cheaper to operate. And three-phase is an aspect of machinery where you can get financially burned.

"As an example, many school shops have three-phase equipment," he goes on to explain. "You go to a school sale and see some jointers for sale. One might be running on three-phase and one exactly like it in another part of the room is hooked to 220-volt. There's a chance you could buy the

wrong one for the electric service you have. So always check the electrical requirements of the machine you're thinking of buying," he says. "If you don't have three-phase power or don't want to convert, the machine is no good to you."

How can you tell if you're looking at three-phase equipment? "If the motor has a plate," says Chuck, "it should read 'three-phase' or 'poly-phase.' If there's no plate, look at the wires going to the motor. A three-phase motor will have three hot wires and a ground wire. Single-phase will have only two hot wires and a ground."


What about simply swapping the three-phase one on the machine for a

Continued

Well-Aged Woodworking Machines



Every bandsaw has rubber tires on the upper and lower wheels that drive and track the blade. Worn rubber spells blade wander and the difficult task of



The crack on this cast collar won't allow it to fully close. You often can't see cracks like this, but wobble and play in clamp handles and positioning locks indicate the possibility on any used machine.



You won't be able to spot a chipped indexing ring tooth like this on a radial-arm saw. But if the arm doesn't lock in a miter position, you can bet it has one.

Written by Peter J. Stephano Photographs: Hetherington Photography single-phase motor? "There are lots of problems with that," Chuck responds. "Some old machines have a specialized space that the motor fits into, so you have to find one that fits. You just can't buy a substitute of the same dimensions and horsepower off the shelf somewhere." (More questions about three-phase power? See the box, bottom of the page.)

Even name brands made Edsels

You've probably heard the old manufacturers' names—Crescent, Moak, Oliver, Boise-Crane, Walter-Turner, among others. These companies no longer build woodworking machines, but you'll run across their past products in the used-machine market. How do you know if any of these brands-of-old are a good buy?

"It would be inaccurate and misleading to develop a list of good brandname manufacturers who once built woodworking equipment because quality varied by type of machine and model," Chuck explains. "It's impossible to say that every model radial-arm saw that DeWalt built was good, or all Craftsman tablesaws built before the year XX are great, because it's just not true. Remember, Ford built the Edsel and Chevrolet the Corvair.

"Buying used woodworking machines is an art form that you have to learn, like trading in cattle, horses, or used cars," he emphasizes. "For a hobby woodworker to go out and try to upgrade or outfit his shop with used equipment would be tough duty, unless he's had extensive experience with machines. Yet, if you're thinking of doing it, the most foolproof way to buy a piece of used machinery is to buy it at a place where it's running. You can start it up, you can listen to it run, you might even be able to put a board through it."

Chuck's buying guide for used-machinery

- If possible, start up the machine and listen to it run. A siren-like screech indicates bad motor bearings.
- •With a tablesaw, unplug the machine and remove the table insert. Grab the arbor shaft and try to wiggle it to see if there's any play. Check the belts for soundness and the pullies for rigidity.
- Check a bandsaw's blade guides for degree of wear. Also open the upper and lower doors to see if the tires—the rubber that covers the wheels—are dried, cracked, or badly worn, as in the photo *top left*. Re-tiring isn't expensive, but difficult.
- Unlock and move the arm of a radialarm saw to its various positions. Failure to lock solidly or not lock at all indi-

- cates a chipped tooth on the miter index ring and/or a cracked casting on the index clamp, as shown in the photos *left*.
- Inspect all machines for obvious cracked castings, ill-fitting fences, and handles that are missing or broken.
- Over-use and abuse to a joiner, tablesaw, or thickness planer shows up as numerous scratches on the table or bed. If the roller on a planer is smooth in the middle but knurled on the edges, it's machined lots of lumber and could be due for failure.
- •No matter who you buy from, look at any machines still in use. If they appear worn and ill-maintained, don't expect what they're selling to be any better.

Is three-phase power out of the question?

Suppose you have a chance to get a really good deal on a commercial tablesaw, but it's three-phase. What does it take to convert it to normal household electrical current?

Chuck has an answer. "You can convert three-phase to run on 220-volt current single-phase—but not 110-volt—with a 'phase shifter.' A small phase shifter to run just one machine costs about \$200," he points out. "Most of the old three-phase motors that are large in diameter and short in length


will work on a phase shifter. But if the motor is real small in diameter and long, it has to have a much more expensive (\$1,000 to \$1,500) rotary-type phase converter.

"A hobby woodworker could run a three-phase machine, like a commercial tablesaw, with a phase shifter," Chuck continues, "because the saw wouldn't be in continual use. But in production, it's easy to burn up a three-phase motor using a phase shifter. And that could mean as much as a \$1,200 loss."



Includes every bit you'll need to build arched-style panel doors: a Raised Panel bit and Rail & Stile Set, a Back Cutter Bit (that enables you to fit 3/4"-thick panels) and a Super Duty Flush Trim bit for routing curved rails and panels. You'll also get Glue Joint and Drawer Lock bits and our Arched Door Pattern Set, a group of heavy paper patterns that let you make templates for routing 4 different styles of arched panel doors.

Cut profiles shown 1/2 actual size: Drawer Lock 3/4" max 7/8" max Flush Trim 600-569 1/2" Shank Ogee Kitchen Master Set List: \$480.80 SALE: Pattern Set includes designs for all four of these beautiful door styles. Instant Rebate:



Many routine workshop tasks are complicated by the simple fact that you have to clamp the workpiece to the bench, and clamps get in the way! That's not a problem with our Vacuum Work Clamp! You simply place the Work Clamp on a flat bench and connect your shop vac hose. Turn on the vacuum and the clamp is virtually locked to the bench. Next place any flat workpiece on top of the Clamp and the vacuum "hold-down" feature is automatically activated. The secret lies in the stainless steel ball valves located on the Work Clamp's top surface. Each valve is located in a recessed portion of the top. When your workpiece presses down on the spring-loaded valve that recess becomes a vacuum chamber that holds the work in place. The size of your workpiece determines how many valves are activated. Unused valves remain closed to maintain the greatest possible vacuum pressure. Milled from heavy plastic, the Work Clamp measures 15" x 23" and includes 16 ball valves, a master shut off valve and an adapter for 1" to 1-3/8" vacuum hose.

VWC-001 Vacuum Work Clamp List: \$129.40 SALE: \$99.90





11/16 3/16" max. 1/4" Grooves shown 1/2 size

600-506 Slot Cutter Set SALE: 569.90 List: \$83.40

Joint Master" Dado Set Our carbide tipped dado set slices dadoes in hard or soft wood, plywood or composites without tearout or chip-(1001)0 ping. The MAGAZINE 3/32" Ply-Groove Chipper lets you adjust the cutting width to give a snug fit to

undersized plywood. The set also includes four 1/8" chippers and one 1/16" chipper. Set up any cut between 1/4" and 29/32". 8" diameter, 5/8" arbor.

108-2405 8" Dado Set List: \$268.40 SALE: 179.00

Instant Rebate: \$169.00



Each set includes six of our top-quality carbide tipped Straight Bits in your choice of 1/4" or 1/2" shank. You'll get bits with 1/4", 3/8", 1/2", 5/8", 3/4" and 1" cutting diameters plus Jesada's trademark fitted hardwood case

600-716 1/4" Shank Six-Bit Straight Bit Set List: \$120.20 SALE: \$84.40

600-717 1/2" Shank Six-Bit Straight Bit Set List: \$139.40 SALE: \$99.90



This popular set includes 3 straight and 10 dovetail bits that cut every Leigh joint. Four bits are 1/2" shank, 9 are 1/4" shank.

List: \$249.90 SALE: \$169.90 13-Bit Set for Leigh

Instant Rebate: \$159.90

Sets for Incra & JoinTech Jigs

These sets include six dovetail and two straight bits that perfectly suit your jig.

600-500 8-Bit 1/4" Shank Set List: \$149.90 SALE: \$109.90 600-501 8-Bit 1/2" Shank Se

List: \$159.90 SALE: \$119.90 Order from our online catalog & save an extra \$2! See our complete product line at http://jesada.com



600-640 1/2" Shank Rabbet-Master Plus SALE: \$39.90 List: \$53.90

Plv-Groove Sets

Tired of sloppy fits when you rout grooves

for plywood? These bits match up to the real size of 1/4", 1/2" and 3/4" plywood.

600-624 1/4" Shank 3-Bit Ply-Groove Set List: \$61.20 SALE: \$45.90

600-625 1/2" Shank 3-Bit Ply-Groove Set

List: \$65.90 SALE: \$49.90





wood or plywood with splinter-free performance and virtually no saw marks! We've combined a 20º Alternate Top Bevel, an 189 hook and very slight but very precise side clearance. Then we subject every CGP2000™ to an exhaustive series of tests - If the blade doesn't measure up, it's history!

110-440 10" General Purpose Blade SALE: \$89.40 List: \$109.40

To order or request a free catalog, call:

Fax: (813) 891-6259 (813) 891-6160 Tel:



\$5.90 shipping on all U.S.A. orders JESADA TOOLS, 310 Mears Boulevard, Oldsmar, FL 34677 email: jesada@packet.net

Export orders: (813) 891-6160

(Prices will vary outside of the USA due to fluctuations in exchange, duty and taxes.) In Australia: 1-300-301335

• In Canada: 1-800-387-7005 · In Ireland: 1-8731400

· In Japan: 0543-67-6511 • In Mexico: 5/521-85-60

In the U.K: 0800 371822

ASK WOOD

Have a question?

If you're looking for an answer to a question that you think would interest lots of other readers, we would like to hear from you. Write to: Ask WOOD, 1716 Locust St., GA310, Des Moines, IA 50309-3023. For an immediate answer to your question, try posting it on one of our internet discussion groups at: www.woodmagazine.com


How to keep red cedar aromatic

I have a cedar-lined closet that has lost is fragrance. Does this mean it has lost its insect repellent capabilities as well? Is there a way to restore the aromatic fragrance?

-Dennis Yeager, Corona, Calif.

Dennis, recent studies show that the fragrance of cedar does indeed repel moths and certain cloth-eating beetles. What smells aromatic to us seems quite repulsive to these insects.

For the fragrance to escape, the wood should never be sealed with a finish. Even so, unfinished cedar will lose its aroma over time. That's because the cedar fragrance comes from oils within the wood (especially



around knots) that rise to the surface. However, the oils eventually harden and block the path of fresh oils. You can remove the hardened oils by lightly sanding the wood with 220-grit sandpaper. Fresh oil will again rise to the surface.

Continued on page 94



the Better Scroll Saw

Do you want a scroll saw that is quieter, easier to use, breaks fewer blades and produces edges that require no sanding? You can enjoy these benefits with the scroll saw *Fine Woodworking®* described as "beautifully built and favored by our woodworkers" and judged by *Wood®* magazine as "overall best."

Try one with our thirty-day money-back satisfaction guarantee. You will agree that HEGNER is the better scroll saw! Call toll-free or write for your FREE catalog!

ADVANCED MACHINERY

800.322.2226

P.O. Box 312, Dept. 124 • New Castle, DE 19720

Be a Furniture **Restoration Specialist Discover Minuteman** Strip . Repair Resilver • Refinish Duplicate Parts • Frames • Veneers Why Minuteman? Proven, Low-Risk, Cash Return Low Start-Up Costs; Expert Training Financing or Leasing Available **Environmentally Friendly Wholesale Supplies** Sample Kits Available Systems from \$1,500-\$11,000 3,000+ Shops No Experience Necessary ◆ Part-Time, Full-Time ◆ Ideal for Men & Women **FREE 2-Day Business Exploration Workshop** No Obligation to buy! Register Now — Limited Seating! Call for FREE Catalog MINUTEMAN, INC. Ste. 17, P.O. Box 8, Waterloo, WI 53594 1-800-733-1776

Cet the Plan You Want in Just Minutes With...

DOWNLOADABLE

WOOD PLANS

ith the technological capabilities available today, we are now able to offer the finest quality downloadable plans on the Internet.

And, we believe so strongly in our product, we're offering you a FREE downloadable plan to let you experience firsthand the quality of our online plans. Plus, it gives you a chance to test the system of downloading and printing the plan on your computer before making a purchase.

Choose from nearly 50 downloadable plans available for the special online price of only \$5.95 per plan!

Visit WOOD ONLINE often because we're adding new features all the time. Please register before you leave our Web site. It takes only a moment and you will be automatically entered for a drawing to win a great prize.

TOTAL STATE OF THE PARTY OF THE

Carving • Clocks • Mission Furniture • Shaker Furniture
Outdoor Furniture & Accessories • Futon Set
Kids Furniture & Toys • Gifts • Scrollsaw Projects
Shelving & Wall Units • Shop Tools & Accessories
Turning Projects • Country Furniture • And More!

Better Homes and Gardens®

Special Online Price
Only \$5.95 each!

www.woodmagazine.com

Continued from page 92

The mystery of the black diamonds on tape measures solved

My industrial technology students noticed that black diamonds appear every 193/16" on metal tape measures. Can you tell us what this symbol designates, and why they're marked at such odd intervals?


-Joseph Bradfield, Sibley, Iowa

We had our suspicions about these markings, Joe, but went to Stanley Tools for the official word. Here's what they told us.

Several wood-product manufacturers offer I-beam "timbers" as a substitute for solid lumber floor joists. The diamond marks on our tape rule blades are for spacing these engineered floor joists in new construction.

Because these beams are able to support more weight than their dimensional lumber counterpart, they often have different spacing requirements. Span tables for these beams provide ratings for spacings of 12", 16", 19%6", and 24". If you multiply these dimensions by 8, 6, 5, and 4, respectively, you'll find each comes to 96", the length of the plywood panels used for sub-flooring.

Those diamond marks are there for builders who want to take advantage of the great strength of engineered Ibeams by using fewer floor joists, with no loss of floor support, where codes allow.





A holey solution

I like to build radio-controlled model aircraft from balsa wood, but I'm having trouble cutting boles in the 1/16"-and-thicker balsa. I've tried many different types of bits at varying speeds to no avail. The wood tears out the back side of the bole. Can you offer some tips on cutting boles in balsa?

> -Clarence H. Dollmeyer, Edmund, Okla.

Clarence, we can offer you two tips for drilling clean holes in any wood.

Tip no. 1: Drill a small pilot hole all the way through the board. Then drill part way through with the correct sized bit, flip the board over, and finish drilling from the other direction.

Tip no. 2: With an especially thin board, tightly clamp it between two scrap boards, and drill through the whole sandwich. The support from the scrap boards will keep the balsa from tearing out the front and back.


A super way to keep magnets clean

In my shop I work with both wood and metal. I use magnets to separate metal shavings from the sawdust. When I'm done, though, I have a heck of a time getting the metal particles off the magnet. Is there a better way?

-Don Carter, Sr., Fredericksburg, Va.

Actually Don, you can pick up those metal particles without cluttering up your magnet in the first place. Simply wrap the magnet in a thin paper towel. Then, pick up the metal shavings as usual. Afterward, if you carefully lift one end of the towel up and away from the magnet, you'll have all

> the metal particles contained within the towel and ready to dump.



Continued on page 96

For All Your Woodcarving & Sign Carving Needs

Terrco provides a full line of machine carving and sign carving equipment. Beginning models are the T-110 single spindle bench carver and our CM614 single spindle sign carver.

Intermediate models include the K-Star, a two-spindle heavy duty bench model, and the Northstar, a heavy duty floor model available in one to eight spindles.

Our advanced model is our Master Carver series, which is an extremely heavy duty floor model with from eight to forty spindles.

Website: www.terrco.com E-mail: info@terrco.com

Terrco, Inc.

222 1st Ave. NW Watertown, SD 57201 USA (605) 882-3888 Fax (605) 882-0778



Model T-110 Dupli-Carver



Model CM614 Sign Carver



Multi-Spindle Carving Machine

Circle No. 2175



With Top Rated PSI Dust Collection Systems!



*SUPER DC250 **DUST COLLECTOR**

 Powerful 2-1/2 hp motor FREE! 1350 CFM • 220V

Our most powerful system is perfect for multiple machine and long runs. It's great for any home or commercial shop!



With 5 Micron Super High Filtration Bags!

SALE PRICE

*DC3-5 PORTABLE DUST **COLLECTOR/AIR HANDLER**

• 1-1/2 hp motor • 750 CFM • 110V FREEL 512 Value

Compact but powerful, this lightweight 50 lb. portable unit can be moved to the job or mounted as an air handler!

With 5 Micron Super High Filtration Bag!

SALE PRICE

GOWDRALE GAGGOVE

*DC1B-5 DUST COLLECTOR



 Efficient 1 hp motor • 700 CFM • 110V

Our most popular system connects to almost any machine! The "Y" outlet allows two 4" connections.

5 Micron Bags!

SALE PRICE



With 5 Micron Super High Filfration Bag!

system maximizes performance and protects your impeller from debris. SALE PRICE

NEW! PS

FREE!

MINI LATHE DUST HOOD

Includes hinged plastic shield and mounting bracket. Standard 4" hose

flange. #DLHOOD\$22.95

FLEXIBLE VINYL DUST **COLLECTION HOSE**

Reinforced with heavy duty wire

Self grounding Extremely strong and flexible

#D08 8 ft. of 4" ID hose \$12 #D50 50 ft. of 4" ID hose.. \$40 UPS \$5.95

"LONG RANGER II" **DUST COLLECTOR SWITCH**



Turn on your dust collector from anywhere in your shop.

#LR110 110V system .. \$59.95 #LR220 220V system ..\$69.95 \$5.95







Circle No. 75

Continued from page 95

Should spalted sapwood be saved?

Recently, I became the lucky owner of some large slabs of black walnut. Some of it, especially the lighter wood, has dark spots and lines throughout the wood. My friends tell me it's spalted. What makes this transformation in the wood? Is it on its way to decay?

-Chet Moore, St. Helena, Calif.

Wood becomes spalted because of naturally occurring fungi, Chet. This type of wood rot typically appears as black lines in lighter woods. The resulting pattern, such



as the one above, is often uniquely stunning in its criss-crossing rivers of contrasting colors. Depending on the degree of decay and how you intend to use the wood, it may or may not be suitable for projects.

Generally, you can arrest the decay by kiln dry-

ing the lumber. Kiln drying removes the conditions (moisture and heat) causing the decay. However, if the wood has become too "punky" and porous, you have a few options to strengthen it.


One woodworker, Darrell Rhudy of North Carolina, who focuses on turning spalted wood, strengthens the edges of his turnings by soaking the rims with cyanoacrylate glue. You can also "stabilize" the entire piece by having it impregnated with an acrylic resin.

The expensive stabilization process (\$10 to \$20/lb after treatment) can yield incredible results. One expert in wood stabilizers, Jim Fray of Wild Woods, told us that spalted walnut sapwood can yield some exciting figure when subjected to this stabilizing process, especially when using colored acrylics. Yet, he also cautions that you test a small piece before investing too much to save your sapwood. For more information on stabilizing, contact:

Wood Stabilizing Specialists

6119 Nordic Drive Cedar Falls, IA 50613 800/301-9774 **Wild Woods**

P.O. Box 104 Monclova, OH 43542 419/866-0435



Take your hobby on the road. WOOD PRO Enviro-Plus® Stripping & Refinishing Wood*PRO


As a Guardsman WoodPro franchise partner, you'll have confidence knowing you're backed by the largest producer of furniture finishes in North America, supplying over 500 furniture manufacturers. Your customers will also have peace of mind knowing that the same company who made the finish on their furniture is repairing and restoring it.



Finish Repairs



Structural Repairs




Furniture Enhancing



Upholstery Repairs



Cabinet Refurbishing



Deck Reconditioning

Initial Advantages

- Low Overhead
- Exclusive Territories
- Inventory Packages
- Training Programs
- Marketing Programs

Ongoing Advantages

- Field Support
- Regional Workshops
- National Advertising
- National Service Accounts
- R & D on New Products and Services



The most trusted name in furniture repair. TM

For information, call: (800) 496-6377

In Canada: (888) 966-3232 www.guardsmanwoodpro.com

Target Markets! San Francisco • Portland • Albuquerque Seattle • Chicago • Miami • St. Louis Omaha • Kansas City • Atlanta • Cincinnati Pittsburgh • Baltimore • New York City • Boston

Investment range: \$12,000 - \$22,000. Offer made by Prospectus only. Unit & Master Franchises available worldwide.



LILLY A Business Unit of Lilly Industries, Inc.

Continued from page 96

How to make your biscuits rise

I've tried the new polyurethane wood glues and they make me wonder about something. Biscuits expand by drawing moisture from the glue. But polyurethane glues also draw moisture from the wood. Does this mean that the glue will take the moisture from the biscuit and keep it from swelling?

-Kevin Krall, Dewey, Ill.

You peaked our curiosity, Kevin, so we decided to do a test run with a biscuit, some polyurethane glue, and a few pieces of oak. To accurately gauge the effect of the glue on the biscuit only, we applied the glue to the biscuit and not to the surrounding wood. After letting the joint set up, we hit it with a hammer to break it apart. As you can see in the photo above right, the biscuit and glue joint remained completely intact. The surrounding wood however, broke off around the biscuit.

We wanted to know why this happened, so we put a call in to Chris Filardi, who is a products representative at Elmers. Chris told us that polyurethane glue draws moisture from both the wood and the air. With this added moisture, the glue swells and fills the gaps in the joint. Because of this drawn moisture, the biscuit will not swell as much as it would have with other wood



glues. However, polyurethane wood glue holds to an average of 3,500-3,800 psi. Regular wood glue only holds to 2,500-3,000 psi. It's really a question of having the strength of the joint in the biscuits or in the adhesive.

Chris also offered this tip. If too much poly glue is used, and the joint isn't clamped perfectly, then the glue can actually swell up enough to push the joint apart. He suggests a little practice for finding the right amounts of polyurethane wood glue.

So Kevin, feel free to butter your biscuits with woodworker's or polyurethane glue. Keep in mind, unlike woodworker's glue, poly-glue is waterproof, so it's great for outdoor applications.



12" DISC SANDER



- 110V, 1 H.P., 10 Amp, TEFC motor Accepts 12" PSA discs Large 17½" x 6½" aluminum table Miter gauge Table tilts from 0 45° Non slip rubber feet
- Compact & completely portable . Safety toggle on/off switch 2½" dust port
 Shipping weight approx.: 66 lbs.

G7297 REG. \$14995

MEDIA CODE 82Q



16" SINGLE SPEED SCROLL SAW



- Max. cutting width: 16" Max. cutting height: 13/16"
- Table construction: Precision ground cast iron
 Table tilt: 45° Table size: 14½" x 8" Blade stroke: ¾"
- Motor horsepower: 1/8
 RPM: 1720, 1290
 SPM
- Shipping weight approx. 40 lbs.

G7949 REG. \$99*5

FEATURES PRECISION GROUND TABLE!

12" X 351/2"



- Pivoting headstock quickly turns 90° & locks for outboard turning Heavy-duty, precision-ground cast iron bed construction

- Quick release headstock & tailstock 12" swing over bed 35½" between centers 1" x 8 T.P.I. RH Spindle ½" bore through spindle M.T. #2 spindle taper 0°, 45°, 90° 135° & 180° headstock rotation 6 speeds: 480, 700, 1000, 1370, 1830 & 2500 R.P.M.
- 1/2 H.P., 110 volt motor Overall dimensions: 551/4" x 173/8" x 471/2" Shipping weight approx. 190 lbs.











No Splintering, No Tearout, Life-Long Performance. Now That's

Made & Serviced in **AMERICA**

Precious Metal.

ODWORKE

SHIPPING on orders over \$200 1-800-733-7111 through 9-30-99

A quarter of a million satisfied woodworkers agree: the Forrest Woodworker II blade is worth its weight in gold. Maybe more. And it doesn't take a jeweler to see why. It rips through thick hardwoods with no scratches or tearouts. Miters and cross-cuts with flawless precision. It makes short work of one-sided laminates and splintery oak plywoods . . . flawlessly. In short there are sawblades . . . and there are Forrest blades.

Here's why. The hardness of C-4 carbide,

combined with the low breaking point, of C-2 carbide, creates a tooth that's as permanently tough as it is sharp. Once that tooth is hand-brazed to the plate, the blade is hand-straightened to a perfect flatness-and an astonishing ±.001" runout for peak performance.

Sawing is believing. Prove it to yourself completely without risk! Call (800) 733-7111 today for your chance to try a premium Woodworker II blade or any other Forrest blade in your own shop.

FORREST WOODWORKER II: 6"-14" dia. avail.

All-purpose-tablesaws and portable circular saws. Special 10% Discount! Take 20% off second blade of your choice.

	Sale	10% Off	20% Off	
	Price	First Blade	Second Blade	
10" x 30 T (1/8" or 3/32" K)	\$99	\$ 89	\$ 79	
10" x 40 T (1/8" or 3/32" K)	\$119	\$107	\$ 95 EDITORS	
12" x 40 T (5/8" or 1" hole)	\$129	\$116	\$103 CHOICE	
8" or 8 1/4" x 40 T	\$99	\$ 89	\$ 79 POWO!	
7 1/4" x 30 T	\$69	\$ 62	\$ 55	

BLADE STIFFENER Make all your blades cut better and quieter with a blade stiffener!

4"...\$21 5"...\$24 6"...\$25



Unmatched Precision on Every Dado Cut!

The Forrest Dado-King gives you flat-bottomed grooves and no splintering-even when crosscutting oak plys and melamine. This award-winning set comes with six 4-tooth chippers (including 3/32" chipper), two 24-tooth outside blades plus shims. Cuts 1/8" to 29/32"grooves.

onace pras sinns. Ca	., 5 10	5.0	10% Off	15% Off
Free \$21 value 10" BLADE RUNNER		Sale	First	Second
CARRYING CASE!		Price	Dado	Dado
Protects and holds up to	6" set	\$269	\$242	\$229
10 blades. Shipped with	8" set	\$289	\$260	\$245
6", 8" or 10" Dado Sets.	10" set	\$349	\$314	\$297

NEW "EASY-FEED" STANDARD DADO

For solid hard and soft woods only! (No plys, no melamine!) 8" D, with positive hook 24 tooth blades & 2 tooth chippers and shims, Cuts '/_s" to ¹³/₁₆" wide LIST SALE 10% 15%

WOODWORKER I: 71/4"-14" dia. avail.

Designed	for	radial	arm	or	tablesaws-	-fine	crosscut.

	Sale	10% Off	20% Off
	Price	First Blade	Second Blade
8", 8 1/4", 7 1/4" x 60 Tooth	\$109	\$ 98	\$ 87
10" x 60 Tooth (5/8" hole)	\$129	\$116	\$103
12" x 60 Tooth (5/8" or 1" hole)	\$139	\$125	\$111

DURALINE HI A/T: 71/4"-16" dia. avail.

Cuts melamine PERFECTLY	. 220 mm	& 300 mm ava	ilable.
Our best PLYWOOD blade.	Sale	10% Off	20% Off
8", 7 1/4" & others available	Price	First Blade	Second Blade
10" x 80 T (1/8" or 3/32" K)	\$159	\$143	\$127
12" x 80 T (5/8" or 1" hole, 1/8" K)	\$181	\$163	\$145



FORREST MANUFACTURING COMPANY, INC.

See our blade demos at the ANAHEIM SHOW! **Booths** 2564 & #4697

CHOP MASTER BLADE: 61/2"-15" dia. avail.

Specially designed for s	sliding compou	nd miter, miter	-chop, and radial saws.	
New specs, 5° neg pts. & flat , runs out .002 for perfect, smooth, splinter-free mi	less than Sale	10% Off	20% Off	
.002 for perfect, smooth, splinter-free m	iter joints. Price	First Blade	Second Blade	
6 ½" x 40 T	\$ 99	\$ 89	\$ 79	
8 1/4" x 60 T	\$109	\$ 98	\$ 87	
8 ½" x 60 T	\$119	\$107	\$ 95	
10" x 80 T	\$139	\$125	\$ 111	
12" x 80 T	\$149	\$134	\$119	
14" x 100 T	\$189	\$170	\$151	
15" x 100 T	\$199	\$179	\$159	

EXTRA BONUS! 9 AT \$5 EACH!

Buy a blade or dado and get \$45 worth of sharpening discount coupons from Forrest, good on any make blade or dado set you own. The first 100 customers will receive a FREE Picnic Table Plan and Router poster!

For Info, Tech Help, or to Order, Call:

1-800-733-7111

973-473-5236 • Fax 973-471-3333

All Major Credit Cards Accepted FL, NJ, NY residents please add sales tax. SHIPPING and HANDLING Charges with each: Saw Blade—\$6 • Dado—\$8 • Stiffener—\$2 SATISFACTION GUARANTEED BY 100% CASH REFUND

EXCLUSIVE **OFFER**

Select one of these items FREE when placing an order for any saw blade or dado purchase from this ad in Wood magazine.

Hurry! This special offer is limited while supplies last on orders placed by 9-30-99.



Unconditional Money-Back Guarantee

Use any of thse blades for a month. If you are not completely satisfied, return the blade for a complete refund. No other blade company will make that kind of guarantee-because there's no other blade like a Forrest blade!

ON ALL MAKES OF CARBIDE BLADES



Position door and drawer pulls precisely with The Easy Mark

Installing pulls, knobs, handles, and other such hardware—especially those that require two holes-has never been one of my favorite jobs. A slip of the tape or miscalculation can make the most careful cabinet work look amateurish. The Easy Mark drilling guide helps locate hardware holes perfectly, drawer after drawer.

Using The Easy Mark, I quickly found the center of my drawer front using its half-scale markings (full inches are marked in 1/2" increments), and stop. I then set the built-in drill guide bushings to match my two-hole pull

locked in the setting with the sliding PRODUCT SCORECARD The Easy Mark Performance * * \$49.95 + shipping Price

* Available from Sommerfeld's Tools for Wood. Call toll-free 888/228-


9268, or fax 712/786-2770.

and drilled the holes with the 3/6×6" bit that comes with the tool. Drilling for door handles and one-hole hardware (using the jig's center bushing) works in much the same manner.

I've not seen a jig that offered me the flexibility, reliability, and dead-on

repeatability I got with The Easy Mark's sliding stop. And, though it costs more than a shop-made jig, if it saves one or two cabinets doors or drawer fronts from the scrap box, it's well worth the money.

-Tested by Dave Henderson



The Joy of Sanding

Right!? Who would believe a job as tedious and dusty as sanding could be a joy?


Thousands of Performax owners do. With their Performax® drum sander... no more sawdust in their faces, no more high and low spots on their finished

pieces.

Value

Imagine the satisfaction of sanding a wide surface (up to 32") to within .010" uniform thickness across its full width. Or sanding stock as short as 2 1/4" without a carrier board or scuffed up fingers. Fantasize sanding to as smooth a surface as you wish without any elbow grease.

Make your woodworking the pleasure it was meant to be. Call us today for a free brochure and the dealer nearest you.



PRODUCTS, INC.

12257 Nicollet Ave. So. Burnsville, MN 55337

1-800-334-4910 Fax (612) 895-5485

NEW - READY-TO-WRAP ABRASIVES

WE MAKE ABRASIVE BELTS ANY SIZE, ANY GRIT!

Standard Abrasive Sheets

CABINET PAPER

50/pk 100/pk 60D \$16.70 \$30,00C 80D 15.60 27.80C 100 thru 150C 14.50 25.60C

FINISHING PAPER

80A \$11.15 \$18.90C 100 thru 280A 10.00 16.70C

NO LOAD PAPER(white)

100 thru 400A \$12.25

"C" = 100 SHEETS Velcro® Vacuum Discs B Hole pattern for Bosch sanders

Dia. Grit Price 60 5" \$.48ea 80 .46 5" 100 thru 320 .45

* Available in 5 hole pattern *

Wide Belts*Rolls*Flap Wheels *Pump Sleeves*PSA Discs *Router & Wood Bits*Wood Glue


ABRASIVE BELTS

Belts are resin bond cloth with a bi-directional splice, specify grits. 1X30 \$.81 ea | 3X24 \$.93 ea 1X42 .81 ea 3X27 .96 ea .81 ea 4X21 3/4 1.06 ea 1X44 2 1/2X16 .85 ea 4X24 1.10 ea .86 ea 4X36 3X18 1.35 ea 3.50 ea 3X21 .90 ea 6X48 3X23 3/4 .93 ea 6x89 6.24 ea

OTHER SIZES ON REQUEST

HEAVY DUTY SPRING CLAMPS

Clamps come w/PVC tips and grips.



JUMBO ROUTER PAD(24" x 36")

It will not allow small blocks of wood to slip out under router or sanding **ROUTER PAD** applications. ONLY \$8.95ea.

JUMBO BELT CLEANING STICK ONLY \$8.80

*MasterCard, VISA, C.O.D. or Check

*SATISFACTION GUARANTEED!!!

*CALL FOR FREE CATALOG

- TX & NV add appropriate sales tax Continental U.S. shipping add \$5.50

Econ-Abrasives



P. O. Box W1628 Frisco, TX 75034 (972)377-9779

TOLL-FREE ORDERING LINE (800)367-4101

Let there be bright white light

For years, I've used clamp-on incandescent lights for task lighting on my stationary power tools. But sometimes, those big reflectors block more vision than they aid. Regent comes to the rescue with the MCL-35 Halogen Work Light.


Besides its smaller reflector, the Halogen Work Light offers 35 watts of white light that creates crisp shadows. I found it really handy to use on my lathe, where the bright light clearly shows the definition between highs and lows on my turnings.

With its tilting, swiveling head, I found I could light up the cut line easily when using it on my bandsaw. It was here, though, that I wish the Halogen Work Light came with a magnetic base to switch with the squeeze clamp. That would open up a whole new range of locations where it could be attached.

To my wish list of modifications I'll also add a longer power cord (it's only 12") and perhaps an on-off switch. But those are small minuses compared to the pluses: a comfortable soft-grip handle for hand-held applications (such as checking a fresh finish) and just the right amount of true-to-color light for task work.

-Tested by Dave Henderson





Continued on page 102



AMERICA'S BEST SELLING BUILDING!

- 20 Year Guarantee
- Build it yourself
- Maintenance Free

•100% Useable Space

CALL TODAY

For your FREE PRODUCT GUIDE AND FACTORY PRICE LIST

www.ussteelbuildings.com



SAVE THOUSANDS ON SELECT SIZES

25x34 • 30x46

40x56 • 50x116

Additional sizes available.



Start Your Own Business CUSTOM ENGRAVING

No Experience Necessary . No Artistic Ability Needed

 400,000 RPM Engraving Tool Unlimited Potential Complete Stencils









There is no experience necessary because SCM has developed a business opportunity that will have you producing professional engraving in a few short hours – just by tracing lines! *It's That Easy!*

Engrave on... • Glass • Wood • Metal • Stone • Marble • Eggs

To Find Out
Just How Easy It Is
Call Now For Details...

1-800-755-0261

W140 N5946 Lilly Road • Menomonee Falls, WI 53051 (414) 252-3989



PRODUCTS THAT PERFORM

Continued from page 101

No more stiff bristles with Brush Stuff

You know the story: You were sure you washed every bit of paint out of that brush the last time you used it, but now you reach for it and it's stiffer than a paint stick. If the folks who make Brush Stuff have their way, that's a tale you'll someday tell your grandkids. That's because this brush and roller conditioner prevents paint from bonding to bristles and roller nap, making them easier to clean.

And it couldn't be simpler to use. I just squeezed a dab of Brush Stuff in the palm of my hand (it feels like hand lotion) and massaged it into the bristles. After painting the window trim on my house—a task that really taxes a brush—cleanup was a snap. Even paint that had worked its way up into the ferrule of the brush washed away. Then I worked another dime-sized spot of Brush Stuff into the brush after cleaning to keep it ready for my next project.

Brush Stuff works with any type of brush or roller, and most latex, acrylic, or oil-based paints. And in my tests, it didn't alter the color or quality of the finish.

—Tested by Dave Henderson



This mighty Mouse saves the detail-sanding day


You might find a mouse attached to your computer or skittering along the kitchen floor. And now, the folks at Black and Decker have a mouse you'll gladly invite into your shop. The aptly named Mouse Sander/Polisher looks like a cross between a computer mouse and a clothes iron. And, like the iron, its teardrop-shaped sanding pad smoothes hard-to-get corners, such as those in my kitchen drawers.

On most detail sanders, I wear out the tip before the rest of the abrasive. But each hook-and-loop Mouse abrasive pad has a replaceable diamondshaped tip. So, when the point gives out, you can remove only the tip and replace it with a new one.

The Mouse takes detail sanding one step further-or maybe I should say deeper—than other detail sanders. By replacing the standard platen with the detail platen (with its 11/2"-long extension shown in the photo below), I could sand into spots so narrow only the four-legged variety of mouse could have reached them before.

But don't let the cute name fool you: The Mouse gave me a smooth finish with little vibration and good control. And, besides a two-year warranty, you get 23 abrasive pads-including steel wool and nylon-for nearly every sanding or polishing chore.

-Tested by Dave Henderson



The Mouse	Sand	er/P	olish	ner	
Performance	*	*	*	*	*
Price	\$60	1000			To live
Value	*	*	*	*	*
For your n dealer, cal www.black	1 800/	762-0	6672	d De	visit

Continued on page 104

STEVE WALL LUMBER CO.

Quality Hardwoods and Woodworking machinery For The Craftsman and Educational Institutions

Ash 4/4	Select	2.25	\$ 75.00
Basswood 4/4	Select	1.95	\$ 61.00
Birch 4/4	Select	2.40	UPS \$61.00 \$79.00
Butternut 4/4	1C	2.00	\$ 67.00
Cherry 4/4	Select	4.00	
Hickory - Pecan 4/4	Select	2.00	Specials \$96.00 \$69.00
Mahogany (Genuine) 4/4	Select	3.70	\$ 96.00
Maple (Hard) 4/4	Select	2.80	\$83.00
Maple (Soft) 4/4	Select	2.20	\$ 70.00
Poplar4/4	Select	1.55	\$ 62.00
Red Oak 4/4	Select	2.40	\$ 78.00
Walnut 4/4	Select	3.35	\$ 93.00
White Oak 4/4	Select	2.40	\$ 77.00
Cedar (Aromatic Red) . 4/4	1C+Btr.	1.65	\$ 64.00
Cypress 4/4	Select	2.25	\$ 72.00
White Pine 4/4	F.G.	1.15	\$ 53.00
Yellow Pine 4/4	Clear	1.80	\$ 63.00
Above prices are for 100' aven	tition of kills	delad	Above prices are 20 hd tt hundles of

Above prices are for 100' quantities of kilndried rough lumber sold by the Bd. Ft. FOB Mayodan, NC. Call for quantity discounts. Other sizes and grades available.

Above prices are 20 bd. ft. bundles or clear kilndried lumber 3"-10" wide * 3"-7" long (Random widths & lengths) Surfaced 2 sides or rough. Delivered UPS prepaid in the Continental U.S.

NOW AVAILABLE Thin Craft Wood

1/4" • 3/8" • 1/2"

Sizes Available

4/4 Log Run Walnut 100 bd. ft. \$145

Also Available **Exotic Lumber**

STEVE H. WALL LUMBER CO.

BOX 287 MAYODAN, N.C. 27027 336-427-0637 1-800-633-4062 FAX 336-427-7588

Email: wallwood@netmcr.com Website: www.walllumber.com

Send \$1.00 For Lumber Catalog Prices Subject to Change Without Notice

Circle No. 592

75% of Wood Quality Problems are Moisture Related*"

Model L609 (Shopline) *\$148.00



"The most important tool in your shop"

Unknown moisture content can ruin your wood products.

Moisture content changes in all wood, even after it is kiln dried. Know what you are buying and maintain proper moisture content during each step of your work. Prevent splitting and chipping, cupped or curved panels, fuzzy grain, gluing and joint problems, which can all be moisture related.

Wagner: the most accurate, affordable, wood friendly and easiest to use moisture content measurement technology available*!

*Visit our website www.wwwagner.com to learn how important proper moisture content is in woodworking and to take advantage of a special online only price on the L609.

Order toll free: 1-800-944-7078 Visa, MC, Amex Accepted!

*Call for a free industry study: **Eliminating Wood Problems**

"The Moisture Meter People"

By Prof. Eugene Wengert



401 Radio City Dr. Rt. 29 - Auto Row N. Pekin, IL 61554

FREE SHIPPING!

(On orders over \$75 in the Cont. U.S.)

Send for our Free 176-Page Catalog • email: aisupply@mtco.com

TO ORDER CALL TOLL FREE: 1-800-260-2647

24 Hr. Fax Orders: (309) 382-1420







Limited Quantities & Prices Subject to Availability

BINKS

HVLP Spray Gun Use with only 1-1/2 H.P. compressorl Now you don't have to rely on a limited turbine. Great for a wide range of mate-rials. Includes gun & one quart cup, 25 ft.

3/8" air hose w/ connection & air regulator w/ gauge.
#BKS 98-1121List Price \$524.00 SALE PRICE \$399.00

BOSCH

1613EVS 2HP Plunge Router \$188.00

Plunge Router \$297.00 NEWI 1617EVS 2HP

NEW! 1618 1-3/4 HP D-Handle

Belt Sander\$223. 3315K 12V Cordless Drill Kit w/

3615K 14.4V Cordless Drill Kit w/

2 batteries, case & charger\$173.90 3107DVS 5" H.D. R/O Sander-

3915 10" Slide Compound Miter

1615EVS 3-1/4HP

EVS Router

Nailer/Air Compressor Kits Choice of: BN125 or BN200 Brad Nailer - OR-FN250A or DA250A

#PCT CFBN200 \$296.00 **#PCT CFDA250A** \$405.00 **#PCT CFFN250A** \$359.00

PORTER+CABLE

NEWI 557 Plate Joiner Kit Does mini size biscuits & standard size •7.5 amp motor.
•Tilt-fence does not have to be removed for flush cuts. *7-position depth stop *Fence let's you position your cut from outside face *Includes case, dust bag, 2* & 4* blades & extra biscuits. SUPER SALE\$197.90

5554 1000 Pc. Asst. Biscuits \$22.50
Brad, Finish & Framing Naller Kits
All kits include case
NEWI CDA250 15G Cordless Angle Finish Nailer BN125 18G %-1' Brad ... \$87.90 BN200 18G Brad Nailer Kit \$124.00 DA250A 15G 11-21a" Finish . \$209.90 FN 250A 16G 1a"-21a" Finish . \$181.50 NS150 18G \a1\a \a" Crown Stapler \$136.90 FC350 Clipped Head 2*-3's Framing Nailer Kit .\$287.00 \$287.00

Palm Sander \$82.00 NEW! 1587AVSP Jigsaw Kit w/ 9 assorted blades & case \$158.90 includes 690 w/ fixed base & plunge **EOA** RYB WDS1600F

16/32" Drum Sander v FREE stand (\$85.00 value)\$568.90 RYB ZRWDS1600 Factory Reconitioned 16/32" Drum

\$179.00

SENCO NEW! 910001N 5/8-11/2"

Brad Nailer w/case \$98.90 NEW! 920001N 5/8 - 2' Brad Nailer w/case \$134.50 NEW! 900001N 1/2 - 1" (1/4" crown) SFN1+ 1-2" Fin. Nailer w/case. .\$262.00 SFN40 1-2'a" Finish Gun w/case . .\$328.00 SKS Med. Duty Stapler NEWI PRO600 Framing Nailer. \$362.90 SCN40R Roofing Nailer ... \$387.90 .\$387.90 SN60 Full Round Hd Nailer w/case \$388.90 PC0701 A9 Palm Nailer .\$159.00

makita

LS1211 12" Cmpnd Miter Saw . \$597.00 3901 Plate Joiner w/100Biscuits . .\$166.00 3612C3HP Pig. Router w/ Brake \$246.90 9820-2 Blade Sharpener\$229.90 GEO600 Die Grinder \$89.90 6213DWAE 12V Cordless Drill Kit \$169.00 6233DWAE 14.4 Crls Drill Kit .. \$183.00 DK101618V Drill/Saw Kit ...

FEIN

Dust Free Vacuum Powered by 2-stage motor w/ bypass cooling to assure motor runs cool even if the hose or filter is blocked. \$239.90 FIN 9-55-13 FIN MSXE-636-2 VS Triangle Sander w/ Case \$168.90

PORTER+CABLE

Finish Nailer. Kits Include: 1HP comp., brad or fin nailer kit, 25 ft. air hose & M/F hose connections. #PCT CFBN125

FR350 Full Round Head 2"-3 Framing Nailer Kit 693PK 1-1/2 HP Plunge Router Kit

NEWI 7529 2 HP Plunge Router \$217.00 NEW! 97529 2 HP Ping Rtr & case \$247.90 690 11/2 HP Router . . . \$138.00 691 11/2 HP HDL Router \$159.00 6931 Plunge Base Only \$82.00 6911 D-Handle Base Only . . .\$72.00 7539 3-1/4 HP Plunge Router-Plus Free Fine Depth Adj. (\$26.50 Value) . . \$294.90 7518 3-1/4 HP 5SP FB Router \$284.00 42000 8 pc. Templet Guide Kit \$29.95 97310 Laminate Trim Kit . \$189.00 697 Router Table w/ 1's H.P. Router \$232.00 698 Router Table w/out motor \$133.50 NEWI 9543 Jig Saw with case\$167.90 9862F 12V Cordless Drill Kit w/ Free Flashlight . .\$158,90 9872 14.4V Cordless Drill Kit

w/2 batteries, case & charger \$178.90 9444 Sander Kit \$99.00 330 Speed Block Sander ...\$68.00 332 5" QS Palm Sander \$59.90 333 5" QS R/O Dst Sdr H&L 333VS VS R/O Palm Sander. .\$83.00 334 5" QS R/O Dustless Sdr \$64.90 352VS VS Belt Sander \$177.00 9352VS VS Belt Sander w/ case \$188.90 7335 5" VS R/O Sander 97355 5" VS R/O Sander with Dust Collection & Case \$149.00 552 Prod. Pocket Cutter . . \$609.00 7800 Drywall Sander \$348.80 362 4x24 Belt Sander w/ Bag \$227.90 362VS 4 x 24 VS Belt Sander & Bag \$235.00

360VS 3x24 VS Belt Sander & Bag \$227.00 347K 7-1/4 Circular Saw w/Case \$127.90 743K L/H 7-1/4 Circular Saw w/ case \$127.90 **FACTORY RECONDITION TOOLS** Full One Year Warranty!

360 3x24 Belt Sander w/ Bag \$213.00

352VSR VS Belt Sander . . \$139.90 9444R Profile Sander Kit ... \$79.90 9872R 14.4V Cordless Kit. \$147.90 9862R 12V Cordless Kit . . \$119.00 9737R 9.6A VS Tiger Saw Kit \$136.90 340R 1/4 Sheet Fin Sander . \$38.90

ADELTA FREE EXTRA Set of Planer Knives of Planer Chutel & Dust Chute! cutterhead-snipe control lock

*Easy-to-read English and Metric scale #DEL 22-560List \$568.00 SALE

.....\$328.50

▲DELTA

NEW! 36-920 Grand Edition White Uni-Saw NEWI 36-455 Grand Edition White

NEW! 28-270 Grand Edition White Band Saw ncludes Enclosed Stand, 18" White Rip Fence, Mobile Base and Cool Blocks

Uni-Saws With Biesemeyer or Uni-fence 36-830 3H.P. w/30" Uni-fence . 36-831 3H.P. w/30" Biesemeyer T-Square Fence \$1399.00* 36-820 3H.P. w/52" Uni-fence (Special Edition)...\$1499.00 36-821 3H.P. w/50" Biesemeyer 52" T-Square Fence \$1499.00" 34-182 Tenoning Jig 11-990 5SP Drill Press \$192.00

14-650P 1/2 H.P. Hollow Chisel Mortiser SUPER

50-840P 1 HP 650 CFM Dust Collector Includes Over \$27.00 Value Free
FREE 1-Delta 4' x 10' Dust Hose
FREE 1-Delta Alum. Blast Gates
FREE 2-Delta 4" Hose Clamps Includes Over \$27.00 Value Free TOTAL PACKAGE ONLY \$229.90

50-850P 1-1/2 HP 1200 CFM Dust Collector ncludes Over \$42.00 Value Free FREE 1-Delta 4' x 10' Dust Hose FREE 2-Delta Alum. Blast Gates SUPER L Bonus •FREE 4-Delta 4" Hose Clamps TOTAL PACKAGE ONLY \$298.90

NEWI 50-820 Portable Dust Collector 50-851 2 HP 1200 CFM Dust Collector \$492.00 36-865 Versa-Feeder \$239.00 22-675Y 15" Planer with FREE 50-655 stand (a \$260.55 \$1058.00 28-275 14" Open Band-Saw \$497.90 31-780VP OS Sander Super Bonus Buy: Includes

Sanding Spindle Set. 40-650 Q-3 18" Scroll Saw \$398.90 37-190 6" Deluxe Jointer . \$379.00 NEW! 37-195 6" Pro Jointer \$497.90 7-350A 8" Jointer w/stand \$1329,090 43-379 Special Edition Shaper \$1219,00 \$297.90 31-280 Sanding Center * Price After Delta Mail-In Rebate

6496-6 Special Edition Shaper \$488.00 6537-75 75th Anniv. Super Sawzall . \$179.90

DEWALT W733 12-1/2" Planer w/ extra set of knives & dust chute \$397.90

DW788 Scroll Saw with FREE stand (a \$79 value)

DW 708 12" Compound Sliding Miter Saw \$642.00 DW 744 10" Table Saw \$497.00 DW 682K Biscuit Joiner with FREE 100 Biscuits ('8 value) .\$157.90 DW 991KS-214.4V Combo Drill & Saw Kit w/case DW 364 7-1/4 Circular Saw with Brake ... DW 677K 3-1/8" Planer with case \$149.90 DW-4K 4 Piece Fat Boy Combo Kit BONUS: Free Dewalt Leather Holster (\$29.00 value) Includes: Recp. Saw, circ. saw hammer drill/driver, flex flashlight, charger & case. \$539.00 DW625 VS Electronic 3HP Plunge Router BONUS: Free Fine (A \$20.00 value) DW995KS-2 18V Combo Drill & Saw Kit w/case DW321K 5.8A Jig Saw Kit \$162.00
DW972K-2P 12V Cordless Drill, 2 Batt. & Free flashlight. \$188.95

COMPANY JDS 8-12 1570 CFM Filtration System \$255.00 COMPANY JDS 8-12 1570 CFM Filtration System . . .\$488.00

DW991K-2P 14V Cordless Drill, 2 Batt. & Free flashlight...\$208.95

PRODUCTS THAT PERFORM

Continued from page 103

Router jack raises bits and spares tired fingers


I have always had a devil of a time changing the bit height of my tablemounted plunge router. But, with the Veritas Router Jack attached, I effortlessly raised or lowered bits as much as 158" with a simple lever. No more turning and turning (and turning) that hard-to-reach knob to make large height changes.

The jack handle alone gave me extraordinary control, but the micro-adjust knob on the Router Jack adds hairsplitting accuracy. A ball-detent within the mechanism clicks to indicate every depth change of 2/1000"-about half the thickness of a human hair.

The Router Jack also simplifies progressively deeper cuts, say, when cutting raised panels. I locked in the final depth with the micro-adjust lock, backed the bit down, then raised it a little after each pass until I hit my "stop." For hands-free bit raising, use the included chain linkage to connect the jack handle to a foot pedal.


The Router Jack comes in three sizes to fit most any plunge router with exposed height-adjustment knobs. Know your brand and model number to get the right one for your machine.

-Tested by Bob McFarlin



Veritas Rout	er Ja	ck			
Performance	*	*	*	*	*
Price	\$55		45	1	
Value	*	*	*	*	*
Available fi 800/871-81 www.leevall	rom 1 58, d	Lee or or	Valle	у То	ool

Continued on page 114



Now you can create more workshop space by mobilizing.

A mobile base from HTC Products makes it easier than ever to maneuver workshop tools and materials where and when you need them — creating an organized and efficient work area in the process. Our mobile bases are self-leveling and lift machines/tools only ³/₄" off the floor; creating a solid, stable stance that won't throw off important machinery settings usually altered by repeated moving.

We design workshop solutions to help you get the most out of your equipment, your space, and your workshop projects.

The Benefits of a Mobilized Workshop:

 Move anywhere with ease. A mobile base enables you to move machines of all sizes efficiently and effortlessly.

- Convenient cleanup. An HTC mobile base lets you maneuver tools easily when doing workshop cleaning.
- Create room for more tools. Adding mobility to your tools creates more space for additional tools you've been wanting.
- 4. Open work space. With a mobile base you can work with and around large machines, and move them out of the way when they're not in use conserving valuable workshop space.
- Put tools where you need them, when you need them. Adding mobility to your workshop equipment allows you to create an organized, accessible and safer workspace.
- 6. HTC Lifetime Warranty

Call toll-free, 1-800-624-2027 for your nearest dealer and your FREE 36 page, full color Shop Solutions Catalog.




The Hallmark of Quality...
HTC Products, Inc., Royal Oak, MI 48068-0839


Your innovative shop solution source.

Woodworker's Marketplace

This section features advertisers offering products by mail. Additional information can be found in the Woodworker's Resource section. Please contact the advertiser directly or use the Circle No. to the right of each ad to request information through the Woodworker's Resource envelope.








IT'S YOUR <u>TURN</u> TO EXPERIENCE THE NEW WOODWRITE, LTD. AUTOMAGIC MINI-LATHE



The Wood Write, Ltd. AutoMagic Mini-Lathe Model 360 (shown) comes assembled, mounted, aligned and ready to run. Complete with: 1/3hp AC induction motor; 450-5700 rpm; 16-1/2 inches between centers; and 5-1/2 inch swing over bed. The carbide tipped cutting tool is mounted on a motorized saddle drive and is controlled by automatic stop switches on head and tail stocks. The exclusive high efficiency dust collection manifold is included in this and all other minilathe models. The Model 260 is the same as the 360 minus the stop switches. The Model 160 is basically the same as the other models, but is not motorized. The saddle drive is moved by the operator turning the E-Z Glide™ crank shown on the 360 pictured above. Call, write, E-Mail, Fax or check our WEB Site for details.

2121 Abell Lane, Sparks, MD 21152 USA Tel: 1-888-966-3974 or 410-771-4444 Fax: 410-771-4879



www.WoodWriteLtd.com

WOOD MOISTURE METERS



Lignomat :: 800-227-2105

Call or Write

full color catalog chocked full of clock movements, dials, plans, fitups and other great stuff for building your very own clock!

Be sure to ask for Catalog #BHW2!



3223 Yanceyville St. • P.O.Box 21208 Greensboro, N.C. 27420 USA Tech., price, account info: (336) 621-1936 Orders only 1-888-752-7673 Toll Free Fax: 1-800-537-4513 E-Mail: SLAROSE@worldnet.att.net

www.slarose.com

SUPER TOUGH



STEEL 20 Year Warranty
BUILDINGS

AT SUPER DISCOUNTS UP TO

\$4,000 OFF Woodworkers

A small business location

A workshop for the do-itvourselfer

Storage of sporting equipment, home improvement supplies, boats and

\$1,000!

Models Included 20 x 30 30 x 60 51 x 100 25 x 40 45 x 75 55 x 125 other sizes available

MADE IN THE USA 800/891-6733 ask for ext. 718

visit our website - www.steelspan.com

Circle No. 1855



4166 Pinemont www.stairwaysinc.com Houston, TX 77018

WIRELESS DRIVEWAY ALARM



Fax 1-713-680-2571

A bell rings in your house anytime someone walks or drives into your place.

- Free Literature -

A complete line of wireless security equipment.

DAKOTA ALERT, INC.

BOX 130, ELK POINT, SD 57025

Ph: 605-356-2772

AMAZING SCROLLSAW FRETWORK PATTERNS Easy to advanced designs

Clocks Photo frames Jewelry boxes Candle holders Furniture

Clock

FREE catalog

1-800-470-9090



Hardwoods WILDWOOD **DESIGNS**

P.O. Box 676-WD **Richland Center** WI 53581

Quality

MECHANISMS For Making WOODEN BARREL

- Pens Pens
- Pencils
- Roller Balls
- Fountain Pens

plus other related items.

Wholesale/Retail

Call or Write:

#BereaHardWoods...

6367 Eastland Rd. Brookpark, Ohio 44142 440-234-7949 Master Card/Visa



Pick from our most popular pattern sets & order today!

ACCENTS

☐ 125 Pattern BEGINNER'S BONANZA plus "Shop Secrets". SHOW STOPPERS II-22 Craft Show best-sellers 25 fun & profitable "wind-action" WHIRIGIGS.
YARD CHARACTERS-Amish, Dutch, bending lady, more! Eye-catching DUTCH WINDMILL - 5 feet tall.

COUNTRY CRITTERS-100 Patterns, decorative proje
Over 30 CHRISTMAS decorations & centerpieces! 200 CREATIVE CUT patterns for scroll, band or jigsav

Decorative country SHELF ASSORTMENT, many options! COUNTRY CLASSICS-25 top-selling country designs. Create over 20 "Quick & Easy" BIRD HOUSES ■ 100 YARD ORNAMENTS- Animals, bird, signs & more!

Send \$9.00 per set or...SAVE ! Pick 3 for \$22.50 • 6 for \$39.00 or All 12 for only \$66.00 !!! (603) 332-4579

ommercial

Industrial

80

Quik-Shelter'



WE HAVE A SUPERIOR SHELTER THAT NO OTHER COMPANY OFFERS

AFFORDABLE! PORTABLE BUILDINGS 1-800-932-9844

BUCKBOARD BENCH KIT & BUCKBOARD WAGON KIT



42" X 22"

BENCH KIT includes authentically designed steel springs, steel arms & backrails. \$49.00 (Oak cut to size & drilled \$70.00 additional)

WAGON KIT includes 5th wheel hitch, steel axles, bol-ster brace & angle braces. Also includes springs for miniature buckboard bench. \$49.00 (High impact rubber tread wheels \$30.00 additional).

Both kits include complete hardware, full size plans with detailed instruction. Quantity discounts available.

> The Roudebush Company PO Box 348A, Star City, IN 46985 800-847-4947

Visa, MC accepted. Price includes shipping UPS

ree Catalog · Hand tools Sandpaper Fasteners Stainless steel, silicon bronze, galvanized, zinc plated West System Epoxies & Adhesives

(800) 423-0030 Construction and woodworking

supplies to the trade and craftsmen. www.jamestowndistributors.com

Do-It-Yourself

AND SAVE MONEY!

- Heirloom Quality Kits
- Grandfather Clocks
- Mantel & Wall Clocks
- Fully Assembled Available



Call or write for our free catalog

Mention Offer #7002

Emperor Clock, L.L.C. Department 7002 P.O. Box 1089 Fairhope, AL 36533 334-928-2316

Visit our web site at http://www.emperorclock.com

WorkSaver... **BackSaver!**

Haul nearly 1/2 ton with **INCREDIBLE EASE** with the DR® POWERWAGON™!

The DR® POWERWAGON™ is great news for homeowners who are tired of straining their backs and muscles carrying heavy loads with wheelbarrows and garden carts. BIG POWER-DRIVEN WHEELS & 4-speed transaxle let you move up to 800 lbs. up hill or down, even over rough or loose soil. Easy DUMP BEĎ eliminates hand unloading.

So, WHY RISK

straining your back?

Please mail this coupon today for FREE DETAILS about the Revolutionary DR® POWERWAGON™ including prices and specifications of Manual and Electric-Starting Models, and "Off-Season" Savings now in effect. There is no obligation.

Patented

Name	WOO
Address	

COUNTRY HOME PRODUCTS®, Dept. 5192N

Meigs Road, P.O. Box 25, Vergennes, VT 05491





ULTRA SPEED PRODUCTS, INC. 18500 E. ASCHOFF, ZIGZAG OR 97049 Toll free 800-373-0707 FAX 503-622-3252 503-622-4387 www.turbocarver.com

\$171(delivered) includes handpiece, foot control, air filter, video, 2 burs, lubrication system, stencil sample, operators manual and bur catalog.

Video is available for a refundable \$14 + \$3 S&H

from Around the World LUMBER • VENEER • TURNING STOCK

- Timbers from Protected Forests Quantity Discounts
- Prompt Shipping Arranged Worldwide Custom Milling-Lumber Cut to Size •
 - All Inquiries Welcome Call or Write for a Free Catalog Satisfaction Guaranteed

Visit us on the World Wide Web www.woodworkerssource.com for Specials, Current Prices and Complete Wood Descriptions e-mail:wood@woodworkerssource.com

1-800-423-2450 **WOODWORKERS** Source

5402 S. 40th St. • Phoenix, AZ 85040

Classic Heirloom Cradle

You can easily build this classic cradle which will become a cherished family heirloom to pass from generation to generation. Two sizes available... Baby or




Baby size Plan (21 x 35) \$14.95 ppd. Doll size Plan (10 x 18) \$8.95 ppd.

Spindles available in Oak or Maple. See our catalog which is sent free with your order.

M/C VISA orders call toll-free 1-800-292-8296

ARMOR Box 445 A, East Northport, NY 11731



Introducing Microplane® Rotary Shaper Power Tool Attachments

for low-speed shaping. The razor-sharp teeth create tiny shavings that fall to the surface instead of clouding your air. Call 501-968-5455 or

TURNING TOOLS & SUPPLIES PENS & PENCILS . PEN BLANKS TURNING BLOCKS & SQUARES 116 S.E. 74th • Oklahoma City, OK 73149 TOLL FREE: 888-333-7513

WORKSHOPS • WORKSHOPS

SAVE THOUSANDS -



Manufacturer-Direct •

- · Easy and fast do-ityourself assembly.
- · Strong, durable steel frame construction.
- · Assortment of building designs, sizes, colors and options available.
- · Immediate or deferred delivery.

Special Limited Offer

(A \$9,075 Value) NOW \$ 4,635

Includes steel frames & endwalls, galv. sheeting, hardware, trim and assembly plans.



www.miracletruss.com



Handcrafted Clocks Tell More Than Just Time!

Handcrafted clocks don't just tell time, they tell a thousand stories of families and friendships, now and for years to come. Your handcrafted clock is

destined to become a treasured family heirloom.

Klockit would like to share those special moments by being your complete source for clockmaking supplies. We have clock components, accessories and classic designs in kits or easy-to-follow plans for woodcrafters of every skill level. For most kits, just sand, assemble and stain. It's that easy!

Klockit is your source for:

- · A Variety of Clock Inserts
- · Clock Movements including the Radio Controlled Movement!
- Metal, Ceramic, & Styrene Dials
- · Much, Much More!

1-800-556-2548 Dept. WD89

P.O. Box 636, Lake Geneva, WI 53147

Call for

a FREE

Catalog

Visit our website: http://www.klockit.com

M FUTURE STEEL FACTORY-DIRECT WHOLESALE PRICES!! Many Models & Sizes Available Ideal Multi-Purpose Structures All-Steel 100% Clear-Span Interior Easy Self-Assembly for the "Do-it-Yourselfer"

Woodworking on the World Wide Web


1-800-668-5111 ext.1333

Better Homes and Gardens®



A WOODWORKING INFORMATION SERVICE FROM THE EDITORS OF WOOD® MAGAZINE

http://www.woodmagazine.com



720 14th Street Kalona, IA 52247 1-800-346-9663 e-mail schsons@kctc.net



*** FOR IMMEDIATE SHIPMENT ***

Free Plan Offer

Website: www.schsons.com

100 page, color catalog features plans for over 1000 woodworking projects plus a huge variety of hard-to-find woodworking hardware!



P.O. Box 70W, Mound, MN 55364-0070 Email Address: office@meiselwoodhobby.com

COMPLETE WOOD SHOP!



Versatile Change functions quickly



10-in-1 tool Visit us at www.smithy.com **CALL TODAY!**

1-800-345-6342

Dept. WDW PO Box 1517

A DIRONDACK CALIFORNIA STYLE

WIN A DELTA TABLE SAW



AMERICAN FURNITURE DESIGN P.O. BOX 300100 ESCONDIDO, CA 92030 CHAIR PLAN \$17.95 +\$3.50 S&H CATALOG \$3.00

www.americanfurnituredsgn.com

WOODWORKING BOOKS **OVER 300 HARD TO FIND TITLES**

Looking for information? We have It!

The Best Books on: CARPENTRY • FURNITURE CABINET MAKING . STAIRBUILDING . JOINERY

CARVING • FINISHING • PLANS • TOYS & GAMES WOOD & TIMBER • TOOLS • TURNING • VIDEOS

Call For Your FREE Catalog 800-345-4447

Visit Our Website at www.lindenpub.com



LINDEN PUBLISHING **SINCE 1977**

> 336 West Bedford - Suite 107 Fresno, California 93711


Simply the Best

Square Drive Beats Driver Slippage Deep Thread for Super Grip Hardened Steel for Superior Strength Made in the US or Canada!

Send \$5 for Samples, Catalog, & \$5 Off Coupon

EELY'S PO Box 11169 • Dept WD ARE DRIVE SCREWS Lynchburg • VA • 24506-1169 Call Toll Free: 1-800-443-7937

TALOG



Your Best Work Starts With Us!

With over 7,000 of the finest woodworking tools in the world, Woodcraft can help you work more efficiently and skillfully than ever. Call for your Free copy today.

www.woodcraft.com

210 Wood County Industrial Park Dept. 99WI08S PO Box 1686, Parkersburg, WV 26102-1686

WOODWORKER'S CATALOG



Over 6000 products to BUILD, REPAIR, RESTORE. REFINISH anything made of wood!

• lumber · carvings • finishes

books

tools hardware

• plans ..and more CONSTANTINE

Serving Woodworkers Since 1812 2050 Eastchester Rd., Dpt. 35908, Bronx NY 10461

CALL TOLL FREE 1-800-223-8087

E-MAN SAWMI



30-Day Free Trial! Call NOW for FREE FACTS!

TIMBERKING, INC. Dept. SW61

1431 N. TOPPING, KANSAS CITY, MO 64120

CLEAR MEADOWS, PASTURES, ROADSIDES

-all those non-lawn areas that ordinary mowers can't touch!

The amazing DR® FIELD and BRUSH MOWER CUTS tall grass, weeds, brambles, tough brush and even hardwood saplings up to 1" thick.

CHOPS/MULCHES most everything it cuts. Leaves NO TANGLE of brush to pick up like hand-held brushcutters and sicklebar mowers. Perfect for lowmaintenance wildflower meadows, European-style woodlots, walking paths, or any area you only want to mow once a month or once a season!

4 Speeds • Power Reverse

Please mail this coupon TODAY for complete FREE DETAILS of the DR® FIELD and BRUSH MOWER including prices, specifications of Manual and ELEC-TRIC-STARTING Models, and "Off-Season" Savings now in effect. There is no obligation.

Meigs Road, P.O. Box 25, Vergennes, VT 05491

So, WHY STRUGGLE with a shaky handheld brushcutter or sicklebar mower?

Tou FREE 714-7300

To: COUNTRY HOME PRODUCTS®, Dept. 5192F



1-800-684-937

HUTpfw@aol.com • Fax 573-443-6747

- www.hutproducts.com
 - · High-quality pen & project kits · Large selection of pen blanks
 - · HUT wood finishes & polishes
 - · Sherline lathe systems
 - - · Wholesale & retail



Plan #189\$4.95

Ball Bearings......\$16.95 **Full Size Templates**

MI residents add 6% sales tax.

Add \$3.00 S & H

www.galaxymall.com/home/pl

Specialty Furniture Designs

Dept.W-56 Mt. Pleasant, MI 48858 1-800-892-4026

Helping You Become a Better Woodworker



highland hardware

Our giant tool catalog gives more than just manufacturer's specs. We provide detailed tool descriptions, useful techniques, as well as a schedule of educational seminars.

Call toll free for FREE catalog 1-888-500-4466

Visit us on the Internet at http://www.highland-hardware.com

The Cutting Edge **Turner's & Carver's Supply**

Lathes by JET, OneWay, & Sherline Henry Taylor Turning/Carving Tools · Power Carving & Wood Burning ·

Turning Tools by Glaser, Sorby, Stewart, Kelton, Jamieson, OneWay & More! Bowl Chucks, Live Centers, Grinding Jigs

Project Supplies • Books • Videos NEW: Escoulen Eccentric Chuck

Call for Free Catalog

7123 SouthWest Fwy Houston TX 77074 713/981-9228 fax 713/981-6104

www.cuttingedgetools.com

saw your own lumber



With a Wood-Mizer! LT15 Personal Sawmill

- Cut logs up to 28" D. x 9' L.
- Extra bed sections permit longer lengths.
- · Easily transportable

Wood-Mizer®

8180 West 10th Street Dept.QQ129 Indianapolis, IN 46214-2400

1-800-553-0219

FREE BROCHURE!



*THE WOODWORKING SHOWS *

tools • supplies • education

Visit the Show Near You!

Baltimore • Boston

· Chicago

- Denver
- Detroit
- Memphis
- - Milwaukee
 - So. California New Orleans Twin Cities
- Cleveland Columbus · Dallas
- · No. California
- · plus others!

North Jersey

Portland

Seattle

Call 1-800/826-8257 for free brochure

E-Mail: info@thewoodshows.com Web Site: www.thewoodshows.com



BUILD A BETTER BUILDIN

Easy to Assemble

5

- Quick Delivery
- Built to Last Straight Sides
- Trussless
- All Steel
- 20 Year Guarantee



HUGE SAVINGS

FACTORY DIRECT 1-800-668-5422

Sizes 500-20,000 sq. ft.

Strongest for Wind & Snow

Heavy 22, 20 & 18 ga. steel Maintenance Free


FOR EXAMPLE-25' X 40 \$3,844 FRONT ENDWALL NOT INCLUDED

STEEL BUILDINGS http://www.pioneersteel.com



"Cuts project time in half, eliminates the need for an expensive arsenal of clamps and is simple to use." "The Kreg Jig outperformed its competition by a wide margin. It's worth the investment. WOOD MAGAZINE

DISCOVER THE POCKET HOLE ADVANTAGE!



A pocket hole jig that changes my mind about pocket hole FINE HOME BUILDING joinery."

Discover the pocket hole secret. Order our free catalog today.

KREG TOOL COMPANY 800-447-8638

Enjoy the benefits of HVLP with a SUPER System!



Soft, easy to control spray

Compact and portable

High transfer efficiency

Our SUPER model offers you the most powerful Ametek-Lamb (Ohio) 3-stage turbine motor in its class.

"Quality of atomization rate 9.8 out of 10... This system includes an excellent three-stage turbine... The gun atomizes beautifully and has a full range of features." -American Woodworker



65 Martin Ross Ave, #5, Toronto, Ontario, Canada M3J 2L6 I-800-650-0930 • Fax: (416) 663-6238 • www.fujispray.com

Power-Feed!





MEW TRIO OF PENGUINS

EASY TO MAKE! FUN TO DISPLA

#0FS-1045 (3' high) \$12.95

- Exploded-view drawings for quick, accurate assembly
- Complete, step-by-step instructions Easy-to-use, full-sized patterns
- · Can be completed in a weekend or less

100% Money-Back Guarantee!

For fastest service, call toll free 1-800-572-9350

Or fax your order 1-515-265-2995

7 a.m.—9 p.m. CST, Monday—Friday, Visa and MasterCard accepted. Please have your order ready when calling. You may also send your name, address and the name of plan(s) you want, along with your check or money order to:

WOOD PLANS, P.O. Box 9255, Dept. WD 899 Des Moines, IA 50306



1/2" shank 1/2" shank **Router Bit Router Bit** WL-1488-2 WL-1484 REVERSIBLE "V" FACE T&G provides 1/4" T&G, "V" groove on material face. For up to 1-1/8" material. 1/2" shank Router Bit WL-1488

CHECK OUR (III) CUTTERS — chairrail, base cap, crown mouldings, and more! 1-800-472-6950

over 200 NEW Bits & Cutters



FURNITURE DESIGNS, INC., Dept. BA-89 1827 Elmdale Ave., Glenview, IL 60025 -- 800-657-7692 www.furnituredesigns.com



FREE FACT KIT 1-800-821-6651 ext. PW38 WOODMASTER TOOLS, INC., DEPT. PW38 1431 N. TOPPING, KANSAS CITY, MO 64120 www.woodmastertools.com

Paint & Decorate **Dazzling Woodcrafts** Like a Pro!

TESTED

reate spectacular woodcrafts with these fun 'n festive, easy step-by-step patterns. Whether you're a beginner or expert, you'll have everything you need to turn small pieces of wood into beautiful works of art. Every pattern comes with detailed instructions, complete materials list, full-size cut-out patterns, painting instructions, and more!

ORDER NOW! Only \$9.95 per pattern!


Send check or money order to:

Decorative Woodcrafts® Dept. WD899, PO Box 9255 Des Moines, IA 50306

For faster service on credit card orders: Call 1-800-572-9350




WP1001 - Year-Round Welcome





— Santa Keepsake Box 10" sq. x 9"H



WP1005 - Country Christmas Trio Santa 12"H



WP1006 -- Snowman Keepsake Box 10" square x 9"H




WP1002 — All-Aboard Noah's Ark Ark 11"H x 24"L



WP1004 - Yard-Guard Witch





Y ou can get useful ideas and product information by mail.
Use the envelope in this section to order your choice of literature listed below.
Each company mails the catalogs or information directly to you.



POWER TOOLS

A & I SUPPLY—Large selection, very modest pricing, superb service. All UPS orders over \$75 freight-free in Continental USA. Free catalog in USA. A & I SUPPLY. Free. Circle No. 1.

SCROLL SAW, CRAFTS & WOODWORKING CATA-LOG—Our 1998 catalog features Hegner scroll saws, Apollo HVLP sprayers, Zyliss vises and Plano glue presses. AMI, LTD. \$1.00. Circle No. 3.

FREE WOODWORKING TOOL CATALOG—Tool Crib of the North's catalog features the finest and most requested woodworking and construction tools available. TOOL CRIB (ACME ELECTRIC). Free. Circle No. 6.

HARBOR FREIGHT TOOLS CATALOG—Carries over 4,000 tool and machinery items, all orders over \$50 are shipped free, lowest prices guaranteed. Free catalog subscription. HARBOR FREIGHT TOOLS. Free. Circle No. 46.

INTERNATIONAL TOOL CORPORATION CATALOG
—Features the finest tools and accessories at the guaranteed lowest prices. Free freight and same day shipping on most orders. INTERNATIONAL TOOL CORP.
\$2.00. Circle No. 49.

AWARD-WINNING DUST COLLECTION—Air cleaners, dust collectors, cyclone systems, hose, connectors, adaptors, hoods, remote switches, etc. 40-page free catalog. PENN STATE INDUSTRIES. Free. Circle No. 75.

HUGE VARIETY OF PENCRAFTING PRODUCTS— Including: 24 kt kits, lathes, duplicator and templates, wood and finishing supplies. 40-page free catalog. PENN STATE INDUSTRIES. Free. Circle No. 75.

PERFORMAX PRODUCTS, INC.—Eleven models with patented features. Abrasive plane dimension, fine finish sand 200 dealers nationwide offer demonstrations, Reduce hand sanding today. PERFORMAX PRODUCTS. \$0.50. Circle No. 78.

RBINDUSTRIES—Hawk scroll saws, Universal wood planers, drum sanders, Panelmaster II, all American made, 5 year warranty. Buy factory direct. Free catalog. RB INDUSTRIES, INC. Free. Circle No. 84.

TOOLS ON SALE™—Offers a catalog of over 500 pages of the most popular brands of power tools available anywhere at discounted prices. SEVEN CORNERS. \$1.00. Circle No. 92.

PORTABLE SAWMILLS—Convert logs into valuable lumber, whether you're a novice or experience sawyer, using a Wood-Mizer portable bandsaw mill. Personal sawmills start at \$4,495. Send for our catalog. WOOD-MIZER PRODUCTS. \$2.00. Circle No. 94.

10 TOOLS IN 1—Ultimate Home Shop for woodworking or metalworking. Compact, easy to use, built to last. Free catalog. SUPERSHOP. Free. Circle No. 100.

NEW MULTI-DUTY PLANER MOLDS, SANDS & SAWS—Quickly turn low-cost rough lumber into valuable finished stock... create high-profit moldings, tongue & groove, picture frame stock, any custom design. Choose from 12, 18 or 25 inch models... all

with infinitely variable power feed. WOODMASTER TOOLS. Free. Circle No. 102.



HAND TOOLS

BAKLUND-HELLAR, INC.—Find Center Fastl CenterPoint™—the only tools with the new center-finding scale. Construction Grade™. Made in U.S.A. BAK-LUND-HELLAR, INC. Free. Circle No. 103.

JAPAN WOODWORKER CATALOG—Woodworkers have discovered the secret of better quality work. 2 year subscription to 88 page catalog. WOODLINE TOOL & SUPPLY. \$2.00. Circle No., 190.



STAINS/ FINISHES

FUJI HVLP SPRAY SYSTEM—For all fine-finishing, cabinets, furniture, pianos, etc. Brochure and information. FUJI INDUSTRIAL SPRAY EQUIPMENT, LTD. Free. Circle No. 220.



PLANS

PLANS! PATTERNS!—Huge assortment of popular, shop-tested designs... over 1,500 full-size patterns! Illustrated catalog plus sample pattern. ACCENTS IN PINE. \$2.00. Circle No. 310.

AMERICAN FURNITURE DESIGN CO.—Furniture plans by America's leading craftsmen. 36x48 CAD format and comprehensive instructions. Morris chairs, roll-top desk, 80+ designs. Catalog. AMERICAN FURNITURE DESIGN CO. \$3.00. Circle No. 314.

ARMOR CRAFTS—Woodworker's plans and supplies. Over 100 high-quality plans, specialty hardware and other supplies offered by Armor. Catalog. ARMOR PRODUCTS, \$1.00. Circle No. 315.

FURNITURE DESIGNS, INC.—Since 1968, foremost designers of plans for fine furniture. Furnish your house, build for customers. Catalog. FURNITURE DESIGNS, INC. \$3.00. Circle No. 345.

MEISEL HARDWARE SPECIALTIES—100-page, fullcolor catalog of plans to build over 1,000 woodworking projects. Catalog and sample plan (\$9.99 value). MEISEL HARDWARE SPECIALTIES. \$2.00. Circle No. 401.

COLOR CATALOG OF UNIQUE PLANS—Deck & patio furniture, picnic tables, Adirondack designs, garden benches, arbors, trellises, bridges, wishing wells, children's furniture, futon designs, futon bunk. SPE-CIALTY FURNITURE. \$3.00. Circle No. 445.

TOYS AND JOYS, INC.—Executive wood toys, patterns, parts, wheels for making cars, trucks, trains, construction equipment. New 32-page catalog for the advanced toymaker. TOYS AND JOYS, INC. \$1.00. Circle No. 465.

SCROLLSAW PATTERNS—Up to 74" clocks, 300+ patterns, books, clock parts, saw blades, tools, wood, and more. WILDWOOD DESIGNS. Free. Circle No. 475.



LUMBER

QUALITY EXOTIC LUMBER—Turning wood, burls, figured wood. Hand selected for your needs. Also manufacturer of pen kits. BEREA HARDWOODS. \$1.00. Circle No. 510.

STEVE H. WALL LUMBER CO—Quality hardwoods, plywood, and exotic lumber. Will ship UPS or motor freight, wholesale prices. Catalog. STEVE H. WALL LUMBER CO. \$1.00. Circle No. 592.

HARDWOODS—Over 100 quality woods from around the world. Lumber veneer, turning stock. Quantity discounts. UPS or truck shipment. Satisfaction guaranteed. WOODWORKERS SOURCE. \$1.00. Circle No. 598.



VIDEOS

SHOPSMITH—The Shopsmith Mark V kit will show you how to enjoy the many benefits of woodworking with the original 5-in-1 woodworking system featuring sawing, drilling, sanding, boring, and turning. SHOPSMITH, INC. Free. Circle No. 650.



GENERAL WOODWORKING CATALOGS

WOOD, VENEERS, INLAYS, CARVINGS—Plus hardware, glues, finishes, tools, books and more—all 100% guaranteed. Fast, friendly service, too. Where? Constantine's, of course! CONSTANTINE'S. Free. Circle No. 820.

THE WOODTURNERS CATALOG—Offers a complete line of pen and pencil kits along with the widest selection of turning tools and supplies anywhere—all at the best prices. CRAFT SUPPLIES U.S.A. \$2.00. Circle No. 830.

GRIZZLY INDUSTRIAL, INC.—208 pages packed with thousands of woodworking machines, tools, and accessories—all at unbeatable prices. Catalog. GRIZZLY INDUSTRIAL, INC. Free. Circle No. 860.

HIGHLAND HARDWARE WOODWORKING CATA-LOG—Giant catalog of hard-to-find woodworking tools loaded with detailed product descriptions and informative techniques. HIGHLAND HARDWARE, Free. Circle No. 870.

JAMESTOWN DISTRIBUTORS—We want to help you with your project! Our Free 150-page catalog contains fasteners, adhesives, finishes, abrasives, hand tools, drill bits, epoxies, fiberglasses, and building supplies. Over 9,000 products! JAMESTOWN DISTRIBUTORS. Free. Circle No. 872.

WOODCRAFT—Our free catalog features over 6,000 woodworking tools, books, lumber and hardware. Same day shipping and an unconditional guaranteel WOODCRAFT SUPPLY CORP. Free. Circle No. 955.



QUEEN ANNE KITS—Dining chairs & occasional tables, ready to assemble & finish, plus furniture components—solid cherry, oak, mahogany, walnut. Free catalogue. ADAMS WOOD PRODUCTS. Free. Circle No. 1002.

GRANDFATHER, WALL & MANTEL CLOCKS— Clock and furniture kits, solid wood, German engineered movements. EMPEROR CLOCK. Free. Circle No. 1030. SHIP MODELING CATALOG—Museum quality replicas you build yourself. Laser cut wooden parts, metal fittings, easy instructions. 120-page color catalog. MODEL EXPO. \$1.00. Circle No. 1075.

BUCKBOARD BENCH KIT—Kit includes steel springs that give a little, metal arms and back rails, hardware, and full-size instructions. New matching trestle table kit. THE ROUDEBUSH CO. \$0.50. Circle No. 1085.



PUBLICATIONS

THE WOODWORKERS LIBRARY—30 pages of the best books on carpentry, joinery, blacksmithing, carving, furniture, design, stairbuilding, wood turning, finishing, and wood and timber. Plus videos. LINDEN PUBLISHING. Free. Circle No. 1140.



SHOP ACCESSORIES

ECON-ABRASIVES—Complete line of sandpapers and woodworking-related accessories, custom-made abrasive belts, any size or grit. Catalog. ECON ABRASIVES. Free. Circle No. 1229.

MOISTURE METERS FOR WOOD—Pin-type meters that measure moisture in veneer to logs. Send for free catalog, LIGNOMAT USA, LTD, Free, Circle No. 1250.

"WOOD-FRIENDLY"™ L606 MOISTURE METER—uses advanced electromagnetic wave technology to accurately measure wood moisture content from 6% to 30% to a depth of 34". No pins to "abuse" wood and leave ugly holes. The Wagner L606's convenient pocket size, easy-to-read analog meter, and low price make it a must for anyone working with wood. Literature. LANPHIER/WAGNER ELEC. PRODS. Free. Circle No. 1285

WOODMARK—A commercial-style downdraft workbench for the home workshop. A very powerful ambient air-filtration system. In a spacious traditional-style maple workbench. WOODMARK. \$1.00. Circle No. 1295.



BITS, BLADES, CUTTING TOOLS

ROUTER BITS & SAW BLADES—The only orange one. New products in free catalog—order yours. CMT USA. Free. Circle No. 1312.

FREUD—Premier carbide-tipped sawblades, router bits and shaper cutters. A full-line of anti-kickback carbide-tipped router bits. Catalog. FREUD. Free. Circle No. 1321.

SUPER-SMOOTH, EXTRA-DURABLE, CARBIDE-TIPPED CIRCULAR SAW BLADES—Get a smooth-as-sanded surface with our all-purpose 40-tooth Woodworker Blade. You will be able to rip and cross-cut 1 – 2 in. rock hards and soft woods with an unbelievably smooth finish. You will also be able to cross-cut oak and birch ply-veneers with no bottom splinters. Send today for our information pack. FORREST MFG. CO., INC. \$1.00. Circle No. 1322.

JESADA TOOLS' FREE CATALOG—Packed with bits, blades, cutters, knives and more; plus accessories, project ideas and safety tips. JESADA TOOLS. Free. Circle No. 1335.

PRODUCTION QUALITY CARBIDE TIPPED ROUTER BITS—Large discounts. Also, raised panel door sets, shaper cutters, solid carbide bits, Forstner bits, the Merle Clamp and a variety of woodworking tools and supplies. FREE shipping. MLCS LTD. Free. Circle No. 1350.

SUPER CARBIDE TIPPED ROUTER BITS AND SHAPER CUTTERS—Offered at the lowest prices for items of such high quality. Catalog. WOODLINE ARIZONA INC. Free. Circle No. 1395.



MISCELLANEOUS

AMERICAN STEEL SPAN BUILDINGS—Designed with the do-it-yourselfer in mind. Our buildings are made in a heavy gauge steel with a 20-year warranty. Everything is pre-cut and pre-drilled, and just bolts together. A quality pre-engineered building with style and structural integrity at a price that everyone can afford. 3 models to choose from! AZTEC STEEL CORP. Free. Circle No. 1855.

WIRELESS DRIVEWAY ALARM—An alert sounds in the house when someone enters the drive. Be sure to order our free literature. DAKOTA ALERT, INC. Free. Circle No. 1914.

FUTURE STEEL BUILDINGS—Multi-purpose, archtype structures. Ideal backyard shops & garages. Many models & sizes. Complete kits for the do-it-yourselfer. Free information. FUTURE STEEL BUILDINGS. Free. Circle No. 1945.

NORTHEAST SHELTERS—We manufacture a superior shelter that no other company offers at the lowest possible pricel Garages, canopies, screenhouses and greenhouses. Choice of 18 colors, customing gladly done! NORTHEAST SHELTERS. Free. Circle No. 1983.

MIRACLE EAR—Get your free educational video and information booklet from Miracle Ear today! See our ad in this issue! MIRACLE EAR. Free. Circle No. 1984.

TRUCK OWNERS, THE ROLL-TOP COVER™ IS QUICK AND EASY!—Secure your truck bed with our retractable tonneau cover. PACE-EDWARDS CO. Free. Circle No. 1985.

PLANNING TO BUILD?—We manufacture a complete range of steel buildings, tested and built to withstand wind, snow, rain and seismic conditions. PIONEER STEEL MFG., LTD. Free. Circle No. 1986.

STEELMASTER BUILDINGS—The leader in archtype steel buildings. Ideal for backyard shops, garages and much more. STEELMASTER. \$1.00. Circle No. 2030.

RESTORING ANTIQUES?—292-page catalog packed with everything needed for woodfinishing related tools, books. Essential items for antique restoration including brass hardware and lamps. Wholesale prices. VAN DYKE'S RESTORERS. \$1.00. Circle No. 2077.

LEGAL IVORY—Virtually identical to animal ivory. Tagua is the nut from a tropical palm tree. Ideal for jewelry, knobs, small turnings, inlay, or scrimshaw. Available in 3 sizes. Send for information. WOOD-WORKERS SOURCE. Free. Circle No. 2090.



CARVING SUPPLIES

MICROPLANE—A totally NEW concept for carving, shaping, forming and smoothing! Stainless steel and razor sharp! MICROPLANE. Free. Circle No. 2145.

HI-SPEED ENGRAVING—400,000 RPM's. Engrave on wood, glass, metal, eggs. It's as easy as drawing with a pen. No artistic talent needed. Send for information, catalog. SCM ENTERPRISES. \$1.00. Circle No. 2165.

WOOD CARVING & WOOD SIGN MAKING MACHINES—Make wood signs and wood carvings easy, quickly and accurately. Signs, gun stocks, decoys or furniture parts. TERRCO, INC. \$1.00. Circle No. 2175

TURNERS AND CARVERS—Largest selection of Henry Taylor turning and carving tools in USA. Also Sorby, OneWay, Foredom, Stewart, Glaser & Sherline. THE CUTTING EDGE. \$1.00. Circle No. 2180.

ULTRA SPEED PRODUCTS—The ultimate in precision carving, engraving & inlaying. As simple as tracing lines. Affordable, \$170.00 package, includes everything you need to get going. Video & catalog available. ULTRA SPEED PRODUCTS, INC. Free. Circle No. 2185.



WOODTURNING SUPPLIES

WOODTURNING TOOLS, PROJECTS, & SUP-PLIES!—Best selection anywhere. Sorby, Oneway, Delta, Glaser. Complete line Sorby turning, carving, and woodworking tools. WOODCRAFTERS OF OKLAHOMA. Free. Circle No. 2195.

HUT PRODUCTS—New from HUT Products, "The Pen Turner's Manual" by Tom Hutchinson. 2nd Ed. More than 100 pages and 120 illustrations. HUT PRODUCTS. \$14.95. Circle No. 2197.

PEN AND PENCIL PRODUCTION SYSTEMS—State of the art mini-lathes, all components, including wood, at best prices. WOODWRITE, LTD, Free, Circle No. 2198.



CLAMPS

MERLE ADJUSTABLE CORNER CLAMP—Adjustable, uniform clamping pressure on all corners. Forces a frame into perfect square. Almost no capacity limitation. Ships with 23 foot reel of steel banding. Aluminum and steel construction. MLCS LTD. Free. Circle No. 2250.



CLOCKS

KLOCKIT—The leading supplier of clock-making supplies for over 25 years: Quartz and mechanical movements, clock inserts, dials, easy-to-follow plans and kits for all skill levels. KLOCKIT. Free. Circle No. 2335.

CLOCK PARTS CATALOG—Clock parts, kits, dials, hands, tools, hardware, quartz and mechanical movements, inserts, watches, gifts and novelty items. Your satisfaction guaranteed. S. LA ROSE INC. Free. Circle No. 2375.

SCHLABAUGH & SONS WOODWORKING—Easy-to-build—all original designs—clocks, bookends and hand mirror kits. Clock movements, jigs and jig-making accessories, prelaminated hardwood project blanks & turnings, exotic woods, clamps and many exclusive design ideas. Family-owned business—we offer 100% guarantee. Order our catalog & get to know us! Toll-free ordering. Full-color catalog. SCHLABAUGH & SONS, \$1.00. Circle No. 2385.



FASTENING PRODUCTS

JAMESTOWN DISTRIBUTORS—We have the fasteners you need! The widest selection of wood screws, machine screws, nails, bolts, nuts, washers made of every conceivable material. Also included in our Free 150-page catalog is a wide variety of adhesives, drill bits, driver bits and other woodworking supplies. JAMESTOWN DISTRIBUTORS. Free. Circle No. 2438.

SQUARE DRIVE SCREWS—Can make your woodworking easier. Over 80 color pages of the best fasteners and other woodworking supplies. MCFEELY'S. \$1.00. Circle No. 2450.



SHOWS & SEMINARS

THE WOODWORKING SHOWS MACHINERY, TOOLS AND SUPPLIES—Hundreds of products for the woodworker demonstrated and sold at discount prices at every "Woodworking Show". In-depth seminars and free workshops on a variety of woodworking topics. Shows are scheduled in 27 cities. Send for free brochure. WOODWORKING SHOWS. Free. Circle No. 2900.

WOOD® CLASSIFIED MART For rates: 1-800/424-3090 Fax 312/464-0512

FINISHING/RESTORATION

LINE BOXES EASILY. Spray-on suede lining, 31 colors. New mini flocker. Free Brochure (sample included). DonJer Products, 800-336-6537.

HELP WANTED

EASY WORK! EXCELLENT PAY! Assemble Products at Home. Call Toll Free 1-800-467-5566 EXT. 11856.

INVENTIONS

IDEAS, INVENTIONS, NEW PRODUCTS! One of America's leading invention firms can help you submit to industry. Patent services. Call 1-800-288-IDEA.

PLANS/KITS/PATTERNS

TV TRAY/STORAGE/SERVING Cart plans. Send \$13.95 Chk or Money Order to: Best-A-Craft, 828 Buccaneer Ln., Coldwater, MI 49036.

TOOLS/EQUIPMENT

BAND SAW BLADES: Low tension Swedish Silicon Steel "TIMBERWOLF" bands. 1/16" thru 1 1/4". FREE CATALOG 1-800/234-7297. Email-timberwolf2@worldnet.att.net HOME PAGEtimberwolf1.com

FREE 1998-99 Edition of THE WOODTURNERS CATALOG

- - · Artisan· pen kits & supplies
 - **Henry Taylor tools**
 - **Robert Sorby tools** Woodfast lathes
 - Vicmarc lathes
 - **Oneway lathes**
 - Project /craft show supplies
 - Signature tools by Richard Raffan, Ray key,
 - and David Ellsworth
 - Jet mini lathe
 - Glaser tools

CRAFT SUPPLIES USA Phone: 1 800 551 8876 visit our website at: www.craftusa.com

Circle No. 830

TRIM and **MOW** with the Original 2-in-1 DR® TRIMMER ON WHEELS!

TRIMS far easier, better, more precisely than hand-held trimmers. Plus, MOWS everything from whole lawns (even wet!) to tough waist-high growth with ease! NO BLADE to bend or dull. NO TIME LIMIT NEW Models! LOWER Prices! MORE Power! WARRANTY on the mainframe. 4 MODELS TO CHOOSE! - from the low-priced SPRINT™, to the Overhead Valve "PRO" MADE IN USA Models! Tous FREE 1(800) 714-7300 The EASY DR®

Please mail this coupon today for FREE DETAILS about the Revolutionary DR® TRIMMER/MOWER™ including the new, low-priced SPRINT™, MID-SIZED, and "PRO" Models - all with optional Electric-Starting - plus "Off-Season" Savings now in effect.

Name	
- Control of the Cont	WOO
Address	

State

ZIP

To: COUNTRY HOME PRODUCTS®, Dept. 5192T Meigs Road, P.O. Box 25, Vergennes, VT 05491

SUBSCRIBERS: PLEASE NOTE!

Many of our customers are mail-order buyers. These consumers are interested in receiving offers for other products and services from our company (Meredith Corporation) and for products and services offered by other reputable companies.

In order to promote our other products, we retain your name and address in a prospective customer file. We also provide that name and address to other reputable companies who offer products we consider to be of value and interest to our customers.

However, we also respect the rights of those customers who prefer not to receive additional mail-order offers.

Should you prefer to have your name restricted, please fill out the coupon (below), clip it out, and mail it to the address shown. Please be sure to indicate whether you wish to restrict all offers or just those from other companies.

- ☐ I will accept offers from Meredith Corporation only.
- I prefer not to receive any offers.

Include a current magazine address label with this coupon, and mail your request to:

> **Magazine Customer Service** P.O. Box 10263 Des Moines, IA 50336-0263

PRODUCTS THAT PERFORM

Continued from page 104

Sand straight or throw it a curve: this unique sander handles it all

If you took a belt sander and gave it the up-and-down motion of an oscillating spindle sander, you'd have one aggressive sanding machine. Add an interchangeable oscillating spindle to the equation, and you'd have an abrasive tool that meets a wide variety of your sanding needs. That's exactly what you'll find in Ridgid's Oscillating Edge Belt-Spindle Sander.

With this machine in belt-sanding mode, I flattened and contoured edges faster than I could with a normal belt lating motion of the belt constantly feeds fresh grit against the workpiece, which means faster stock removal, less clogging of the belt, and less edgeburning. Remove the belt assembly as shown at right, slip a rubber drum and sanding sleeve over the unit's drive shaft, and in less than a minute you have a dynamite oscillating spindle sander for sanding inside curves.

switch to the spindle-sanding configuration for such tasks. Although both drums are open for sanding with the belt assembly in place, the smaller idler drum just isn't designed for use in this manner. I tried sanding on the idler-despite the owner's manual warning against it—and was rewarded with a mistracking belt.



I found it worth the time it takes to The Oscillating Edge Belt-Spindle Sander has some other nice attributes as well, including a strong and smooth 4.6 amp. induction motor, and a 45°tilting tabletop. It also comes with a 4×24" sanding belt, five sizes of inserts, sanding drums, and sleeves ranging from 1/2" to 2," in diameter, with on-tool storage for all.

-Tested by Bob McFarlin

PRODUCT SCORECARD Ridgid Oscillating Edge Belt-Spindle Sander Performance

\$240

Available at Home Depot stores. For more information call 800/474-3443, or visit Ridgid on the internet at www.ridgidwoodworking.com.

Price

WOOD ANECDOTE

Basswood The carver's favorite—but there's more to it than chips

Although you'll find five native species of basswood trees in North America, the most widespread is the American basswood (Tilia americana). It grows from New Brunswick to North Dakota and south to Missouri and West Virginia.

Today, basswood stock has become the carver's wood of choice. That's because the featureless, fine-grained, whitish wood won't split or chip ahead of the blade.

Even among some Native Americans of centuries ago it had its place as a carving wood. The Iroquois Indians New York's Adirondack Mountains, for instance, carved masks from basswood, although with a quite-different approach. They shaped them in the sapwood of standing trees, then split them off the trunk to complete the hollowing.

In those long-ago days, Indians of many tribes also made good use of the basswood's inner bark. This material ranks among the toughest of nature's fibers. Stripped from trees in early spring, the bark was soaked in water for weeks to let the softest tissue ret (decay). The remaining strands then were twisted into cord and rope. Thinner bark fibers became sewing thread.

While technology has replaced these fibers with nylon and other materials, basswood stock still retains a place in commerce. It becomes boxes, crates, toys, substrate for veneers, and hidden furniture parts. And if you happen to have a vardstick given away long ago by a local hardware store or lumberyard, you can bet it's made of basswood because the wood takes ink so well.

Illustration: Jim Stevenson



Native Americans stripped the inner bark of basswood in early spring for use as cords, rope, and thread.

MAGAZINE





DISPLAY!



LARGE REINDEER #0FS-1003 (4' high) \$12.95 MEDIUM/ SMALL REINDEER #0FS-1018 (28" high / 9" high) \$12.95

- Exploded-view drawings for quick, accurate assembly
- Complete, step-by-step instructions
- Easy-to-use, full-sized patterns

Can be completed in a weekend or less

SAVE S2.00 OFF TOTAL ORDER WHEN YOU BUY BOTH PLANS!

100% Money-Back Guarantee!

For fastest service, call toll free 1-800-572-9350

or fax your order 1-515-265-2995 7 a.m.-9 p.m. CST, Monday-Friday Visa and MasterCard accepted. Please have your order ready when calling.

You may also send your name, address and the name of plan(s) you want, along with your check or money order to:

WOOD PLANS, P.O. Box 9255, Dept. WD 899 Des Moines, IA 50306

MAGAZINE



FUN TO DISPLAY!



LARGE SLEIGH #0FS-1011 (56" long X 35" high) \$12.95 MEDIUM/ SMALL SLEIGH #0FS-1032 (33"long x 20" high / 11" long x 7" high) \$12.95

- Exploded-view drawings for quick, accurate assembly
- Complete, step-by-step instructions
- Easy-to-use, full-sized patterns
- Can be completed in a weekend or less

SAVE S2.00 OFF TOTAL ORDER WHEN YOU BUY BOTH PLANS

100% Money-Back Guarantee!

For fastest service, call toll free 1-800-572-9350

or fax your order 1-515-265-2995 7 a.m.-9 p.m. CST, Monday-Friday Visa and MasterCard accepted. Please have your order ready when calling.

You may also send your name, address and the name of plan(s) you want, along with your check or money order to: WOOD PLANS, P.O. Box 9255, Dept. WD899 Des Moines, IA 50306



BOR FREIGH TOOLS

WE CARRY OVER 4000 ITEMS! CALL TODAY FOR A FREE CATALOG SUBSCRIPTION

CENTRAL MACHINERY

1" BELT 5" DISC SANDER



Remove the belt back plate and sand all types of curves and odd shapes. With the back plate in place, you can apply pressure for faster stock removal

Belt length: 30", 3450 FPM belt speed
 Motor: 1/3 HP, 2.4 amp, 60 Hz, 110V, 3450 RPM
 Dust collection
 Table: 5" x 5", tills to 45°

WL: 19 lbs.

\$5999 \$UQ9

ITEM 34951-15EA

SANDING BELT CLEANER

- Increase the life of your sanding belts and discs up to 500%
- . 8-1/2" x 1-1/2" x 1-1/2"

ITEM 30766-0SEA



POCKET-SIZE LASER LEVEL KIT

Small enough to stash in your toolbox, this powerful laser helps you make quick and easy alignments. The laser projects a high-visibility dot up to 500 ft. away. Removable lens lets you project a level line the full width of your project. Equipped with a horizontal bubble vial for accurate readings. Pocket tripod features legs that adjust from

\$5999 \$ ITEM 38245-3SEA

CHICAGO Electric Power Tools

3-1/4" PLANER

 Front base V-groove to help guide in chamfering · 2 blade cutter

Depth adjustment knob

 Includes rabbeting guide plate/fence, sharpening holder, blade setting jig, replacement brushes, replacement belt

D-handle with lock-on button
110V, 5 amps, 17,000 RPM
34,000 cuts per minute

 1/10" maximum depth of cut; 3-1/4" planing width
• Tool weight: 6-1/4 lbs

32222-35EA

2 PC. REPLACEMENT BLADES

items Available!

ITEM 33262-0SEA

New Daily >_Specials! \

OLYMPIA-TOOLS

E-Z READ TM TAPE MEASURE

Graduated in 32nds, tapes have 1/8" calibra-tions clearly marked, inch and foot incre-ments in red and stud markings in red.

THE MOST USER FRIENDLY TAPE MEASURE YOU WILL EVER FIND!

3/4" x 16 FT.

ITEM 38261-45EA 1" x 25 FT.

ITEM 37570-0SEA 1" x 33 FT. ITEM 38262-0SEA

HEAVY DUTY 4-1/2"

DISC GRINDER

Motor: 3/4 HP, 115V, 5.18 amps

\$3000

4-1/2" x 1/4" GRINDING

WHEELS • 24 grit, 7/8" arbor

ITEM

06674-0SEA

07422-2SEA

Spindle lock • 11-7/8" long

High powered 10,000 RPM

ITEM 31135-6SEA

Metal

Masonry

5/8"-11 spindle with 7/8" arbor adapter

CHICAGO Electric Power Tools

Specials!

Many

Closeout

Items!

New Offers Daily!

NOW

-70

www.harborfreight.com

CENTRAL PNEUMATIC®

MEETS ENVIRONMENTAL REGULATIONS

HVLP GRAVITY FEED SPRAY GUN

High volume low pressure technology applies with less overspray. Stainless steel needle and tip allow use with water-based material. Includes air regulator.

TOOL A

PSI: 15-50
 CFM: 2.8 to 8
 Cup size: 20 oz
 Nozzle size: 1.4mm

 Material output: 20 to \$59999

Sociolinute 50cc/minute Air inlet: 1/4" NPT

· Tool weight: 2 lbs. ITEM 38308-2SEA

GRAVITY FEED PAINT CUPS SIZE PRICE

\$ 799 20 oz. 38517-1SEA 38518-1SEA 33 oz.

CENTRAL MACHINERY

10", 2 HP BENCH TABLE SAW



Die cast aluminum table 26" x 16", has adjustable 17-7/8" x 2" rip fence and inch/metric scale for precise cutting. Blade adjustments scale for precise culting. Stade adjustments control angle and depth of cut. Anti-kickback fingers and see-through blade guard for safety. Maximum depth of cut at 90°: 3-1/8": at 45°: 2-1/2"; Blade capacity: 10" with 5/8" arbor; Miter gauge adjusts 0° - 60° left and right; Motor: 2 HP, 115V, 60 Hz, 10 amp, 4500 RPM; Blade and stand sold separately; Shipping weight: 36 lbs.

9 511999 DI ITEM 38533-1SEA

10" 40 TOOTH CARBIDE TIP SAW

BLADE . 5/8" arbor ITEM 00529-4SEA

CENTRAL MACHINERY



12" DIRECT DRIVE BENCH TOP DISC SANDER

Table tilts to 45°; 2" dust collection outlet; fancooled brushless motor; miter gauge
1 HP, 120V, 10.0 amps
Wheel diameter: 12"
Includes 60 grif, 12" sanding pad
No load speed: 1793 RPM

- Base: 13" x 10"
- Shipping weight: 92 lbs

\$**1.29**99 \$009

ITEM 37297-35EA

12" SANDING DISCS

Come in packs of 2

GRIT		ITEM	PRICE	
Г	60	37958-15EA	\$699	
Г	120	37959-1SEA	\$699	
	240	37960-15FA	\$ 699	



Buy Now 4 18 VOLT CORDLESS, 5-3/8" CIRCULAR SAW KIT

Cut up to 85 ft. of plywood on a single charge. Kit includes: 1 hour quick charger, 18 volt battery, saw and hex kev.

2400 RPM; 1.3 amps; 10mm arbor; 50° bevel capacity; maximum depth of cut @ 90°: 1-1/2" and @ 45°: 1-1/4"; weighs 7-1/2 lbs. Blade and rip fence sold separately

\$10999 ITEM 37412-75EA

18 VOLT REPLACEMENT BATTERY

ITEM 37145-4SEA

5-3/8" TUNGSTEN

CARBIDE TIP BLADE

Teeth: 24, C2 carbide steel, 10mm arbor, max. RPM: 7000

ITEM 37413-2SEA


RIP FENCE ITEM 37449-1SEA

Within the 48 States / \$3.95 handling on all orders No per item shipping and handling charge.

10 PACK

\$899

Call To Order or Ask for Free Catalog: Order 24 Hours a Day/7 Days a Week Most Phone Orders Shipped in 48 Hours





Or Send Check or Money Order to: Harbor Freight Tools 3491 Mission Oaks Blvd. Box 6010, Camarillo, CA 93011

800-423-2567





FREE SHIPPING!

FOR ALL ITEMS SHOWN ON THESE TWO PAGES!

LOW PRICE GUARANTEE! PRICES EFFECTIVE THRU FEB. 1, 2000

WE'LL BEAT ANY COMPETITOR'S PRICE ON ANY IDENTICAL ITEM - EVEN IF IT'S AN ADVERTISED SPECIA

WE CARRY OVER 4000 ITEMS! CALL TODAY FOR A FREE CATALOG SUBSCRIPTION

HEAVY DUTY 16 SPEED FLOOR

Cast Iron table is accurately gauged, tilts to 45° left or right. Chuckcapacity:7/64" to 5/8"; does

\$10977\$11

Steel index box;

CENTRAL MACHINERY

UNIVERSAL TOOL

STAND



Heavy duty all metal stand fits Central Ma-chinery 13", 15", and 16" scroll saws, 10" bench table saw, and bench drill presses, as well as other brands. Also use for miter saws and jointer/planers. (Not shown)

\$3999\$ 07769-1SEA

34" HEAVY DUTY TOOL STAND

Adjusts to fit all Central Machinery bandsaws, bench top drill presses, and electronic scroll saws. Fits many other tools. 34" high.

ITEM \$4979\$30 32971-1SEA

CHICAGO Electric Power Tools

18 VOLT **CORDLESS VSR**



anced T-handle design keeps the drill steady, 6 pc. screwdriver bit set, 6 pc. drill bit set, Includes charger, 18V battery, and carrying case; Speed range: 0-900 RPM; 3/8" Jacobs® keyless chuck; Variable speed reversible; 6 torque clutch settings; Heavy duty Johnson's

ITEM \$7299 \$6 37144-4SEA

18V REPLACEMENT BATTERY

ITEM 37145-4SEA

CENTRAL

2 HP.

PNEUMATIC .

NEW

4 GALLON

PANCAKE

38898-0SEA

COMPRESSOR

Excellent for contractors and roofers 115V, 60 Hz; 3450 RPM; 5.2 SCFM @ 40 PSI:

3/8" x 50 FT. HEAVY DUTY

Handles up to 200 PSI working pressure. Solid

brass ferrules and 1/4" NPT male fittings. 3/8"

RUBBER AIR HOSE

ITEM 02167-6SEA

CENTRAL MACHINERY

LIMITED QUANTITIES



10" PLANER

- 2 HP, 110V, 1 phase, 11 amp, 8000 RPM
 5-1/8" working distance
 10-1/8" x 9-1/8" feed table

- 19" x 16-5/8" x 16" overall dimensions 10-1/8" blade size

- 61 lbs. shipping weightStand sold separately

\$23999 \$ ITEM 06935-4SEA

PLANER STAND

Shipping weight: 20 lbs
20" x 10" x 27"

ITEM 32969-3SEA REPLACEMENT BLADE SETS

(2 PCS.) STEEL TYPE PRICE

ITEM

32970-0SEA Spring

36068-1SEA

\$ 7 999

ADELTA®

High speed

Delta 17-960

LIMITED

QUANTITIES



OSCILLATING A SPINDLE SANDER **ATTACHMENT**

This spindle attachment turns almost any drill press into an oscillating spindle sander. Accepts up to 3" sanding drums. Includes table with dust oultlet, 1" and 2" steel inserts, 2 drive belts, gear box, belt guard, mounting bracket and hardware.

- 40 SPM on 2" diameter drill chuck running at 2000 RPM
- 3/4" stroke
 8-1/2" x 8-1/2" table
- 2-1/4" diameter dust outlet

53508-25EA

44 PC. SANDING DRUM/ SLEEVE ASSORTMENT

ITEM 53509-0SEA

24 PC. SANDING SLEEVE ASSORTMENT

53510-0SEA

CENTRAL MACHINERY

DRY TABLE, NO OILER NEEDED

DRILL PRESS

not include lamp; Spindle taper: MT2; Swing: 13-1/2": Column di-arneter: 2-57/64"; Table diameter: 11-1/2"; RPM: 190-3600

ITEM 38144-1SEA

29 PC. TIN BIT SET

Sizes: 1/16" through 1/2" by 64ths

ITEM 05889-1SEA

ADELTA®

LIMITED QUANTITIES

2-SPEED

Delta 40-560R SCROLL SAW

 1/10 HP, single phase, 115V, 1.2/.7 amp induction motor

Capacities: 16" throat, 2" thick, 7/8" stroke Accepts 5" straight end blades Table tilts 45° left for bevel cuts

Predrilled base holes and rubber pads for

bench mounting 11-3/4" diameter table

· Cast iron table and frame · Factory reconditioned, factory perfect

GREAT FOR PLUMBERS AND ELECTRICIANS 10 PC.

LARGE

HOLE SAW SET

Bores through 1" thick drywall, wood and plaster with ease. Includes cutting cup sizes 2-1/2", 3", 3-1/2", 4", and 5", plus 3/8" mandrell, drive plate, 6.1mm drill bit, hex wrench, and blow mold case.

\$1100 36222-65EA

12 PC. HOLE SAW SET

Cut smooth, clean, accurate holes up to 1 thick! Set includes 8 tool steel cups sized 3/4" 1", 1-1/8", 1-1/4", 1-1/2", 1-3/4", 2", and 2-1/2 plus 1/4" and 3/8" mandrels, 1/4" bit (2

mold case. \$1199 38425-1SEA

long), hex wrench and blow

210000 ITEM 51840-2SEA

iltsburgh.

2 PC. 3/4" HEAVY DUTY PIPE CLAMP

Constructed from heat-treated cast iron. Add to a 3/4" threaded pipe and slide the spring loaded end on. Pipe not included Handle screw operating range: 2-1/8" 1-1/2" throat depth

ITEM 31255-1SEA

2 PC. DEEP THROAT 3/4" PIPE CLAMP

Add these fixtures to a 3/4" pipe and get a clamp with 7" throat capacity. 'throat depth: 1-7/8" x 2-3/16" pressure

cast iron crank 38299-3SEA \$999



RADIAL ARM SAW KIT

The performance of a radial saw at a fraction of the cost. Award-winning patented design features easy setup with most 7-1/4" and 7-1/2" circular saws. Makes fast accurate bevels, rips, miters, and crosscuts. Ruggedly built and completely portable.

 Saw and table wood not included Maximum miter & bevel: 45°; Crosscut: 12-3/4"; Length: 24"; Rip capacity: 15-3/4"; Height: 22"; Weight: 23 lbs.

ITEM 33576-1SEA CHICAGO Electric Power Tools

TRIM ROUTER

Now you can tackle those jobs that were too fine or exacting for a standard router This compact router weighs only 4 lbs. for

easy operation. Includes a straight and adjusting conductor to assist in trimming and engraving in both straight and circular patterns

- 1/4" collet
- 8-1/2" overall length
 110V, 3-1/4 maximum amp draw
- 30,000 RPM no load speed
- · 4 lbs. tool weight

ITEM \$4599 33833-65EA

Within the 48 States / \$3.95 handling on all orders. No per item shipping and handling charge.

Call To Order or Ask for Free Catalog: Order 24 Hours a Day/7 Days a Week (Most Phone Orders Shipped in 48 Hours



FAX TOLL FREE: 1-800-905-5220 CHARGE

Or Send Check or Money Order to: Harbor Freight Tools 3491 Mission Oaks Blvd. Box 6010, Camarillo, CA 93011

ORDER 1-800-32	28-0457 MAIL ORDI	ER HOURS	M-F 7:00-5:30 C.S.T	
DELTA TOOLS	MAKITA TOOLS Model DescriptionList Sale	8 r 3 m	DEWALT TOOLS Model DescriptionList Sale	JDS AIRTECH AIR CLEANERS Model DescriptionList S
Model DescriptionList Sale 31-750 NEW Bench Random Orbit Sander	5090DW 3-3/8" Saw Kit 9.6 volt 280 139	8 11 6 8	DW124K 1/2* right angle Drill590 329 DW321K Top Handle Jigsaw Kit300 164	750 12"x24"x28" 1/4 hp 200 CFM - 750 CFMSale :
Sale 199	DA391D 3/8 angle Drill Kit 9.6V 341 175	BLE 1)224-4 INCOVI	DW364 7-1/4" Circ. Saw w/brake294 155	8-12 20"x24"x44" 1/3 hp 800 & 1200 CFMSale
28-150 NEW 9" Bench Band Saw Sale 155 50-860 850 CFM Air CleanerSale 239	6095DWE9.6 volt Drill Kit w/2 batt Sale 125	SC # 25 F 13	DW610 1-1/2 HP 2 handle Router 266 149 DW411K1/4 sheet Palm Sander w/ cse 88 58	2270231102303110200300000000000000000000
31-695 6" Belt/9" Disc Sander 441 299	6095DWLE2 6095DWE w/flashlight Sale 139	AB 651); com DISC NV Est.	DW682KBiscuit Joiner with case448 169	RYOBI SPECIALS RE600 3 HP Plunge Router v/spd 500
23-710 Sharpening Center217 149 31-460 4" Belt/Disc Sander198 119	632007-4 9.6 volt Battery		DW705 12" Compound Mitre Saw 734 359 DW621 2 HP Plunge Router400 199	BE321 3" x 21" v/spd Belt Sander 310
40-560 16" 2 speed Scroll Saw 230 129	NEW 18 VOLT MAKITA TOOLS	S H Call K	DW675K 3-1/8" Planer with case292 164	Above sander comes with sanding fram WDS1600 16" x 32" Drum Sander980
40-540 16" var/spd Scroll Saw249 159 11-990 12" Bench Drill Press255 184	6343DWAE 1/2" Drill KitSale 255	- 000	DW431 3 x 21 v/spd Belt Sander338 188 DW421 5* Palm Ran. Orb Sander .144 74	Above sander comes with stand JM80K Plate Jointer with case218
11-990 12" Bench Drill Press 405 279	5620DWA 6-1/2" Circular Saw Kit .Sale 259 DK1016 1/2" Drill & 6-1/2" Saw combo kit	A AV.	DW423 Palmgrip Random Orbit Sander -	ALCO SALES AND ALCO S
13-505 1/2* Bench Router/Shaper 398 299	Sale 389	NASTINA MASTINA MASTINA MASTINA MASTINA MINA	variable speed170 89 DW421 & DW423 come with Free DW4317 case !	JET TOOLS JJ60S 6" Jointer - open stand Sale
22-540 12" Bench Top PlanerSale 259 22-560 12-1/2" Planer w/ extra knives 329	CORDLESS DRILLS	O 1 2 4 2 3	DW272 Drywall Gun, 0-4000, 6.3 amp 16095 DW276 Drywall Gun, 0-2500, 6.5 amp 16095	JJ6CSX 6" Jointer - closed stand Sa
36-865 Versa Feeder Stock Feeder 249	WITH 2.0 AMP HIGH CAPACITY BATTERIES 6213DWAE 12V 3/8" Drill Kit325 169	C. 12 5 . (V) =	AND CONTRACTOR AND	JJ8CS 8" Jointer - closed standSale1
36-220 10" Compound Mitre Saw .294 199	6233DWAE 14.4V 3/8" Drill Kit358 205	AIS VISA	DEWALT CORDLESS DRILLS DW972K-2 3/8"variable speed w/ two 12V	JWP124P 12" Benchtop Planer .Sale
37-070 6" v/spd Bench Jointer 351 265 14-650 Hollow Chisel Mortiser 380 249	9900B 3"x21" Belt Sander w/bag 347 165		XR batteries362 184	JWBS14OS 14" Band Saw 3/4 HP - ope standSale
17-900 16-1/2" Floor Drill Press 490 329	9924DB 3*x24* Belt Sander w/bag 360 175 N1900B 3-1/4* Planer with case 263 142	4 % 8 % 7 S	DW991K-2 3/8"variable speed w/ two 14.4V XR batteries415 209	JWBS14CS 14" Band Saw 1 HP - close standSale
17-924 NEW Mortise Chisel KitSale 65 36-285 8-1/4" Builders Saw w/ stand Sale275	1912B 4-3/8" Planer352 205	O. 9. 8. 8 € .	Above drill kits come w/ charger & steel	JWTS10JF 10" Contractor Table Saw w
34-555 Sliding Table487 315	N9514B 4" Disc Grinder 4.6 amp .118 65 DA3000R3/8" Angle Drill355 185	31, 224, 380, 381, 381, 381, 381, 381, 381, 381, 381	case ! DW991KS-2 DW991K drill, DW935 trim saw,	30" Jet fence 1-1/2 HP Sale JWTS10CWPF 10" Contractor Table Sav
36-250 10" Slide Compound Saw .825 455	2708W 8-1/4" Table Saw637 295	O + 22 7 4	2 XR batteries & case Sale 345	with 30" Exacta fence 1-1/2
31-780 Oscillating Spindle Sander 253 194 16-700 12* Wood Lathe575 479	6405 3/8" Drill Rev. 0-2100 rpm 115 65 6013BR 1/2" Drill Rev. 6 amp270 149	O 8 8 8 O E	DEWALT 18 VOLT CORDLESS TOOLS	JTAS10X501 10" Tilting Arbor 3 HP Table
10-650 Q3 18" Scroll SawSale 389	9401 4" x 24" Belt Sander w/bag 458219 5007NBK7-1/4" Circ Saw w/ case250 125	9 TO I-Free FAX: (6 MON	DW933K NEW Jigsaw Kit468 269	Saw with 50" Exacta fence
36-905 30" Unifence346 259 36-906 50" Unifence444 319	LS1011 10" Slide Compound Saw 995 429	6 = ∴ ★ m ∾ N	DW938K Recipro Saw Kit520 269 DW995K-2 1/2" Drill Kit w/ 2 batt Sale 259	JDP17MF 16-1/2" Drill Press 3/4 HP -
36-444 10" Contractors Table Saw Sale 579	LS1211 12" Slide Compound Saw 1620 695 3901 Plate Joiner Kit	100 Toll 16 W	DW997K 1/2" Drill/Hammer Drill Kit 454 249	DC-650 Dust Collector, 1 HP, 650 CI
37-195 NEW 6" Professional Jointer 625539	3612C 3 HP Plunge Router 492 265		DW936K 5-3/8" Saw Kit458 249 DW995KS-2 DW995K Drill, DW936 Saw	DC-650 Dust Collector, 1 HP, 650 CI
33-830 NEW 10* Radial Arm Saw .851 729	LS1040 10" Compound Miter Saw 460 259 LS1013 10" Dual Compound Slide		and case Sale 385	PORTER CABLE .
Single Stage Dust Collectors	Miter Saw1088 599 BO5010 5" Random Orbit Sander 142 69	ပ	DW995KC-2 DW995K 18V drill kit, DW938 18V recipro saw, & case 395	9444 Profile Sander Kit220
50-850 1-1/2 HP, 1200 CFMSale 285	LS1220 12* Compound Miter Saw 379		10 t loopio san, a sace imm see	9444VSVar/spd Profile Sander Kit .207 690 1-1/2 HP Router 8 amp278
60-851 2 HP, 1500 CFMSale 489	9227C 7/9" Polisher350 195 SJ401 16" Bench Scroll Saw300 175	******	DEWALT BENCHTOP TOOLS	6931 Plunge Router Base 139
The following tools have a \$50.00 rebate!	2702 8-1/4" Table SawSale 299		DW708 12* Slide Mitre Saw Sale 649 DW788 20* Scroll Saw Sale 469	693PK 690 and 6931 plus caseSale 9690 690 Router with caseSale
Price shown is before rebate. Rebates valid thru 6/30/99.	2703 10* Table SawSale 319	We are one	DW733 12" Planer w/ extra blades Sale399 DW744 10" Portable Table Saw Sale 499	691 1-1/2 HP Router D-handle303
. Quantities are limited.	SENCO AIR NAILERS	of the last	DW744 10" Portable Table Saw Sale 499 DW756 6" Bench Grinder164 75	 693 1-1/2 HP Plunge Router Base 3: 697 1-1/2 HP Router/Shaper418
36-455 10" Contractors Table Saw w/ 30"	SFN1+ Finishing Nailer 1 - 2" w/ cs 448299 SNS45 NEW Stapler 7/16" crown, 1" - 2"		DW758 8" Bench Grinder184 115	698 Heavy Duty Shaper Table 238
unifence, cast iron wing, 34-914 table board, & carbide bladeSale 849	SLP20 Pinner w/cs 5/8 -1-5/8" 422 199	mail order	DAVID WHITE INSTRUMENTS	352VS 3x21 v/s Belt Sander w/bag 321 9352VSAbove sander with caseSale
22-675 DC380 15" PlanerSale 1175	SKS Stapler 5/8 - 1-1/2"390 279	companies	Model Description List Sale	360 3"x24" Belt Sander w/ bag .397
28-275 14" Band Saw 3/4 HPSale 595 28-280 14" Band Saw 1 HP motor with	SN70 Framing -Clip Hd 2 - 3-1/2" 725 449 SN65 Framing -Full Hd 2 - 3-1/2" 709 369	to provide	LP6-20A Sight Level package-20x 329 239 LP6-20XLA LP6-20A with 9056 tripod and	360VS 360 Sander w/ variable speed 4 362 4"x24" Belt Sander w/ bag .412
enclosed standSale 739	SN600 NEW Framing 2 - 3-1/2" 699 369	to provide	7620 rod409 269 LT8-300 Level Transit - 26x739 539	362VS 362 Sander w/ variable speed 4
28-270 14" Band Saw 1 HP w/ 50-274 mobile	SFN40 Finish Nailer 1-1/4 - 2-1/2 .569 359	FREE	LT8-300P above Level with optical plum	9125 3-1/4" Planer Kit w/ case250 505 1/2 sheet Pad Sander249
base, 28-855 rip fence, & 28-266 cool blocksSale 849	NEW Accuset Nailers by SENCO	The state of the s	LT6-900 Level Transit - 20x419 299	330 Speed Block Sander 1/4 sheet
31-280 Sanding Center w/ standSale 789	A100LS Finish Stapler 1/2" - 1"180 109 A150LS Finish Stapler 1/2" - 1-1/2" 220 139	FREIGHT!	LTP6-900 Above Level with tripod & rod	 556 Biscuit joiner w/ 5556 fence Sal 557 Plate Jointer with tilt fence. Include
37-190 6* Deluxe Jointer603 445	A125BN Brad Nailer 5/8" - 1-1/4"160 99 A200BN Brad Nailer 5/8" - 2"215 139		ALT6-900 Automatic Level - Transit - 18x	2" & 4" blades for use with stand
MILWAUKEETOOLS	Miles are recommendated to a problem of the second	Order with	666 479	& face frame plates400 5563 Face frame plates for 557
6527-6 Sawzall with case343 169	BOSTITCH AIR NAILERS Model DescriptionList Sale		ALTP6-900above Level with tripod & rod799 549	7529 NEW 2 HP variable speed Plunge Router415
6537-226527 w/quic k lok b lade chang e224179 0407-2212V Drill w/kyls c huck&2 batt 380175	N80S-1 Stick NailerSale 325	confidence	AL8-22S Automatic Level - 22x583 279	97529 Above router with guide, dust
0224-1 3/8" Drill 4.5 amp magnum 236 134	N60FN-2K Finishing Nailer w/ case 557 269	from	ALP8-22 Above level with tripod & rod Sale 349	collection, and case480 7519 3-1/4 HP Router 2 Handle469
0234-6 1/2" Drill 4.5A mag 0-850 rpm 255134	BT35-2K Brad Tacker 5/8* - 1-3/8* with case, oil, & brads279 125	Tools On	AL8-26S Automatic Level - 26x854 325	7518 3-1/4 HP 5 speed Router 534
0235-6 1/2" Drill w/keyless chuck .255 139 0244-1 1/2" Drill 4.5A mag 0-600 rpm 255139	MIIIFS Flooring Stapler 15 gauge 902 539		ALP8-26 Above level with tripod & rod Sale 389	7539 3-1/4 HP v/sp Plunge Router 53 7310 5.6 amp Laminate Trimmer .176
0222-1 3/8" Drill 3.5 amp 0-1000 rpm 213125	S32SX-1K Finish Stapler-1/2" - 1-3/8" with case & oil	Sale™.	I I I I Harrison all the second and	97310 Laminate Trimmer Kit comp 33
0228-6 3/8" Drill 3.5 amp 0-1000 rpm 207124 0375-6 3/8" close quarter Drill255 148	JORGENSEN ADJUSTABLE HANDSCREWS		BOSCH Model DescriptionList Sale	97311 NEW Laminate Trimmer Kit with underscribe base390
0379-1 1/2" close quarter Drill288 168	Jaw Opening Box	There ere	1587VS Top Handle "CLIC"Jig Saw 292 139	7335 5" Random Orbit Sander 254
6546-6 Screwdriver 200 & 400 rpm 150 89		There are	1587AVSC 1587VS Saw Kit with case and	97355 7335 w/ case & dust pick-up 27 7336 6" Random Orbit Sander 259
6547-6 6546-6 w/bits,1/4" chuck & cs 185109 5399 1/2" D-hdle Hammer Drill Kit 356 219		no hidden	New Progressor blades Sale 149	97366 7336 w/ case & dust pick-up 28
5397-6 3.8" v/ spd Hammer Drill Kit 275 145		charges.	1584VS Barrel"CLIC"Jig Saw288 149	332 Palm Grip Rndm Orb Sander 13 333 above sander with dust bag 14
5371-6 1/2" v/ spd Hammer Drill Kit 360 194	PONY CLAMP FIXTURES Lots	onarges.	Bosch Metal Case for above Jig Saws 24	333VS Random Orbit Sander - variable
3107-6 1/2" v/spd right angle Drill Kit 411239 6142 4-1/2" Grinder w/cse & acc. 224 132	Model Description List Sale of 12 50 3/4" Black Pipe 15.45 8.50 94.00	******	Bosch 30 blade assortment for Jig Saws 2999	speed150 334 333 Sander with PSA pad140
6490-6 10" Mitre Saw496 269	52 1/2* Black Pipe 12.65 6.95 79.00		1584VS or 1587VS	335 Palmgrip Random Orbit Sander dual flip padSal
5491 6490 w/ carbide blade & bag 594 345 5494-6 10" Compound Mitre Saw .585 319	PANASONIC CORDLESS	Z	with steel case and 30 Bosch blades Sale 175	310 Production Lam. Trimmer 27
6266-6 Top Handle Jig Saw315 159	EY6100FQKW 12V 3/8" Drill kit w/ 2 Ironman	M	Landard Hard Control of the Control	347K 7-1/4" "Framers" Circ Saw with plastic case25
6496-6 10" Slide Compound Saw 1050 569	batteries, 15 min. charger, & case	5	1295DH 5" Random Orb Palm Sndr 145 89 1274DVS 3"x21" v/spd Belt Sander 301 175	743K 7-1/4" "Framers" Circ Saw with
FREUD CARBIDE TIPPED SAW BLADES	EY6230FQKW NEW 15.6V Drill Kit With 2	(C) III	1278VSK1-1/2"x12" Belt Sander218 129	9737 Tiger Recipro Saw30
5/8" Bore - Industrial Grade	Ironman batteries, 30 minute charger & case425 205	OLS VITE	1275DVS 3"x24" v/s Belt Sndr379 219 1276DVS 4"x24" v/s Belt Sndr408 229	9543 NEW Top Handle Jig Saw 30
Item Description Teeth List Sale LU72M010 Gen Pur. A.T.B.10"40 69 42	EY3503FQWKW 5-3/8* 12V Wood Cutting		1194VSRK 1/2" v/ spd Drill w/ case 303 159	97765 NEW SDS Rotary Hammer Drill
LU72M010 Gen Pur. A.T.B.10"40 69 42 LU82M010 Cut-off 10" 60 93 32	Circular Saw Kit500 259 EYC001 EY6100FQKW drill, EY3503FQW	A D H H	1613EVS 2HP v/s Plunge Router369 199 1634VSK Recip Saw 10.5 amp335 185	The second secon
LU84M011 Comb 10* 50 78 45	saw, 2 batteries, 15 minute charger,		3315K 12V T-handle Drill Kit345 159	Porter Cable Bammer Nailer CDA250 Angle Finish Nailer 1-1/4* to
LU85R010 Super Cut-off10" 80 115 68 LM72M010 Ripping 10" 24 69 39		0 2 2 5	3615K 14.4V Drill Kit354 174 3107DVS 5" Random Orbit Sander 165 98	2-1/2*50
LU73M010 Cut off 10" 60 84 49	B-50 50" Commer. Saw 443 325		3107DVSK 3107DVS with case195 118	CFN250 Finish Nailer 1" to 2-1/2"50
LU87R010 Thin Kerf 10" 24 72 48	T-SQUARE 52 52" Homeshop 360 275	HT PI	3725DVS 5" Random Orbit Sander 256 145 3727DVS 6" Random Orbit Sander 266 149	Porter Cable Pneumatic Nail
LU88R010 Thin Kerf 10" 60 88 49 LU98R010 Ultimate 10" 80 128 68			3915 10" Slide Compound Saw 1050 479	BN125 Brad Nailer -18 ga. 5/8"- 1-1/4" 1 BN200 Brad Nailer -18 ga. 3/4"-2"23
LU91M010 Compnd Mitre 10"60 88 54	AIDY AID NAIL EDG	O ST	3912 NEW 12* Cmpnd Mitre Sa w .638 299 11224VSR 7/8* SDS Rotary Drill404 229	FN250A Finish Nailer -16 ga. 3/4*-2-1/2*
F410 Quiet Blade 10" 40 95 54 SD308 8" Dado - Carbide 230 119	Model DescriptionList Sale	OW FRE	1703AEVS 5" Grinder - 8.5 amp245 145	1 FC330 Franting Haner - C iipped Head S
SD508 8" carbide w/case & shims 344 172			1347AK 4-1/2" Grinder with case159 92 1638K Drywall Cut-out Unit165 105	FR350 Framing Nailer - r ound head 55
FB100 16 piece Forstner Bit Set 338 194	Above nailers come w/case,	LS ICA'S LO FREE FI NENTAL	1617 1-3/4 HP Router - 2 handle Sale159	RN175 Roofing Coil Nailer50
94-100 5 pc. Router Bit Door System 320 169 FT2000E Plunge RouterSale 185		OHZ E	1617EVS2 HP Router w/ variable speed - 2 handleSale 189	Porter Cable Compressors
112000E Fluinge Houter5ale 185	0241/0626	OH E	1618 1-3/4 HP Router - "D" handle	CF1400 1 HP, 4 gal. PancakeSal CF1540 1-1/2 HP, 4 gallon Side Stac kSa
HITACHI TOOLS C8FB2 8-1/2" Slide Compound Sa w1169449	0241 Brad Nailer, 0626 Stapler, case, fasteners, oil, & wrenches	OOLS AMERICA'S LC FREE F CONTINENTAL	Sale 179	
THE WATER SING COMPOUNDES WITEDAMO	Super Sale 129.95		3850 NEW 18V cordless Drill Kit with	
C10FS 10" Slide Compound Saw 1627 579 C15FB 15" Mitre Saw	STABILA LEVELS	O 84	2 batteriesSuper Sale 269	Porter Cable Cordless Drills
C10FS 10* Slide Compound Saw 1627 579 C15FB 15* Mitre Saw	STABILA LEVELS 25010 10* die cast Torpedo Level Sale19.95 24640 24* Level w/ hand holes 62.20 47		2 batteriesSuper Sale 269	9862 12V Drill Kit w/ 2 batteries38 9862F 9862 Drill Kit with II ashlight Sal
C10FS 10" Slide Compound Saw 1627 579 C15FB 15" Mitre Saw	STABILA LEVELS 25010 10" die cast Torpedo Level Sale19.95 24640 24" Level w/ hand holes 62.20 47		2 batteriesSuper Sale 269 Circle No. 92	9862 12V Drill Kit w/ 2 batteries38 9862F 9862 Drill Kit with fl ashlight Sal 9872 14,4V Drill Kit w/ 2 batteries .42

FINISHING TOUCHES SPECIAL

Asian longhorned beetles: A threat to our hardwoods

arly last February, Chicago city crews dropped, cut up, chipped, and burned the wood from hundreds of mature silver maple and horse chestnut trees in near-north neighborhoods. The massive cut was an attempt to stop the local spread of the Asian longhorned beetle, an imported pest that attacks hardwood trees. The first infestation, in New York in 1996, cost state and federal governments \$4 million to control.

Hitchhikers through customs

According to the U.S. Department of Agriculture's Animal and Plant Health Inspection Service (APHIS, 301/734-8295), the beetles-native to China, Japan, and Korea-hitchhike to the United States as larvae burrowed in pallets and crates made from untreated wood. (All those countries except China have long had a wood packaging fumigation law.) Stateside, the larvae hatch and the beetles emerge to seek hardwood trees as food and home for their eggs. The beetles prefer maples and horse chestnuts, but also attack yellow poplar, willow, elm, mulberry, black locust, and some commercial fruit trees.

"If left undetected, the beetle could spread coast to coast wreaking havoc on lumber, maple syrup, fruit, and tourism industries," says Rick McNaney, a public affairs officer with APHIS. "On that scale, eradication could cost billions of dollars."

The grown-up females (see photo top right) lay their eggs in the tree bark; then the resultant larvae bore

large holes into the trunk and grow to adulthood. Later, when the adults chew their way out, they leave behind dime-size holes that disrupt the flow of sap and kill the tree, as in the photos below left.

The beetles quickly spread, too, attacking one tree to exhaust it as a food source, then moving to another. People also unintentionally help spread them by cutting infested trees and moving the wood from the area. Because of their preference for fresh food, sawn and dried lumber isn't on their menu. (The infested wood in imported crates and pallets was green when worked overseas.)

Local control: slash and burn

The beetles have no natural enemies here. And spraying won't help because they live inside the tree. So only the removal of affected trees and burning them can stop an infestation.

To combat the Asian longhorned beetle's spread, APHIS has heightened inspections in targeted areas (see map, below) as well as implemented regulations that require all solid wood packaging from Asia—principally China—be kiln-dried, fumigated, or treated with preservatives prior to shipping to the U.S.

American tool companies that import haven't experienced any extra costs associated with the new rule. Steve Erbach of Grizzly Machinery Company in Bellingham, Washington, says, "We insist that our sources comply with the packaging regulations, and they absorb the expense. But the



Asian longhorned beetles measure 1" long with antennae even longer.

wood packaging we receive is mostly plywood, which the beetles don't infest." Likewise, Cliff Rickmers, who deals with imports for Jet Machinery Company in Auburn, Washington, says added cost isn't a factor. "It costs about \$65 to \$100 to fumigate a whole [shipping] container over there, so it isn't passed on to us."

Keep your eye out for beetles

Chicago's Asian longhorned beetle infestation was discovered and reported by a concerned citizen. You could help, too, by keeping your eye out for these telltale signs in the summer months when beetles get active:

- Unseasonal drooping or yellowing of leaves on hardwoods when the weather has not been especially dry.
- Sap oozing from entry holes.
- Piles of fras (insect waste and sawdust) in tree crotches or at bases.

If you spot signs of beetles—even in one tree—contact your state or county agriculture office or city forester.


Photographs: Ken Law, courtesy USDA-APHIS Illustration: Kim Downing

Detections of Asian longhorned beetles (ALB) in import warehouses have been made in the areas *below* since 1996.



Adult Asian longhorned beetles chew their way out of trees, leaving dime-size holes.







Introducing a truck so advanced, it's




Starting at \$15,428. Model shown is \$24,928.

Have we gone too far?

- The only 32-valve, double overhead cam V8 available in a full-size truck.
- Best acceleration in its class, even while towing?
- The only one-piece frame rail chassis in its class.
- The only 4-piston caliper front disc brakes in its class.

TOYOTA TUNDRA



In its class, the new fullsize Tundra is amazing. Its advanced-design i-Force engine makes it the fastest? Its frame is, hands down, the strongest? And no other truck has Tundra's brakes or the stopping power that goes with them? With its ability to tow up to 7,200 lbs. and handle up to 2,000 lbs. of available payload, the Tundra is complete. There's a reason the new Tundra is the best in its class. We built it to be. To learn even more about the Tundra, call 1-800-GO-TOYOTA for your complimentary video.

Or have others not gone far enough?


www.toyota.com → 1-800-G0-T0YOTA

©1999 Toyota Motor Sales, U.S.A., Inc. Buckle Up! Do it for those who love you. Toyota reminds you to Tread Lightly!®

¹Based on manufacturer's suggested retail price, including destination charge. Excludes taxes, license, title and other optional or regionally required equipment. Actual dealer price may vary.
²Based on AMCI-certified performance tests conducted using a model-year 2000 Toyota Tundra 4x2 V8 Access Cab SR5 against comparably equipped 1999 4.6-liter Ford F-150, 4.8-liter Chevrolet Silverado and 5.2-liter Dodge Ram half-ton full-size 4x2 V8 pickup trucks. ³Based on AMCI-certified performance tests conducted using a model-year 2000 Toyota Tundra 4x4 V8 Access Cab Limited against comparably equipped 1999 5.4-liter Ford F-150, 5.3-liter Chevrolet Silverado and 5.9-liter Dodge Ram half-ton full-size 4x4 V8 pickup trucks with 1,200 lbs. of payload. ⁴On 4x2 Access Cab SR5 model with available Style Package only. Payload includes occupants, equipment and cargo.

Turn your (upside down. Flip your router and bolt it to a Vermont American router table made of durable, die-cast aluminum. It has a four-way adjustable fence, a master power switch and a mounting plate that accepts any portable router. Just like you'd expect from Vermont American, the industry leader in power tool accessories for more than 50 years.


AMERICA'S #1 MANUFACTURER of power tool accessoriesTM



BOTTOM EDGE


*Note: Mortises on bottom edge of $\widehat{\mathbb{R}}$ are located the same as mortises on $\widehat{\mathbb{T}}$. These mortises are cut ½" from back edge of stock on $\widehat{\mathbb{T}}$ and ½" from edge of rabbet on bottom edge $\widehat{\mathbb{R}}$.

TOP DOOR RAIL




MULLION RAIL

HORIZONTAL MULLIONS



PARTS VIEW



Better Homes and Gardens® For your woodworking convenience

AUGUST 1999

ISSUE 116

Dear Reader: As a service to you, we've included full-size patterns on this insert for irregular-shaped and intricate project parts. You can machine all other project parts using the Bill of Materials and the drawings accompanying the project you're building.



Arts-and-Crafts Bookcase

Cool Casserole Carrier

Lazy Susan







© Copyright Meredith Corporation, 1999. All rights reserved. Printed in the U.S.A.

