



## Grizzly Industrial®

#### Purveyors of Fine Machinery®, Since 1983!

#### 121/2" Portable Planer

- Motor: 1½ HP, 110V, single-phase
- Max, cutting height: 6"

Max. cutting depth: 3/32"

Feed rate: 22 FPM

**Double Sided** Rigges

- Cutterhead speed: 9400 RPM
- 4 column cutterhead support
- Adjustable flip up wings
- Side handles for portabliity
- Top mounted return roller
- Thermal overload protection
- Approx. shipping weight: 66 lbs.

G0663

REG. \$239.50 SAIF \$19995

#### 8" x 75" Jointer

- Motor: 2 HP, 110V/220V, single-phase, TEFC, 3450 RPM
- Precision ground cast iron table size: 91/4" x 75"
- Cutterhead knives: 4 HSS, 8" x 3/4" x 1/8"
- Cutterhead speed: 5500 RPM
- Cutterhead dia.: 3"
- Max. depth of cut: 1/4"
- Max. rabbeting depth: 1/2"
- Approx. shipping weight: 558 lbs.

G0586 REG. \$695.00

SALE \$59500



INCLUDES FREE SAFETY PUSH BLOCKS

MOUNTED

**FENCE** 

## 10" Left-Tilting Table Saw

- w/7' Rails & Extension Table Motor: 3 HP, 220V, single-phase
- Precision around cast iron table
- Extension table size: 27" x 44"
- Arbor: 5/8" (accepts dado blades up to 13/16")
- Cutting capacity: 8" L, 54" R
- Max. depth of cut: 3" @ 90°, 21/8" @ 45°

54" Cutting Capacity!

INCLUDES
SHOP FOX
CLASSIC\*\* FENCE &
CAST IRON MITER GAUGE

Approx. shipping weight: 532 lbs.





G1023SLX REG. \$1295.00

#### 12" Baby Drum Sander

- Sanding motor: 1½ HP, 110V, single-phase
- Conveyor motor: VeHP, 110V, single-phase, variable speed 0-15 FPM
- Drum surface speed: 2300 FPM
- Max. stock dimensions: 12" wide x 3½" thick
- Min. stock length: 8"
- Sanding drum size: 4"
- Sandina belt: 3" hook & loop
- Approx. shipping weight: 160 lbs.



2 ADJUSTABLE PRESSURE ROLLERS & INDUSTRIAL-DUTY BELT

G0459 REG. \$650:00 SALE \$52500

#### 8" x 75" Jointer w/Spiral Cutterhead

- Motor: 2 HP, 110V/220V, single-phase, TEFC, 3450 RPM
- Precision ground cast iron table size: 91/4" x 75"
- Deluxe cast iron fence size: 38"L x 11/4"W x 4"H
- Cutterhead speed: 5500 RPM
- Cutterhead dia.: 3"
- Max. depth of cut: 1/4"

 Approx. shipping

weight: 558 lbs.

G0593 REG. \$1095.00 SALE \$95000





INCLUDES FREE SAFETY PUSH BLOCKS

130 9001

Side Handles

for Portability!

#### 15" Extreme Series Planer w/Spiral Cutterhead

- Motor: 3 HP, 220V, single-phase
- Precision ground cast iron table
- Table size: 15" x 51%" w/extensions
- Max, cutting height: 61/81
- Max. cutting depth: 1/8"
- Feed rate: 16 & 20 FPM
- Cutterhead speed: 5000 RPM
- Anti-kickback fingers
- Approx, shipping weight: 640 lbs.

G1021X2 REG. \$1395.00

SALE \$125000





SPIRAL CUTTERHEAD
REDUCES NOISE &



EXTREME

MADEIN

ISO 9001 FACTORY!

PRICING COD

BELLINGHAM, WA · MUNCY, PA · SPRINGFIELD, MO

570-546-9663 FAX: 800-438-5901









#### HOLIDAY SPECIALS!

- OVER A MILLION SQUARE FEET PACKED TO THE RAFTERS WITH MACHINERY & TOOLS
- 2 OVERSEAS QUALITY CONTROL OFFICES STAFFED WITH QUALIFIED GRIZZLY ENGINEERS
- HUGE PARTS FACILITY WITH OVER 1 MILLION PARTS IN STOCK AT ALL TIMES
- TRAINED SERVICE TECHNICIANS AT ALL 3 LOCATIONS
- MOST ORDERS SHIPPED THE SAME DAY
   24 HOUR ORDERING BY PHONE OR ONLINE

NOV. 1st -DEC. 31st

Planer Knives.

Stand and

2 HP Motor

Included!

#### Prices Will Never Be This Low Again! Don't Delay!



## Mini Planer/Moulder

WHILE SUPPLIES LAST! ALL ORDERS
MUST BE PROCESSED & SHIPPED BY
DECEMBER 24, 2008

- Motor: 2 HP, 220V, single-phase
- Planing width: 7"
- Max. profile depth: 3/4"
- Max. profile width: 6¾"
- Max. stock thickness: 7¼"
- Min. stock thickness: ¼"
- Min. stock length: 9"
- Feed rate: 14 FPM
- Cutterhead speed: 7000 RPM
- Approx. shipping weight: 243 lbs.



Huge selection of moulding knives available online at grizzly.com\*

G0552

2 HP Planer/Moulder

Reg. \$995.00

\$550°°



#### Accessories

H8152 V/S kit for existing owners of G0552 Reg. \$325.00 \$295.00 H7489 Replacement straight blades \$49.95

H6496 Elliptical jig for curved moulding

\$275.00

## GO TO GRIZZLY.COM® TO VIEW ALL THE HOLIDAY SPECIALS

FOR A LIMITED TIME YOU WILL RECEIVE A
FREE GIFT WITH EVERY ONLINE ORDER!

#### GRIZZLY GIFT CERTIFICATES

TAKE THE GUESSWORK OUT OF GIVING!

Call or go to grizzly.come and order several today!














## in this issue



#### **PROJECTS**

#### Shaker-style bedroom

These pieces complement the bedroom suite that began in the previous issue.

- 34 Dresser
- 41 Dresser-top valet
- 66 Wall-hung mirror
- 10 Dust-collecting floor chute
- 12 Super-simple tapering jig
- 54 Easy and elegant table trio Build any or all from the same plansonly the part lengths change.
- 62 Great giftable: Wine holder

#### **TECHNIQUES**

- 14 Staining solid stock and plywood
- 16 The simple secret to perfect dadoes
- 24 How to avoid dovetail-jig goofs
- 70 Going pro: One man's success story

#### TOOLS & MATERIALS

- 29 Top New Tools for 2009 New Unisaw, power dowel joiner, jigsaw blades, self-shifting drills, more
- 50 Tool test: 6" dado sets




#### DEPARTMENTS

- 6 Editor's Angle
- **8 Sounding Board**
- 18 Shop Tips
- 45 2008 article index
- 74 Ask WOOD.
- 92 What's Ahead



This seal is your assurance that we build every project, verify every fact, and test every reviewed tool in our workshop to guarantee your success and complete satisfaction.

# **End table**





## on the web



#### INSTANT ANSWERS TO YOUR WOODWORKING QUESTIONS

Got a stumper? Don't stew about it—ask for help on the WOOD Online® forums. When you post your question at woodmagazine.com/forums, it's like having 100,000 experts at your fingertips.

mbwood58	9 4	16 minutes ago by grandpabear
		The second second
dichael the Redgling	44	20 minutes ago by grandpabear
nchrisdp	21 0	40 minutes ago by Gary K.
number of repli	es	
	number of repli	number of replies

Most recent reply

#### MAKE A DOOR, WIN A TRIP TO VENICE!

Build an interior door, snap a few photos, and e-mail them to us for your chance to win! You'll find free video tips on doormaking, plus complete contest entry details and rules at woodmagazine.com/door.



## INNOVATIVE PRODUCTS

SHOP FOX® is one of the fastest growing machinery lines in the country, offering an unbeatable combination of quality and affordability to all segments of the woodworking trade.

SHOP FOX

We offer a 2 Year Warranty on all SHOP FOX® machines!



#### 14" BANDSAW

- ► 1 HP. 110V/220V. single-phase, TEFC
- 14" square precision ground cast iron table
- > 6" max. cutting height
- > 2 blade speeds: 1500 & 3200 RPM
- Cast iron wheels
- > Ball bearing blade auides

Includes blade, fence and miter gauge

W1706

#### 10" LEFT TILT HYBRID CABINET SAW

- > 2 HP, 110V/220V, single-phase motor
- > Precision ground cast iron table w/ wings measures 391/2" x 27"
- > Shop Fox® Alumina-Classic® Fence
- > Cutting capacity: 3" @ 90°, 21/8" @ 45°
- ➤ Rip capacity: 30" ➤ Arbor: 5/8"



#### **6" IOINTER**

w/Parallelogram Adjustable Beds

- > 11/2 HP, 110V, single-phase motor
- > Precision ground cast iron table measures 551/2" x 6"
- > 4 knife, 4850 RPM cutterhead
- ➤ Rabbeting capacity: 1/2"



SHOP FOX

#### **5 HP CYCLONE** DUST COLLECTOR

- > 5 HP, 220V, single-phase. TEFC Class "F" motor
  - > 10" intake hole
  - > 0.2 2 micron filters
  - > Magnetic switch w/remote control
  - ➤ Noise reducing mufflers
  - > 55 gal. steel collection drum

Includes steel stand and detailed instruction manual

W1810

#### 12" TABLE SAW

w/Riving Knife & Extension Table



- > Precision ground cast iron table & trunnions
- ➤ Table w/extension measures 30³/4" x 78³/4"
- > Quick release riving knife & steel splitter
- > Digital bevel angle readout

W1762

Includes 12" blade, fence and miter gauge

#### 20" PLANER

w/Mobile Base - 5HP

- > 5 HP, 220V, single-phase motor
- > Precision ground cast iron table & extension wings
- ➤ Table w/wings attached measures 20" x 555/8"
- > 2 feed speeds: 16 FPM & 20 FPM
- > 4 knife, 5000 RPM cutterhead
- > Pedestal mounted magnetic safety switch



Built-in locking Mobile Base

W1754

#### STRAIGHT LINE RIP SAW

- > 15 HP, 220V/440V\*, 3-phase cutting motor
- > 2 HP, 220V/440V\*, 3-phase feed motor
  - > Variable speed feed control > 18" throat for large stock
  - > 8" min. cutting length (w/
  - included hold-down kit)
    - ➤ Built-in autolube system for easy maintenance 2

440V operation requires the purchase of a 440V thermal relay & magnetic contactor

#### W1803

Shown with optional D3698 Laser Guide w/Pedestal Mount

#### 14" SLIDING TABLE SAW

- ➤ 10 HP, 220V/440V\*, 3-phase main motor
- > 1 HP, 220V/440V\*, 3-phase scoring motor
- > 125" W x 126" L cutting capacity
- ➤ Micro adjustable rip w/2 fence stops
- > Integrated overhead dust collection
- ➤ Delivers 10½ of travel



D3699 Optional Fully Enclosed Blade Guard

#### 71/2 HP HEAVY-DUTY INDUSTRIAL SHAPER

- > 71/2 HP, 220V/440V\*, 3-phase, 3450 RPM motor
- > Precision ground cast iron table measures 471/4" x 351/2"
- > Split micro adjustable fence
- > Precise dial angle scale for spindle tilt
- > 4 spindle speeds: 3900, 5000, 7200 & 9400 RPM
- Front mounted spindle lock

\*440V operation requires the purchase of a 440V thermal relay & magnetic contactor



Includes a 3-pc. table insert, heavyduty miter gauge and 7 spindle spacers



SHOP FOX® is a registered trademark of Woodstock International, Inc.



VISIT OUR WEBSITE OR CALL TOLL FREE TO FIND AN AUTHORIZED DEALER NEAR YOU.

SHOPFOX.BIZ 1-800-840-8420

sales@shopfox.biz

WHOLESALE ONLY



woodmagazine.com

December/January 2008/2009

Vol. 25, No. 7

Issue No. 188

#### EDITOR-IN-CHIEF BILL KRIER



Marlen enjoys turning small hollow vessels. These measure less than 4" wide.

Managing Editor
MARLEN KEMMET

Art Director

Deputy Editor
DAVE CAMPBELL

KARL EHLERS

Senior Design Editor

Techniques Editor BOB WILSON

Tool & Techniques Editor BOB HUNTER

Multimedia Editor **LUCAS PETERS**  Multimedia Editor **CRAIG RUEGSEGGER** 

Design Editor
JEFF MERTZ

Projects Editor LARRY JOHNSTON Assistant Art Director

Associate Art Director **GREG SELLERS** Production/Office Manager MARGARET CLOSNER

CHERYL A. CIBULA Administrative Assistant

SHERYL MUNYON



Bob demonstrates the tool stand he built from plans in issue 182.

#### **Photographers**

MARTY BALDWIN, JASON DONNELLY, DEAN SCHOEPPNER, JAY WILDE

Contributing Illustrators TIM CAHILL, LORNA JOHNSON, ROXANNE LeMOINE

Technical Consultants JEFF HALL, DOUG HICKS, BRIAN SIMMONS

Contributing Craftsman JIM HEAVEY

Contributing Proofreaders BABS KLEIN, IRA LACHER, JIM SANDERS

#### SUBSCRIBER SERVICE

Go to woodmagazine.com/help or write to WOOD magazine, P.O. Box 37439, Boone, IA 50037-0439

#### Publisher MARK L. HAGEN

#### ADVERTISING AND MARKETING

CHICAGO: 333 N. Michigan Ave., Suite 1500, Chicago, IL 60601 Marketing Manager AMANDA SALHOOT

Advertising Manager JACK CHRISTIANSEN Account Executive RYAN INTERLAND

Direct Response Advertising Representative LISA GREENWOOD

Assistants GAYLE CHEJN, NIA WILLIAMS

ATLANTA: Navigate Media **DETROIT: RPM Associates** 



Mark built this kitchen island for his daughter's condo.

#### Business Manager JEFF STILES

Associate Consumer Marketing Director DAN HOLLAND Associate Director of Marketing-Newsstand TOM DEERING Production Manager SANDY WILLIAMS Advertising Operations Manager JIM NELSON E-Commerce Manager MATT SNYDER

Vice President/Group Publisher TOM DAVIS

#### MEREDITH PUBLISHING GROUP President JACK GRIFFIN

Executive Vice President DOUG OLSON Chief Revenue Officer TOM HARDY

Finance & Administration MIKE RIGGS

Manufacturing BRUCE HESTON Consumer Marketing DAVID BALL

Corporate Sales MICHAEL BROWNSTEIN

Meredith 360° JACK BAMBERGER Interactive Media LAUREN WIENER

Corporate Marketing NANCY WEBER Research BRITTA WARE

Chief Technology Officer TINA STEIL New Media Marketing Services ANDY WILSON

Meredith

President and Chief Executive Officer STEPHEN M. LACY

Chairman of the Board WILLIAM T. KERR


#### In Memoriam — E.T. Meredith III (1933-2003)

Our subscribers list is occasionally made available to carefully selected firms whose products may be of interest to you. If you prefer not to receive information from these companies by mail or by phone, please let us know. Send your request along with your mailing label to Magazine Customer Service, P.O. Box 37452, Boone, IA 50037-0452.

© Copyright Meredith Corporation 2008. All rights reserved. Printed in the U.S.A. Retail Sales

Retailers can order copies of WOOD for resale by e-mailing jennifer.buser@meredith.com





# **comes aliv**

#### 2008-2009 Show Schedule

#### York, PA

York Expo Center November 7-9, 2008

#### Novi, MI

Rock Financial Showplace November 21-23, 2008

#### West Springfield, MA

Eastern States Exposition January 9-11, 2009

#### **Show Hours**

Friday 3pm-9pm Saturday 10am-5pm Sunday 10am-3pm

#### **Buy your tickets** online and save!

For complete details about each show. or to receive show discounts, call toll-free 866-749-4988, or visit:

#### www.woodworksevents.com

Can't make the shows? At the beginning of 2009 WOODMagazine.com will have online videos of the most popular seminars. Stay tuned for more details.

At each show, make sure to stop by the SawDust Cafe®, sponsored by WOOD® Magazine.

- Chat with fellow woodworkers
- Enter your projects in daily woodworking competitions
- Learn about woodworking clubs and schools in your area







# TO ITALY

**Interior Door Contest** 

**Build an Interior Door & Enter to Win** a FREE Trip for 2 to **Italy by Freud** 



Sept 15 '08 - Jan 15 '09

For More Details Go To:

www.WOODMagazine.com/Door

Subject to Official Rules at www.woodmagazine.com/door. No purchase necessary to enter or win. To enter, visit www.woodmagazine.com/door for the entry form, and e-mail the completed entry form and up to five (5) pictures of an interior door that you have built/created that highlights routing techniques to doors@woodmagazine.com. The door must be created by the entrant using his/her own equipment. Entry photos must be taken by the entrant, non-professional, unpublished and may not have won any prize or award. Freud's Door to Italy Contest begins 9/15/08 and ends 1/15/09. Entries must be received by 11:59 p.m., E.T. on 1/15/09. Open to legal residents of the 50 United States, and the District of Columbia, 21 years or older. One entry per household. Void where prohibited. Sponsor: Meredith Corporation

## **Editor's** Angle

## Back by popular demand! **Annual Article Index**

Now you have two simple ways to find a past project, tool review, or woodworking technique article: the cumulative online index at woodmagazine.com and the printed annual index on page 45.

ack in the November 2007 issue I touted the numerous benefits of the WOOD® magazine online index (woodmagazine.com/index). Among the bennies: It's cumulative (going back to issue 1 more than 20 years ago!) and comprehensive (right up through the issue in your hands). You simply punch in a word to describe what you're looking for, click on "search," and presto, up pops any number of articles matching that word. Clearly superior, right? Not necessarily.

Pretty soon I heard from a lot of you that preferred the paper version we used to include in the magazine every year. Well, we never ignore our customers, so we set about breathing new life into this old concept.

I put the project in the capable hands of Margaret Closner, our Production/ Office Manager. In addition to keeping our creative band of woodworking editors and craftsmen on schedule and generally organized, Margaret has an uncanny recall of past articles—a skill honed from fielding thousands of reader inquiries over the years. She put that talent to work and soon came up with an index designed to help you find the article or shop tip you're looking for as quickly as possible.

Next, we decided the index had to be on durable paper that you can remove

from the magazine easily, so we printed it on the heavy stock in the center of the magazine usually reserved for project patterns. To accomplish that, we moved the full-size pattern for the wine rack on page 62 into the body of that article. The WOOD Patterns® insert will return next issue.

And here's a feature I think you'll really appreciate. We left room in the index margins for punching holes so you can store it (and subsequent ones) in a three-ring binder for easy retrieval, as shown below.

On the back page of the index you'll find quick tips for using it, as well as the online index (in case you want to search issues prior to 2008). We've published great projects for nearly 25 years, with no two projects exactly alike. I'm always amazed when I look back at the huge archive of past work.

Finally, let me assure you that, despite all of the benefits of the Internet, we plan to continue to publish an annual paper version of the index into the foreseeable future. You've been pretty clear about

wanting it, and we hear you! 🗬

Billkier



#### STEPS TO STORING YOUR INDEX



STEP 1: Carefully pull index insert from magazine.



shown on the index.



STEP 2: Punch 3 holes where STEP 3: Place index in a threering binder for quick access.

## What's The **Secret To Flawless** Edge **Profiles** REWORK?

## Quadra-Cut



Freud's New Quadra-Cut™





Two large cutter wings shear upward to remove most of the stock for fast, extremely smooth cuts.



Two small cutter wings shear downward for an ultra-fine finish, even when routing crossgrain in delicate materialsì



U.S. Patent No. 8,899,252

For A Smooth Sanded Finish...

...Without The Rework!

Freud's **Exclusive** 4 Cutter Design





**All Other Router Bit** 2 Cutter Design

"Mirror-smooth finish with sharp, clean details!"

- Chris Marshall, Woodworker's Journal

"Super-smooth cuts!"

- Glen Huey, Popular Woodworking

#### Look For These Popular Profiles in 1/2" Shank Quadra-Cut™ Design:

- · Classical Cove & Round Bit
- · Rounding Over Bit, 3/8" Radius
- Rounding Over Bit, 1/2" Radius
  Rounding Over Bit, 1" Radius
- · Beading Bit, 5/16" Radius
- Beading Bit, 1-1/8" Radius
- Table Top Classical Bold Bit Table Edge Bit
- . Rounding Over Bit, 5/8" Radius
- Rounding Over Bit, 1-1/2" Radius
- Raised Panel Bits







Precisely the best

To sign up for Freud's e-mail newsletter or to find a dealer near you visit: www.freudtools.com Red router bits are a registered trademark of Freud America, Inc. (US) 7-800-472-7307

## **Sounding Board**

Our bulletin board for letters, comments, and timely updates

## Teacher takes home **WOOD**<sub>®</sub> magazine prize with stunning bedroom table

At the 2008 Design in Wood competition in San Diego, Brian Carnett's Asian-influenced bedside table, shown at *right*, won the Excellence in Workmanship award, sponsored by *WOOD* magazine. A former woodworking instructor, Brian, 55, now teaches highschool photography and social studies near his Escondido, Calif., home. He builds furniture in his spare time.

Brian made the 14×14×30" table from wenge, quilted maple, and ebony, using

through-tenons and breadboard ends for joinery. His table also netted a second place for Excellence in Finishing. (He used an oil/polyurethane mix.)

The San Diego Fine Woodworkers Association sponsors the Design In Wood competition each summer. This year, 302 entries from 15 states competed for prizes valued at more than \$20,000. To see more photos from the show and to enter the 2009 event, go to sdfwa.org.



## Avoid sawing steel with a wood-cutting bandsaw

In your review of 14" bandsaws in issue 185 (September 2008), you mentioned cutting steel with a dual-speed machine using the proper blade. I would warn your readers against that for a few reasons.

First, the blade speed—measured in feet per minute (fpm)—of our wood-cutting bandsaws is much too fast for cutting steel. (Typically, a steel-cutting bandsaw runs at 75 to 300 fpm, while a wood-cutting bandsaw runs 1,500 to 3,200 fpm. You can safely cut nonferrous metals, such as brass or aluminum, at the slower speed.) The heat generated when cutting steel at those faster speeds would quickly damage the teeth on even a steel-cutting blade.

Also, most steel-cutting blades are designed to run at much higher tension settings than typically used in woodworking bandsaws. Finally, the metal chips could become pressed into the rubber tires, thus reducing their life (unless they have been designed for it).

—Bill Crofutt, Grizzly Industrial



Some bandsaws, such as Grizzly's G0621, are built to cut wood and metal. This model has a 150- to 3,000-fpm speed range.

#### I'll take my sheet goods to go, please

I built a sheet-goods storage rack similar to the one in issue 184 (July 2008), but didn't want to simply park it against a wall. So I added 6" swiveling casters to make it mobile, and extended the

width to add clamp racks, sawhorse holders, and a bin for storing small cutoffs. Now I've got everything I need within easy reach. When I'm finished, I just scoot them out of the way.

—Mark Abbott, Cookeville, Tenn.



#### **HOW TO REACH US**

#### For woodworking advice:

Post your woodworking questions (joinery, finishing, tools, turning, general woodworking, etc.) on one of 16 online forums at woodmagazine.com/forums.

#### ■ To contact our editors:

Send your comments via e-mail to woodmail@woodmagazine.com; or write to WOOD magazine, 1716 Locust St., LS-221, Des Moines, IA 50309-3023.

#### ■ Subscription assistance:

To notify us of an address change or to get help with your subscription, visit woodmagazine.com/help. Or write to WOOD magazine, P.O. Box 37439, Boone, IA 50037-0439. Please enclose your address label from a recent magazine issue.

#### ■ To find past articles:

See our index at woodmagazine.com/index.

#### To order past issues and articles:

Order past issues of WOOD magazine, our special issues, or downloadable articles from issue 100 to present: Visit our online store at woodmagazine.com/store.

Some issues are sold out.

#### Updates to previously published projects:

For an up-to-date listing of changes in dimensions and buying-guide sources from issue 1 through today, go to woodmagazine.com/editorial.

# The facts are hard to ignore. Titebond® III outperforms polyurethane glues.





As the leader in wood glues, we want you to know the truth about polyurethane glue and woodworking. A straightforward comparison between Titebond® III Ultimate Wood Glue and polyurethane glue tells the story.

Titebond<sup>®</sup> III is THE ultimate choice for bonding wood to wood. Period.

For more information and a detailed comparison, please visit www.titebond.com/TBIIIvsPolyurethane

#### INTRODUCING THE CRAFTSMAN **MEXTEC™** HAMMERHEAD AUTO-HAMMER



Pound each nail flush to the surface without ever taking a swing. Powered by a 12-Volt Lithium-ion battery, one push of its trigger allows you to generate 2,000 powerful impacts per minute.



Effortlessly drive nails into any tight space or corner.
A compact, ergonomic design, complete with built-in LED Work Light, allows you to go places, and finish jobs, traditional hammers can't.



Never miss another nail again.
With an innovative magnetic tip
holding each nail in place,
you can perfectly drive any nail
using only one hand.



For tools and advice from America's Most Trusted Tool Brand, visit the Garage of Knowledge™ at craftsman.com



## **Great Ideas** for Your Shop


# Dual-purpose Dust Chute


e all like making dust in the shop, but nobody likes cleaning up afterward. Here's a handy helper that both speeds sweepup and keeps chips and dust off the floor and workbench. Build this simple project using 1/2" scrap. Cut a hole in the top to fit your vacuum



hose or add the optional collar for a dust-collection hose. Create the base so the ends protrude 1½" beyond the edges of the sides to clamp it to your workbench. Then, bevel the front edge of the base for ease in sweeping debris into it for easy pick up.

Project design: Paul Amberg





## THE INNOVATIVE HAMMER THAT HITS EVERY NAIL ON THE HEAD WITHOUT EVER TAKING A SWING.

CRAFTSMAN &

Introducing the exclusive **Craftsman flextec**™ **Hammerhead Auto-Hammer**. With just one touch of the trigger, this revolutionary, lithium-ion powered hammer generates 2,000 impacts per minute, pounding the nail flush to the wood. And with its innovative magnetic tip holding each nail in place, we guarantee your fingers and your pride will stay intact, one perfectly driven nail at a time. For tools and advice from America's Most Trusted Tool Brand, visit the Garage of Knowledge™ at craftsman.com



## Quick & Easy Jig

## Super-simple Tapering Jig

Tapers turn bulky, blocky stumps into svelte and sexy legs. Start cutting the fat with a trip to the scrap bin.

n the last issue (#187, November 2008, p. 32), we provided plans for an adjustable tapering jig. It works great for cutting an infinite variety of tapers, including those on the Basic-Built Tables on *page 54*. But if you want a simpler tapering jig to build that same table set—one that doesn't require any special hardware—try this one. It's not quite as versatile, but perfect if you value simplicity in your jig.


Start by cutting the base, guide, end cleat, and spacer from 3/4" MDF or plywood to the sizes shown in the drawing. Make the hold-down from any piece of scrap. (We had 3/4" poplar in the cutoffs bin.)

Glue and screw the end cleat to the base. Then glue the spacer to the guide, but don't attach this assembly to the base yet. Its position depends on the taper to be cut.

Before completing the jig, use it to set up the tablesaw for the cut. First, install a zero-clearance insert so the cutoff won't lodge between the blade and insert plate. (For more about making and using a zero-clearance insert, go to woodmagazine.com/zeroclearance or woodmagazine.com/zcivideo.) Next, place the edge of the base against the saw blade, then slide the rip fence against the opposite edge of the base.

To use the jig, place one of the legs on the base with the top against the end cleat and the taper marks on the ends of the leg along the edge of the jig, as shown in the photo. Place the guide/spacer assembly against the leg, drill the mounting holes, and screw the guide assembly to the base. (Don't glue it so you can reposition it to cut tapers of different lengths.) Retrieve the hold-down and screw it to the spacer to hold the leg firmly against the base and






show you the operation. Use yours.

woodmagazine.com/taperjig2





**Blending Banding** 

Plywood's dimensional stability makes it great for many projects, but it usually doesn't stain to the same hue as the solid-wood banding along its edges. Here are three fixes.

dhesive beneath a plywood veneer can throw off stain penetration compared with solid wood, whether on an edge-banded shelf or a bookcase made from plywood sides and a solid-wood frame. Try these simple tricks to help your project parts look like they came from the same tree.

■ Stain helps equalize minor color differences, but it can make matters worse when it highlights the pores of mismatched grain. First minimize the

challenge by matching the grain pattern of the banding to the plywood grain, as shown *below*.

Avoid smearing squeeze-out across the surface during glue-up, or you'll end up with light spots on top of your other color-matching problems.

If you anticipate staining mismatches, make practice glue-ups of finish-sanded scrap plywood or veneered MDF and solid wood to experiment with these three solutions:

MATCH GRAIN AS WELL AS STAIN

Solid-wood edge

Matching the grain of a white oak edge to the grain of the oak-veneer MDF helps the two surfaces blend together after staining.

Wood conditioner on the right side reduces the color contrast between porous and less-porous surfaces, helping the edge band blend with the plywood veneer.

1 Try gel stain first

Unlike liquid oil-based stains designed to penetrate wood as much as possible, the thick consistency of oil-based gel stains helps control how much color penetrates both solid wood and veneer.

After applying a consistent coat of gel stain to all parts, stop short of wiping off all the excess on areas that need darkening. Should you accidentally leave streaks on the wood, wipe them away with a clean cloth moistened with mineral spirits, and start over.

#### 2 Condition the wood

Wood conditioner works like a thin film finish to block stain from overpenetrating porous areas. By partially filling pores as well as the surface, it also reduces earlywood/latewood contrast, as shown top left.

You can buy ready-mixed wood conditioner or make your own by mixing two parts mineral spirits to one part polyurethane or alkyd-resin varnish. To apply conditioner, brush it onto the surface and allow it to penetrate thoroughly. Then wipe away any surplus, and let it dry overnight. Lightly sand the surface with 220 grit, wipe clean, and apply stain.

#### 3 Seal, then stain

For the most consistent color, even between wood parts of different shades, apply stain to a layer of film finish instead of the wood itself. Dewaxed shellac provides a quick-drying sealer. To mix your own, dissolve 3 ozs of shellac flakes in 16 ozs of denatured alcohol. Or buy premixed shellac sealer, such as SealCoat (zinsser.com), and thin that by half with denatured alcohol. Avoid flakes or premixed shellac containing wax; polyurethane has trouble sticking to it.

Brush on or spray the sealer evenly across all surfaces, and allow it to dry. Scuff-sand the surface with 220 grit, and apply the stain. One caveat: The sealer will make it difficult to achieve dark stain colors, but it eliminates blotching and lessens grain contrast:



## With Freud's New Entry & Interior Door Router Bit Sets!

#### **Can Create** Beautiful. Now vou **Customized Doors with Strong Joints.**

#### Imagine the Possibilities...

Thanks to Freud's patented innovation, you now have the ability to make door joints with precisely fit tenons of any length. Use the bits right out of the box for high quality stub tenons, or by simply removing the top of the Rail bit, create extended tenons (for stronger joints) at all four critical corners of your door. Combine with Freud's flawless Stile bit design, even add Freud's award winning Quadra Cut™ Raised Panel Door bits, you can create unique interior doors with any design or wood species. These router bits come set up for 1-3/4" height (for entry doors) and can easily be adjust for 1-3/8" height (for interior doors).





#### Two Piece Bit Sets Available:

- Roundover Profile (#99-267)
- Ogee Profile (#98-268)
- Cove & Bead Profile (#98-269)



#### **Three Piece Bit Sets Available:**

- Roundover Profile with Bevel Raise Panel Bit (#98-300)
- Roundover Profile with Cove Raised Panel Bit (#98-302)









## Workshop Savvy

The Simple Secret to

## No-Fuss, Dead-On **Dadoes**

Use this technique to achieve perfect-width dadoes in only two test cuts. Guaranteed.

orget tedious trial-and-error testing. The trick to tight tablesawn dadoes is to subtract—not add-shims.

To start, you'll need two scraps, about 6" square of the same thickness. In one of those squares, center a 5/8" dowel about 4" long. Now follow these three steps anytime you need to cut a dado.

Finish-sand all workpieces that will be inserted into the dadoes, and lav one on the nondoweled scrap. Stack the blades and chippers on the doweled jig until they're just less than the thickness of the workpieces. Then add shims between the blades until the dado stack




becomes slightly thicker than the workpiece, as shown above. Install the blades, chippers, and shims in your tablesaw, and make a test cut in scrap. (You don't need to worry about the dado height at this point.)

2 Remove enough of the dado set to retrieve all of the shims, then set them aside. Insert the workpiece end in the test dado, which should fit loosely. From the shims removed from the dado set, fit as many as possible into the gap between the workpiece and dado edge, as shown below left. Set aside these shims and install the remaining shims as you reassemble the dado set.

3 Set your blade height for the finished dado depth, and make a second test cut to confirm the correct width and depth. Now you're ready to cut dadoes for gap-free joints like the one shown below.



Watch a FREE video on how to make tight dadoes at woodmagazine.com/videos





## **PROUD OF WHAT YOU MAKE?**

US, TOO.

Introducina






NEW from the makers of Drill Doctor

#### **Cutting Edge Technology for Woodworkers**

Take a look at our latest project. It's the result of years of work, listening to woodworkers like you, and then building the wood tool sharpener that you wanted. Take a tour of the features and see what you think:



**Sharpening Port Lapping** Surface— "plunge-pull" sharpening technique and **Sharpening Port abrasive** increases burr removal and speeds sharpening

Dry Cooling System—routed airflow and heat sink system keeps tools cool without the mess of a wet system



TWO 2 YEAR

Powerful 1/5 HP Motor

Adjustment—controls

bevel-edge squareness

grinding surface on which to adhere

Glass Grinding Wheel-150mm tempered glass wheel-provides a maintenance-free, always flat and true

**PSA Abrasives** 

Sharpening Port—enables precise and repeatable angles of 20°, 25°, 30°, and 35° for chisels and plane irons up to 2 inches wide

Innovative Edge-Vision™ Slotted Wheel—lets you see the cutting edge as you sharpen!

Learn more about the award-winning new Work Sharp at

www.worksharptools.com or call 1-800-597-6170

Work Sharp is available at Sears, Rockler, Woodcraft, Amazon.com, and wherever you buy your tools.

Circle No. 1665



offer details!

## **Shop Tips**


Helping you work faster, smarter, and safer

#### Blocked drill-press crank needs an extension

After adding an auxiliary tabletop to my benchtop drill press, the new top prevented the tableelevation crank from turning. Here's how I worked around the problem: First, I removed the crank handle and replaced it with a threaded coupler drilled and tapped to accept a set screw. Next, I cut the head off a long carriage bolt and ground a flat area to accept the table crank's set screw. (Size the coupler and

carriage bolt to fit your drill-press crank's shaft.)

To stabilize the extended handle, I attached a support bracket to the bottom of the table. Finally, I threaded



the carriage bolt into the connector and the handle, securing both ends with set screws. My new extended crank works like a champ.

—Bob Hoffmann, Sugar Hill, Ga.

## The Top Tipster



Telecom engineer Bob Hoffman has two places where he makes small pieces of wood from large pieces of wood: his fully equipped 2-car garage workshop and his twice-weekly karate sessions. Both require careful attention to finger safety.




Bob Hoffman will be the first woodworker or martial artist on his block to have Freud's new Doweling Joiner, which we're sending for submitting this issue's Top Shop Tip.

#### Sand safer with a jointer pushstick

While removing the mill marks on some lumber with my stationary belt sander, I noticed (for the umpteenth time) that my knuckles were very close to getting scraped as I held the board's edges. I had recently made WOOD® magazine's "Sure-grip" jointer pushstick [free plan at woodmagazine.com/ jpushstick .

So, I used it to keep my fingers clear, as shown. The board stayed on the sander and the skin stayed on my hand.

—Charles Hamilton, Gray, Tenn.



continued on page 20

#### Top tips earn tools!

Tell us how you've solved a workshop stumper. If we print it, you'll get \$100 and a copy of 450+ Best-Ever Shop Tips (woodmagazine.com/450tips). And, if

your idea garners Top Shop Tip honors, we'll also reward you with a tool prize worth at least \$300.

Send your best ideas, along with photos or drawings and your daytime phone number,

to: Shop Tips, WOOD
Magazine, 1716 Locust St., LS-221,
Des Moines, IA 50309-3023. Or, by
e-mail: shoptips@woodmagazine.com.

Include your contact info in the e-mail.

Because we try to publish original tips, please send your tips only to WOOD® magazine. Sorry, submitted materials can't be returned.




www.jettools.com/TSC

18"

16"

QUALITY | INNOVATION | SERVICE




#### **Shop** Tips

#### Easy-to-reach scrollsaw blade keeper

Scrollsaws aren't known for an abundance of onboard storage space. So I stuck strips of magnetic tape I got from the office supply store to a small piece of plywood and mounted it to the scrollsaw arm. The blades stay within easy reach and the magnet keeps them from vibrating onto the floor.

-Rick Hutcheson, Grimes, Iowa



## Metalworkers hold the key to deep clamping jobs

My last project, an entertainment center, had a part that was difficult to clamp due to its depth. None of my woodworking clamps had enough reach. So, I turned to my locking C-clamps. The jaws' 11" reach, with the aid of a clamping caul, distributed the pressure perfectly.

-Bob Kelland, St. John's, Newfoundland




20 WOOD magazine December/January 2008/2009

#### Let your quard down for circ saw safety

I added a 1/8" hardboard auxiliary zeroclearance plate to my circular saw to improve the cut quality, but I didn't like that the retracted guard left the blade exposed. Then I realized that the workpiece really only needs zeroclearance support where the blade teeth exit the workpiece at the front of the cut. So I used a jigsaw to widen the back two-thirds of the blade opening to allow room for the blade guard to snap back into place just as it was made to do.


-Rob Price, Watkinsville, Ga.



#### Shoe organizer turned glue organizer

Don't let your shop door go unused as storage space. I took my daughter's old mesh, wall-hung shoe organizer and secured it to the door with a couple of screw hooks. Now it holds glues, compressed air, and spray finishes—any small container, really.


-James Pruett, Rutherfordton, N.C.



continued on page 23



Circle No. 2127



www.arrowfastener.com

Arrow Fastener Company, Inc. and 150° are Resistered Tragemarks of Arrow Fastener Co, bu

## Changing the way things are done.

Magswitch Technology Is Revolutionizing Tabletop Workholding!

#### The New MagFence Switchable Magnetic Woodworking Guide System

- Works on all cast-iron tables.
- Includes precision roller bearings.
- ► Featuring Magswitch MagJigs with up to 150lbs/68kgs of clamping strength.
- Smooth, secure feed of material for enhanced shop safety!

Features: MagFence Universal Mounting Base, two 30mm MaaJias, MaaFence Dual Roller Guide, MagFence Resaw Guide, 20mm MagJig adapters and all necessary hardware.









www.magswitch.com.ou

Circle No. 2016



For more information call: 800.480.7269



raising the bar for 2-stage Cyclone Dust Collection!



Portability: The JDS Cyclones have a base with wheels that allow the cyclones to be transported anywhere!



2 HP Cyclone 1700 MAX CFM AND IMPROVED

Step 1 Lift Drum Lever



Disposing of collected waste is quick and easy! Just lift up the drum lever and slide the steel drum out. Return the drum and lock down the lever, its that easy!

Quick Connect Drum Lever:

Step 2 Remove Drum





Self Cleaning Canister: The JDS Cyclones are equipped with a 1 micron canister that is self cleaning. Every time the unit is turned off a signal is sent to the canister motor that activates cleaning "flappers" inside the canister!



More Power: The unique "Turbo-Fan" impeller from JDS now provides more CFM and greater performance at high levels of static pressure.

#### **Shop** Tips

## World's most economical corner clamps

Rather than buy a specialty clamp set for mitered corners, you can make your own like I did. Simply take some cheap plastic spring clamps, remove the pads, and drill holes to accept #4×1" flathead wood screws.

To clamp up a mitered corner, drive the screws through the clamp so the tips will just bite into the wood, and clamp the joint as shown. Driving the screws a little further ensures that the clamp won't slip.


-Mike Radcliff, Nashville, Tenn.



### Scarf a snack, save a paint roller

I hate washing out my paint rollers when I have to take a break for lunch or overnight. So, to keep the roller from drying out, I store it in a discarded potato-chip can. After cleaning out the can, drill a hole in the center of the lid and cut a slit from the hole to the lid edge. Then slip the roller into the can and snap the lid into place. The can works great as a roller saver (and as an excuse to eat potato chips).

-Gerrit DeBoer, Grandville, Mich.





Sawdust. It invades your workshop, threatening to take over. But with CleanStream Pro Filters on your side, sawdust doesn't stand a chance. CleanStream adds true HEPA filtration to your wet/dry vac. So no matter what kind of dust you're sucking up, 99.97% of even the finest particles, down to 0.3 microns, are kept out of the air. CleanStream won't clog, and it lasts longer than any other filter out there. We even have a one-year guarantee to prove it. Declare victory over sawdust today. With CleanStream. www.cleanstream.com

Cleanstream and GORE are registered trademarks of W.L. Gore & Associates, Inc. © 2008 W.L. Gore & Associates, Inc.

Sears
Lowe's

Circle No. 2124



SERIOUS ABOUT YOUR TOOLS?

MAKE SURE IT'S A GREX



Changing ideas into solutions.


Alhambra, CA • 888-4GREXCO • info@grexusa.com
Cheltenham, ON • 905-838-4887 • info@grexcanada.com

GREX

#### **Avoiding Workshop Goofs** You know, I think mortise and tenon is the way to go! Don't Let Bad Dovetails Happen to You Using these tips you won't sacrifice another piece of wood on the altar of your router dovetail jig. I swear this A few taps from worked "The Persuader" perfectly should fix this. at the Maybe I can hide store! I'll blame this one this one in the back. on dust in my eyes.

ovetail joints are one of the hallmarks of quality woodworking, and a router and storebought jig make quick work of them.

Mistake? No, I'll call it a design element.



Half-blind dovetail Through

Through dovetail

But the fit of these eye-catching corners must be precise, as shown at *left*. And if you don't use your jig often, it's easy to forget even one small thing that results in poor-fitting joints. Here's how to minimize the headaches.

Do they sell wood filler in quarts?

## These hints will get you started on the right foot

- Read the owner's manual and do what it says. Proper setup heads off most goofs, and when you need help the solution often will be found there.
- Use the correct router bits, guide bushings, and jig templates. Manufacturers design all three elements to work together; straying from the right combination invites problems.
- Machine all your workpieces square and to the correct dimensions. Interlocking pieces don't have to be of the same thickness, but they must be flat and square to make a tight-fitting joint.

When you're routing multiple joints with the same setup, make all common pieces (drawer sides, for example) identical in thickness and width.

- Always make test cuts in scrap stock that's of equal dimensions to your workpieces until you achieve the desired fit. Don't mess up your project parts trying to dial-in a joint.
- Slow your router bit speed to avoid burning the pins and tails. Particularly when routing closed cuts, such as half-blind pin sockets, at higher speeds, trapped heat can build up and burn the wood; and burned surfaces don't bond well with glue.
- Finally, if you'll make the same project again, save the final test pieces to use as set-up blocks for the next time. Then use those to set the bit depth and workpiece position in the jig.

continued on page 26



PRECISION CONTROLS AT YOUR FINGERTIPS.



ACCURACY FROM A ONE-PIECE TRUNNION.



CONVENIENCE IN A WELL-DESIGNED DRAWER.


THE NEW UNISAW. GET READY FOR THE COMPLETE PACKAGE.

#### **Avoiding Workshop Goofs**

#### **Head off half-blind errors**

GOOF: You've cut tails instead of pins on a drawer front.

HOW TO AVOID IT: Before routing, label all components (front, sides, back) near the joint for easy reference. Also, whenever possible use contrasting stock for your drawer front so it stands out from the other parts.




TEMP

GOOF: Thin or unequal end tails or pins weaken a joint or leave it with an unattractive appearance, below.

HOW TO AVOID IT: If your jig allows variable pin spacing, set the template fingers so you get at least a half-pin on each end, as shown at right. If your jig

does not have variable spacing, you'll need to plan your project or drawer widths to match the template spacing. To do this, measure the template width between half-pins closest to what you'd like, as shown at far right, and make that your workpiece width.





Using a Leigh jig with variable spacing, we made the two center pins wider and spaced the tails farther apart for visual balance.



With a fixed template, measure from the edge stop to the right side of any finger and make your workpieces that width.

WOOD magazine December/january 2008/2009

26

**Breathe Easier with a** One Stop Dust Collection Solution

With 20 years experience and a superior product line, the experts at Penn State Industries

will provide you effective solutions for a cleaner shop. in class clone Filtration

Call Bill at 1-800-377-7297 x16 to help you plan the best solution for your shop or CNC applications.

Montion ship 2nd for information on house next the best solution for your snop or CNC applicate.

Mention this ad for information on how to get Michigan and a FREE catalog.

The FREE ductwork plan and a FREE catalog.

#### **TEMPEST ™ Cyclones**

- ▲ 2.5HP 1450CFM \$995
- ▲ 3.5HP 1700CFM \$1125
- ▲ 5.0HP 1800CFM \$1395

#### **Premium Ductwork**

- Pipe for maximum airflow
- Fittings and hoods for most applications

#### **Ductwork Planning Service**

An accurate layout of your shop to save you hours of planning

#### **More Collection Solutions**

▲ High performance bag-style collectors, air cleaners and portable collectors ideal for any size home shop

Penn State Industries

1-800-377-7297 • www.pennstateind.com/nodustwm


#### Thwart mistakes with through dovetails

**GOOF:** You've cut your tails and pins with the wrong bit or the wrong side of the template, as shown *below*.

How To Avoid IT: Remember this: Dovetail bits use straight template fingers, and straight bits use angled fingers. Again, labeling project parts helps avoid confusion. Also, sketch the joint on the end grain and mark an X to indicate the areas to remove.



**GOOF:** The bit tears chunks from your workpiece as it exits the cut, *below*. **HOW TO AVOID IT:** Sandwich your workpiece in the jig between two backer boards, as shown *below right*. Like a zero-clearance insert on your tablesaw, these sacrificial boards



support the fibers of your workpiece to prevent tear-out. When routing pins or tails wider than the bit diameter, rout in incremental steps, removing the waste material in three or four left-to-right passes rather than simply plunging through the workpiece.



Use any scrap stock, such as this hardboard, to back up your cuts on both faces.

woodmagazine.com

27





Circle No. 802




of HGTV!

or visit us at www.feinus.com.







## A jaw-dropping face-lift for the K-Body clamp

In the face of ever-increasing competition, Bessey has redesigned the venerable K-Body parallel-jaw clamp. Using the same I-beam bar, the K-Body Revo jaws are ¾" taller and ½" wider with replaceable face pads. Easier-to-grip rubber-and-plastic handles replaced the wood ones. Each clamp now includes two saddle pads to place under gluelines to support the assembly and keep glue off the bar threads. Options include a sliding tail jaw (so you can center glue-ups on the bar), and a jaw adapter for clamping angled assemblies.

Bessey K-Body Revo Parallel-Jaw Clamps, \$36-\$72 (in 8 different lengths) 800-828-1004, besseytools.com

#### Milwaukee mitersaws digitally accurate to 1/10°

Milwaukee's first foray into the 12" mitersaw category yields two models loaded with user-friendly features. For mitering, there's an industry-first digital scale accurate to 0.1°, a detent override, and smooth-as-silk needle

bearings under the rotating table. Add to that nine bevel stops, an effective 4"-wide dust-collection chute, incandescent lights on both sides of the blade, and a bevel-gear motor that reduces kick at startup and shutdown.

Milwaukee 12" dual-compound mitersaw (shown), \$500; sliding mitersaw, \$700 800-729-3878, milwaukeetool.com



## Shift gears automatically between drilling and driving

Never again wonder whether your drill/driver is in the right speed range for the job. These two lithium-ion-powered drill/drivers automatically shift gears as each task demands. They start in the high-speed range, and

if the job needs more torque, the automatic transmission switches immediately to the low range. There's also an override to lock the tool in the high-speed range.

AutoShift 18-volt Drill/Driver, Ryobi model, \$200 800-525-2579, ryobitools.com



"Stretch" your bandsaw for resawing

Adding a 6" riser block to a cast-iron C-frame bandsaw increases its resaw capacity, but also its tendency to flex. The General International 90-200M1 allows you to adjust its resaw height in no time. With a solid-steel support shaft instead of cast iron, the head raises or lowers on a rackand-pinion gear. So you can set the saw low and use a 931/2" blade for ripping or curve cutting, or raise it to full height and install a 106" blade for a 12" resaw cut. This model also has ball-bearing blade guides, 16×16" table with rip fence, and flexible work light.

General International 15" Adjustable-Height Bandsaw, \$1,480 888-949-1161, general.ca

## Oscillating drum sander sands smoother, burns less

A drum sander removes thin layers of material without tearout, but often leaves straight-line scratches from the abrasives. And resin buildup on the sanding drum can transfer burn marks to the workpiece. You then have to remove these scratches or marks with a portable sander or hand scraper. Jet's 22"-wide, open-ended Oscillating Drum Sander gives you the option

of switching on 1" of side-to-side movement (like an oscillating spindle sander does vertically) as it sands to avoid these pitfalls. And its Sand Smart feature automatically slows the feed rate during demanding jobs to prevent bogging down the drum motor.

Jet 22-44 Oscillating Drum Sander, \$2,050 800-274-6848, jettools.com



## MLCSwoodworking.com...


Free "Online Videos" show you how to rout it, join it, and build it.



## "Hide the Ply"


The Edge Banding router bit set adds an attractive edge to plywood panel doors and shelves. Two piece, carbide tipped, 1/2" shank.

#1475 - T&G ......\$44.95 #1474 - 900 ......\$39.95



Our Mitered Door Frame Kit creates elegant Rail & Stile Doors. Includes 1/2" shank carbide tipped Profile Router Bit, 1/4" & 5/32" Slot Cutter bits & 100 #11 biscuits.

Item #1480.....\$79.95





#### "Portable Versatility"

The Marvel 40 3-In-1 Router Kit is a 1 HP Router, Laminate Trimmer & Cut-Out Tool with 1/4" & 1/8" collets, 3 bases, straight edge, and circle cutter. Item #1478 .....\$89.95



Make strong Half Blind 1/2" Dovetail Joints. Our set includes a solid Aluminum Template, 12" Steel Jig, and a carbide tipped 1/4" or 1/2" shank Dovetail Router Bit. 1/4" shank • #1483 | 1/2" shank • #1484.....\$59.95



#### "Beauty-In-Utility"

The Shaker Cabinetmaker Router Bit Set makes professional Raised Panel Doors and Drawers. Five piece, carbide tipped, 1/2" shank. Item #1485.....\$114.95



I-800-533-9298
PROFESSIONAL ROUTER BITS & WOODWORKING PRODUCTS



FREE SHIPPING!

## Portable cyclones offer better dust collection for the small shop


We prefer two-stage cyclone dust collectors to single-stage bag units because the vast majority of the debris falls into a collection drum and never reaches the impeller or filter. But traditional cyclones are big and require dedicated spaces. These portable units bring that superb separation into the home-shop realm with small footprints and about 5' heights. Oneida's Mini Gorilla comes with a 5" inlet and 10' of flexhose, and specs about 600 cfm of suction. The JDS unit has one 8" inlet or two at 4", and claims about 1,700 cfm of suction. It also has a built-in filter cleaner that automatically beats the pleats inside the filter every time you shut off the machine.



## Add a rock-solid helping hand wherever you need it

Two years ago Magswitch launched its powerful MagJig magnets that turn on and off with the twist of a switch. Now the company has developed an accessory hold-in/hold-down system with interchangeable workpiece supports. The Universal Mounting Base kit gives you the flexibility to place support right where you need it on any ferrous surface, using the two included MagJigs. One support is flat with two sets of roller bearings, and the other has a 7° bevel on each side of a single bearing guide. Both provide unflinching support without the resistance of a feather board on your tablesaw, bandsaw, or jointer.

Magswitch Universal Mounting Base Kit, \$150 303-468-0662, magswitch.com.au



## Cut dead-on mortises with your handheld drill

JessEm's Zip Slot Mortise Mills allow anyone with an electric or cordless drill to machine perfect-size mortises. Bearing-guided bushings position the high-speed-steel spiral bit in the mill's slot; then you simply plunge the bit a little at a time as you slide it side-to-side using a lever. Each kit comes with loose hardwood tenons, or you can cut tenons on your workpiece. The smaller mill makes only ¼"-wide mortises—perfect for ¾" stock—while the larger unit makes ¾"

mortises standard with optional ¼" and ½" accessories available.

JessEm Zip Slot Mortise Mill, 1/4" model, \$100; 3/8" model, \$250 866-272-7492, jessem.com

(Sold exclusively at Woodcraft, 800-225-1153, woodcraft.com)



## Smooth cuts from a jigsaw blade? Believe it!

Jigsaws do a great job of making curved cuts in any material, but even the best blades struggle to make furniture-quality cuts—until now. Bosch's 12-teeth-per-inch Xtra-Clean jigsaw blades have scalpel-sharp teeth that deliver near-burnished, tear-out-free cuts.

Bosch Xtra-Clean Jigsaw Blades, 5-pack, \$13.50 877-267-2499, boschtools.com



WOOD magazine December/January 2008/2009





## Satisfy Your WOODTURNING PASSION



Penn State Industries delivers more value for your dollar so you can get more out of your woodturning experience. Our commitment means you get high performance, long-lasting PSI Woodworking products that deliver best-in-class price/performance results. Choose from Turncrafter™ Mini and Midi Lathes, easy-to-use Barracuda™ Lathe Chuck systems, durable HSS Benjamin's Best™ turning tools and more than 300 inspiring pen and project kits. Penn State Industries. Turn here to pursue your passion.

Benjamin's Best™ Turning Tools



Circle No. 2151

Call or go online for a FREE catalog

n State Industrie

**Penn State Industries** 1-800-377-7297 • www.Pennstateind.com

# Shaker-style Dresser

Part of the beauty of this dresser is its uncomplicated construction. Even the drawers require only simple tablesaw cuts.

#### **PROJECT HIGHLIGHTS**

- Overall dimensions: 39¼" wide × 21¼" deep × 49¼" high.
- Materials needed: Cherry, 1½", ¾", ¼"; soft maple, ¾", ½", ¼"; cherry plywood, ¾"; birch plywood, ¼".

ure to become a family heirloom, this six-drawer cherry dresser combines classic Shaker style and practicality. Build it alone, or add the separate valet (page 41) and wall mirror (page 66). The dresser and accessories match the pencil-post bed shown in issue 187 (November 2008). A sevendrawer lingerie chest, coming in issue 189 (March 2009), rounds out a complete bedroom set.

#### Start with the side parts

Cut four leg blanks (A) [Drawing 1] to size [Materials List, page 40]. (You can cut them from solid stock or laminate them.) Mark the position of each leg on its top (FL for front left, for example).


2 Lay out the tapers on the two inside bottom faces of each leg (A) [Drawing 1]. Using a tablesaw and tapering jig (see Quick and Easy Jig, page 12), cut the tapers [Photo A]. Sand the tapers to remove saw marks.

3 Lay out the locations of the mortises for the front rail (F) and back rail (G) on the legs (A) [**Drawing 1**]. Form the mortises by drilling a ¼" hole ½" deep at each end of each mortise. Then drill evenly spaced holes between them, and clean out the mortises and square the corners with ¾" and ¾" chisels.

4 Cut the side panels (B) to size. Rough-cut the panels for easier handling, and then rip and trim them to size on your tablesaw.

5 Install a ¾" dado blade on your tablesaw and set the cutting depth to ¾". Cut five dadoes and a rabbet in the inside face of each side panel (B) [Drawing 1].

6 Lay out the arc on the bottom of each side panel (B) [Drawing 1] by marking the centerpoint, and then



Taper two adjacent faces at the bottom of each leg (A). The straight sides face out at each corner.

drawing a line through it and the endpoints of the arc with a fairing stick. (Go to woodmagazine.com/fairing for a free fairing stick plan.) Bandsaw slightly outside the line, and then sand to the line.

Lay one side panel (B) on your workbench, dadoed side up, and lay the front and back legs (A) for that side in position, flush with the panel at the top. Mark biscuit locations on the side panel, centered between the dadoes and the dado and rabbet at the top [**Drawing 1**]. Mark the corresponding locations on each leg. Repeat for the other side panel and legs.

Adjust your biscuit-joiner fence to center a #20 biscuit slot on the thickness of the side panel (B). Plunge slots at the marked locations on the panels. Finish-sand the side panels to 220 grit.

#### Make both sides, now

Adjust your biscuit-joiner fence to place a #20 biscuit slot %" from the inside edge of the legs (A) [Drawing 1]. Plunge slots at the marked locations. Finish-sand the legs, using a flat sanding block to prevent rounding the faces.

2Cut the upper side rails (C) to size [**Drawing 1**]. Cut two blanks  $\frac{1}{4} \times \frac{1}{4} \times \frac{1}{7}$  for the lower side rails (D); the extra width facilitates trimming the bottom arcs.

Lay out the arc on the lower side rail (D) [Drawing 1] with a fairing stick. Quick tip! Stack-cut parts for uniformity and speed. Cut both parts at once: Lay out the arc on one blank. Then, stack both blanks with all edges flush, and fasten them together with masking tape or double-faced tape. Bandsaw the arc about 1/8" outside the line.

Attach the upper side rails (C) and lower side rails (D) to the side panels (B) [Drawing 1]. To prevent glue squeeze-

#### **SHOP TIP**

## Groovin' and gluin' avoids squeeze-out messiness


When gluing parts onto the face of a panel, glue will squeeze out from behind the onlay onto the panel. Removing the glue along the joint is difficult, which could affect the finish. A blade kerf about 1/8" deep, 1/8" from the edge on the back of the onlaid part will catch the glue and keep it from getting on the panel. Cut grooves at the top and bottom of the upper rail (C) and at the top only on the bottom rail (D).




out from marring the side panels, see the **Shop Tip**, *above*. Glue and clamp the upper side rails flush with the top edge of the side panels; let the lower side rails overhang the bottoms of the side panels by 1/8". Align the rail ends flush with the edges of the panels.

5 Chuck a flush-trim bit in your handheld router, and adjust the cutting depth so the pilot bearing rides on the bottom edge of the side panel (B). Then trim the bottom edges of the lower side rails (D) flush with the side panels [**Photo B**]. Finish-sand the rails (C, D) and touch-up sand the side panels.

6 Apply glue to the biscuit slots in two legs (A) and one side assembly (B/C/D). Run a bead of glue along the edges of





Keep the bearing on the flush-trim bit firmly against the bottom edge of the side panel (B) to neatly trim the lower rail (D).

the side panel (B), near the dadoed face to minimize squeeze-out on the outside face. Lay the side assembly, dadoed face down, on 14" spacers on your workbench, and insert biscuits in the slots. With the mortises in the legs facing down, assemble and clamp, keeping the tops of the legs and the side panel flush [Drawing 1, Photo C]. Repeat for the other assembly.


Cut the drawer spacers (E) to size. the dadoes in the side panels (B) [Draw-

and fasten with a pneumatic brad nailer, pinner, or 1/2" wire nails.

#### Make the rails

Cut the front rail (F) Drawing 2].

tablesaw






Glue the legs (A) to the side (B/C/D), flush at the top. Square the assembly, and clamp the top and bottom. Then add middle clamps.

adjust the cutting depth to 1/4". Cut the tenons on the ends of the rails (F, G) [Drawing 3].

Lay out, bandsaw, and sand the arc along the bottom edge of the front rail (F) [Drawing 2] as you did for the side panels (B). Finish-sand the front and back rails.

#### **3 TENON DETAILS**




#### **Dust off some panels**

Cut the dust panels (H), dust panel front rails (I), back rails (J), and end rails (K) to size [Drawing 4].

Measure the thickness of the plywood dust panels (H), and then cut overlapping blade kerfs to make a groove that wide centered on the edge of the dust panel rails (I, J, K) [Drawings 4, 4a].

Quick Tip! Size grooves to fit plywood. Position the rip fence slightly more than half the thickness of the stock from the






# ATTACH THE DRAWER SPACERS Temporary stop B E A

Cut a temporary stop from <sup>3</sup>/<sub>4</sub>" stock, and slip it into each dado in the side panel (B) to align the spacers (E) for gluing and nailing.

#### SKILL BUILDER

#### Stub tenons, by the numbers

Stub tenons on the end rails must fit into the grooves on the front and rear rails. To determine the rabbet depth for a centered tenon, measure the width of the groove (.220", for example), right, and subtract that from the thickness of the rail stock (.750"). Divide the result (.530") by two to determine the rabbet depth for each face of the tenon. (For this example, cut a rabbet .265", or 1764", deep.) Make test cuts on scrapwood to sneak up on the best tenon fit.



outside of the blade (about %6" for the dust panels). Then, cut a ¼ "-deep kerf in scrap stock the same thickness as the rails. Rotate the piece end for end, and cut another kerf. Test-fit the plywood in the groove, and adjust as necessary. If


the groove is too narrow, move the fence farther from the blade.

3 Cut ¼"-long stub tenons on the ends of the dust panel end rails (K) to match the grooves in the front and back rails (I, J). To determine the depth of the

1/4" rabbets that form the tenon [**Drawing** 4], see the **Skill Builder** above.


Attach an extension to your miter gauge, and notch the ends of the dust panel rails (I, J) [Drawing 4a] with the dado set in several passes [Photo E].

**5** Arrange a dust panel (H) and rails (I, J, K) in assembly order on your bench [**Drawing 4**]. Apply glue in the rail grooves, assemble the dust panel, and clamp, checking for square [**Photo F**].







The tablesaw fence acts as a stop for the length of the notch. A miter-gauge extension supports the end of the rail (I, J) for cutting.



Clamp the joints, and measure the dust panel (H/I/J/K) across the diagonals. Equal dimensions indicate the panel is square.

#### 4a DUST PANEL RAILS DETAIL





For the shallow bottom dust panel (H/I/J/K), rip the front (cherry) rail (I) on one dust panel to 1" wide.




Clamp the spacer (N) to the dust panel (H/I/J/K) with a caul. Insert wedges under the caul to apply pressure at the middle of the spacer.

L H Spacer

JOIN DIVIDER TO DUST PANELS

Put temporary spacers between the ends of the dust panels (H/I/J/K/N) while you glue, clamp, and screw the divider (L/M) in place.



Make sure the top edge of the front rail (F) lies flush with the top of the dust panel front rail (I) as you clamp them together.

Construct the remaining five panels in the same way.

6 Rip ¾" off the front rail (I) of one dust panel (H/I/J/K) [Drawing 4, Photo G] to make the bottom dust panel [Drawing 2]. Finish-sand the panel.

Cut the divider (L) to size and the divider trim (M) to fit the front edge of the divider [**Drawing 2**]. Glue the divider trim to the divider, flush on all edges, and clamp. Finish-sand.

Cut two divider spacers (N) to size. Center one spacer side-to-side on the bottom side of the top dust panel (H/I/J/K) and the other on the top side of the next dust panel down from the top [Drawing 2]. Glue and clamp [Photo H].


On the bottom of the top dust panel (H/I/J/K), drill and countersink screw holes for the top (O) [Drawings 2, 5]. (For #8 screws, drill 1/32" shank holes and 1/44" pilot holes.) To allow wood movement in the top, enlarge the holes in the dust panel back rail (J) to make slots about 3/4" long [Drawing 5] by drilling through them with a 3/16" twist drill, and rocking the bit back and forth. Elongate the countersinks also. Finishsand the remaining dust panels.

#### Construct the case

Cut two spacers the same size as the divider (L) from scrapwood. Then, glue and clamp the top dust panel (H/I/J/K/N), the divider (L/M), and the next-to-top dust panel [Drawing 2], centering the divider side-to-side on the dust panels. Place the scrapwood spacers at the ends of the dust panels [Photo I]. Drill and countersink screw holes through the dust panels into the divider [Drawing 2], and drive the screws.

2Lay one side assembly (A/B/C/D/E) on padded sawhorses, dadoes facing up. Without gluing, fit the bottom (shal-

#### 5 TOP DUST PANEL DETAIL




low) dust panel (H/I/J/K) into the bottom dado of the side assembly [**Drawing 2**]. Place another dust panel temporarily in the middle dado.

Without gluing, insert the tenon of the front rail (F) into the mortise in the front leg (A) [Drawing 2]. Then, place the other side assembly on the rail and dust panels. Check the fit of all parts [Drawing 2].

Lift off the top side assembly (A/B/C/D/E), and remove the front rail (F). Apply glue to the *front edge only* of the bottom dust panel (H/I/J/K). Then, put the front rail back in position and replace the side assembly on top. Square and clamp the case, and then clamp the front rail to the dust panel [Photo J].

**5** Lift off the top side assembly (A/B/C/D/E), the front rail/bottom dust panel assembly (F/H/I/J/K), and the other dust panel (H/I/J/K). Apply glue to the dadoes and mortises in the side assembly on the sawhorses. Then, with a helper, position the front rail/bottom dust panel assembly, the back rail (G), three dust panels, and the dust panel/divider assembly (H/I/J/K/L/M) on the side assembly [**Drawing 2**]. Glue and install the other side assembly. Square the case assembly, and clamp [**Photo K**].


#### 6 DRESSER BACK VIEW




6 Edge-glue ¾" material to make a slightly oversize blank for the top (O). Rip and trim the top to size.

Tilt your tablesaw blade to 37° from vertical, and cut the bevels on both ends and front edge of the top (O) [**Drawing 2**]. Rout a 1/8" round-over on the beveled edges. Finish-sand the top.

8 Cut the back (P) to size. Install the top (O) and back (P) [Drawings 2, 6].



Assemble the case on sawhorses to allow space for clamping. Clamp the assembly evenly at the front and back.



#### **Build the drawers**

1 Cut the drawer fronts (Q, U, X), backs (R, V, Y), sides (S, Z), and bottoms (T, W) to size [Drawings 7, 8].

2Set up your tablesaw with a ¼" dado blade, and machine the fronts (Q, U, X) and sides (S, Z), as shown in Steps 1–3 of **Drawing 9**. Change to a ½" dado blade, and make the cut at the back of the drawer sides, as shown in Step 4. The front, side, and back joints assemble as shown in **Drawing 10**.


3 Cut a groove as wide as the thickness of the plywood drawer bottoms (T, W) in the drawer fronts (Q, U, X) and sides (S, Z). Locate the top of the groove the same distance from the top edge of the fronts and sides as the width of the drawer backs (R, V, Y) [Drawings 7, 8].

Glue the drawer fronts (Q, U, X) and backs (R, V, Y) to the sides (S, Z) [**Drawings 7, 8**]. Slide the bottoms (T, W) into the grooves in the sides and fronts, but do not glue them. Square the drawers, and then clamp the joints [**Photo L**]. Attach the bottoms to the backs (R, V, Y) with wire nails.

**5** Lay out and drill mounting holes on the drawer fronts (Q, U, X), sized for the knobs you have chosen. Finish-sand the drawers.


#### Complete the dresser


1 Cut the drawer stops (AA) to size, and glue them to the dust panel back rails (J) [Drawing 2]. Apply low-friction slippery tape to help the drawers slide smoothly [Drawings 11].





With the drawer glued together and the bottom in place, measure diagonally to ensure square. Adjust as needed, and clamp.

#### 9 MACHINING THE DRAWER PARTS










2Inspect the case and drawers, and touch up the finish-sanding as necessary. Stain as desired. (We stained the dresser with Minwax no. 607 Cherrywood gel stain to match other pieces in the bedroom suite.)

3 Apply a clear finish. (We applied three coats of satin polyurethane, sanding to 320 grit between coats.)


Install the drawer pulls. Then slide the drawers into place.

Written by Larry Johnston with Kevin Boyle Project design: Kevin Boyle Illustrations: Roxanne LeMoine; Lorna Johnson

#### **Cutting Diagram**



3/4 x 48 x 48" Cherry plywood



**Materials List** 

Side assemblies

side panels

upper side rails

lower side rails

drawer spacers

Part

A\* legs

В

C

D\*

Е

FINISHED SIZE

3/4"

481/2"

431/4

17"

17"

17"

11/2" 11/2"

3/4" 17"

1/4" 2"

1/4" 3"

1/4"

Matl. Qty.

2

C 4

C 2

C 2

C 10

C 1

C

BP 6

C

SM

SM 12

CP

C 1

SM 2

EC 1

RP

6

Top	drawers	5 1				1
Q	fronts	3/4"	61/8"	163/8"	С	2
R	backs	1/2"	55/8"	157/8"	SM	2
S	sides	1/2"	61/8"	19"	SM	6
Т	bottoms	1/4"	157/8"	18"	BP	2
Sha	allow drawer					
U	front	3/4"	61/8"	335/8"	C	1
٧	back	1/2"	55/8"	331/8"	SM	1
W	bottoms	1/4"	18"	331/8"	ВР	4
Dee	ep drawers					
X	fronts	3/4"	77/8"	335/8"	C	3
Υ	backs	1/2"	73/8"	331/8"	SM	3

<sup>\*</sup>Parts initially cut oversize. See the instructions.

Materials key: BP-birch plywood, C-cherry, EC-edge-glued cherry, CP-cherry plywood, SM-soft maple. Supplies: #8x<sup>3</sup>/<sub>4</sub>", 11/<sub>4</sub>", and 1<sup>3</sup>/<sub>4</sub>" flathead wood screws, #20 biscuits, 11/<sub>2</sub>" wood knobs (10), 1/<sub>2</sub>" and 1" wire nails. Blade and bits: 1/<sub>8</sub>" round-over bit, rabbeting bit, flush-trim bit, dado set.

1/2" 77/8"

3/4"

3/4"

19"

3"

SM


SM 6

#### Source

sides

drawer stops


**Low-friction tape:** Slippery tape, 25U04.01, \$12.50, Lee Valley, 800-871-8158 or leevalley.com.






3/4 x 91/4 x 72" Cherry (5 bd. ft.)

\*Plane or resaw to the thickness listed in the Materials List.



0		0		0
3/4 x 71/4	x 96" Cherry	(5.3 bd. ft.	) (2 needed)	
S	S	S	S	S
3/4 x 71/4	x 96" Soft m	aple (5.3 b	d. ft.)	
S	R	R	N	
3/4 x 71/4	x 72" Soft m	aple (4 bd.	ft.)	7
G		U		
3/4 x 71/4	x 72" Cherry	(4 bd. ft.)		7



1/4 x 48 x 96" Birch plywood




3/4 x 91/4 x 72" Cherry (5 bd. ft.)




, and a second maple (en sum



3/4 x 91/4 x 96" Soft maple (6.7 bd. ft.)



1/4 x 48 x 96" Birch plywood



1/4 x 48 x 96" Birch plywood

# Dresser-top Valet

Here's an accessory that dresses up your dresser and adds storage space at the same time. It goes together quickly with biscuit joinery and features a pair of easy-to-build drawers. The valet matches the dresser on *page 34*, but would look great in any setting.



#### PROJECT HIGHLIGHTS

- Overall dimensions: 291/4" wide × 161/4" deep × 5" high.
- Two drawers—each with a hidden compartment—hold small items.
- Materials needed: Cherry, 1/8", 1/4"; soft maple, 1/4", 1/2"; and birch plywood, 1/4".

#### Start with the case parts

Joint and edge-glue cherry boards %" thick or thicker to make two 16½×36" blanks for the top (A), bottom (B), sides (C), and divider (D) [Drawing 1]. Quick Tip! Glue up a panel in stages for planing. To make each blank, start with three 5½"-wide boards. The three-wide glue-up won't go through most homeshop planers, so edge-glue two boards into a panel, and then plane it to ¾" thick. Plane the third board to the same thickness, and then edge-glue it to the panel, keeping the joint flush.

2Rip and crosscut the top (A) from one blank and the bottom (B) from the other [Materials List, page 43].

3 Set your tablesaw rip fence 3½" from the blade, and crosscut the sides (C) and divider (D) to length from the remaining edge-glued stock. Crosscut an additional piece about the same size as the sides; you will make it into a story stick later. Then, to safely rip the short

parts to finished width, cut them cross-cut-style, using your miter gauge.

Tilt your tablesaw blade to 37° from vertical, and cut the bevels along the bottom edge on both ends, and then the front edge, of the top (A) [Drawings 1 and 1a]. Rout the ½" round-over along the top of the beveled edges.

5 Change to a %" round-over bit, and shape the top of the ends and front edge of the bottom (B) [Drawing 1].

#### Get ready for biscuits

Make a story stick for the biscuit joints [Drawing 1, Skill Builder] on the extra side (C). Label the back edge.


#### SKILL BUILDER

#### Here's a story you can stick to

A story stick helps you lay out repetitive measurements, such as the biscuit locations on the valet, quickly and accurately. Instead of measuring and marking the locations separately, lay them out once on a piece of scrapwood, as shown at *right*.

Then position the story stick on or against the project part, and transfer the layout marks to the workpiece. For the valet, we put the story stick to work as a fence, too, when plunging biscuit slots in the top and bottom [Photo B].





With the back edges of the top (A) and bottom (B) aligned at the center, mark the biscuit centerlines on the top.



The story stick serves as a fence and locator for cutting the biscuit slots. Align the guide mark on the joiner with the story-stick mark.



Set the case on risers for clamping. Place clamps at the biscuit locations on the sides (C) and at the ends of the divider (D).

20n the top (inside) face of the bottom (B), draw biscuit centerlines across the middle and 1½" from each end [Drawing 1].

Draw a biscuit centerline across the middle of the top (A) on the inside face. On your workbench, bring the back edges of the top and bottom (B) together, and align them at the center. Transfer the locations of the other biscuit centerlines to the top [Photo A], and lay out the lines on the top.

Adjust your biscuit joiner to cut a #20 slot. Place the marked edge of the story stick 3/8" from the middle centerline on the top (A), and clamp. With the biscuit joiner vertical, press its base against the story stick, and then plunge a biscuit slot at each biscuit location on the story stick [Photo B]. Repeat for all the biscuit centerlines on the top and bottom (B),

always aligning the story stick flush with the back edge of the part.

Transfer the biscuit locations from the story stick to the top and bottom edges of the sides (C), again keeping the backs flush.

6Cut ¼" off the back edge of the story stick. Then, align the new back edge with the back of the divider (D), and mark the biscuit locations on the top and bottom edges of the divider.

Adjust the biscuit-joiner fence to center slots on the edges of the sides (C) and divider (D). Clamp each part to your workbench, and plunge the three slots in each edge.

#### **Build the case**

Set up your table-mounted router with a ¼" rabbeting bit or a straight bit and a fence, and form the rabbets


along the back inside edge of each side (C) [Drawing 1].


2Finish-sand the top (A), bottom (B), sides (C), and divider (D) to 220 grit.

Apply glue to the biscuit slots in the bottom (B), insert biscuits, and assemble the sides (C) and divider (D) [**Drawing 1**]. Then, apply glue to the slots in the sides and divider, insert biscuits, and attach the top (A) [**Drawing 1**].

Make sure the sides (C) fit flush with the back edge of the bottom (B) and the divider (D) sits ¼" from the edge. Then, clamp the case [Photo C].

5Cut the back (E) to size. Drill and countersink screw holes in the back. (For #8 screws, drill ½2" shank holes and ¾4" pilot holes.) Set the back aside.





Measure from each front corner diagonally to the corner of the false back; the measurements must be equal. Clamp the drawers.

#### **Build a pair of drawers**

1 Cut the drawer stops (F), drawer fronts (G), drawer sides (H), drawer backs (I), and drawer bottoms (J) to size.

2Set up your tablesaw with a ¼" dado blade, and machine the fronts (G) and sides (H), as shown in Steps 1–3 of Drawing 9, page 39. Change to a ½" dado blade, and cut the dado at the back of the drawer sides, as shown in Step 4. Make another dado, where shown for the second drawer back (I) [Drawing 2].

Cut a groove as wide as the thickness of the plywood drawer bottom (J) in the drawer fronts (G) and sides (H). Locate the top of the groove the same distance from the top edge of the fronts and sides as the width of the drawer back (I) [Drawing 2].

Glue the drawer fronts (G) and backs (I) to the sides (H) [**Drawing 2**]. Slide the bottoms (J) into the grooves in the sides and fronts, but do not glue them. Square the drawers, and clamp the joints

1/4" dado 1/4" deep

\*1/4" grooves 1/4" deep 1/4" from bottom edge

\*See instructions.

[**Photo D**]. Fasten the bottoms to the rearmost backs (I) with wire nails.

121/8"

11/2" wood knob

G

5 Drill mounting holes in the drawer fronts (G) to fit your knobs [Drawing 2]. Finish-sand the drawers.

#### Wrap up the valet

2 DRAWER

Fit the drawers and touch-up-sand as necessary. Glue the drawer stops (F) to the bottom (B) [Drawing 1].

2Stain as desired. (We stained the valet with Minwax no. 607 Cherrywood gel stain to match the dresser.)

3 Apply a clear finish. (We applied three coats of satin polyurethane, sanding to 320 grit between coats.)

4Attach slippery tape in the drawer openings [Drawing 1]. Place the back

(E) in position, drill pilot holes in the sides (C), and drive the screws. Attach the felt pads to the bottom (B). Install the drawer knobs, and slide the drawers into the openings.

141/2

Written by Larry Johnston with Kevin Boyle Project design: Kevin Boyle Illustrations: Roxanne LeMoine; Lorna Johnson

#### **Materials List**

		FII	NISHED	SIZE	198 7	
Par	1	- 1	W	L	Matl.	Qty.
Cas	ie					
A*	top	3/4"	161/4"	291/4"	EC	1
B*	bottom	3/4"	153/4"	281/4"	EC	1
C*	sides	3/4"	15"	31/2"	EC	2
D*	divider	3/4"	143/4"	31/2"	EC	1
E	back	1/4"	31/2"	26"	BP	1
Dra	wers					
		1/4"	31/2"	26"	BF	

F	stops	3/4"	3/4"	3"	SM	2
G	fronts	3/4"	33/8"	121/8"	С	2
Н	sides	1/2"	33/8"	141/2"	SM	4
1	backs	1/2"	27/8"	115/8"	SM	4
J	bottoms	1/4"	115/8"	131/2"	ВР	2

<sup>\*</sup>Parts initially cut oversize. See the instructions.


Materials key: C-cherry, EC-edge-glued cherry, BP-birch plywood, SM-soft maple.

**Supplies:** #8x¾" flathead wood screws, 1½" wood knobs (2), #20 biscuits, 1" wire nails, ½" felt pads (4). **Blade and bits:** ½" and ¾" round-over bits, rabbeting bit, dado set.

#### Source

**Drawer tape:** Slippery tape, 25U04.01, \$12.50, Lee Valley, 800-871-8158 or leevalley.com.

#### **Cutting Diagram**



1/4 x 24 x 48" Birch plywood

(J)

(1)

(E)

# Forrest Blades

### The Perfect Choice for Custom Cabinets and Fine Furniture

Serious woodworkers appreciate quality and workmanship. That's why so many of them specify Forrest saw blades for building custom cabinets and fine furniture.

Forrest blades deliver smooth, quiet cuts—without splintering, scratching, or tearouts. In fact, independent tests rate our blades #1 for rip cuts and crosscuts.

Forrest blades and dados have been the choice of discriminating woodworkers for almost 60 years. Craftsmen recognize that our proprietary manufacturing process, hand straightening, and unique grade of C-4 micrograin carbide produce exceptional results. They also know that Forrest blades are manufactured in the U.S.A. and backed by superior service.

Read what these customers say:

"Your blades are without question the best by miles, and I have tried them all."

Bob Jensen-Fridley, MN

"These are the finest blades I have owned and you should be proud of your quality product."

Patrick T. Hankard - South Windsor, CT

#### Wide Selection of Blades


Forrest has six quality blades especially suited for producing custom cabinets and fine furniture. These are...



Woodworker I – For all saws. Produces scratch-free, polished crosscutting of hardwood, softwood, and plywood veneer.



Woodworker II – The bestrated, all-purpose blade for excellent rips and crosscuts on all hardwoods and softwoods,





Custom Woodworker II – A specialty blade that is ideal for box joints, dovetails, flat-bottom grooves, and high feed rates.



**Chop Master** – Designed for tight, perfectly cut miter joints without bottom splinters. Delivers smooth crosscutting from any angle.



**Duraline Hi-AT** – Flawlessly cuts low-pressure laminates. Eliminates splintering, as well as chip-out on top or bottom surfaces.



Dado King – The finest multi-tooth set for making flat-bottom grooves without splintering across and with the grain.

#### It's Easy to Order

All Forrest blades come with a 30-day, money-back guarantee. So order today in any of these convenient ways:

- Visit one of our fine-quality dealers or retailers.
- Call us toll free at 1-800-733-7111.
   (In NJ, 973-473-5236) Ask about special discounts, free shipping on orders over \$275, and discounts for blade sharpening.
- Visit our website: www.ForrestBlades.com



The First Choice of Serious Woodworkers Since 1946

© 2008 Forrest Manufacturing

Code WM

\* As seen in Fine Woodworking's 2004 Tool Guide, pg.121.

Woodworker II Fine Woodworking Woodworker II Wood Magazine Woodworker II Woodshop News



Chop Master Woodshop News





Dado King Woodshop News



Duraline Hi-AT Woodshop News Custom Woodworker II Woodshop News






# 2008 WOOD INDEX Issues 181 thru 187

For quick tips on using this index, see page 48.















181

182

184

#### **PROJECTS**

#### Article, Issue: Page

Bed, knock-down, twin, 183:52-56 Bed, pencil-post, 187:24-31 Bench, hall-storage, 183:66-69 Bevel sled, no-tilt, 187:43 Bookcase, 185:60-64 Box trio, 181:78-80 Buffet/hutch, country, 182:38-44 Cabinet, display/gun, 185:30-38 Cabinets, modular, stackable, 181:32-40 Calendar holder, 187:68-70 Chinese checker board, 186:72-76 Clock, art-deco, desk, 187:74, 76 Clock, wavy veneer, 182:82, 84 Coffee table, country, 186:38 Coin flag, presidential, 181:46-49 Coin map update, state, 184:10; 185:7 Crane, toy, 185:68-72 Crosscut sled, zero-clearance, 187:42

#### Article, Issue: Page

Drum sander, portable, 185:20 End table, country, 186:39 End table, mission, 184:58-62 Entertainment center and matching tables, 186:32-37 Fluting jig, 187:16 Gun cabinet, 185:30-38 Hutch/buffet, country, 182:38-44 Joinery jig, for tenons, half-laps, bridle joints, 187:43 Knife handles, 184:92-93 Knife holder, 184:94 Mission end table, 184:58-62 Miter sled, 187:42 Mitersaw station, wall-hung, 186:24 Nightstand, 187:36-39 Outdoor server, bar, 184:32-38 Outfeed support, 182:24 Plug trimming jig, 185:16 Puzzle, safari, scrollsawn, 184:44-45; 185:7, 47 Puzzles of Perry McDaniel, 182:32-37; 185:7 Quilt ladder, 186:62-65

#### Article, Issue: Page

Remote control holder, 183:74-75 Rocking chair, 183:36-41 Router table, portable, 187:6 Sconces, wall, 181:70-72 Sheet goods rack, 184:26 Shelving, modular, stackable, 181:32-40 Shop cart, workbench, 185:49-53 Shop organizer, 183:48-50 Straightedge setup gauges, 183:32 Table, drop-leaf dining, 181:58-62 Table, coffee, country, 186:38 Table, end, country, 186:39 Table, end, mission, 184:58-62 Tables, sectional, 182:60-63 Tablesaw blade locker, 183:80-82 Tapering jigs, 187:33-35 Tool stand, 182:76-79 Toothpick dispenser, turned, 182:72-75; 185:6 Workbench, shop cart, 185:49-53 Yo-yo, turned, 184:76-78

#### **TOOLS & MATERIALS**

#### Article, Issue: Page

Display cabinet, 185:30-38

Display case, bow-front, 187:56-61

Angle-setting gauge, MiterSet, 181:52 Bandsaw, Rikon, test, 183:96 Bandsaw fences, test, 185:26 Bandsaws under \$550, test, 185:54-59; 186:8 Bed hardware, 187:18, 20, 22 Belt sander, Porter-Cable, test, 182:96 Bench grinder, Grizzly, test, 185:80 Biscuits, Fixo, 181:52 Bowl gouge, how-to-use, 186:66-69 Brad nailer, DeWalt, test, 186:80 Clamping table, Kreg, test, 186:83 CompuCarve, test, 184:82-84 Dado sets, 6" vs. 8", 183:17 Digital miter gauge, Craftsman, 181:51 Dovetail dust collectors, Leigh, Rockler, 181:50 Dovetail jig, Chest Mate, 181:52 Drill bits, Power Bore, test, 185:79 Drill press, trick out, 183:18-19

#### Article, Issue: Page

Drum sander burn marks, 186:26 Dust collection accessories: 185:65-67 Dust collector, mini, Steel City, 181:50 Dust collector, Powermatic, test, 186:80 Dust collectors under \$400, test, 182:66-71 Dust-collector remote controls, test, 182:22 Fasteners, tabletop, 181:28, 30 Hearing protection, test, 184:86-88, 90 Jig hardware, 185:42-44 Jointer/planer combinations, Grizzly, Jet, 181:51 Manufactured wood parts, 182:57-59 Mobile machine bases, 184:30 Molding cutter on tablesaw, 183:16 Oak, using and finishing, 184:40-43 Parallel-jaw clamps, Woodline, 181:52 Pen-drilling vise, Penn State, test, 186:82 Pinners, Grex, Cadex, test, 185:78 Portable clamping station, Workmate, test, 184:100

#### Article, Issue: Page

Portable sharpening system, Norton, test, 183:100 Random-orbit sanders, test, 186:56-59 Ratcheting Hex Wrench, 181:50 Respirator, QuickLatch, test, 184:101 Router, trick out, 182:12-13 Router base with laser guide, MLCS, 181:51 Router bit speed, 186:30-31 Router bits: Box-slotting, 184:24-25 Rule-joint, 181:22, 24 Router bits, Freud Quadra-cut, 181:52 Router table, Kreg, 181:52 Router tips and tricks: Enlarge holes in two easy steps, 184:50 Gauge blocks simplify bit setups, 184:48

Get a grip on small parts, 184:49

continued on page 46

#### TOOLS & MATERIALS (CONT.)

#### Article, Issue: Page

Router tips and tricks, continued: Idea you can copy, mounting holes, 184:51 Joint boards on a router table, 184:52 Master complicated curves, 184:50 Pair of paths to precise plunges, 184:47 Parallel passes, 184:48 Reset a fence, 184:47 Rout away extra edge-banding, 184:52 Rout corners consistently, 184:50 Rout dead-center dadoes, 184:47 Rout precise shelf-pin holes, 184:51

Rout round-overs, not tip-overs, 184:49

#### Article, Issue: Page

Rout stopped cuts with stopblocks, 184:49 Shelf-help for trimming edges, 184:49 Spacers divide raised panel cuts, 184:52 Starter pin keeps fingers safe, 184:49 Tape your way to tighter dadoes, 184:48 Wipe out tear-out, call for backup, 184:51 Routers, multibase kit test, 184:70-75 Routing, computer-controlled, ShopBot, 181:51 Sander holder, Orbital Station, test, 184:101 Sanders, random-orbit, test, 186:56-59 Sharpening systems, test, 186:40-43 Shoulder planes, test, 183:90-92

#### Article, Issue: Page

Skew chisel, how to use, 183:70-73 Sliding table, Mast-R-Slide, test, 184:100 Stackable panel clamps, R&R, test, 182:96 Stainless-steel sanding discs, Microplane, test, 183:98 Tablesaw, how to buy, 183:62-65 Tablesaw blades, general purpose, test, 183:44-47 Tablesaw safety, 186:29 Tablesaw setup, accessories, 187:40-43 Tablesaws, test, 187:50-55 Turning chisels, LeeValley, test, 183:96 Vacuums, tool-triggered, test, 183:104 Vision aids, 184:80-81

#### **TECHNIQUES AND FEATURES**

Article, Issue: Page Basic woodworking skills, 183:84-88 Bevel edge, gluing, 184:98 Bowl gouge, how-to use, 186:66-69 Box-joint jig, how-to, 181:74-76 Bracket feet, crown molding 185:22-23 Breadboard ends, 186:18, 20 Car, wooden, "Splinter," 186:6, 50-55 Cherry, how to darken, 186:28 Dadoes and grooves, rout, stopped, 183:30-31 Doors, frame-and-panel, 182:46-49 Doors, inset, installing hardware, 182:88 Doors, preventing warp, 185:24-25 Dowels, cutting grooves in, 185:75 Dowels, using, 185:76 Dowels and round tenons, how to make, 183:42-43 Drilling accurate holes, 186:70-71 Fasteners, tabletop, 181:28, 30 Feather boards, 181:92 Finishing: Filled pore, oak, 181:18, 20 Heat resistant, 186:28 Kitchen cabinets, 183:17

Multi-color, spray paint, 186:76

Oil and varnish mix, 185:28

Outdoor, 183:76-79 Bed, pencil-post, 187:24-31

#### Article, Issue: Page

Paint, 183:26, 28 Furniture: to build or buy?, 184:64-67 Geometry, shop, 185:40-41 Glue, removing from clamps, 185:74 Glue stain, 183:16 Gluing metal, 186:26 Grooves and rabbets, cutting on tablesaw, 183:14 Hand-tool woodworker, 182:8 Health, woodworking with pacemaker, 185:73 Breadboard ends, 186:18, 20 Dovetail, hand vs. machine-cut, 182:50-51 Dowels and round tenons, how to make, 183:42-43 Mitered-half laps, 182:18, 20 Rabbets, tablesaw, 183:34 Stopped dadoes and grooves, 183:30-31 Table leg connectors, 181:84, 86 Tenons, using a shoulder plane, 183:94 Joint strength test, doors and drawers, 181:64-69 Lacewood and Leopardwood, characteristics of, 187:79

Milling your own lumber, 184:96

Plywood, sanding edges, 183:14

Purpleheart, wood, 181:90

Oak, using and finishing, 184:40-43; 182:90

#### Article, Issue: Page

Repetitive cuts, 182:64-65 Router tearout, 184:28-29 Safety, saw blade, 182:80 Sanding, hand, 184:68-69 Sanding, random-orbit myths, 186:60-61 Skew chisel, how to use, 183:70-73 Splinter, wooden car, 186:6, 50-55 Stopblocks ensure square frame, 185:74 Tablesaw, cutting wood on benchtop, 187:78 Tablesaw accuracy, 187:40-43 Tablesaw cuts, troubleshooting, 184:22-23 Tapers, cutting on a tablesaw, 187:32-35 Tear-out, preventing in figured wood, 186:22-23 Template transfer tricks, 186:27 Top Shop Tips of All Time, 187:62-67 Veneer, working with, 181:88 Virario, hardwood, 181:90 Water stains, alleviating, 187:80 Wax, paraffin, 185:73 Wood gravity, 182:92 Wood movement, 184:96 Workbench, drawer slides, 181:88 Zero-clearance insert, how to make, 182:28, 30





#### SHOP TIPS

#### Article, Issue: Page


Aerosol nozzle, cleaning, 181:16 Air-filtration remote, 186:15 Angled stops keep miters sharp, 182:65 Bandsaw, accurate cuts with double lines, 187:8 Bandsaw, freehand straight cuts, 187:67 Bandsaw fence from speed square, 187:67 Bandsaw tenons, 182:65 Bead scraper, 185:15 Bench clamps, 186:14 Biscuit joiner splines, 182: 17 Biscuits, transfering locations, 187:64 Bolts, starting deep, 187:29 Box holder, wall-hung, 186:16 Box-joint jig on router table, 183:23 Bowl press from threaded rod, 187:13 Cabinet door installation, 184:21 Case-building helpers, 185:15 Chamfer stop for accuracy, 182:64 Chamfers, stopped, 187:27 Circular saw, adjust blade depth, 183:85 Circular saw, cleaner cuts from, 183:85 Circular saw guide ensures accuracy, 187:66 Clamp odd shapes with tape, 187:66 Clamping blocks, right-angle, 187:62 Clamping flat panels on round pipe, 183:86 Clamping multiple panels, 185:13 Clamping small pieces, 187:8 Clamping with flexible go-bars, 183:50 Compass, extension, 186:12 Copper, working with, 181:72 Cutting large panels, 187:67 Cutting plugs flush, 187:65 Dado end grain on long workpieces, 183:39 Double saw-fence stops, 182:65 Dowel center finder, 186:17 Drawer slides, spacing, 187:64

#### Article, Issue: Page

Drill bits: brad point vs. twist bits, 183:88 Drill matching holes using spacers, 182:65 Drill with plunge router, 181:16 Drilling guide for portable drills, 186:65 Drilling rounded objects, 185:71 Drill-press accuracy from portable drill, 187:66 Drill-press fence from framing square, 187:63 Drill-press keyless chuck, 186:14 Dustpan, 185:10 Edge-gluing finished thickness boards, 185:61 Faceplate parting from workpiece, 183:20 Fairing stick for laying out curves, 186:64; 187:60, 63 Frame clamping jigs, 187:63 Glass, cutting, 182:17 Glue joints keeping them clean, 187:65 Glue squeeze-out contained in grooves, 187:65 Hardware placement use gauge block spacers, 187:64 Honing guide gauge, 184:16 Jigs, labels for, 183:88 Magnet in pocket, 187:12 Marking your projects, 186:15 Mirror for tablesawn box joints, 181:76 Miter mistake fix, 185:12 Miter sled, 184:14 Miter-gauge extension and stops, 182:65 Miters, perfect length, 182:14 Miter-slot runners, adjustable, 181:14 Miter-slot runners, installing, 187:42 Mortise, making a, 186:33 Mortise plugs on tablesaw, 184:60 Mortising jig, 185:10 Mortising on a router table, 182:64 Organizing shop tips, 186:16 Outdoor projects, seal end grain, 184:36

#### Article, Issue: Page

Plywood shelves, trimming, 187:67 Pushstick coating, 183:20 PVC fitting for blast gates, 181:10 Right-angle driver, rachet, 185:13 Rip thin materials, 187:67 Ripping strips, 187:63 Router-bits: six essential bits, 183:87 Router subbase, no tipping, 187:59 Router table, dust collector, 184:18, 186:8 Router-table fence, incremental positioning, 182:33 Router-table fence microadjuster, 183:24 Routing corner radii, 181:79 Routing recesses without tear-out, 186:73 Rule joint, prevent chip-out, 181:59 Sander stand, 184:18 Spindles, drilling, 184:20 Splinter, removal, 184:20 Square a stud, 182:77 Squaring large panels, 185:11 Stock supports, fold-down, 184:16 Story board for laying out drawer hardware, 185:52 Story board for tablesaw, 185:8 Story stick for multiple dadoes, 183:49 Straight cuts with portable power tools, 183:67 Straightener, cracked boards, 181:10 Support table, temporary, 187:10 Tablesaw, fence, clamps as stops, 182:65 Tenon on a dowel, 184:21 Thin stock, planing, 187:66 Thin-strip ripping, 182:65 Trim router subbase, 187:12 Turning narrow vessels, 183:22 Veneer plywood, cutting faces, 187:65 Workbench extension top, 182:14 Workholders, scrapwood, 187:64 Zero-clearance cuts without custom insert, 181:14 Zero-clearance plates, bandsaw, 186:12




Drill bit holder and gauge, 185:8



Plan storage on window shade, 187:10

Panel groove, snug fitting, 182:78

Panel glue-ups, 184:61



### **HOW TO USE THIS INDEX**

his annual index includes every article and Shop Tip that appeared in WOOD® magazine from the December/January 2007/2008 issue through the November 2008 issue. To quickly find the article you're looking for, first identify the major index category most likely to contain the article:

- Projects (plans with step-by-step instructions),
- Tools & Materials (product reviews and guidance on using tools, accessories, hardware, and wood products),
- Techniques and Features (specific skills and articles of general interest, such as craftsman profiles), or

scroll down and click on Search under

Keyword and Category Search.

■ Shop Tips (quick ideas you can put to use in your shop today).

Then look for the one word that best describes the project, technique, tool, or shop tip. Articles with two strong descriptors, such as a mission table, may be found under both descriptors— "mission" and "table."

#### Three steps to find any article, from issue 1 to present, using the online index

You also can quickly search the comprehensive online index of all WOOD magazine articles in one of two ways. First, to get directly to the index, type woodmagazine.com/index in your Web browser. Or. click on the Article Index button, shown below, in the left column of any woodmagazine.com page.

In the search box under Keyword Search, type the one word that best describes the article subject, avoiding plurals. For example, to locate a tablesaw review, type tablesaw, (or simply table) but not review. Click on the button marked Search. If you want to narrow the search to tablesaw jigs, type tablesaw in the box, then click on the button next to the words: ligs, Fixtures, & Organizers under Category Search. Next,

The browser now displays a list of articles related to your search term, including the cover date of the issue, issue number, and the page numbers. If you don't have the issue, most articles published in WOOD magazine can be downloaded for a minimal cost. This list indicates downloadable articles with the blue words WOOD STORE, which, when clicked on, give you more details about buying the article. Otherwise, some back issues are available for \$7.95 (plus s&h) by calling 888-636-4478.




MAN PARKET AND MANUFACTURE OF THE PARKET.	Month	Year	Issue No.	Page
Quick, clean rabbets on the tablesaw	May	2008	183	34
Fablesaw Blade Locker	May	2008	183	80
Plans available at the WOOD STORE				
Zero (Chip-Out) Tolerance	Mar	2008	182	28
Space-Saving Double-Duty Fablesaw Workbench	Sep	2007	178	46

#### Not sure exactly what project plan you're looking for? Go window shopping!

So, you've had a request from a family member to build a project—say, a piece of mission-style furniture. Where do you start? Go to the WOOD Store® at woodstore.net and click on the tab that best describes the article you want (Plans, Techniques and Features, or Tool Reviews). Staying with the mission furniture example, you next click on **Projects**, and on the next page Indoor Furniture and Accessories, then Arts and Crafts Furniture, Mission Style on the next page. There, you'll find more than 30 mission-style projects.






# From WOOD® Magazine learn top tool tips, techniques, and how to build projects



Come learn at WOOD Magazine's Project Shop at a woodworking show near you. Master Craftsman Jim Heavey will demonstrate valuable tool tips and techniques as he walks you through projects from the pages of WOOD Magazine.



The Woodworking Shows is the premier event for woodworkers!

Come to this 3-day event and:


- Attend <u>FREE</u> educational seminars
- See the newest tools
- Find the best deals on tools and supplies
- Get hands-on tool experience at the Hand Tool Rodeo

#### 2008 - 2009 SCHEDULE

Oct. 10-12	St. Paul, MN	Jan. 30- Feb. 1	Indianapolis, IN
Oct. 17-19	Portland, OR	Feb. 6-8	St. Louis, MO
Oct. 24-26	Salt Lake City, UT	Feb. 13-15	Kansas City, KS
Oct. 31-Nov. 2	Costa Mesa, CA	Feb. 20-22	Boston, MA
Nov. 7-9	Tucson, AZ	Feb. 27-Mar. 1	Somerset, NJ
Nov. 14-16	Denver, CO	March 6-8	Hartford, CT
Nov. 21-23	Chicago, IL	March 13-15	Tampa, FL
Dec. 5-7	Detroit, MI	March 20-22	Charlotte, NC
Dec. 12-14	Nashville, TN	March 27-29	Chantilly, VA
Jan. 2-4	Baltimore, MD	April 3-5	Houston, TX
Jan. 9-11	Milwaukee, WI	April 17-19	Seattle, WA
Jan. 16-18	Columbus, OH	April 24-26	Sacramento, CA
Jan. 23-25	Atlanta, GA	May 1-3	Ontario, CA

For more information visit woodworkingshows.com woodmagazine.com deltaportercable.com

Go to woodworkingshows.com for discounted tickets!



igger isn't always better. Do the math: 6" stacked dado sets cost about \$20 to \$30 less than comparable 8" models, and in most cases they'll do everything their big brothers will. We seldom cut dadoes deeper than ¾", and all 13 of the 6" sets we tested beat that by ½".


Also, if you own a lower-powered tablesaw—particularly a benchtop model—a 6" dado set stresses its motor less without sacrificing cut quality or performance. (We tested three 8" models along with the 6" sets, and found no advantage for the larger sets other than one extra inch of cutting depth.)

#### Buy the right set for the work you do

Before delving into the nitty-gritty of the test results, think about the materials you use most often and the types of cuts you typically make. For example, if you work only with solid wood, ignore how a set performs in plywood and melamine-coated particleboard. But if you frequently dado or rabbet tear-out-prone veneered plywood, select a set that excels at leaving clean edges in that material.

Most of these dado sets fared well in solid stock, but left significant surface tear-out on birch-veneered plywood and melamine-coated particleboard. (In fairness to the manufacturers, Amana, Everlast, and Systimatic do not recommend their 6" models for plywood or melamine; Lee Valley cautions against using its set for melamine. These companies suggest using different models with teeth designed specifically for sheet goods. Because most of us can afford just one set for doing everything, we tested all sets in all materials to see how they fared against each other.)

If you use a dado set regularly to cut tenons or half-lap joints, choose a model that leaves flat, smooth surfaces, critical for a glue joint. Many of the models we tested achieve that. Because each set's outer blades feature beveled carbide teeth (to shear the surface fibers) rather than all flat-teeth (that leave smooth bottoms but increase edge tear-out), these sets all leave tiny scoring grooves at the outer edges of the bottom of each cut. Such grooves don't diminish the joint's strength, but can make visible half-lap joints less attractive.



#### SOME SETS LEAVE SUBTLE FLAWS

Some chippers cut deeper than others on these 3/4" dadoes, leaving uneven bottoms. The beveled teeth on the outer blades cut deeper scoring grooves in the corners.

#### Some sets stay sharp longer than others

Knowing that a dado set always cuts best when it's sharp, we made test grooves and dadoes in all three materials to compare their out-of-the-box performance. These cut samples became our benchmarks for comparisons after the teeth had dulled. To put consistent wear on the carbide teeth, we used each set to cut 480 linear feet of ½"-wide, ¾"-deep grooves in melamine particleboard. After that we made more test cuts, both with and without a zero-clearance insert. (See examples of tear-out and each set's performance results in the chart on the *next page*.) Here are some key findings:

■ These sets emerged as leaders of the pack. Four sets (CMT 230.020.06, Forrest Dado King DK06244, Freud Super Dado SD506, and Freud Dial-A-Width SD606) earned nearperfect grades for absence of surface tear-out right out of the box. Even after wear-testing, these sets earned top marks, especially when used with a zero-clearance insert, below.



■ Get zero help for clean cuts. Whether store-bought or shopmade, a zero-clearance insert adds critical support for wood fibers at the point where the teeth make the cut. In many cases in our test, using an insert improved a model's tearout score by two letter grades, as shown above right, even though the carbide teeth had shown wear.

■ Some sets make adjustments easy. All 13 sets come with at least four chippers of varying thicknesses. (The topperforming sets feature four teeth per chipper instead of two.) You mix and match chippers to achieve the desired width of cut. And often you'll need to adjust the width of your dado stack in tiny increments to get an ideal fit, especially with sheet goods that typically measure less than their advertised thickness. Ten of the 13 sets include shims, but some proved easier to use than others. For example, the shims on CMT's 230.520.06 and Forrest's Dado King come marked with their thicknesses. (Forrest's shims are magnetic, so they cling to the blades but also prove tougher to remove.)

Others color code their shims. Amana's 656030 includes a handy chart that lists the correct combination of chippers and shims for any size you want. Lee Valley lists the thicknesses of its shims on the package. Freud's SD506 also uses colored shims, but its included poster—which features tons of helpful information—does not include info about shim thicknesses. Oldham's set comes with unlabeled paper shims that tear easily. Everlast and Systimatic sets do not include shims.




We cut these dadoes with the same wear-tested set, using a regular tablesaw throat insert (top) and zero-clearance insert. The results speak for themselves.

Freud's unique Dial-A-Width set does not use shims, but the adjustable hub on one outer blade allows you to incrementally increase or decrease the width with each click, as shown below. (You can reverse the hub for use on right-tilt tablesaws.) This hub limited cutting depth to 34", but cutting a relief slot in the throat insert increased that depth to 114" without losing the zero-clearance fit at the front.

■ Blades that stay sharp save you money. Over time, all of these sets will need resharpening. We checked with several sharpening services, and found they charge from \$40 to \$55 to sharpen a 6" set. So if you're thinking of buying a set that showed signs of dulling and tear-out in our test, be prepared to add this cost more frequently. By the same measure, a premium set that showed no signs of dulling might go years before needing resharpening, depending on your workload.

#### SHOP TIP

When you resharpen a set, be sure to include all the chippers and outer blades so they maintain the same cutting depth after regrinding.



Turning the adjustable hub on Freud's Dial-A-Width set increases or decreases the set's cutting width by .004" with each click.



CMT Precision Dado 230.020.06



Forrest Dado King DKO6244



Freud Dial-A-Width SD606

#### **6" STACKED DADO SETS: BIG CUTS SMALL PACKAGES**

MINE !	1			CHIF	PER	ER O S IN E (NES:	ACH	SHI	MS	MAXIMUM	CAPACITY, HES					X					V	PER	FORM	MAN	CE RA	TING	S (5
																					ABS	ENCE	OF S	URF	ACE 7	EAR	-out
		ADES													RS					NEW		-4	100	AFT	ER W	EAR	
		OUTER BI	CHIPPER							MS)			R USE	BOTTOM	N CORNE	JOINTS	WIDTH (6)		ED AK	BIF	RCH VOOD			ED AK	BIF	RCH	
MANUFACTURER (1)	MODEL	NUMBER OF TEETH ON OUTER BLADES	NUMBER OF TEETH PER CHIPPER	14"	1,6,1	,9l/ <sub>1</sub>	3/32" (2)	NUMBER	MATERIAL (3)	WIDTH (INCLUDING SHIMS)	DEPTH (4)	STORAGE CASE? Y,N	LACK OF DULLING AFTER USE	ABSENCE OF RIOGES IN BOTTOM	ABSENCE OF SCORING IN CORNERS	FLATNESS OF HALF-LAP JOINTS	EASE OF FINE-TUNING	CROSSCUT	RIP CUT	CROSSCUT	RIP CUT	MELAMINE	CROSSCUT	RIP CUT	CROSSCUT	RIP CUT	MELAMINE
AMANA *	656030	18	2	1	2	1	0	14	Р	59/64	1 19/64	Y	В	E)+	B-	A-	A-	A	A	В	B+	B+	B+	A-	С	В	В
BOSCH	PR0624DADO	24	2	1	2	1	0	5	S	55/64	121/64	Υ	C+	A-	B-	A	B-	A	A	B-	B÷	В	A-	B+	D	B+	C+
CRAT	230.020.06	20	4	0	4	1	1*	10	Р	31/32	19/32	Υ	A-	A-	C+	A-	B-	A	A	A-	A	A	Α	A	В	A	A-
CMT	230.520.06	20	4	0	4	1	1*	10	S	31/32	15/16	Υ	В-	ß	B+	A	A-	A	A	В	B+	В	A-	A-	C+	B-	В-
EVERLAST *	DS6	18	2	1	2	1	0	0	N/A	13/16	119/64	Υ	B+	В	C+	A	C**	A	A	C	A	В-	A	A-	C-	B+	C-
FORREST	DK06244	24	4	0	4	1	1	6	М	15/16	119/64	Y	A	A	В	A	В	A	A	A	A	A-	A	A	A	A	B+-
	SD206	10	2	0	4	1	0	8	S	55/84	1 25/64	Y	В	B	B+	В	B-	Α	A	B+	A	В	B*	A	B-	Α	C+
FREUD	SD506	20	4	0	4	1	1	10	S	1	113/64	Y	A	A-	B+	A	B-	A	A	A	A	A-	A-	A	A-	A	B+
	SD606	20	4	0	4	0	1	N/A	Н	29/32	11/4*	Y	A	A	B+	A	A*	A	A	A-	A	A-	A	A	A-	Α	B+
LEE VALLEY *	15W01.03	18	2	1	2	1	0	14	Р	15/16	117/64	Υ	C	A	B+	A-	Á-	A	A	C	Α	B	В	C-	D	A	C-
OLDHAM	6005818	18	2	4	0	1	0	9	A	7/8	117/64	N	C+	A-	В	В	D	A-	A-	В-	A-	В-	A-	B+	D+	A-	C+
RIDGE CARBIDE	NW6-DM-DS	16	4	0	4	1	1	5	Р	61/64	121/64	Υ	C	B+	B+	В	В	B-	В	C	Ē+	C	C-	B-	D	B+	D
SYSTIMATIC *	37142	16	2	0	4	1	0	0	N/A	13/16	15/18	Y	C	A	B-	В	C**	B+	8+	D	A-	C	D	B-	D-	A-	D

#### NOTES:

- These manufacturers do not recommend this model for use on veneer plywood or melamine-coated particleboard.
- 2. (\*) Actually measured 5/64"
- 3. (A) Paper
  - (H) Adjustable steel hub
  - (M) Magnetic
  - (P) Plastic
  - (S) Steel
- 4. Measured on the same hybrid tablesaw with a %"-thick throat plate insert.
  - with a %"-thick throat plate insert.

    (\*) Requires cutting a relief slot in the throat plate insert to allow clearance for the adjustable hub.
- 5. A Excellent
  - B Good
  - C Fair
  - D Poor
- (\*) This model features an adjustable hub and does not need shims.
  - (\*\*) You must supply your own shims for these models.



Freud Pro Dado SD206

#### You can't go wrong with these stacks

Just as we've found in other blade tests, premium-priced models tend to rise above the field. We'd be happy to have the CMT Precision Dado 230.020.06, Forrest Dado King DK06244, Freud Super Dado SD506, and Freud Dial-A-Width SD606 in our shop because they all cut clean, flat-bottom dadoes with little to no tear-out, even after significant wear. For this they share Top Tool honors.

The Top Value award goes to the Freud SD206 Pro Dado set. Its cut doesn't quite equal the performance of the Top Tool sets, but it produced clean cuts in solid wood when sharp, with only minor tear-out in plywood and melamine. If you'll use your set for joinery on a handful of projects a year, this model will work well for a modest \$85 investment.

#### HOW WE GRADED FOR DADO CUT QUALITY

Below are examples of surface tear-out, shown in tested materials, with the grading parameters we used for all cuts.

- A = No tear-out on either edge
- B = Slight, spotty tear-out on either edge
- = Consistent tear-out on either edge
- = Significant, consistent tear-out on either edge

#### **Red Oak**









#### Melamine










#### Birch Plywood











- (S) Singapore
- (U) United States
- Prices current at time of article production and do not include shipping, where applicable.




# **Easy and Elegant**

# Three Table Set One design done three ways makes this trio of tables a perfect match.

ake any or all of these tables to create a set that suits your needs. You'll find the going easy because for most of the parts in these projects, only the length changes from table to table, but the step-by-step process remains the same.

Whatever grouping you plan to build, save time by milling all similar parts while you have a machine set up. For example, although the legs on the sofa table are longer than those on the coffee table, prepare the blanks for each set of legs, and then cut all the tapers while you've got the tablesaw set up. Likewise, you can bevel the top edging pieces for several tables at the tablesaw, then move those pieces to the router table to rout

#### WHAT YOU'LL NEED



Materials: ¾" poplar boards, 1/2" birch plywood. ■ We also used a pockethole jig. (About \$40, see Sources, page 58.)

the edge profiles. This saves time and creates identical pieces for every table.

Note: If you make your tables from pine or oak, you'll find ready-made cove molding for parts K and L at a home center.

#### Get a leg up

Cut four legs (A) to the size listed in the Materials List on page 58, 59, or 60

for the table(s) you're building. If you can't find solid stock 1½" thick, glue up two layers of 34" stock. Choose pieces with color and grain that blend together well at the joint line.

Now lay out the tapers on each leg [Drawing 1a, 3a, or 4a]. First, label the best two adjacent faces of each leg as the outside faces. Then, lay out a 3/4" square




centered on the bottom end of each leg [Drawing 1b]. Next, mark lines on the outside faces (the ones you marked earlier) of each leg 1½" from the top to indicate the tops of the long tapers. Mark the tops of the short tapers on the two inside faces. Note that the short tapers are the same length on the end table and sofa table [Drawings 1a and 4a] but are shorter on the coffee table [Drawing 3a].


You'll need a taper jig to carry the legs past the saw blade. (If you don't have one, see the Quick & Easy Jig article on page 12.) Align the marks for the top and bottom of the short taper along the edge of the jig. Screw down the guide, secure the leg, and cut the first taper [Photo A].

**Note:** Use a zero-clearance insert to prevent the cutoff from lodging between the blade and insert plate. Also, we've removed the blade guard to allow you to see the operation. Use yours.

AROtate the leg a quarter turn to cut the other short taper [Photo A].




## 1b LEG BOTTOM VIEW (all tables)






Cut both short tapers on each leg. If needed, reposition the guide to cut the short tapers on the legs for other tables in the set.



As with the short tapers, align the layout marks for the long tapers along the edge of the jig and reposition the guide assembly.





To secure the leg when cutting the second long taper, use a spacer to fill the gap between the hold-down and the tapered leg.

ASSEMBLE IT, CLAMP IT, THEN DRIVE IT HOME

B
Pocket holes
on inside faces
of ralls

A

(4½" for
coffee table)

Long taper face
up and out
E

Rail and leg
flush at top

Clamp the upper and lower end rails (B, C) lightly between two legs (A) while positioning the rails. Spacers under the rails establish the inset. Tighten the clamps, and then flip the assembly over and drive 11/2" pocket screws through each rail into the legs.

While the jig is set up, cut the short tapers on the remaining legs.

**Note:** The coffee table has shorter tapers than the other two tables. If you're building a combination of tables, adjust the placement of the guide on the jig as needed.

5 Unscrew the guide from the jig and reposition a leg on it to cut a long taper. As before, place the guide against the leg, and screw it in place [Photo B]. Cut the first long taper; then place a scrapwood spacer under the hold-down when cutting the final taper [Photo C]. Repeat this process to cut the long tapers on the remaining legs. Use a sanding block to sand the legs up to 220 grit.

#### Time to establish a base

1 Cut the upper end rails (B), lower end rails (C), shelf support cleats (D), and upper front and back rails (E) to size. Drill one pocket hole in each end of the lower end rails and two pocket holes in each end of the upper rails [Drawings 2 and 2a]. Learn about pocket-hole joinery in the Skill Builder, opposite.

Retrieve two legs (A), an upper end rail (B), and a lower end rail (C). Place the legs on a flat surface with the long tapers facing up and to the outside. Clamp the upper end rail flush with the top ends of the legs and the lower end rail 6½" from the bottom of the legs [Drawings 1a, 4a; Photo D]. On the coffee table, this measurement is 4½" [Drawing 3a]. Flip the end assembly (A/B/C) over and drive the pocket screws [Photo E]. Repeat this assembly operation for the other end.

Glue and clamp the shelf support cleats (D) to the inside faces of the lower end rails (C) [Photo F].

Stand the side assemblies (A/B/C) on their tops and position the upper front/back rails (E) between them. Use light clamp pressure to hold the assembly together [Photo G]. After positioning the upper rails, tighten the clamps to hold everything in place and drive 1½" pocket screws.

5 To determine the length of the shelf (F), measure the distance between

the lower end rails (C). To find the shelf's width, add ½" to the length of the cleat (D). Cut the shelf to these dimensions.

Cut two pieces of shelf edging (G) ¾" thick, 1¾" wide, and the same length as the shelf (F). Glue and clamp the edging to the shelf with the top edges and ends flush. After the glue has cured, sand the assembly to 220 grit.


Center the shelf assembly (F/G) between the legs and clamp it in place [Photo H]. Drill 5/32" shank holes through the shelf support cleats (D) and 6/4" pilot holes 1/4" deep into the shelf. Then apply glue to the cleats and screw the shelf to them.

#### Top it off

Cut the top (H) to match the outside dimensions of the table. Set it aside for now. From  $34\times134$ " stock, cut the front/back edging (I) and end edging (J) about 1" longer than dimensioned in the **Materials List**. Make an extra piece to help set up the tablesaw and router table in the next couple of steps.




Position the shelf support cleats (D) ¼" from the bottom of the lower end rails (C) and centered on the length of the rails.



Position the upper front/back rails (E) flush with the top edge of the side assembly and ½" from the inside corner of the leg (A).




Clamp the shelf assembly (F/G) to the cleats (D) while drilling the shank and pilot holes and driving the screws.



Tilt the tablesaw blade to 30° from vertical and set the rip fence ¼" from the blade. Rip a bevel on each length of front/back edging (I) and end edging (J) [**Drawing 2**]. Next, mount a ¼" roundover bit in the router table. Rout the round-over with a ¾6" shoulder [**Drawing 2**] on each piece of edging.

#### 2a LOWER RAIL DETAIL



Tilt your tablesaw blade back to vertical, and complete the edging by cutting a rabbet to accept the top (H) [Shop Tip at right].


Miter-cut the edging (I, J) to fit around the top (H). Glue up the four pieces of edging to form a frame [Photo I]. While the frame dries, finish-sand the top with 220 grit. Then sand the edging assembly (I/J) to 220 grit. Use a sanding block on the top and bottom faces and the bevel to maintain the crisp edges of the profiles.


5 To glue the top (H) into the frame, apply a small bead of glue along the inside corner of the rabbet. Then clamp the frame and panel together, and allow the glue to cure. Now glue the top assembly (H/I/J) to the base. The edges

#### **SHOP TIP**

#### Two cuts for clean rabbets

To cut rabbets on the tablesaw, make two intersecting cuts. For the edging pieces (I, J), set the blade ½" above the table and position the rip fence ½" from the blade. Cut a groove the length of each edging piece, keeping the piece tight to the rip fence, top photo. Then raise the blade height to ½6" and reset the fence to make a perpendicular, intersecting cut to remove the waste, bottom photo. The waste falls safely to the outside of the blade.





#### SKILL BUILDER

#### Quick, strong joints come right out of the pocket


Fast, easy, and strong. That describes pocket-hole joinery. Using this method, you don't have to wait for glue to dry, so you can keep working on parts as soon as they're joined.

Making a pocket hole requires a special jig and drill bit to form a pilot hole with a deep, flat-bottomed counterbore, top drawing. For pieces that fit together flush, a clamp holds the pieces while you drive a pocket-hole screw into the pilot hole, bottom drawing. To inset one piece from another, use a spacer as shown in **Photo D**, opposite page.


The broad, flat underside of the screwhead, shown far right, presses against the bottom of the hole, pulling the two pieces together. Choose fine-thread screws for use in hardwoods, and coarse-thread screws when joining softwoods.

Apply glue to the mating surfaces if you want. But when one of those surfaces is end grain, as when joining the rails of the tables to the legs, the glue adds little additional strength.

#### DRILLING THE POCKET HOLE




#### **DRIVING THE POCKET SCREW**









Apply glue to each mitered end, then assemble the edging into a frame. A band clamp is ideal for drawing the corners closed.

CHECK THE FIT, THEN GLUE IT

Miter-cut the cove molding (K, L) to length, testing the fit of all four pieces around the table before gluing it in place.

of the plywood panel should be flush with the outside faces of the legs.

Measure between the outside edges of the legs at the front and side of the table. Prepare two ½×4" blanks 1" longer than each of these measurements. Rout a 3%" cove along each long edge of each

blank. Take the blanks to the tablesaw and rip away ½"-wide pieces for the front/back cove (K) and end cove (L).

Miter-cut the front cove (K) to length so the two short points match up exactly with the outside corners of the front legs. Clamp the cove in place temporarily below the edging (I, J) [**Drawing 2**]. Next, miter an end cove (L) to length so it fits against the front cove and the opposite short point lines up exactly with the outside corner of a rear leg. Repeat this process for the other end cove (L); then miter the back cove (K) to fit between the two end coves. Once all the coves are cut to length, glue them in place [**Photo J**].

Finish-sand the table to 220 grit, and apply a finish. (We used Old Masters Dark Mahogany, and then brushed on two coats of Minwax satin polyurethane, buffing with a 300-grit sanding sponge between coats.)

Written by Craig Ruegsegger with Kevin Boyle Project design: Jeff Mertz Illustrations: Roxanne LeMoine; Lorna Johnson

Materials List (end table)

	FIN	VISHED	SIZE		
rt	T	W	L	Matl.	Qty.
legs	11/2"	11/2"	25"	Р	4
upper end rails	3/4"	21/2"	17"	Р	2
lower end rails	3/4"	13/4"	17"	Р	2
shelf support cleats	3/4"	3/4"	14"	Р	2
upper front/ back rails	3/4"	21/2"	13"	Р	2
shelf	1/2"	141/2"	131/2"	BP	1
shelf edging	3/4"	13/8"	131/2"	P	2
top	1/2"	20"	16"	BP	1
front/back edging	3/4"	13/4"	19°	Р	2
end edging	3/4"	13/4"	23"	P	2
front/back cove	1/2"	1/2"	17"	Р	2
end cove	1/2"	1/2"	21"	P	2
	legs upper end rails lower end rails shelf support cleats upper front/ back rails shelf shelf edging top front/back edging end edging front/back cove	legs 11/2" upper end rails 3/4" lower end rails 3/4" shelf support cleats upper front/back rails shelf 1/2" shelf edging 3/4" top 1/2" front/back edging 3/4" end edging 3/4" front/back cove 1/2"	Image: second relation of the protocolor of	t         T         W         L           legs         1½" 1½" 25"         25"           upper end rails         3¼" 2½" 17"           lower end rails         ¾" 13¼" 17"           shelf support cleats         3¼" 2½" 14"           upper front/back rails         3¼" 2½" 13"           shelf         ½" 14½" 13½" 13½"           shelf edging         3¼" 13½" 13½" 16"           top         ½" 20" 16"           front/back edging         3¼" 13¼" 23"           end edging         3¼" 13¼" 23"           front/back cove         ½" ½" ½" 17"	tem         T         W         L         Matl.           legs         1½" 1½" 25" P         P           upper end rails         3¼" 2½" 17" P           lower end rails         ¾" 1¾" 17" P           shelf support cleats         3¼" 3¼" 14" P           upper front/back rails         3¼" 2½" 13" P           shelf         ½" 14½" 13½" BP           shelf edging         ¾" 1¾" 13½" P           top         ½" 20" 16" BP           front/back edging         3¼" 1¾" 19" P           end edging         ¾" 1¾" 23" P           front/back cove         ½" ½" 17" P


\*Parts cut long initially, then mitered to fit.

Materials key: P-poplar, BP-birch plywood.


Supplies: #8x1" flathead wood screws, 11/2" pocket-hole screws.

Bits: 1/4" round-over, 3/8" cove router bits.


**Sources:** Pocket-hole jigs, such as the Kreg R3, are available at home centers and through Rockler Woodworking and Hardware, 800-279-4441, rockler.com.



End Table Cutting Diagram



3/4 x 51/2 x 96" Poplar (4 bd. ft.) \*Plane or resaw to the thickness listed in the Materials List.




1/2 x 24 x 48" Baltic birch plywood



# Materials List (coffee table)

Pai	rt	T FIN	W W	SIZE L	Matl.	Qty.
Α	legs	11/2"	11/2"	15"	Р	4
В	upper end rails	3/4"	21/2"	16"	Р	2
C	lower end rails	3/4"	13/4"	16"	Р	2
D	shelf support cleats	3/4"	3/4"	13"	Р	2
E	upper front/ back rails	3/4"	21/2"	42"	Р	2
F	shelf	1/2"	131/2"	421/2"	BP	1
G	shelf edging	3/4"	13/8"	421/2"	Р	2
Н	top	1/2"	19"	45"	BP	1
*	front/back edging	3/4"	13/4"	48"	Р	2
J*	end edging	3/4"	13/4"	22"	Р	2
K*	front/back cove	1/2"	1/2"	46"	Р	2
L*	end cove	1/2"	1/2"	20"	Р	2

#### **3 COFFEE TABLE EXPLODED VIEW**



3/4 x 71/4 x 96" Poplar (5.3 bd. ft.)

\*(K)

woodmagazine.com

1/2 x 48 x 48" Baltic birch plywood

F

(J)

(J)

3/4 x 51/2 x 72" Poplar (3 bd. ft.) \*Plane or resaw to the thickness listed in the Materials List.



#### **Materials List** (sofa table)

		FIN	IISHED	SIZE		
Pa	rt	T	W	L	Matl.	Qty.
Α	legs	11/2"	11/2"	31"	Р	4
В	upper end rails	3/4"	21/2"	7"	Р	2
C	lower end rails	3/4"	13/4"	7"	Р	2
D	shelf support cleats	3/4"	3/4"	4"	Р	2
Ε	upper front/ back rails	3/4"	21/2"	42"	Р	2
F	shelf	1/2"	41/2"	421/2"	BP	1
G	shelf edging	3/4"	13/8"	421/2"	Р	2
Н	top	1/2"	10"	45"	BP	1
*	front/back edging	3/4"	13/4"	48"	Р	2
J*	end edging	3/4"	13/4"	13"	Р	2
K*	front/back cove	1/2"	1/2"	46"	Р	2
L*	end cove	1/2"	1/2"	11"	Р	2

**4** SOFA TABLE EXPLODED VIEW

Inside faces

(B)

30° bevel 48" 4a SOFA TABLE LEG DETAIL H (Left rear 11/2" leg shown, right rear pocket screw is a mirror

Mitered ends

#8 x 1" F.H. wood screw

Location of Band E image) 1/2" Long taper stops here. A 3/8" çove

31"

Location of (C)

61/2"


Outside face

\*Parts cut long initially, then mitered to fit.

11/2"

Short taper on inside faces 3/8" cove Outside faces 421/2"


**Sofa Table Cutting Diagram** 



**(G)** 3/4 x 71/4 x 96" Poplar (5.3 bd. ft.)

\*(1)

3/4 x 51/2 x 60" Poplar (2.5 bd. ft.) \*Plane or resaw to the thickness listed in the Materials List.



1/2 x 24x 48" Baltic birch plywood

WOOD magazine December/January 2008/2009

#### SM-100 4" Bench Top Jointer



#### Reg. \$199 Sale \$79

- 5/8HP 110V motor.
- 23.5" x 4.25" table.
- 2 knives.
- · 8,000 RPM cutterhead speed.
- 19" x 3.25" fence tilt 45° in and out.
- 30 lbs.

#### SM-236PM 13" Planer/Moulder



#### Rog. \$749.00 Sale \$459

- 2HP 110V motor.
- · 13" Planing, 5" Moulding capacity.
- · 6" Max thickness.
- · 7" Min. length of stock.
- · 5,000 RPM cutterhead speed.
- 2 Feed speed 20 FPM and 10 FPM
- 140 lbs.

Optional Stand \$49.00 (Reg. \$69)

SM-250A 10" Contractor's Table Saw



#### Reg. \$499.00 Sale \$299

- 1.5HP 110/220V motor wired 110V.
- 10" Saw blade left tilt.
- 5/8" Arbor.
- · 27" x 44" table with extension.
- · Precision aluminum extruded fence.
- 12"(Left) 30" (Right) max. rip capacity.
- 210 lbs.

# QUALITY & VALUE

# SUNHILL

# TIME IS

# **SAVE BOTH**

# ORDER ONLINE!

www.sunhillmachinery.com

#### **Sanding Belts**



- Available in grits, 50, 80, 100, 120, 150, 180, 220
- 6"x108", 16"x48", 25"x48", 25"x60" and 37"x60"
- Minimum 5 belts; mix and match, any size any grit.

#### **Replacement Rollers**



RO-08 80mm Dia, x 30mm W. Reg. \$17.00 Sale \$14.95

RO-10 100mm Dia. x 50mm W. Reg. \$19.00 Sale \$16.95

RO-12 120mm Dia. x 60mm W. Reg. \$21-00 Sale \$18.95

Fits most brand power feeders.
Price break on purchase of 3 or more.

#### T.C.T. ATB Circular Saw Blades



10" 40T General Purpose Sale \$10.9510" 60T Fine Finishing Sale \$14.9512" 60T General Purpose Sale \$23.95

- · Optimum Hook Angle
- Special Tooth Design For Superior Cutting Performance
- 5,500 Maximum RPM
- 1.8 mm thin.

#### SM-150B 6" Bench Top Jointer



#### Reg. \$249 Sale \$99

- 1.5HP 110V motor.
- 27.5" x 6.25" table.
- · 2 knives.
- 8,000 RPM cutterhead speed.
- 19" x 3.25" fence tilt 45° in and out.
- · 45 lbs.

#### SM-344 12-1/2" Surface Planer



#### Reg. \$389.00 Sale \$189

- 2HP 110V motor.
- 4 Post support of cutterhead to minimize sniping.
- · 2 Double edged HSS Knives.
- 26 FPM feed speed.
- · 6" Max. thickness.
- 71 lbs.

Optional Stand \$49.00 (Reg. \$69)

#### SM-346 13" Surface Planer



#### Reg. \$449.90 Sale \$249

- · Heavy duty construction.
- · 2HP 110V motor.
- 4 Post support of cutterhead to minimize sniping.
- · 2 Double edged HSS Knives.
- Self aligned knives require no knife setting.
- 8,000 RPM cutterhead speed.
- · 26 FPM feed speed.
- 6" Max. thickness.
- 80 lbs.

Optional Stand \$49.00 (Reg. \$69)

800-929-4321

Call 800-929-4321 to order or see us online at www.sunhillmachinery.com for product details or a free catalog.


M A C H I N E R Y

1208 Andover Park East, Seattle, WA 98188
Fax 206-575-3617 ● e-mail info@sunhillmachinery.com.

Circle No. 1753

Items subject to stock on hand and some restrictions may apply.

Not valid with other offers, Call for details.



his graceful countertop rack keeps your favorite wines at hand for dinner parties or entertaining. It has just four parts—and patterns for three of them—so you'll be able to build the rack almost as quickly as you can say cabernet sauvignon.

#### Make the frame parts first

1 Cut blanks for the legs (A) and rails (B) to size [Materials List, page 64].

**2** Enlarge four copies each of the half-size leg, rail, and rest patterns on page 64 to 200%. Spray adhesive onto the backs of the leg and rail patterns and adhere them to the blanks for the legs (A) and rails (B).

Form the mortises in the legs (A) and cut the tenons on the rails (B) [Drawings 1, 1a; Skill Builder].

4Bandsaw or scrollsaw the curve on the edge of each rail blank (B). Cut

#### PROJECT HIGHLIGHTS

- Overall dimensions: 13" wide × 85%" deep × 834" high.
- Materials needed: Maple, walnut. Other contrasting species, such as ash and mahogany or white oak and padauk, could be used.
- Holds six wine bottles.

slightly outside the line and sand to the line. Remove the patterns; then finish-sand the rails to 220 grit.

#### Assemble the frames

Apply glue to the rail (B) tenons; then assemble and clamp the rails and legs (A) with the curved edge of each rail facing up [Drawing 1, Shop Tip, below.] Lay the rails across a ¾" scrapwood spacer (we used MDF) so you can center the clamps on the legs. (The patterned face will be up for one leg, down for the other.)

**2**Bandsaw or scrollsaw the curved edges of the legs (A). Cut slightly outside the line; then sand to the line.

**3** Remove the patterns from the legs (A), and then finish-sand both frames (A/B) to 220 grit.

#### Time for some rests

Cut four ½×1¼×12¼" blanks for the rests (C).

2 Spray adhesive onto the back of each enlarged copy of the half-size rest pattern and adhere a pattern to each rest (C) blank.

Install a ¾" dado set on your tablesaw, and set the cutting depth to ¼". Saw dadoes in the rests (C), where indicated on the pattern.

#### SKILL BUILDER

#### Drilling and sawing simplify mortise-and-tenon joinery

The sturdy, reliable mortise-and-tenon joint reigns as a woodworking standby. These hints will help you easily form mortises in the legs (A) and tenons on the rails (B) for the wine rack.


Mark the mortise locations from the pattern onto the adjacent edge of each leg blank. Position the drill-press fence to center a ¼" brad-point bit on the edge, shown at right, and drill a series of holes to the mortise depth, ¾6". Clean out the mortise and square the corners with ¾4" and ¼" chisels.

To cut the rail tenons, shown at lower right, install a ½" dado set on your tablesaw, and lower it below the table surface. Attach an auxiliary rip fence, and position it for ¾" cutting width. Add a miter-gauge extension that reaches the fence. Start the saw, and raise the dado set ½" above the table, cutting a cove in the auxiliary fence.

On scrap stock the same size as the rails, make cuts on both faces to cut the tenon cheeks. Keep the end of the rail tightly against the fence.

Then, using the same saw setup, stand the test piece on each edge to cut the tenon shoulders. Test the tenon fit in the mortises, and adjust the setup as needed. Then cut the tenons on both ends of the four rails.






#### **SHOP TIP**

#### Clamp first, saw second

Clamping curved parts poses difficulties: You usually end up having to tape the cut-off piece back onto the workpiece to provide a clamping surface. For such assemblies as the wine-rack frames (A/B), glue and clamp the components before you cut the curves in the legs (A).







Stand the frames (A/B) upside down to make it easier to position the rests (C) against the bottom of the rails (B).

Bandsaw or scrollsaw the rests (C) to shape, cutting slightly outside the line. Sand to the line and remove the patterns; then finish-sand the rests.


5 Glue and clamp the rests (C) to the frames (A/B) [Drawing 1, Photo A].

#### Add the bases

1 Cut the base (D) blanks to size. Lay out the curved edge [**Drawing 1**] with a fairing stick by drawing a line that connects the two endpoints and the centerpoint. (For a free fairing stick plan, go to woodmagazine.com/fairing.)

**2**Bandsaw or scrollsaw the edge of each base (D) slightly outside the line; then sand to the line. Finish-sand the bases to 220 grit.

With the rack assembly (A/B/C) upside down, center the bases side-to-side on the bottoms of the legs (A) and overhanging the backs of the legs by ¼" [Drawing 1]. Mark screw locations centered on the legs; then drill countersunk shank holes in the bases (D) and pilot holes into the legs [Photo B]. (For



Drill screw holes through the base (D) into the legs (A) with a countersink bit and portable drill.

#8 screws, drill ⅓2" shank holes and ¾4" pilot holes.)

4 Glue and screw the bases (D) to the rack assembly (A/B/C).

5 After the glue cures, touch up the finish-sanding as necessary and apply three coats of clear, satin finish, sanding to 320-grit between coats. While the finish dries, raise a glass of wine to your success.

Written by Larry Johnston with Jeff Mertz Project design: Jeff Mertz Illustrations: Roxanne LeMoine; Lorna Johnson

#### **Materials List**

		FI	NISHED	SIZE		
Pa	rt	T	W	L	Matl.	Qty.
Α	legs	3/4"	11/2"	81/4"	W	4
В	rails	1/2"	11/4"	53/4"	W	4
C*	rests	1/2"	11/16"	12"	М	4
D	bases	1/2"	21/8"	13"	M	2

<sup>\*</sup>Parts initially cut oversize. See the instructions.

Materials key: M-maple, W-walnut. Supplies: Spray adhesive; #8×1¼" flathead wood screws, 3/8" self-adhesive feet (4). Blade: dado set.


#### **Cutting Diagram**




0 0

3/4 x 51/2 x 36" Maple (1.5 bd. ft.)

**NOTE:** Enlarge these half-size patterns to 200% on a photocopier to make full-size patterns for the legs (A), rails (B), and rests (C).



<sup>\*</sup>Plane or resaw to the thickness listed in the Materials List.





# TIS' THE

# otreeusa.com

Over 5000 woodworking items! Shop online 24 hours a day.

Clamps, Sawblades, Router Bits, Abrasives, Books, Videos and More. Find the brand names you're looking for and More!




















OLSONº






#### **PROJECT HIGHLIGHTS**

- Overall dimensions are 28" wide × 13%" deep × 19½" high.
- Materials needed: ¾" cherry and ¼" hardboard.
- Styled to match the dresser (page 34), valet (page 41), lingerie chest (issue 189), and pencil-post bed and nightstand (issue 187).

#### Make the rails and stiles

1 Cut the lower rail (A), upper rail (B), and stiles (C) to size [Materials List, page 68].

2 Form the 3/6" rabbets at both ends of the lower rail (A) and upper rail (B) [Drawing 1, Skill Builder].



Use a pushblock or feather board and pushstick when routing the rabbeted edges on the narrow stiles (C) and rails (A, B).



Attach a long extension to your miter gauge and cut it off at the 37° angle to help you align the top (D) for cutting the miters.

Using the same setup, rabbet the top back edge of the lower rail (A) and the inside back edges of the stiles (C) [Drawings 1, 2; Photo A].

Rabbet the bottom back edge of the upper rail (B) with multiple passes. Leave the cutting depth set as before, but move the fence after each pass until you reach 11/8" wide [Drawings 1, 2].

#### Assemble the frame

1 (B) [Drawing 2]. Mark the centerpoint where shown; then draw an arc through the ends and the centerpoint with a fairing stick. (For a free fairing stick plan, go to woodmagazine.com/fairing.)

2Bandsaw the arc slightly outside the line, and then sand to the line.

Glue and assemble the lower rail (A), upper rail (B), and stiles (C) [Drawing 2]. Square the assembly, ensuring that the corners are flush; then clamp the corners [See Shop Tip, on page 68]. Add bar clamps across the assembly to pull the joints tight.

Finish-sand the mirror frame (A/B/C) to 220 grit.


#### Add the top and base

1 Cut the top (D) and base (E) to size [Drawing 2].

2Tilt your tablesaw blade to 37°, position the rip fence, and bevel-rip the front edge of the top (D) [Drawings 2, 3].

Reset the tablesaw blade to 0° and set the miter gauge to 37° to saw bevels on the ends of the top (D) [Drawing 2,

#### 1 RAIL TENON DETAILS




#### SKILL BUILDER

#### Routing renders rabbets readily

Instead of setting up your tablesaw with a dado blade when you have a few rabbets to make, turn to your table-mounted router. A ¾" straight bit chucked in a table-mounted router lets you form a rabbet of any width. (For rabbets wider than ¾", make multiple passes.) Or, you can buy piloted rabbet bits for common widths.

Raise or lower the router to adjust the rabbet depth. (For the mirror, set the depth to %", half the thickness of the rails and stiles [A, B, C].) Position the fence to set the width of the rabbet. If you are using a piloted bit, align the face of the fence with the pilot bearing. (For the mirror, set the fence to make a rabbet %" wide.) Test the setup with scrap stock before routing project parts.


When routing across the grain, as on the ends of the rails (A, B), push the workpiece with a scrapwood backer (we used  $34 \times 6 \times 12^{\circ}$  MDF) to prevent splintering the edge of the rail when the router bit exits, as shown at *right*.




#### SHOP TIP

## Rise above clamping problems

Clamps often prevent laying an assembly, such as the mirror frame (A/B/C), flat for gluing. To keep the parts in the same plane, lay the assembly across risers, such as the pieces of 2×4 shown. When glue joints lie across the risers, put packing tape or waxed paper on the riser edges.



#### **3 TOP BEVEL**



**Photo B**]. Leave a 1/8" face to match the front profile.

Chuck a 1/8" round-over bit in your table-mounted router, and position the fence flush with the pilot bearing on the bit. Round over both ends of the top (D), then the front, where shown [Drawing 2]. Use a scrapwood backer to prevent tear-out when routing the ends.

**5** Change to a %" round-over bit, and adjust the cutting depth and fence position as necessary. Rout the bottom (E) across the ends, then along the front edge [**Drawing 2**]. Again, use a scrapwood backer when routing the ends.

Finish-sand the top (D) and base (E) to 220 grit. Then glue them to the frame (A/B/C), centered end to end and flush at the back [**Drawing 2**]. Place the assembly on risers for easier clamping.

#### Complete the mirror

Sand slight round-overs to soften the exposed edges. Touch up the finish-sanding as necessary.


2Stain as desired. (We applied Minwax no. 607 Cherrywood gel stain.)
3Apply a clear finish. (We applied three coats of satin polyurethane, sanding to 320 grit between coats.)

Cut the back (F) to size. Test-fit the back in the rabbeted opening; then take it to the glass shop as a template for a piece of 1/8" mirror.


5 Install the turnbuttons, hanging D-rings, and rubber bumpers where shown [Drawing 2].

Place the mirror glass in the opening, insert the back (F), and secure with the turnbuttons. Attach a length of picture wire between the D-rings, and then reflect on your success while you hang the mirror.


Written by Larry Johnston with Jeff Mertz Project design: Kevin Boyle Illustrations: Roxanne LeMoine



#### 2 EXPLODED VIEW



#### **Cutting Diagram**



**Materials List** 

		FI	NISHED	SIZE	2 10	- "
Pa	rt	T	W	L	Matl.	Qty.
Α	lower rail	3/4"	11/2"	24"	С	1
В	upper rail	3/4"	2"	24"	С	1
C	stiles	3/4"	11/2"	18"	C	2
D	top	3/4"	15/8"	28"	С	1
E	base	3/4"	13/8"	271/2"	С	1
F	back	1/4"	16"	24"	Н	1
_						

Materials key: C-cherry, H-hardboard. Supplies: Turnbuttons (8), ½" rubber bumpers (2), picture-hanging D-rings (2), picture wire, ½" mirror. Router bits: ½" and ¾" round-over bits, ¾" straight bit.

### AS HEARD ON PAUL HARVEY NEWS

# New advanced portable heater can cut your heating bill up to 50%

## Heats a large room in minutes with even heat wall to wall and floor to ceiling

## Does not get hot, cannot start a fire and will not reducé humidity or oxygen

A new advanced quartz infrared portable heater, the EdenPURE™, can cut your heating bills by up to 50%.

You have probably heard about the remarkable Eden-PURE" as heard on Paul Harvey News and on television features across the nation.

The EdenPURE™ can pay for itself in a matter of weeks and then start putting a great deal of extra money in your pocket after that.

A major cause of residential fires in the United States is portable heaters. But the EdenPURE™ cannot cause a fire. That is because the quartz infrared heating element never gets to a temperature that can ignite anything.

The outside of the Eden-PURE™ only gets warm to the touch so that it will not burn children or pets. Pets can sleep on it when it is operating without harm.

The advanced space-age EdenPURE™ Quartz Infrared Portable Heater also heats the room evenly, wall-towall and floor-to-ceiling. And, as you know, portable heaters only heat an area a few feet around the heater.

Unlike other heating sources, the EdenPURE" cannot put poisonous carbon monoxide into a room or any type of fumes or any type of harmful radiation.

#### Q. What is the origin of this amazing heating element in the EdenPURE™?

A. This advanced heating element was discovered accidentally by a man named John Jones.

#### Q. What advantages does infrared quartz tube heating source have over other heating source products?

A. John Jones designed his heating source around the three most important consumer benefits: economy, comfort, and safety.

In the EdenPURE™ system, electricity is used to generate infrared light which, in turn, creates a very

Never be cold again



Cannot start a fire: a child or animal can touch or sit on it without harm



After a great deal of research and development. very efficient infrared heat chambers were developed that utilize three unique patented solid copper heat exchangers in one Eden-PURE™ heater.

#### Q. How can a person cut their heating bill by up to 50% with the EdenPURE™?

A. The EdenPURE will heat a room in minutes. Therefore, you can turn the heat down in your house to as low as 50 degrees, but the room you are occupying, which has the EdenPURE", will be warm and comfortable. The EdenPURE™ is portable. When you move to another room, it will quickly heat that room also. This can drastically cut heating bills, in some instances, by up to 50%.


The EdenPURE™ comes in 2 models. GEN3 Model 500 heats a room up to 300 square feet and GEN3 Model 1000 heats a room up to 1,000 square feet.

#### End of interview.

The EdenPURE™ will pay for itself in weeks. It will put a great deal of extra money in a users pocket. Because of today's spiraling gas, oil, propane, and other energy costs, the EdenPURE™ will provide even greater savings as the time goes by.

Readers who wish can obtain the EdenPURE\*\* Ouartz Infrared Portable Heater at a \$75 discount if they order in the next 10 days. Please see the Special Readers Discount Coupon on this page. For those readers ordering after 10 days from the date of this publication, we reserve the right to either accept or reject order requests at the discounted price.

**How it works:** 



#### SPECIAL READER'S DISCOUNT COUPON

The price of the EdenPURE™ GEN3 Model 500 is \$372 plus \$17 shipping for a total of \$389 delivered. The GEN3 Model 1000 is \$472 plus \$27 shipping and handling for a total of \$499 delivered. People reading this publication get a \$75 discount with this coupon and pay only \$297 delivered for the GEN3 Model 500 and \$397 delivered for the GEN3 Model 1000 if you order within 10 days. The EdenPURE™ comes in the decorator color of black with burled wood accent which goes with any decor. There is a strict limit of 3 units at the discount price - no exceptions please.

Check below which model and number you want:

- GEN3 Model 500, number GEN3 Model 1000, number

   To order by phone, call TOLL FREE 1-800-588-5608 Ext. EPH8340. Place your order by using your credit card. Operators are on duty 24 hours, 7 days.

· To order online, log on to www.epheater.com

• To order by mail, by check or credit card, fill out and mail in this coupon. This product carries a 60-day satisfaction guarantee. If you are not totally satisfied, your purchase price will be refunded. No questions asked. There is also a three year warranty.

NAME		
ADDRESS		
CITY	STATE	ZIP CODE
CITY	STATE	ZIP COI

Signature

☐ I am ordering within 10 days of the date of this publication, therefore I get a \$75 discount and my price is only \$297 for GEN3 Model 500 and \$397 for GEN3 Model 1000 delivered.

Exp. Date \_\_\_/\_

☐ I am ordering past 10 days of the date of this publication, therefore I pay shipping and handling and full price totaling \$389 for GEN3 Model 500 and \$499 for GEN3 Model 1000.

Enclosed is \$\_\_\_\_\_in: □ Cash □ Check □ Money Order (Make check payable to BioTech Research) or charge my:

□ VISA □ MasterCard □ Am. Exp/Optima □ Discover/Novus Account No.

> MAIL TO: BioTech Research Dept. EPH8340 7800 Whipple Ave. N.W Canton, OH 44767

# After a successful career leap from the office to the workshop, Doug Magrath delivers advice for earning a living in woodworking. Doug found a passion for turning, a sense of accomplishment, and an entirely new career in his wooden bowls.



To maximize his resources, Doug uses an Easy-Core pivoting tool that allows him to salvage the waste wood inside a bowl and turn those pieces as well.



Doug places about 300 bowls in this kiln for six to seven weeks, producing one-of-a-kind masterpieces.

t took 49 years, one bad trip to the bowling alley, and eight days in the hospital to convince Doug Magrath to trade his office job for woodturning. Now, he's a one-man business and a model for transforming a hobby into a moneymaking venture. The London, Ontario, woodworker turns one-of-akind wooden bowls, and his business, Forest City Woodturning, produces more than 1,000 bowls annually, retailing for \$125-\$400 each. The lessons Doug learned by going pro may help you decide whether—and how—to take the plunge.

# Weighing a turning future

He never expected to become a successful artisan. Ten years ago, Doug was working as an accountant for a property-development company. One day, during a lunch-hour practice at a bowling alley, he felt a twinge in his side as he bent to tie his shoes. Next thing he knew, he was flat on his back in a hospital, having surgery to remove his appendix and a nonmalignant intestinal growth.

"At the time I was a chartered accountant, and I was burnt out," he says with a sigh. "Lying in bed for eight days in a row, all I could think was: 'It would be really great to do something I like.' " A hobby woodturner, he envisioned spending his days in the shop.


Doug's interest in woodturning actually stirred years earlier. While building an addition onto his house, he tinkered with his ShopSmith and tried using it as a lathe. "I took a slab of 2"-thick walnut, turned it into a really ugly bowl, and I

thought, 'That's fun,'" Doug says, chuckling. But he'd been bitten by the bug, and soon he began turning gifts, such as

"Lying in bed for eight days in a row, all I could do was think: 'It would be really great to do something I like.'"

bud vases, wine stoppers, and bowls, for family and friends, slowly refining his skills. He loved his hobby, but could he really make a living from it? Doug took stock of his situation: He had a mortgage to pay and two children to support. Although he had no formal training, he felt passionate about turning and already owned a small lathe and all the tools he needed. His accounting practice had served him well, providing an understanding of how a successful—and unsuccessful—business operated. "The good thing about working as an accountant is you have to be familiar with all types of business to do an audit," Doug says. "You physically count inventory and get a good idea of most of the elements of an operating business."

He also took full advantage of his resources, drawing marketing and selling advice from his brother, Al Magrath, a director of marketing. He even met with noted bowl turner David Lancaster







Each one-of-a-kind turning bears Doug's signature, hometown, the date it was completed, and the wood species from which it is made.



Doug takes on every step of the production process, from selecting his wood to packaging and hand-delivering his finished products.

of South China, Maine, sharing with Lancaster his dream to become his "Canadian clone."

With all the cards on the table, Doug decided to take the plunge. He and his wife, Wendy, who was teaching at the time, agreed that he would take two years to make his woodturning business a success. Failing that, he could always return to work as an accountant.

### Work your plan

Two scenarios for making the hobby-tobusiness leap stood before Doug. "You can keep doing what you want to do and figure out how to sell what you make, or you can find out what people want and decide if you want to make it," he says, matter-of-factly. Doug chose the second option: Find a need and fill it.

After examining David Lancaster's business model and determining that bowls would be a sought-after product, Doug simply needed a second opinion. Armed with sample bowls he'd created for family and friends, he approached a London retailer to gauge the market. The first thing she said was, "How soon can I get them?" he recalls.

"I quickly decided that the most enjoyment was in the making rather than the selling," he says. "When you're selling, you're not producing." If he planned to spend a majority of his time in the shop, he needed to leave the selling to someone else. So, rather than going on the craft-show circuit or making individual sales, Doug opted to sell his works wholesale.

Establishing his wholesale prices, however, posed its own challenge. "The

hardest part in marketing is how to price your work when there's not a comparable product in the marketplace. I worked with the retailers on the price point that would work in their market," he explains.

With that figure in hand, and the goal to wholesale his bowls at 50 percent of the retail value, Doug had to make the ultimate decision: Could he live on that amount of money?

Doug divided his entire budget into quarters, allocating 25 percent of the

"If you're only making enough to cover the labor but not the profit, then you aren't actually operating a business."

wholesale price to material cost. "You can't spend more than that, or you will never make any money at it," Doug notes. Another 25 percent was flagged for overhead, such as insurance, tools, utilities, "and all the little things that you don't notice." Then, he calculated 25 percent for labor, and the final 25 percent for profit.

"If you're only making enough to cover the labor but not the profit, then you aren't actually operating a business.

The tax department will tell you that as well," he adds.

Doug says he moved slowly in lining up retail customers: "I added one store at a time to be sure that I could keep up with demand." He built such a reputation for his work that William Ashley China in Toronto contacted him about selling his wares. Initially, he declined due to his relationship with a retailer just blocks away. "I don't compete with myself in the same market," he says. But when that retailer retired a few years later, Doug contacted William Ashley. The company was still interested, and his first shipment of about 25 bowls sold within two days. "They fly off the shelves," says Kara Guatto, an assistant buyer with William Ashley.

#### It all turned out fine


Turning about 1,000 functional bowls and 200 more decorative vessels each year, Doug has built his thriving business around quality and reliability.

"I just kept hearing about his wonderful bowls," says Jill Wilcox, owner of Jill's Table, a specialty retailer in London. "Now that I carry his bowls, they are our top sellers for special giving [weddings, anniversaries, and birthdays]. No two are alike. We consider them works of art."

In all, Doug personally supplies nine stores in southeastern Ontario, using his deliveries as an opportunity to get feedback directly from the retailers. "Whenever he arrives, we always say, 'We'll take all of them,' but of course, he still has other stores to deliver to," laughs Guatto, adding that William Ashley usually gets 20 to 30 bowls at a time. "Around the



Natural-edge bowls, like these two pieces, allow Doug to challenge his creativity. About one-sixth of his overall production currently consists of decorative pieces like these.



"It's putting a piece of firewood on the lathe and taking a piece of art off," Doug says.

Christmas season, we sold out of our entire stock in less than eight hours," she says.

High demand also allows for periodic price increases. Doug's 15" salad bowl began wholesaling at \$75, with a retail price of \$150. Today, it retails at \$200. "I'd rather sell 10 bowls at a fair price than two at an outrageous price," Doug explains. "People won't pay gallery prices unless they're in a gallery."

Success also allows Doug to make time for decorative pieces. "I've reached the max of what I want to do with func-

tional bowls," Doug says. While he currently produces about five times as many functional bowls as decorative bowls, he hopes to shift toward a 60-40 ratio.

Dedication to his craft has brought him closer to the satisfaction he longed for, lying in the hospital years ago. "As an accountant, I was solving other people's problems," he says. "You get home and think, 'Okay, what did I actually accomplish or do today?'"

A hobby-turned-business might be successful on paper, yet true success is in the eye of the beholder. "If you have other interests and the job demand pulls you away from what you want to do, that's unsuccessful in my mind," Doug says. "There is an old saying about being self-employed, that you work twice as hard, twice as long, for half as much, and it's true. But the satisfaction is a thousand times more for me," Doug shares. "At the end of the day, I look over at that rack and say, 'I made those today; I did that."

Written by Megan Stotmeister and Mark Spowart Photographs: Mark Spowart

# **Lessons Learned**

As Doug's story demonstrates, there's more to a woodworking business than just a love for the hobby. If you're considering going pro, here are the big ideas to take away:

# Treat your business like a business

The key is isolating your expenses. If possible, supply your workspace with its own heating and power. Don't forget about separate insurance and taxes, either. If you need advice, see whether a business school or community college instructor can match you with a student who can help create a business model.

# Select a sustainable product: deliver reliably

product; deliver reliably
"In order to be accepted as a purveyor of
goods to the retail trade, there has to be
the business approach," Doug explains.
The key word here is "business," not

"hobbyist." Find a stable product and stick to it. Don't take on more work than you can handle, either. Deliver your products on schedule in the manner you'd expect from your suppliers.

Establish a price point

This is often the trickiest aspect of running a business: keeping prices low enough to stay competitive, yet high enough to make a profit. Calculate what it costs to make your product, what you can accept as payment, and then ask the retailers if they can sell it for twice that, Doug suggests. You'll quickly discover whether your business plan is feasible.

#### Use those resources

Although Doug had the business skills, he pulled marketing, pricing, and turning advice from outside resources. A wealth of advice is only a conversation away, so don't hesitate to ask family,

friends, and mentors for help in their areas of expertise.

Give yourself a deadline

Starting a business is a bit of a gamble, so know when to quit. Doug gave himself two years to get Forest City Woodturning up and running, but if that failed, he had his former job to fall back on. Set a deadline and income projection from day one. If you're not generating a profit or even breaking even, move on to a more stable income.

Be mentally prepared

Transforming a hobby into a business requires commitment, long working hours, and often an income drop. Be prepared for a significant lifestyle change, and make sure all your family members are on board. Although you're bound to face frustrations along the way, don't forget to enjoy your passion.



### **HAVE A QUESTION?**

For an answer to your woodworking question, write to ASK WOOD, 1716 Locust St., LS-221, Des Moines, IA 50309-3023 or e-mail us at askwood@woodmagazine.com. For immediate feedback from your fellow woodworkers, post your questions on one of our woodworking forums at woodmagazine.com/forums.

# Splitter or riving knife-what's the difference?

n l'm preparing to purchase a tablesaw and have been researching the features of different models. What's the difference between a riving knife and a splitter?

-Jamie Zankel, Chesterfield, Va.

 The goals of a riving knife, shown right, and a splitter, below, are the same, Jamie. Both sit behind the blade to prevent the two sides of a cut piece of wood from pinching or rotating into the blade. This, in turn, prevents the workpiece from kicking back at the operator.

However, a splitter typically doesn't change height, while a riving knife raises and lowers with the blade. Also, the top of a true riving knife stands just lower than the top of the blade, so it doesn't have to be removed for most

non-through cuts such as dadoes, grooves, and rabbets.

Every tablesaw comes with a splitter (it holds up the blade guard), and you can add an aftermarket splitter, such as the one shown bottom, without a guard. Soon, riving knives will be just as

common because Underwriters Laboratories (UL) made them a UL-listing requirement for new tablesaw models introduced since January 2008. Existing tablesaw models are grandfathered in until 2014, when they, too, will need riving knives for UL listing.







Some splitters feature anti-kickback pawls for an added measure of safety.

continued on page 78

74

# **4-WAY MONEY MAKER** MOLDS PLANES SANDS SAWS



Now, turn a \$5.00 rough board into \$75.00 worth of high-dollar molding in just minutes. Make over 500 standard patterns, curved molding, tongue & groove, picture frame stock, any custom design. QUICKLY CONVERTS from Molder/Planer to Drum Sander or powerfeed Multi-Blade Ripsaw. Made in U.S.A. 5-Year Warranty. Choose from 12", 18" or 25" models.

### Variable Feed Makes the Difference!

Just a twist of the dial adjusts the Woodmaster from 70 to over 1,000 cuts per inch. Produces a alass-smooth finish on tricky grain patterns no other planer can handle. Plenty of Americanmade "muscle" to handle money-saving, "straight-from-the-sawmill" lumber. Ideal for high-value curved molding.

the way I do woodworking.

It set my career in the right direction. Making curved molding with the Woodmaster really separates me from my competition - it's like a PhD in woodworking."

Gary Striegler, President, Striegler & Associates Custom Homehuilders

# SHAPE 3 SIDES IN 1 PASS!


**NEW 3-Side Molding** System turns your Woodmaster into a POWERFUL 3-SIDE MOLDER that efficiently & AFFORDABLY cuts T&G flooring, paneling, much more!

# HURRY! CALL NOW FOR YOUR FREE DVD & BUSINESS STARTER KIT!

CALL TODAY and we'll RUSH you our new Woodmaster DVD & Business Plan! You'll learn exactly how to start & operate a profitable molding business! Includes business plan, instructive DVD, full specs, prices, LIMITED-TIME SAVINGS OFFER, and info on easy financing

# L FREE 1-800-821-6

Woodmaster Tools, Inc. Dept. P341, 1431 N. Topping Ave., Kansas City, MO 64120 · www.woodmastertools.com





lets you create custom molding from any stock. Choose from over 500 standard trim and picture frame patterns...or design your own!



features infinitely variable feed rate. Use higher speeds for fast stock removal... slow down to get over 1,000 cuts per inch for fine finish passes.



hours of tedious hand sanding. Speeds production, improves quality. No more waves or cross grain scratches



gang rip with power feed in a fraction of the time it takes for hand-fed passes on an ordinary table saw.

# WOODWorkersCenter com

#### FREE Product Information from Advertisers in This Issue

Looking for FREE product information? Fill out the coupon in this section to receive FREE product info and catalogs. Or, for quicker service and instant access to information, visit us online at www.woodworkerscenter.com

#### **Adhesives & Finishes**

DONJER PRODUCTS CORPORATION Spray-on suede. Line boxes in seconds. No skill required. Circle No. 17.

TITEBOND® III ULTIMATE WOOD GLUE Superior bond strength, waterproof, longer openassembly time. The Best Wood Glue Ever! Circle

THE GORILLA GLUE COMPANY Bonds wood, stone, metal, ceramic, and more. Incredibly strong 100% waterproof. Circle No. 50.

#### **Bits. Blades. Cutting Tools**

CARTER PRODUCTS COMPANY, INC. AccuRight Bandsaw Blades - length 72" to 136", widths 1/8" to 1". Circle No. 176.

**DOVETAIL MASTER** Create dovetail joints incredibly fast & easy; innovative, new tool design. Circle No. 190.

**EAGLE AMERICA** Largest selection of professional quality, American-made router bits + 100's of unique accessories. Circle No. 193.

FLEXCUT CUTTING TOOLS Carving tools for every need. Circle No. 195.

FORREST MFG. CO., INC. Top quality blades and dados for an ultra smooth finish. Circle No. 206.

FREUD SAW BLADES This 48-page catalog illustrates the features and benefits for all Freud saw blades. Circle No. 219.

FREUD ROUTER BITS All Freud router bits are represented in this 84-page catalog, including more than 130 new bits and sets. Circle No. 232.

**INFINITY CUTTING TOOLS** Premium quality router bits/sets, shaper cutters, saw blades, planer/ iointer knives. Circle No. 235.

MLCS WOODWORKING Best quality, huge selection, low prices, superior service. Free Shipping! Circle No. 245.

**SOMMERFELD'S TOOLS FOR WOOD Router** Bits, Blades, Tools and Tips. FREE catalog & shipping! Circle No. 284.

WOODLINE USA Router tables, routers, router bits, clamps, saw blades and more. Circle No. 310.

WOODRAT Jointing machines make any joint, accurate and fast. Circle No. 319.

#### **Books, Plans and Videos**

**AMERICAN FURNITURE DESIGN CO. 150 of** America's best furniture plans, comprehensive instruction guide. Catalog. Circle No. 336.

MEISEL HARDWARE SPECIALTIES CATALOG 2,000+ full-size project plans and hard-to-find hardware. Circle No. 401.

U-BILD WOODWORKING PLANS Since 1948! Hundreds of full-size plans, downloadable plans, low prices. Circle No. 435.

#### **General Woodworking Catalogs**

ARMOR CRAFTS Full-size plans to build cradles, rocking horses, clocks and more. Also hardware and wood craft supplies. Circle No. 556.

THE BEALL TOOL COMPANY Inventive solutions for shop problems: wood threading, buffing & more. Circle No. 558.

**GRIZZLY INDUSTRIAL. INC. 12.000** woodworking and metalworking machines, tools and accessories - unbeatable prices! Circle No. 583.

**HARTVILLE TOOL CATALOG Quality** woodworking tools and supplies at the best prices around. Circle No. 596.

MITERSET.COM Adjust your original equipment miter gauge in .5 degree increments. Circle No. 650.

**PEACHTREE WOODWORKING SUPPLY "Your** One Stop Supply Shop"-over 4,000 items. Circle

**ROCKLER WOODWORKING & HARDWARE** Our premium tools make woodworking efficient and enjoyable. FREE Catalog. Circle No. 661.

WOODCRAFT SUPPLY CORP. Over 15,000 top quality woodworking tools, supplies, and accessories. Circle No. 700.

WOODWORKERS HARDWARE Over 8,000 items stocked. Largest selection of cabinetmakers hardware. Lowest prices. Circle No. 713.

#### **Hand Tools, Jigs & Clamps**

**ADJUSTABLE CLAMP COMPANY Adjustable** Clamp Company manufactures a full line of woodworking clamps, miter saws and vises. Circle No. 733.

**BESSEY TOOLS NORTH AMERICA German** company that manufactures over 1,500 clamping and cutting tools. Circle No. 745.

KREG TOOL CO. Your one stop shop for everything Pocket-Screw related. Circle No. 802.

LEE VALLEY TOOLS Wide selection of unique and hard-to-find woodworking items, accessories and tools. Circle No. 803.

**LOWELL THOMAS TOOLS/ALPHA CLAMPS** New Generation bar clamp does what other clamps can't. Circle No. 806.

GLADSTONE TOOLS New line of marking, measuring and layout tools-and much more! Circle No. 809.

**DOWELMAX JOINT-MAKING SYSTEM** Dowelmax creates joints which are guick, easy,

accurate, and strong. Circle No. 825.

TOOLS FOR WORKING WOOD Our 100-page catalog has some of the finest woodworking tools available today. Circle No. 830.

#### Hardwood & Lumber

STEVE H. WALL LUMBER CO. Quality hardwoods, plywood, exotic lumber. Ship UPS/motor freight, wholesale prices. Circle No. 856.

**WOODWORKERS SOURCE** Hardwoods from around the world. Circle No. 869.

#### **Income Opportunities & Education**

MARC ADAMS SCHOOL OF WOODWORKING Over 125 summer hands-on workshops with the best instructors of modern time. Circle No. 916.

WOODCRAFT RETAIL FRANCHISE Own a Woodcraft Store - franchises offered for stores across the country. Circle No. 924.

KLOCKIT The leading supplier of clock-making supplies for over 35 years! Circle No. 973.

#### Miscellaneous

**APOLLO SPRAYERS TURBINE SYSTEMS Quality** control, engineering and durability. Circle No. 1061.

AZTEC STEEL CORP. Quality pre-engineered arch-style steel buildings at the lowest cost anywhere. Circle No. 1064.

CENTRAL BOILER Classic Wood Furnaces - clean, safe, efficient heat for your home. Circle No. 1105.

DAKOTA ALERT, INC. An aiert sounds in the house when someone enters the drive. Circle No. 1129.

RADIANT FLOOR COMPANY Radiant Heating Systems - design, manufacture and sale for the DIY. Circle No. 1301.

#### **Power Tools**

**CARVEWRIGHT WOODWORKING SYSTEM** Computer controlled carving machine. Circle No. 1463.

COOK'S SAW MFG., L.L.C. Portable sawmills, Edgers, Sharpeners, Band Blades... Free catalog. Video available. Circle No. 1480.

THE CRAFTSMAN GALLERY Router Boss joinery machines and other quality woodworking tools and accessories. Circle No. 1495.

DRILL DOCTOR Sharpen your dull and broken drill bits with The Drill Doctor. Circle No. 1511.

EPILOG Wood engraving and cutting systems - Low Price, High-Quality Laser Systems. Circle No. 1515.

FEIN POWER TOOLS NEW Multi-Master-one tool, a few attachments... thousands of projects. Circle No. 1520.

FREUD POWER TOOLS 16-page catalog illustrates dependable power tools with traditional Freud quality. Circle No. 1532.

GENERAL, GENERAL INTERNATIONAL AND **EXCALIBUR BY GENERAL INTERNATIONAL A** complete line of quality woodworking machinery & accessories. Circle No. 1552.

GRANBERG INTERNATIONAL Alaskan Saw Mill, chain saw accessories. Made in USA. Circle

**GREX POWER TOOLS** Professional fastening systems and pneumatic powered hand tools. Circle

WORK SHARP Sharpen your woodworking tools with the new WORK SHARP. Circle No. 1665.

SHOPBOT TOOLS INC. Complete CNC systems for applications in wood, plastic and metal. Circle No. 1714.

**SUNHILL MACHINERY** Designer and distributor of quality machinery and precision tooling. Circle No. 1753.

TOOLMART INC. Makita, DeWalt, Porter-Cable, Milwaukee, Bosch, Freud. Circle No. 1770.

WOOD-MIZER PRODUCTS Eight Portable Sawmills Available starting with the LT10 at \$3995. Circle No. 1805.

WOODMASTER TOOLS Multi-duty planers that mold, sand & saw. Circle No. 1820.

WOODSTOCK INTERNATIONAL, INC. SHOP FOX Woodworking Machines offering professionallevel quality. Dealer supplied. Circle No. 1824.

### **Project Parts & Materials**

ADAMS WOOD PRODUCTS Offers a free catalog of their stock solid wood components. Circle No. 1831.

PIERCED TIN DESIGNS, LTD. BY COUNTRY ACCENTS Handmade punched tin-12 types of metal. Do-it-yourself supplies too. Circle No. 1845.

OSBORNE WOOD PRODUCTS, INC. A free catalog of table legs, corbels, and island legs. Circle No. 1849

OSBORNE WOOD PRODUCTS, INC. WOOD CORBELS offer classic corbels in a broad range of styles. Circle No. 1851.

WILDWOOD DESIGNS SCROLLSAW PATTERNS Up to 74" clocks, 300+ patterns, books, clock parts, saw blades, tools, wood! Circle No. 1857.

#### **Shop Accessories**

BENCH DOG INC. Free catalog of router tables, power tool accessories and exceptional tools. Circle No. 1870.

CARTER PRODUCTS COMPANY, INC. Bandsaw Guide kits, tires, stabilizer guides, and many other products. Circle No. 1883.

**EZEE-FEED MANUFACTURING** Set up your tablesaw to cut large sheet goods in a matter of minutes. Circle No. 1952.

THE JDS COMPANY Specializing in the finest air filtration and dust collection equipment. Circle No. 1974.

LIGNOMAT USA, LTD. Affordable, reliable, pin and pinless moisture meters for wood. Free catalog. Circle No. 2013

**MAGSWITCH** Magswitch strong switchable magnets offer amazing new capabilities in workholding/clamping. Circle No. 2016.

ONEIDA AIR SYSTEMS, INC. Free informative catalog contains dust collection systems and complete ductwork. Circle No. 2039.

**PENN STATE INDUSTRIES** Award-winning dust collection. Collectors, Cyclones, Ductwork and more. Circle No. 2045.

PHASE-A-MATIC, INC. Convert 1-phase electric power into 3-phase; run 3-phase equipment anywhere. Circle No. 2052.

RED HILL CORP. SUPERGRIT® ABRASIVES Industrial quality sanding belts, discs, rolls, sheets at wholesale prices to small consumers. Circle No. 2065.

WALL CONTROL Colored steel pegboard panels for durable, attractive, stable tool storage, Circle No. 2100.

#### **Shop Supplies**

**CLEANSTREAM PRO FILTERS With** CleanStream's HEPA filtration fine dust doesn't stand a chance. Circle No. 2124.

#### **Woodturning Supplies**


BEREA HARDWOODS Quality pen kits and other turning kits. Circle No. 2127.

**HUT PRODUCTS** Woods, acrylics and supplies for pen and game call turning. Circle No. 2133.

PACKARD WOODWORKS Free Catalog for WOODTURNERS! - Quality Lathes, Tools and Supplies. Circle No. 2143.

PENN STATE INDUSTRIES Leading supplier of Turning Products. Pen kits, project, finishes and more. Circle No. 2151.

# Make Your Shop Better TODAY



Order online at woodmagazine.com/publications

or call toll free 888-636-4478

# **WOOD**WorkersCenter co



# **FREE Product Information**

DEPT, WODERS

CIRCLE THE NUMBERS BELOW CORRESPONDING TO ITEMS IN THIS ISSUE.										
17	206	336	654	806	973	1495	1665	1845	2013	2127
24	219	401	661	809	1061	1511	1714	1849	2016	2133
50	232	435	700	825	1064	1515	1753	1851	2039	2143
176	235	556	713	830	1105	1520	1770	1857	2045	2151
190	245	558	733	856	1129	1532	1805	1870	2052	4000
193	284	583	745	869	1301	1552	1820	1883	2065	
195	310	596	802	916	1463	1558	1824	1952	2100	
205	319	650	803	924	1480	1573	1831	1974	2124	

Discover how rewarding woodworking can be! Get one full year of WOOD® for just \$28.00 (7 issues). de No. 4000. You will be billed later.

NAME	ошріў с	100 1101 10001 100 11111 100	
ADDRESS	E The mark		
CITY	STATE	ZIP	
E-MAIL ADDRESS			
PHONE (OPTIONAL)			

TO ENSURE PROMPT HANDLING OF YOUR ORDER, PLEASE:

- Circle Your Choice(s) in the box above
- Send card to WOOD® Magazine, Dept. WONOOS. P.O. Box 5135, Buffalo, NY 14205-5135
- Allow 4-6 weeks for delivery
- This card expires May 18, 2009









# Gift Ideas for the Woodworker

1. Magnetic Paintbrush Holder 67K74.02 \$3.50 2. Ratcheting Micro-Tip Screwdriver 17K01.95 \$9.50 3. Hacking Knife 28K02.60 \$18.50 4. Lanyard Level 36N35.15 \$18.50

5. Digital Height Gauge 88N90.01 \$49.50 6. Japanese Nail Set 44K13.01 \$8.50

7. 10 Painter's Pyramid™ 88K58.70 \$6.50 8. 4 Palette Knives 35K09.01 \$9.95 9. 4" Double Square 24N08.01 \$36.50 10. Woodworker's Knife 06D07.10 \$7.50

To request a copy of our free 276-page woodworking tools catalog, call or visit us online.

1-800-683-8170 www.leevalley.com Shipping and N.Y. sales tax extra.

# Lee Valley & veritas

#### Casters for picnic tables: Now you're on a roll


• The legs of my picnic table • take a lot of abuse when someone moves it across the patio. What could I do to protect the legs?

-loe Ales, Pleasanton, Calif.

 A pair of carefully positioned • casters should give your table's legs a break, Joe. (And we mean that in a good way.) You'll need a pair of fixed casters with wheels at least 4" in diameter. If you can find casters meant for outdoor use, that's all the better.

Then, find a point on the outside surface of the legs where the wheels have about 1/4" clearance from the patio. Bolt the casters to the outsides of the table legs using washers and nuts on the opposite side.

To move the table, lift the end opposite the wheels until the wheels touch the patio, as shown below. Then just roll it where it needs to go.



# **Ask WOOD**

## Look ma! A no-clamps glue-up

al've built small projects, such as a photo frame and a ejewelry box, with delicate, difficult-to-clamp parts. Is there some fast-setting adhesive that will allow me to use hand pressure to clamp until the glue "grabs?"

-Kevin deMarco, Round Rock, Texas

 Look to masking tape, Kevin. It makes a great helping • hand for small-part glue-ups where clamps would be overkill or wouldn't find purchase.

On the other hand, if you need an excuse to add to your tool collection, you could invest in a 23-gauge pin nailer. These fine fasteners excel at delicate tasks, such as applying molding, and leave barely noticeable holes that virtually disappear when filled.



For small glue-ups, masking tape provides sufficient clamping pressure to hold your workpiece together while the glue sets.

continued on page 81

# SOMMERFELD'S TOOL

# **ENTER TO WIN TODAY Professional Woodworking Sets!**

### Enter to WIN one of these 4 areat sets!

The One and Only place for high quality, innovative woodworking toolsi

Call or go online to enter for your chance to WIN one of these four professional woodworking sets... These sets are great for weekend projects! Four winners will be selected. Each winner will also receive all seven of Marc Sommerfeld's How-To DVDs! These DVD's show you fast, simple ways to do a multitude of jobs!

Four winners will be selected by random drawing from all eligible entries received by the 31st of January 2009, No Purchase Necessary. Void where prohibited.









- Cabinetmaking Set Shaker Set
- Junior Raised
- Glass Panel Set



### GO ONLINE TO ENTER!

7 Instructional DVD's



To Enter or for a FREE Catalog call today.

Source Code WM1208

Toll Free 888-228-9268

Visit us on the web... www.SOMMERFELDTOOLS.com

Circle No. 284

carter classic bandsaw upgrades

# AccuRight" Bandsaw Blades

A new standard for precision and durability.

PRECISION MILLED TEETH | INDUCTION HARDENED FLEXBACK CONSTRUCTION | MATCH TOOTH WELDED

> From the company that has been making dsaws better over 75 years

Buy three bandsaw blades Get FREE "Bandsaw Tuning" DVD. (\$14.95 Value)

ter products

www.carterproducts.com | Toll-Free 888.622.7837

# **Dovetails**

**Made Easy with Leigh Joinery Jigs** 









Half-Blind

Variably Spaced Half-Blind

Sliding









See the Videos at leighjigs.com



leighjigs.com 800-663-8932

## PUT A SHOPBOT BUDDY CNC TO WORK **FOR YOU**

The ShopBot Buddy is the "ultimate workshop tool," allowing you to create a huge variety of projects and components, from simple 2D shapes to intricate relief carvings. American built and engineered, the Buddy is a professional-grade CNC tool with the performance, size and price to fit your needs, space and budget.

With complete systems for less than \$6,000, the Buddy is the perfect tool for many applications, whether you need a flexible CNC machine to add to your manufacturing operation or you're looking for a way to take a hobby or small business to a new level of quality or profitability.

Buddy is available in two sizes -24"x32" and 24"x48" - and the optional PowerStick attachment extends the length up to 12 feet, so the system can grow as your needs change. Plus, it's fully mobile, so it's never in the way when you're not using it. The ShopBot Buddy is the perfect CNC solution for when you don't want to compromise speed, accuracy and performance for price or space.



**Buddy 48** 

Call or visit us online to learn how you can put Buddy to work in your shop. 888-680-4466 www.shopbottools.com


ShopBot


What will you make today?

Circle No. 1714











# Ask WOOD

### Spill strips toner finishes

• Without noticing, I spilled a • few drops of home fragrance oil on our hall table. When my husband wiped up the oil the next morning, it lifted the finish down to bare wood. Please explain why this happened and how to fix it.

-Aprile Kohler, Des Moines, Iowa

 The oil contains solvents that reacted with the table's finish, which was probably a type of lacquer, Aprile. Unlike varnish, lacquer can be dissolved even after it dries, and the oil had all night to work. You're seeing bare wood because it wasn't stained. Instead, the table was finished with a toner—a tinted film finish popular among furnituremakers. Toners make repairs harder because spraying toner on the entire surface darkens existing coats as it covers the bare spots.

If the table's finish comes close to matching a commercial stain, use that to touch up the damage, and seal the stain with varnish thinned 75 percent with mineral spirits. If not, make a touch-up toner by mixing pigments, such as Mixol (Woodcraft, 800-225-1153 or woodcraft.com), in ½-poundcut shellac, as shown below, or in thinned varnish. To avoid future problems, cover your repairs and the entire tabletop with at least two coats of polyurethane or alkyd-resin varnish.



Mix pigments and shellac on a piece of scrap glass to determine the right color before dabbing it on.

continued on page 83

# 800-472-6950

To Purchase from our large selection of products log onto www.woodline.com or Call 800-472-6950 Today

# **WOODLINE USA PARALLEL CLAMP SYSTEM**



- True Parallel Heads provide reliable uniform pressure across the full length of the clamp surface
- · Durable Tool Steel Rail for years of reliable service
- · Built In Clamp Pad eliminates damage to materials
- · Reversible head for push/pull action
- · Built in flip-down clamp stand stabilizes for multiple clamp applications

PC-15 - 15" Capacity.....\$29.95 PC-27 - 27" Capacity.....\$36.95 PC-39 - 39" Capacity.....\$40.95 PC-59 - 59" Capacity.....\$47.95





The Panel Master system makes routing raised panels safe and easy. A Blue Max 360 clamp holds the templates in place with handles giving precise control of routing operations. Centering is automatic and safety increased. Cathedral and Roman

VL-ARCHC for the Cathedral System WL-ARCHR for the Roman System



# 10pc Professional **Woodworking Collection**

This 30pc collection of carbide tipped router bits is the perfect size for use on the job site while having everything you need to do the job.

ONLY \$ WL-2010 : 1/2" Shank

# **Tongue and Groove Kit**



This 2 pc Carbide Tipped Router Bit set produces a classic tongue and groove joint with a 1/4" thick tongue and a 3/8" deep groove. Great for all kinds of projects including shaker style cabinet doors.

# 6pc Cabinet Set



- 3-1/4" ogee raised panel
- 2-piece ogee rail & stile
- reversible glue joint
- drawer lock
- door lip

ONLY \$ 95 WL-2020-1: 1/2" Shank




with 5 popular profiles that can be matched together for unlimited option


WL-2011 : 1/2" Shank

Woodline USA - 111 Wheeler St., LaVergne, TN 37086 - 800-472-6950 - 615-793-0474 - www.woodline.com










# **Ask WOOD**

Countersinking feeling
I like to use aluminum
T-track in jigs and projects.
However, I have a hard time countersinking the mounting screws.
If I drill the countersink deep enough to seat the screwhead flush, do I risk enlarging the holes too much by countersinking into the stock?

-Rick Shields, Portland, Ore.

Don't worry about overenlarging the hole in your aluminum T-track, Rick. The metalto-metal contact of the angled screwhead and the angled countersink bottom holds the track in place, not the shaft of the screw within the pilot hole.

To install a T-track, first clamp the track in place, making sure the top of the track is flush with the jig's surface. At the drill press, drill pilot holes through the track and into the jig; then countersink the screw holes with the track still clamped in place. We recommend single-flute countersinks (no. 06J50.20, \$16.20 for two; Lee Valley Tools, 800-871-8158 or leevallev.com). These allow you to accurately center a smooth cut. Drill until the upper diameter of the countersink matches the diameter of the screwhead, as shown below. That may mean the tip of the countersink bit cuts through the track and into the jig, but this shouldn't create a problem; there will still be plenty of material for the screwhead to grab. Just be certain you center the countersink over the pilot hole.



# NOW THE BEST IS EVEN BETTER!



# Introducing the NEW K Body® REVO™

Built bigger, better and stronger for woodworkers who want the best!

The industry leading parallel clamp just got better. Introducing the most powerful parallel clamp you can buy, the K Body® REVO™. We took the best features of the classic K Body®, a favorite among serious woodworkers for over 30 years, and added many upgrades and features to create the revolutionary K Body® REVO™. The REVO™ offers a 30% increase in clamping surface, 1500 lbs. of clamping force, a larger comfort grip handle, precise parallel clamping and the ability to quickly convert to a spreader. BESSEY®. Simply better®.



BESSEY® Tools North America • 1.800.828.1004 • www.besseytools.com

Circle No. 745



Circle No. 1301

# **NEW MODEL 50-220R** "ILT "HYBRID"





of router accessories that bear the Pinnacle® name have certainly lived up to this definition. Every detail of these Pinnacle® tools was engineered with one thing in mind; to provide woodworkers with tools that empower them. Pinnacle® tools are available exclusively at Woodcraft.



Made In The USA

Pinnacle® Premium Router Quick-Lift

Pinnacle® Premium Freehand Bit Guard

# PROFESSIONAL QUALITY TOOLS"

Available Exclusively At Woodcraft!

For A Free Catalog Or To Find Your Local Woodcraft Store, Visit www.woodcraft.com Or Call 800-225-1153. http://www.woodcraft.com/pinnacle.aspx

Circle No. 700

#### STATEMENT OF OWNERSHIP, MANAGEMENT AND CIRCULATION

STATEMENT OF OWNERSHIP, MANAGEMENT AND CIRCULATION

(Requester Publications Only) 1. Publication Title: Better Hornes and Gardense WOOD. 2. Publication Number 724-890. 3. Filing Date: October 1, 2008. 4. Issue Frequency: 7 kines a year: 5. Number of Issues Published Annually: 7. 6. Annual Subscription Price: \$28.00. 7. Complete Mailing Address of Nownow Office of Publication: 1716 Locust Street, Des Moines, Polk Co., 1A 50309-3023. 20 contact Person: Dan Holland: Telephone: (515) 284-2717. 8. Complete Mailing Address of Headquarters or General Business of 16ce of Publisher: 1716 Locust Street, Des Moines, Polk Co., 1A 50309-3023. 9. Full Names and Complete Mailing Addresses of Publisher, Editor, and Managing Editor. Publisher: Mark Hagen, 333 North Michigan Ave., Suite 1500, Chicago, It. 60601; Editor: Bill Krier, 1716 Locust Street, Des Moines, Polk Co., 1A 50309-3023. Managing Editor. Publisher: Mark Hagen, 333 North Michigan Ave., Suite 1500, Chicago, It. 60601; Editor: Bill Krier, 1716 Locust Street, Des Moines, Polk Co., 1A 50309-3023. Managing Editor. Marler Kermmelt, 1716 Locust Street, Des Moines, Polk Co., 1A 50309-3023. The names and addresses of all stockholders owning or holding I percent or nore of the total amount of stock: Bank of Armerica Securities LLC, Attr.: James Monahan, 100 W 33rd Street, 5rd Floor, New York, NY 10001; Bank of New York (The), One Wall Street, 6th Floor, New York, NY 10002; Bank of New York (The), One Wall Street, 6th Floor, New York, NY 10002; Charles Schwab & Co., Inc., 4th Proxy Department, 211 Main Street, San Francisco, CA 94105; Citibank, N.A., 3800 Citibank Center B3-12, Tampa, FL 33610; Citigroup Global Markets Inc., 333 W, 34th Street, New York, NY 10002; Deutsche Bank Securities Inc., 1251 Avenue of the Americas, New York, NY 10020; Polyran Chase Bank/IA, Paradigm, B Wing, Floor 6, Mind Space, Malad (W), Murnba 400 064, India; J Morgan Chase Bank, National Association, Paradigm, B Wing, Floor 6, Mind Space, Malad (W), Murnba 400 064, India; J Mellon Paradigm, B Wi

requests, advertiser's proof copies, and exchange copies):

(3) Sales Through Dealers and Carriers, Street Vendors, Counter Sales, and Other Paid or Requested Distribution Outside USPS-9:

(4) Requested Opies Distributed by Other Mail Classes Through the USPS (e.g. First-Class Maille):

(5) Crotal Paid and/or Requested Circulation (Sum of 16b (1), (2), (3), and (4)):

(6) Nonrequested Distribution (by Mail and Outside the Maill):

(7) Outside County Nonrequested Opies Stated on PS Form 3541 (include Sample copies, Requests Over 3 years old, Requests induced by a Premium, Bulk Sales and Requests including Association Requests, Mames obtained from Business Directories, Lists, and other sources):

(8) Crounty Nonrequested Copies Stated on PS Form 3541 (include Sample copies, Requests Over 3 years old, Requests induced by a Premium, Bulk Sales and Requests including Association Requests, Names obtained from Business Directories, Lists, and other sources):

(9) Nonrequested Copies Distributed Through the USPS by Other Classes of Mail (e.g. First-Class Mail, Nonrequestor Copies mailed in excess of 10% Limit mailed at Standard Mail\* or Package Szvices Rates):

(1) Nonrequested Copies Distributed Through the USPS by Other Classes of Mail (e.g. First-Class Mail, Nonrequestor Copies mailed in excess of 10% Limit mailed at Standard Mail\* or Package Szvices Rates):

(1) Nonrequested Copies Distributed Outside the Mail (Include Pickup Stands, Trade Shows, Stiowrooms and Other Sources):

(2) Nonrequested Copies Distributed Outside the Mail (Include Pickup Stands, Trade Shows, Stiowrooms and Other Sources):

(3) Copies on Distributed (See Instructions to Publishers #4 (page #3)):

(4) Total Distribution (Sum of 15a nd g):

(5) Copies of Single Issue Published Nearest to Filing Date

(6) Total Rate Package Standard Package Rate Package

84 **WOOD magazine** December/January 2008/2009





Convert your old LPs to digital quality MP3s, burn them to CDs and preserve them forever! Maximize the amount you've

PC or notebook computer and

made in your vinyl records with this advanced, easy to-use turntable! Designed by audio experts, this MP3 turntable plugs directly into your

records your favorite 45s, 78s and LPs. No more spending money to buy CDs or MP3 files of music you already own! Features ceramic pickup, auto one arm reset, one-touch

play/stop control, built-in RIAA equalizer, RCA line-output for audio amplifier, USB connection and transparent dust cover. Comes with software and cables. 14" x 13-1/2" x 3-7/8". 90-day ltd. warr.

Compare At: \$199.99 Price reflects \$20.00 mail-in

rebate. Price before rebate is \$119.99. Rebate expires 12/31/08.

OUR PRICE Item No. UB50-40978

FREE Ship \$7.30

The next energy crisis could strike at any time! Compare At: \$6999 WAS: \$29999

"I am amazed! One of the best leather jackets I have ever seen and Wow, what a deal." — RB - Jacksonville, FL

No. UB50-50557 Ship \$34.95

Price reflects \$20.00 mail-in rebate. Price before rebate is



4XL(58-60) No. UB50-41666

Price reflects \$10.00 mail-in rebate. Price before rebate is \$39.99. Offer expires 12/31/08.

LA CROSSE TECHNOLOGY

veather station is

No. UB50-97058 Ship \$7.50 Price reflects \$20,00 mail-in rebate. Price before rebate is \$119.99. Offer expires 12/31/08.

and-carved heirloom ock will be treasured by your family for SOLID years to come! Wood WOOD Compare At: \$23730 Originally: \$4999

Item No. UB50-82345 Ship \$7.95









Call Toll-Free. CA RESIDENTS WARNING: 24 hours a day, 7 days a week

National Headquarters: 8085 Century Blvd. Chaska, MN 55318

The products offered for sale in this ad may contain chemicals, including lead, known to the state of California to cause cancer and birth defects or other reproductive harm.



The Best Values Direct to you from the Heartland! Con limitations may apply. Ask your operator for details. Overweight items have dramatically reduced shipping.

00-229-29



**Receive FREE Shipping** On Your 1st Online Order! **HEASTIGANDAMERIC** 





# **WODCRAFT**°

# Your Best Work Starts With Us!

With over 15,000 of the finest woodworking tools in the world, Woodcraft can help you work more efficiently and skillfully than ever. Call for your FREE copy today.

**FREE Tool Catalog!** 

1-800-225-1153 woodcraft.com

406 Airport Industrial Park Road P.O. Box 1686 Parkersburg, WV 26102-1686

Dept: C09WI01Q

Circle No. 700





Miter Saw Stand BST07 \$119.99

5-1/2ft beam support upto 16ft of material \$99.99 BST08

am Support upto 10ft of material

Adjustable **Rolling Stand** 

T1732

\$59.99

Miter Saw

Work Station

BST11 \$159.99

Roller Stand T1733

Length 71" Width 18"

Adjustable working height 25-3/8" to 44"

Air Locker

#### Best Sellers

## AirLocker

23Ga Micro Pin

Nailer P630

Maintenance Kits are also available

Maintenance Kits are also available

# AirLocker

18Ga Brad Nailer F630 Shoots upto 1-1/4"


B630 Shoots upto 2" F630 \$32.99

B630 \$39.99

### AircLocker 22Ga Upholstery

Stapler U630

U630 Shoots between 1/4" to 5/8" Staples



### AirLocker 22Ga Upholstery

Stapler U630L U630L Shoots between 1/4" to 5/8" Staples

Maintenance Kits are also available



1-800-735-8665











On-line catalog pictures hundreds of full-size woodworking plans at low prices, plus more than 30 downloadable plans. Indoor, outdoor, kids and holiday projects for all skill levels.

800) 82-U-BILI



**WORKSHOPS & GARAGES** 











# Rugged, Hard-Working, Dependable

- Premium Quality Accurate, stable 4-Post design
- Proud Heritage Serving America's Sawyers since 1929
- Broad Selection Weekend sawyer to full-time entrepreneur, there's a TimberKing mill for you

**Best Consumer Protection** 

30-Day FREE Trial, 2 & 5 Year Limited Warranties



TIMBERKING, Dept. ZB 06, P.O. Box 34284, Kansas City, MO 64120 www.timberking.com

#### MISSION BED & NIGHT STAND

Introducing the finest plan on the market today! Pages of directions and 36 by 48 CAD generated plan. This plan only requires a limited amount of lumber



Lumber · Veneer · Turning Stock

exoticwoods.net 800.423.2450

Wood Descriptions . Secure Online Ordering



18115 N. Black Canyon Hwy. · Phoenix, AZ 85023

645 W. Elliott Rd. · Tempe, AZ 85284

3441 S. Palo Verde · Tucson, AZ 85713

# **Projects and Plans** Wheelbarrow

Kit to build includes 15" iron wheel that really works, axle and step-by-step plans. Finished project measures 66"L x 24"W x 26"H. \$39.95 plus S/H

ByeGone Workshop 888-279-3941 8-5 M-F EST www.byegone.com

# JOINTER / PLANER KNIFE

Effortless and Accurate Blade Changes Every Time

Precisely Located Stops on the SELF-SET Holder **Ensure Perfect Set-Ups Every Time** 




# The New Generation Of Bar Clamps:



Lowell Thomas Tool, Inc. (406) 595-3416

www.AlphaClamps.com



1-800-962-6976 www.phase-a-matic.com

# Wireless **Driveway** Alarm

Alerts you when someone is walking or driving onto your property. Uterature

# Dakota Alert

PO Box 130, Elk Point, SD 57025 605-356-2772 • www.dakotaalert.com

## STEVE WALL LUMBER CO.

Quality Hardwoods and Woodworking machinery For The Craftsman and Educational Institutions

Company of the Control of the Contro	A. S. d. L. S. S. d.	P. Sarah Bar	A Long Land Land Said States
Ash 4/4	Select	\$ 2.60	\$ 94.00
Basswood 4/4	Select	\$ 1.95	UPS \$ 80.00
Birch 4/4	Select	\$ 3.55	\$ 108.00
Butternut 4/4	1C	\$ 2.95	\$ 88.00
Cherry 4/4	Select	\$ 4.90	Specials \$117.00
Hickory - Pecan 4/4	Select	\$ 3.00	\$ 100.00
Mahogany (Genuine) 4/4	Select	\$ 4.70	\$ 112.00
Maple (Hard) 4/4	Select	\$ 3.45	\$ 108.00
Maple (Soft) 4/4	Select	\$ 2.50	\$ 88.00
Poplar 4/4	Select	\$ 1.80	SEE OUR \$ 88.00 \$ 78.00 \$ 96.00 \$ 96.00 \$ 96.00 \$ 96.00 \$ 96.00
Red Oak 4/4	Select	\$ 2.70	SEE CON \$ 96.00
Walnut 4/4	Select	\$ 4.90	S 115.00
White Oak 4/4	Select	\$ 2.70	CATA WED \$ 96.00
Cedar (Aromatic Red) . 4/4	1C+Btr.	\$ 1.80	CATALOGES! \$ 115.00 THE WEB! \$ 96.00
Cypress 4/4	Select	\$ 2.60	\$ 90.00
White Pine 4/4	F.G.	\$ 1.25	\$ 70.00
Yellow Pine 4/4	Clear	\$ 2.30	\$ 82.00

Above prices are for 100' quantities of kilndried rough lumber sold by the Bd. Ft. FOB Mayodan, NC. Call for quantity discounts. Other sizes and grades available.

Above prices are 20 bd. ft. bundles of clear kilndried lumber 3"-10" wide · 3'-5' long (Random widths & lengths) Surfaced 2 sides or rough. Delivered UPS prepaid in the Continental U.S.

OLIVER MACHINERY DEALER HARDWOOD PLYWOOD

CUSTOM RAISED PANEL DOORS

CUSTOM PLANK HARDWOOD FLOORING

THIN CRAFTWOOD

**EXOTIC LUMBER** 

#### STEVE H. WALL LUMBER CO.

BOX 287 MAYODAN, N.C. 27027 336-427-0637 1-800-633-4062 FAX 336-427-7588

Email: wood@walllumber.com Website: www.walllumber.com

Send \$1.00 For Lumber Catalog Prices Subject to Change Without Notice



SS809 .....\$99.95 Full Color 100 pg Catalog \$5.00 pg JANTZ SUPPLY

109 WEST MAIN-DEPT WD - DAVIS OK 73030 www.knifemaking.com

Abrasives, Polishing And Finishing Supplies, Pracision Tools, Schrimshaw and Leathercraft Supplies, Books, Videos, And More





Hand-pierced metal panels. Easy to order! Standard ready-to-ship sizes or order custom sizes in 12 metals your choice! Do-ityourself materials, too! Download FREE Full Line Catalog online or order our printed catalog for \$5.00.


# www.piercedtin.com

email sales@piercedtin.com

Pierced Tin Design, Ltd. by Country Accents 1723 Scalfe Road, Williamsport, PA 17701 Ph 570) 478-4127 9-5 EST \* Fax 570) 478-2007







serious woodworker 800.426.4613 32 33rd St. Bklyn, NY 11232 TOOLS FOR WOOD

www.toolsforworkingwood

Cut Your Own Wood! With the MP-32 Sawmill you can

cut your own lumber for a Home, Fence, Furniture, and much More!

Affordable, Powerful, & Reliable! Call for your FREE Catalog today!

Cook's Saw Mfg.,LLC 1-800-473-4804 www.cooksom

Multi-Purpose Routing Jig Guides router for: • mortises

raftsman

Other Sawmill

U.S. Dollars. Prices

subject to change without notice.

Models to Choose from.

Gallery

· tenons

dovetails

· raised panels · dados & grooves

· and a lot more!

Call 866.966.3728 or visit www.chipsfly.com



Create A Classic

Baby Cradle Build Plan # M62 These Classics \$15.95 With Our Size 21x35x39 Full Size more info at

armorplans.com Size 44 L x 27 H Trim pack armorplans.com

Cycle Rocker \$18.50

VISA/MC 1-800-292-8296

Armor Box 445 E. Northport NY 11731



(Add optional 7' bed extension, no limit to the length)


7.0 HP Gas Engine

Capacity Sawmill ONLY

\$3,795\*

Wood-Mizer

800.553.0182 woodmizer.com/A993



- Easy To Follow Plans
- Extensive Line Of Clock Components
  - Easy To Assemble Kits
- Detailed Instructions With All Movements
  - Industry Leading Technical Support!

**Call Today For Your FREE Catalog!** 

1-800-556-2548 www.klockit.com

Dept. Code: WD1208







or drill press to create randomly spaced & sized dovetail joints. Low noise & dust.

> Made with the finest tool steel by one of the oldest manufacturers of mortising chisels!


For more details & demo, go to: www.dovetailmaster.com or call 215.297.9722

**Dovetail Master, LLC** 6837 Groveland Road

Pipersville, Pa. 18947









A PRECISION TOOL FROM O.M.S. TOOL COMPANY LTD

Four precision woodwork joinery jigs in one.



Our Unconditional Guarantee: Wood joints that are destructive test proven stronger than a mortise and tenon, and a joinery system that is more accurate and versatile than any other system on the market.

For more information, or to order call 1-877-986-9400 or log on to:

www.dowelmax.com





HOOK & LOOP DISCS 2" \$18/100 3" \$20/100 4½" or 5" 5 or 8 Holes \$15.00/50 6" 6, 8, or 16 Holes \$19.00/50 9" \$1.50 ea 12" \$2.50 ea

ABRALON® 6" Polishing Disc Grits 360 to 4000

ABRANET® 5" & 6" Mesh Disc Grits 80 to 600

BELTS-A.O. Resin 4 x 24 \$1.30 4 x 36 \$1.70 6 x 48 \$3.70 6 x 89 \$6.80 1 x 30 1 x 42 \$.80 \$.85 \$.90 \$.90

SHEETS-9" x 11". A.O. 50D, 80D 120C, 150C 180A, 220A

**ABRASIVE ROLLS** FREE 48 PAGE CATALOG

RED HILL CORP. P.O. BOX 4234 GETTYSBURG, PA 17325

(800) 822-4003 WWW.SUPERGRIT.COM











Largest retail distributor in Florida For details and hours of operation go to



Segments


Set Your Gauge for 16 Popular Segments



For advertising in the **WOOD Marketplace**, please call Lisa Greenwood at 1-800-950-3829 or

lisa.greenwood@meredith.com





# What's Ahead

A sneak peek inside the March 2009 issue (on sale January 13, 2009)



### Lingerie chest


Practical and beautiful, this lithe seven-drawer chest completes the Shaker-style bedroom set that started with the pencil-post bed in the November 2008 issue.






No-fail routines for jointing and planing

Learn time-proven techniques for machining rough-sawn lumber and even warped, cupped boards into flat, square project stock of consistent thickness.



6" jointers

Our test of 10 mid-priced models with three types of cutterheads uncovers the machine that will work best in your shop.



#### Start designing in SketchUp

Google's free, easy-to-use design software sets your creativity ablaze. See how you can visualize and refine projects before even setting foot in the shop.



### Add slatwall tool and accessory storage

Use these tough and affordable wall panels and heavy-duty hardware to devise a storage system that keeps pace with your changing shop needs.



#### 6 essential machinery setup tools

Can these affordable tools really improve your wood-working? We think so. Discover which shop aids belong in every woodworker's tool kit.

WOOD magazine December/January 2008/2009

n March, May, July, September, October, Novembe, en Niëxico, One-year subsoription prices: U.S. an Windsor, ON, 1467 387, POSTMASTER; Send addre



Create with Confidence™




# Satisfy your most important client

The best projects aren't for, or about yourself. And when someone special is involved, safety is even more critical. With an innovative torsion mechanism tested to 25,000 cycles, our new Lid-Stay Hinges hold lids open at almost any angle so her fingers stay secure and your mind stays at ease—another way Rockler helps you Create with Confidence.

Rockler Woodworking and Hardware - Since 1954





# PRECISION. STRAIGHT DOWN THE LINE.

#### INTRODUCING THE TRACKSAW SYSTEM FROM DEWALT.

The new DEWALT TrackSaws deliver table saw precision, panel saw capacity, and hand saw portability. Packed with innovative features like a dual-edged track, an ergonomically correct straight plunge action, and a continuous anti-kickback mechanism, the saw operates smoothly and comfortably. Make accurate plunge cuts, bevel up to 47°, and cut hardwoods up to 2-1/8" thick with ease. Attach a vacuum and up to 90% of the dust gets collected to minimize clean up. For perfectly straight, splinter-free cuts, check out the new corded and cordless TrackSaws from DEWALT.


Visit www. DEWALT.com/TrackSaw to see it in action.

Copyright ©2008 DEWALT. The following are trademarks for one or more DEWALT Power Tools and Accessories. The yellow and black color scheme, the "D" shaped air intake grille, the array pyramids on the handgrip, the kit box configuration, and the array of lozenge-shaped humps on the surface of the tool.

# DEWALT



The straight plunge action creates a comfortable, natural motion.



1,300-watt motor cuts hardwoods up to 2-1/8" with ease.



The dual-edged track sets up faster and lasts longer.



Available in both corded and 28v Lithium Ion cordless models.